



2017 BIKE TECHBOOK

—

NO SHORTCUTS



2017 BIKE TECHBOOK

01	MOUNTAIN	003	06	JUNIOR	097
	Scale 700/900/Plus	004		Junior	098
	Spark 700/900/Plus	018	07	Technical Data & Geometries	101
	Genius 700/900/Plus	043	08	TWINLOC	133
	Genius LT	045	09	Brose/Bosch	137
	Gambler	046	10	Belt Drive	143
	Voltage FR	047		Conti Drive System	144
	Voltage	048	11	Maximum Rotor Size	159
	Aspect 900/700/600	049	12	B2B Images/Direct Email Enquiries ...	161
	Big Jon	051	13	Carbon Repairs	165
02	ROAD	053	14	Online Warranty Program for Bike Frames, Helmets, Shoes & Protection	167
	Plasma 4/5	054	15	Supplier Agreement: Direct Warranty Support to Dealers & National SCOTT Distributors	173
	Foil	055	16	Workshop Tools	177
	Addict Disc	056	17	Replaceable Drop Outs Since 1995 ...	191
	Addict/Gravel/CX	059	18	Cable Guides	199
	Solace/Disc	061	19	Replacement Parts	201
	CR1	062	20	Helmets	243
	Speedster/Disc	063	21	Bike Shoes	251
	Speedster Gravel/CX	064	22	Legal Information	255
03	CONTESSA	065	23	Syncros Wheels	259
	Contessa Scale 700/900/Plus	067	24	Syncros Accessories	313
	Contessa Spark 700/Plus	069	25	Suspension	331
	Contessa Genius 700/Plus	071	26	Eco Tent	343
	Contessa 700	072			
	Contessa Solace/Disc	073			
	Contessa Speedster	074			
04	E-BIKE	075			
	E-Spark 700 Plus	076			
	Contessa E-Spark 710 Plus	076			
	E-Genius 900/700 Plus	078			
	Contessa E-Genius 720 Plus	078			
	E-Scale 700/900/Plus	080			
	Contessa E-Scale 700/Plus	080			
	E-Aspect 700/900	082			
	E-Silence	084			
	E-SUB Sport/Tour/Unisex	087			
	E-Bike Adjustable Stem	089			
	Rear Rack Manual	089			
05	URBAN/TREKKING	091			
	Silence	092			
	SUB Sport/Comfort/Cross	095			

01 MOUNTAIN

- SCALE 700/900/PLUS
- SPARK 700/900/PLUS
- GENIUS 700/900/PLUS
- GENIUS LT
- GAMBLER
- VOLTAGE FR
- VOLTAGE
- ASPECT 900/700/600
- BIG JON

SCOTT SCALE 700/900/PLUS



SCALE RC 700 SL

From the carbon fibre to the manufacturing process to the final result — the new Scale has been completely redesigned. The result: a new benchmark for race hardtail frames.

The Scale RC 700 SL weighs in at only 849 grams. The incredible lightweight frame characteristics and two dedicated frame platforms for 1x and 2x drivetrains lift the standard of hardtail mountain bikes to a new level.

A mix of high-end carbon fibres has been used on all Scale Carbon frames to achieve incredible results. The HMX-SL frame utilizes MR70, YS60 and HR40 Carbon fibres. HR40 is a strong and light filament which, used together with MR70 fibres, attains unachieved tensile strength values. In order to achieve the set stiffness targets, YS60 layers are added into the lay-up. After choosing the Carbon fibres, the engineers are using specific tools, like FEA software, to map out the carbon lay-up. Thanks to SCOTT's proprietary EvoLap-Technology, different forces can be applied on a virtual model and the frame construction is adjusted accordingly.

The SDS2 technology achieves comfort in carbon frames without adding parts or sacrificing stiffness characteristics. In order to achieve this, the engineers use different tube shapes in combination with a strategic alignment of the carbon fibres to avoid any undesired flex that can impair performance.

The Boost standard improves wheel stiffness and allows for increased tire clearance. The new Scale frame has been developed around the Boost standard in order to maximize the advantages of the new norm. The three millimeter outboard chain ring adds clearance to the chainstay area allowing for a significant increase of the chainstay cross-section for both, the 1x and 2x models. This offers more possibilities to find the right position of the rear wheel in the frame in order to achieve improved structural stiffness.

The new Scale is available in two different versions. The HMX-SL and HMX frames are optimized for 1x drivetrains only and therefore dedicated to race-oriented riders. The HMF line-up is designed and optimized around a double chain ring setup. These models can, however, accommodate a single chainring configuration.

On the new Scale introduce a specific brake mount adapter which is linked directly to the chainstay and thru-axle in order to increase stiffness.

Routing the cables internally avoids bulky external hardware and looks cleaner. Due to the improved protection, the cables have a longer lifetime.

The new Scale chain guide weighs in at just 23 grams, is easy to assemble thanks to a smart mounting system and can accommodate 30T to 36T chainrings.

The new Scale dropouts are designed to be integrated on the thru-axle system thanks to a hollow tube design that allows a simple and lightweight structure.


GEOMETRY/TECHNICAL DATA SCALE 3

Seatpost Diameter	31.6mm
Seattube clamp	34.9
Headset	bearings: 51.9x40x8 45 ° x 45 °/ 41.8x30.5x8 45 ° x 45 °
Fork travel	100mm
BB housing	BB PF92
Front derailleur	Shimano high direct mount side swing (non-RC models only) Additional parts needed
Chainring size	38T max
Max tyre width	2.3/57mm Please note: Tire sizes often vary from brand to brand. Ensure the tire clearance is adequate when replacing your tires!



IMPORTANT

Only a bottle with 0.55L capacity will have the clearance to fit a small frame




SCALE

SCALE: 930, 935

	S		M		L		XL	
A HEAD TUBE ANGLE	69.5 °		69.5 °		69.5 °		69.5 °	
B HEAD TUBE LENGTH	105.0 mm	4.1 in	105.0 mm	4.1 in	115.0 mm	4.5 in	125.0 mm	4.9 in
C TOP TUBE HORIZONTAL	580.0 mm	22.8 in	600.0 mm	23.6 in	620.0 mm	24.4 in	640.0 mm	25.2 in
D STANDOVER HEIGHT	756.0 mm	29.8 in	783.0 mm	30.8 in	810.0 mm	31.9 in	842.0 mm	33.1 in
E BB OFFSET	-60.0 mm	-2.4 in	-60.0 mm	-2.4 in	-60.0 mm	-2.4 in	-60.0 mm	-2.4 in
F BB HEIGHT	310.0 mm	12.2 in	310.0 mm	12.2 in	310.0 mm	12.2 in	310.0 mm	12.2 in
G WHEEL BASE	1'079.0 mm	42.5 in	1'096.8 mm	43.2 in	1'117.0 mm	44.0 in	1'137.9 mm	44.8 in
H BB CENTER TO TOPTUBE CENTER	329.0 mm	13.0 in	375.0 mm	14.8 in	415.0 mm	16.3 in	465.0 mm	18.3 in
I BB CENTER TO TOP OF SEATTUBE	390.0 mm	15.4 in	440.0 mm	17.3 in	480.0 mm	18.9 in	530.0 mm	20.9 in
J SEAT ANGLE	72.5 °		72.5 °		72.5 °		72.5 °	
K CHAINSTAY	438.0 mm	17.2 in	438.0 mm	17.2 in	438.0 mm	17.2 in	438.0 mm	17.2 in
L REACH	385.0 mm	15.2 in	405.0 mm	15.9 in	422.0 mm	16.6 in	439.0 mm	17.3 in
M STACK	618.0 mm	24.3 in	618.0 mm	24.3 in	628.0 mm	24.7 in	637.0 mm	25.1 in
N STEM LENGTH	70.0 mm	2.8 in	80.0 mm	3.1 in	90.0 mm	3.5 in	100.0 mm	3.9 in

SCALE: 730, 735

	S		M		L		XL	
A HEAD TUBE ANGLE	69.0 °		69.0 °		69.0 °		69.0 °	
B HEAD TUBE LENGTH	100.0 mm	3.9 in	100.0 mm	3.9 in	115.0 mm	4.5 in	125.0 mm	4.9 in
C TOP TUBE HORIZONTAL	575.0 mm	22.6 in	600.0 mm	23.6 in	625.0 mm	24.6 in	650.0 mm	25.6 in
D STANDOVER HEIGHT	728.9 mm	28.7 in	758.0 mm	29.8 in	786.8 mm	31.0 in	819.7 mm	32.3 in
E BB OFFSET	-44.0 mm	-1.7 in	-44.0 mm	-1.7 in	-44.0 mm	-1.7 in	-44.0 mm	-1.7 in
F BB HEIGHT	307.5 mm	12.1 in	307.5 mm	12.1 in	307.5 mm	12.1 in	307.5 mm	12.1 in
G WHEEL BASE	1'075.2 mm	42.3 in	1'100.2 mm	43.3 in	1'126.3 mm	44.3 in	1'152.0 mm	45.4 in
H BB CENTER TO TOPTUBE CENTER	315.8 mm	12.4 in	369.3 mm	14.5 in	409.3 mm	16.1 in	458.2 mm	18.0 in
I BB CENTER TO TOP OF SEATTUBE	390.0 mm	15.4 in	440.0 mm	17.3 in	480.0 mm	18.9 in	530.0 mm	20.9 in
J SEAT ANGLE	73.0 °		73.0 °		73.0 °		73.0 °	
K CHAINSTAY	427.0 mm	16.8 in	427.0 mm	16.8 in	427.0 mm	16.8 in	427.0 mm	16.8 in
L REACH	398.1 mm	15.7 in	423.1 mm	16.7 in	443.8 mm	17.5 in	466.0 mm	18.3 in
M STACK	578.6 mm	22.8 in	578.6 mm	22.8 in	592.6 mm	23.3 in	601.9 mm	23.7 in
N STEM LENGTH	70.0 mm	2.8 in	80.0 mm	3.1 in	90.0 mm	3.5 in	100.0 mm	3.9 in



SCALE 900 RC: SL, ULTIMATE, WORLD CUP, PRO

SCALE: 900, 910, 920

	S		M		L		XL	
A HEAD TUBE ANGLE	69.5 °		69.5 °		69.5 °		69.5 °	
B HEAD TUBE LENGTH	95.0 mm	3.7 in	100.0 mm	3.9 in	115.0 mm	4.5 in	125.0 mm	4.9 in
C TOP TUBE HORIZONTAL	575.0 mm	22.6 in	600.0 mm	23.6 in	625.0 mm	24.6 in	650.0 mm	25.6 in
D STANDOVER HEIGHT	743.0 mm	29.3 in	774.0 mm	30.5 in	800.0 mm	31.5 in	835.1 mm	32.9 in
E BB OFFSET	-58.0 mm	-2.3 in	-58.0 mm	-2.3 in	-58.0 mm	-2.3 in	-58.0 mm	-2.3 in
F BB HEIGHT	312.0 mm	12.3 in	312.0 mm	12.3 in	312.0 mm	12.3 in	312.0 mm	12.3 in
G WHEEL BASE	1,076.4 mm	42.4 in	1,101.8 mm	43.4 in	1,127.9 mm	44.4 in	1,153.7 mm	45.4 in
H BB CENTER TO TOPTUBE CENTER	325.0 mm	12.8 in	375.0 mm	14.8 in	415.0 mm	16.3 in	465.0 mm	18.3 in
I BB CENTER TO TOP OF SEATTUBE	390.0 mm	15.4 in	440.0 mm	17.3 in	480.0 mm	18.9 in	530.0 mm	20.9 in
J SEAT ANGLE	73.6 °		73.6 °		73.6 °		73.6 °	
K CHAINSTAY	425.0 mm	16.7 in	425.0 mm	16.7 in	425.0 mm	16.7 in	425.0 mm	16.7 in
L REACH	398.7 mm	15.7 in	422.3 mm	16.6 in	443.2 mm	17.4 in	465.5 mm	18.3 in
M STACK	599.0 mm	23.6 in	603.6 mm	23.8 in	617.7 mm	24.3 in	627.1 mm	24.7 in
N STEM LENGTH	60.0 mm	2.4 in	70.0 mm	2.8 in	80.0 mm	3.1 in	90.0 mm	3.5 in
O TRAIL	83.9 mm	3.3 in	83.9 mm	3.3 in	83.9 mm	3.3 in	83.9 mm	3.3 in


SCALE 700 RC: SL, ULTIMATE, WORLD CUP, PRO

SCALE: 700, 710, 720


	S		M		L	
A HEAD TUBE ANGLE	69.0 °		69.0 °		69.0 °	
B HEAD TUBE LENGTH	95.0 mm	3.7 in	100.0 mm	3.9 in	115.0 mm	4.5 in
C TOP TUBE HORIZONTAL	575.0 mm	22.6 in	600.0 mm	23.6 in	625.0 mm	24.6 in
D STANDOVER HEIGHT	726.0 mm	28.6 in	756.0 mm	29.8 in	784.0 mm	30.9 in
E BB OFFSET	-46.0 mm	-1.8 in	-46.0 mm	-1.8 in	-46.0 mm	-1.8 in
F BB HEIGHT	305.5 mm	12.0 in	305.5 mm	12.0 in	305.5 mm	12.0 in
G WHEEL BASE	1,073.7 mm	42.3 in	1,099.0 mm	43.3 in	1,125.2 mm	44.3 in
H BB CENTER TO TOPTUBE CENTER	325.0 mm	12.8 in	375.0 mm	14.8 in	415.0 mm	16.3 in
I BB CENTER TO TOP OF SEATTUBE	390.0 mm	15.4 in	440.0 mm	17.3 in	480.0 mm	18.9 in
J SEAT ANGLE	73.2 °		73.2 °		73.2 °	
K CHAINSTAY	425.0 mm	16.7 in	425.0 mm	16.7 in	425.0 mm	16.7 in
L REACH	401.0 mm	15.8 in	424.6 mm	16.7 in	445.3 mm	17.5 in
M STACK	575.0 mm	22.6 in	579.6 mm	22.8 in	593.6 mm	23.4 in
N STEM LENGTH	60.0 mm	2.4 in	70.0 mm	2.8 in	80.0 mm	3.1 in
O TRAIL	87.8 mm	3.5 in	87.8 mm	3.5 in	87.8 mm	3.5 in

SCALE: 950, 960, 965, 970

	S		M		L		XL		XXL	
A HEAD TUBE ANGLE	69.5 °		69.5 °		69.5 °		69.5 °		69.5 °	
B HEAD TUBE LENGTH	105.0 mm	4.1 in	105.0 mm	4.1 in	115.0 mm	4.5 in	125.0 mm	4.9 in	140.0 mm	5.5 in
C TOP TUBE HORIZONTAL	580.0 mm	22.8 in	600.0 mm	23.6 in	620.0 mm	24.4 in	640.0 mm	25.2 in	660.0 mm	26.0 in
D STANDOVER HEIGHT	756.0 mm	29.8 in	783.0 mm	30.8 in	810.0 mm	31.9 in	842.0 mm	33.1 in	883.9 mm	34.8 in
E BB OFFSET	-60.0 mm	-2.4 in	-60.0 mm	-2.4 in	-60.0 mm	-2.4 in	-60.0 mm	-2.4 in	-60.0 mm	-2.4 in
F BB HEIGHT	310.0 mm	12.2 in	310.0 mm	12.2 in	310.0 mm	12.2 in	310.0 mm	12.2 in	310.0 mm	12.2 in
G WHEEL BASE	1'079.0 mm	42.5 in	1'096.0 mm	43.1 in	1'117.0 mm	44.0 in	1'137.0 mm	44.8 in	1'160.6 mm	45.7 in
H BB CENTER TO TOPTUBE CENTER	329.0 mm	13.0 in	375.0 mm	14.8 in	415.0 mm	16.3 in	465.0 mm	18.3 in	522.8 mm	20.6 in
I BB CENTER TO TOP OF SEATTUBE	390.0 mm	15.4 in	440.0 mm	17.3 in	480.0 mm	18.9 in	530.0 mm	20.9 in	580.0 mm	22.8 in
J SEAT ANGLE	72.5 °		72.5 °		72.5 °		72.5 °		72.5 °	
K CHAINSTAY	438.0 mm	17.2 in	438.0 mm	17.2 in	438.0 mm	17.2 in	438.0 mm	17.2 in	438.0 mm	17.2 in
L REACH										
M STACK	385.0 mm	15.2 in	405.0 mm	15.9 in	422.0 mm	16.6 in	439.0 mm	17.3 in	452.9 mm	17.8 in
N STEM LENGTH	618.0 mm	24.3 in	618.0 mm	24.3 in	628.0 mm	24.7 in	637.0 mm	25.1 in	650.8 mm	25.6 in



SCALE



SCALE PLUS

SCALE: 750, 760, 765, 770

	XS		S		M		L		XL	
A HEAD TUBE ANGLE	69.0 °		69.0 °		69.0 °		69.0 °		69.0 °	
B HEAD TUBE LENGTH	100.0 mm	3.9 in	100.0 mm	3.9 in	100.0 mm	3.9 in	115.0 mm	4.5 in	125.0 mm	4.9 in
C TOP TUBE HORIZONTAL	560.0 mm	22.0 in	575.0 mm	22.6 in	600.0 mm	23.6 in	625.0 mm	24.6 in	650.0 mm	25.6 in
D STANDOVER HEIGHT	720.0 mm	28.3 in	728.9 mm	28.7 in	758.0 mm	29.8 in	786.8 mm	31.0 in	819.7 mm	32.3 in
E BB OFFSET	-44.0 mm	-1.7 in	-44.0 mm	-1.7 in	-44.0 mm	-1.7 in	-44.0 mm	-1.7 in	-44.0 mm	-1.7 in
F BB HEIGHT	307.5 mm	12.1 in	307.5 mm	12.1 in	307.5 mm	12.1 in	307.5 mm	12.1 in	307.5 mm	12.1 in
G WHEEL BASE	1'060.2 mm	41.7 in	1'075.2 mm	42.3 in	1'100.2 mm	43.3 in	1'126.3 mm	44.3 in	1'152.0 mm	45.4 in
H BB CENTER TO TOP TUBE CENTER	313.4 mm	12.3 in	315.8 mm	12.4 in	369.3 mm	14.5 in	409.3 mm	16.1 in	458.2 mm	18.0 in
I BB CENTER TO TOP OF SEATTUBE	355.0 mm	14.0 in	390.0 mm	15.4 in	440.0 mm	17.3 in	480.0 mm	18.9 in	530.0 mm	20.9 in
J SEAT ANGLE	73.0 °		73.0 °		73.0 °		73.0 °		73.0 °	
K CHAINSTAY	427.0 mm	16.8 in	427.0 mm	16.8 in	427.0 mm	16.8 in	427.0 mm	16.8 in	427.0 mm	16.8 in
L REACH	382.5 mm	15.1 in	398.1 mm	15.7 in	423.1 mm	16.7 in	443.8 mm	17.5 in	466.0 mm	18.3 in
M STACK	576.0 mm	22.7 in	578.6 mm	22.8 in	578.6 mm	22.8 in	592.6 mm	23.3 in	601.9 mm	23.7 in
N STEM LENGTH	60.0 mm	2.4 in	70.0 mm	2.8 in	80.0 mm	3.1 in	90.0 mm	3.5 in	100.0 mm	3.9 in

SCALE PLUS: 710, 720, 730

	S		M		L		XL	
A HEAD TUBE ANGLE	66.5 °		66.5 °		66.5 °		66.5 °	
B HEAD TUBE LENGTH	100.0 mm	3.9 in	105.0 mm	4.1 in	115.0 mm	4.5 in	125.0 mm	4.9 in
C TOP TUBE HORIZONTAL	577.0 mm	22.7 in	602.0 mm	23.7 in	627.0 mm	24.7 in	652.0 mm	25.7 in
D STANDOVER HEIGHT	780.0 mm	30.7 in	806.0 mm	31.7 in	829.0 mm	32.6 in	857.0 mm	33.7 in
E BB OFFSET	-55.0 mm	-2.2 in	-55.0 mm	-2.2 in	-55.0 mm	-2.2 in	-55.0 mm	-2.2 in
F BB HEIGHT	310.0 mm	12.2 in	310.0 mm	12.2 in	310.0 mm	12.2 in	310.0 mm	12.2 in
G WHEEL BASE	1'108.0 mm	43.6 in	1'133.4 mm	44.6 in	1'159.3 mm	45.6 in	1'185.2 mm	46.7 in
H BB CENTER TO TOP TUBE CENTER	328.0 mm	12.9 in	383.0 mm	15.1 in	425.0 mm	16.7 in	477.0 mm	18.8 in
I BB CENTER TO TOP OF SEATTUBE	390.0 mm	15.4 in	440.0 mm	17.3 in	480.0 mm	18.9 in	530.0 mm	20.9 in
J SEAT ANGLE	72.8 °		72.8 °		72.8 °		72.8 °	
K CHAINSTAY	439.0 mm	17.3 in	439.0 mm	17.3 in	439.0 mm	17.3 in	439.0 mm	17.3 in
L REACH	389.0 mm	15.3 in	412.0 mm	16.2 in	435.0 mm	17.1 in	457.0 mm	18.0 in
M STACK	607.0 mm	23.9 in	612.0 mm	24.1 in	621.0 mm	24.4 in	631.0 mm	24.8 in
N STEM LENGTH	50.0 mm	2.0 in	60.0 mm	2.4 in	70.0 mm	2.8 in	80.0 mm	3.1 in

TECHNICAL DATA SCALE

Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)	Rear Shock (e2e)	Hardware Rear Shock in mm	Bearings (frame)
Scale RC 700 SL	PRESSFIT GXP BB FOR MTB(FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S, 175 M/L/XL	1FI40IT043004, SYNCROS 1/8" - 1.5" TAPERED, DROP-IN SEALED CARTRIDGE & TIB BEARING, W/O AL HEADSETCUP, IS42/28.6 ISS2/40, W/O LOGO	60mm (S); 70mm (M); 80mm (L); 90mm (XL)	720	31.6x400mm	34.9mm	XR1.0 27.5 28H	XR1.0 27.5 28H	XR1.0 27.5 28H	NONE	NONE	NONE
Scale RC 700 Ultimate	PRESSFIT GXP BB FOR MTB(FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S, 175 M/L/XL	1FI40IT043004, SYNCROS 1/8" - 1.5" TAPERED, DROP-IN SEALED CARTRIDGE & TIB BEARING, W/O AL HEADSETCUP, IS42/28.6 ISS2/40, W/O LOGO	60mm (S); 70mm (M); 80mm (L); 90mm (XL)	720	31.6x400mm	34.9mm	XR1.5 27.5 28H	XR1.5 27.5 28H	XR1.5 27.5 28H	NONE	NONE	NONE
Scale RC 700 World Cup	PRESSFIT GXP BB FOR MTB(FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S, 175 M/L/XL	SYNCROS 1/8" - 1.5" TAPERED, DROP-IN SEALED CARTRIDGE & TIB BEARING, IS42/28.6 ISS2/40, W/O AL CUPS W/O LOGO	60mm (S); 70mm (M); 80mm (L); 90mm (XL)	710	31.6x400mm	34.9mm	XR-RC 27.5 28H	XR-RC 27.5 28H	XR-RC 27.5 28H	NONE	NONE	NONE
Scale RC 700 Pro	SM-BB71-41A FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	NONE	170 S, 175 M/L/XL	1FI30IT043006, DROP IN FL 2.0, ACB BEARING/1-1/8"-1.5"/42-52MM, W/O HS TOPCUP & LOGO	60mm (S); 70mm (M); 80mm (L); 90mm (XL)	720	31.6x400mm	34.9mm	XR2.0 27.5 28H	XR2.0 27.5 28H	XR2.0 27.5 28H	NONE	NONE	NONE
Scale 700	SM-BB94-41A FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	FD-M9020-D DIRECT MOUNT 66-69 34/36/38T SIDE SWING FRONT-PULL FOR DOUBLE	170 S, 175 M/L/XL	1FI30IT043006, DROP IN FL 2.0, ACB BEARING/1-1/8"-1.5"/42-52MM, W/O HS TOPCUP & LOGO	60mm (S); 70mm (M); 80mm (L); 90mm (XL)	720	31.6x400mm	34.9mm	XR1.5 27.5 28H	XR1.5 27.5 28H	XR1.5 27.5 28H	NONE	NONE	NONE
Scale 710	SM-BB71-41A FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	FD-M9020-D DIRECT MOUNT 66-69 34/36/38T SIDE SWING FRONT-PULL FOR DOUBLE	170 S, 175 M/L/XL	1FI30IT043006, DROP IN FL 2.0, ACB BEARING/1-1/8"-1.5"/42-52MM, W/O HS TOPCUP & LOGO	60mm (S); 70mm (M); 80mm (L); 90mm (XL)	720	31.6x400mm	34.9mm	XR2.0 27.5 28H	XR2.0 27.5 28H	XR2.0 27.5 28H	NONE	NONE	NONE
Scale 720	BB-MT500-PA FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	FD-M7020-D FOR 2X11 DIRECT MOUNT 66-69 34-38T SIDE SWING FRONT-PULL	170 S, 175 M/L/XL	1FI20IT043002, DROPE IN PRO, SSC BEARING /1-1/8"-1.5"/42-52MM, W/O HS TOPCUP & LOGO	60mm (S); 70mm (M); 80mm (L); 90mm (XL)	720	31.6x400mm	34.9mm	XR2.5 27.5 28H	XR2.5 27.5 28H	XR2.5 27.5 28H	NONE	NONE	NONE
Scale 730	PRESSFIT GXP BB FOR MTB(FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S, 175 M/L/XL	1S125115AL, PRESS FIT PRO/TAPER, 1-1/8"-1.5"/50-61MM/AL CUPS/ SSC BEARINGS, MATT BLK SANDBLASTED, NEON YELLOW YS-793 BRANDING H:12.9MM	60mm (S); 70mm (M); 80mm (L); 90mm (XL)	720	31.6x400mm	34.9mm	15GX273.5/ 275	15GX273/ 275	X23 DISC 27.5"x32H	NONE	NONE	NONE
Scale 735	BB-MT500-PA FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	FD-M618-E W/O PLATE 66-69 105 36/38T TOP SWING DUAL-PULL FOR DOUBLE	170 S, 175 M/L/XL	1S125115AL SYNCROS HS 1-1/8"-1.5" 50-61MM H:12.9 MATT BLK SANDBLASTED AL CUPS SSC BEARINGS NEON LIME YS-8099 LOGO	60mm (S); 70mm (M); 80mm (L); 90mm (XL)	720	31.6x400mm	34.9mm	15GX273.5/ 275	15GX273/ 275	X23 DISC 27.5"x32H	NONE	NONE	NONE
Scale 740	BB-MT500-PA FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	FD-M8025-L 34.9 CL:50MM 66-69 34/36/38T TOP SWING DOWN-PULL LOW CLAMP FOR DOUBLE	170 XS/S; 175 M/L/XL	1S121815FST, PRESS FIT COMP/TAPER, 1-1/8"-1.5"/50-61MM/STEEL CUPS/SEALED BEARING, MATT BLK SANDBLASTED, NEON YELLOW YS793 BRANDING H:11.1MM	60mm (XS/S); 70mm (M); 80mm (L); 90mm (XL)	720	31.6x400mm	34.9mm	15GX273.5/ 275	15GX273/ 275	X23 DISC 27.5"x32H	NONE	NONE	NONE
Scale 745	PRESSFIT GXP BB FOR MTB(FOR 89/91.5MM) (00.6418.002.000)	NONE	170 XS/S; 175 M/L/XL	1S121815FST, PRESS FIT COMP/TAPER, 1-1/8"-1.5"/50-61MM/STEEL CUPS/SEALED BEARING, MATT BLK SANDBLASTED, NEON YELLOW YS793 BRANDING H:11.1MM	60mm (XS/S); 70mm (M); 80mm (L); 90mm (XL)	720	31.6x400mm	34.9mm	15GX273.5/ 275	15GX273/ 275	X23 DISC 27.5"x32H	NONE	NONE	NONE
Scale 750	BB.-MT500-PA	FD-M618-L	S = 170mm M/L/XL = 175mm	VP-J203SER TAPERED 1-1/2 TO 1-1/8 H9:1 LOOSE BALL SEMI INTEGR STEEL BED	XS/50 S/60 M/70 L/80 XL/90	720	31.6x400mm	34.9mm	15GX273mm/ 15GX271.5mm	15GX273mm/ 15GX271.5mm	J19SE DISC 27.5X32H	NONE	NONE	NONE
Scale 760	Including in chain wheel	FD-M618-L	S = 170mm M/L/XL = 175mm	VP-J203SER TAPERED 1-1/2 TO 1-1/8 H9:1 LOOSE BALL SEMI INTEGR STEEL BED	XS/50 S/60 M/70 L/80 XL/90	720	31.6x400mm	34.9mm	15GX273mm/ 15GX271.5mm	15GX273mm/ 15GX271.5mm	J19SE DISC 27.5X32H	NONE	NONE	NONE
Scale 765	XR GXP MTB73	NONE	S = 170mm M/L/XL = 175mm	VP-J203SER TAPERED 1-1/2 TO 1-1/8 H9:1 LOOSE BALL SEMI INTEGR STEEL BED	XS/50 S/60 M/70 L/80 XL/90	720	31.6x400mm	34.9mm	15GX273mm/ 15GX271.5mm	15GX273mm/ 15GX271.5mm	J19SE DISC 27.5X32H	NONE	NONE	NONE
Scale 770	Including in chain wheel	FD-M618-L	S = 170mm M/L/XL = 175mm	VP-J203SER TAPERED 1-1/2 TO 1-1/8 H9:1 LOOSE BALL SEMI INTEGR STEEL BED	XS/50 S/60 M/70 L/80 XL/90	720	31.6x400mm	34.9mm	15GX273mm/ 15GX271.5mm	15GX273mm/ 15GX271.5mm	J19SE DISC 27.5X32H	NONE	NONE	NONE
Scale RC 900 SL	PRESSFIT GXP BB FOR MTB(FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S, 175 M/L/XL	1FI40IT043004, SYNCROS 1/8" - 1.5" TAPERED, DROP-IN SEALED CARTRIDGE & TIB BEARING, W/O AL HEADSETCUP, IS42/28.6 ISS2/40, W/O LOGO	60mm (S); 70mm (M); 80mm (L); 90mm (XL)	720	31.6x400mm	34.9mm	XR1.0 29 28H	XR1.0 29 28H	XR1.0 29 28H	NONE	NONE	NONE
Scale RC 900 Ultimate	PRESSFIT GXP BB FOR MTB(FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S, 175 M/L/XL	1FI40IT043004, SYNCROS 1/8" - 1.5" TAPERED, DROP-IN SEALED CARTRIDGE & TIB BEARING, W/O AL HEADSETCUP, IS42/28.6 ISS2/40, W/O LOGO	60mm (S); 70mm (M); 80mm (L); 90mm (XL)	720	31.6x400mm	34.9mm	XR1.5 29 28H	XR1.5 29 28H	XR1.5 29 28H	NONE	NONE	NONE

TECHNICAL DATA SCALE


Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)	Rear Shock (e2e)	Hardware Rear Shock in mm	Bearings (frame)
Scale RC 900 World Cup	PRESSFIT GXP BB FOR MTB(FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S, 175 M/L/XL	SYNCROS 1/8" - 1.5" TAPERED, DROP-IN SEALED CARTRIDGE & TIB BEARING, IS42/28.6 IS52/40, W/AL CUPS W/O LOGO	60mm (S); 70mm (M); 80mm (L); 90mm (XL)	710	31.6x400mm	34.9mm	XR-RC 29 28H	XR-RC 29 28H	XR-RC 29 28H	NONE	NONE	NONE
Scale RC 900 Pro	SM-BB71-41A FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	NONE	170 S, 175 M/L/XL	1FI301T043006, DROP IN FL 2.0, ACB BEARING/1-1/8"- 1.5"/42-52MM, W/O HS TOPCUP & LOGO	60mm (S); 70mm (M); 80mm (L); 90mm (XL)	720	31.6x400mm	34.9mm	XR2.0 29 28H	XR2.0 29 28H	XR2.0 29 28H	NONE	NONE	NONE
Scale 900	SM-BB94-41A FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	FD-M9020-D DIRECT MOUNT 66-69 34/36/38T SIDE SWING FRONT-PULL FOR DOUBLE	170 S, 175 M/L/XL	1FI301T043006, DROP IN FL 2.0, ACB BEARING/1-1/8"- 1.5"/42-52MM, W/O HS TOPCUP & LOGO	60mm (S); 70mm (M); 80mm (L); 90mm (XL)	720	31.6x400mm	34.9mm	XR1.5 29 28H	XR1.5 29 28H	XR1.5 29 28H	NONE	NONE	NONE
Scale 910	SM-BB71-41A FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	FD-M8020-D DIRECT MOUNT 66-69 34/36/38T SIDE SWING FRONT-PULL FOR DOUBLE	170 S, 175 M/L/XL	1FI301T043006, DROP IN FL 2.0, ACB BEARING/1-1/8"- 1.5"/42-52MM, W/O HS TOPCUP & LOGO	60mm (S); 70mm (M); 80mm (L); 90mm (XL)	720	31.6x400mm	34.9mm	XR2.0 29 28H	XR2.0 29 28H	XR2.0 29 28H	NONE	NONE	NONE
Scale 920	BB-MT500-PA FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	FD-M7020-D FOR 2X11 DIRECT MOUNT 66-69 34-38T SIDE SWING FRONT-PULL	170 S, 175 M/L/XL	1FI201T043002, DROPE IN PRO, SSC BEARING /1-1/8"- 1.5"/42-52MM, W/O HS TOPCUP & LOGO	60mm (S); 70mm (M); 80mm (L); 90mm (XL)	720	31.6x400mm	34.9mm	XR2.5 29 28H	XR2.5 29 28H	XR2.5 29 28H	NONE	NONE	NONE
Scale 930	PRESSFIT GXP BB FOR MTB(FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S, 175 M/L/XL	1SI25115AL, PRESS FIT PRO/TAPER, 1-1/8"- 1.5"/50-61MM/AL CUPS/ SSC BEARINGS, MATT BLK SANDBLASTED, NEON YELLOW YS-793 BRANDING H:12.9MM	60mm (S); 70mm (M); 80mm (L); 90mm (XL)	720	34.9x400mm	37.8mm	15GX292.5/ 294	15GX292/ 294	X23 DISC 29"x32H	NONE	NONE	NONE
Scale 935	BB-MT500-PA FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	FD-M618-H 34.9 CL:50MM 66-69 10S 36/38T DOWN SWING DUAL-PULL HIGH CLAMP FOR DOUBLE	170 S, 175 M/L/XL	1SI25115AL SYNCROS HS 1-1/8"-1.5" 50-61MM H:12.9 MATT BLK SANDBLASTED AL CUPS SSC BEARINGS NEON LIME YS-8099 LOGO	60mm (S); 70mm (M); 80mm (L); 90mm (XL)	720	34.9x400mm	37.8mm	15GX292.5/ 294	15GX292/ 294	X23 DISC 29"x32H	NONE	NONE	NONE
Scale 940	BB-MT500-PA FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	FD-M8025-L 34.9 CL:50MM 66-69 34/36/38T TOP SWING DOWN-PULL LOW CLAMP FOR DOUBLE	170 S, 175 M/L/XL/ XXL	1SI21815FST, PRESS FIT COMP/TAPER, 1-1/8"- 1.5"/50-61MM/STEEL CUPS/SEALED BEARING, MATT BLK SANDBLASTED, NEON YELLOW YS793 BRANDING H:11.1MM	60mm (S); 70mm (M); 80mm (L); 90mm (XL/ XXL)	720	31.6x400mm	34.9mm	15GX293.5/ 292.5	15GX293.5/ 292.5	X23 DISC 29"x32H	NONE	NONE	NONE
Scale 945	PRESSFIT GXP BB FOR MTB(FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S, 175 M/L/XL/ XXL	1SI21815FST, PRESS FIT COMP/TAPER, 1-1/8"- 1.5"/50-61MM/STEEL CUPS/SEALED BEARING, MATT BLK SANDBLASTED, NEON YELLOW YS793 BRANDING H:11.1MM	60mm (S); 70mm (M); 80mm (L); 90mm (XL/ XXL)	720	31.6x400mm	34.9mm	15GX293.5/ 292.5	15GX293.5/ 292.5	X23 DISC 29"x32H	NONE	NONE	NONE
Scale 950	BB-MT500-PA	FD-M618-L	S = 170mm M/L/XL = 175mm	VP-J203SER TAPERED 1-1/2 TO 1-1/8 H9.1 LOOSE BALL SEMI INTEGR STEEL BED	S/60 M/70 L/80 XL/90 XXL/100	720	31.6x400mm	34.9mm	15GX289.5M/ 15GX291mm	15GX289.5M/ 15GX291mm	J19SE DISC 29X32H	NONE	NONE	NONE
Scale 960	Including in chain wheel	FD-M618-L	S = 170mm M/L/XL = 175mm	VP-J203SER TAPERED 1-1/2 TO 1-1/8 H9.1 LOOSE BALL SEMI INTEGR STEEL BED	S/60 M/70 L/80 XL/90 XXL/100	720	31.6x400mm	34.9mm	15GX289.5M/ 15GX291mm	15GX289.5M/ 15GX291mm	J19SE DISC 29X32H	NONE	NONE	NONE
Scale 965	XR GXP MTB73	NONE	S = 170mm M/L/XL = 175mm	VP-J203SER TAPERED 1-1/2 TO 1-1/8 H9.1 LOOSE BALL SEMI INTEGR STEEL BED	S/60 M/70 L/80 XL/90 XXL/100	720	31.6x400mm	34.9mm	15GX289.5M/ 15GX291mm	15GX289.5M/ 15GX291mm	J19SE DISC 29X32H	NONE	NONE	NONE
Scale 970	Including in chain wheel	FD-M618-L	S = 170mm M/L/XL = 175mm	VP-J203SER TAPERED 1-1/2 TO 1-1/8 H9.1 LOOSE BALL SEMI INTEGR STEEL BED	S/60 M/70 L/80 XL/90 XXL/100	720	31.6x400mm	34.9mm	15GX289.5M/ 15GX291mm	15GX289.5M/ 15GX291mm	J19SE DISC 29X32H	NONE	NONE	NONE
Scale 710 Plus	PRESSFIT GXP BB FOR MTB(FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S, 175 M/L/XL	1SI251T043003 SYNCROS HS 1-1/8"-1.5" 55-61MM H:12.9 MATT BLK SANDBLASTED AL CUPS SSC BEARINGS NEON ORANGE YS-798 LOGO (1SI25115AL)	50mm (S/M); 60mm (L/ XL)	760	31.6x412mm	34.9mm	CHAMPION 15GX273/274	CHAMPION 15GX273/274	X-35 DISC 27.5"x32H	NONE	NONE	NONE
Scale 720 Plus	BB-MT500-PA FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	FD-M618-E W/O PLATE 66-69 10S 36/38T TOP SWING DUAL-PULL FOR DOUBLE	170 S, 175 M/L/XL	1SI21815FST SYNCROS HS COMP 1-1/8"-1.5" 55-61MM H:12.9 MATT BLK SANDBLASTED STEEL CUPS SEALED BEARINGS W/neon lime YS-8099 (NE05) Branding	50mm (S/M); 60mm (L/ XL)	760	31.6x400mm	34.9mm	15GX274.5/ 273	15GX274/273	X-35 DISC 27.5"x32H	NONE	NONE	NONE
Scale 730 Plus	BB-MT500-PA FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	FD-M618-E W/O PLATE 66-69 10S 36/38T TOP SWING DUAL-PULL FOR DOUBLE	170 S, 175 M/L/XL	1SI110T043003 (1SI110E15F30) SYNCROS HS OE 1-1/8"-1.5" 55-61MM H:8.2 BLK STEEL CUPS BALL BEARINGS	50mm (S/M); 60mm (L/ XL)	760	31.6x400mm	34.9mm	15GX274.5/ 273	15GX274/273	X-35 DISC 27.5"x32H	NONE	NONE	NONE

This section refers only to the NEW Scale 3 carbon frame unless otherwise stated.

Scale 3 frames for MY17 are:
Scale RC 700/900 SL; RC 700/900 Ultimate;
RC 700/900 World cup; RC 700/900 Pro; 700/900;
710/910; 720/920; Contessa Scale RC

Note:

all MY17 Scale 3 frames are designed around the “Boost standard” be aware of this when changing any components.



Please note that for MY17 930/730 935/735 the frame remains the same as the carbon Scale 2 MY16, the alloy frame also remains technically unchanged. Please refer to previous tech books for any information not found in this chapter, (available to download from B2B).

The MY17 Scale 3 is available in 2 wheel sizes (700/900) all RC models are designed for an x1 front chainring only.

* Scale Plus is not the new scale 3 frame, shown here for reference only

* Shown is frame compatibility not what is spec'd on the bike.

* Additional parts may be required if changing the configuration of the bike

Model	1x	2x
Scale RC 700/900 SL	✓	
Scale RC 700/900 Ultimate	✓	
Scale RC 700/900 World Cup	✓	
Scale RC 700/900 Pro	✓	
Scale 700/900	✓	✓
Scale 710/910	✓	✓
Scale 720/920	✓	✓
Contessa Scale RC 700	✓	
Contessa Scale 700/900	✓	✓
Scale 710/720/730 Plus	✓	✓

DROPOUTS/HANGERS

With the new carbon frames designed around the boost platform there are new dropouts.

IMPORTANT

Please note these will only be for the new boost frames, the Scale 930/730 & 935/735 will still use IDS 2 Dropouts.

DO17-HANGER-TA12-SW-DIRECT

Shimano Direct mount derailleurs.

Part Number: 254091

Description:

Dropout hang boost
TA12-SW DM carb MY17



DO17-HANGER-TA12-SW

All non-direct mounts.


Part number: 254090

Description:


Dropout hanger boost
TA12-SW carb MY17




- 1** Please pay attention to the two fixing bolts on the right hand hanger and the location of the positioning arrow.
Max torque 1.5 N/M.




- 2** First make sure the area is clean, and then insert the hanger.



- 3** Insert the endcap through the frame and into the hanger.



- 4** Make sure the location arrow is pointing to the lower bolt hole; insert the bolt.
Max torque 1.5 N/M



- 5** Insert the second bolt into the rear of the dropout.
Max torque 1.5 N/M



REAR BRAKE MOUNT

The rear brake mount is the same system as the MY17 SCOTT Spark, you must use the specific brake calliper adaptor and this is available in two sizes 160 & 180mm. These sizes must not be exceeded.

Please make sure the bolts that are supplied with the mount are used to prevent damage to the frame threads, the adaptor will allow a standard post mount calliper too be used.

The brake mounts can be identified by the etching on the underside of the mount.

Part 254095 180mm

Part 254096 160mm

To install the brake mount engage the front fixing first and swing round the rear into the dropout before mounting the calliper.



IMPORTANT



180mm mounts must be used with the supplied bolts on the front and conical washers!

Please use the bolts supplies with the mounts and the conical washer must be fitted on the 180mm mount to the forward bolt as shown.

PREVIOUS SCALE



NEW SCALE




FRONT DERAILLEUR

There is an option to use a chain guide on bikes using a x1 system, if this is not to be used the threads can be covered with the same cover that covers the front derailleur mounting points (if applicable).


Part 254098 : Chainguide
Scale small 30T-36T MY17

Part 254099 : Chainguide
Scale Large 30T-40T MY17*

*** The maximum size
chainring to be used is 38T!**




Part 254089 :
Front derailleur blank
Scale/Spark MY17



On the **non**-Scale RC frames a front derailleur may be fitted with the use of an adaptor, this will allow the use of a Shimano high direct mount forward/ side swing derailleur only; this is a different mount to the Spark.

Part 254088:
Front derailleur mount
Scale MY17



**Only use a high direct
mount side swing unit.**



CABLE ROUTING

The new MY17 Scale 3 has fully internal cable routing, there are several options on how to do this, the outer cable continues through the frame from shifter to derailleur, the layout of these cables can be customised to the rider's choice.

It is recommended that the cables on the headtube cross to help reduce cable rub, it is recommended that handlebar cables that come from the right hand side enter the frame on the left, and handlebar cables that come from the left hand side enter the frame on the right.




The diagram shows an example of the euro brake set up x2 gear option.

Please refer to the laws in your country regarding brake setup.

For the perfect cable entry and exit, and depending on what gear/seatpost options are being used the cable guides on the carbon frame can be customized to choice.

The head tube cable entries and are clearly marked with the different options.




⚠ IMPORTANT

Torque for cable guide bolts 0.75-1.0 NM!

The angle of the retaining screw is 70 degrees. Not straight.

Please be aware of this to prevent damage to the frame when removing and refitting these parts!





The same cable guide is used for left and right.

A simple number code is used to identify which cables fit which plates. Options are shown in the following table:

Blank = no cable
4 = mechanical cable
5 = hydraulic cables
Di2 = Di2

Number code	Part number	Number code	Part number
Blank	254102	4-5-5	254109
4	254103	4-4-5	254108
5	254104	Di2	254110
4-4	254105	4-Di2	254111
4-5	254106	5-Di2	254112
5-5	254107	4-5-Di2	254113

For the right chain stay and the front derailleur cable exit on the down tube there are also 3 options this is the same as the Spark chainstay:



These parts are available in a kit containing:
1xblank, 2xDi2,
2xmechanical.

Part 254114


Cableguides Scale/
Spark R/FD exit

Top: Di2,
Middle: blank,
Bottom: mechanical



Part 254116:


Cableguide Scale C-stay
rubber MY17



HEADSET

Unlike previous Scale frames the New SCOTT Scale 3 uses direct fitment of the bearing into the frame:


Headset bearings, the bearings can be found from many manufacturers.



4	SSC Bearing	3MR0400-SUJ	SUJ2	1	51.9X40X8 45°X45°
3	SSC Bearing	3MR0250-SUJ2	SUJ2	1	41.8X30.5X8 45°X45°



It's worth noting the top headset bearing sits proud of the frame; this is normal and needed for the correct headset adjustment.



The top cap and spacer system are unique to SCOTT if you wish to use these they are available for both the Syncros 1.5 and 2.0 stems, available in a kit including:

Spacers - 2x2mm/ 1x5mm / 1x10mm / 1x20mm / x1 topcap /x1 alloy bolt


Part 262082: Headset spacer kit/ topcap Syncros1.5 MTB

Part 262083: Headset spacer kit/ topcap Syncros2.0 MTB




EXTRAS

All sizes have the option to run x2 bottle cages, on small frames only a small bottle can be used on the seat tube as the clearance is minimal. Please note different bottle and cage combinations work differently, please check this when fitting a second cage as not all may be possible



BOTTOM BRACKETS

All Scale frames now use a PF 92mm BB, no spacer to be fitted!



SPARE PARTS SCALE

ITEM	SPARE PARTS SCALE 700/900	ITEM	SPARE PARTS SCALE 700/900	ITEM	SPARE PARTS SCALE 700/900
236153	Axle RWS 10 Alu thru 142MM / Ø12MM	254102	Cableguide Scale/Spark H-tube blk MY17	250562	Computer Mount for Syncros MTB Stem FL
262046	Axle RWS Rear+Lever 148x12 boost plugin	254110	Cableguide Scale/Spark H-tube DI2 MY17	250541	H.bar Syncros FL1.0 Carbon SL, T-Bar
206375	Dropout+Screw all MTB since'97 5-PAK	254114	Cableguide Scale/Spark R/FD exit MY17	250544	H.bar Syncros FL1.5, T-Bar
219575	Dropout Hanger right side IDS 2 135/RWS5	254099	Chainguide Scale Large 30T-40T MY17	250574	Grips Syncros Pro, Lock-On
219572	Dropout Set IDS 2 135/RWS 5	254098	Chainguide Scale small 30T-36T MY17	230099	Ridelock remote lever for Scale
219577	Dropout Hang,right side IDS 2 142/RWS12	235285	Cableguide BB Scale Carbon 700 2014	239172	Rideloc lever integ clamp
219574	Dropout Set IDS 2 142/RWS 12	220518	Chainsuck Protector Scale carbon 11'	242410	Rideloc lever Integ clamp down
254090	Dropout hanger boost TA12-SW carb MY17	235279	Chainguide Scale 700 2014	214736	Seatclamp 37.8mm SR
254091	Dropout hang boost TA12-SW DM carb MY17	254088	Front derailleur mount Scale MY17	229733	Seatclamp 34.9mm QR Gambler
254096	Brake mount Scale/Spark 12/160mm MY17	254089	Front derailleur blank Scale/Spark MY17	223309	Seatclamp 34.9mm CrMo bolt
254095	Brake mount Scale/Spark 12/180mm MY17	235931	CSP Pre Shape Scale 700	223310	Seatclamp 34.9mm Titanium bolt
254097	Brake mount Scale/Spark QR/180mm MY17	200513	CS Neopren Tpu SCOTT Scale	250570	Seatpost Syncros FL1.0 CB SL 10mm Offset
254116	Cableguide Scale C-stay rubber MY17	251849	CSP Screw on Scale 700 Carbon 2017	250571	Seatpost Syncros FL1.0 CB, 10mm Offset
254103	Cableguide Scale/Spark H-tube 4 MY17	251850	CSP Screw on Scale RC 700 Carbon 2017	250572	Seatpost Syncros FL1.5, 10mm Offset
254105	Cableguide Scale/Spark H-tube 4-4 MY17	254574	CSP Screw on Scale 900 Carbon 2017	234770	Seatpost Syncros FL2.0
254109	Cableguide Scale/Spark H-tube 4-4-5 MY17	254575	CSP Screw on Scale RC 900 Carbon 2017	250573	Saddle Syncros XR1.0 Carbon SL
254106	Cableguide Scale/Spark H-tube 4-5 MY17	235455	Fork Suntour XCR RL R 100mm Disc	238583	Saddle Syncros XR1.5
254108	Cableguide Scale/Spark H-tube 4-5-5 MY17	228441	Headset Syncros Pressfit 50/61mm Tapered	238584	Saddle Syncros XR2.0
254113	Cableguide Scale/Spark H-tube 4-5-DI2 17	250580	H.Set Syncros Drop-In Scale, Spark MY17	242438	Hub rep kit Syncros Formula CL14811
254111	Cableguide Scale/Spark H-tube 4-DI2 MY17	262082	Headset spacer kit/topcap Syncros 1.5 MTB	242437	Hub rep kit Syncros Formula CL811
254104	Cableguide Scale/Spark H-tube 5 MY17	262083	Headset spacer kit/topcap Syncros 2.0 MTB	252403	Hub rep kit Form CT-1702 / 5x141mm
254107	Cableguide Scale/Spark H-tube 5-5 MY17	250563	Stem Syncros XR1.5, 31.8mm	242514	Hub rep kit Syncros Formula CL71
254112	Cableguide Scale/Spark H-tube 5-DI2 MY17	250565	Stem Syncros FL1.5, 31.8mm	246376	Rim Alex X-23 disc 32H
		250566	Stem Syncros FL2.0, 31.8mm	263474	Rim Sync/DT XR RC 28H 17 SC/SP RC 700 WC
		250561	Computer Mount for Syncros MTB Stem XR	263470	Rim Sync/DT XR RC 28H 17 SC/SP RC 900 WC

SPARE PARTS SCALE

ITEM	SPARE PARTS SCALE 700/900	ITEM	SPARE PARTS SCALE PLUS
263472	Rim Sync/DT XR1.0 28H 17 SC/SP RC 700 SL	262046	Axle RWS Rear+Lever 148x12 boost plugin
263468	Rim Sync/DT XR1.0 28H 17 SC/SP RC 900 SL	219577	Dropout Hang.right side IDS 2 142/RWS12
263473	Rim Sync/DT XR1.5 28H 17 SC/SP RC 700 UI	219574	Dropout Set IDS 2 142/RWS 12
263469	Rim Sync/DT XR1.5 28H 17 SC/SP RC 900 UI	235287	Dropout Set IDS 2 142/RWS 12 Dir.Mount
263483	Rim Sync/DT XR2.0 28H 17 SC/SP 700	235288	Dropout Hanger right IDS 2 142/RWS 12 DM
263480	Rim Sync/DT XR2.0 28H 17 SC/SP 900	239552	Chainguide DM Genius-LT-Spark '15
263484	Rim Sync/DT XR2.0 28H 17 SC/SP 710	235931	CSP Pre Shape Scale 700
263481	Rim Sync/DT XR2.0 28H 17 SC/SP 910	228441	Headset Syncros Pressfit 50/61mm Tapered
263485	Rim Sync/DT XR2.5 28H 17 SC/SP 720	250566	Stem Syncros FL2.0, 31.8mm
263482	Rim Sync/DT XR2.5 28H 17 SC/SP 920	250545	H.bar Syncros FL1.5, Mini Rise
252199	Frame Scale 700 RC Ultimate 17 warranty	250574	Grips Syncros Pro, Lock-On
252200	Frame Scale 700 RC pro 17 warranty	250575	Grips Syncros Pro
252201	Frame Scale 700 2017 warranty	223309	Seatclamp 34.9mm CrMo bolt
252202	Frame Scale 730 2017 warranty	229733	Seatclamp 34.9mm QR Gambler
252203	Frame Scale 740 2017 warranty	262070	Seatpost remote syncros 2.0
252204	Frame Scale 900 RC Ultimate 17 warranty	262071	Seatpost remote syncros 2.5
252205	Frame Scale 900 RC pro 17 warranty	262074	Seatpost service a/base Syncros 2.0
252206	Frame Scale 900 2017 warranty	262072	Seatpost service air Cart kit Syncros2.0
252207	Frame Scale 930 2017 warranty	262073	Seatpost service air Cart kit Syncros2.5
252208	Frame Scale 940 2017 warranty	262069	Seatpost Syncros drop 2.0 W/O lever 31.6
		230099	Ridelock remote lever for Scale
		239172	Rideloc lever integ clamp
		242410	Rideloc lever Integ clamp down 1size
		242437	Hub rep kit Syncros Formula CL811
		242438	Hub rep kit Syncros Formula CL14811
		252415	Rim Alex X-35 27.5 plus 32H
		242454	Rim tape Scale/Genius/Genius LT +
		242455	Tube Scale/Genius/Genius LT +
		252209	Frame Scale 710 plus 2017 warranty

SCOTT SPARK 700/900/PLUS



SPARK RC 700 SL

The Spark has the most successful pedigree of any cross-country full suspension bike ever made. At less than 1749 grams with rear shock, the top of the line model is one of the lightest full suspension frames available on the market.

The new platform was not only designed to provide a lighter and stiffer frame, but also to optimize kinematics. The bike includes a host of minute, exquisitely detailed smart technical solutions which combine to make it one of the best overall full suspension cross country packages of all time.

The SCOTT Spark RC 700 series was engineered with incredibly light materials. With a combined weight of 1749 grams, its frame including shock is one of the lightest full suspension rig to date. Meeting our requirements for stiffness values and applying the Boost standard to our race bike family, our engineers designed the Spark RC series with a dedicated, no-compromise race target group in mind. The benchmark weight was not only achieved by utilizing the lightest carbon fibers, but also thanks to our intelligent carbon lay-up process.

Our historic expertise of carbon engineering is just one element that allows us to create such light frames. Utilizing a mix of new high-end carbon fibers is another. Our HMX-SL Spark frame utilizes the strongest and lightest filaments to date. Our choice of the most advanced carbon fibers is followed by intensive use


of specific tools, like FEA (Finite Element Analysis) software, to map out the carbon lay-up. With our proprietary EvoLap-Technology, we can simulate different forces on a virtual frame model and adjust frame construction accordingly; this allows us to build highly technical frames.

When we designed the all new Spark, we had one goal in mind: create the ultimate full-suspension Cross-Country bike. Comparing the old and the new Spark, we've moved from a single pivot top link design to a single pivot rocker link layout with a Trunnion shock mount. Refined suspension characteristics was one of our main intentions. We created a system that offers sensitive characteristics at the beginning of the travel, the perfect support from sag point onwards plus an optimized end progression. The new Spark furthermore has a higher main pivot position to offer the most efficient pedaling characteristics.

The new platform enabled us to realize everything you could want from a modern full-suspension geometry- a slacker head angle for maximum stability, shorter chain stays for agile handling and lower stand over height/ center of gravity for a more planted feel. We designed it with a low stack for an optimized race fit and with a long reach with shorter stem options for the same fit and better handling. A steeper seat tube offers more balanced weight distribution and better power transfer. With a large number of riders and a wide range of uses in mind, we developed a no-compromises, high performance geometry- a modern interpretation of what progressive racers and riders need.

GEOMETRY/TECHNICAL DATA SPARK

	Spark RC 27.5"	Spark RC 29"	Spark 27.5"	Spark 29"	Spark Plus
Travel	100mm/70mm/ Climb	100mm/70mm/ Climb	120mm/85mm/ Climb	120mm/85mm/ Climb	120mm/85mm/ Climb
Suspension ratio	2.50	2.50	2.67	2.67	2.67
Shock length	165mm	165mm	165mm	165mm	165mm
Shock stroke	40mm	40mm	45mm	45mm	45mm
Hardware mainframe	Trunnion	Trunnion	Trunnion	Trunnion	Trunnion
Hardware linkage	20x10mm	20x10mm	20x10mm	20x10mm	20x10mm
Seatpost diameter	31.6	31.6	31.6	31.6	31.6
Headset	bearings: 51.9x40x8 45° x 45°/ 41.8x30.5x8 45° x 45°				
Fork travel	110mm	110mm	120mm	120mm	130mm
Fork length	487.7mm	500.8mm	507.7mm	572.1mm	537.1mm
BB Housing	BB PF92	BB PF92	BB PF92	BB PF92	BB PF92
Max tire width	2.35/60mm				
	Please note: Tire sizes often vary from brand to brand. Ensure the tire clearance is adequate when replacing your tires!				




SPARK 900 RC: SL, ULTIMATE, WORLD CUP, PRO

	S		M		L		XL	
A HEAD TUBE ANGLE	68.5°		68.5°		68.5°		68.5°	
B HEAD TUBE LENGTH	95.0 mm	3.7 in	95.0 mm	3.7 in	105.0 mm	4.1 in	115.0 mm	4.5 in
C TOP TUBE HORIZONTAL	570.0 mm	22.4 in	600.0 mm	23.6 in	630.0 mm	24.8 in	650.0 mm	25.6 in
D STANDOVER HEIGHT								
E BB OFFSET	-50.5 mm	-2.0 in	-50.5 mm	-2.0 in	-50.5 mm	-2.0 in	-50.5 mm	-2.0 in
F BB HEIGHT	319.5 mm	12.6 in	319.5 mm	12.6 in	319.5 mm	12.6 in	319.5 mm	12.6 in
G WHEEL BASE	1,097.7 mm	43.2 in	1,127.7 mm	44.4 in	1,158.6 mm	45.6 in	1,179.6 mm	46.4 in
H BB CENTER TO TOPTUBE CENTER								
I BB CENTER TO TOP OF SEATTUBE	410.0 mm	16.1 in	440.0 mm	17.3 in	490.0 mm	19.3 in	540.0 mm	21.3 in
J SEAT ANGLE	73.8°		73.8°		73.8°		73.8°	
K CHAINSTAY	435.0 mm	17.1 in	435.0 mm	17.1 in	435.0 mm	17.1 in	435.0 mm	17.1 in
L REACH	399.5 mm	15.7 in	429.5 mm	16.9 in	456.8 mm	18.0 in	474.1 mm	18.7 in
M STACK	586.9 mm	23.1 in	586.9 mm	23.1 in	596.2 mm	23.5 in	605.5 mm	23.8 in
N STEM LENGTH	60.0 mm	2.4 in	70.0 mm	2.8 in	80.0 mm	3.1 in	90.0 mm	3.5 in
O TRAIL	90.9 mm	3.6 in	90.9 mm	3.6 in	90.9 mm	3.6 in	90.9 mm	3.6 in

SPARK 700 RC: SL, ULTIMATE, WORLD CUP, PRO

	S		M		L	
A HEAD TUBE ANGLE	68.5°		68.5°		68.5°	
B HEAD TUBE LENGTH	95.0 mm	3.7 in	100.0 mm	3.9 in	110.0 mm	4.3 in
C TOP TUBE HORIZONTAL	570.0 mm	22.4 in	600.0 mm	23.6 in	625.0 mm	24.6 in
D STANDOVER HEIGHT						
E BB OFFSET	-34.0 mm	-1.3 in	-34.0 mm	-1.3 in	-34.0 mm	-1.3 in
F BB HEIGHT	317.5 mm	12.5 in	317.5 mm	12.5 in	317.5 mm	12.5 in
G WHEEL BASE	1,082.3 mm	42.6 in	1,112.8 mm	43.8 in	1,138.7 mm	44.8 in
H BB CENTER TO TOPTUBE CENTER	345.0 mm	13.6 in	375.0 mm	14.8 in	425.0 mm	16.7 in
I BB CENTER TO TOP OF SEATTUBE	410.0 mm	16.1 in	440.0 mm	17.3 in	490.0 mm	19.3 in
J SEAT ANGLE	73.5°		73.5°		73.5°	
K CHAINSTAY	425.0 mm	16.7 in	425.0 mm	16.7 in	425.0 mm	16.7 in
L REACH	403.9 mm	15.9 in	432.5 mm	17.0 in	454.8 mm	17.9 in
M STACK	560.8 mm	22.1 in	565.4 mm	22.3 in	574.7 mm	22.6 in
N STEM LENGTH	60.0 mm	2.4 in	70.0 mm	2.8 in	80.0 mm	3.1 in
O TRAIL	91.2 mm	3.6 in	91.2 mm	3.6 in	91.2 mm	3.6 in



SPARK: 900 ULTIMATE, 900 PREMIUM, 900, 910, 920, 930, 940, 945, 950, 960

	S		M		L		XL	
A HEAD TUBE ANGLE	67.2°		67.2°		67.2°		67.2°	
B HEAD TUBE LENGTH	95.0 mm	3.7 in	95.0 mm	3.7 in	105.0 mm	4.1 in	115.0 mm	4.5 in
C TOP TUBE HORIZONTAL	575.0 mm	22.6 in	605.0 mm	23.8 in	635.0 mm	25.0 in	655.0 mm	25.8 in
D STANDOVER HEIGHT								
E BB OFFSET	-43.0 mm	-1.7 in	-43.0 mm	-1.7 in	-43.0 mm	-1.7 in	-43.0 mm	-1.7 in
F BB HEIGHT	327.0 mm	12.9 in	327.0 mm	12.9 in	327.0 mm	12.9 in	327.0 mm	12.9 in
G WHEEL BASE	1,121.6 mm	44.2 in	1,151.6 mm	45.3 in	1,182.8 mm	46.6 in	1,203.9 mm	47.4 in
H BB CENTER TO TOPTUBE CENTER	345.0 mm	13.6 in	375.0 mm	14.8 in	425.0 mm	16.7 in	475.0 mm	18.7 in
I BB CENTER TO TOP OF SEATTUBE	410.0 mm	16.1 in	440.0 mm	17.3 in	490.0 mm	19.3 in	540.0 mm	21.3 in
J SEAT ANGLE	73.8°		73.8°		73.8°		73.8°	
K CHAINSTAY	438.0 mm	17.2 in	438.0 mm	17.2 in	438.0 mm	17.2 in	438.0 mm	17.2 in
L REACH	402.7 mm	15.9 in	432.7 mm	17.0 in	460.0 mm	18.1 in	477.3 mm	18.8 in
M STACK	593.1 mm	23.4 in	593.1 mm	23.4 in	602.4 mm	23.7 in	611.6 mm	24.1 in
N STEM LENGTH	50.0 mm	2.0 in	60.0 mm	2.4 in	70.0 mm	2.8 in	80.0 mm	3.1 in
O TRAIL	100.2 mm	3.9 in	100.2 mm	3.9 in	100.2 mm	3.9 in	100.2 mm	3.9 in

SPARK: 700 ULTIMATE, 700 PREMIUM, 700, 710, 720, 730, 740, 745, 750, 760

	S		M		L	
A HEAD TUBE ANGLE	67.0°		67.0°		67.0°	
B HEAD TUBE LENGTH	100.0 mm	3.9 in	105.0 mm	4.1 in	115.0 mm	4.5 in
C TOP TUBE HORIZONTAL	575.0 mm	22.6 in	605.0 mm	23.8 in	635.0 mm	25.0 in
D STANDOVER HEIGHT						
E BB OFFSET	-26.0 mm	-1.0 in	-26.0 mm	-1.0 in	-26.0 mm	-1.0 in
F BB HEIGHT	325.5 mm	12.8 in	325.5 mm	12.8 in	325.5 mm	12.8 in
G WHEEL BASE	1,115.2 mm	43.9 in	1,145.8 mm	45.1 in	1,177.0 mm	46.3 in
H BB CENTER TO TOPTUBE CENTER	345.0 mm	13.6 in	375.0 mm	14.8 in	425.0 mm	16.7 in
I BB CENTER TO TOP OF SEATTUBE	410.0 mm	16.1 in	440.0 mm	17.3 in	490.0 mm	19.3 in
J SEAT ANGLE	73.8°		73.8°		73.8°	
K CHAINSTAY	428.0 mm	16.9 in	428.0 mm	16.9 in	428.0 mm	16.9 in
L REACH	409.7 mm	16.1 in	438.4 mm	17.3 in	465.7 mm	18.3 in
M STACK	568.9 mm	22.4 in	573.5 mm	22.6 in	582.7 mm	22.9 in
N STEM LENGTH	50.0 mm	2.0 in	60.0 mm	2.4 in	70.0 mm	2.8 in
O TRAIL	101.4 mm	4.0 in	101.4 mm	4.0 in	101.4 mm	4.0 in

SPARK PLUS: 700 TUNED, 710, 720, 730

	S		M		L		XL	
A HEAD TUBE ANGLE	66.9°		66.9°		66.9°		66.9°	
B HEAD TUBE LENGTH	95.0 mm	3.7 in	95.0 mm	3.7 in	105.0 mm	4.1 in	115.0 mm	4.5 in
C TOP TUBE HORIZONTAL	576.9 mm	22.7 in	607.0 mm	23.9 in	637.0 mm	25.1 in	657.0 mm	25.9 in
D STANDOVER HEIGHT								
E BB OFFSET	-36.0 mm	-1.4 in	-36.0 mm	-1.4 in	-36.0 mm	-1.4 in	-36.0 mm	-1.4 in
F BB HEIGHT	329.0 mm	13.0 in	329.0 mm	13.0 in	329.0 mm	13.0 in	329.0 mm	13.0 in
G WHEEL BASE	1,128.1 mm	44.4 in	1,158.1 mm	45.6 in	1,189.3 mm	46.8 in	1,210.5 mm	47.7 in
H BB CENTER TO TOPTUBE CENTER	345.0 mm	13.6 in	375.0 mm	14.8 in	425.0 mm	16.7 in	475.0 mm	18.7 in
I BB CENTER TO TOP OF SEATTUBE	410.0 mm	16.1 in	440.0 mm	17.3 in	490.0 mm	19.3 in	540.0 mm	21.3 in
J SEAT ANGLE	73.2°		73.2°		73.2°		73.2°	
K CHAINSTAY	438.0 mm	17.2 in	438.0 mm	17.2 in	438.0 mm	17.2 in	438.0 mm	17.2 in
L REACH	396.3 mm	15.6 in	426.4 mm	16.8 in	453.6 mm	17.9 in	470.9 mm	18.5 in
M STACK	598.1 mm	23.5 in	598.1 mm	23.5 in	607.3 mm	23.9 in	616.5 mm	24.3 in
N STEM LENGTH	50.0 mm	2.0 in	50.0 mm	2.0 in	60.0 mm	2.4 in	70.0 mm	2.8 in
O TRAIL	100.2 mm	3.9 in	100.2 mm	3.9 in	100.2 mm	3.9 in	100.2 mm	3.9 in

TECHNICAL DATA SPARK

Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/ dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)	Rear Shock (e2e)	Hardware Rear Shock in mm	Bearings (frame)
Spark RC 700 SL	PRESSFIT GXP BB FOR MTB(FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S, 175 M/L/XL	1FI40IT043004, SYNCROS 1/8" - 1.5" TAPERED, DROP-IN SEALED CARTRIDGE & TIB BEARING, W/O AL HEADSETCUP, IS42/28.6 IS52/40, W/O LOGO	60mm(S); 70mm(M); 80mm(L); 90mm(XL)	720	31.6X400mm	34.9mm	XR1.0 27.5 28H	XR1.0 27.5 28H	XR1.0 27.5 28H	165x40mm	20x10	24x15xT5
Spark RC 700 Ultimate	PRESSFIT GXP BB FOR MTB(FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S, 175 M/L/XL	1FI40IT043004, SYNCROS 1/8" - 1.5" TAPERED, DROP-IN SEALED CARTRIDGE & TIB BEARING, W/O AL HEADSETCUP, IS42/28.6 IS52/40, W/O LOGO	60mm(S); 70mm(M); 80mm(L); 90mm(XL)	720	31.6X400mm	34.9mm	XR1.5 27.5 28H	XR1.5 27.5 28H	XR1.5 27.5 28H	165x40mm	20x10	24x15xT5
Spark RC 700 World Cup	PRESSFIT GXP BB FOR MTB(FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S, 175 M/L/XL	SYNCROS 1/8" - 1.5" TAPERED, DROP-IN SEALED CARTRIDGE & TIB BEARING, IS42/28.6 IS52/40, W/ AL CUPS W/O LOGO	60mm(S); 70mm(M); 80mm(L); 90mm(XL)	710	31.6X400mm	34.9mm	XR-RC 27.5 28H	XR-RC 27.5 28H	XR-RC 27.5 28H	165x40mm	20x10	24x15xT5
Spark RC 700 Pro	SM-BB71-41A FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	NONE	170 S, 175 M/L/XL	1FI30IT043006, DROP IN FL 2.0, ACB BEARING/1-1/8"-1.5"/42-52MM, W/O HS TOPCUP & LOGO	60mm(S); 60mm(M); 80mm(L); 90mm(XL)	720	31.6X400mm	34.9mm	XR2.0 27.5 28H	XR2.0 27.5 28H	XR2.0 27.5 28H	165x40mm	20x10	24x15xT5
Spark 700 Ultimate	PRESSFIT GXP BB FOR MTB(FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S, 175 M/L	1FI40IT043004, SYNCROS 1/8" - 1.5" TAPERED, DROP-IN SEALED CARTRIDGE & TIB BEARING, W/O AL HEADSETCUP, IS42/28.6 IS52/40, W/O LOGO	50mm(S); 60mm(M); 70mm(L)	740	31.6X340mm-S; 31.6X390mm-M/L	34.9mm	XR1.0 27.5 28H	XR1.0 27.5 28H	XR1.0 27.5 28H	165x45mm	20x10	24x15xT5
Spark 700 Premium	SM-BB94-41A FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	FD-M9020-D DIRECT MOUNT 66-69 34/36/38T SIDE SWING FRONT-PULL FOR DOUBLE	170 S, 175 M/L	1FI40IT043004, SYNCROS 1/8" - 1.5" TAPERED, DROP-IN SEALED CARTRIDGE & TIB BEARING, W/O AL HEADSETCUP, IS42/28.6 IS52/40, W/O LOGO	50mm(S); 60mm(M); 70mm(L)	740	31.6X356mm-S 31.6X406mm-M/L	34.9mm	XR1.5 27.5 28H	XR1.5 27.5 28H	XR1.5 27.5 28H	165x45mm	20x10	24x15xT5
Spark 700	PRESSFIT GXP BB FOR MTB(FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S, 175 M/L/XL	1FI30IT043006, DROP IN FL 2.0, ACB BEARING/1-1/8"-1.5"/42-52MM, W/O HS TOPCUP & LOGO	50mm(S); 60mm(M); 70mm(L)	740	31.6X356mm-S 31.6X406mm-M/L	34.9mm	XR2.0 27.5 28H	XR2.0 27.5 28H	XR2.0 27.5 28H	165x45mm	20x10	24x15xT5
Spark 710	SM-BB71-41A FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	FD-M8020-D DIRECT MOUNT 66-69 34/36/38T SIDE SWING FRONT-PULL FOR DOUBLE	170 S, 175 M/L	1FI30IT043006, DROP IN FL 2.0, ACB BEARING/1-1/8"-1.5"/42-52MM, W/O HS TOPCUP & LOGO	50mm(S); 60mm(M); 70mm(L)	740	31.6X356mm-S 31.6X406mm-M/L	34.9mm	XR2.0 27.5 28H	XR2.0 27.5 28H	XR2.0 27.5 28H	165x45mm	20x10	24x15xT5
Spark 720	BB-MT500-PA FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	FD-M7020-D FOR 2X11 DIRECT MOUNT 66-69 34-38T SIDE SWING FRONT-PULL	170 S, 175 M/L	1FI20IT043002, DROPE IN PRO, SSC BEARING /1-1/8"-1.5"/42-52MM, W/O HS TOPCUP & LOGO	50mm(S); 60mm(M); 70mm(L)	740	31.6X356mm-S 31.6X406mm-M/L	34.9mm	XR2.5 27.5 28H	XR2.5 27.5 28H	XR2.5 27.5 28H	165x45mm	20x10	24x15xT5
Spark 730	PRESSFIT GXP BB FOR MTB(FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S, 175 M/L	1FI20IT043001, DROP PRO, SSC BEARING/1-1/8"-1.5"/42-52MM, MATT BLK SANDBLASTED, W/HS TOPCUP, W/O LOGO H:5.8MM	50mm(S); 60mm(M); 70mm(L)	740	31.6X370mm-S 31.6X412mm-M/L	34.9mm	SYNCROS 3.0 27.5 28H	SYNCROS 3.0 27.5 28H	SYNCROS 3.0 27.5 28H	165x45mm	20x10	24x15xT5
Spark 740	BB-MT500-PA FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	FD-M8020-D DIRECT MOUNT 66-69 34/36/38T SIDE SWING FRONT-PULL FOR DOUBLE	170 S, 175 M/L	IS125I15AL, PRESS FIT PRO/TAPER, 1-1/8"-1.5"/50-61MM/AL CUPS/SSC BEARINGS, MATT BLK SANDBLASTED, NEON YELLOW YS-793 BRANDING H:12.9MM	50mm(S); 60mm(M); 70mm(L)	740	31.6X356mm-S 31.6X406mm-M/L	34.9mm	15GX293.5/ 292.5	15GX293.5/ 292.5	X23 DISC 27.5"xX32H	165x45mm	20x10	24x15xT5
Spark 745	PRESSFIT GXP BB FOR MTB(FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S, 175 M/L	IS121815FST SYNCROS HS COMP 1-1/8"-1.5" 55-61MM H:12.9 MATT BLK SANDBLASTED STEEL CUPS SEALED BEARINGS W/NEON lime YS-8099 (NE05) Branding	50mm(S); 60mm(M); 70mm(L)	740	31.6X370mm-S 31.6X412mm-M/L	34.9mm	15GX293.5/ 292.5	15GX293.5/ 292.5	X23 DISC 27.5"xX32H	165x45mm	20x10	24x15xT5
Spark 750	BB-MT500-PA FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	FD-M617-D DIRECT MOUNT 66-69 10S 36/38T SIDE SWING FRONT-PULL FOR DOUBLE	170 S, 175 M/L	IS121815FST SYNCROS HS COMP 1-1/8"-1.5" 55-61MM H:11.1 MATT BLK SANDBLASTED STEEL CUPS SEALED BEARINGS W/NEON RED YS794-1 LOGO (1S1218T043006)	50mm(S); 60mm(M); 70mm(L)	740	31.6X370mm-S 31.6X412mm-M/L	34.9mm	15GX293.5/ 292.5	15GX293.5/ 292.5	X23 DISC 27.5"xX32H	165x45mm	20x10	24x15xT5

TECHNICAL DATA SPARK


Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/ dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)	Rear Shock (e2e)	Hardware Rear Shock in mm	Bearings (frame)
Spark 760	BB-MT500-PA FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	FD-M617-D DIRECT MOUNT 66-69 10S 36/38T SIDE SWING FRONT-PULL FOR DOUBLE	170 S, 175 M/L	1S110T043003 (1S11015F30) SYNCROS HS OE 1-1/8"-1.5" 55-61MM H:8.2 BLK STEEL CUPS BALL BEARINGS	50mm(S); 60mm(M); 70mm(L)	740	31.6X400mm	34.9mm	15GX293.5/ 292.5	15GX293.5/ 292.5	X23 DISC 27.5"X32H	165x45mm	20x10	24x15xT5
Spark RC 900 SL	PRESSFIT GXP BB FOR MTB(FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S, 175 M/L/XL	1FI401T043004, SYNCROS 1/8" - 1.5" TAPERED, DROP-IN SEALED CARTRIDGE & TIB BEARING, W/O AL HEADSETCUP, IS42/28.6 IS52/40, W/O LOGO	60mm(S); 70mm(M); 80mm(L); 90mm(XL)	720	31.6X400mm	34.9mm	XR1.0 29 28H	XR1.0 29 28H	XR1.0 29 28H	165x40mm	20x10	24x15xT5
Spark RC 900 Ultimate	PRESSFIT GXP BB FOR MTB(FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S, 175 M/L/XL	1FI401T043004, SYNCROS 1/8" - 1.5" TAPERED, DROP-IN SEALED CARTRIDGE & TIB BEARING, W/O AL HEADSETCUP, IS42/28.6 IS52/40, W/O LOGO	60mm(S); 70mm(M); 80mm(L); 90mm(XL)	720	31.6X400mm	34.9mm	XR1.5 29 28H	XR1.5 29 28H	XR1.5 29 28H	165x40mm	20x10	24x15xT5
Spark RC 900 World Cup	PRESSFIT GXP BB FOR MTB(FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S, 175 M/L/XL	SYNCROS 1/8" - 1.5" TAPERED, DROP-IN SEALED CARTRIDGE & TIB BEARING, IS42/28.6 IS52/40, W/ AL CUPS W/O LOGO	60mm(S); 70mm(M); 80mm(L); 90mm(XL)	710	31.6X400mm	34.9mm	XR-RC 29 28H	XR-RC 29 28H	XR-RC 29 28H	165x40mm	20x10	24x15xT5
Spark RC 900 Pro	SM-BB71-41A FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	NONE	170 S, 175 M/L/XL	1FI301T043006, DROP IN FL 2.0, ACB BEARING/1-1/8"-1.5"/42-52MM, W/O HS TOPCUP & LOGO	60mm(S); 70mm(M); 80mm(L); 90mm(XL)	720	31.6X400mm	34.9mm	XR2.0 29 28H	XR2.0 29 28H	XR2.0 29 28H	165x40mm	20x10	24x15xT5
Spark 900 Ultimate	PRESSFIT GXP BB FOR MTB(FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S, 175 M/L/XL	1FI401T043004, SYNCROS 1/8" - 1.5" TAPERED, DROP-IN SEALED CARTRIDGE & TIB BEARING, W/O AL HEADSETCUP, IS42/28.6 IS52/40, W/O LOGO	50mm(S); 60mm(M); 70mm(L); 80mm(XL)	740	31.6X340mm-S; 31.6X390mm-M/L/XL	34.9mm	XR1.0 29 28H	XR1.0 29 28H	XR1.0 29 28H	165x45mm	20x10	24x15xT5
Spark 900 Premium	SM-BB94-41A FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	FD-M9020-D DIRECT MOUNT 66-69 34/36/38T SIDE SWING FRONT-PULL FOR DOUBLE	170 S, 175 M/L/XL	1FI401T043004, SYNCROS 1/8" - 1.5" TAPERED, DROP-IN SEALED CARTRIDGE & TIB BEARING, W/O AL HEADSETCUP, IS42/28.6 IS52/40, W/O LOGO	50mm(S); 60mm(M); 70mm(L); 80mm(XL)	740	31.6X356mm-S 31.6X406mm-M/L/XL	34.9mm	XR1.5 29 28H	XR1.5 29 28H	XR1.5 29 28H	165x45mm	20x10	24x15xT5
Spark 900	PRESSFIT GXP BB FOR MTB(FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S, 175 M/L/XL	1FI301T043006, DROP IN FL 2.0, ACB BEARING/1-1/8"-1.5"/42-52MM, W/O HS TOPCUP & LOGO	50mm(S); 60mm(M); 70mm(L); 80mm(XL)	740	31.6X356mm-S 31.6X406mm-M/L/XL	34.9mm	XR2.0 29 28H	XR2.0 29 28H	XR2.0 29 28H	165x45mm	20x10	24x15xT5
Spark 910	SM-BB71-41A FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	FD-M8020-D DIRECT MOUNT 66-69 34/36/38T SIDE SWING FRONT-PULL FOR DOUBLE	170 S, 175 M/L/XL	1FI301T043006, DROP IN FL 2.0, ACB BEARING/1-1/8"-1.5"/42-52MM, W/O HS TOPCUP & LOGO	50mm(S); 60mm(M); 70mm(L); 80mm(XL)	740	31.6X356mm-S 31.6X406mm-M/L/XL	34.9mm	XR2.0 29 28H	XR2.0 29 28H	XR2.0 29 28H	165x45mm	20x10	24x15xT5
Spark 920	BB-MT500-PA FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	FD-M7020-D FOR 2X11 DIRECT MOUNT 66-69 34-38T SIDE SWING FRONT-PULL	170 S, 175 M/L/XL	1FI201T043002, DROPE IN PRO, SSC BEARING /1-1/8"-1.5"/42-52MM, W/O HS TOPCUP & LOGO	50mm(S); 60mm(M); 70mm(L); 80mm(XL)	740	31.6X356mm-S 31.6X406mm-M/L/XL	34.9mm	XR2.5 29 28H	XR2.5 29 28H	XR2.5 29 28H	165x45mm	20x10	24x15xT5
Spark 930	PRESSFIT GXP BB FOR MTB(FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S, 175 M/L/XL	1FI201T043001, DROP PRO, SSC BEARING/1-1/8"-1.5"/42-52MM, MATT BLK SANDBLASTED, W/HS TOPCUP, W/O LOGO H:5.8MM	50mm(S); 60mm(M); 70mm(L); 80mm(XL)	740	31.6X370mm-S 31.6X412mm-M/L/XL	34.9mm	SYNCROS 3.0 29"X28H	SYNCROS 3.0 29"X28H	SYNCROS 3.0 29"X28H	165x45mm	20x10	24x15xT5
Spark 940	BB-MT500-PA FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	FD-M8020-D DIRECT MOUNT 66-69 34/36/38T SIDE SWING FRONT-PULL FOR DOUBLE	170 S, 175 M/L/XL	1S125115AL, PRESS FIT PRO/TAPER, 1-1/8"-1.5"/50-61MM/AL CUPS/SSC BEARINGS, MATT BLK SANDBLASTED, NEON YELLOW YS-793 BRANDING H:12.9MM	50mm(S); 60mm(M); 70mm(L); 80mm(XL)	740	31.6X356mm-S 31.6X406mm-M/L/XL	34.9mm	15GX295/ 293.5	15GX294/ 293	X23 DISC 29"X32H	165x45mm	20x10	24x15xT5
Spark 945	PRESSFIT GXP BB FOR MTB(FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S, 175 M/L/XL	1S121815FST SYNCROS HS COMP 1-1/8"-1.5" 55-61MM H:12.9 MATT BLK SANDBLASTED STEEL CUPS SEALED BEARINGS W/NEON lime YS-8099 (NE05) Branding	50mm(S); 60mm(M); 70mm(L); 80mm(XL)	740	31.6X370mm-S 31.6X412mm-M/L/XL	34.9mm	15GX295/ 293.5	15GX294/ 293	X23 DISC 29"X32H	165x45mm	20x10	24x15xT5

TECHNICAL DATA SPARK

Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/ dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)	Rear Shock (e2e)	Hardware Rear Shock in mm	Bearings (frame)
Spark 950	BB-MT500-PA FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	FD-M617-D DIRECT MOUNT 66-69 10S 36/38T SIDE SWING FRONT-PULL FOR DOUBLE	170 S, 175 M/L/XL	ISI21815FST SYNCROS HS COMP 1-1/8"-1.5" 55-61MM H:11.1 MATT BLK SANDBLASTED STEEL CUPS SEALED BEARINGS W/NEON RED YS794-1 LOGO (ISI218T043006)	50mm(S); 60mm(M); 70mm(L); 80mm(XL)	740	31.6X370mm-S 31.6X412mm-M/L/XL	34.9mm	15GX295/ 293.5	15GX294/ 293	X23 DISC 29" X32H	165x45mm	20x10	24x15xT5
Spark 960	BB-MT500-PA FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	FD-M617-D DIRECT MOUNT 66-69 10S 36/38T SIDE SWING FRONT-PULL FOR DOUBLE	170 S, 175 M/L/XL	ISI110T043003 (ISI11015F30) SYNCROS HS OE 1-1/8"-1.5" 55-61MM H:8.2 BLK STEEL CUPS BALL BEARINGS	50mm(S); 60mm(M); 70mm(L); 80mm(XL)	740	31.6X400mm	34.9mm	15GX293/ 294	15GX293/ 294	X23 DISC 29" X32H	165x45mm	20x10	24x15xT5
Spark 700 Plus Tuned	PRESSFIT GXP BB FOR MTB(FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S, 175 M/L/XL	1FI401T043004, SYNCROS 1/8" - 1.5" TAPERED, DROP-IN SEALED CARTRIDGE & TIB BEARING, W/O AL HEADSETCUP, IS42/28.6 IS52/40, W/O LOGO	50mm(S/M); 60mm(L); 70mm(XL)	760	31.6X356mm-S 31.6X456mm-M/L/XL	34.9mm	TR1.5 27.5 28H	TR1.5 27.5 28H	TR1.5 27.5 28H	165x45mm	20x10	24x15xT5
Spark 710 Plus	SM-BB71-41A FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	FD-M8020-D DIRECT MOUNT 66-69 34/36/38T SIDE SWING FRONT-PULL FOR DOUBLE	170 S, 175 M/L/XL	1FI301T043006, DROP IN FL 2.0, ACB BEARING/1-1/8"-1.5"/42-52MM, W/O HS TOPCUP & LOGO	50mm(S/M); 60mm(L); 70mm(XL)	760	31.6X356mm-S 31.6X456mm-M/L/XL	34.9mm	TR2.0 PLUS 27.5 28H	TR2.0 PLUS 27.5 28H	TR2.0 PLUS 27.5 28H	165x45mm	20x10	24x15xT5
Spark 720 Plus	PRESSFIT GXP BB FOR MTB(FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S, 175 M/L/XL	ISI25115AL, PRESS FIT PRO/TAPER, 1-1/8" - 1.5"/50-61MM/AL CUPS/SSC BEARINGS, MATT BLK SANDBLASTED, TURQUOISE 3275C BRANDING H:12.9MM	50mm(S/M); 60mm(L); 70mm(XL)	760	31.6X356mm-S 31.6X456mm-M/L/XL	34.9mm	SYNCROS 3.0 PLUS 27.5"X28H	SYNCROS 3.0 PLUS 27.5"X28H	SYNCROS 3.0 PLUS 27.5"X28H	165x45mm	20x10	24x15xT5
Spark 730 Plus	BB-MT500-PA FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	FD-M617-D DIRECT MOUNT 66-69 10S 36/38T SIDE SWING FRONT-PULL FOR DOUBLE	170 S, 175 M/L/XL	ISI110T043003 (ISI11015F30) SYNCROS HS OE 1-1/8"-1.5" 55-61MM H:8.2 BLK STEEL CUPS BALL BEARINGS	50mm(S/M); 60mm(L); 70mm(XL)	760	31.6X400mm	34.9mm	15GX274.5/ 273	15GX274/ 273	X-35 DISC 27.5"X32H	165x45mm	20x10	24x15xT5

The new MY17 Spark models has 5 platforms across 2 wheel sizes, the 900 see's two options while 700 have three.

Note:
all MY17 Spark frames are designed around the “Boost standard” be aware of this when changing any components.



Please note forks may not be boost please check spec on sales workbook MY17 page 34

The MY17 RC Spark only has the option to use X1 gear setup, 120mm Sparks have the option to use X2 front ring setup.

* Shown is frame compatibility not what is spec'd on the bike.

* Additional parts may be required if changing the configuration of the bike

Model	1x	2x
Spark RC 700/900 SL	✓	
Spark RC 700/900 Ultimate	✓	
Spark RC 700/900 World Cup	✓	
Spark RC 700/900 Pro	✓	
Spark 700/900 Ultimate	✓	✓
Spark 700/900 Premium	✓	✓
Spark 700/900	✓	✓
Spark 710/910	✓	✓
Spark 720/920	✓	✓
Spark 730/930	✓	✓
Spark 740/940 below	✓	✓
Contessa Spark RC 700	✓	
Contessa Spark 700/710/720/730	✓	✓
Spark all 700 Plus	✓	✓

DROPOUTS/HANGERS

With all the new frames designed around the boost and boost Q/R platform there are new dropouts for MY17

⚠ IMPORTANT

Note it is only possible to fit boost hubs on all frames!

For all carbon Swingarm's there are two options:

DO17-HANGER-TA12-SW-DIRECT

Shimano Direct mount derailleurs.

Part Number: 254091

Description:

Dropout hang boost
TA12-SW DM carb MY17



DO17-HANGER-TA12-SW

All non-direct mounts.

Part number: 254090

Description:

Dropout hanger boost
TA12-SW carb MY17



For Alloy Swingarms there are 3 options:

DO17-HANGER-TA12-DIRECT

Shimano Direct mount derailleurs.

Part number: 254093

Description:

Dropout hanger boost TA12 DM alloy MY17



DO17-HANGER-TA12

All non-direct mounts.

Part number: 254092

Description:

Dropout hanger boost TA12 alloy MY17



Boost QR for non-direct Shimano and Sram derailleurs only:



IMPORTANT

For Boost QR 141mm hubs and frames only, these are not compatible with non-boost QR frames and vice versa!

Fitting of the hangers is straight forward; the hanger for the alloy swing arm uses the same principal as below but be extra careful with the torques on the retaining bolts.

DO17-HANGER-QR

This hanger will only fit the MY17 Spark 960/760 Contessa Spark 730.

Part number: 254094



Description:

Dropout hanger boost Q/R not direct MY17




1 Please pay attention to the two fixing bolts on the right hand hanger and the location of the positioning arrow.
Max torque 1.5 N/M.


2 First make sure the area is clean, and then insert the hanger.



3 Insert the endcap through the frame and into the hanger.



4 Make sure the location arrow is pointing to the lower bolt hole; insert the bolt.
Max torque 1.5 N/M



5 Insert the second bolt into the rear of the dropout.
Max torque 1.5 N/M


(Shown is the fitting to a carbon frame, please use the same principles for alloy and never exceed maximum torque)



REAR BRAKE MOUNT

The Rear brake mount is the same system as the SCOTT Scale, you must use the specific brake calliper adaptor, this is available in two sizes 160 & 180mm these sizes must not be exceeded.

Please make sure the bolts that are supplied with the mount are used to prevent damage to the frame threads, the adaptor will allow a standard post mount calliper too be used.



The brake mounts can be identified by the etching on the underside of the mount:

180mm Boost QR only

Part number: 254097

Description: Brake mount Scale/Spark QR/180mm MY17

160mm

Part number: 254096

Description: Brake mount Scale/Spark 12/160mm MY17

180mm


Part number: 254095

Description: Brake mount Scale/Spark 12/180mm MY17

Note Bikes with Boost QR have a specific mount and only in 180mm!



To install the brake mount engage the front fixing first and swing round the rear into the dropout before mounting the calliper.



IMPORTANT

180mm mounts must be used with the supplied conical washers on front bolt!


Please use the bolts are supplied with the mounts to fit the calliper; on the 180mm mount the conical washers must be fitted to the forward bolt as shown.



FRONT DERAILLEUR

On the **non-** RC frames a front derailleur may be fitted with the use of an adaptor, this will allow the use of a Shimano high direct mount forward/side swing derailleur only. This is a different mount to the Scale and mounts on the rear of the seat tube.

Part 254087 :
Front derailleur mount
Spark MY17




Only use a High direct mount side swing front derailleur.



If the bike has been converted to x1 gear a blank plate can be used, this same plate can be used on the chain guide area.

Part 254089 :
Front derailleur blank
Scale/Spark MY17



There is an option for a guide to be used if running x1 systems; the mount requires the removal of the pivot axel nut and the chainguide fitting in its place.

To fit this chainguide remove this nut from the drive side of the main pivot.



Replace the nut with the base of your chainguide system, make sure you have obtained the correct system and the bolt is refitted to the correct torque with threadloc applied.



Once the mount is fitted you can now fix the guide in the correct position.




There are two types of chain guide for the MY17 Spark, Spark RC and Spark, these are not interchangeable in any way.

Part 254101 :

Description:

Chainguide set Spark MY17



Part 254100 :

Description:

Chainguide set Spark RC MY17




CABLE ROUTING

The MY17 carbon Spark has fully internal cable routing, there are several options on how to do this depending on bike setup and equipment used, the outer cable is continues through the frame for front and rear gears from the shifter to the derailleurs/shock to TC lever.




It is recommended that the cables on the headtube cross to help reduce cable rub, it is recommended that handlebar cables that come from the right hand side enter the frame on the left, and handlebar cables that come from the left hand side enter the frame on the right.

Please note that above is an example and that your bikes brakes need to be set up as per the law in your country



Please be aware to prevent damage to the frame and cables there should be minimum cable clearance between the bottom of the bottom bracket and the cables.

The measurement should be a minimum of 25mm taken in the centre line of the bottom bracket.



Depending on what gear/seatpost options are being used, the head tube cable guides can be customised to the rider's preference.

The head tube cable entries and are clearly marked with the different options.


Alloy Spark has brazed cable guides and cannot be changed.

IMPORTANT

Torque for cable guide bolts 0.75-1.0 NM!

The angle of the retaining screw is 70 degrees. Not straight.

Please be aware of this to prevent damage to the frame when removing and refitting these parts!



The same cable guide is used for left and right.

A simple number code is used to identify which cables fit which plates. Options are shown in the following table:

Blank = no cable
4 = mechanical cable
5 = hydraulic cables
Di2 = Di2


Number code	Part number	Number code	Part number
Blank	254102	4-5-5	254109
4	254103	4-4-5	254108
5	254104	Di2	254110
4-4	254105	4-Di2	254111
4-5	254106	5-Di2	254112
5-5	254107	4-5-Di2	254113

For the right chain stay and front derailleur out (FD out carbon only) there are also 3 options, this is the same as the Scale chainstay and down tube, these parts are available in a kit containing; 1xblank- 2xDI2- 2xmechanical.



IMPORTANT

All Cable fixing screws to torque 0.75-1.0 N/M!




Part 254114

Cableguides Scale/
Spark R/FD exit


Top: DI2,
Middle: blank,
Bottom: mechanical



In addition to the main cable entry guides there are a few additions on the frames to keep the cables tight, on the underside of the downtube and chainstay brake/gear guides



Front/rear gear guide



Chainstay brake in/out


Both these are available in a kit.

Part 254115

Description: Cableguides Spark C-stay rubbers MY17

Part 254117

Description:
Cableguide Spark D/T
carb/alloy out MY17



The rear shock remote cable there is a rubber cap the helps prevent debris entering the frame in this area, there are 3 different variations of this part, the parts are clearly marked to identify what part is compatible with witch shock:

Fox Nude

Part number : 254118

Description :

Cableguide Spark shock
rubber Fox Nude



X-Fusion

Part number : 254120

Description :

Cableguide Spark shock
rubber X-fusion



Fox Float

Part number : 254119

Description :

Cableguide Spark shock
rubber Float MY17



In addition to the cable entire for the shock rubber there are two types of “noodle” depending on the shock type, the Fox Float only has a ferrule on the end while the X-fusion and Nude have not.

For the Nude and X-fusion :

Part Number: 254121

Description:

Cableguide Spark shock noodle Nude 17



For the Float :

Part number: 254122


Description:

Cableguide Spark shock noodle Float 17




ASYMMETRIC

The front triangle on the MY17 spark is asymmetric; to keep the bottle centred one bike it has been moved to the right of the down tube, there is also 3 holes so the cage position can be high or low depending on preference.



BOTTOM BRACKETS


All Spark frames now use a PF 92mm BB, no spacer to be fitted!




HEADSET

Unlike previous Carbon Spark Frames the MY17 Spark uses direct fitment into the frame of the bearings, (check carbon /alloy the same)


Headset bearings, the bearings can be found from many manufacturers.



4	SSC Bearing	3MR0400-SUJ	SUJ2	1	51.9X40X8 45°X45°
3	SSC Bearing	3MR0250-SUJ2	SUJ2	1	41.8X30.5X8 45°X45°



The top headset bearing sits proud of the frame, this is normal and needed for the correct headset adjustment.



The top cap and spacer system are unique to SCOTT if you wish to use these they are available for both the Syncros 1.5 and 2.0 stems, available in a kit including:

Spacers - 2x2mm/ 1x5mm / 1x10mm / 1x20mm / x1 topcap / x1 alloy bolt

Part 262082: Headset spacer kit/ topcap Syncros1.5 MTB

Part 262083: Headset spacer kit/ topcap Syncros2.0 MTB



SHOCKS

The MY17 Spark Adopts the Trunnion shock standard, this is not unique to SCOTT but pay attention if changing the shock as failure to fit the correct shock may cause frame damage and invalidate any warranty.

Please note that there are two shock types for the Spark. 100mm travel and 120mm travel bikes both use a shock that looks the same and has the same external dimensions but use a different internal, these are not interchangeable. The wheel size has no relevance just the travel.

These are available from SCOTT for countries without a Fox/X-fusion service centre only:

252401- (Non-RC Spark)

Rear Shock Spark 120mm 17 X-fusion 165x45

262035- (Non-RC Spark)

Rear Shock Spark 120mm Fox Nude 2017

262036- (Non-RC Spark)


Rear Shock Spark 120mm Fox Nude 2017 Kashima

262037- (RC Spark)


Rear Shock Spark 100mm Fox Nude 2017

262038- (RC Spark)

Rear Shock Spark 100mm Fox Nude 2017 Kashima



External dimensions/Shock identification.




For the MY17 spark both 120mm and 100mm bikes run a shock with the same external dimension, please see right on how to check the stroke of a spark MY17 shock.

With the pressure released from the shock and in "open mode" compress the shock fully, measure the distance below.

40mm stroke (10.5mm) for Sparks with 100mm travel

45mm stroke (6.5mm) for Sparks with 120mm travel





IMPORTANT

Please pay particular attention if changing the shock to use the correct replacement, failure to do this may result in damage to the bike resulting in an accident. This would also invalidate any warranty!

Top shock bush is standard 20x10mm and available from your local agent in addition the Trunnion Bushing and spacer are available separately, same kit for all bikes.

Part number: 262044

Description: Shock mount hardware Spark 2017

*this part also comes in the full swingarm repair kit

SUSPENSION PIVOTS/BEARINGS

For the spark range there are two different variations of pivot kit, both identical apart from the main lower pivot assembly.

Part number: 262630

Description: Swingarm rep kit Spark RC 100MM 2017

Part number: 262039

Description: Swingarm rep kit Spark 120mm 2017

The trunnion pivot kit is available separately:

Part number: 262044

Description: Shock mount hardware Spark 2017

*this part also comes in the full swingarm repair kit

There are two different types of linkage 100mm and 120mm options, there are not interchangeable between travel sizes.

Both are available in carbon or alloy.

100mm models (RC only)

Part number: 262042

Description: Linkage bar Spark alloy 100mm 2017

Part number: 262043

Description: Linkage bar Spark Carbon 100mm 2017

120mm models

Part number: 262040

Description: Linkage bar Spark alloy 120mm 2017

Part number: 262041

Description: Linkage bar Spark Carbon 120mm 2017



Image for reference, only plain black is available



The linkage can be identified from markings on the inside 100/120

PIVOTS AND BEARINGS

The procedures of replacing the pivots and bearings on the MY17 Spark are very simple if done correctly.

Remember in this procedure to use threadloc/bearing fit and anti-seize where needed.

It would be very hard to enter a part in the incorrect location on the MY 17 Spark but great care is still needed.

AN OVERVIEW OF WHAT GOES WHERE:

The main pivot, the parts of the main pivot may vary if a chainguide is to be used as mentioned earlier in this manual.



Below is the left hand rocker link and its attaching parts, this is duplicated on the right.

Note there is only bearings fitted the seat tube pivot, no spacers, (marked A).



The Trunnion pivot system.



FITTING

Start with safely supporting your front triangle in your workstand; this information is in the general owners manual.



Press the bearings into the frame with the spacer pipe in-between, do this in the order, right bearing/spacer pipe/left bearing (left image.)

Make sure the spacer pipe is lined up with the bearings (right image).



If the shock cable is not already installed do this now, route the outer through from top to bottom.


Install the inner cable connecting the correct rubber cap and noodle altogether.



For the Trunnion pivot insert the nylon bush from the outside on left and right of the frame (left image.)

Insert the alloy part from the inside (right image.)

For the top pivot /DU bushing this is standard Shock part and should be installed with your Fox/X-Fusion press.



Connect the shock to inner cable as normal with the TC lever in open position (Left image.)

Insert the rubber cap/ noodle assembly into the frame as one (right image).




Press the bearings into the linkage bars on the left and right linkage.



Insert the nylon washers into seatstay pivot hole on the linkage first (left image.)

Insert the alloy spacers (right image.)


Repeat this for left and right linkage.



Fit both linkages onto the frame with the shock in position, fit the two main linkage bolts.



Fit the Trunnion pivot bolts along with the top pivot (10 N/M T30 torx)



IMPORTANT

Top shock bolt has the torx inside the bolt shaft not the head, this is a reverse thread!




Fit the Swingarm to the linkage bars first, remember to make sure the alloy and nylon bushes fitted earlier are in place (10 N/M T30 torx.)




Locate the 2 alloy washers on the main pivot with the stepdown facing the bearing, a little grease may help hold these in place while you do this (left image)

Rotate the swingarm to meet the pivot hole, you will need to apply a little upward pressure to help line up the pivot.



Insert the main pivot from the none drive side then the pivot nut on the drive side, (if you have a chain device, fit this here instead, please see in previous section) torque to 10 N/M with T30 torx.



Assemble the bike as normal




Cable and shock replacing only

If you are just replacing the shock it will help to let the air out of the shock so its slightly compressed, the top shock bolt must be fitted first and enters the linkage bars from underneath not from the side, releasing the main lower pivot is also an option.




For your information please find an exploded view of the suspension components below:


Top bearing/pivot assemblies for MY17 Sparks.



Lower bearing/pivot assemblies for MY17 Spark.



Shock/Trunnion pivot assemblies.



SPARE PARTS SPARK

ITEM	SPARE PARTS SPARK 700/900	ITEM	SPARE PARTS SPARK 700/900	ITEM	SPARE PARTS SPARK 700/900
262046	Axle RWS Rear+lever 148x12 boost plugin	251852	CSP Screw on Spark 700 Carbon 2017	262035	Rear Shock Spark 120mm Fox Nude 2017
254090	Dropout hanger boost TA12-SW carb MY17	251853	CSP Screw on Spark 700 Alloy 2017	262036	Rear Shock Spark 120mm Fox Nude 2017 Ksh
254091	Dropout hang boost TA12-SW DM carb MY17	254576	CSP Screw on Spark RC 900 Carbon 2017	262631	Twinloc lever downclamp/seatpost MY17
254092	Dropout hanger boost TA12 alloy MY17	254577	CSP Screw on Spark 900 Carbon 2017	230097	Twinloc XLremote lever for Nude 2/3
254093	Dropout hanger boost TA12 DM alloy MY17	254578	CSP Screw on Spark 900 Alloy 2017	239171	Twinloc lever Nude 3 integ clamp
254094	Dropout hanger boost Q/R not direct MY17	254089	Front derailleur blank Scale/Spark MY17	242409	Twinloc lever Nude 3 integ clamp down
254096	Brake mount Scale/Spark 12/160mm MY17	254087	Front derailleur mount Spark MY17	229733	Seatclamp 34.9mm SR Gambler
254095	Brake mount Scale/Spark 12/180mm MY17	228441	Headset Syncros Pressfit 50/61mm Tapered	223309	Seatclamp 34.9mm CrMo bolt
254097	Brake mount Scale/Spark QR/180mm MY17	250580	H.Set Syncros Drop-In Scale, Spark MY17	250570	Seatpost Syncros FL1.0 CB SL 10mm Offset
254103	Cableguide Scale/Spark H-tube 4 MY17	262082	Headset spacer kit/topcap Syncros 1.5 MTB	250571	Seatpost Syncros FL1.0 CB, 10mm Offset
254105	Cableguide Scale/Spark H-tube 4-4 MY17	262083	Headset spacer kit/topcap Syncros 2.0 MTB	250572	Seatpost Syncros FL1.5, 10mm Offset
254109	Cableguide Scale/Spark H-tube 4-4-5 MY17	250563	Stem Syncros XR1.5, 31.8mm	262070	Seatpost remote syncros 2.0
254106	Cableguide Scale/Spark H-tube 4-5 MY17	250565	Stem Syncros FL1.5, 31.8mm	262074	Seatpost service a/base Syncros 2.0
254108	Cableguide Scale/Spark H-tube 4-5-5 MY17	250566	Stem Syncros FL2.0, 31.8mm	262072	Seatpost service air Cart kit Syncros2.0
254113	Cableguide Scale/Spark H-tube 4-5-DI2 17	250561	Computer Mount for Syncros MTB Stem XR	262069	Seatpost Syncros drop 2.0 W/O lever 31.6
254111	Cableguide Scale/Spark H-tube 4-DI2 MY17	250562	Computer Mount for Syncros MTB Stem FL	250573	Saddle Syncros XR1.0 Carbon SL
254104	Cableguide Scale/Spark H-tube 5 MY17	250541	H.bar Syncros FL1.0 Carbon SL, T-Bar	238583	Saddle Syncros XR1.5
254107	Cableguide Scale/Spark H-tube 5-5 MY17	250543	H.bar Syncros FL1.0 Carbon, Mini Rise	238584	Saddle Syncros XR2.0
254112	Cableguide Scale/Spark H-tube 5-DI2 MY17	250544	H.bar Syncros FL1.5, T-Bar	242514	Hub rep kit Syncros Formula CL71
254102	Cableguide Scale/Spark H-tube blnk MY17	250545	H.bar Syncros FL1.5, Mini Rise	242438	Hub rep kit Syncros Formula CL14811
254110	Cableguide Scale/Spark H-tube DI2 MY17	250574	Grips Syncros Pro, Lock-On	252403	Hub rep kit Form CT-1702 / 5x141mm
254122	Cableguide Spark shock noodle Float 17	262044	Shock mount hardware Spark 2017	246376	Rim Alex X-23 disc 32H
254123	Cableguide Spark Alloy FD/downtube MY17	262040	Linkage bar Spark alloy 120mm 2017	263474	Rim Sync/DT XR RC 28H 17 SC/SP RC 700 WC
254117	Cableguide Spark D/T carb/alloy out MY17	262041	Linkage bar Spark Carbon 120mm 2017	263470	Rim Sync/DT XR RC 28H 17 SC/SP RC 900 WC
254121	Cableguide Spark shock noodle Nude 17	262042	Linkage bar Spark alloy 100mm 2017	263472	Rim Sync/DT XR1.0 28H 17 SC/SP RC 700 SL
254118	Cableguide Spark shock rubber Fox Nude	262043	Linkage bar Spark Carbon 100mm 2017	263468	Rim Sync/DT XR1.0 28H 17 SC/SP RC 900 SL
254120	Cableguide Spark shock rubber X-fusion	262037	Rear Shock Spark 100mm Fox Nude 2017	263478	Rim Sync/DT XR1.0 28H '17 Spark 700 Ult
254114	Cableguide Scale/Spark R/FD exit MY17	262038	Rear Shock Spark 100mm Fox Nude 2017 Ksh	263476	Rim Sync/DT XR1.0 28H '17 Spark 900 Ult
254115	Cableguide Spark C-stay rubbers MY17	252401	Rear Shock Spark 120mm 17 X-fusion165x45	263473	Rim Sync/DT XR1.5 28H 17 SC/SP RC 700 Ult
254101	Chainguide set Spark MY17	263379	Rear Shock Spark 120mm Fox Float Perf 17		
254100	Chainguide set Spark RC MY17				
251851	CSP Screw on Spark RC 700 Carbon 2017				

SPARE PARTS SPARK

ITEM	SPARE PARTS SPARK 700/900
263469	Rim Sync/DT XR1.5 28H 17 SC/SP RC 900 UI
263479	Rim Sync/DT XR1.5 28H 17 Spark 700 Prem
263477	Rim Sync/DT XR1.5 28H 17 Spark 900 Prem
263483	Rim Sync/DT XR2.0 28H 17 SC/SP 700
263480	Rim Sync/DT XR2.0 28H 17 SC/SP 900
263484	Rim Sync/DT XR2.0 28H 17 SC/SP 710
263481	Rim Sync/DT XR2.0 28H 17 SC/SP 910
263485	Rim Sync/DT XR2.5 28H 17 SC/SP 720
263482	Rim Sync/DT XR2.5 28H 17 SC/SP 920
262039	Swingarm rep kit Spark 120mm 2017
262630	Swingarm rep kit Spark RC 100MM 2017
223289	Tool set swingarm Spark>12# Genius>13#
252128	Front triangle Spark RC 700 SL 2017
252129	Front triangle Spark RC 700 Ultim 2017
252130	Front triangle Spark RC 700 W/C 2017
252131	Front triangle Spark RC 700 Pro 2017
252132	Front triangle Spark 700 Ultimate 2017
252133	Front triangle Spark 700 Premium 2017
252134	Front triangle Spark 700 2017
252135	Front triangle Spark 710 2017
252136	Front triangle Spark 720 2017
252137	Front triangle Spark 730 2017
252211	Frame Spark 740 2017 warranty
262626	Frame Spark 760 2017 warranty
252138	Front triangle Spark RC 900 SL 2017
252139	Front triangle Spark RC 900 Ultim 2017
252140	Front triangle Spark RC 900 W/C 2017
252141	Front triangle Spark RC 900 Pro 2017
252142	Front triangle Spark 900 Ultimate 2017
252143	Front triangle Spark 900 Premium 2017
252144	Front triangle Spark 900 2017
252145	Front triangle Spark 910 2017
252146	Front triangle Spark 920 2017
252147	Front triangle Spark 930 2017
252212	Frame Spark 940 2017 warranty
262627	Frame Spark 960 2017 warranty
252226	Swingarm Spark RC 700 SL 2017
252227	Swingarm Spark RC 700 Ultim 2017
252228	Swingarm Spark RC 700 W/C 2017
252229	Swingarm Spark RC 700 Pro 2017
252230	Swingarm Spark 700 Ultimate 2017
252231	Swingarm Spark 700 Premium 2017
252232	Swingarm Spark 700 2017
252233	Swingarm Spark 710 2017
252234	Swingarm Spark 720/750 2017
252235	Swingarm Spark 730 2017
252240	Swingarm Spark 900 Ultimate 2017
252241	Swingarm Spark 900 Premium 2017
252242	Swingarm Spark 900 2017
252243	Swingarm Spark 910 2017
252244	Swingarm Spark 920/950 2017
252245	Swingarm Spark 930 2017
252236	Swingarm Spark RC 900 SL 2017
252237	Swingarm Spark RC 900 Ultim 2017
252238	Swingarm Spark RC 900 W/C 2017
252239	Swingarm Spark RC 900 Pro 2017

ITEM	SPARE PARTS SPARK PLUS
262046	Axle RWS Rear+lever 148x12 boost plugin
254090	Dropout hanger boost TA12-SW carb MY17
254091	Dropout hang boost TA12-SW DM carb MY17
254092	Dropout hanger boost TA12 alloy MY17
254093	Dropout hanger boost TA12 DM alloy MY17
254094	Dropout hanger boost Q/R not direct MY17
254096	Brake mount Scale/Spark 12/160mm MY17
254095	Brake mount Scale/Spark 12/180mm MY17
254097	Brake mount Scale/Spark QR/180mm MY17
254103	Cableguide Scale/Spark H-tube 4 MY17
254105	Cableguide Scale/Spark H-tube 4-4 MY17
254109	Cableguide Scale/Spark H-tube 4-4-5 MY17
254106	Cableguide Scale/Spark H-tube 4-5 MY17
254108	Cableguide Scale/Spark H-tube 4-5-5 MY17
254113	Cableguide Scale/Spark H-tube 4-5-DI2 17
254111	Cableguide Scale/Spark H-tube 4-DI2 MY17
254104	Cableguide Scale/Spark H-tube 5 MY17
254107	Cableguide Scale/Spark H-tube 5-5 MY17
254112	Cableguide Scale/Spark H-tube 5-DI2 MY17
254102	Cableguide Scale/Spark H-tube blk MY17
254110	Cableguide Scale/Spark H-tube DI2 MY17
254123	Cableguide Spark Alloy FD/downtube MY17
254117	Cableguide Spark D/T carb/alloy out MY17
254121	Cableguide Spark shock noodle Nude 17
254118	Cableguide Spark shock rubber Fox Nude
254120	Cableguide Spark shock rubber X-fusion
254114	Cableguide Scale/Spark R/FD exit MY17
254115	Cableguide Spark C-stay rubbers MY17
254101	Chainguide set Spark MY17
251854	CSP Screw on Spark 700 Plus Carbon 2017
251855	CSP Screw on Spark 700 Plus Alloy 2017
228441	Headset Syncros Pressfit 50/61mm Tapered
250580	H.Set Syncros Drop-In Scale, Spark MY17
262082	Headset spacer kit/topcap Syncros 1.5 MTB
262083	Headset spacer kit/topcap Syncros 2.0 MTB
250565	Stem Syncros FL1.5, 31.8mm
250566	Stem Syncros FL2.0, 31.8mm
250562	Computer Mount for Syncros MTB Stem FL
250543	H.bar Syncros FL1.0 Carbon, Mini Rise
250545	H.bar Syncros FL1.5, Mini Rise
250574	Grips Syncros Pro, Lock-On
262044	Shock mount hardware Spark 2017
262040	Linkage bar Spark alloy 120mm 2017
262043	Linkage bar Spark Carbon 100mm 2017
252401	Rear Shock Spark 120mm 17 X-fusion165x45
262035	Rear Shock Spark 120mm Fox Nude 2017
262036	Rear Shock Spark 120mm Fox Nude 2017 Ksh
239171	Twinloc lever Nude 3 integ clamp
262631	Twinloc lever downclamp/seatpost MY17
229733	Seatclamp 34.9mm SR Gambler
223309	Seatclamp 34.9mm CrMo bolt
242438	Hub rep kit Syncros Formula CL14811
263486	Rim Sync/DT TR1.5 Plus 28H 17 Spark 700
263487	Rim Sync/DT TR2.0 Plus 28H 17 SP/GE 710
252415	Rim Alex X-35 27.5 plus 32H
242454	Rim tape Scale/Genius/Genius LT +
242455	Tube Scale/Genius/Genius LT +
262039	Swingarm rep kit Spark 120mm 2017
223289	Tool set swingarm Spark>12# Genius>13#

ITEM	SPARE PARTS SPARK PLUS
252148	Front triangle Spark 700 + Tuned 2017
252149	Front triangle Spark 710 PLUS 2017
252150	Front triangle Spark 720 PLUS 2017
252151	Front triangle Spark 730 PLUS 2017
252246	Swingarm Spark 700 PLUS Tuned 2017
252247	Swingarm Spark 710 PLUS 2017
252248	Swingarm Spark 720 PLUS 2017
252249	Swingarm Spark 730 PLUS 2017

SCOTT GENIUS 700/900/PLUS



GENIUS 700 PREMIUM

There will be no changes to the Genius in MY17.

ITEM	SPARE PARTS GENIUS 700/900	ITEM	SPARE PARTS GENIUS 700/900
236153	Axle RWS 10 Alu thru 142MM / Ø12MM	242409	Twinloc lever Nude 3 integ clamp down
219575	Dropout Hanger right side IDS 2 135/RWS5	262631	Twinloc lever downclamp/seatpost MY17
219572	Dropout Set IDS 2 135/RWS 5	223309	Seatclamp 34.9mm CrMo bolt
219577	Dropout Hang.right side IDS 2 142/RWS12	262070	Seatpost remote syncros 2.0
219574	Dropout Set IDS 2 142/RWS 12	262071	Seatpost remote syncros 2.5
235287	Dropout Set IDS 2 142/RWS 12 Dir.Mount	262074	Seatpost service a/base Syncros 2.0
235288	Dropout Hanger right IDS 2 142/RWS 12 DM	262072	Seatpost service air Cart kit Syncros2.0
223305	Cable guide BB Spark '12 Genius '13 carb	262073	Seatpost service air Cart kit Syncros2.5
229723	Cable clamping set Genius Carbon	262069	Seatpost Syncros drop 2.0 W/O lever 31.6
229724	Cable clamping set Genius alloy 2013	242514	Hub rep kit Syncros Formula CL71
229730	ISCG adaptor Genius 2013	252416	Rim Alex X-25 27.5 32H
228206	CSP New Genius Pre Shape 2013	252417	Rim Alex X-25 29 32H
229728	FD-Mount Genius 2013 700-650B	263488	Rim Sync/DT TR1.5 28H '17 Genius 700 PR
229729	FD Mount Genius 2013 900-29	263489	Rim Sync/DT TR2.0 28H '17 Genius 710
239552	Chainguide DM Genius-LT-Spark '15	263491	Rim Sync/DT TR2.5 28H '17 Genius 720
228441	Headset Syncros Pressfit 50/61mm Tapered	263490	Rim Sync/DT TR2.5 28H '17 Genius 920
262083	Headset spacer kit/topcap Syncros2.0 MTB	223291	Screw Set blk Spark/Scale/Genius '12
250543	H.bar Syncros FL1.0 Carbon, Mini Rise	223301	Swingarm Repair Kit Spark>12# Genius>13#
250545	H.bar Syncros FL1.5, Mini Rise	223302	Igus Bushing Set Spark>12# Genius>13# CS
250574	Grips Syncros Pro, Lock-On	223289	Tool set swingarm Spark>12# Genius>13#
250575	Grips Syncros Pro	252213	Frame Genius 730 2017 warranty
235272	Geometry chip Spark Genius All 14	252152	Front triangle Genius 700 Premium 2017
235710	Shock Mount/Bush.set Spark Genius/LT 14>	252153	Front triangle Genius 710 2017
229716	Shock Mount Bolt 8mm Genius/LT/Spark	252154	Front triangle Genius 720 2017
235270	Linkage bar set Genius 700 2014	252250	Chainstays Genius 700 Premium 2017
235267	Linkage bar set Genius 900 2014	252251	Chainstays Genius 710 2017
242415	Rear shock FOX NUD3 DPS EVOL Kash 200*57	252252	Chainstays Genius 720 2017
242417	Rear shock FOX NUD3 DPS EVOL 200*57	252279	Seatstays Genius 700 Premium 2017
242420	Rear shock Xfusion NUDE 200*57	252280	Seatstays Genius 710 2017
242424	Rear shock FOX Float DPS 200*57	252281	Seatstays Genius 720 2017
242416	Rear shock FOX NUD3 DPS EVOL Kash 190*50	252155	Front triangle Genius 920 2017
242418	Rear shock FOX NUD3 DPS EVOL 190*50	252156	Front triangle Genius 940 2017
242419	Rear shock Xfusion NUDE 190*50	252253	Chainstays Genius 920 2017
242425	Rear shock Spark FOX Float DPS 190*50	252254	Chainstays Genius 940 2017
230097	Twinloc XL remote lever for Nude 2/3	252282	Seatstays Genius 920 2017
239171	Twinloc lever Nude 3 integ clamp	252283	Seatstays Genius 940 2017

ITEM	SPARE PARTS GENIUS PLUS	ITEM	SPARE PARTS GENIUS PLUS	ITEM	SPARE PARTS GENIUS PLUS
262046	Axle RWS Rear+lever 148x12 boost plugin	250574	Grips Syncros Pro, Lock-On	263487	Rim Sync/DT TR2.0 Plus 28H '17 SP/GE 710
219577	Dropout Hang.right side IDS 2 142/RWS12	235272	Geometry chip Spark Genius All 14	263492	Rim Sync/DT TR1.5 Plus 28H '17 GE 700
219574	Dropout Set IDS 2 142/RWS 12	235710	Shock Mount/Bush.set Spark Genius/LT 14>	242454	Rim tape Scale/Genius/Genius LT +
235287	Dropout Set IDS 2 142/RWS 12 Dir.Mount	229716	Shock Mount Bolt 8mm Genius/LT/Spark	242455	Tube Scale/Genius/Genius LT +
235288	Dropout Hanger right IDS 2 142/RWS 12 DM	235267	Linkage bar set Genius 900 2014* 700+	223301	Swingarm Repair Kit Spark>12# Genius>13#
223305	Cable guide BB Spark '12 Genius '13 carb	242422	Rear shock Genius FOX Float DPS 190*50	223302	Igus Bushing Set Spark>12# Genius>13# CS
229723	Cable clamping set Genius Carbon	242418	Rear shock FOX NUD3 DPS EVOL 190*50	223289	Tool set swingarm Spark>12# Genius>13#
229724	Cable clamping set Genius alloy 2013	242416	Rear shock FOX NUD3 DPS EVOL Kash 190*50	252157	Front triangle Genius 700 + Tuned 2017
229730	ISCG adaptor Genius 2013	262631	Twinloc lever downclamp/seatpost MY17	252158	Front triangle Genius 710 PLUS 2017
228206	CSP New Genius Pre Shape 2013	223309	Seatclamp 34.9mm CrMo bolt	252159	Front triangle Genius 720 PLUS 2017
229728	FD-Mount Genius 2013 700-650B	262070	Seatpost remote syncros 2.0	252255	Chainstays Genius 700 PLUS Tuned 2017
239552	Chainguide DM Genius-LT-Spark '15	262074	Seatpost service a/base Syncros 2.0	252256	Chainstays Genius 710 PLUS 2017
228441	Headset Syncros Pressfit 50/61mm Tapered	262072	Seatpost service air Cart kit Syncros2.0	252257	Chainstays Genius 720 PLUS 2017
262083	Headset spacer kit/topcap Syncros2.0 MTB	262069	Seatpost Syncros drop 2.0 W/O lever 31.6	252284	Seatstays Genius 700 PLUS Tuned 2017
250543	H.bar Syncros FL1.0 Carbon, Mini Rise	252415	Rim Alex X-35 27.5 plus 32H	252285	Seatstays Genius 710 PLUS 2017
250545	H.bar Syncros FL1.5, Mini Rise			252286	Seatstays Genius 720 PLUS 2017

TECHNICAL DATA GENIUS

Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/ dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)	Rear Shock (e2e)	Hardware Rear Shock in mm	Bearings (frame)
Genius 700 Premium	SM-BB94-41A FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	FD-M9025-E W/O PLATE 66-69 34/38T TOP SWING DOWN-PULL	170 S, 175 M/L/XL	ISI318T043015 SYNCROS HS FL 1.5 1-1/8"-1.5" 55-61MM H:12.9 MATT BLK SANDBLASTED AL CUPS ACB BEARINGS NEON RED YS-794-1 LOGO	50mm(S); 60mm (M); 70mm(L); 80mm(XL)	760	31.6X356mm-S 31.6X456mm-M/L/XL	34.9mm	TR1.5 27.5 28H	TR1.5 27.5 28H	TR1.5 27.5 28H	200	22.2x8/ 22.2x8	24x15xT5
Genius 710	SM-BB71-41A FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	FD-M9025-E W/O PLATE 66-69 34/36/38T TOP SWING DOWN-PULL FOR DOUBLE	170 S, 175 M/L/XL	ISI318T043015 SYNCROS HS FL 1.5 1-1/8"-1.5" 55-61MM H:12.9 MATT BLK SANDBLASTED AL CUPS ACB BEARINGS NEON RED YS-794-1 LOGO	50mm(S); 60mm (M); 70mm(L); 80mm(XL)	760	31.6X356mm-S 31.6X456mm-M/L/XL	34.9mm	TR2.0 27.5 28H	TR2.0 27.5 28H	TR2.0 27.5 28H	200	22.2x8/ 22.2x8	24x15xT5
Genius 720	PRESSFIT GXP BB FOR MTB(FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S, 175 M/L/XL	ISI25115AL SYNCROS HS 1-1/8"-1.5" 50-61MM H:12.9 MATT BLK SANDBLASTED AL CUPS SSC BEARINGS NEON LIME YS-8099 LOGO	50mm(S); 60mm (M); 70mm(L); 80mm(XL)	760	31.6X356mm-S 31.6X456mm-M/L/XL	34.9mm	TR2.5 27.5 28H	TR2.5 27.5 28H	TR2.5 27.5 28H	200	22.2x8/ 22.2x8	24x15xT5
Genius 730	BB-MT500-PA FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	FD-M8025-E W/O PLATE 66-69 34/36/38T TOP SWING DOWN-PULL FOR DOUBLE	170 S, 175 M/L/XL	ISI25115AL, PRESS FIT PRO/TAPER, 1-1/8"-1.5"/50-61MM/AL CUPS/ SSC BEARINGS, MATT BLK SANDBLASTED, BLK GLOSS NPWT BRANDING H:12.9MM	50mm(S); 60mm (M); 70mm(L); 80mm(XL)	760	31.6X356mm-S 31.6X456mm-M/L/XL	34.9mm	COMPETITION 14-15GX274/ 275	COMPETITION 14-15GX274/ 275	X25 DISC 27.5"x32H	200	22.2x8/ 22.2x8	24x15xT5
Genius 740	BB-MT500-PA FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	FD-M618-E W/O PLATE 66-69 10S 36/38T TOP SWING DUAL-PULL FOR DOUBLE	170 S, 175 M/L/XL	ISI251T043003 SYNCROS HS 1-1/8"-1.5" 55-61MM H:12.9 MATT BLK SANDBLASTED AL CUPS SSC BEARINGS NEON ORANGE YS-798 LOGO (ISI25115AL)	50mm(S); 60mm (M); 70mm(L); 80mm(XL)	760	31.6X370mm-S 31.6X412mm-M/L/XL	34.9mm	15GX273.5/ 274.5	15GX273/ 274.5	X25 DISC 27.5"x32H	200	22.2x8/ 22.2x8	24x15xT5
Genius 750	BB-MT500-PA FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	FD-M618-E W/O PLATE 66-69 10S 36/38T TOP SWING DUAL-PULL FOR DOUBLE	170 S, 175 M/L/XL	ISI21815FST SYNCROS HS COMP 1-1/8"-1.5" 55-61MM H:11.1 MATT BLK SANDBLASTED STEEL CUPS SEALED BEARINGS W/NEON RED YS794-1 LOGO (ISI218T043006)	50mm(S); 60mm (M); 70mm(L); 80mm(XL)	760	31.6X360mm-S; 31.6X400mm-M/L/XL	34.9mm	15GX273.5/ 274.5	15GX273/ 274.5	X25 DISC 27.5"x32H	200	22.2x8/ 22.2x8	24x15xT5
Genius 920	PRESSFIT GXP BB FOR MTB(FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S, 175 M/L/XL	ISI25115AL SYNCROS HS 1-1/8"-1.5" 50-61MM H:12.9 MATT BLK SANDBLASTED AL CUPS SSC BEARINGS NEON LIME YS-8099 LOGO	50mm(S); 60mm (M); 70mm(L); 80mm(XL)	760	31.6X356mm-S 31.6X456mm-M/L/XL	34.9mm	TR2.5 29 28H	TR2.5 29 28H	TR2.5 29 28H	190	22.2x8/ 22.2x8	24x15xT5
Genius 940	BB-MT500-PA FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	FD-M618-E W/O PLATE 66-69 10S 36/38T TOP SWING DUAL-PULL FOR DOUBLE	170 S, 175 M/L/XL	ISI251T043003 SYNCROS HS 1-1/8"-1.5" 55-61MM H:12.9 MATT BLK SANDBLASTED AL CUPS SSC BEARINGS NEON ORANGE YS-798 LOGO (ISI25115AL)	50mm(S); 60mm (M); 70mm(L); 80mm(XL)	760	31.6X370mm-S 31.6X412mm-M/L/XL	34.9mm	15GX292.5/ 293.5	15GX292/ 293.5	X25 DISC 27.5"x32H	190	22.2x8/ 22.2x8	24x15xT5
Genius 700 Plus Tuned	PRESSFIT GXP BB FOR MTB(FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S, 175 M/L/XL	PBI50203, PRESS FIT FL 2.0 ANGLE 0.7°/TOP/TAPER, 1-1/8"-1.5"/50-61MM/ AL CUPS ANGLE 0.7°/ ACB BEARINGS, MATT BLK SANDBLASTED, BLK GLOSS NPWT BRANDING H:18.2MM	50mm(S/M); 60mm (L); 70mm(XL)	760	31.6X356mm-S 31.6X456mm-M/L/XL	34.9mm	TR1.5 PLUS 27.5 28H	TR1.5 PLUS 27.5 28H	TR1.5 PLUS 27.5 28H	190	22.2x8/ 22.2x8	24x15xT5
Genius 710 Plus	SM-BB71-41A FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	NONE	170 S, 175 M/L/XL	1ST344T043002 SYNCROS EC44/28.6 ZS55/40 0.7° 1.5 1-1/8"-1.5" 55-61MM H:18.5 MATT BLK SANDBLASTED AL CUPS ACB BEARINGS neon lime YS-8099 LOGO	50mm(S/M); 60mm (L); 70mm(XL)	760	31.6X356mm-S 31.6X456mm-M/L/XL	34.9mm	TR2.0 PLUS 27.5 28H	TR2.0 PLUS 27.5 28H	TR2.0 PLUS 27.5 28H	190	22.2x8/ 22.2x8	24x15xT5
Genius 720 Plus	BB-MT500-PA FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	FD-M618-E W/O PLATE 66-69 10S 36/38T TOP SWING DUAL-PULL FOR DOUBLE	170 S, 175 M/L/XL	ISI21815FST SYNCROS HS COMP 1-1/8"-1.5" 55-61MM H:11.1 MATT BLK SANDBLASTED STEEL CUPS SEALED BEARINGS W/NEON RED YS794-1 LOGO (ISI218T043006)	50mm(S/M); 60mm (L); 70mm(XL)	760	31.6X370mm-S 31.6X412mm-M/L/XL	34.9mm	CHAMPION 15GX273	CHAMPION 15GX273	X-35 DISC 27.5"x32H	190	22.2x8/ 22.2x8	24x15xT5

SCOTT GENIUS LT



GENIUS LT 700 PLUS TUNED

The Genius LT plus essentially stays the same as MY16 please refer to previous techbooks for info on Suspension/pivots and all frame information.

ITEM	SPARE PARTS GENIUS LT	ITEM	SPARE PARTS GENIUS LT
262046	Axle RWS Rear+lever 148x12 boost plugin	242428	Rear shock FOX Float DPS 215*63
219577	Dropout Hang.right side IDS 2 142/RWS12	262631	Twinloc lever downclamp/seatpost MY17
219574	Dropout Set IDS 2 142/RWS 12	223309	Seatclamp 34.9mm CrMo bolt
224419	Cable clamping set Genius LT 2012	262070	Seatpost remote syncros 2.0
235284	Cableguide Set Genius LT 2014	262074	Seatpost service a/base Syncros 2.0
223305	Cableguide BB Spark '12 Genius '13 carb	262072	Seatpost service air Cart kit Syncros2.0
219570	Chainguide ISCG Adaptor Set Genius LT 11'	262069	Seatpost Syncros drop 2.0 W/O lever 31.6
235291	Chainguide Genius LT 2014 single Speed	242438	Hub rep kit Syncros Formula CL14811
235292	Chainguide Genius LT 2014 double Speed	252415	Rim Alex X-35 27.5 plus 32H
228206	CSP Pre shape Genius > 2012 / LT > 2013	263493	Rim Sync/DT TR1.5 Plus 28H '17 GE LT 700
235277	FD-Mount plate Set Genius LT 700 2014	242454	Rim tape Scale/Genius/Genius LT +
239552	Chainguide DM Genius-LT-Spark '15	242455	Tube Scale/Genius/Genius LT +
228441	Headset Syncros Pressfit 50/61mm Tapered	223291	Screw Set blk Spark/Scale/Genius '12
262083	Headset spacer kit/topcap Syncros2.0 MTB	223301	Bras Osc.-Rep. Kit Spark>12# Genius>13#
234766	Stem Syncros XM1.5, 35.0mm, AM	223302	Igus Bushing Set Spark>12# Genius>13# CS
250546	H.bar Syncros AM1.0 CB, Mini Rise, 35mm	223303	Ind. Bearing Set Spark 2012 CST/SST w/ax
234756	H.bar Syncros AM1.5 10Rise 760mm	223289	Tool set swingarm Spark>12# Genius>13#
250574	Grips Syncros Pro, Lock-On	252161	Front triangle Genius LT 710 PLUS 2017
237313	Rock guard Genius LT 2014'	252162	Front triangle Genius LT 720 PLUS 2017
235272	Geometry chip Spark Genius All 14	252160	Front triangle Genius LT700+ Tuned 2017
235710	Shock Mount/Bush.set Spark Genius/LT 14>	252258	Chainstays Genius LT 700 + Tuned 2017
229716	Shock Mount Bolt 8mm Genius/LT/Spark	252259	Chainstays Genius LT 710 PLUS 2017
235271	Linkage bar set Genius LT 2014	252260	Chainstays Genius LT 720 PLUS 2017
242426	Rear shock FOX NUD3 DPS EVOL Kash 215*63	252287	Seatstays Genius LT 700 + Tuned 2017
242427	Rear shock FOX NUD3 DPS EVOL 215*63	252288	Seatstays Genius LT 710 PLUS 2017
		252289	Seatstays Genius LT 720 PLUS 2017

TECHNICAL DATA GENIUS LT

Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/ dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)	Rear Shock (e2e)	Hardware Rear Shock in mm	Bearings (frame)
Genius LT 700 Plus Tuned	PRESSFIT GXP BB FOR MTB(FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S, 175 M/L	1S1318T043017 SYNCROS HS FL 1.5 0° 1-1/8"-1.5" 55-61MM H:12.9 MATT BLK SANDBLASTED AL CUPS ACB BEARINGS BLK HRNT LOGO	40mm(S); 50mm (M); 60mm(L)	780	31.6X406mm-S 31.6X456mm-M/L	34.9mm	TR1.5 PLUS 27.5 28H	TR1.5 PLUS 27.5 28H	TR1.5 PLUS 27.5 28H	215	22.2x8/ 22.2x8	24x15xT5
Genius LT 710 Plus	PRESSFIT GXP BB FOR MTB(FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S, 175 M/L	1S125115AL SYNCROS HS PRO 1-1/8"-1.5" 55-61MM H:12.9 MATT BLK SANDBLASTED AL CUPS SSC BEARINGS NEON BLUE NE07 LOGO (1S1218T043004)	40mm(S); 50mm (M); 60mm(L)	780	31.6X406mm-S 31.6X456mm-M/L	34.9mm	SYNCROS 3.0 PLUS 27.5"X28H	SYNCROS 3.0 PLUS 27.5"X28H	SYNCROS 3.0 PLUS 27.5"X28H	215	22.2x8/ 22.2x8	24x15xT5
Genius LT 720 Plus	PRESSFIT GXP BB FOR MTB(FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S, 175 M/L	1S121815FST SYNCROS HS COMP 1-1/8"-1.5" 55-61MM H:11.1 MATT BLK SANDBLASTED STEEL CUPS SEALED BEARINGS W/NEON ORANGE YS798 LOGO (1S1218T043004)	40mm(S); 50mm (M); 60mm(L)	780	31.6X370mm-S 31.6X412mm-M/L	34.9mm	CHAMPION 15GX273	CHAMPION 15GX274	X-35 DISC 27.5"X32H	215	22.2x8/ 22.2x8	24x15xT5

SCOTT GAMBLER



GAMBLER 710

MY 17 SCOTT Gambler uses the same platform as MY16, please refer to previous techbook (2016) for frame and pivot information.

ITEM	SPARE PARTS GENIUS LT	ITEM	SPARE PARTS GENIUS LT
230237	Axle 12mm 150mm Rear Gambler '13	229733	Seatclamp Gambler 34.9 2013
229735	Dropout set Gambler'13/Voltage FR'15	250572	Seatpost Syncros FL1.5, 10mm Offset
239175	Dropout hanger DM Gambler'13/Volt FR'15	234770	Seatpost Syncros FL2.0 Offset
228442	Headset Syncros Pressfit DH adjustable	216310	Hub rep set Formula DH 91/92 front
234768	Stem Syncros DH1.5 35.0mm	217236	Hub rep set Formula DHL-150 rear
250549	Handlebar Syncros DH1.5 25Rise, 35mm	262624	Rim Syncros Alex MD27 disc 32H
241899	Grips Syncros Pro DH, Dual Lock	263494	Rim Sync/DT DH 1.5 32H '17 Gambler 710
239532	Fork bumper Gambler '15	229705	Bearing Set Gambler 2013
228208	Downtube Protector Gambler 2013	230989	Tool-Swingarm Gambler > 13
238547	CS/SS Protector Sticky R.Gambler 700>15	252163	Front triangle Gambler 710 2017
239527	Linkage Floating Link Gambler 2015 black	252164	Front triangle Gambler 720 2017
239526	Linkage Main Link Gambler 2015 black	252165	Front triangle Gambler 730 2017
240953	Geometrie chip Gambler 2015	252261	Swingarm Gambler 710 2017
229717	Shock Mount Bolt Gambler 2013	252262	Swingarm Gambler 720 2017
		252263	Swingarm Gambler 730 2017

TECHNICAL DATA GAMBLER

Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/ dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)	Rear Shock (e2e)	Hardware Rear Shock in mm	Bearings (frame)
Gambler 710	SM-BB71-41C FOR MTB "W/O THREAD" R&L BEARING W/ INNER COVER FOR HANGER WIDTH 83MM	NILL	165mm	GAMBLER STRAIGHT VERSION 28.7-49.65-30 H=14.9 ANO.GREY W/ ANO.BLK CON SPACER	45-50mm	800mm	31.6X400mm	34.9mm	271/272	271/272	DT EX511-27.5 32H F:370 110X20 R:350 150X12	267	59.94x8/ 22.2x8	M8x1.25x70 M8x1.25x37
Gambler 720	BB PRESSFIT GXP MTB 104.5 (00.6418.002.003)	NILL	165mm	GAMBLER STRAIGHT VERSION 28.7-49.65-30 H=14.9 ANO.GREY W/ ANO.BLK CON SPACER	45-50mm	800mm	31.6X400mm	34.9mm	271/272	271/272	MD27 27.5"X32H	267	59.94x8/ 22.2x8	M8x1.25x70 M8x1.25x37
Gambler 730	BB-07-HW-TM-56CL/83 83-148 WO/M12 BOLT (00.6400.006.350)	NILL	165mm	GAMBLER STRAIGHT VERSION 28.7-49.65-30 H=14.9 ANO.GREY W/ ANO.BLK CON SPACER	45-50mm	800mm	31.6X400mm	34.9mm	271/272	271/272	MD27 27.5"X32H	267	59.94x8/ 22.2x8	M8x1.25x70 M8x1.25x37

SCOTT VOLTAGE FR



VOLTAGE FR 710

The Voltage FR MY17 essentially stays the same as MY16 please refer to previous techbooks for other info on Suspension/pivots and all frame information.

ITEM	SPARE PARTS VOLTAGE FR	ITEM	SPARE PARTS VOLTAGE FR
239174	Axle 12mm 135mm rear Voltage '15 black	219518	Hub rep set Formula DC 22N nuted
239532	Fork bumper Gambler '15	264047	Hub rep kit Formula DCL-360 rear
229735	Dropout set Gambler'13/Voltage FR'15	262624	Rim Syncros Alex MD27 disc 32H
239176	Dropout set nutted Axle (STD135x10) Volt	239167	Linkage bar set Voltage FR MY 2015 black
239177	Dropout set Thru Axle Voltage FR 2015	239173	Swingarm repair kit Voltage FR 2015
238939	Headset FSA 1.5ext. lower cup f. tapered	216341	Tool set swingarm Voltage FR 2010
244910	Headset Kit Voltage FR10 only	252166	Front triangle Voltage FR 710 2017
234766	Stem Syncros XM1.5, 35.0mm	252167	Front triangle Voltage FR 720 2017
234768	Stem Syncros DH1.5 35.0mm	252168	Front triangle Voltage FR 730 2017
250549	Handlebar Syncros DH1.5 25Rise, 35mm	252264	Chainstays Voltage FR 710 2017
241899	Grips Syncros Pro DH, Dual Lock	252265	Chainstays Voltage FR 720 2017
241872	CS/SS Protector Sticky R.VoltageFR700>15	252266	Chainstays Voltage FR 730 2017
239168	Shock mount set Voltage FR 2015 black	252293	Seatstays Voltage FR 710 2017
229733	Seatclamp 34.9mm SR Gambler	252294	Seatstays Voltage FR 720 2017
216310	Hub rep set Formula DH 91/92 front	252295	Seatstays Voltage FR 730 2017

The Voltage FR 700 for MY17 sees the introduction of bump stops on the rear of the head tube, these are the same as used on the Gambler in MY16 and present.

Please remember these are designed to **help** protect the frame in this area from fork impact, however this is not a 100% guarantee. If the force is sufficient enough damage will still be caused, is not covered under warranty.



TECHNICAL DATA VOLTAGE FR

Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/ dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)	Rear Shock (e2e)	Hardware Rear Shock in mm	Bearings (frame)
Voltage FR 710	GXP TM BB FOR MTB(FOR 73MM) (00.6418.000.000)	NILL	165mm	ISI318T043009 VOLTAGE 28.7-39.8-27.8 H=27.8 AL BLK W/ UPPER AND LOWER CAP	50mm	780mm	31.6X400mm	34.9mm	271/272	271/272	MD27 27.5"X32H	241	22.2X8/ 22.2X8	M8X1.25X32 M8X1.25X80
Voltage FR 720	BB-08-HW-XR-51CL 73-138 WO/M12 BOLT & WASHER (ISCG)	NILL	165mm	ORBIT E1.5R/12.8 28.6-49.65-30 H=8.3 BLK ALLOY CUP BALL BEARING(INTL STYLE)	45-50mm	780mm	31.6X400mm	34.9mm	271/272	271/272	MD27 27.5"X32H	241	22.2X8/ 22.2X8	M8X1.25X32 M8X1.25X80
Voltage FR 730	BB-08-HW-XR-51CL 73-138 WO/M12 BOLT & WASHER (ISCG)	NILL	165mm	FSA 1-1(I/E) TAPERED 28.6-49.65-39.78 H=18.8 ANOD.BLK W/ FSA LOGO	45mm	780mm	31.6X400mm	34.9mm	271/272	271/272	MD27 27.5"X32H	241	22.2X8/ 22.2X8	M8X1.25X32 M8X1.25X80

SCOTT VOLTAGE



VOLTAGE YZ0.1

The Voltage essentially stays the same as MY16 please refer to previous techbooks for info on Suspension/pivots and all frame information.

ITEM	SPARE PARTS VOLTAGE
206375	Dropout+Screw all MTB since '97 5-PAK
215998	Dropout IDS Single Speed
223083	Fork Suntour XCM V3 Disc 100mm
200718	Headset Ritchey sem.int.11/8
216343	Stem Voltage 2010 10°
234767	Stem Syncros XM1.5, 35.0mm, FR
241899	Grips Syncros Pro DH, Dual Lock
228408	Grips Syncros BMX
229733	Seatclamp 34.9mm SR Gambler

ITEM	SPARE PARTS VOLTAGE
212741	Seatpost Voltage Pivotal zero offset
223282	Saddle Voltage Pivotal Atmosfair direct
237438	Bb set Voltage mid BB-18H 19mm axle
237436	Crankset Voltage 0.1-2 / BMX 73/170 25T
216309	Hub rep set Formula DC 42N
242120	Hub rep set Formula DC-25RQR
239310	Rim Syncros MD25 Disc 26 32H
252214	Frame Voltage YZ 0.1 2017 warr
252215	Frame Voltage YZ 10 2017 warr

TECHNICAL DATA VOLTAGE

Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/ dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)	Rear Shock (e2e)	Hardware Rear Shock in mm	Bearings (frame)
Voltage YZ 10	ABBUN100C23X/12 2.5MM(LL123)/73MM	AFDTY700TSL6/ 34.9mm	170mm(XS/S), 175mm(M/L)	1-1/8 X49.8X44MM	50mm(XS), 60mm(S), 70mm(M), 80mm(L)	660MM	31.6x300mm (XS/S), 350mm (M/L)	34.9 mm	261/263	261/263	X20,32H	NONE	NONE	
Voltage YZ 20	ABBUN100C23X/12 2.5MM(LL123)/73MM	AFDTY500TSL6/ 34.9mm	170mm(XS/S), 175mm(M/L)	1-1/8 X49.8X44MM	50mm(XS), 60mm(S), 70mm(M), 80mm(L)	660MM	31.6x300mm (XS/S), 350mm (M/L)	34.9 mm	261/263	261/263	X20,32H	NONE	NONE	
Voltage YZ 0.1	BB-A14/ 92x155	NONE	170	28.6	40	760	31.6/250	34.9	257/259	258/259	F: 32H F/V / R:32H F/V	NONE	NONE	NONE
Voltage YZ 0.2	BB-A14/ 92x155	NONE	170	28.6	40	750	31.6/250	34.9	257/259	258/259	F: 32H F/V / R:32H F/V	NONE	NONE	NONE

SCOTT ASPECT 900/700/600



ASPECT 900

The Aspect essentially stays the same as MY16 please refer to previous techbooks for info on Suspension/pivots and all frame information.

ITEM	SPARE PARTS ASPECT 900
206375	Dropout+Screw all MTB since '97 5-PAK
242436	BB Cable guide integ Aspect 900
235455	Fork Suntour XCR RL R 100mm Disc
200718	Headset Ritchey sem.int.1 1/8
228441	Headset Syncros Pressfit 50/61mm Tapered
250576	Grips Syncros Comfort, Lock-On
239172	Rideloc lever integ clamp
228950	Seatclamp 31.8mm QR Kalloy XC64
242482	Seatpost Syncros M3.0 27.2
242120	Hub rep set Formula DC-25RQR
252419	Rim Syncros J19S disc 29 32H
262059	Rim Syncros Alex X20 32H
252189	Frame Aspect 900 2017 warr
252470	Frame Aspect 910 green 2017 warranty
254085	Frame Aspect 910 orange 2017 warranty
252190	Frame Aspect 980 V/Disc brake 17 warr

ITEM	SPARE PARTS ASPECT 700
206375	Dropout+Screw all MTB since '97 5-PAK
235455	Fork Suntour XCR RL R 100mm Disc
200718	Headset Ritchey sem.int.1 1/8
228441	Headset Syncros Pressfit 50/61mm Tapered
250576	Grips Syncros Comfort, Lock-On
239172	Rideloc lever integ clamp
228950	Seatclamp 31.8mm QR Kalloy XC64
242482	Seatpost Syncros M3.0 27.2
242120	Hub rep set Formula DC-25RQR
262059	Rim Syncros Alex X20 32H
252418	Rim Syncros J19S disc 27.5 32H
252187	Frame Aspect 700 2017 warr
252469	Frame Aspect 710 green 2017 warranty
254084	Frame Aspect 710 orange 2017 warranty
252188	Frame Aspect 780 V/Disc brake 17 Warr

ITEM	SPARE PARTS ASPECT 600
206375	Dropout+Screw all MTB since '97 5-PAK
200718	Headset Ritchey sem.int.1 1/8
250575	Grips Syncros Pro
229733	Seatclamp 34.9mm SR Gambler
252191	Frame Aspect 670 V/Disc 2017 warr

In MY16 the Aspect had the introduction of internal cable routing on models 900/700 -950/750, for MY17 the 900/700 only sees the **introduction of a tapered headtube**, please be aware of this when ordering replacement frames for warranty.

	
MY16 Standard: (1-1/8):	MY17 Tapered headtube:
710: Part 252469 (Green)	700: Part 252187
710: Part 254084 (Orange)	900: Part 252189
910: Part 252470 (Green)	
910: Part 254085 (Orange)	
670: Part 252191 (Disc and V brake)	

TECHNICAL DATA ASPECT 900/700/600

Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/ dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)	Rear Shock (e2e)	Hardware Rear Shock in mm	Bearings (frame)
Aspect 710	Including in chain wheel	FD-M610	XS / S = 170mm M / L / XL = 175mm	VP-A68 1-1/8" STEEL BED SEMI-INTEGRATED	XS/60 S/75 M/80 L/90 XL/110	720mm	27.2X350	31.8mm	14Gx272mm/ 14Gx273.5mm	14Gx272mm/ 14Gx273.5mm	J19SE DISC 27.5X32H	None	None	None
Aspect 720	Including in chain wheel	FD-M610	XS / S = 170mm M / L / XL = 175mm	VP-A68 1-1/8" STEEL BED SEMI-INTEGRATED	XS/60 S/75 M/80 L/90 XL/110	720mm	27.2X350	31.8mm	14Gx272mm/ 14Gx273.5mm	14Gx272mm/ 14Gx273.5mm	J19SE DISC 27.5X32H	None	None	None
Aspect 730	BB-ES300 (ABBES300B18) 68/118MM OCTALINK TYPE W/O BOLT	FDM3000	XS / S = 170mm M / L / XL = 175mm	VP-A68 1-1/8" STEEL BED SEMI-INTEGRATED	XS/60 S/75 M/80 L/90 XL/110	720mm	27.2X350	31.8mm	14Gx273mm/ 14Gx273.5mm	14Gx273mm/ 14Gx273.5mm	J19SE DISC 27.5X32H	None	None	None
Aspect 740	FP-B902W 116/68 C=24 W/O BOLT W/ CAP for SCOTT	FDM3000	XS / S = 170mm M / L / XL = 175mm	VP-A68 1-1/8" STEEL BED SEMI-INTEGRATED	XS/60 S/75 M/80 L/90 XL/110	720mm	27.2X350	31.8mm	14Gx273mm/ 14Gx273.5mm	14Gx273mm/ 14Gx273.5mm	J19SE DISC 27.5X32H	None	None	None
Aspect 750	FP-B902W 124.5/68 C=29.5 W/O BOLT W/CAP for SCOTT	FD-TY700-TS6	XS / S = 170mm M / L / XL = 175mm	VP-A68 1-1/8" STEEL BED SEMI-INTEGRATED	XS/60 S/75 M/80 L/90 XL/110	720mm	27.2X350	31.8mm	14Gx270mm/ 14Gx271mm	14Gx270mm/ 14Gx271mm	J19SE DISC 27.5X32H	None	None	None
Aspect 760	FP-B902W 124.5/68 C=29.5 W/O BOLT W/CAP for SCOTT	FD-TY700-TS6	XS / S = 170mm M / L / XL = 175mm	VP-A68 1-1/8" STEEL BED SEMI-INTEGRATED	XS/60 S/75 M/80 L/90 XL/110	720mm	27.2X350	31.8mm	14Gx270mm/ 14Gx271mm	14Gx270mm/ 14Gx271mm	J19SE DISC 27.5X32H	None	None	None
Aspect 770	FP-B902W 124.5/68 C=29.5 W/O BOLT W/CAP for SCOTT	FD-TY700-TS6	XS / S = 170mm M / L / XL = 175mm	VP-A68 1-1/8" STEEL BED SEMI-INTEGRATED	XS/60 S/75 M/80 L/90 XL/110	720mm	27.2X350	31.8mm	14Gx270mm/ 14Gx271mm	14Gx270mm/ 14Gx271mm	J19SE DISC 27.5X32H	None	None	None
Aspect 780	FP-B902W 124.5/68 C=29.5 W/O BOLT W/CAP for SCOTT	FD-TY700-TS6	XS / S = 170mm M / L / XL = 175mm	VP-A68 1-1/8" STEEL BED SEMI-INTEGRATED	XS/60 S/75 M/75 L/90 XL/110	640mm	27.2X350	31.8mm	14Gx272.5mm/ 14Gx275mm	14Gx273.5mm/ 14Gx275mm	J19SE DISC 27.5X32H	None	None	None
Aspect 910	Including in chain wheel	FD-M610	S = 170mm M / L / XL / XXL=175mm	VP-A68 1-1/8" STEEL BED SEMI-INTEGRATED	S/70 M/80 L/90 XL/100 XXL/110	720mm	27.2X350	31.8mm	14Gx291mm/ 14Gx289.5mm	14Gx291mm/ 14Gx289.5mm	J19SE DISC 29X32H	None	None	None
Aspect 920	Including in chain wheel	FD-M610	S = 170mm M / L / XL / XXL=175mm	VP-A68 1-1/8" STEEL BED SEMI-INTEGRATED	S/70 M/80 L/90 XL/100 XXL/110	720mm	27.2X350	31.8mm	14Gx291mm/ 14Gx289.5mm	14Gx291mm/ 14Gx289.5mm	J19SE DISC 29X32H	None	None	None
Aspect 930	BB-ES300 (ABBES300B18) 68/118MM OCTALINK TYPE W/O BOLT	FDM3000	S = 170mm M / L / XL / XXL=175mm	VP-A68 1-1/8" STEEL BED SEMI-INTEGRATED	S/70 M/80 L/90 XL/100 XXL/110	720mm	27.2X350	31.8mm	14Gx289.5/ 14Gx291mm	14Gx289.5/ 14Gx291mm	J19SE DISC 29X32H	None	None	None
Aspect 940	FP-B902W 116/68 C=24 W/O BOLT W/ CAP for SCOTT	FDM3000	S = 170mm M / L / XL / XXL=175mm	VP-A68 1-1/8" STEEL BED SEMI-INTEGRATED	S/70 M/80 L/90 XL/100 XXL/110	720mm	27.2X350	31.8mm	14Gx289.5/ 14Gx291mm	14Gx289.5/ 14Gx291mm	J19SE DISC 29X32H	None	None	None
Aspect 950	FP-B902W 124.5/68 C=29.5 W/O BOLT W/CAP for SCOTT	FD-TY700-TS6	S = 170mm M / L / XL / XXL=175mm	VP-A68 1-1/8" STEEL BED SEMI-INTEGRATED	S/70 M/80 L/90 XL/100 XXL/110	720mm	27.2X350	31.8mm	14Gx288mm/ 14Gx289mm	14Gx288mm/ 14Gx289mm	J19SE DISC 29X32H	None	None	None
Aspect 960	FP-B902W 124.5/68 C=29.5 W/O BOLT W/CAP for SCOTT	FD-TY700-TS6	S = 170mm M / L / XL / XXL=175mm	VP-A68 1-1/8" STEEL BED SEMI-INTEGRATED	S/70 M/80 L/90 XL/100 XXL/110	720mm	27.2X350	31.8mm	14Gx288mm/ 14Gx289mm	14Gx288mm/ 14Gx289mm	J19SE DISC 29X32H	None	None	None
Aspect 970	FP-B902W 124.5/68 C=29.5 W/O BOLT W/CAP for SCOTT	FD-TY700-TS6	S = 170mm M / L / XL / XXL=175mm	VP-A68 1-1/8" STEEL BED SEMI-INTEGRATED	S/70 M/80 L/90 XL/100 XXL/110	720mm	27.2X350	31.8mm	14Gx288mm/ 14Gx289mm	14Gx288mm/ 14Gx289mm	J19SE DISC 29X32H	None	None	None
Aspect 980	FP-B902W 124.5/68 C=29.5 W/O BOLT W/CAP for SCOTT	FD-TY700-TS6	S = 170mm M / L / XL / XXL=175mm	VP-A68 1-1/8" STEEL BED SEMI-INTEGRATED	S/75 M/75 L/90 XL/110 XXL/110	640mm	27.2X350	31.8mm	14Gx290mm/ 14Gx2992mm	14Gx291mm/ 14Gx2992mm	J19SE DISC 29X32H	None	None	None
Aspect 670	FP-B902W 124.5/68 C=29.5 W/O BOLT W/CAP for SCOTT	FD-TY500-TS6	XS / S = 170mm M / L / XL = 175mm	VP-A68 1-1/8" STEEL BED SEMI-INTEGRATED	XS/60 S/75 M/75 L/90 XL/110	640mm	31.6X350	34.9mm	14Gx259mm/ 14Gx259mm	14Gx258mm/ 14Gx258mm	J19SE DISC 26X32H	None	None	None
Aspect 680	FP-B902W 124/68 C=28 W/O BOLT W/ CAP for SCOTT	FD-TY500-TS6	XS / S = 170mm M / L / XL = 175mm	VP-A68 1-1/8" STEEL BED SEMI-INTEGRATED	XS/60 S/75 M/75 L/90 XL/110	640mm	31.6X350	34.9mm	14Gx260mm/ 14Gx262.5mm	14Gx260mm/ 14Gx261mm	J19SK 26X32H	None	None	None

SCOTT BIG JON



BIG JON

Please note that Big Jon is technically the same as MY16, please refer to MY16 techbook for more detailed information

ITEM	SPARE PARTS BIG JON
242573	Axle Alu Thru 150mm / Ø15MM Big Jon
242545	Axle Alu Thru 197MM / Ø12MM Big Jon
242546	Dropout hanger Ø12MM Big Jon
245450	FD mount clamp Big Jon 2016
262628	Fork Big Jon 2017
228441	Headset Syncros Pressfit 50/61mm Tapered
229733	Seatclamp 34.9mm QR Gambler
242472	Crankset RF RXC db 36*22 Big Jon 2016

ITEM	SPARE PARTS BIG JON
242473	BB set Big Jon 2016 Race Face
242440	Hub rep kit Syncros Formula CT150
242441	Hub rep kit Syncros Formula CT197
239309	Rim Syncros FAT 26" 32H black 26"
242457	Rim tape Big Jon 26*4.8"/80mm green
242452	Tire Schwalbe Jumbo Jim EVO 26*4.8"
242458	Tube 26 Big Ed 4.8"
252210	Frame Big Jon 2017 warranty

TECHNICAL DATA BIG JON

Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/ dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)	Rear Shock (e2e)	Hardware Rear Shock in mm	Bearings (frame)
Big Jon	OCK12RXC1902X2E, W/BB BSA 100	KFDM618D6	170mm(S), 175mm(M/L/XL)	1-1/8"-1.5"X50X44mm/ 61X54.95mm	60mm(S/M), 70mm(L/XL)	740MM	31.6x400mm	34.9 mm	260/261	260/262	SB-80,32H	NONE	NONE	

02 ROAD

- PLASMA 4/5
- FOIL
- ADDICT DISC
- ADDICT/GRAVEL/CX
- SOLACE/DISC
- CR1
- SPEEDSTER/DISC
- SPEEDSTER GRAVEL/CX

SCOTT PLASMA 4/5

SCOTT PLASMA 5



PLASMA PREMIUM

No changes from MY16

ITEM	SPARE PARTS PLASMA 5
239178	Dropouthanger Plasma 4 + 5
239181	BB cableguide Set Plasma 5 DI2 + Mechani
252354	Fork Plasma Premium 2017
252355	Fork Plasma RC 2017
238601	Headset Syncros Drop-In 1" - 1 1/8"
242486	Headset Compression kit Plasma 5
238931	Plasma 5 Handlebar Aeria Negative rise
238932	Plasma 5 Aeria Handlebar 0° rise
238933	Plasma 5 Aeria Handlebar Positive rise
238934	Plasma 5 MY15 TT Stem 85mm/0°
238935	Plasma 5 MY15 Tri Stem 85mm/30°
238938	Plasma 5 aero spacers + covers + bolts

ITEM	SPARE PARTS PLASMA 5
242123	Plasma 5 TT bracket
239182	Brake Cover Plasma 5 front brake black
239183	Brake Cover Plasma 5 rear brake black
239545	Brake front Plasma 5 2015 TKB136
239544	Seatclamp Plasma 4+5
239318	Seatpost Plasma 4 / 5
238936	Plasma 5 MY15 storage box
238937	Plasma 5 MY15 Aero Drink
262061	Rim Syncros Alex Race 22 24H
264050	Rim Syncros Alex Race 22 28H
252322	Frameset Plasma Premium 2017 warr

SCOTT PLASMA 4



PLASMA 10

No changes from MY16

ITEM	SPARE PARTS PLASMA 4
239178	Dropouthanger Plasma 4 + 5
239179	BB cableguide Set Plasma 4 DI2 + Mechani
252356	Fork Plasma 10 2017
252357	Fork Plasma 20 2017
238600	Headset Syncros Drop-In 1 1/8"
242488	Headset Compression kit 1" 1/8
239544	Seatclamp Plasma 4+5
239318	Seatpost Plasma 4 / 5
262061	Rim Syncros Alex Race 22 24H
264050	Rim Syncros Alex Race 22 28H
252323	Frameset Plasma 10 2017 warranty

TECHNICAL DATA PLASMA 4/5

Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/ dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)
Plasma Premium	BB-R9100-PB FOR ROAD "W/O THREAD" R&L BEARING W/ INNER COVER	FD-R9150-F 11S FOR DOUBLE	170MM (52) ; 172.5MM (54) / (56) ; 175MM (58)	Syncros Plasma5 1FI301T043003 headset 1" - 1 1/8" with locktited cap bolt	85mm	420mm	16-PLASMA BIKE SP-HMX, STP04B1-5, W/ RITCH 7x7 STD CLAMP	RITCHEY UPPER CLAMPS 55MM BOLT (PRD13013) FOR USE WITH 8X8.5MM CARBON AND TI SADDLE RAILS RITCHEY UPPER CLAMPS 55MM BOLT (PRD13014) FOR USE WITH 7X9.6MM CARBON SADDLE RAILS	292.5/294	292.5/294	ZIPP 404 F ZIPP 808 R
Plasma RC	SM-BB72-41B FOR ROAD "W/O THREAD" R&L BEARING W/ INNER COVER	FD-6870-F (11S) BRAZE ON (ELECTRONIC)	170MM (52) ; 172.5MM (54) / (56) ; 175MM (58)	Syncros Plasma5 1FI301T043003 headset 1" - 1 1/8" with locktited cap bolt	85mm	420mm	16-PLASMA BIKE SP-HMX, STP04B1-5, W/ RITCH 7x7 STD CLAMP	W/SPOST	292.5/294	292.5/294	RACE 22 700CX24H RACE 22 700CX28H
Plasma 10	SM-BB72-41B FOR ROAD "W/O THREAD" R&L BEARING W/ INNER COVER	FD-6800-F BRAZE ON (11S) DOUBLE	170MM (52) ; 172.5MM (54) / (56) ; 175MM (58)	Syncros Plasma4 1FI301T043001 headset 1 1/8" 45/45 seal catridge bearings	70mm (52); 80mm (54); 90mm (56); 100mm (58)	40mm (52); 420mm (54)/(56)/(58)	16-PLASMA BIKE SP-HMX, STP04B1-5, W/ RITCH 7x7 STD CLAMP	W/SPOST	292.5/294	292.5/294	RACE 22 700CX24H RACE 22 700CX28H
Plasma 20	BB-R5500-PB FOR ROAD "W/O THREAD" R&L BEARING W/ INNER COVER	FD-5800-F BLK BRAZE ON (11S) DOUBLE	170MM (52) ; 172.5MM (54) / (56) ; 175MM (58)	Syncros Plasma4 1FI301T043001 headset 1 1/8" 45/45 seal catridge bearings	70mm (52); 80mm (54); 90mm (56); 100mm (58)	40mm (52); 420mm (54)/(56)/(58)	16-PLASMA BIKE SP-HMX, STP04B1-5, W/ RITCH 7x7 STD CLAMP	W/SPOST	292.5/294	292.5/294	RACE 22 700CX24H RACE 22 700CX28H

SCOTT FOIL

SCOTT FOIL



FOIL PREMIUM

No changes from MY16

ITEM	SPARE PARTS FOIL	ITEM	SPARE PARTS FOIL
235286	Dropout hang. Add/Sola.14" Foil 16" Pack-2	241888	Stem Aero Syncros RR1.0
242434	Cable fixing set Foil '16	242476	Seatclamp Foil 2016
242465	Chainsuck protector Foil MY16	252421	Seatpost Foil 10 warranty only 2017
221654	FD Mount Adapter Plate Foil 2011	252424	Seatpost Foil 20 Warranty 2017
252360	Fork Foil 10 2017	252425	Seatpost Foil 30 Warranty 2017
252361	Fork Foil 20 2017	252422	Seatpost Foil premium Warranty 2017
252362	Fork Foil 30 2017	252423	Seatpost Foil RC Warranty 2017
252358	Fork Foil Premium 2017	238585	Saddle Syncros RR1.0 Carbon
252359	Fork Foil RC 2017 BK/GRN	238587	Saddle Syncros RR2.0
262386	Fork Foil RC 2017 BK/YEL	263497	Rim Sync/DT RR2.0 20H front '17 Foil 10
241900	Headset Syncros Drop-In 1-1/4" - 1-1/2"	263499	Rim Sync/DT RR2.0 20H front '17 Foil 20
245452	Headset Bearing kit Foil 2016	263498	Rim Sync/DT RR2.0 24H rear '17 Foil 10
242487	Headset Spacers kit Foil 2016	263500	Rim Sync/DT RR2.0 24H rear '17 Foil 20
242489	Headset Compression kit 1" 1/4	252336	Frameset Foil 10 2017 warranty
250553	Bar/Stem Syncros RR1.0 Carbon SL 400	252334	Frameset Foil premium 2017 Warranty
250554	Bar/Stem Syncros RR1.0 Carbon SL 420	252335	Frameset Foil RC 2017 Warranty BK/GRN
250555	Bar/Stem Syncros RR1.0 Carbon SL 440	262388	Frameset Foil RC 2017 Warranty BK/YEL

TECHNICAL DATA FOIL

Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/ dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)
Foil 10	SM-BB72-41B FOR ROAD "W/O THREAD" R&L BEARING W/INNER COVER	FD-6870-F (11S) BRAZE ON (ELECTRONIC)	175mm-58-61 172.5mm-54-56 170mm-47-52	1BAT043041 SYNCROS F02 1 1/4" INC W/ COMPERSION RING and ACB bearing, NO LOGO	120mm-58-61 110mm-54-56 100mm-52 90mm-49 80mm-47	440mm-61 420mm-52-58 400mm-49 380mm-47	27.2X300MM	W/SPOST	RR2.0 700C AL CLINCHER 32MM F:20H/R:24H, F:100/R:130MM, RIM, BLK SPOKE/NIPPLE W/RIM TAPE & F/R RWS (17SU FOIL 10 D12 CD22)	RR2.0 700C AL CLINCHER 32MM F:20H/R:24H, F:100/R:130MM, RIM, BLK SPOKE/NIPPLE W/RIM TAPE & F/R RWS (17SU FOIL 10 D12 CD22)	None
Foil 20	SM-BB72-41B FOR ROAD "W/O THREAD" R&L BEARING W/INNER COVER	FD-6800-F BRAZE ON (11S) DOUBLE	175mm-58-61 172.5mm-54-56 170mm-47-52	1BAT043041 SYNCROS F02 1 1/4" INC W/ COMPERSION RING and ACB bearing, NO LOGO	120mm-58-61 110mm-54-56 100mm-52 90mm-49 80mm-47	440mm-61 420mm-52-58 400mm-49 380mm-47	27.2X300MM	W/SPOST	RR2.0 700C AL CLINCHER 32MM F:20H/R:24H, F:100/R:130MM, RIM, BLK SPOKE/NIPPLE W/RIM TAPE & F/R RWS (17SU FOIL 20 CD22)	RR2.0 700C AL CLINCHER 32MM F:20H/R:24H, F:100/R:130MM, RIM, BLK SPOKE/NIPPLE W/RIM TAPE & F/R RWS (17SU FOIL 20 CD22)	None
Foil 30	BB-RS500-PB FOR ROAD "W/O THREAD" R&L BEARING W/INNER COVER	FD-5800-F BLK BRAZE ON (11S) DOUBLE	175mm-58-61 172.5mm-54-56 170mm-47-52	1BAT043041 SYNCROS F02 1 1/4" INC W/ COMPERSION RING and ACB bearing, NO LOGO	120mm-58-61 110mm-54-56 100mm-52 90mm-49 80mm-47	440mm-61 420mm-52-58 400mm-49 380mm-47	27.2X300MM	W/SPOST	WH-RS330 F&R 163 BLKQR CLIN:BLK W/ STANDARD STICKER 10/11S 700C WO/BAG	WH-RS330 F&R 163 BLKQR CLIN:BLK W/ STANDARD STICKER 10/11S 700C WO/BAG	None
Foil Premium	BB-R9100-PB FOR ROAD "W/O THREAD" R&L BEARING W/INNER COVER	FD-R9150-F 11S FOR DOUBLE	175mm-58-61 172.5mm-54-56 170mm-47-52	1BAT043040 SYNCROS F02 1 1/4" INC W/ COMPERSION RING and TIB bearing, NO LOGO	120mm-58-61 110mm-54-56 100mm-52 90mm-49 80mm-47	440mm-61 420mm-52-58 400mm-49 380mm-47	27.2X300MM	W/SPOST	ZIPP 303 FRONT DEEP 700 CARBON CLINCHER BLK/ SCOTT, 45MM BLK CARBON FIRECREST, BLK DECAL, RADIAL BLK/SPOKE/HUBS (00.1918.237.003)	ZIPP 303 REAR DEEP 700 CARBON CLINCHER BLK/ SCOTT, 45MM BLK CARBON FIRECREST, BLK DECAL, BLK/SPOKE/HUBS 10/11S SRAM CASSETTE BODY (00.1918.238.003)	None
Foil RC	BB-R9100-PB FOR ROAD "W/O THREAD" R&L BEARING W/INNER COVER	FD-R9100-F 11S FOR DOUBLE	175mm-58-61 172.5mm-54-56 170mm-47-52	1BAT043040 SYNCROS F02 1 1/4" INC W/ COMPERSION RING and TIB bearing, NO LOGO	120mm-58-61 110mm-54-56 100mm-52 90mm-49 80mm-47	440mm-61 420mm-52-58 400mm-49 380mm-47	27.2X300MM	W/SPOST	30 COURSE CLINCHER 700CX18H W/NEON GREEN DECAL (00.1918.216.002)	30 COURSE CLINCHER 700CX24H 10/11 SRAM CASSETTE BODY W/ NEON GREEN DECAL (00.1918.217.003)	None

SCOTT ADDICT DISC



ADDICT PREMIUM DISC DI2

The new Addict Disc will follow the same look and feel as the normal Addict, with a very small change in geometry to accommodate the disc mounting.

The Axles front and rear will be the same specification as the Solace Disc MY15

The standard rear dropout will also be from the Solace Disc MY15

Please note there will be a new Addict Disc Di2 Direct Mount Dropout, but this has not been confirmed to date.

Disc mounting will follow the Solace Disc MY15, with a maximum rear rotor sizing of 140mm.

Two new parts specific to the Addict Disc:

263999 Cableguide set Addict disc Mec/Di2 2017

This will include all the guides for both mechanical and electric shifting.

The Addict Gravel/CX and Solace Disc cable guides will not fit, please use the above set only.

264026 Headset spacer kit/topcap Sync RR1.5/2.0

This will include the bearing headset cover, 1 x 5mm spacer, 1 x 10mm spacer and 1 x 20mm. Plus the stem top cap.


Cable Routing, Mechanical Shifting


Drive Side:

Front
Derailleur
Cable


Non Drive Side:

Rear Brake
Cable In
Rear Derailleur
Cable In





GEOMETRY/TECHNICAL DATA ADDICT DISC



ADDICT DISC: PREMIUM Di2, 20, 30

	XXS/47		XS/49		S/52		M/54		L/56		XL/58		XXL/61	
A HEAD TUBE ANGLE	70.5 °		71.0 °		72.0 °		72.5 °		73.0 °		73.3 °		73.3 °	
B HEAD TUBE LENGTH	100.0 mm	3.9 in	105.0 mm	4.1 in	120.0 mm	4.7 in	140.0 mm	5.5 in	160.0 mm	6.3 in	180.0 mm	7.1 in	200.0 mm	7.9 in
C TOP TUBE HORIZONTAL	510.0 mm	20.1 in	520.0 mm	20.5 in	535.0 mm	21.1 in	550.0 mm	21.7 in	565.0 mm	22.2 in	580.0 mm	22.8 in	595.0 mm	23.4 in
D STANDOVER HEIGHT	721.8 mm	28.4 in	734.7 mm	28.9 in	757.4 mm	29.8 in	777.0 mm	30.6 in	796.6 mm	31.4 in	815.9 mm	32.1 in	839.1 mm	33.0 in
E BB OFFSET	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in
F BB HEIGHT	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in
G WHEEL BASE	977.1 mm	38.5 in	983.1 mm	38.7 in	985.1 mm	38.8 in	992.0 mm	39.1 in	999.3 mm	39.3 in	1,008.0 mm	39.7 in	1,017.1 mm	40.0 in
H BB CENTER TO TOP TUBE CENTER	410.0 mm	16.1 in	430.0 mm	16.9 in	460.0 mm	18.1 in	480.0 mm	18.9 in	500.0 mm	19.7 in	520.0 mm	20.5 in	550.0 mm	21.7 in
I BB CENTER TO TOP OF SEAT TUBE	455.0 mm	17.9 in	475.0 mm	18.7 in	505.0 mm	19.9 in	525.0 mm	20.7 in	545.0 mm	21.5 in	565.0 mm	22.2 in	596.0 mm	23.5 in
J SEAT ANGLE	74.5 °		74.5 °		74.0 °		73.6 °		73.3 °		73.0 °		72.5 °	
K CHAINSTAY	410.0 mm	16.1 in	410.0 mm	16.1 in	410.0 mm	16.1 in	410.0 mm	16.1 in	410.0 mm	16.1 in	410.0 mm	16.1 in	410.0 mm	16.1 in
L REACH	370.6 mm	14.6 in	378.8 mm	14.9 in	384.0 mm	15.1 in	388.9 mm	15.3 in	394.5 mm	15.5 in	400.1 mm	15.8 in	403.4 mm	15.9 in
M STACK	502.6 mm	19.8 in	509.0 mm	20.0 in	526.7 mm	20.7 in	547.5 mm	21.6 in	568.3 mm	22.4 in	588.5 mm	23.2 in	607.7 mm	23.9 in
N STEM LENGTH	80.0 mm	3.1 in	90.0 mm	3.5 in	100.0 mm	3.9 in	110.0 mm	4.3 in	110.0 mm	4.3 in	120.0 mm	4.7 in	120.0 mm	4.7 in
O TRAIL	72.3 mm	2.8 in	69.1 mm	2.7 in	62.8 mm	2.5 in	59.7 mm	2.4 in	56.6 mm	2.2 in	54.7 mm	2.2 in	54.7 mm	2.2 in

TECHNICAL DATA ADDICT DISC

Bike	BB-spec / axle length / shell width	Front Derailleur spec / diameter	Crankarm Length in mm	Headset spec/ dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm / length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)
Addict 20 disc	SM-BB72-41B FOR ROAD "W/O THREAD" R&L BEARING W/ INNER COVER	FD-6800-F BRAZE ON (11S) DOUBLE	120mm-58-61 110mm-54-56 100mm-52 90mm-49 80mm-47	1F1318T043002, SYNCROS 1-1/8"-1-1/4", 45/45° SEAL CARTRIDGE & ACB BEARING, W/O AL FEADSETCUP, IS41/28.6 - IS46, W/O LOGO	120mm-58-61 110mm-54-56 100mm-52 90mm-49 80mm-47	440mm-61 420mm-52-58 400mm-49 380mm-47	27.2X350MM	ID:30.2mm/ 28.2mm	S53C03-02 SYNCROS R.P 2.0 DISC FRONT 700CX28H, FOR DISC BRAKE, NEON RED/WHITE DECAL LG705J/XL586C (17SU-ADDICT 20 DISC)	S53C03-02 SYNCROS R.P 2.0 DISC REAR 700CX28H, FOR DISC BRAKE, NEON RED/WHITE DECAL LG705J/XL586C (17SU-ADDICT 20 DISC)	None
Addict 30 disc	BB-RS500-PB FOR ROAD "W/O THREAD" R&L BEARING W/ INNER COVER	FD-5800-F BLK BRAZE ON (11S) DOUBLE	120mm-58-61 110mm-54-56 100mm-52 90mm-49 80mm-47	1F1318T043002, SYNCROS 1-1/8"-1-1/4", 45/45° SEAL CARTRIDGE & ACB BEARING, W/O AL FEADSETCUP, IS41/28.6 - IS46, W/O LOGO	120mm-58-61 110mm-54-56 100mm-52 90mm-49 80mm-47	440mm-61 420mm-52-58 400mm-49 380mm-47	27.2X350MM	ID:30.2mm/ 28.2mm	290.5/291.5	291.5/289.5	ATD 490 DISC 700X28H F/V ANO. BLK PINJOINT
Addict Premium disc Di2	BB-R9100-PB FOR ROAD "W/O THREAD" R&L BEARING W/ INNER COVER	FD-R9150-F 11S FOR DOUBLE	120mm-58-61 110mm-54-56 100mm-52 90mm-49 80mm-47	1F1418T043002 SYNCROS 1-1/8"-1-1/4", 45/45° SEAL CARTIDGE & TIB BEARING, W/O AL HEADSETCUP, IS41/28.6 - IS46, W/O LOGO	120mm-58-61 110mm-54-56 100mm-52 90mm-49 80mm-47	440mm-61 420mm-52-58 400mm-49 380mm-47	27.2X350MM	ID:30.2mm/ 28.2mm	RP1.0 DISC 700C CARBON CHINCHER, BLK ROAD HUB, BLK ANOD. RIM, BLK SPOKE/NIPPLE W/RIM TAPE & F/R RWS (17SU ADDICT PRMIUM DISC)	RP1.0 DISC 700C CARBON CHINCHER, BLK ROAD HUB, BLK ANOD. RIM, BLK SPOKE/NIPPLE W/RIM TAPE & F/R RWS (17SU ADDICT PRMIUM DISC)	None

SPARE PARTS ADDICT DISC

ITEM	SPARE PARTS ADDICT DISC
262045	Axle RWS10 Road disc 100/12mm F. plugin
262629	Axle RWS10 Road disc 142/12mm R. plugin
239530	Dropout hanger Solace Disc '15<
263999	Cableguide set Addict disc Mec/Di2 2017
252368	Fork Addict 20 Disc 2017
252370	Fork Addict 30 Disc 2017
252364	Fork Addict Premium Disc Di2 2017
234811	Headset Syncros Drop-In 1-1/8" - 1-1/4"
250567	Stem Syncros RR1.5, 31.8mm
250568	Stem Syncros RR2.0, 31.8mm
235429	Seatclamp 30.2mm bolt Addict MY14
250571	Seatpost Syncros FL1.0 CB, 10mm Offset
238585	Saddle Syncros RR1.0 Carbon
238587	Saddle Syncros RR2.0
242445	Hub rep kit Sync Form Road Team Disc Ø12
262050	Hub rep kit Syncros RP 2.0 Disc Form F+R
240605	Rim Alex/Sync Solace Disc 28H
262063	Rim Syncros RP 2.0 disc Form 28H XRD-824
263501	Rim Sync/Dt RP1.0 24H f/r 17 Addict PR D

SCOTT ADDICT/GRAVEL/CX

SCOTT ADDICT



ADDICT SL

No changes from MY16

ITEM	SPARE PARTS ADDICT	ITEM	SPARE PARTS ADDICT
235286	Dropout hanger Addict Solace 2014 Pack-2	250558	Handlebar Syncros RR1.0 Carbon
235431	Chainsuck protector Addict MY14	235429	Seatclamp 30.2mm bolt Addict MY14
235282	Cableguide set Addict Mechanic MY14	250571	Seatpost Syncros FL1.0 CB, 10mm Offset
235283	Cableguide set Addict DI2 MY14	238585	Saddle Syncros RR1.0 Carbon
221654	FD Mount Adapter Plate Foil 2011	238587	Saddle Syncros RR2.0
252363	Fork Addict - SL 2017	235289	DI2 Int.Bat. hold.27.2 DIS-22 Sol/Add'14
252365	Fork Addict RC DI2 2017 BK/GRN	262049	Hub rep kit Syncros RP 2.0 Form F+R
262387	Fork Addict RC DI2 2017 BK/YEL	262064	Rim Syncros RP 2.0 Formula 18H XR-201
252366	Fork Addict 10 2017	262065	Rim Syncros RP 2.0 Formula 24H XR-201
252367	Fork Addict 15 DI2 2017	263502	Rim Sync/DT RP1.5 20H front 17 Addict 10
252369	Fork Addict 20 2017	263503	Rim Sync/DT RP1.5 24H rear 17 Addict 10
252371	Fork Addict 30 2017	252324	Frameset Addict - SL HMX-SL 2017 warr
234811	Headset Syncros Drop-In 1-1/8" - 1-1/4"	252477	Frameset Addict 10 2017 Warranty
242488	Headset Compression kit 1" 1/8	252333	Frameset Addict 15 DI2 2017 warr
250567	Stem Syncros RR1.5, 31.8mm	262393	Frameset Addict RC HMX BK/GRN 17 warr
250568	Stem Syncros RR2.0, 31.8mm	262392	Frameset Addict RC HMX BK/YEL 17 warr
250553	Bar/Stem Syncros RR1.0 Carbon SL 400	254086	Frameset Addict RCDi2 HMX BK/GRN 17 warr
250554	Bar/Stem Syncros RR1.0 Carbon SL 420	262390	Frameset Addict RCDi2 HMX BK/YEL 17 warr
250555	Bar/Stem Syncros RR1.0 Carbon SL 440		

SCOTT ADDICT GRAVEL



ADDICT GRAVEL 10 DISC

No changes from MY16

ITEM	SPARE PARTS ADDICT GRAVEL	ITEM	SPARE PARTS ADDICT GRAVEL
262045	Axle RWS10 Road disc 100/12mm F. plugin	241901	Headset Syncros Drop-In 1-1/8" - 1-1/2"
262629	Axle RWS10 Road disc 142/12mm R. plugin	242488	Headset Compression kit 1" 1/8
239530	Dropout hanger Solace Disc '15<	250567	Stem Syncros RR1.5, 31.8mm
235431	Chainsuck protector Addict MY14	235429	Seatclamp 30.2mm bolt Addict MY14
221653	Chainguide System Foil '15< Add CX '16	250571	Seatpost Syncros FL1.0 CB, 10mm Offset
242433	Cable fixing set Addict Disc '16	238590	Saddle Syncros FL2.0
221654	FD Mount Adapter Plate Foil 2011	262050	Hub rep kit Syncros RP 2.0 Disc Form F+R
239546	Brake Mount rear PM SolDisc '15	263505	Rim Sync/DT RT1.0 CarbDisc 24H f/r '17
252372	Fork Addict Gravel 10 Disc 2017	262063	Rim Syncros RP 2.0 disc Form 28H XRD-824
252373	Fork Addict Gravel 20 Disc 2017	252325	Frameset Addict Gravel 10 Disc 2017 warr

SCOTT ADDICT CX



ADDICT CX 10 DISC

No changes from MY16

ITEM	SPARE PARTS ADDICT CX	ITEM	SPARE PARTS ADDICT CX
262045	Axle RWS10 Road disc 100/12mm F. plugin	242488	Headset Compression kit 1" 1/8
262629	Axle RWS10 Road disc 142/12mm R. plugin	250566	Stem Syncros FL2.0, 31.8mm
239530	Dropout hanger Solace Disc '15<	250558	Handlebar Syncros RR1.0 Carbon
242433	Cable fixing set Addict CX disc '16	235429	Seatclamp 30.2mm bolt Addict MY14
235431	Chainsuck protector Addict MY14	250571	Seatpost Syncros FL1.0 CB, 10mm Offset
221653	Chainguide System Foil '15< Add CX '16	238590	Saddle Syncros FL2.0
242435	Chainguide set Addict CX '16	262050	Hub rep kit Syncros RP 2.0 Disc Form F+R
239546	Brake Mount rear PM SolDisc '15	263506	Rim Sync/DT RP1.0 CarbDisc 24H f/r Ad'17
252384	Fork Addict CX 10 Disc 2017	263507	Rim Sync/DT RP2.0 Disc 28H f/r '17 CX20
252385	Fork Addict CX 20 Disc 2017	252330	Frameset Addict CX 20 Disc 17 warr
241901	Headset Syncros Drop-In 1-1/8" - 1-1/2"		

TECHNICAL DATA ADDICT/GRAVEL/CX

Blke	BB-spec / axle length / shell width	Front Derailleur spec / diameter	Crankarm Length in mm	Headset spec/ dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm / length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)
Addict RC Di2	BB-R9100-PB FOR ROAD "W/O THREAD" R&L BEARING W/ INNER COVER	FD-R9150-F 11S FOR DOUBLE	120mm-58-61 110mm-54-56 100mm-52 90mm-49 80mm-47	1FI418T043002 SYNCROS 1-1/8"-1-1/4", 45 /45 ° SEAL CARTRIDGE & TIB BEARING, W/O AL HEADSETCUP, IS41/28.6 - IS46, W/O LOGO	120mm-58-61 110mm-54-56 100mm-52 90mm-49 80mm-47	440mm-61 420mm-52-58 400mm-49 380mm-47	27.2X350MM	ID:30.2mm/ 28.2mm	WH-R9100-C24-CL 11S F:21MM & R:24MM 163QR WO/BAG W/ RIM TAPE	WH-R9100-C24-CL 11S F:21MM & R:24MM 163QR WO/BAG W/ RIM TAPE	None
Addict SL	PRESSFIT GXP BB FOR ROAD (FOR 86.5/91.5MM) (00.6418.007.000)	RED ETAP 2X11 BRAZE ON (00.7618.155.000)	120mm-58-61 110mm-54-56 100mm-52 90mm-49 80mm-47	1FI418T043002 SYNCROS 1-1/8"-1-1/4", 45 /45 ° SEAL CARTRIDGE & TIB BEARING, W/O AL HEADSETCUP, IS41/28.6 - IS46, W/O LOGO	120mm-58-61 110mm-54-56 100mm-52 90mm-49 80mm-47	440mm-61 420mm-52-58 400mm-49 380mm-47	27.2X350MM	ID:30.2mm/ 28.2mm	ZIPP 202 FRONT FIRECREST CARBON CLINCHER 700C W/BLK DECAL 18 SPOKE W/ QR (09.71-113.21MM)/ RIM TAPE/VALVE EXTENSION (00.1918.233.003)	ZIPP 202 REAR FIRECREST CARBON CLINCHER 700C W/BLK DECAL 24 SPOKE 10/11S W/ QR (142-146MM)/ RIM TAPE/VALVE EXTENSION/SPOKE PROTECTOR/IOS ADAPTOR (00.1918.234.003)	None
Addict 30	BB-RS500-PB FOR ROAD "W/O THREAD" R&L BEARING W/ INNER COVER	FD-5800-F BLK BRAZE ON (11S) DOUBLE	120mm-58-61 110mm-54-56 100mm-52 90mm-49 80mm-47	1FI418T043002, SYNCROS 1-1/8"-1-1/4", 45 /45 ° SEAL CARTRIDGE & ACB BEARING, W/O AL FEADSETCUP, IS41/28.6 - IS46, W/O LOGO	120mm-58-61 110mm-54-56 100mm-52 90mm-49 80mm-47	440mm-61 420mm-52-58 400mm-49 380mm-47	27.2X350MM	ID:30.2mm/ 28.2mm	WH-RS11 F&R 10/11S CLIN.BLK 163QR MONO STICK W/TAPE 700C WO/BAG	WH-RS11 F&R 10/11S CLIN.BLK 163QR MONO STICK W/TAPE 700C WO/BAG	None
Addict 10	BB-R9100-PB FOR ROAD "W/O THREAD" R&L BEARING W/ INNER COVER	FD-R9100-F 11S FOR DOUBLE	120mm-58-61 110mm-54-56 100mm-52 90mm-49 80mm-47	1FI318T043002, SYNCROS 1-1/8"-1-1/4", 45 /45 ° SEAL CARTRIDGE & ACB BEARING, W/O AL FEADSETCUP, IS41/28.6 - IS46, W/O LOGO	120mm-58-61 110mm-54-56 100mm-52 90mm-49 80mm-47	440mm-61 420mm-52-58 400mm-49 380mm-47	27.2X350MM	ID:30.2mm/ 28.2mm	RP1.5 700C AL CLINCHER 23MM F:18H/R:24H, F:100/R:130MM, BLK SPOKE/NIPPLE W/ RIM TAPE & F/R RWS (17SU-ADDICT 10)	RP1.5 700C AL CLINCHER 23MM F:18H/R:24H, F:100/R:130MM, BLK SPOKE/NIPPLE W/ RIM TAPE & F/R RWS (17SU-ADDICT 10)	None
Addict 15 Di2	SM-BB72-41B FOR ROAD "W/O THREAD" R&L BEARING W/ INNER COVER	FD-6870-F (11S) BRAZED ON (ELECTRONIC)	120mm-58-61 110mm-54-56 100mm-52 90mm-49 80mm-47	1FI318T043002, SYNCROS 1-1/8"-1-1/4", 45 /45 ° SEAL CARTRIDGE & ACB BEARING, W/O AL FEADSETCUP, IS41/28.6 - IS46, W/O LOGO	120mm-58-61 110mm-54-56 100mm-52 90mm-49 80mm-47	440mm-61 420mm-52-58 400mm-49 380mm-47	27.2X350MM	ID:30.2mm/ 28.2mm	S52C02-01 SYNCROS R.P2.0 FRONT 700CX20H, FOR RIM BRAKE, NEON ORANGE/BLK DECAL LG705H/XL578A (17SU-ADDICT 15 Di2)	S52C02-01 SYNCROS R.P2.0 REAR 700CX24H, FOR RIM BRAKE, NEON ORANGE/BLK DECAL LG705H/XL578A (17SU-ADDICT 15 Di2)	None
Addict 20	SM-BB72-41B FOR ROAD "W/O THREAD" R&L BEARING W/ INNER COVER	FD-6800-F BRAZE ON (11S) DOUBLE	120mm-58-61 110mm-54-56 100mm-52 90mm-49 80mm-47	1FI318T043002, SYNCROS 1-1/8"-1-1/4", 45 /45 ° SEAL CARTRIDGE & ACB BEARING, W/O AL FEADSETCUP, IS41/28.6 - IS46, W/O LOGO	120mm-58-61 110mm-54-56 100mm-52 90mm-49 80mm-47	440mm-61 420mm-52-58 400mm-49 380mm-47	27.2X350MM	ID:30.2mm/ 28.2mm	S52C02 SYNCROS R.P2.0 FRONT 700CX20H, FOR RIM BRAKE, NEON RED/ WHITE/BLK DECAL LG705J/XL578D (17SU-ADDICT 20)	S52C02 SYNCROS R.P2.0 REAR 700CX24H, FOR RIM BRAKE, NEON RED/ WHITE/BLK DECAL LG705J/XL578D (17SU-ADDICT 20)	None
Addict Gravel 10 disc	PRESSFIT GXP BB FOR ROAD (FOR 86.5/91.5MM) (00.6418.007.000)	NILL	175mm-58 172.5mm-54-56 170mm-49-52	1FI401T043004, SYNCROS 1/8" - 1.5" TAPERED, DROP-IN SEALED CARTRIDGE & TIB BEARING, W/O AL HEADSETCUP, IS42/28.6 IS52/40, W/O LOGO	120mm-58 110mm-54-56 100mm-52 90mm-49	420mm-52-58 400mm-49	27.2X350MM	ID:30.2mm/ 28.2mm	RT1.0 700C CARBON CHINCHER, BLK ROAD HUB, BLK ANOD. RIM, BLK SPOKE/NIPPLE W/ RIM TAPE & F/R RWS (17SU ADDICT GRAVEL 10 DISC)	RT1.0 700C CARBON CHINCHER, BLK ROAD HUB, BLK ANOD. RIM, BLK SPOKE/NIPPLE W/ RIM TAPE & F/R RWS (17SU ADDICT GRAVEL 10 DISC)	None
Addict Gravel 20 disc	SM-BB72-41B FOR ROAD "W/O THREAD" R&L BEARING W/ INNER COVER	FD-6800-F BRAZE ON (11S) DOUBLE	175mm-58 172.5mm-54-56 170mm-49-52	1FI401T043006, SYNCROS 1/8" - 1.5" TAPERED, DROP-IN SEALED CARTRIDGE & ACB BEARING, W/O ALLOY HEADSETCUP, IS42/28.6 IS52/40, W/O LOO	120mm-58 110mm-54-56 100mm-52 90mm-49	420mm-52-58 400mm-49	27.2X350MM	ID:30.2mm/ 28.2mm	S53C03-04 SYNCROS R.P 2.0 DISC FRONT 700CX28H, FOR DISC BRAKE, COOL GREY 11C DECAL LG705L/ XL586E (17SU-ADDICT GRAVEL 20 DISC)	S53C03-04 SYNCROS R.P 2.0 DISC REAR 700CX28H, FOR DISC BRAKE, COOL GREY 11C DECAL LG705L/ XL586E (17SU-ADDICT GRAVEL 20 DISC)	None
Addict CX 10 disc	PRESSFIT GXP BB FOR ROAD (FOR 86.5/91.5MM) (00.6418.007.000)	NILL	175mm-58 172.5mm-54-56 170mm-49-52	1FI401T043004, SYNCROS 1/8" - 1.5" TAPERED, DROP-IN SEALED CARTRIDGE & TIB BEARING, W/O AL HEADSETCUP, IS42/28.6 IS52/40, W/O LOGO	120mm-58 110mm-54-56 100mm-52 90mm-49	420mm-52-58 400mm-49	27.2X350MM	ID:30.2mm/ 28.2mm	RP1.0 700C CARBON CLINCHER F/R:24H, F:100X12/R:142X12MM, BLK CL HUB, UD CARBON RIM, BLK SPOKE/NIPPLE W/ RIM TAPE & F/R RWS (16SU-ADDICT CX 10D CD22)	RP1.0 700C CARBON CLINCHER F/R:24H, F:100X12/R:142X12MM, BLK CL HUB, UD CARBON RIM, BLK SPOKE/NIPPLE W/ RIM TAPE & F/R RWS (16SU-ADDICT CX 10D CD22)	None
Addict CX 20 disc	BB-RS500-PB FOR ROAD "W/O THREAD" R&L BEARING W/ INNER COVER	FD-5800-F BLK BRAZE ON (11S) DOUBLE	175mm-58 172.5mm-54-56 170mm-49-52	1FI401T043006, SYNCROS 1/8" - 1.5" TAPERED, DROP-IN SEALED CARTRIDGE & ACB BEARING, W/O ALLOY HEADSETCUP, IS42/28.6 IS52/40, W/O LOO	120mm-58 110mm-54-56 100mm-52 90mm-49	420mm-52-58 400mm-49	27.2X350MM	ID:30.2mm/ 28.2mm	RP2.0 DISC 700C AL CHINCHER F/R:24H, F:100X12/R:142X12MM, BLK ROAD HUB, BLK ANOD. RIM, BLK SPOKE/NIPPLE W/RIM TAPE & F/R RWS (16SU-ADDICT GRAVEL DISC, ADDICT CX 20D CD22)	RP2.0 DISC 700C AL CHINCHER F/R:24H, F:100X12/R:142X12MM, BLK ROAD HUB, BLK ANOD. RIM, BLK SPOKE/NIPPLE W/RIM TAPE & F/R RWS (16SU-ADDICT GRAVEL DISC, ADDICT CX 20D CD22)	None

SCOTT SOLACE/DISC



SOLACE PREMIUM DISC

Small change for MY17, the rims have changed to Race 22 on the Solace30 to take the larger tyre

ITEM	SPARE PARTS SOLACE	ITEM	SPARE PARTS SOLACE DISC
235286	Dropout hanger Addict Solace 2014 Pack-2	262045	Axle RWS10 Road disc 100/12mm F. plugin
240312	Chainsuck Protector Solace '14<	262629	Axle RWS10 Road disc 142/12mm R. plugin
235280	Cableguide Set Solace Mechanic 2014	239530	Dropout hanger Solace Disc '15<
252376	Fork Solace 10 2017	240312	Chainsuck Protector Solace '14<
252378	Fork Solace 20 2017	239531	Cableguide set SolDisc'15 mec/DI2
252379	Fork Solace 30 2017	239546	Brake Mount rear PM SolDisc '15
234811	Headset Syncros Drop-In 1-1/8" - 1-1/4"	252375	Fork Solace 10 Disc 2017
242488	Headset Compression kit 1" 1/8	252377	Fork Solace 20 Disc 2017
250568	Stem Syncros RR2.0, 31.8mm	252380	Fork Solace 30 FB Disc 2017
235430	Seatclamp 31.2mm bolt Solace	252374	Fork Solace Premium DI2 Disc 2017
238590	Saddle Syncros FL2.0	234811	Headset Syncros Drop-In 1-1/8" - 1-1/4"
242442	Hub rep kit Syncros Formula Road Team	242488	Headset Compression kit 1" 1/8
262049	Hub rep kit Syncros RP 2.0 Form F+R	250567	Stem Syncros RR1.5, 31.8mm
262061	Rim Syncros Alex Race 22 24H	250568	Stem Syncros RR2.0, 31.8mm
264050	Rim Syncros Alex Race 22 28H	235430	Seatclamp 31.2mm bolt Solace
262064	Rim Syncros RP 2.0 Formula 18H XR-201	250571	Seatpost Syncros FL1.0 CB, 10mm Offset
262065	Rim Syncros RP 2.0 Formula 24H XR-201	238590	Saddle Syncros FL2.0
252328	Frameset Solace 10 2017 warr	242445	Hub rep kit Sync Form Road Team Disc Ø12
		262050	Hub rep kit Syncros RP 2.0 Disc Form F+R
		240605	Rim Alex/Sync Solace Disc 28H
		263504	Rim Sync/DT RP1.0 CarbDisc 24H f/r So'17
		252327	Frameset Solace 10 Disc 2017 warr
		252326	Frameset Solace Premium Disc 2017 warr

TECHNICAL DATA SOLACE/DISC

Bike	BB-spec / axle length / shell width	Front Derailleur spec / diameter	Crankarm Length in mm	Headset spec/dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm / length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)
Solace 10	SM-BB72-41B FOR ROAD "W/O THREAD" R&L BEARING W/ INNER COVER	FD-6800-F BRAZE ON (11S) DOUBLE	175mm-58-61 172.5mm-54-56 170mm-47-52	1FI318T043002, SYNCROS 1-1/8"-1-1/4", 45 /45 ° SEAL CARTRIDGE & ACB BEARING, W/O AL FEADSETCUP, IS41/28.6 - IS46, W/O LOGO	120mm-58-61 110mm-54-56 100mm-52 90mm-49 80mm-47	440mm-61 420mm-52-58 400mm-49 380mm-47	27.2X300MM	31.2MM	S52C02-00 SYNCROS R.P.2.0 FRONT 700CX20H, FOR RIM BRAKE, NEON RED/ COOL GREY7C DECAL LG705J/XL578C (17SU-SOLACE 10)	S52C02-00 SYNCROS R.P.2.0 REAR 700CX24H, FOR RIM BRAKE, NEON RED/COOL GREY7C DECAL LG705J/XL578C (17SU-SOLACE 10)	None
Solace 10 disc	SM-BB72-41B FOR ROAD "W/O THREAD" R&L BEARING W/ INNER COVER	FD-6800-F BRAZE ON (11S) DOUBLE	175mm-58-61 172.5mm-54-56 170mm-47-52	1FI318T043002, SYNCROS 1-1/8"-1-1/4", 45 /45 ° SEAL CARTRIDGE & ACB BEARING, W/O AL FEADSETCUP, IS41/28.6 - IS46, W/O LOGO	120mm-58-61 110mm-54-56 100mm-52 90mm-49 80mm-47	440mm-61 420mm-52-58 400mm-49 380mm-47	27.2X300MM	31.2MM	S53C03-00 SYNCROS R.P.2.0 DISC FRONT 700CX28H, FOR DISC BRAKE, NEON RED/ COOL GREY7C/BLK DECAL LG705J/XL586A (17SU-SOLACE 10 DISC)	S53C03-00 SYNCROS R.P.2.0 DISC REAR 700CX28H, FOR DISC BRAKE, NEON RED/COOL GREY7C/BLK DECAL LG705J/XL586A (17SU-SOLACE 10 DISC)	None
Solace 20	BB-RS500-PB FOR ROAD "W/O THREAD" R&L BEARING W/ INNER COVER	FD-5800-F BLK BRAZE ON (11S) DOUBLE	175mm-58-61 172.5mm-54-56 170mm-47-52	1FI318T043002, SYNCROS 1-1/8"-1-1/4", 45 /45 ° SEAL CARTRIDGE & ACB BEARING, W/O AL FEADSETCUP, IS41/28.6 - IS46, W/O LOGO	120mm-58-61 110mm-54-56 100mm-52 90mm-49 80mm-47	440mm-61 420mm-52-58 400mm-49 380mm-47	27.2X300MM	31.2MM	WH-RS11 F&R 10/11S CLIN:BLK 163QR MONO STICK W/TAPE 700C WO/BAG	WH-RS11 F&R 10/11S CLIN:BLK 163QR MONO STICK W/TAPE 700C WO/BAG	None
Solace 20 disc	BB-RS500-PB FOR ROAD "W/O THREAD" R&L BEARING W/ INNER COVER	FD-5800-F BLK BRAZE ON (11S) DOUBLE	175mm-58-61 172.5mm-54-56 170mm-47-52	1FI318T043002, SYNCROS 1-1/8"-1-1/4", 45 /45 ° SEAL CARTRIDGE & ACB BEARING, W/O AL FEADSETCUP, IS41/28.6 - IS46, W/O LOGO	120mm-58-61 110mm-54-56 100mm-52 90mm-49 80mm-47	440mm-61 420mm-52-58 400mm-49 380mm-47	27.2X300MM	31.2MM	14G-276.5/277.5	14G-273.5/274.5	ATD 490 DISC 700X28H F/V ANO. BLK PINJOINT
Solace 30	BB-RS500-PB FOR ROAD "W/O THREAD" R&L BEARING W/ INNER COVER	FD4700 DOUBLE 10S BRAZED ON	175mm-58-61 172.5mm-54-56 170mm-47-52	1FI318T043002, SYNCROS 1-1/8"-1-1/4", 45 /45 ° SEAL CARTRIDGE & ACB BEARING, W/O AL FEADSETCUP, IS41/28.6 - IS46, W/O LOGO	120mm-58-61 110mm-54-56 100mm-52 90mm-49 80mm-47	440mm-61 420mm-52-58 400mm-49 380mm-47	27.2X300MM	31.2MM	14G-276.5/277.5	14G-273.5/274.5	RACE 22 700CX24H RACE 22 700CX28H
Solace 30 FB disc	BB-RS500-PB FOR ROAD "W/O THREAD" R&L BEARING W/ INNER COVER	FD4700 DOUBLE 10S BRAZED ON	175mm-58-61 172.5mm-54-56 170mm-47-52	1FI318T043002, SYNCROS 1-1/8"-1-1/4", 45 /45 ° SEAL CARTRIDGE & ACB BEARING, W/O AL FEADSETCUP, IS41/28.6 - IS46, W/O LOGO	110mm-58-61 100mm-52-56 90mm-49 80mm-47	580mm	27.2X300MM	31.2MM	14G-276.5/277.5	14G-273.5/274.5	ATD 490 DISC 700X28H F/V ANO. BLK PINJOINT
Solace Premium disc	BB-R9100-PB FOR ROAD "W/O THREAD" R&L BEARING W/ INNER COVER	FD-R9150-F 11S FOR DOUBLE	175mm-58-61 172.5mm-54-56 170mm-47-52	1FI418T043002 SYNCROS 1-1/8"-1-1/4", 45 /45 ° SEAL CARTRIDGE & TIB BEARING, W/O AL HEADSETCUP, IS41/28.6 - IS46, W/O LOGO	120mm-58-61 110mm-54-56 100mm-52 90mm-49 80mm-47	440mm-61 420mm-52-58 400mm-49 380mm-47	27.2X300MM	31.2MM	RP1.0 DISC 700C CARBON CHINCHER, BLK ROAD HUB, BLK ANOD. RIM, BLK SPOKE/NIPPLE W/RIM TAPE & F/R RWS (17SU SOLACE PRMIUM DISC CD22)	RP1.0 DISC 700C CARBON CHINCHER, BLK ROAD HUB, BLK ANOD. RIM, BLK SPOKE/NIPPLE W/RIM TAPE & F/R RWS (17SU SOLACE PRMIUM DISC CD22)	None

SCOTT CR1



CR1 10

Small change for MY17, the rims have changed to Race 22 on the CR1 20/30 to take the larger tyre

ITEM	SPARE PARTS CR1
206472	Dropout SCOTT Addict / CR110'
208362	Antichainsuck clamp 34.9
217237	Chainsuck Protector CR12010
252381	Fork CR110 2017
252382	Fork CR120 2017
252383	Fork CR130 2017
228440	Headset Syncros Press Fit 1-1/8"
242488	Headset Compression kit 1" 1/8

ITEM	SPARE PARTS CR1
250568	Stem Syncros RR2.0, 31.8mm
228951	Seatclamp 34.4mm w/bolt f/Cr1&scandium
242442	Hub rep kit Syncros Formula Road Team
262061	Rim Syncros Alex Race 22 24H
264050	Rim Syncros Alex Race 22 28H
252329	Frameset CR110 2017 warr
252478	Frameset CR130 thrd BB 2017 Warranty

TECHNICAL DATA CR1

Bike	BB-spec / axle length / shell width	Front Derailleur spec / diameter	Crankarm Length in mm	Headset spec/dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm / length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)
CR1 10	BB-RS500-PB FOR ROAD "W/O THREAD" R&L BEARING W/ INNER COVER	FD-5800-F BLK BRAZE ON (11S) DOUBLE	175mm-58-61 172.5mm-54-56 170mm-47-52	1S125IT043014, SYNCROS PRESS FIT, 1-1/8" 50MM AL CAPS 45/45° CARTRIDGE, W/SYNCROS DECAL X 2, ZS44/28.6 - ZSS5/40, MATT BLK ANOD.	120mm-58-61 110mm-54-56 100mm-52 90mm-49 80mm-47	440mm-61 420mm-52-58 400mm-49 380mm-47	31.6X300MM	34.4MM	WH-RS11 F&R 10/11S CLIN:BLK 163QR MONO STICK W/TAPE 700C WO/BAG	WH-RS11 F&R 10/11S CLIN:BLK 163QR MONO STICK W/TAPE 700C WO/BAG	None
CR1 20	BB-RS500-PB FOR ROAD "W/O THREAD" R&L BEARING W/ INNER COVER	FD-5800-F BLK BRAZE ON (11S) DOUBLE	175mm-58-61 172.5mm-54-56 170mm-47-52	1S125IT043014, SYNCROS PRESS FIT, 1-1/8" 50MM AL CAPS 45/45° CARTRIDGE, W/SYNCROS DECAL X 2, ZS44/28.6 - ZSS5/40, MATT BLK ANOD.	120mm-58-61 110mm-54-56 100mm-52 90mm-49 80mm-47	440mm-61 420mm-52-58 400mm-49 380mm-47	31.6X300MM	34.4MM	14G - 274	14G - 292/294	RACE 22 700CX24H RACE 22 700CX28H
CR1 30	BB-ES300 68MM-113 SPLINED WO/ FIXING BOLT	FD-R3000 2X9S DOWN SWING/61-66 46/52T BRAZED ON	175mm-58-61 172.5mm-54-56 170mm-47-52	1S125IT043014, SYNCROS PRESS FIT, 1-1/8" 50MM AL CAPS 45/45° CARTRIDGE, W/SYNCROS DECAL X 2, ZS44/28.6 - ZSS5/40, MATT BLK ANOD.	120mm-58-61 110mm-54-56 100mm-52 90mm-49 80mm-47	440mm-61 420mm-52-58 400mm-49 380mm-47	31.6X300MM	34.4MM	14G - 274	14G - 292/294	RACE 22 700CX24H RACE 22 700CX28H

SCOTT SPEEDSTER/DISC



SPEEDSTER 10 DISC

Small change for MY17, the rims have changed to Race 22 to take the larger tyre

ITEM	SPARE PARTS SPEEDSTER	ITEM	SPARE PARTS SPEEDSTER DISC
233930	Dropout Speedster 10-50 2013	244755	Dropout hanger Speedster Disc/CX '16
208362	Antichainsuck clamp 34.9	208362	Antichainsuck clamp 34.9
236131	BB Cableguide Set Speedster 10 2013	236131	BB Cableguide Set Speedster 10 2013
252342	Fork Speedster 10 2017	239546	Brake Mount rear PM SolDisc '15
252349	Fork Speedster 10 FB 2017	200718	Headset Ritchey sem.int.11/8
252343	Fork Speedster 20 2017	250568	Stem Syncros RR2.0, 31.8mm
252344	Fork Speedster 30 2017	252347	Fork Speedster 10 disc 2017
252345	Fork Speedster 40 2017	252348	Fork Speedster 20 disc 2017
252346	Fork Speedster 50 2017	208358	Seatclamp 34.9mm Addict
200718	Headset Ritchey sem.int.11/8	242442	Hub rep kit Syncros Formula Road Team
250568	Stem Syncros RR2.0, 31.8mm	262062	Rim Syncros Alex Race 22 disc 28H
208358	Seatclamp 34.9mm Addict	252320	Frameset Speedster 10 Disc 2017 warr
242442	Hub rep kit Syncros Formula Road Team		
242443	Hub rep kit Syncros Formula Road Comp		
262048	Hub rep kit Syncros Form CL-25/CL2611		
264050	Rim Syncros Alex Race 22 28H		
262061	Rim Syncros Alex Race 22 24H		
252319	Frameset Speedster 10 2017 warr		

TECHNICAL DATA SPEEDSTER/DISC

Bike	BB-spec / axle length / shell width	Front Derailleur spec / diameter	Crankarm Length in mm	Headset spec / dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm / length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)
Speedster 10 disc	FC-RS500-L, W/BB BSA	KFD5800BL/ 34.9mm	170mm(XS/S), 172.5mm(M/L), 175mm(XL)	1-1/8"x44X30mm	90mm(XS), 100mm(S), 110mm(M/L), 120mm(XL)	400mm(XS)/ 420mm(S/M/L/XL)	31.6x300mm	34.9mm	291/293	291/293	RACE 22 DISC,28H
Speedster 10	FC-RS500-L, W/BB BSA	KFD5800BL/ 34.9mm	170mm(XS/S), 172.5mm(M/L), 175mm(XL)	1-1/8"x44X30mm	90mm(XS), 100mm(S), 110mm(M/L), 120mm(XL)	400mm(XS)/ 420mm(S/M/L/XL)	31.6x300mm	34.9mm	291/293	291/293	RACE 22 DISC,28H
Speedster 10 FB	FC-4703, W/ BB BSA	KFD4703BL/ 34.9mm	170mm(XXS/XS/S), 172.5mm(M/L), 175mm(XL/XXL)	1-1/8"x44X30mm	80mm(XXS), 90mm(XS), 100mm(S/M/L), 110mm(XL/XXL)	580MM	31.6x300mm	34.9mm	279	292/294	RACE 22,F:24H R:28H
Speedster 20 disc	FC-4700, W/ BB BSA	KFD4700BL/ 34.9mm	170mm(XS/S), 172.5mm(M/L), 175mm(XL)	1-1/8"x44X30mm	90mm(XS), 100mm(S), 110mm(M/L), 120mm(XL)	400mm(XS)/ 420mm(S/M/L/XL)	31.6x300mm	34.9mm	291/293	291/293	RACE 22 DISC,28H
Speedster 20	FC-4700, W/ BB BSA	KFD4700BL/ 34.9mm	170mm(XXS/XS/S), 172.5mm(M/L), 175mm(XL/XXL)	1-1/8"x44X30mm	80mm(XXS), 90mm(XS), 100mm(S), 110mm(M/L), 120mm(XL/XXL)	380mm(XXS) / 400mm(XS) / 420mm(S/M/L/XL) / 440mm(XXL)	31.6x300mm	34.9mm	279	292/294	RACE 22,F:24H R:28H
Speedster 30	ABBES300B13/ 118MM/ 68MM	AFDR3000BL/ 34.9mm	170mm(XXS/XS/S/M), 175mm(L/XL/XXL)	1-1/8"x44X30mm	80mm(XXS), 90mm(XS), 100mm(S), 110mm(M/L), 120mm(XL/XXL)	380mm(XXS) / 400mm(XS) / 420mm(S/M/L/XL) / 440mm(XXL)	31.6x300mm	34.9mm	279	291/293	RACE 22,F:24H R:28H
Speedster 40 (CD16)	ABBES300B13/ 118MM/ 68MM	AFD2400BL/ 34.9mm	170mm(XXS/XS/S/M), 175mm(L/XL/XXL)	1-1/8"x44X30mm	80mm(XXS), 90mm(XS), 100mm(S), 110mm(M/L), 120mm(XL/XXL)	380mm(XXS) / 400mm(XS) / 420mm(S/M/L/XL) / 440mm(XXL)	31.6x300mm	34.9mm	279	291/293	RACE 22,F:24H R:28H
Speedster 40 (24)	ABBES300B21/ 121MM/ 68MM	AFD2403BL/ 34.9mm	170mm(XXS/XS/S/M), 175mm(L/XL/XXL)	1-1/8"x44X30mm	80mm(XXS), 90mm(XS), 100mm(S), 110mm(M/L), 120mm(XL/XXL)	380mm(XXS) / 400mm(XS) / 420mm(S/M/L/XL) / 440mm(XXL)	31.6x300mm	34.9mm	279	291/293	RACE 22,F:24H R:28H
Speedster 40 FB (24)	ABBES300B21/ 121MM/ 68MM	AFD2403BL/ 34.9mm	170mm(XXS/XS/S/M), 175mm(L/XL/XXL)	1-1/8"x44X30mm	80mm(XXS), 90mm(XS), 100mm(S/M/L), 110mm(XL/XXL)	580MM	31.6x300mm	34.9mm	279	291/293	RACE 22,F:24H R:28H
Speedster 50	ABBUN26B10B/ 110MM/ 68MM	AFDA070AM/ 31.8MM	170mm(XXS/XS/S/M), 175mm(L/XL/XXL)	1-1/8"x44X30mm	0mm(XXS), 90mm(XS), 100mm(S), 110mm(M/L), 120mm(XL/XXL)	380mm(XXS) / 400mm(XS) / 420mm(S/M/L/XL) / 440mm(XXL)	27.2x300mm	31.8mm	279	291/293	RACE 22,F:24H R:28H

SCOTT SPEEDSTER GRAVEL/CX

SCOTT SPEEDSTER GRAVEL



SPEEDSTER GRAVEL 10 DISC

Uses the same frame and fork as the Speedster CX

ITEM	SPARE PARTS SPEEDSTER GRAVEL	ITEM	SPARE PARTS SPEEDSTER GRAVEL
244755	Dropout hanger Speedster Disc/CX '16	250566	Stem Syncros FL2.0, 31.8mm
239546	Brake Mount rear PM SolDisc '15	208358	Seatclamp 34.9mm Addict
252340	Fork Speedster gravel 10 2017	242442	Hub rep kit Syncros Formula Road Team
252341	Fork Speedster gravel 20 2017	262062	Rim Syncros Alex Race 22 disc 28H
200718	Headset Ritchey sem.int.11/8	252318	Frameset Speedster Gravel 10 2017 warr

SCOTT SPEEDSTER CX



SPEEDSTER CX 10 DISC

Small change for MY17, the rims have changed to Race 22 but the tyre size stays the same.

ITEM	SPARE PARTS SPEEDSTER CX	ITEM	SPARE PARTS SPEEDSTER CX
244755	Dropout hanger Speedster Disc/CX '16	250566	Stem Syncros FL2.0, 31.8mm
239546	Brake Mount rear PM SolDisc '15	208358	Seatclamp 34.9mm Addict
252338	Fork Speedster CX 10 Disc 2017	242442	Hub rep kit Syncros Formula Road Team
252339	Fork Speedster CX 20 Disc 2017	262062	Rim Syncros Alex Race 22 disc 28H
200718	Headset Ritchey sem.int.11/8	252317	Frameset Speedster CX10 Disc 2017 warr

TECHNICAL DATA SPEEDSTER GRAVEL/CX

Bike	BB-spec / axle length / shell width	Front Derailleur spec / diameter	Crankarm Length in mm	Headset spec / dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm / length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)
Speedster Gravel 10 disc	FC-RS500-L, W/BB BSA	KFD5800BL/ 34.9mm	170mm(XS/S), 172.5mm(M/L), 175mm(XL)	1-1/8"X44X30mm	90mm(XS), 100mm(S), 110mm(M/L), 120mm(XL)	400mm(XS)/ 420mm(S/M/L)/ 440mm(XL)	31.6x300mm	34.9mm	291/293	291/293	RACE 22 DISC,28H
Speedster Gravel 20 disc	FC-4700, W/ BB BSA	KFD4700BL/ 34.9mm	170mm(XS/S), 172.5mm(M/L), 175mm(XL)	1-1/8"X44X30mm	90mm(XS), 100mm(S), 110mm(M/L), 120mm(XL)	400mm(XS)/ 420mm(S/M/L)/ 440mm(XL)	31.6x300mm	34.9mm	291/293	291/293	RACE 22 DISC,28H
Speedster CX 10 disc	FC-RS500-L, W/BB BSA	KFD5800BL/ 34.9mm	170mm(XS/S), 172.5mm(M/L), 175mm(XL)	1-1/8"X44X50X30mm	90mm(XS), 100mm(S), 110mm(M/L), 120mm(XL)	400mm(XS)/ 420mm(S/M/L/XL)	31.6x300mm	34.9mm	291/293	291/293	RACE 22 DISC,28H
Speedster CX 20 disc	FC-R460, W/ BB BSA	KFD4700BL/ 34.9mm	170mm(XS/S/M), 175mm(L/XL)	1-1/8"X44X50X30mm	90mm(XS), 100mm(S), 110mm(M/L), 120mm(XL)	400mm(XS)/ 420mm(S/M/L/XL)	31.6x300mm	34.9mm	291/293	291/293	RACE 22 DISC,28H

03 CONTESSA

- CONTESSA SCALE 700/900/PLUS
- CONTESSA SPARK 700/PLUS
- CONTESSA GENIUS 700/PLUS
- CONTESSA 700
- CONTESSA SOLACE/DISC
- CONTESSA SPEEDSTER

CONTESSA MTB	SPEED	SOLUTION GEOMETRY	FRAME / SWING ARM	BOOST	MAX. TIRE WIDTH	TRAVEL
CONTESSA SCALE RC 700	12		1BY ONLY HMX	✓	2.3	100mm
CONTESSA SCALE 700/900	22		HMF	✓	2.3	100mm
CONTESSA SCALE 710/910	20	✓	6061 ALLOY		2.3	100mm
CONTESSA SCALE 720/920	30	✓	6061 ALLOY		2.3	100mm
CONTESSA SCALE 730/930	30	✓	6061 ALLOY		2.3	100mm
CONTESSA SCALE 740/940	27	✓	6061 ALLOY		2.3	100mm
CONTESSA SPARK RC 700	12		1BY ONLY HMX / CRB	✓	2.3	100mm
CONTESSA SPARK 700	22		HMF / ALLOY SL	✓	2.4	120mm
CONTESSA SPARK 710	22		HMF / ALLOY SL	✓	2.4	120mm
CONTESSA SPARK 720	22		ALLOY SL / ALLOY SL	✓	2.4	120mm
CONTESSA SPARK 730	20		ALLOY SL / ALLOY SL		2.4	120mm
CONTESSA GENIUS 700	22		HMF / ALLOY		2.4	150mm
CONTESSA GENIUS 710	22		ALLOY / ALLOY		2.4	150mm
CONTESSA 710	27	✓	6061 ALLOY		2.3	100mm
CONTESSA 720	27	✓	6061 ALLOY		2.3	100mm
CONTESSA 730	24	✓	6061 ALLOY		2.3	100mm
CONTESSA 740	21	✓	6061 ALLOY		2.3	100mm
CONTESSA 750	21	✓	6061 ALLOY		2.3	100mm
CONTESSA SCALE 710 PLUS	20		ALLOY	✓	3	120mm
CONTESSA SPARK 710 PLUS	22		HMF / ALLOY SL	✓	2.8	130mm
CONTESSA SPARK 720 PLUS	20		ALLOY SL / ALLOY SL	✓	2.8	130mm
CONTESSA GENIUS 710 PLUS	20		ALLOY / ALLOY	✓	3	140mm

SCOTT CONTESSA SCALE 700/900/PLUS

SCOTT CONTESSA SCALE 700/RC 700

Both models are the same as the Men's Carbon Scale 3, no special geometries



CONTESSA SCALE RC 700

SCOTT CONTESSA SCALE 710 PLUS

The same frame and geometry as the men's.



CONTESSA SCALE 710 PLUS

SCOTT CONTESSA SCALE 700/900

A few small changes for MY17. The top tube has changed but the geometry stays the same.

On the Contessa Scale 910/710 only, the headtube is now tapered.



CONTESSA SCALE 910

ITEM	SPARE PARTS CONTESSA SCALE	ITEM	SPARE PARTS CONTESSA SCALE	ITEM	SPARE PARTS CONTESSA SCALE PLUS
262046	Axle RWS Rear+lever 148x12 boost plugin	228441	Headset Syncros Pressfit 50/61mm Tapered	262046	Axle RWS Rear+lever 148x12 boost plugin
206375	Dropout+Screw all MTB since 97' 5-PAK	250580	H.Set Syncros Drop-In Scale, Spark MY17	235287	Dropout Set IDS 2 142/RWS 12 Dir.Mount
254091	Dropout hang boost TAI2-SW DM carb MY17	262082	Headset spacer kit/topcap Syncros 1.5 MTB	254123	Cableguide Spark Alloy FD/downtube MY17
254090	Dropout hanger boost TAI2-SW carb MY17	262083	Headset spacer kit/topcap Syncros 2.0 MTB	254117	Cableguide Spark D/T carb/alloy out MY17
254096	Brake mount Scale/Spark 12/160mm MY17	250541	H.bar Syncros FL1.0 Carbon SL, T-Bar	228441	Headset Syncros Pressfit 50/61mm Tapered
254095	Brake mount Scale/Spark 12/180mm MY17	250544	H.bar Syncros FL1.5, T-Bar	250566	Stem Syncros FL2.0, 31.8mm
254097	Brake mount Scale/Spark QR/180mm MY17	250565	Stem Syncros FL1.5, 31.8mm	250578	Grips Syncros Women Pro
254103	Cableguide Scale/Spark H-tube 4 MY17	250563	Stem Syncros XR1.5, 31.8mm	223309	Seatclamp 34.9mm CrMo bolt
254105	Cableguide Scale/Spark H-tube 4-4 MY17	250562	Computer Mount for Syncros MTB Stem FL	262071	Seatpost remote syncros 2.5
254109	Cableguide Scale/Spark H-tube 4-4-5 MY17	250577	Grips Syncros Women Pro, Lock-On	262073	Seatpost service air Cart kit Syncros2.5
254106	Cableguide Scale/Spark H-tube 4-5 MY17	250578	Grips Syncros Women Pro	252415	Rim Alex X-35 27.5 plus 32H
254108	Cableguide Scale/Spark H-tube 4-5-5 MY17	239172	Rideloc lever integ clamp	242454	Rim tape Scale/Genius/Genius LT +
254113	Cableguide Scale/Spark H-tube 4-5-DI2 17	228950	Seatclamp 31.8mm QR Kalloy XC64	242455	Tube Scale/Genius/Genius LT +
254111	Cableguide Scale/Spark H-tube 4-DI2 MY17	223309	Seatclamp 34.9mm CrMo bolt	252198	Frame Contessa Scale 710+ 17 warranty
254104	Cableguide Scale/Spark H-tube 5 MY17	250571	Seatpost Syncros FL1.0 CB, 10mm Offset		
254107	Cableguide Scale/Spark H-tube 5-5 MY17	241890	Saddle Syncros XR1.5 Women		
254112	Cableguide Scale/Spark H-tube 5-DI2 MY17	263508	Rim Sync/DT XR RC 28H 17 Cnt SC/SP RC700		
254102	Cableguide Scale/Spark H-tube blk MY17	263509	Rim Sync/DT XR2.0 28H 17 Cnt Scale 900		
254110	Cableguide Scale/Spark H-tube DI2 MY17	263510	Rim Sync/DT XR2.0 28H 17 Cnt SC/SP 700		
254098	Chainguide Scale small 30T-36T MY17	262059	Rim Syncros Alex X20 32H		
235931	CSP Pre Shape Scale 700	252192	Frame Contessa Scale RC 700 17 warr		
235932	CSP Pre Shape Scale 900	252193	Frame Contessa Scale 700 17 warranty		
251850	CSP Screw on Scale RC 700 Carbon 2017	252194	Frame Contessa Scale 710 17 warranty		
254089	Front derailleur blank Scale/Spark MY17	252195	Frame Contessa Scale 720 17 warranty		
254088	Front derailleur mount Scale MY17	252196	Frame Contessa Scale 900 17 warranty		
235455	Fork Suntour XCR RL R 100mm Disc	252197	Frame Contessa Scale 910 17 warranty		
200718	Headset Ritchey sem.int.11/8	252471	Frame Contessa Scale 920 17 warr		

TECHNICAL DATA CONTESSA SCALE 700/900/PLUS

Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/ dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)	Rear Shock (e2e)	Hardware Rear Shock in mm	Bearings (frame)
Contessa Scale 700	SM-BB71-41A FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	FD-M8020-D DIRECT MOUNT 66-69 34/36/38T SIDE SWING FRONT-PULL FOR DOUBLE	170 S/M, 175 L	1FI301T043006, DROP IN FL 2.0, ACB BEARING 1-1/8"-1.5"/42-52MM, W/O HS TOPCUP & LOGO	50mm(S) 60mm(M) 70mm(L)	700	31.6X400mm	34.9mm	XR2.0 27.5 28H	XR2.0 27.5 28H	XR2.0 27.5 28H	NONE	NONE	NONE
Contessa Scale 710 Plus	BB-MT500-PA FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	FD-M618-E W/O PLATE 66-69 10S 36/38T TOP SWING DUAL-PULL FOR DOUBLE	170 S/M, 175 L	1SI21815FST, PRESS FIT COMP/TAPER, 1-1/8"-1.5"/50-61MM/ STEEL CUPS/SEALED BEARING, MATT BLK SANDBLASTED, 220C BRANDING H:11.1MM	50mm(S) 60mm(M) 70mm(L)	720	31.6X360mm-S; 31.6X400mm-M/L	34.9mm	15GX274.5/273	15GX274/273	X-35 DISC 27.5"x32H	NONE	NONE	NONE
Contessa Scale 900	SM-BB71-41A FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	FD-M8020-D DIRECT MOUNT 66-69 34/36/38T SIDE SWING FRONT-PULL FOR DOUBLE	170 S/M, 175 L	1FI301T043006, DROP IN FL 2.0, ACB BEARING 1-1/8"-1.5"/42-52MM, W/O HS TOPCUP & LOGO	50mm(S) 60mm(M) 70mm(L)	700	31.6X400mm	34.9mm	XR2.0 29 28H	XR2.0 29 28H	XR2.0 29 28H	NONE	NONE	NONE
Contessa Scale RC 700	PRESSFIT GXP BB FOR MTB(FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S/M, 175 L	1FI401T043004, SYNCROS 1/8" - 1.5" TAPERED, DROP-IN SEALED CARTRIDGE & TIB BEARING, W/O AL HEADSETCUP, IS42/28.6 IS52/40, W/O LOGO	50mm(S) 60mm(M) 70mm(L)	700	31.6X400mm	34.9mm	XR-RC 27.5 28H	XR-RC 27.5 28H	XR-RC 27.5 28H	NONE	NONE	NONE
Contessa Scale 710	SM-BB52/68MM	KFDM618LM6/ 31.8mm	170 XS/S/M, 175 L	1-1/8"-1.5"X50X44mm	60mm(XS/S)/ 70mm(M/L)	680	27.2x350mm	31.8mm	273/275	274/276	X20,32H	NONE	NONE	
Contessa Scale 720	SM-BB52/68MM	KFDM610M6/ 31.8mm	170 XS/S/M, 175 L	1-1/8 X49.8X44MM	60mm(XS/S)/ 70mm(M/L)	680	27.2x350mm	31.8mm	273/275	273/275	X20,32H	NONE	NONE	
Contessa Scale 730	SM-BB52/68MM	KFDM610M6/ 31.8mm	170 XS/S/M, 175 L	1-1/8 X49.8X44MM	60mm(XS/S)/ 70mm(M/L)	680	27.2x350mm	31.8mm	273/275	273/275	X20,32H	NONE	NONE	
Contessa Scale 740	ABBES300B18/ 118MM/68MM	AFDM3000TSM6/ 31.8mm	170 XS/S/M, 175 L	1-1/8 X49.8X44MM	60mm(XS/S)/ 70mm(M/L)	680	27.2x350mm	31.8mm	274/276	274/276	X20,32H	NONE	NONE	
Contessa Scale 910	SM-BB52/68MM	KFDM618LM6/ 31.8mm	170 S/M, 175 L	1-1/8"-1.5"X50X44mm	60mm(S)/ 70mm(M)/ 80mm(L)	680	27.2x350mm	31.8mm	292/294	292/294	X20,32H	NONE	NONE	
Contessa Scale 920	SM-BB52/68MM	KFDM610M6/ 31.8mm	170 S/M, 175 L	1-1/8 X49.8X44MM	60mm(S)/ 70mm(M)/ 80mm(L)	680	27.2x350mm	31.8mm	292/294	292/294	X20,32H	NONE	NONE	
Contessa Scale 930	SM-BB52/68MM	KFDM610M6/ 31.8mm	170 S/M, 175 L	1-1/8 X49.8X44MM	60mm(S)/ 70mm(M)/ 80mm(L)	680	27.2x350mm	31.8mm	292/294	292/294	X20,32H	NONE	NONE	
Contessa Scale 940	ABBES300B18/ 118MM/68MM	AFDM3000TSM6/ 31.8mm	170 S/M, 175 L	1-1/8 X49.8X44MM	60mm(S)/ 70mm(M)/ 80mm(L)	680	27.2x350mm	31.8mm	292/294	292/294	X20,32H	NONE	NONE	

SCOTT CONTESSA SPARK 700/PLUS



The same frame and geometry as the men's for the complete range.

CONTESSA SPARK RC 700

TECHNICAL DATA CONTESSA SPARK 700/PLUS

Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/ dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)	Rear Shock (e2e)	Hardware Rear Shock in mm	Bearings (frame)
Contessa Spark 700	SM-BB71-41A FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	FD-M8020-D DIRECT MOUNT 66-69 34/36/38T SIDE SWING FRONT-PULL FOR DOUBLE	170 S/M, 175 L	1FI301T043006, DROP IN FL 2.0, ACB BEARING/1-1/8"-1.5"/42-52MM, W/O HS TOPCUP & LOGO	50mm(S/M) 60mm(L)	720	31.6X356mm-S 31.6X406mm-M/L	34.9mm	XR2.0 27.5 28H	XR2.0 27.5 28H	XR2.0 27.5 28H	165x45mm	20x10	24X15XT5
Contessa Spark 710	BB-MT500-PA FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	FD-M7020-D FOR 2X11 DIRECT MOUNT 66-69 34-38T SIDE SWING FRONT-PULL	170 S/M, 175 L	1FI201T043002, DROPE IN PRO, SSC BEARING /1-1/8"-1.5"/42-52MM, W/O HS TOPCUP & LOGO	50mm(S/M) 60mm(L)	720	31.6X356mm-S 31.6X406mm-M/L	34.9mm	XR2.5 27.5 28H	XR2.5 27.5 28H	XR2.5 27.5 28H	165x45mm	20x10	24X15XT5
Contessa Spark 710 Plus	SM-BB71-41A FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	FD-M8020-D DIRECT MOUNT 66-69 34/36/38T SIDE SWING FRONT-PULL FOR DOUBLE	170 S/M, 175 L	1FI301T043006, DROP IN FL 2.0, ACB BEARING/1-1/8"-1.5"/42-52MM, W/O HS TOPCUP & LOGO	50mm(S/M) 60mm(L)	740	31.6X356mm-S 31.6X406mm-M 31.6X456mm-L	34.9mm	TR2.0 PLUS 27.5 28H	TR2.0 PLUS 27.5 28H	TR2.0 PLUS 27.5 28H	165x45mm	20x10	24X15XT5
Contessa Spark 720	BB-MT500-PA FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	FD-M8020-D DIRECT MOUNT 66-69 34/36/38T SIDE SWING FRONT-PULL FOR DOUBLE	170 S/M, 175 L	IS125115AL, PRESS FIT PRO/TAPER, 1-1/8"-1.5"/50-61MM/AL CUPS/SSC BEARINGS, MATT BLK SANDBLASTED, CARROT 1645C BRANDING H:12.9MM	50mm(S/M) 60mm(L)	720	31.6X356mm-S 31.6X406mm-M/L	34.9mm	15GX293.5/292.5	15GX293.5/292.5	X23 DISC 27.5"X32H	165x45mm	20x10	24X15XT5
Contessa Spark 720 Plus	BB-MT500-PA FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	FD-M617-D DIRECT MOUNT 66-69 10S 36/38T SIDE SWING FRONT-PULL FOR DOUBLE	170 S/M, 175 L	IS121815FST, PRESS FIT COMP/TAPER, 1-1/8"-1.5"/50-61MM/STEEL CUPS/SEALED BEARING, MATT BLK SANDBLASTED, BERRY YS9680 BRANDING H:11MM	50mm(S/M) 60mm(L)	740	31.6X370mm-S 31.6X412mm-M/L	34.9mm	15GX274.5/273	15GX274/273	X-35 DISC 27.5"X32H	165x45mm	20x10	24X15XT5
Contessa Spark 730	BB-MT500-PA FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	FD-M617-D DIRECT MOUNT 66-69 10S 36/38T SIDE SWING FRONT-PULL FOR DOUBLE	170 S/M, 175 L	IS1110T043003 (IS111015F30) SYNCROS HS OE 1-1/8"-1.5" 55-61MM H:8.2 BLK STEEL CUPS BALL BEARINGS	50mm(S/M) 60mm(L)	720	31.6X400mm	34.9mm	15GX293.5/292.5	15GX293.5/292.5	X23 DISC 27.5"X32H	165x45mm	20x10	24X15XT5
Contessa Spark RC 700	PRESSFIT GXP BB FOR MTB(FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S/M, 175 L	1FI401T043004, SYNCROS 1/8" - 1.5" TAPERED, DROP-IN SEALED CARTRIDGE & TIB BEARING, W/O AL HEADSETCUP, IS42/28.6 IS52/40, W/O LOGO	50mm(S/M) 60mm(L)	700	31.6X400mm	34.9mm	XR-RC 27.5 28H	XR-RC 27.5 28H	XR-RC 27.5 28H	165x40mm	20x10	24X15XT5

SPARE PARTS CONTESSA SPARK 700/PLUS

ITEM	SPARE PARTS CONTESSA SPARK
262046	Axle RWS Rear+lever 148x12 boost plugin
254091	Dropout hang boost TA12-SW DM carb MY17
254094	Dropout hanger boost Q/R not direct MY17
254093	Dropout hanger boost TA12 DM alloy MY17
254090	Dropout hanger boost TA12-SW carb MY17
254096	Brake mount Scale/Spark 12/160mm MY17
254095	Brake mount Scale/Spark 12/180mm MY17
254097	Brake mount Scale/Spark QR/180mm MY17
254103	Cableguide Scale/Spark H-tube 4 MY17
254105	Cableguide Scale/Spark H-tube 4-4 MY17
254109	Cableguide Scale/Spark H-tube 4-4-5 MY17
254106	Cableguide Scale/Spark H-tube 4-5 MY17
254108	Cableguide Scale/Spark H-tube 4-5-5 MY17
254113	Cableguide Scale/Spark H-tube 4-5-DI2 17
254111	Cableguide Scale/Spark H-tube 4-DI2 MY17
254104	Cableguide Scale/Spark H-tube 5 MY17
254107	Cableguide Scale/Spark H-tube 5-5 MY17
254112	Cableguide Scale/Spark H-tube 5-DI2 MY17
254102	Cableguide Scale/Spark H-tube blk MY17
254110	Cableguide Scale/Spark H-tube DI2 MY17
254123	Cableguide Spark Alloy FD/downtube MY17
254117	Cableguide Spark D/T carb/alloy out MY17
254121	Cableguide Spark shock noodle Nude 17
254118	Cableguide Spark shock rubber Fox Nude
254120	Cableguide Spark shock rubber X-fusion
254114	Cableguide Scale/Spark R/FD exit MY17
254115	Cableguide Spark C-stay rubbers MY17
254101	Chainguide set Spark MY17
254100	Chainguide set Spark RC MY17
251852	CSP Screw on Spark 700 Carbon 2017
251853	CSP Screw on Spark 700 Alloy 2017
254089	Front derailleur blank Scale/Spark MY17
254087	Front derailleur mount Spark MY17
228441	Headset Syncros Pressfit 50/61mm Tapered
250580	H.Set Syncros Drop-In Scale, Spark MY17
262082	Headset spacer kit/topcap Syncros 1.5 MTB
262083	Headset spacer kit/topcap Syncros 2.0 MTB
250541	H.bar Syncros FL1.0 Carbon SL, T-Bar
250544	H.bar Syncros FL1.5, T-Bar
250565	Stem Syncros FL1.5, 31.8mm
250566	Stem Syncros FL2.0, 31.8mm
250562	Computer Mount for Syncros MTB Stem FL
250577	Grips Syncros Women Pro, Lock-On
250578	Grips Syncros Women Pro
262040	Linkage bar Spark alloy 120mm 2017
262043	Linkage bar Spark Carbon 100mm 2017
252401	Rear Shock Spark 120mm 17 X-fusion165x45
262037	Rear Shock Spark 100mm Fox Nude 2017
262035	Rear Shock Spark 120mm Fox Nude 2017
262044	Shock mount hardware Spark 2017
230097	Twinloc XLremote lever for Nude 2/3
239171	Twinloc lever Nude 3 integ clamp

ITEM	SPARE PARTS CONTESSA SPARK
242409	Twinloc lever Nude 3 integ clamp down
262039	Swingarm rep kit Spark 120mm 2017
262630	Swingarm rep kit Spark RC 100MM 2017
229733	Seatclamp 34.9mm SR Gambler
223309	Seatclamp 34.9mm CrMo bolt
250571	Seatpost Syncros FL1.0 CB, 10mm Offset
241890	Saddle Syncros XR1.5 Women
241891	Saddle Syncros XR2.0 Women
252403	Hub rep kit Form CT-1702 / 5x141mm
246376	Rim Alex X-23 disc 32H
263508	Rim Sync/DT XR RC 28H 17 Cnt SC/SP RC700
263510	Rim Sync/DT XR2.0 28H 17 Cnt SC/SP 700
263511	Rim Sync/DT XR2.5 28H 17 Spark 710
223289	Tool set swingarm Spark>12# Genius>13#
252170	Front triangle Contessa Spark 700 2017
252171	Front triangle Contessa Spark 710 2017
252169	Front triangle Contessa Spark RC700 17
262214	Swingarm Contessa Spark 700 2017
262215	Swingarm Contessa Spark 710
262213	Swingarm Contessa Spark RC700 2017
262210	Frame Contessa Spark 720 2017 warranty
262625	Frame Contessa Spark 730 2017 warranty

ITEM	SPARE PARTS CONTESSA SPARK PLUS
262046	Axle RWS Rear+lever 148x12 boost plugin
254091	Dropout hang boost TA12-SW DM carb MY17
254093	Dropout hanger boost TA12 DM alloy MY17
254095	Brake mount Scale/Spark 12/180mm MY17
254103	Cableguide Scale/Spark H-tube 4 MY17
254105	Cableguide Scale/Spark H-tube 4-4 MY17
254109	Cableguide Scale/Spark H-tube 4-4-5 MY17
254106	Cableguide Scale/Spark H-tube 4-5 MY17
254108	Cableguide Scale/Spark H-tube 4-5-5 MY17
254113	Cableguide Scale/Spark H-tube 4-5-DI2 17
254111	Cableguide Scale/Spark H-tube 4-DI2 MY17
254104	Cableguide Scale/Spark H-tube 5 MY17
254107	Cableguide Scale/Spark H-tube 5-5 MY17
254112	Cableguide Scale/Spark H-tube 5-DI2 MY17
254102	Cableguide Scale/Spark H-tube blk MY17
254110	Cableguide Scale/Spark H-tube DI2 MY17
254123	Cableguide Spark Alloy FD/downtube MY17
254117	Cableguide Spark D/T carb/alloy out MY17
254122	Cableguide Spark shock noodle Float 17
254121	Cableguide Spark shock noodle Nude 17
254119	Cableguide Spark shock rubber Float MY17
254118	Cableguide Spark shock rubber Fox Nude
254114	Cableguide Scale/Spark R/FD exit MY17
254115	Cableguide Spark C-stay rubbers MY17
251854	CSP Screw on Spark 700 Plus Carbon 2017
251855	CSP Screw on Spark 700 Plus Alloy 2017
228441	Headset Syncros Pressfit 50/61mm Tapered
250580	H.Set Syncros Drop-In Scale, Spark MY17
262083	Headset spacer kit/topcap Syncros2.0 MTB
250545	H.bar Syncros FL1.5, Mini Rise
250565	Stem Syncros FL1.5, 31.8mm
250578	Grips Syncros Women Pro
262040	Linkage bar Spark alloy 120mm 2017
263379	Rear Shock Spark 120mm Fox Float Perf 17
239171	Twinloc lever Nude 3 integ clamp
262044	Shock mount hardware Spark 2017
262039	Swingarm rep kit Spark 120mm 2017
223309	Seatclamp 34.9mm CrMo bolt
262070	Seatpost remote syncros 2.0
262072	Seatpost service air Cart kit Syncros 2.0
262069	Seatpost Syncros drop 2.0 W/O lever 31.6
241890	Saddle Syncros XR1.5 Women
252415	Rim Alex X-35 27.5 plus 32H
263512	Rim Sync/DT XR2.0 Plus 28H 17 SP 710
242454	Rim tape Scale/Genius/Genius LT +
242455	Tube Scale/Genius/Genius LT +
223289	Tool set swingarm Spark>12# Genius>13#
252172	Front triangle Contessa Spark 710+ 2017
252173	Front triangle Contessa Spark 720+ 2017
262216	Swingarm Contessa Spark 710+ 2017
262217	Swingarm Contessa Spark 720+ 2017

SCOTT CONTESSA GENIUS 700/PLUS



CONTESSA GENIUS 710 PLUS

The same frame and geometry as the men's for the complete range.

ITEM	SPARE PARTS CONTESSA GENIUS	ITEM	SPARE PARTS CONTESSA GENIUS PLUS
236153	Axle RWS 10 Alu thru 142MM / Ø12MM	242429	Axle RWS Alu thru 148MM / Ø12MM 1size
235287	Dropout Set IDS 2 142/RWS 12 Dir.Mount	228206	CSP New Genius Pre Shape 2013
235288	Dropout Hanger right IDS 2 142/RWS 12 DM	235287	Dropout Set IDS 2 142/RWS 12 Dir.Mount
223305	Cableguide BB Spark '12 Genius '13 carb	235288	Dropout Hanger right IDS 2 142/RWS 12 DM
229724	Cable clamping set Genius alloy 2013	242429	Axle RWS Alu thru 148MM / Ø12MM 1size
229723	Cable clamping set Genius Carbon	229728	FD-Mount Genius 2013 700-650B
228206	CSP New Genius Pre Shape 2013	228441	Headset Syncros Pressfit 50/61mm Tapered
229728	FD Mount Genius 2013 700-650B	250578	Grips Syncros Women Pro
229730	ISCG adaptor Genius 2013	235272	Geometry chip Spark Genius All 14
228441	Headset Syncros Pressfit 50/61mm Tapered	235710	Shock Mount/Bush.set Spark Genius/LT 14>
262083	Headset spacer kit/topcap Syncros 2.0 MTB	229716	Shock Mount Bolt 8mm Genius/LT/Spark
250545	H.bar Syncros FL1.5, Mini Rise	235267	Linkage bar set Genius 900 2014* 700+
250577	Grips Syncros Women Pro, Lock-On	242422	Rear shock Genius FOX Float DPS 190*50
235272	Geometry chip Spark Genius All 14	230097	Twinloc XL remote lever for Nude 2/3
229716	Shock Mount Bolt 8mm Genius/LT/Spark	223291	Screw Set blk Spark/Scale/Genius '12
235710	Shock Mount/Bush.set Spark Genius/LT 14>	262070	Seatpost remote syncros 2.0
235270	Linkage bar set Genius 700 2014	262072	Seatpost service air Cart kit Syncros 2.0
242417	Rear shock FOX NUD3 DPS EVOL 200*57	262069	Seatpost Syncros drop 2.0 W/O lever 31.6
239171	Twinloc lever Nude 3 integ clamp	252415	Rim Alex X-35 27.5 plus 32H
223291	Screw Set blk Spark/Scale/Genius '12	242454	Rim tape Scale/Genius/Genius LT +
223309	Seatclamp 34.9mm CrMo bolt	242455	Tube Scale/Genius/Genius LT +
241892	Saddle Syncros FL1.5 Women	223301	Swingarm Repair Kit Spark>12# Genius>13#
263513	Rim Sync/DT TR2.0 28H '17 Genius 700	223302	Igus Bushing Set Spark>12# Genius>13# CS
223302	Igus Bushing Set Spark>12# Genius>13# CS	223289	Tool set swingarm Spark>12# Genius>13#
223303	Ind. Bearing Set Spark 2012 CST/SST w/ax	252176	Front triangle Contessa Genius 710+ 2017
223301	Swingarm Repair Kit Spark>12# Genius>13#	252269	Chainstays Contessa Genius 710 + 2017
223289	Tool set swingarm Spark>12# Genius>13#	252292	Seatstays Contessa Genius 710 + 2017
252174	Front triangle Contessa Genius 700 2017		
252175	Front triangle Contessa Genius 710 2017		
252267	Chainstays Contessa Genius 700 2017		
252268	Chainstays Contessa Genius 710 2017		
252290	Seatstays Contessa Genius 700 2017		
252291	Seatstays Contessa Genius 710 2017		

TECHNICAL DATA CONTESSA GENIUS 700/PLUS

Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/ dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)	Rear Shock (e2e)	Hardware Rear Shock in mm	Bearings (frame)
Contessa Genius 700	SM-BB71-41A FOR MTB "W/O THREAD" R&L BEARING W/ INNER COVER	FD-M8025-E W/O PLATE 66-69 34/36/38T TOP SWING DOWN-PULL FOR DOUBLE	170 S/M, 175 L	1S1318T043001, PRESS FIT FL 2.0/ TAPER, 1-1/8"-1.5"/50-61MM/AL CUPS/ACB BEARINGS, MATT BLK SANDBLASTED, YELLOW 601C BRANDING H:12.9MM	50MM(S/M) 60MM(L)	740	31.6X356MM-S; 31.6X406MM-M; 31.6X456MM-L	34.9MM	TR2.0 27.5 28H	TR2.0 27.5 28H	TR2.0 27.5 28H	200	22.2X8/ 22.2X8	24X15XT5
Contessa Genius 710	BB-MT500-PA FOR MTB "W/O THREAD" R&L BEARING W/ INNER COVER	FD-M8025-E W/O PLATE 66-69 34/36/38T TOP SWING DOWN-PULL FOR DOUBLE	170 S/M, 175 L	1S125115AL, PRESS FIT PRO/TAPER, 1-1/8"-1.5"/50-61MM/AL CUPS/SSC BEARINGS, MATT BLK SANDBLASTED, CARROT 1645C BRANDING H:12.9MM	50MM(S/M) 60MM(L)	740	31.6X356MM-S; 31.6X406MM-M; 31.6X456MM-L	34.9MM	COMPETITION 14-15GX274/ 275	COMPETITION 14-15GX273/ 275	X25 DISC 27.5"X32H	200	22.2X8/ 22.2X8	24X15XT5
Contessa Genius 710 Plus	BB-MT500-PA FOR MTB "W/O THREAD" R&L BEARING W/ INNER COVER	FD-M618-E W/O PLATE 66-69 105 36/38T TOP SWING DUAL-PULL FOR DOUBLE	170 S/M, 175 L	1S121815FST, PRESS FIT COMP/TAPER, 1-1/8"-1.5"/50-61MM/STEEL CUPS/SEALED BEARING, MATT BLK SANDBLASTED, CARROT 1645C BRANDING H:11.1MM	50MM(S/M) 60MM(L)	740	31.6X370MM-S; 31.6X412MM-M/L	34.9MM	CHAMPION 15GX273/ 275	CHAMPION 15GX273/ 274	X-35 DISC 27.5"X32H	190	22.2X8/ 22.2X8	24X15XT5

SCOTT CONTESSA 700



CONTESSA 710

No changes from MY16, one more model added, Contessa 750.

ITEM	SPARE PARTS CONTESSA
206375	Dropout+Screw all MTB since 97' 5-PAK
235455	Fork Suntour XCR RL R 100mm Disc
200718	Headset Ritchey sem.int.11/8
228950	Seatclamp 31.8mm QR Kalloy XC64
262059	Rim Syncros Alex X20 32H
242120	Hub rep set Formula DC-25RQR
252216	Frame Contessa 710 2017 warr

TECHNICAL DATA CONTESSA 700

Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/ dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)	Rear Shock (e2e)	Hardware Rear Shock in mm	Bearings (frame)
Contessa 710	ABBES300B18/ 118MM/ 68MM	AFDM3000TSM6/ 31.8mm	165mm(XS/S), 170mm(M/L)	1-1/8 X49.8X44MM	60mm(XS/S) / 70mm(M/L)	640mm	27.2x350mm	31.8mm	274/276	274/276	X20,32H	NONE	NONE	
Contessa 720	ABBUN26B13X/ 113MM/ 68MM	AFDM3000TSM6/ 31.8mm	165mm(XS/S), 170mm(M/L)	1-1/8 X49.8X44MM	60mm(XS/S) / 70mm(M/L)	640mm	27.2x350mm	31.8mm	274/276	274/276	X20,32H	NONE	NONE	
Contessa 730	ABBUN100B22X/ 122.5MM/ 68MM	AFDTY700TSM6/ 31.8mm	165mm(XS/S), 170mm(M/L)	1-1/8 X49.8X44MM	60mm(XS/S) / 70mm(M/L)	640mm	27.2x350mm	31.8mm	273/275	273/275	X20,32H	NONE	NONE	
Contessa 740	ABBUN100B22X/ 122.5MM/ 68MM	AFDTY500TSM6/ 31.8mm	165mm(XS/S), 170mm(M/L)	1-1/8 X49.8X44MM	60mm(XS/S) / 70mm(M/L)	640mm	27.2x350mm	31.8mm	273/275	273/275	X20,32H	NONE	NONE	
Contessa 750	ABBUN100B22X/ 122.5MM/ 68MM	AFDTY500TSM6/ 31.8mm	165mm(XS/S), 170mm(M/L)	1-1/8 X49.8X44MM	60mm(XS/S) / 70mm(M/L)	640mm	27.2x350mm	31.8mm	273/275	273/275	X20,32H	NONE	NONE	

SCOTT CONTESSA SOLACE/DISC



CONTESSA SOLACE 15 DISC

Contessa Solace Disc 15 & 25 will have the same Women's Geometry as the standard none disc Contessa Solace with the same technical specifics (QR, Disc mounts) at the Men's Solace.

ITEM	SPARE PARTS CONTESSA SOLACE
235286	Dropout hanger Addict Solace 2014 Pack-2
235280	Cableguide Set Solace Mechanic 2014
240312	Chainsuck Protector Solace '14<
252388	Fork Contessa SOLACE 35 2017
227465	Headset bearing kit Foil Ritchey WCS
234811	Headset Syncros Drop-In 1-1/8" - 1-1/4"
242488	Headset Compression kit 1" 1/8
250568	Stem Syncros RR2.0, 31.8mm
235430	Seatclamp 31.2mm bolt Solace
234770	Seatpost Syncros FL2.0, 10mm Offset
242442	Hub rep kit Syncros Formula Road Team
262061	Rim Syncros Alex Race 22 24H
264050	Rim Syncros Alex Race 22 28H
252332	Frameset Contessa SOLACE 35 2017 warr

ITEM	SPARE PARTS CONTESSA SOLACE DISC
262045	Axle RWS10 Road disc 100/12mm F. plugin
262629	Axle RWS10 Road disc 142/12mm R. plugin
239530	Dropout hanger Solace Disc '15<
240312	Chainsuck Protector Solace '14<
239531	Cableguide set SolDisc'15 mec/Di2
239546	Brake Mount rear PM SolDisc '15
252386	Fork Contessa SOLACE 15 DISC 2017
252387	Fork Contessa SOLACE 25 DISC 2017
234811	Headset Syncros Drop-In 1-1/8" - 1-1/4"
242488	Headset Compression kit 1" 1/8
250568	Stem Syncros RR2.0, 31.8mm
235430	Seatclamp 31.2mm bolt Solace
250571	Seatpost Syncros FL1.0 CB, 10mm Offset
250572	Seatpost Syncros FL1.5, 10mm Offset
242445	Hub rep kit Sync Form Road Team Disc Ø12
262050	Hub rep kit Syncros RP 2.0 Disc Form F+R
240605	Rim Alex/Sync Solace Disc 28H
262063	Rim Syncros RP 2.0 disc Form 28H XRD-824
252331	Frameset Contessa SOLACE 15 DISC 17 warr

TECHNICAL DATA CONTESSA SOLACE/DISC

Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/ dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)	Rear Shock (e2e)	Hardware Rear Shock in mm	Bearings (frame)
Contessa Solace 15 disc	SM-BB72-41B FOR ROAD "W/O THREAD" R&L BEARING W/INNER COVER	FD-6800-F BRAZE ON (11S) DOUBLE	172.5mm-55 170mm-51-53 165mm-46-48	1FI318T043002, SYNCROS 1-1/8"-1-1/4", 45 /45 ° SEAL CARTRIDGE & ACB BEARING, W/O AL FEADSETCUP, IS41/28.6 - IS46, W/O LOGO	110mm-55 100mm-53 90mm-51 70mm-48 60mm-46	420mm-55 400mm-51-53 380mm-48 360mm-46	27.2x300mm	31.2mm	S53C03-03 SYNCROS R.P 2.0 DISC FRONT 700CX28H, FOR DISC BRAKE, BLUE 319C DECAL LG705K/ XL586D (17SU-CON SOLACE 15 DISC)	S53C03-03 SYNCROS R.P 2.0 DISC REAR 700CX28H, FOR DISC BRAKE, BLUE 319C DECAL LG705K/ XL586D (17SU-CON SOLACE 15 DISC)	None	None	None	None
Contessa Solace 25 disc	BB-RS500-PB FOR ROAD "W/O THREAD" R&L BEARING W/INNER COVER	FD-5800-F BLK BRAZE ON (11S) DOUBLE	172.5mm-55 170mm-51-53 165mm-46-48	1FI318T043002, SYNCROS 1-1/8"-1-1/4", 45 /45 ° SEAL CARTRIDGE & ACB BEARING, W/O AL FEADSETCUP, IS41/28.6 - IS46, W/O LOGO	110mm-55 100mm-53 90mm-51 70mm-48 60mm-46	420mm-55 400mm-51-53 380mm-48 360mm-46	27.2x300mm	31.2mm	14G-276.5/277.5	14G-273.5/274.5	ATD 490 DISC 700X28H F/V ANO. BLK PINJOINT	None	None	None
Contessa Solace 35	BB-RS500-PB FOR ROAD "W/O THREAD" R&L BEARING W/INNER COVER	FD4700 DOUBLE 10S BRAZED ON	172.5mm-55 170mm-51-53 165mm-46-48	1FI318T043002, SYNCROS 1-1/8"-1-1/4", 45 /45 ° SEAL CARTRIDGE & ACB BEARING, W/O AL FEADSETCUP, IS41/28.6 - IS46, W/O LOGO	110mm-55 100mm-53 90mm-51 70mm-48 60mm-46	420mm-55 400mm-51-53 380mm-48 360mm-46	27.2x300mm	31.2mm	14G-274	14G-292/294	RACE 22 700CX24H RACE 22 700CX28H	None	None	None

SCOTT CONTESSA SPEEDSTER



CONTESSA SPEEDSTER 15

Contessa Speedster, no change from MY16

ITEM	SPARE PARTS CONTESSA SPEEDSTER	ITEM	SPARE PARTS CONTESSA SPEEDSTER
233930	Dropout Speedster 10-50 2013	250568	Stem Syncros RR2.0, 31.8mm
236131	BB Cableguide Set Speedster 10 2013	208358	Seatclamp 34.9mm Addict
252350	Fork Contessa Speedster 15 2017	242442	Hub rep kit Syncros Formula Road Team
252351	Fork Contessa Speedster 25 2017	242443	Hub rep kit Syncros Formula Road Comp
252352	Fork Contessa Speedster 35 2017	262061	Rim Syncros Alex Race 22 24H
252353	Fork Contessa Speedster 45 2017	264050	Rim Syncros Alex Race 22 28H
200718	Headset Ritchey sem.int.11/8	252321	Frameset Contessa Speedster 15 17 warr

TECHNICAL DATA CONTESSA SPEEDSTER

Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/ dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)	Rear Shock (e2e)	Hardware Rear Shock in mm	Bearings (frame)
Contessa Speedster 15	FC-RS500-L, W/BB BSA	KFD5800BL/ 34.9mm	165mm (XXS/XS), 170mm (S/M), 172.5mm (L)	1-1/8"X44X30mm	80mm (XXS/ XS/S), 90mm (M), 100mm (L)	380mm (XXS/XS)/ 400mm (S/M)/ 420mm (L)	31.6x300mm	34.9mm	279	292/294	RACE 22,F:24H,R:28H	NONE	NONE	
Contessa Speedster 25	FC-4700, W/ BB BSA	KFD4700BL/ 34.9mm	165mm (XXS/XS), 170mm (S/M), 172.5mm (L)	1-1/8"X44X30mm	80mm (XXS/ XS/S), 90mm (M), 100mm (L)	380mm (XXS/XS)/ 400mm (S/M)/ 420mm (L)	31.6x300mm	34.9mm	279	292/294	RACE 22,F:24H,R:28H	NONE	NONE	
Contessa Speedster 35	ABBES300B13/ 118MM/68MM	AFDR3000BL/ 34.9mm	170mm (XXS/ XS/S/M/L)	1-1/8"X44X30mm	80mm (XXS/ XS/S), 90mm (M), 100mm (L)	380mm (XXS/XS)/ 400mm (S/M)/ 420mm (L)	31.6x300mm	34.9mm	279	291/293	RACE 22,F:24H,R:28H	NONE	NONE	
Contessa Speedster 45	ABBES300B21/ 121MM/68MM	AFD2403BL/ 34.9mm	165mm (XXS/XS), 170mm (S/M/L)	1-1/8"X44X30mm	80mm (XXS/ XS/S), 90mm (M), 100mm (L)	380mm (XXS/XS)/ 400mm (S/M)/ 420mm (L)	31.6x300mm	34.9mm	279	291/293	RACE 22,F:24H,R:28H	NONE	NONE	

04 E-BIKE

- E-SPARK 700 PLUS
- CONTESSA E-SPARK 710 PLUS
- E-GENIUS 700/900/PLUS
- CONTESSA E-GENIUS 720 PLUS
- E-SCALE 700/900/PLUS
- CONTESSA E-SCALE 700/PLUS
- E-ASPECT 700/900
- E-SILENCE
- E-SUB SPORT/TOUR/UNISEX

SCOTT E-SPARK 700 PLUS

SCOTT CONTESSA E-SPARK 710 PLUS



E-SPARK 700 PLUS TUNED


The E-Spark got a complete redesign. Equipped with a powerful and lively Shimano motor and our new suspension system, the E-Spark is the perfect trail machine.

All technical information's will follow after the tech workshop.

ITEM	SPARE PARTS E-SPARK 700 PLUS
262046	Axle RWS Rear+lever 148x12 boost plugin
254093	Dropout hanger boost TA12 DM alloy MY17
251855	CSP Screw on Spark 700 Plus Alloy 2017
228441	Headset Syncros Pressfit 50/61mm Tapered
262082	Headset spacer kit/topcap Syncros1.5 MTB
250545	H.bar Syncros FL1.5, Mini Rise
250565	Stem Syncros FL1.5, 31.8mm
250566	Stem Syncros FL2.0, 31.8mm
250562	Computer Mount for Syncros MTB Stem FL
250574	Grips Syncros Pro, Lock-On
254121	Cableguide Spark shock noodle Nude 17
254118	Cableguide Spark shock rubber Fox Nude
262040	Linkage bar Spark alloy 120mm 2017
262044	Shock mount hardware Spark 2017
262035	Rear Shock Spark 120mm Fox Nude 2017
262036	Rear Shock Spark 120mm Fox Nude 2017 Ksh
252401	Rear Shock Spark 120mm 17 X-fusion165x45
239171	Twinloc lever Nude 3 integ clamp
223309	Seatclamp 34.9mm CrMo bolt
229733	Seatclamp 34.9mm QR Gambler
262039	Swingarm rep kit Spark 120mm 2017
223289	Tool set swingarm Spark>12# Genius>13#
217236	Hub rep set Formula DHL-150 rear
242437	Hub rep kit Syncros Formula CL811
252415	Rim Alex X-35 27.5 plus 32H
242459	Rim Alex Syncros X-40 32H
263495	Rim Sync/DT E TR 1.5 28H '17 E-SC/SP 700
242454	Rim tape Scale/Genius/Genius LT +
242455	Tube Scale/Genius/Genius LT +
252183	Front triangle E-Spark 700+ tuned SH '17
252184	Front triangle E-Spark 710+ 2017 SH
252467	Front triangle E-Spark 720+ SH 2017
252276	Swingarm E-Spark 700+ tuned 2017
252277	Swingarm E-Spark 710+ 2017
252474	Swingarm E-Spark 720+ 2017


ITEM	SPARE PARTS E-CONTESSA SPARK PLUS
262046	Axle RWS Rear+lever 148x12 boost plugin
254093	Dropout hanger boost TA12 DM alloy MY17
251855	CSP Screw on Spark 700 Plus Alloy 2017
228441	Headset Syncros Pressfit 50/61mm Tapered
250545	H.bar Syncros FL1.5, Mini Rise
250565	Stem Syncros FL1.5, 31.8mm
250577	Grips Syncros Women Pro, Lock-On
254121	Cableguide Spark shock noodle Nude 17
254118	Cableguide Spark shock rubber Fox Nude
262040	Linkage bar Spark alloy 120mm 2017
262044	Shock mount hardware Spark 2017
263379	Rear Shock Spark 120mm Fox Float Perf 17
239171	Twinloc lever Nude 3 integ clamp
223309	Seatclamp 34.9mm CrMo bolt
242437	Hub rep kit Syncros Formula CL811
242439	Hub rep kit Syncros Formula CL148S
252415	Rim Alex X-35 27.5 plus 32H
242454	Rim tape Scale/Genius/Genius LT +
242455	Tube Scale/Genius/Genius LT +
223289	Tool set swingarm Spark>12# Genius>13#
262039	Swingarm rep kit Spark 120mm 2017
252186	Front triangle E-Cont Spark 710+ SH 2017

GEOMETRY/TECHNICAL DATA E-SPARK 700 PLUS & CONTESSA E-SPARK 710 PLUS



E-SPARK PLUS: 700 TUNED, 710, 720

	S	M	L	XL
A HEAD TUBE ANGLE	67.5 °	67.5 °	67.5 °	67.5 °
B HEAD TUBE LENGTH	110.0 mm 4.3 in	120.0 mm 4.7 in	130.0 mm 5.1 in	140.0 mm 5.5 in
C TOP TUBE HORIZONTAL	580.0 mm 22.8 in	610.0 mm 24.0 in	640.0 mm 25.2 in	660.0 mm 26.0 in
D STANDOVER HEIGHT	725.0 mm 28.5 in	740.2 mm 29.1 in	760.0 mm 29.9 in	785.4 mm 30.9 in
E BB OFFSET	-26.0 mm -1.0 in	-26.0 mm -1.0 in	-26.0 mm -1.0 in	-26.0 mm -1.0 in
F BB HEIGHT	337.5 mm 13.3 in	337.5 mm 13.3 in	337.5 mm 13.3 in	337.5 mm 13.3 in
G WHEEL BASE	1,142.6 mm 45.0 in	1,173.8 mm 46.2 in	1,204.9 mm 47.4 in	1,226.0 mm 48.3 in
H BB CENTER TO TOP TUBE CENTER	335.0 mm 13.2 in	375.0 mm 14.8 in	425.0 mm 16.7 in	475.0 mm 18.7 in
I BB CENTER TO TOP OF SEATTUBE	400.0 mm 15.7 in	440.0 mm 17.3 in	490.0 mm 19.3 in	540.0 mm 21.3 in
J SEAT ANGLE	73.8 °	73.8 °	73.8 °	73.8 °
K CHAINSTAY	445.0 mm 17.5 in	445.0 mm 17.5 in	445.0 mm 17.5 in	445.0 mm 17.5 in
L REACH	406.3 mm 16.0 in	433.6 mm 17.1 in	460.9 mm 18.1 in	478.3 mm 18.8 in
M STACK	597.9 mm 23.5 in	607.1 mm 23.9 in	616.3 mm 24.3 in	625.6 mm 24.6 in
N STEM LENGTH	60.0 mm 2.4 in	70.0 mm 2.8 in	80.0 mm 3.1 in	90.0 mm 3.5 in
O TRAIL	95.4 mm 3.8 in	95.4 mm 3.8 in	95.4 mm 3.8 in	95.4 mm 3.8 in



E-CONTESSA SPARK PLUS: 710

	S	M	L	XL
A HEAD TUBE ANGLE	67.5 °	67.5 °	67.5 °	67.5 °
B HEAD TUBE LENGTH	110.0 mm 4.3 in	120.0 mm 4.7 in	130.0 mm 5.1 in	140.0 mm 5.5 in
C TOP TUBE HORIZONTAL	580.0 mm 22.8 in	610.0 mm 24.0 in	640.0 mm 25.2 in	660.0 mm 26.0 in
D STANDOVER HEIGHT	725.0 mm 28.5 in	740.2 mm 29.1 in	760.0 mm 29.9 in	785.4 mm 30.9 in
E BB OFFSET	-26.0 mm -1.0 in	-26.0 mm -1.0 in	-26.0 mm -1.0 in	-26.0 mm -1.0 in
F BB HEIGHT	337.5 mm 13.3 in	337.5 mm 13.3 in	337.5 mm 13.3 in	337.5 mm 13.3 in
G WHEEL BASE	1,142.6 mm 45.0 in	1,173.8 mm 46.2 in	1,204.9 mm 47.4 in	1,226.0 mm 48.3 in
H BB CENTER TO TOP TUBE CENTER	335.0 mm 13.2 in	375.0 mm 14.8 in	425.0 mm 16.7 in	475.0 mm 18.7 in
I BB CENTER TO TOP OF SEATTUBE	400.0 mm 15.7 in	440.0 mm 17.3 in	490.0 mm 19.3 in	540.0 mm 21.3 in
J SEAT ANGLE	73.8 °	73.8 °	73.8 °	73.8 °
K CHAINSTAY	445.0 mm 17.5 in	445.0 mm 17.5 in	445.0 mm 17.5 in	445.0 mm 17.5 in
L REACH	406.3 mm 16.0 in	433.6 mm 17.1 in	460.9 mm 18.1 in	478.3 mm 18.8 in
M STACK	597.9 mm 23.5 in	607.1 mm 23.9 in	616.3 mm 24.3 in	625.6 mm 24.6 in
N STEM LENGTH	60.0 mm 2.4 in	70.0 mm 2.8 in	80.0 mm 3.1 in	90.0 mm 3.5 in
O TRAIL	95.4 mm 3.8 in	95.4 mm 3.8 in	95.4 mm 3.8 in	95.4 mm 3.8 in

TECHNICAL DATA E-SPARK 700 PLUS & CONTESSA E-SPARK 710 PLUS

Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)	Rear Shock (e2e)	Hardware Rear Shock in mm	Bearings (frame)
E-Spark 700 Plus Tuned	None (Shimano engine)	NONE	170mm-S 175mm-M/L	ISI25115AL, PRESS FIT PRO/TAPER, 1-1/8"- 1.5"/50-61mm/AL CUPS/ SSC BEARINGS, MATT BLK SANDBLASTED, TURQUOISE 3275C BRANDING H:12.9mm	50mm (S/M); 60mm (L); 70mm (XL)	740mm	31.6x356mm-S 31.6x406mm-M 31.6x456mm-L/XL	34.9mm	NA	NA	E-TRI 1.5 PLUS 150/ 27.5 REAR 150/12 FRONT 110/15, W/TL READY RIMTAPE/VALVE & RAER RWS W/O CT ADAPTER	165mm	22.2X8/ 22.2X8	24x15xT5
E-Spark 710 Plus	None (Shimano engine)	NONE	170mm-S 175mm-M/L	ISI251T043003 SYNCROS HS 1-1/8"-1.5" 55-61mm H:12.9 MATT BLK SANDBLASTED AL CUPS SSC BEARINGS NEON ORANGE YS-798 LOGO (ISI25115AL)	50mm (S/M); 60mm (L); 70mm (XL)	740mm	31.6x356mm-S 31.6x406mm-M 31.6x456mm-L/XL	34.9mm	2.0/1.8/ 2.0X274/ 2.0/1.8/ 2.0X276 RACE BLK SHORT BEND	2.0/1.8/ 2.0X274/ 2.0/1.8/ 2.0X276 RACE BLK SHORT BEND	X-35 DISC 27.5"x32H W/O EYELET, BLK ANOD., DOUBLE WALL, 35mm, SLEEVE JOINT, 2 MATT STICKERX35CM, NEON ORANGE/TEAL 3265C DECAL	165mm	22.2X8/ 22.2X8	24x15xT5
E-Spark 720 Plus	None (Shimano engine)	NONE	170mm-S 175mm-M/L	ISI251T043002/ ISI25115AL, HS COMP 1-1/8"-1.5" 55- 61mm H:12.9 MATT BLK SANDBLASTED STEEL CUPS SEALED BEARINGS W/NEON LIME YS-8099 (NE05) Branding	50mm (S/M); 60mm (L); 70mm (XL)	740mm	31.6x356mm-S 31.6x406mm-M 31.6x456mm-L/XL	34.9mm	2.0/1.8/ 2.0X274/ 2.0/1.8/ 2.0X276 RACE BLK SHORT BEND	2.0/1.8/ 2.0X274/ 2.0/1.8/ 2.0X276 RACE BLK SHORT BEND	X-35 DISC 27.5"x32H W/O EYELET, BLK ANOD., DOUBLE WALL, 35mm, SLEEVE JOINT, 2 MATT STICKERX35CM, NEON LIME/PROCESS CYAN C DECAL	165mm	22.2X8/ 22.2X8	24x15xT5
E-Contessa Spark 710 Plus	None (Shimano engine)	NONE	170mm-S 175mm-M/L	ISI25115AL, PRESS FIT PRO/TAPER, 1-1/8"- 1.5"/50-61mm/AL CUPS/ SSC BEARINGS, MATT BLK SANDBLASTED, YS2260 GREEN BRANDING H:12.9mm	50mm (S/M); 60mm (L)	740mm	31.6x356mm-S 31.6x456mm-M/L	34.9mm	2.0/1.8/ 2.0X274/ 2.0/1.8/ 2.0X276 RACE BLK SHORT BEND	2.0/1.8/ 2.0X274/ 2.0/1.8/ 2.0X276 RACE BLK SHORT BEND	X-35 DISC 27.5"x32H W/O EYELET, BLK ANOD., DOUBLE WALL, 35mm, SLEEVE JOINT, 2 MATT STICKERX35CM, PINE GREEN YS2260/DESERT GOLD YS9209-1 DECAL	165mm	22.2X8/ 22.2X8	24x15xT5

SCOTT E-GENIUS 900/700 PLUS

SCOTT CONTESSA E-GENIUS 720 PLUS



E-GENIUS 700 PLUS TUNED

The bike is the same as in MY16, same Motor and battery technology. The sprocket has changed to a 15 teeth. Also the Battery cover is compatible with the MY16 models.

ITEM	SPARE PARTS E-GENIUS 900	ITEM	SPARE PARTS E-GENIUS 700 PLUS
236153	Axle RWS 10 Alu thru 142MM / Ø12MM	242432	Axle RWS Alu thru 150MM / Ø12MM
235287	Dropout Set IDS 2 142/RWS 12 Dir.Mount	219573	Dropout Set IDS 2 135/RWS 12
235288	Dropout Hanger right IDS 2 142/RWS 12 DM	219576	Dropout Hang.right side IDS 2 135/RWS12
245451	Chainsuck protector E-Genius/Plus 16	245451	Chainsuck protector E-Genius/Plus 16
246378	CSP Pre shape E-Genius/E-Genius+ '16	228441	Headset Syncros Pressfit 50/61mm Tapered
228441	Headset Syncros Pressfit 50/61mm Tapered	262082	Headset spacer kit/topcap Syncros1.5 MTB
250574	Grips Syncros Pro, Lock-On	250543	H.bar Syncros FL1.0 Carbon, Mini Rise
242446	E-bike crankset Miranda Delta Boost	250545	H.bar Syncros FL1.5, Mini Rise
262638	E-bike sprocket Miranda Delta 15T	250574	Grips Syncros Pro, Lock-On
242450	E-bike Bosch Motor Cover 2016	242446	E-bike crankset Miranda Delta Boost
220693	Speed Sensor Mount Kit E-SUB/Sportster	262640	E-bike sprocket Miranda Delta 8.65mm 15T
242449	E-bike integ bat. socket Sport Tour 2016	242450	E-bike Bosch Motor Cover 2016
263869	E-bike frame coverGr1 E-GeniusE-Scale'17	220693	Speed Sensor Mount Kit E-SUB/Sportster
263870	E-bike frame coverGr2 E-GeniusE-Scale'17	242449	E-bike integ bat. socket Sport Tour 2016
235272	Geometry chip Spark Genius All 14	263869	E-bike frame coverGr1 E-GeniusE-Scale'17
235710	Shock Mount/Bush.set Spark Genius/LT 14>	263870	E-bike frame coverGr2 E-GeniusE-Scale'17
229716	Shock Mount Bolt Genius 2013	235272	Geometry chip Spark Genius All 14
235267	Linkage bar set Genius 900 2014	235710	Shock Mount/Bush.set Spark Genius/LT 14>
242413	Rear shock FOX NUD3 DPS 190*50	229716	Shock Mount Bolt Genius 2013
242419	Rear shock Xfusion NUDE 190*50	235267	Linkage bar set Genius 900 2014
230097	Twinloc XLremote lever for Nude 2/3	242413	Rear shock FOX NUD3 DPS 190*50
239171	Twinloc lever Nude 3 integ clamp	242418	Rear shock FOX NUD3 DPS EVOL 190*50
223309	Seatclamp 34.9mm CrMo bolt	242419	Rear shock Xfusion NUDE 190*50
223301	Swingarm Repair Kit Spark>12# Genius>13#	230097	Twinloc XLremote lever for Nude 2/3
223302	Igus Bushing Set Spark>12# Genius>13# CS	239171	Twinloc lever Nude 3 integ clamp
223303	Ind. Bearing Set Spark 2012 CST/SST w/ax	223309	Seatclamp 34.9mm CrMo bolt
223289	Tool set swingarm Spark>12# Genius>13#	262070	Seatpost remote syncros 2.0
252417	Rim Alex X-25 29 32H	262071	Seatpost remote syncros 2.5
252177	Front triangle E-Genius 910 BO 2017	262074	Seatpost service a/base Syncros 2.0
252178	Front triangle E-Genius 920 BO 2017	262072	Seatpost service air Cart kit Syncros2.0
252270	Chainstays E-Genius 910 2017	262073	Seatpost service air Cart kit Syncros2.5
252271	Chainstays E-Genius 920 2017	262069	Seatpost Syncros drop 2.0 W/O lever 31.6
252296	Seatstays E-Genius 910 2017	217236	Hub rep set Formula DHL-150 rear
252297	Seatstays E-Genius 920 2017	242437	Hub rep kit Syncros Formula CL811
		242459	Rim Alex Syncros X-40 32H
		263496	Rim Sync/DT E TR 1.5 28H17 E-GE 700 TND
		242454	Rim tape Scale/Genius/Genius LT +
		242455	Tube Scale/Genius/Genius LT +
		223301	Swingarm Repair Kit Spark>12# Genius>13#
		223302	Igus Bushing Set Spark>12# Genius>13# CS
		223303	Ind. Bearing Set Spark 2012 CST/SST w/ax
		223289	Tool set swingarm Spark>12# Genius>13#
		252179	Front triangle E-Genius 700 Tuned+ BO 17
		252180	Front triangle E-Genius 710+ BO 2017
		252181	Front triangle E-Genius 720+ BO 2017
		252468	Front triangle E-Genius 730 + BO 2017
		252272	Chainstays E-Genius 700 TND+ 2017
		252273	Chainstays E-Genius 710+ 2017
		252274	Chainstays E-Genius 720+ 2017
		252475	Chainstays E-Genius 730 + 2017
		252298	Seatstays E-Genius 700 Tuned+ 2017
		252299	Seatstays E-Genius 710+ 2017
		252300	Seatstays E-Genius 720+ 2017
		252476	Seatstays E-Genius 730 + 2017

ITEM	SPARE PARTS E-CONTESSA GENIUS PLUS	ITEM	SPARE PARTS E-CONTESSA GENIUS PLUS
242432	Axle RWS Alu thru 150MM / Ø12MM	242413	Rear shock FOX NUD3 DPS 190*50
219573	Dropout Set IDS 2 135/RWS 12	239171	Twinloc lever Nude 3 integ clamp
219576	Dropout Hang.right side IDS 2 135/RWS12	223309	Seatclamp 34.9mm CrMo bolt
245451	Chainsuck protector E-Genius/Plus 16	262070	Seatpost remote syncros 2.0
228441	Headset Syncros Pressfit 50/61mm Tapered	262074	Seatpost service a/base Syncros 2.0
250577	Grips Syncros Women Pro, Lock-On	262072	Seatpost service air Cart kit Syncros2.0
242446	E-bike crankset Miranda Delta Boost	262069	Seatpost Syncros drop 2.0 W/O lever 31.6
262640	E-bike sprocket Miranda Delta 8.65mm 15T	242459	Rim Alex Syncros X-40 32H
242450	E-bike Bosch Motor Cover 2016	242454	Rim tape Scale/Genius/Genius LT +
220693	Speed Sensor Mount Kit E-SUB/Sportster	242455	Tube Scale/Genius/Genius LT +
242449	E-bike integ bat. socket Sport Tour 2016	223301	Swingarm Repair Kit Spark>12# Genius>13#
263869	E-bike frame coverGr1 E-GeniusE-Scale'17	223302	Igus Bushing Set Spark>12# Genius>13# CS
263870	E-bike frame coverGr2 E-GeniusE-Scale'17	223303	Ind. Bearing Set Spark 2012 CST/SST w/ax
235272	Geometry chip Spark Genius All 14	223289	Tool set swingarm Spark>12# Genius>13#
235710	Shock Mount/Bush.set Spark Genius/LT 14>	252182	Front triangle E-Genius Cont 720+ BO '17
229716	Shock Mount Bolt Genius 2013	252275	Chainstays E-Genius Cont 720+ 2017
235267	Linkage bar set Genius 900 2014	252301	Seatstays E-Genius Cont 720+ 2017

TECHNICAL DATA E-GENIUS 900/700 PLUS & CONTESSA E-GENIUS 720 PLUS

Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/ dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)	Rear Shock (e2e)	Hardware Rear Shock in mm	Bearings (frame)
E-Genius 700 Plus Tuned	None (Bosch engine)	NONE	170MM- S/M/L/ XL	1S1251T043003 SYNCROS HS 1-1/8"-1.5" 55-61MM H:12.9 MATT BLK SANDBLASTED AL CUPS SSC BEARINGS NEON ORANGE YS-798 LOGO (1S1251I5AL)	50mm(S/M); 60mm(L); 70mm(XL)	760mm	31.6X356mm-S 31.6X456mm- M/L/XL	34.9mm	NA	NA	E-TRI.5 PLUS 150/ 27.5 REAR 150/12 FRONT 110/15 , W/TL READY RIMTAPE/VALVE & RAER RWS W/O CT ADAPTER (17SU E-GENIUS 70 TUNED PLUS)	190MM	22.2X8/ 22.2X8	24X15XT5
E-Genius 710 Plus	None (Bosch engine)	NONE	170MM- S/M/L/ XL	1S1251I5AL SYNCROS HS 1-1/8"-1.5" 50- 61MM H:12.9 MATT BLK SANDBLASTED AL CUPS SSC BEARINGS NEON LIME YS-8099 LOGO	50mm(S/M); 60mm(L); 70mm(XL)	760mm	31.6X356mm-S 31.6X456mm- M/L/XL	34.9mm	2.0/1.8/2.0X274/ 2.0/1.8/2.0X276 RACE BLK SHORT BEND	2.0/1.8/2.0X274/ 2.0/1.8/2.0X276 RACE BLK SHORT BEND	AL X40 DISC 27.5"X32H W/ EYELET, BLK ANOD., DOUBLE WALL, 40MM, YS809 NEON, LIME/PROCESS CYANC DECAL	190MM	22.2X8/ 22.2X8	24X15XT5
E-Genius 720 Plus	None (Bosch engine)	NONE	170MM- S/M/L/ XL	1S121815FST SYNCROS HS COMP 1-1/8"-1.5" 55-61MM H:11.1 MATT BLK SANDBLASTED STEEL CUPS SEALED BEARINGS W/NEON RED YS794-1 LOGO (1S1218T043006)	50mm(S/M); 60mm(L); 70mm(XL)	760mm	31.6X370mm-S 31.6X412mm- M/L/XL	34.9mm	2.0/1.8/2.0X274/ 2.0/1.8/2.0X276 RACE BLK SHORT BEND	2.0/1.8/2.0X274/ 2.0/1.8/2.0X276 RACE BLK SHORT BEND	AL X40 DISC 27.5"X32H W/ EYELET, BLK ANOD., DOUBLE WALL, 40MM, YS794-1 NEON RED DECAL	190MM	22.2X8/ 22.2X8	24X15XT5
E-Genius 730 Plus	None (Bosch engine)	NONE	170MM- S/M/L/ XL	1S121815FST SYNCROS HS COMP 1-1/8"-1.5" 55-61MM H:11.1 MATT BLK SANDBLASTED STEEL CUPS SEALED BEARINGS W/NEON RED YS794-1 LOGO (1S1218T043006)	50mm(S/M); 60mm(L); 70mm(XL)	760mm	31.6X360mm-S 31.6X400mm- M/L/XL	34.9mm	2.0/1.8/2.0X274/ 2.0/1.8/2.0X276 RACE BLK SHORT BEND	2.0/1.8/2.0X274/ 2.0/1.8/2.0X276 RACE BLK SHORT BEND	AL X40 DISC 27.5"X32H W/ EYELET, BLK ANOD., DOUBLE WALL, 40MM, YS804 NEON GREEN DECAL	190MM	22.2X8/ 22.2X8	24X15XT5
E-Genius 910	None (Bosch engine)	NONE	170MM- S/M/L/ XL	1S1251I5AL SYNCROS HS 1-1/8"-1.5" 50- 61MM H:12.9 MATT BLK SANDBLASTED AL CUPS SSC BEARINGS NEON LIME YS-8099 LOGO	50mm(S/M); 60mm(L); 70mm(XL)	760mm	31.6X370mm-S 31.6X412mm- M/L/XL	34.9mm	2.0/1.8/2.0X292/ 2.0/1.8/2.0X294 RACE BLK SHORT BEND	2.0/1.8/2.0X292/ 2.0/1.8/2.0X294 RACE BLK SHORT BEND	X25 DISC 29"X32H W/O EYELET, BLK ANOD., DOUBLE WALL, 25MM, 2 MATT STICKERSX35CM, NEON GREEN YS804/NEON LIME YS809 DECAL	190MM	22.2X8/ 22.2X8	24X15XT5
E-Genius 920	None (Bosch engine)	NONE	170MM- S/M/L/ XL	1S121815FST SYNCROS HS COMP 1-1/8"-1.5" 55-61MM H:11.1 MATT BLK SANDBLASTED STEEL CUPS SEALED BEARINGS W/NEON RED YS794-1 LOGO (1S1218T043006)	50mm(S/M); 60mm(L); 70mm(XL)	760mm	31.6X360mm-S 31.6X400mm- M/L/XL	34.9mm	2.0/1.8/2.0X292/ 2.0/1.8/2.0X294 RACE BLK SHORT BEND	2.0/1.8/2.0X292/ 2.0/1.8/2.0X294 RACE BLK SHORT BEND	X25 DISC 29"X32H W/O EYELET, BLK ANOD., DOUBLE WALL, 25MM, 2 MATT STICKERSX35CM, NEON RED YS794- 1/GREY 431C DECAL	190MM	22.2X8/ 22.2X8	24X15XT5
E-Contessa Genius 720 Plus	None (Bosch engine)	NONE	170MM- S/M/L	1S121815FST, PRESS FIT COMP/TAPER, 1-1/8"-1.5"/50- 61MM/STEEL CUPS/SEALED BEARING, MATT BLK SANDBLASTED, TURQUOISE 3275C BRANDING H:11.1MM	50mm(S/M); 60mm(L)	740mm	31.6X370mm-S 31.6X412mm- M/L	34.9mm	2.0/1.8/2.0X274/ 2.0/1.8/2.0X276 RACE BLK SHORT BEND	2.0/1.8/2.0X274/ 2.0/1.8/2.0X276 RACE BLK SHORT BEND	AL X40 DISC 27.5"X32H W/ EYELET, BLK ANOD., DOUBLE WALL, 40MM, YS9680 DECAL	190MM	22.2X8/ 22.2X8	24X15XT5

SCOTT E-SCALE 700/900/PLUS

SCOTT CONTESSA E-SCALE 700/PLUS



E-SCALE 910

The E-Scale got a new frame for MY17. The Bosch motor cover is the same as used on the E-Genius. For the battery cover there are two different versions available, decide there is the size of the bike.

For the battery covers, refer to the Brose/Bosch section of this Techbook.

ITEM	SPARE PARTS E-SCALE 700/900
219573	Dropout Set IDS 2 135/RWS 12
219576	Dropout Hang.right side IDS 2 135/RWS12
235287	Dropout Set IDS 2 142/RWS 12 Dir.Mount
235288	Dropout Hanger right IDS 2 142/RWS 12 DM
228441	Headset Syncros Pressfit 50/61mm Tapered
250574	Grips Syncros Pro, Lock-On
250566	Stem Syncros FL2.0, 31.8mm
237510	Crankset E-SUB / MTB 2014 175
237511	Crankset E-SUB / MTB 2014 170
262638	E-bike sprocket Miranda Delta 15T
242450	E-bike Bosch Motor Cover 2016
229733	Seatclamp 34.9mm QR Gambler
220693	Speed Sensor Mount Kit E-SUB/Sportster
242449	E-bike integ bat. socket Sport Tour 2016
263869	E-bike frame coverGr1 E-GeniusE-Scale'17
263870	E-bike frame coverGr2 E-GeniusE-Scale'17
252403	Hub rep kit Form CT-1702 / 5x141mm
242439	Hub rep kit Syncros Formula CL148S
242514	Hub rep kit Syncros Formula CL71
252416	Rim Alex X-25 27.5 32H
252417	Rim Alex X-25 29 32H
252218	Frame E-Scale 710 BO 2017 warr
252217	Frame E-Scale 910 BO 2017 warr

ITEM	SPARE PARTS E-SCALE 700 PLUS
262046	Axle RWS Rear+lever 148x12 boost plugin
219577	Dropout Hang.right side IDS 2 142/RWS12
219574	Dropout Set IDS 2 142/RWS 12
235287	Dropout Set IDS 2 142/RWS 12 Dir.Mount
235288	Dropout Hanger right IDS 2 142/RWS 12 DM
228441	Headset Syncros Pressfit 50/61mm Tapered
250574	Grips Syncros Pro, Lock-On
250566	Stem Syncros FL2.0, 31.8mm
250562	Computer Mount for Syncros MTB Stem FL
250545	H.bar Syncros FL1.5, Mini Rise
242446	E-bike crankset Miranda Delta Boost
262640	E-bike sprocket Miranda Delta 8.65mm 15T
242450	E-bike Bosch Motor Cover 2016
242449	E-bike integ bat. socket Sport Tour 2016
263869	E-bike frame coverGr1 E-GeniusE-Scale'17
263870	E-bike frame coverGr2 E-GeniusE-Scale'17
223309	Seatclamp 34.9mm CrMo bolt
262070	Seatpost remote syncros 2.0
262071	Seatpost remote syncros 2.5
262074	Seatpost service a/base Syncros 2.0
262072	Seatpost service air Cart kit Syncros2.0
262073	Seatpost service air Cart kit Syncros2.5
262069	Seatpost Syncros drop 2.0 W/O lever 31.6
242437	Hub rep kit Syncros Formula CL811
242439	Hub rep kit Syncros Formula CL148S
252415	Rim Alex X-35 27.5 plus 32H
263495	Rim Sync/DT E TR 1.5 28H '17 E-SC/SP 700
242454	Rim tape Scale/Genius/Genius LT +
242455	Tube Scale/Genius/Genius LT +
252219	Frame E-Scale 700+ ult BO 2017 warr

ITEM	SPARE PARTS E-CONTESSA SCALE
235287	Dropout Set IDS 2 142/RWS 12 Dir.Mount
235288	Dropout Hanger right IDS 2 142/RWS 12 DM
239548	CSP Pre Shape E-Aspect '15
228441	Headset Syncros Pressfit 50/61mm Tapered
250577	Grips Syncros Women Pro, Lock-On
237510	Crankset E-SUB / MTB 2014 175
237511	Crankset E-SUB / MTB 2014 170
237512	E-Bike chainring + guard E-MTB 14 16T
242450	E-bike Bosch Motor Cover 2016
229733	Seatclamp 34.9mm QR Gambler
220693	Speed Sensor Mount Kit E-SUB/Sportster
242449	E-bike integ bat. socket Sport Tour 2016
263869	E-bike frame coverGr1 E-GeniusE-Scale'17
263870	E-bike frame coverGr2 E-GeniusE-Scale'17
252403	Hub rep kit Form CT-1702 / 5x141mm
252416	Rim Alex X-25 27.5 32H
252221	Frame E-Contessa Scale 730 BO 17 warr

ITEM	SPARE PARTS E-CONTESSA SCALE PLUS
262046	Axle RWS Rear+lever 148x12 boost plugin
235287	Dropout Set IDS 2 142/RWS 12 Dir.Mount
235288	Dropout Hanger right IDS 2 142/RWS 12 DM
228441	Headset Syncros Pressfit 50/61mm Tapered
250577	Grips Syncros Women Pro, Lock-On
250566	Stem Syncros FL2.0, 31.8mm
242446	E-bike crankset Miranda Delta Boost
262640	E-bike sprocket Miranda Delta 8.65mm 15T
242450	E-bike Bosch Motor Cover 2016
242449	E-bike integ bat. socket Sport Tour 2016
263869	E-bike frame coverGr1 E-GeniusE-Scale'17
263870	E-bike frame coverGr2 E-GeniusE-Scale'17
223309	Seatclamp 34.9mm CrMo bolt
262071	Seatpost remote syncros 2.5
262073	Seatpost service air Cart kit Syncros2.5
262069	Seatpost Syncros drop 2.0 W/O lever 31.6
252415	Rim Alex X-35 27.5 plus 32H
242454	Rim tape Scale/Genius/Genius LT +
242455	Tube Scale/Genius/Genius LT +
252220	Frame E-Contessa Scale 720+ BO 17 warr

TECHNICAL DATA E-SCALE 700/900/PLUS & CONTESSA E-SCALE 700/PLUS

Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/ dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)	Rear Shock (e2e)	Hardware Rear Shock in mm	Bearings (frame)
E-Scale 700 Plus Ultimate	None (Bosch engine)	NONE	170MM-S 175MM- M/L/XL	ISI25115AL, PRESS FIT PRO/TAPER, 1-1/8"-1.5"/50-61MM/ AL CUPS/SSC BEARINGS, MATT BLK SANDBLASTED, TURQUOISE 3275C BRANDING H:12.9MM	50MM(S/M); 60MM(L); 70MM(XL)	740mm	31.6X370mm-S 31.6X412mm- M/L/XL	34.9mm	NA	NA	TR1.5 PLUS 27.5 F/R:28H, F:110X15/ R:148X12MM, CL HUB, RIM, BLK SPOKE/ NIPPLE W/TL READY RIM TAPE/ VALVE & RAER RWS W/O CT ADAPTER (17SU E-SCALE 700 TUNED PLUS)	NA	NA	NA
E-Scale 710	None (Bosch engine)	NONE	170MM-S 175MM- M/L	1FI401T043004, SYNCROS 1/8" -1.5" TAPERED, DROP-IN SEALED CARTRIDGE & TIB BEARING, W/O AL HEADSETCUP, IS42/28.6 IS52/40, W/O LOGO	70MM(S); 80MM(M); 90MM(L)	720mm	31.6X400mm	34.9mm	2.0X274/ 2.0X276 LEADER BLACK	2.0X274/ 2.0X276 LEADER BLACK	X25 DISC 27.5"x32H W/O EYELET, BLK ANOD., DOUBLE WALL, 25MM, 2 MATT STICKERSX35CM, COOL GREY/NEON YELLOW DECAL	NA	NA	NA
E-Scale 710 Plus	None (Bosch engine)	NONE	170MM-S 175MM- M/L/XL	ISI251T043003 SYNCROS HS 1-1/8"-1.5" 55-61MM H:12.9 MATT BLK SANDBLASTED AL CUPS SSC BEARINGS NEON ORANGE YS-798 LOGO (ISI25115AL)	50MM(S/M); 60MM(L); 70MM(XL)	740mm	31.6X400mm	34.9mm	2.0/1.8/2.0X274/ 2.0/1.8/2.0X276 RACE BLK SHORT BEND	2.0/1.8/2.0X274/ 2.0/1.8/2.0X276 RACE BLK SHORT BEND	X-35 DISC 27.5"x32H W/O EYELET, BLK ANOD., DOUBLE WALL, 35MM, SLEEVE JOINT, 2 MATT STICKERX35CM, NEON ORANGE/ TEAL 3265C DECAL	NA	NA	NA
E-Scale 720	None (Bosch engine)	NONE	170MM-S 175MM- M/L	ISI110T043003 (ISI11015F30) SYNCROS HS OE 1-1/8"-1.5" 55-61MM H:8.2 BLK STEEL CUPS BALL BEARINGS	70MM(S); 80MM(M); 90MM(L)	720mm	31.6X400mm	34.9mm	2.0X274/ 2.0X276 LEADER BLACK	2.0X274/ 2.0X276 LEADER BLACK	X25 DISC 27.5"x32H W/O EYELET, BLK ANOD., DOUBLE WALL, 25MM, 2 MATT STICKERSX35CM, NEON GREEN/NEON LIME DECAL	NA	NA	NA
E-Scale 720 Plus	None (Bosch engine)	NONE	170MM-S 175MM- M/L/XL	ISI21815FST SYNCROS HS COMP 1-1/8"-1.5" 55-61MM H:12.9 MATT BLK SANDBLASTED STEEL CUPS SEALED BEARINGS W/neon lime YS-8099 (NE05) Branding	50MM(S/M); 60MM(L); 70MM(XL)	740mm	31.6X400mm	34.9mm	2.0/1.8/2.0X274/ 2.0/1.8/2.0X276 RACE BLK SHORT BEND	2.0/1.8/2.0X274/ 2.0/1.8/2.0X276 RACE BLK SHORT BEND	X-35 DISC 27.5"x32H W/O EYELET, BLK ANOD., DOUBLE WALL, 35MM, SLEEVE JOINT, 2 MATT STICKERX35CM, NEON LIME/ PROCESS CYAN C DECAL	NA	NA	NA
E-Scale 730	None (Bosch engine)	NONE	170MM-S 175MM- M/L	ISI110T043003 (ISI11015F30) SYNCROS HS OE 1-1/8"-1.5" 55-61MM H:8.2 BLK STEEL CUPS BALL BEARINGS	70MM(S); 80MM(M); 90MM(L)	720mm	31.6X400mm	34.9mm	2.0X274/ 2.0X276 LEADER BLACK	2.0X274/ 2.0X276 LEADER BLACK	X25 DISC 27.5"x32H W/O EYELET, BLK ANOD., DOUBLE WALL, 25MM, 2 MATT STICKERSX35CM, NEON RED/WHITE DECAL	NA	NA	NA
E-Scale 910	None (Bosch engine)	NONE	170MM-S 175MM- M/L/XL	1FI401T043004, SYNCROS 1/8" -1.5" TAPERED, DROP-IN SEALED CARTRIDGE & TIB BEARING, W/O AL HEADSETCUP, IS42/28.6 IS52/40, W/O LOGO	70MM(S); 80MM(M); 90MM(L); 100MM(XL)	720mm	31.6X400mm	34.9mm	2.0X292/ 2.0X294 LEADER BLACK	2.0X292/ 2.0X294 LEADER BLACK	X25 DISC 29"x32H W/O EYELET, BLK ANOD., DOUBLE WALL, 25MM, 2 MATT STICKERSX35CM, COOL GREY/NEON YELLOW DECAL	NA	NA	NA
E-Scale 920	None (Bosch engine)	NONE	170MM-S 175MM- M/L/XL	ISI110T043003 (ISI11015F30) SYNCROS HS OE 1-1/8"-1.5" 55-61MM H:8.2 BLK STEEL CUPS BALL BEARINGS	70MM(S); 80MM(M); 90MM(L); 100MM(XL)	720mm	31.6X400mm	34.9mm	2.0X292/ 2.0X294 LEADER BLACK	2.0X292/ 2.0X294 LEADER BLACK	X25 DISC 29"x32H W/O EYELET, BLK ANOD., DOUBLE WALL, 25MM, 2 MATT STICKERSX35CM, NEON GREEN YS804/NEON LIME YS809 DECAL	NA	NA	NA
E-Scale 930	None (Bosch engine)	NONE	170MM-S 175MM- M/L/XL	ISI110T043003 (ISI11015F30) SYNCROS HS OE 1-1/8"-1.5" 55-61MM H:8.2 BLK STEEL CUPS BALL BEARINGS	70MM(S); 80MM(M); 90MM(L); 100MM(XL)	720mm	31.6X400mm	34.9mm	2.0X292/ 2.0X294 LEADER BLACK	2.0X292/ 2.0X294 LEADER BLACK	X25 DISC 29"x32H W/O EYELET, BLK ANOD., DOUBLE WALL, 25MM, 2 MATT STICKERSX35CM, NEON RED/WHITE DECAL	NA	NA	NA
E-Contessa Scale 720 Plus	None (Bosch engine)	NONE	170MM-S 175MM- M/L	ISI21815FST, PRESS FIT COMP/TAPER, 1-1/8"-1.5"/50- 61MM/STEEL CUPS/SEALED BEARING, MATT BLK SANDBLASTED, 220C BRANDING H:11.1MM	50MM(S/M); 60MM(L)	720mm	31.6X400mm	34.9mm	2.0/1.8/2.0X274/ 2.0/1.8/2.0X276 RACE BLK SHORT BEND	2.0/1.8/2.0X274/ 2.0/1.8/2.0X276 RACE BLK SHORT BEND	X-35 DISC 27.5"x32H W/O EYELET, BLK ANOD., DOUBLE WALL, 35MM, SLEEVE JOINT, 2 MATT STICKERX35CM, DARK PINK DECAL	NA	NA	NA
E-Contessa Scale 730	None (Bosch engine)	NONE	170MM-S 175MM- M/L	ISI25115AL, PRESS FIT PRO/TAPER, 1-1/8"-1.5"/50-61MM/ AL CUPS/SSC BEARINGS, MATT BLK SANDBLASTED, TURQUOISE 3275C BRANDING H:12.9MM	70MM(S); 80MM(M); 90MM(L)	720mm	31.6X400mm	34.9mm	2.0X274/ 2.0X276 LEADER BLACK	2.0X274/ 2.0X276 LEADER BLACK	X23 DISC 27.5"x32H W/O EYELET, BLK ANOD., DOUBLE WALL, 23MM, 2 MATT STICKERSX35CM, DESERT GOLD/PINE GREEN DECAL	NA	NA	NA

SCOTT E-ASPECT 700/900



E-ASPECT 710


The E-Aspect not only gets a face lift for MY17, we redesigned the complete bike and have equipped it with a new drive unit. The bike is now powered by a Brose motor system.

For the mounting instructions of the Brose motor cover, please check the Brose chapter.

SPARE PARTS E-ASPECT 700/900

ITEM	SPARE PARTS E-ASPECT
236153	Axle RWS 10 Alu thru 142MM / Ø12MM
219573	Dropout Set IDS 2 135/RWS 12
219576	Dropout Hang.right side IDS 2 135/RWS12
235287	Dropout Set IDS 2 142/RWS 12 Dir.Mount
235288	Dropout Hanger right IDS 2 142/RWS 12 DM
262623	Cableguide set E-silence/E-aspect MY17
262047	Chainguide E-Aspect MY17
228441	Headset Syncros Pressfit 50/61mm Tapered
250574	Grips Syncros Pro, Lock-On
263874	E-bike fork bumper E-Aspect MY17
263875	E-bike CST Protector E-Aspect MY17
252409	E-bike chainring+spider 36T Brose/Aspect
252406	E-bike crankset FSA isis 170mm/brose
252410	E-bike Brose motor cover
229733	Seatclamp 34.9mm QR Gambler
246376	Rim Syncros X-23 Disc 32H
252222	Frame E-Aspect 710 BR 2017 warr
252223	Frame E-Aspect 910 BR 2017 warr

GEOMETRY/TECHNICAL DATA E-ASPECT 700/900



E-ASPECT

E-ASPECT: 910, 920

	M	L	XL
A HEAD TUBE ANGLE	68.5 °	68.5 °	68.5 °
B HEAD TUBE LENGTH	145.0 mm 5.7 in	155.0 mm 6.1 in	160.0 mm 6.3 in
C TOP TUBE HORIZONTAL	600.0 mm 23.6 in	620.0 mm 24.4 in	640.0 mm 25.2 in
D STANDOVER HEIGHT	808.3 mm 31.8 in	840.6 mm 33.1 in	870.5 mm 34.3 in
E BB OFFSET	-60.0 mm -2.4 in	-60.0 mm -2.4 in	-60.0 mm -2.4 in
F BB HEIGHT	316.0 mm 12.4 in	316.0 mm 12.4 in	316.0 mm 12.4 in
G WHEEL BASE	1,156.2 mm 45.5 in	1,177.0 mm 46.3 in	1,197.4 mm 47.1 in
H BB CENTER TO TOP TUBE CENTER			
I BB CENTER TO TOP OF SEATTUBE	440.0 mm 17.3 in	490.0 mm 19.3 in	540.0 mm 21.3 in
J SEAT ANGLE	73.0 °	73.0 °	73.0 °
K CHAINSTAY	472.0 mm 18.6 in	472.0 mm 18.6 in	472.0 mm 18.6 in
L REACH	403.0 mm 15.9 in	420.1 mm 16.5 in	438.7 mm 17.3 in
M STACK	644.5 mm 25.4 in	653.8 mm 25.7 in	658.5 mm 25.9 in
N STEM LENGTH			
O TRAIL			

E-ASPECT: 710, 720

	S	M	L
A HEAD TUBE ANGLE	68.5 °	68.5 °	68.5 °
B HEAD TUBE LENGTH	140.0 mm 5.5 in	145.0 mm 5.7 in	155.0 mm 6.1 in
C TOP TUBE HORIZONTAL	580.0 mm 22.8 in	600.0 mm 23.6 in	620.0 mm 24.4 in
D STANDOVER HEIGHT	766.3 mm 30.2 in	790.3 mm 31.1 in	822.7 mm 32.4 in
E BB OFFSET	-50.0 mm -2.0 in	-50.0 mm -2.0 in	-50.0 mm -2.0 in
F BB HEIGHT	307.5 mm 12.1 in	307.5 mm 12.1 in	307.5 mm 12.1 in
G WHEEL BASE	1,111.5 mm 43.8 in	1,131.9 mm 44.6 in	1,152.7 mm 45.4 in
H BB CENTER TO TOP TUBE CENTER			
I BB CENTER TO TOP OF SEATTUBE	400.0 mm 15.7 in	440.0 mm 17.3 in	490.0 mm 19.3 in
J SEAT ANGLE	73.0 °	73.0 °	73.0 °
K CHAINSTAY	452.0 mm 17.8 in	452.0 mm 17.8 in	452.0 mm 17.8 in
L REACH	390.6 mm 15.4 in	406.2 mm 16.0 in	426.3 mm 16.8 in
M STACK	619.6 mm 24.4 in	624.2 mm 24.6 in	633.5 mm 24.9 in
N STEM LENGTH			
O TRAIL			

TECHNICAL DATA E-ASPECT 700/900

Bike	BB-spec/axle length/shell width	Front Derailleur spec/diameter	Crankarm Length in mm	Headset spec/dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)	Rear Shock (e2e)	Hardware Rear Shock in mm	Bearings (frame)
E-Aspect 710	None (Brose engine)	NONE	170mm-S 175mm-M/L	1FI401T043004, SYNCROS 1/8" - 1.5" TAPERED, DROP-IN SEALED CARTRIDGE & TIB BEARING, W/O AL HEADSETCUP, IS42/28.6 IS52/40, W/O LOGO	70mm(S); 80mm(M); 90mm(L)	720mm	31.6X400mm	34.9mm	2.0X274/2.0X276 LEADER BLACK	2.0X274/2.0X276 LEADER BLACK	X23 DISC 27.5"X32H W/O EYELET, BLK ANOD., DOUBLE WALL, 23MM, 2 MATT STICKERSX35CM, NEON ORANGE YS-798 DECAL	NA	NA	NA
E-Aspect 720	None (Brose engine)	NONE	170mm-S 175mm-M/L	1SI110T043003 (1SI11015F30) SYNCROS HS OE 1-1/8"-1.5" 55-61MM H:8.2 BLK STEEL CUPS BALL BEARINGS	70mm(S); 80mm(M); 90mm(L)	720mm	31.6X400mm	34.9mm	2.0X274/2.0X276 LEADER BLACK	2.0X274/2.0X276 LEADER BLACK	X23 DISC 27.5"X32H W/O EYELET, BLK ANOD., DOUBLE WALL, 23MM, 2 MATT STICKERSX35CM, NEON YELLOW YS-793 DECAL	NA	NA	NA
E-Aspect 910	None (Brose engine)	NONE	170mm-M 175mm-L/XL	1FI401T043004, SYNCROS 1/8" - 1.5" TAPERED, DROP-IN SEALED CARTRIDGE & TIB BEARING, W/O AL HEADSETCUP, IS42/28.6 IS52/40, W/O LOGO	80mm(M); 90mm(L); 100mm(XL)	720mm	31.6X400mm	34.9mm	2.0X292/2.0X294 LEADER BLACK	2.0X292/2.0X294 LEADER BLACK	X23 DISC 29"X32H W/O EYELET, BLK ANOD., DOUBLE WALL, 23MM, 2 MATT STICKERSX35CM, NEON ORANGE YS-798 DECAL	NA	NA	NA
E-Aspect 920	None (Brose engine)	NONE	170mm-M 175mm-L/XL	1SI110T043003 (1SI11015F30) SYNCROS HS OE 1-1/8"-1.5" 55-61MM H:8.2 BLK STEEL CUPS BALL BEARINGS	80mm(M); 90mm(L); 100mm(XL)	720mm	31.6X400mm	34.9mm	2.0X292/2.0X294 LEADER BLACK	2.0X292/2.0X294 LEADER BLACK	X23 DISC 29"X32H W/O EYELET, BLK ANOD., DOUBLE WALL, 23MM, 2 MATT STICKERSX35CM, NEON YELLOW YS-793 DECAL	NA	NA	NA

SCOTT E-SILENCE



E-SILENCE EVO

For the MY17 we introduced the complete new Silence collection, which includes several E-bike versions.

The E-Silence shares the same motor technology as the E-Aspect and pushes the boundaries of integration further than ever. The bike has an integrated rear and front light, a sleek looking and easy to mount fender/rack system, integrated lock mount and on the EVO line the Continental Belt drive with the self-shifting Nuvinci hub gears.

All Continental Belt Drive information's can be found in the Silence chapter.

The lights for the E-Silence EVO and for the E-Silence are not the same. If a spare light is necessary, they come with mounting parts. The mounting parts for the front light are also available separate.

The Drop out of the E-Silence EVO is the same as the one of the SUB EVO from MY16. This part is in black stock, just available through the one of the members from EU QM.

Both the E-Silence and the E-Sub Sport will use the new Syncros UC1.5 stem, information at the end of the chapter.

For the mounting instructions of the Brose motor cover, please check the Bosch/Brose chapter.


SPARE PARTS E-SILENCE

ITEM	SPARE PARTS E-SILENCE
206375	Dropout+Screw all MTB since'97 5-PAK
262623	Cableguide set E-silence/E-aspect MY17
252389	Fork E-Silence EVO 2017
252391	Fork E-Silence SPEED 10 2017
252392	Fork E-Silence SPEED 20 2017
252441	Stem E/Silence adj. w/o light 2017
252442	Stem Silence fix w/o light 2017
250576	Grips Syncros Comfort, Lock-On
250579	Grips Syncros Women Comfort, Lock-On
262056	E-bike drive belt Conti E-Silence 2017
252408	E-bike/Silence chainring 44T +bashguard
262058	E-bike sprocket Conti 20T nuvinci
262066	Chainguard E-silence MY17


ITEM	SPARE PARTS E-SILENCE
252406	E-bike crankset FSA isis 170mm /brose
262057	E-bike chainring+spider 39T Conti/brose
252410	E-bike Brose motor cover
223309	Seatclamp 34.9mm CrMo bolt
252420	Seatpost E-Silence
262077	Fender set E-Silence F+R 2017
262078	Fender set E-Silence F+R suspension 2017
251856	Rear rack Silence / E-Silence Men
251857	Rear rack Silence / E-Silence Lady
262081	Carrier silence/E-silence warranty men
262076	E-Silence lock blanking cover MY17
262075	E-Silence Lockholder/rubber strap MY17
252414	E-bike light E-Silence EVO front 2017

ITEM	SPARE PARTS E-SILENCE
252411	E-bike light E-Silence EVO rear 2017
252412	E-bike light E-Silence front
252413	E-bike light E-Silence rear 2017
264049	Rim Rodi disc 32H
252312	Frameset E-Silence EVO 2017 warr
252313	Frame E-Silence 10 2017
252479	Frameset E-Silence speed 10 2017 warr

GEOMETRY/TECHNICAL DATA E-SILENCE



E-SILENCE EVO &
E-SILENCE SPEED MEN



E-SILENCE MEN

E-SILENCE: EVO E-SILENCE SPEED MEN: 10, 20

	S		M		L		XL	
A HEAD TUBE ANGLE	70.5 °		70.5 °		71.5 °		71.5 °	
B HEAD TUBE LENGTH	145.0 mm	5.7 in	160.0 mm	6.3 in	185.0 mm	7.3 in	210.0 mm	8.3 in
C TOP TUBE HORIZONTAL	578.5 mm	22.8 in	598.5 mm	23.6 in	618.5 mm	24.4 in	638.5 mm	25.1 in
D STANDOVER HEIGHT	781.4 mm	30.8 in	810.8 mm	31.9 in	845.2 mm	33.3 in	884.2 mm	34.8 in
E BB OFFSET	-59.9 mm	-2.4 in	-59.9 mm	-2.4 in	-59.9 mm	-2.4 in	-59.8 mm	-2.4 in
F BB HEIGHT	298.6 mm	11.8 in	298.6 mm	11.8 in	298.6 mm	11.8 in	298.7 mm	11.8 in
G WHEEL BASE	1,098.0 mm	43.2 in	1,112.7 mm	43.8 in	1,122.0 mm	44.2 in	1,136.1 mm	44.7 in
H BB CENTER TO TOP TUBE CENTER	385.0 mm	15.2 in	425.0 mm	16.7 in	465.0 mm	18.3 in	515.0 mm	20.3 in
I BB CENTER TO TOP OF SEATTUBE	440.0 mm	17.3 in	480.0 mm	18.9 in	520.0 mm	20.5 in	570.0 mm	22.4 in
J SEAT ANGLE	73.5 °		73.0 °		73.0 °		72.5 °	
K CHAINSTAY	460.0 mm	18.1 in	460.0 mm	18.1 in	460.0 mm	18.1 in	460.0 mm	18.1 in
L REACH	390.2 mm	15.4 in	404.8 mm	15.9 in	416.2 mm	16.4 in	422.2 mm	16.6 in
M STACK	632.7 mm	24.9 in	632.6 mm	24.9 in	660.6 mm	26.0 in	684.3 mm	26.9 in
N STEM LENGTH								
O TRAIL								

E-SILENCE MEN: 10, 20

	S		M		L		XL	
A HEAD TUBE ANGLE	70.0 °		70.0 °		71.0 °		71.0 °	
B HEAD TUBE LENGTH	145.0 mm	5.7 in	160.0 mm	6.3 in	185.0 mm	7.3 in	210.0 mm	8.3 in
C TOP TUBE HORIZONTAL	580.0 mm	22.8 in	600.0 mm	23.6 in	620.0 mm	24.4 in	640.0 mm	25.2 in
D STANDOVER HEIGHT	787.8 mm	31.0 in	816.8 mm	32.2 in	851.2 mm	33.5 in	889.9 mm	35.0 in
E BB OFFSET	-56.0 mm	-2.2 in	-56.0 mm	-2.2 in	-56.0 mm	-2.2 in	-56.0 mm	-2.2 in
F BB HEIGHT	302.5 mm	11.9 in	302.5 mm	11.9 in	302.5 mm	11.9 in	302.5 mm	11.9 in
G WHEEL BASE	1,101.4 mm	43.4 in	1,116.1 mm	43.9 in	1,125.2 mm	44.3 in	1,139.3 mm	44.9 in
H BB CENTER TO TOP TUBE CENTER	385.0 mm	15.2 in	425.0 mm	16.7 in	465.0 mm	18.3 in	515.0 mm	20.3 in
I BB CENTER TO TOP OF SEATTUBE	440.0 mm	17.3 in	480.0 mm	18.9 in	520.0 mm	20.5 in	570.0 mm	22.4 in
J SEAT ANGLE	73.0 °		72.5 °		72.5 °		72.0 °	
K CHAINSTAY	460.0 mm	18.1 in	460.0 mm	18.1 in	460.0 mm	18.1 in	460.0 mm	18.1 in
L REACH	389.9 mm	15.4 in	399.5 mm	15.7 in	410.6 mm	16.2 in	416.5 mm	16.4 in
M STACK	622.0 mm	24.5 in	636.0 mm	25.0 in	664.1 mm	26.1 in	687.8 mm	27.1 in
N STEM LENGTH								
O TRAIL								

BIKE	TYPE	FRONT LIGHT	REAR LIGHT
E-Silence Evo	Brose int	Supernova E3 AS Mini	Supernova Tail light SCOTT Custom
E-Silence 10	Brose int	Spanninga SSL XE	Busch+Müller Typ 53234ASK Toplight line small
E-Silence 20	Brose int	Spanninga SSL XE	Busch+Müller Typ 53234ASK Toplight line small

BIKE	TYPE	FRONT LIGHT	REAR LIGHT
E-Silence Speed 10	Brose int	Supernova E3 AS Mini	Supernova Tail light SCOTT Custom
E-Silence Speed 20	Brose int	Spanninga SSL XE	Supernova Tail light SCOTT Custom
E-Silence SE	Brose int	Supernova E3 AS Mini	Busch+Müller Typ 53234ASK Toplight line small

TECHNICAL DATA E-SILENCE

Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)	Rear Shock (e2e)	Hardware Rear Shock in mm	Bearings (frame)
E-Silence 10	None (Brose engine)	NONE	170mm-S 175mm-M/L/XL	1S1110T043007 SYNCROS OE, URBAN, LOOSE BALL, STEEL CUPS BLK, ALLOY 43.5°49.8 CAP, 1 1/8+1 1/2 (MY17E-SUB)	90mm	640mm	31.6X350mm	34.9mm	2.0X290/ 2.0X292 LEADER BLACK	2.0X290/ 2.0X292 LEADER BLACK	RODI SCOTT E BIKE RIM 622X23 32H V6.5 W/O CNC S/ EYE W/O DECAL	NA	NA	NA
E-Silence 20	None (Brose engine)	NONE	170mm-S 175mm-M/L/XL	1S1110T043007 SYNCROS OE, URBAN, LOOSE BALL, STEEL CUPS BLK, ALLOY 43.5°49.8 CAP, 1 1/8+1 1/2 (MY17E-SUB)	90mm	640mm	31.6X350mm	34.9mm	2.0X290/ 2.0X292 LEADER BLACK	2.0X290/ 2.0X292 LEADER BLACK	RODI SCOTT E BIKE RIM 622X23 32H V6.5 W/O CNC S/ EYE W/O DECAL	NA	NA	NA
E-Silence Evo	None (Brose engine)	NONE	170mm-S 175mm-M/L/XL	1S1110T043007 SYNCROS OE, URBAN, LOOSE BALL, STEEL CUPS BLK, ALLOY 43.5°49.8 CAP, 1 1/8+1 1/2 (MY17E-SUB)	90mm	640mm	31.6X350mm	34.9mm	2.0X288/ 2.0X290 LEADER BLACK	2.34/ 2.0X280 STRONG BLACK	RODI SCOTT E BIKE RIM 622X23 32H V6.5 W/O CNC S/ EYE W/O DECAL	NA	NA	NA
E-Silence Speed 10	None (Brose engine)	NONE	170mm-S 175mm-M/L/XL	1S1110T043007 SYNCROS OE, URBAN, LOOSE BALL, STEEL CUPS BLK, ALLOY 43.5°49.8 CAP, 1 1/8+1 1/2 (MY17E-SUB)	90mm	640mm	31.6X350mm	34.9mm	2.0X290/ 2.0X292 LEADER BLACK	2.0X290/ 2.0X292 LEADER BLACK	RODI SCOTT E BIKE RIM 622X23 32H V6.5 W/O CNC S/ EYE W/O DECAL	NA	NA	NA
E-Silence Speed 20	None (Brose engine)	NONE	170mm-S 175mm-M/L/XL	1S1110T043007 SYNCROS OE, URBAN, LOOSE BALL, STEEL CUPS BLK, ALLOY 43.5°49.8 CAP, 1 1/8+1 1/2 (MY17E-SUB)	90mm	640mm	31.6X350mm	34.9mm	2.0X290/ 2.0X292 LEADER BLACK	2.0X290/ 2.0X292 LEADER BLACK	RODI SCOTT E BIKE RIM 622X23 32H V6.5 W/O CNC S/ EYE W/O DECAL	NA	NA	NA

SCOTT E-SUB SPORT/TOUR/UNISEX



E-SUB SPORT 10 MEN

The E-SUB collection is the same as MY16. For the Sub Sport 10 and 20 (man and lady) we have designed a special Bosch display adapter to optimize the integration of the bike.

ITEM	SPARE PARTS E-SUB SPORT
206375	Dropout+Screw all MTB since 97' 5-PAK
239319	Fork Suntour NEX HLO w/ Lockout PM
252441	Stem E/Silence adj. w/o light 2017
250576	Grips Syncros Comfort, Lock-On
250579	Grips Syncros Women Comfort, Lock-On
220693	Speed Sensor Mount Kit E-SUB/Sportster
242449	E-bike integ bat. socket Sport Tour 2016
263868	E-bike Bosch dsp adapter E-SUB Sport '17
235740	Chainguard Hesling E-Bike Bosch 2014
223309	Seatclamp 34.9mm CrMo bolt
241896	Saddle Syncros Urban COMMUTER 2.5 Men
241897	Saddle Syncros Urban COMMUTER 2.5 Women
250604	Kickstand Syncros 2 bolts Direct Mount
237515	Carrier SUB 2014 warranty only
264049	Rim Rodi disc 32H
252309	Frame E-SUB 10 Sport Lady 2017
252308	Frame E-SUB 10 Sport Man 2017

ITEM	SPARE PARTS E-SUB TOUR
206375	Dropout+Screw all MTB since 97' 5-PAK
239319	Fork Suntour NEX HLO w/ Lockout PM
250576	Grips Syncros Comfort, Lock-On
250579	Grips Syncros Women Comfort, Lock-On
220693	Speed Sensor Mount Kit E-SUB/Sportster
242449	E-bike integ bat. socket Sport Tour 2016
235740	Chainguard Hesling E-Bike Bosch 2014
223309	Seatclamp 34.9mm CrMo bolt
241896	Saddle Syncros Urban COMMUTER 2.5 Men
241897	Saddle Syncros Urban COMMUTER 2.5 Women
250604	Kickstand Syncros 2 bolts Direct Mount
237515	Carrier SUB 2014 warranty only
264049	Rim Rodi disc 32H

ITEM	SPARE PARTS E-SUB UNISEX
206375	Dropout+Screw all MTB since '97 5-PAK
239319	Fork Suntour NEX HLO w/ Lockout PM
250576	Grips Syncros Comfort, Lock-On
250579	Grips Syncros Women Comfort, Lock-On
220693	Speed Sensor Mount Kit E-SUB/Sportster
242448	E-bike integ bat. socket Unisex 2016
235740	Chainguard Hesling E-Bike Bosch 2014
250604	Kickstand Syncros 2 bolts Direct Mount
223309	Seatclamp 34.9mm CrMo bolt
241896	Saddle Syncros Urban COMMUTER 2.5 Men
241897	Saddle Syncros Urban COMMUTER 2.5 Women
237515	Carrier SUB 2014 warranty only
264049	Rim Rodi disc 32H
252311	Frame E-SUB Active
252310	Frame E-SUB Tour Unisex 2017

BIKE	TYPE	FRONT LIGHT	REAR LIGHT
E-Sub Sport 10 Men	Bosch	Spanninga SSL XE	Busch + Muller JR
E-Sub Sport 10 Lady	Bosch	Spanninga SSL XE	Busch + Muller JR
E-Sub Sport 20 Men	Bosch	Spanninga SSL XE	Busch + Muller JR
E-Sub Sport 20 Lady	Bosch	Spanninga SSL XE	Busch + Muller JR

BIKE	TYPE	FRONT LIGHT	REAR LIGHT
E-Sub Tour Men	Bosch	AXA Blueline	Busch + Muller JR
E-Sub Tour Lady	Bosch	AXA Blueline	Busch + Muller JR
E-Sub Tour Unisex	Bosch	AXA Blueline	Busch + Muller JR
E-Sub Active Unisex dark green	Bosch	AXA Blueline	AXA Blueline Steady
E-Sub Active Unisex black	Bosch	AXA Blueline	AXA Blueline Steady

TECHNICAL DATA E-SUB SPORT/TOUR/UNISEX

Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)	Rear Shock (e2e)	Hardware Rear Shock in mm	Bearings (frame)
E-Sub Sport 10 Lady	None (Bosch engine)	NONE	170MM-S 175MM-M/L	ISI110T043006 SYNCROS OE, URBAN, LOOSE BALL, STEEL CUPS BLK, ALLOY 43.5*49.8 CAP, 1 1/8+1 1/8 (MY17E-SUB)	90mm	640mm	31.6X350mm	34.9mm	2.0X290/ 2.0X292 LEADER BLACK	2.0X290/ 2.0X292 LEADER BLACK	RODI SCOTT E BIKE RIM 622X23 32H V6.5 W/O CNC S/EYE W/RUBINE RED DECAL A1424 SP10L	NA	NA	NA
E-Sub Sport 10 Men	None (Bosch engine)	NONE	170MM-S 175MM-M/L/XL	ISI110T043006 SYNCROS OE, URBAN, LOOSE BALL, STEEL CUPS BLK, ALLOY 43.5*49.8 CAP, 1 1/8+1 1/8 (MY17E-SUB)	90mm	640mm	31.6X350mm	34.9mm	2.0X290/ 2.0X292 LEADER BLACK	2.0X290/ 2.0X292 LEADER BLACK	RODI SCOTT E BIKE RIM 622X23 32H V6.5 W/O CNC S/EYE W/7549C GOLD ORANGE DECAL A1425 SP10M/ SEME	NA	NA	NA
E-Sub Sport 20 Lady	None (Bosch engine)	NONE	170MM-S 175MM-M/L	ISI110T043006 SYNCROS OE, URBAN, LOOSE BALL, STEEL CUPS BLK, ALLOY 43.5*49.8 CAP, 1 1/8+1 1/8 (MY17E-SUB)	90mm	640mm	31.6X350mm	34.9mm	2.0X290/ 2.0X292 LEADER BLACK	2.0X290/ 2.0X292 LEADER BLACK	RODI SCOTT E BIKE RIM 622X23 32H V6.5 W/O CNC S/EYE W/3265C DECAL A1429 SP20L/ TOUN	NA	NA	NA
E-Sub Sport 20 Men	None (Bosch engine)	NONE	170MM-S 175MM-M/L/XL	ISI110T043006 SYNCROS OE, URBAN, LOOSE BALL, STEEL CUPS BLK, ALLOY 43.5*49.8 CAP, 1 1/8+1 1/8 (MY17E-SUB)	90mm	640mm	31.6X350mm	34.9mm	2.0X290/ 2.0X292 LEADER BLACK	2.0X290/ 2.0X292 LEADER BLACK	RODI SCOTT E BIKE RIM 622X23 32H V6.5 W/O CNC S/EYE W/2347C SPICY ORANGE A1426 SP20M	NA	NA	NA
E-Sub Tour Lady	None (Bosch engine)	NONE	170MM-S 175MM-M/L	VP-Z104 TAPERED 50-61MM, FOR 1-1/8" FORK, LOOSE BALL, SEMI INTEGRATED, BLK STEEL CUP, W/VP LOGO	90mm(S/M); 110mm(L)	620mm	31.6X350mm	34.9mm	2.0X290/ 2.0X292 LEADER BLACK	2.0X290/ 2.0X292 LEADER BLACK	RODI SCOTT E BIKE RIM 622X23 32H V6.5 W/O CNC S/EYE W/3015C BLUE A1427 TOLA/ TOME	NA	NA	NA
E-Sub Tour Men	None (Bosch engine)	NONE	170MM-S 175MM-M/L/XL	VP-Z104 TAPERED 50-61MM, FOR 1-1/8" FORK, LOOSE BALL, SEMI INTEGRATED, BLK STEEL CUP, W/VP LOGO	90mm(S/M); 110mm(L/XL)	620mm	31.6X350mm	34.9mm	2.0X290/ 2.0X292 LEADER BLACK	2.0X290/ 2.0X292 LEADER BLACK	RODI SCOTT E BIKE RIM 622X23 32H V6.5 W/O CNC S/EYE W/3015C BLUE A1427 TOLA/ TOME	NA	NA	NA
E-Sub Tour Unisex	None (Bosch engine)	NONE	170MM-S 175MM-M/L	VP-Z104 TAPERED 50-61MM, FOR 1-1/8" FORK, LOOSE BALL, SEMI INTEGRATED, BLK STEEL CUP, W/VP LOGO	90mm(S/M); 110mm(L)	620mm	31.6X350mm	34.9mm	2.0X290/ 2.0X292 LEADER BLACK	2.0X290/ 2.0X292 LEADER BLACK	RODI SCOTT E BIKE RIM 622X23 32H V6.5 W/O CNC S/EYE W/3265C DECAL A1429 SP20L/ TOUN	NA	NA	NA
E-Sub Active Unisex	None (Bosch engine)	NONE	170 S, 175 M/L	28.6	110	590	31.6 / 350	35	290/292	290/292	F: 32H F/V / R: 32H F/V	NONE	NONE	NONE

E-BIKE ADJUSTABLE STEM



IMPORTANT


When assembling and adjusting the stem you will need to raise the stem to be able to tighten **Bolt B** (image 1).

First Loosen **Bolt A** (image 2).

Raise the stem until **Bolt B** is clearly visible, tighten **Bolt B** to **Max 8NM**.

Lower the stem to the required height and tighten **Bolt A** to **Max 10NM**.

Take note of the **maximum and minimum angle range marked on the rear of the stem** (image 3).



REAR RACK MANUAL

COMPATIBILITY

SCOTT E-SILENCE MEN



SCOTT SILENCE MEN



SCOTT SILENCE WOMEN



MATERIAL LIST



Rack main body



Front bridge, frame attachment



M6x18mm Bolt+nut



M5x18mm Bolt




Silence frame equipped with fender




Cordless drill and Drill bit ø6mm

FENDER STAYS DISMOUNTING - RACK PRE-ASSEMBLY





RACK POSITIONING - FENDER DRILLING



2



Check horizontal and side alignment, correct it by hand if needed



RACK FINAL ASSEMBLY

1


Ensure all fasteners and fixations are secured and frequently checked. Do not modify the carrier in anyway!



2

Ensure reflectors and lights are not obscured by any luggage. Ensure all Luggage/Pannier is securely fastened in accordance with the manufacturer's instructions. Check that unsecured straps can not come into contact with the wheels.

RACK EQUIPMENT AND LOADING




When the rack is under load the bicycle steering and braking may behave differently. Make sure all luggage weight is evenly distributed over both sides of the rack.



NO TRAILER!

This rack/carrier is not compatible with any other model of bike apart from the models outlined in this manual!

CHECK PANNIER MANUAL



WARNING

2-year Warranty: All mechanical components against manufacturer defects only.

WARRANTY CLAIM REQUIREMENTS

To obtain warranty service, you must have your original sales receipt. Items returned without a sales receipt will assume that the warranty begins on the date of manufacture. All warranties will be void if the rear rack is damaged due to user abuse, system alteration, modification, or used in any way not intended as described in this operating manual.

*The specifications and design are subject to change without notice.

SCOTT Sports products are available only from professional bicycle shops. Please contact your nearest SCOTT Sports dealer for any questions.

05 URBAN/ TREKKING

- SILENCE
- SUB SPORT/COMFORT/CROSS

SCOTT SILENCE



SILENCE EVO


The Silence is the non electric version of the E-Silence. The main structural parts are cross compatible.

The Drop out of the Silence EVO is the same as the one of the SUB EVO from MY16. This part is in black stock, just available through one of the members from EQU QM.


SPARE PARTS SILENCE

ITEM	SPARE PARTS SILENCE	ITEM	SPARE PARTS SILENCE
206375	Dropout+Screw all MTB since'97 5-PAK	262056	E-bike drive belt Conti E-Silence 2017
252394	Fork Silence 10 LADY 2017	250604	Kickstand Syncros 2 bolts Direct Mount
252393	Fork Silence 10 MEN 2017	262079	Fender set Silence F+R 2017
252396	Fork Silence 20 LADY 2017	251856	Rear rack Silence / E-Silence Men
252395	Fork Silence 20 MEN 2017	251857	Rear rack Silence / E-Silence Lady
252398	Fork Silence 30 LADY 2017	262081	Carrier silence/E-silence warranty men
252397	Fork Silence 30 MEN 2017	262076	E-Silence lock blanking cover MY17
252390	Fork Silence EVO 2017	262075	E-Silence Lockholder/rubber strap MY17
252399	Fork Silence SPEED 10 2017	252439	Light Silence front stem mount 2017
252400	Fork Silence SPEED 20 2017	252440	Light Silence rear post mount 2017
250576	Grips Syncros Comfort, Lock-On	264048	Rim X15 disc 32H
250579	Grips Syncros Women Comfort, Lock-On	252314	Frameset Silence EVO 2017 warr
252441	Stem E/Silence adj. w/o light 2017	252315	Frameset Silence 10 Man 2017 warr
252442	Stem Silence fix w/o light 2017	252316	Frameset Silence 10 Lady 2017 warr

GEOMETRY/TECHNICAL DATA SILENCE



SILENCE: EVO & SILENCE MEN & SILENCE SPEED MEN



SILENCE LADY

SILENCE: EVO SILENCE MEN: 10, 20, 30 SILENCE SPEED MEN: 10, 20

	S	M	L	XL
A HEAD TUBE ANGLE	70,0 °	70,0 °	70,0 °	70,0 °
B HEAD TUBE LENGTH	145,0 mm 5,7 in	160,0 mm 6,3 in	185,0 mm 7,3 in	210,0 mm 8,3 in
C TOP TUBE HORIZONTAL	570,0 mm 22,4 in	585,0 mm 23,0 in	600,0 mm 23,6 in	620,0 mm 24,4 in
D STANDOVER HEIGHT	766,4 mm 30,2 in	795,4 mm 31,3 in	826,9 mm 32,6 in	864,0 mm 34,0 in
E BB OFFSET	-60,0 mm -2,4 in	-60,0 mm -2,4 in	-60,0 mm -2,4 in	-60,0 mm -2,4 in
F BB HEIGHT	294,5 mm 11,6 in	294,5 mm 11,6 in	294,5 mm 11,6 in	294,5 mm 11,6 in
G WHEEL BASE	1083,0 mm 42,6 in	1098,8 mm 43,3 in	1115,2 mm 43,9 in	1136,6 mm 44,7 in
H BB CENTER TO TOP TUBE CENTER	389,0 mm 15,3 in	429,0 mm 16,9 in	469,0 mm 18,5 in	519,0 mm 20,4 in
I BB CENTER TO TOP OF SEATTUBE	440,0 mm 17,3 in	480,0 mm 18,9 in	520,0 mm 20,5 in	570,0 mm 22,4 in
J SEAT ANGLE	73,0 °	73,0 °	73,0 °	73,0 °
K CHAINSTAY	455,0 mm 17,9 in	455,0 mm 17,9 in	455,0 mm 17,9 in	455,0 mm 17,9 in
L REACH	387,0 mm 15,2 in	397,7 mm 15,7 in	405,5 mm 16,0 in	418,3 mm 16,5 in
M STACK	598,7 mm 23,6 in	612,8 mm 24,1 in	636,3 mm 25,1 in	659,8 mm 26,0 in
N STEM LENGTH	90,0 mm 3,5 in	90,0 mm 3,5 in	90,0 mm 3,5 in	90,0 mm 3,5 in
O TRAIL				

SILENCE LADY: 10, 20, 30

	S	M	L
A HEAD TUBE ANGLE	70,0 °	70,0 °	70,0 °
B HEAD TUBE LENGTH	190,0 mm 7,5 in	190,0 mm 7,5 in	190,0 mm 7,5 in
C TOP TUBE HORIZONTAL	550,0 mm 21,7 in	565,0 mm 22,2 in	575,0 mm 22,6 in
D STANDOVER HEIGHT	686,9 mm 27,0 in	687,3 mm 27,1 in	687,6 mm 27,1 in
E BB OFFSET	-65,0 mm -2,6 in	-65,0 mm -2,6 in	-65,0 mm -2,6 in
F BB HEIGHT	289,5 mm 11,4 in	289,5 mm 11,4 in	289,5 mm 11,4 in
G WHEEL BASE	1063,3 mm 41,9 in	1078,3 mm 42,5 in	1088,3 mm 42,8 in
H BB CENTER TO TOP TUBE CENTER	210,0 mm 8,3 in	210,0 mm 8,3 in	210,0 mm 8,3 in
I BB CENTER TO TOP OF SEATTUBE	420,0 mm 16,5 in	460,0 mm 18,1 in	500,0 mm 19,7 in
J SEAT ANGLE	73,0 °	73,0 °	73,0 °
K CHAINSTAY	455,0 mm 17,9 in	455,0 mm 17,9 in	455,0 mm 17,9 in
L REACH	352,5 mm 13,9 in	367,5 mm 14,5 in	387,0 mm 15,2 in
M STACK	646,0 mm 25,4 in	646,0 mm 25,4 in	598,7 mm 23,6 in
N STEM LENGTH	90,0 mm 3,5 in	90,0 mm 3,5 in	90,0 mm 3,5 in
O TRAIL			

BIKE	FRONT LIGHT	REAR LIGHT
Silence Evo	Spanninga SSL Xdos	Busch+Müller Typ 53234ASK Toplight line small
Silence 10 Men	Spanninga SSL Xdos	Busch+Müller Typ 53234ASK Toplight line small
Silence 10 Lady	Spanninga SSL Xdos	Busch+Müller Typ 53234ASK Toplight line small
Silence 20 Men	Spanninga SSL Xdos	Busch+Müller Typ 53234ASK Toplight line small
Silence 20 Lady	Spanninga SSL Xdos	Busch+Müller Typ 53234ASK Toplight line small

BIKE	FRONT LIGHT	REAR LIGHT
Silence 30 Men	Spanninga SSL Xdos	Busch+Müller Typ 53234ASK Toplight line small
Silence 30 Lady	Spanninga SSL Xdos	Busch+Müller Typ 53234ASK Toplight line small
Silence Speed 10 Men	Spanninga SSL Xdos	Busch+Müller Typ 53234ASK Toplight line small
Silence Speed 20 Men	Spanninga SSL Xdos	Busch+Müller Typ 53234ASK Toplight line small

TECHNICAL DATA SILENCE

Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/ dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)	Rear Shock (e2e)	Hardware Rear Shock in mm	Bearings (frame)
Silence Evo	VP-BC73C/ 68x118	NONE	170 all sizes	43,5*49,8	90	640	31.6 / 350	34.9	278	283	F: 32H F/V / R:32H F/V	NONE	NONE	NONE
Silence 10 Men	included in chainwheel	KFDT780M6/ 31.8	175 all sizes	43,5*49,8	90	640	31.6 / 350	34.9	283	285/287	F: 32H F/V / R:32H F/V	NONE	NONE	NONE
Silence 10 Lady	included in chainwheel	KFDT780M6/ 31.8	175 all sizes	43,5*49,8	90	640	31.6 / 350	34.9	283	285/287	F: 32H F/V / R:32H F/V	NONE	NONE	NONE
Silence 20 Men	included in chainwheel	KFDT610M6/ 31.8	175 all sizes	43,5*49,8	90	640	31.6 / 350	34.9	280	285/287	F: 32H F/V / R:32H F/V	NONE	NONE	NONE
Silence 20 Lady	included in chainwheel	KFDT610M6/ 31.8	175 all sizes	43,5*49,8	90	640	31.6 / 350	34.9	280	285/287	F: 32H F/V / R:32H F/V	NONE	NONE	NONE
Silence 30 Men	VP-BC73C/ 68x122.5	AFDTY710TSM3/ 31.8	175 all sizes	43,5*49,8	90	640	31.6 / 350	34.9	280	285/287	F: 32H F/V / R:32H F/V	NONE	NONE	NONE
Silence 30 Lady	VP-BC73C/ 68x122.5	AFDTY710TSM3/ 31.8	175 all sizes	43,5*49,8	90	640	31.6 / 350	34.9	280	285/287	F: 32H F/V / R:32H F/V	NONE	NONE	NONE
Silence Speed 10 Men	VP-BC73C/ 68x122.5	NONE	170 all sizes	43,5*49,8	90	640	31.6 / 350	34.9	278	285/287	F: 32H F/V / R:32H F/V	NONE	NONE	NONE
Silence Speed 20 Men	VP-BC73C/ 68x122.5	AFDTY710TSM3/ 31.8	175 all sizes	43,5*49,8	90	640	31.6 / 350	34.9	285	287	F: 32H F/V / R:32H F/V	NONE	NONE	NONE

SCOTT SUB SPORT/COMFORT/CROSS



SUB SPORT 10 MEN

The SUB Cross has a new frame and a similar looking design as the SUB Sport. The SUB Sport and SUB Comfort have the same Frame and parts as MY16.

ITEM	SPARE PARTS SUB SPORT
206375	Dropout+Screw all MTB since'97 5-PAK
250576	Grips Syncros Comfort, Lock-On
250579	Grips Syncros Women Comfort, Lock-On
250604	Kickstand Syncros 2 bolts Direct Mount
229733	Seatclamp 34.9mm SR Gambler
241896	Saddle Syncros Urban COMMUTER 2.5 Men
241897	Saddle Syncros Urban COMMUTER 2.5 Women
237515	Carrier SUB 2014 warranty only
242460	Rim Cross X12 32H
264048	Rim X15 disc 32H
252305	Frame SUB Sport 10 Lady 2017
252304	Frame SUB Sport 10 Man 2017
252481	Frame Sub sport 30 lady 17
252480	Frame Sub sport 30 men 17

ITEM	SPARE PARTS SUB COMFORT
206375	Dropout+Screw all MTB since'97 5-PAK
250604	Kickstand Syncros 2 bolts Direct Mount
237515	Carrier SUB 2014 warranty only
252306	Frame SUB Comfort 10 Man 2017
252307	Frame SUB Comfort 10 Unisex 2017

ITEM	SPARE PARTS SUB CROSS
206375	Dropout+Screw all MTB since'97 5-PAK
229499	Fork SF13-NEX-HLO 700C
228884	Headset VP-51A 11/8 AHD w/SCOTT logo
250576	Grips Syncros Comfort, Lock-On
250579	Grips Syncros Women Comfort, Lock-On
223309	Seatclamp 34.9mm CrMo bolt
242120	Hub rep set Formula DC-25RQR
262059	Rim Syncros Alex X20 32H
252302	Frame SUB Cross 10 Man 2017
252303	Frame SUB Cross 20 Lady 2017

BIKE	FRONT LIGHT	REAR LIGHT
Bike Sub Sport 10 Men	SPANINGA XDOS 40 LUX INTEG	AXA Blue Line different to E-Bike BlueLine
Bike Sub Sport 10 Lady	SPANINGA XDOS 40 LUX INTEG	AXA Blue Line different to E-Bike BlueLine
Bike Sub Sport 20 Men	SPANINGA XDOS 40 LUX INTEG	AXA Blue Line different to E-Bike BlueLine
Bike Sub Sport 20 Lady	SPANINGA XDOS 40 LUX INTEG	AXA Blue Line different to E-Bike BlueLine
Bike Sub Sport 30 Men	AXA Echo different to E-Bike Echo	AXA Blue Line Steady different to E-Bike Blue line Steady
Bike Sub Sport 30 Lady	AXA Echo different to E-Bike Echo	AXA Blue Line Steady different to E-Bike Blue line Steady

BIKE	FRONT LIGHT	REAR LIGHT
Bike Sub Sport 40 Men	AXA Echo different to E-Bike Echo	AXA Blue Line Steady different to E-Bike Blue line Steady
Bike Sub Sport 40 Lady	AXA Echo different to E-Bike Echo	AXA Blue Line Steady different to E-Bike Blue line Steady
Bike Sub Comfort 10 Men	AXA Echo different to E-Bike Echo	AXA Blue Line Steady different to E-Bike Blue line Steady
Bike Sub Comfort 10 Unisex	AXA Echo different to E-Bike Echo	AXA Blue Line Steady different to E-Bike Blue line Steady
Bike Sub Comfort 20 Men	AXA Echo different to E-Bike Echo	AXA Blue Line Steady different to E-Bike Blue line Steady
Bike Sub Comfort 20 Unisex	AXA Echo different to E-Bike Echo	AXA Blue Line Steady different to E-Bike Blue line Steady

TECHNICAL DATA SUB SPORT/COMFORT/CROSS

Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/ dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)	Rear Shock (e2e)	Hardware Rear Shock in mm	Bearings (frame)
Sub Sport 10 Men	included in chainwheel	KFDT610M6/ 31.8	175 all sizes	28.6	90	640	31.6/ 350	35	280	285/ 287	F: 32H F/V / R: 32H F/V	NONE	NONE	NONE
Sub Sport 10 Lady	included in chainwheel	KFDT610M6/ 31.8	175 all sizes	28.6	90	640	31.6/ 350	35	280	285/ 287	F: 32H F/V / R: 32H F/V	NONE	NONE	NONE
Sub Sport 20 Men	VP-BC73C/ 68x122.5	AFDT4000TSM6/ 31.8	170 all sizes	28.6	90	640	31.6/ 350	35	280	285/ 287	F: 32H F/V / R: 32H F/V	NONE	NONE	NONE
Sub Sport 20 Lady	VP-BC73C/ 68x122.5	AFDT4000TSM6/ 31.8	170 all sizes	28.6	90	640	31.6/ 350	35	280	285/ 287	F: 32H F/V / R: 32H F/V	NONE	NONE	NONE
Sub Sport 30 Men	VP-BC73C/ 68x122.5	AFDTY710TSM3/ 31.8	175 all sizes	28.6	105	640	31.6/ 350	35	288	290/ 292	F: 32H F/V / R: 32H F/V	NONE	NONE	NONE
Sub Sport 30 Lady	VP-BC73C/ 68x122.5	AFDTY710TSM3/ 31.8	175 all sizes	28.6	105	640	31.6/ 350	35	288	290/ 292	F: 32H F/V / R: 32H F/V	NONE	NONE	NONE
Sub Sport 40 Men	VP-BC73C/ 68x122.5	AFDTY510TSM6/ 31.8	175 all sizes	28.6	105	640	31.6/ 350	35	283	288/ 290	F: 36H F/V / R: 36H F/V	NONE	NONE	NONE
Sub Sport 40 Lady	VP-BC73C/ 68x122.5	AFDTY510TSM6/ 31.8	175 all sizes	28.6	105	640	31.6/ 350	35	283	288/ 290	F: 36H F/V / R: 36H F/V	NONE	NONE	NONE
Sub Comfort 10 Men	VP-BC73C/ 68x122.5	AFDTY710TSM3/ 31.8	175 all sizes	28.6	110	610	31.6/ 350	35	283	288/ 290	F: 36H F/V / R: 36H F/V	NONE	NONE	NONE
Sub Comfort 10 Unisex	VP-BC73C/ 68x122.5	AFDTY710TSM3/ 31.8	175 all sizes	28.6	110	610	31.6/ 350	35	283	288/ 290	F: 36H F/V / R: 36H F/V	NONE	NONE	NONE
Sub Comfort 20 Men	VP-BC73C/ 68x122.5	AFDTY510TSM6/ 31.8	175 all sizes	28.6	90	610	31.6/ 350	35	283	288/ 290	F: 36H F/V / R: 36H F/V	NONE	NONE	NONE
Sub Comfort 20 Unisex	VP-BC73C/ 68x122.5	AFDTY510TSM6/ 31.8	175 all sizes	28.6	90	610	31.6/ 350	35	283	288/ 290	F: 36H F/V / R: 36H F/V	NONE	NONE	NONE

06 JUNIOR

SCOTT JUNIOR



SCALE JR 24 PLUS

Now even the youth of today can benefit from Plus tyres. Thanks to our two new models which are the Scale JR24 Plus and the Scale JR20 Plus, these bikes have a Plus specific frame and fork.

All other frames are the same as MY16.


ITEM	SPARE PARTS JUNIOR
206376	Dropout+Screw AFD 98->02 2-PAK
228842	Dropout for Comp/Expert 97 /Vant.3.0
206375	Dropout+Screw all MTB since 97' 5-PAK
233961	Dropout Cont 660-650 ScalJr 20-24 PAK-2
229544	Fork SR Suntour XCT-JR-MLO 20 / 40 mm
223082	Fork Suntour XCM H-LO 100mm
262220	Fork Scale JR 24 rigid V-brake 2017
263877	Fork Scale JR 24 susp. Disc 2017
263878	Fork Scale JR 24 susp. V-brake 2017
262218	Fork Scale JR 24+ 2017
262219	Fork Scale RC JR 24 Disc 2017
200718	Headset Ritchey sem.int.11/8
228884	Headset VP-51A 11/8 AHD w/SCOTT logo
228834	Crankset RuChi+BB set 28T Radical 120
262068	Crankset Scale JR 20 + 2017 36T 140mm
262067	Crankset Scale JR 24 + 2017 32T 152mm
228913	Pedal VP-560 Kids BMX Syle
228914	Pedal VP-570 Kids Medium Size BMX
228915	Pedal VP-580 Radical 160 1/2
228950	Seatclamp 31.8mm QR Kalloy XC64
229733	Seatclamp 34.9mm SR Gambler
262085	Saddle Scale JR 20/24 2017
262084	Saddle Scale RC/Speedster JR 2017
262088	Saddle Voltage JR 12 intg/post 2107
262087	Saddle Voltage JR 16 2017
262086	Saddle Voltage JR 20/24 2017
242120	Hub rep set Formula DC-25RQR
216325	Rim Alex C-1000 32H 24"
236892	Rim Alex/Sync Race Jr 28 20H
236893	Rim Alex/Sync Race Jr 28 24H
239543	Rim Alex C-1000 32H 20"
262059	Rim Syncros Alex X20 32H
223269	Tire Kenda Speedster JR 24 black
229021	Wheels Training for Fox 160
229022	Wheels Training for Radical 120 black
262052	Front wheel Scale JR 20 Plus disc 2017
262053	Rear wheel Scale JR 20 Plus disc 2017
262054	Front wheel Scale JR 24 Plus disc 2017
262055	Rear wheel Scale JR 24 Plus disc 2017
262211	Frame Voltage 24 disc/V brake 2017 warr
252224	Frame Scale JR 26 2017 warr
252225	Frame Contessa JR 26 2017 warr
252472	Frame Scale JR RC 24 disc 17 warr
252473	Frame Scale JR + 24 2017 warr
252482	Frameset Scale JR 24 2017 warr

ITEM	SPARE PARTS VOLT-X
219515	Axle Pegs Set Volt-X
252483	Fork Volt-X 10 2017
252484	Fork Volt-X 20 2017
252485	Fork Volt-X 30 2017
219510	Headset Volt-X 10
219511	Headset Rotor set Volt-X
219554	Stem Volt-X black
237437	Bb set BMX mid BB-16M
219523	Crankset Samox CW-160 incl. US BB
239542	Hub rear Volt X Joy Tech 14mm 36H
262212	Frame Volt X10 2017 warranty

TECHNICAL DATA JUNIOR

Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/ dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)	Rear Shock (e2e)	Hardware Rear Shock in mm	Bearings (frame)
Voltage Walker	NIL	NIL	NIL	VP-H733/ 22.2*30*27	110	400	25.4*200	28.6	85	85	HLQ-10 16H	NIL	NIL	NIL
Contessa Walker	NIL	NIL	NIL	VP-H733/ 22.2*30*27	110	400	25.4*200	28.6	85	85	HLQ-10 16H	NIL	NIL	NIL
Scale JR 24 disc	B906/ L:118mm	AFDTY500TSM6/ 31.8mm	152	SCT-101/ 28.6*44*30	41	560	26.8*300	31.8	241*238	238*240	HLQ-10 32H	NIL	NIL	44*68
Scale JR 24	B906/ L:118mm	AFDTY500TSM6/ 31.8mm	152	SCT-101/ 28.6*44*30	41	560	26.8*300	31.8	242	241*239	HLQ-10 32H	NIL	NIL	44*68
Scale JR 24 rigid fork	B906/ L:118mm	AFDTY500TSM6/ 31.8mm	152	SCT-101/ 28.6*44*30	41	560	26.8*300	31.8	242	241*239	HLQ-10 32H	NIL	NIL	44*68
Voltage JR 24 disc	B906/ L:120.5mm	AFDTY500TSM6/ 31.8mm	152	VP-A71/ 28.6*34*30	41	560	26.8*300	31.8	241*238	240*238	HLQ-10 32H	NIL	NIL	44*68
Voltage JR 24	B906/ L:120.5mm	AFDTY500TSM6/ 31.8mm	152	VP-A71/ 28.6*34*30	41	560	26.8*300	31.8	242	239*241	HLQ-10 32H	NIL	NIL	44*68
Contessa JR 24	B906/ L:120.5mm	AFDTY500TSM6/ 31.8mm	152	VP-A71/ 28.6*34*30	41	560	26.8*300	31.8	242	239*241	HLQ-10 32H	NIL	NIL	44*68
Scale JR 20	B906/ L:122.5mm	NIL	140	SCT-101/ 28.6*44*30	41	560	26.8*200	31.8	192	189*191	HLQ-10 32H	NIL	NIL	43*68
Scale JR 20 rigid fork	B906/ L:122.5mm	NIL	140	SCT-101/ 28.6*44*30	41	560	26.8*200	31.8	192	189*191	HLQ-10 32H	NIL	NIL	43*68
Voltage JR 20	B906/ L:122.5mm	NIL	140	VP-A71/ 28.6*34*30	41	560	26.8*250	31.8	192	189*191	HLQ-10 32H	NIL	NIL	44*68
Contessa JR 20	B906/ L:122.5mm	NIL	140	VP-A71/ 28.6*34*30	41	560	26.8*250	31.8	192	189*191	HLQ-10 32H	NIL	NIL	44*68
Voltage JR 16	YL-701	NIL	114	VP-H755/ 22.2*32.5*27	150	520	26.8*200	31.8	143	132	HLQ-10 F:20H R:28H	NIL	NIL	60*68
Contessa JR 16	YL-701	NIL	114	VP-H755/ 22.2*32.5*27	150	520	26.8*200	31.8	143	132	HLQ-10 F:20H R:28H	NIL	NIL	60*68
Voltage JR 12	YL-702	NIL	89	VP-H755/ 22.2*32.5*27	140	480	26.8*200	31.8	89	82	HLQ-10 16H	NIL	NIL	50*65
Contessa JR 12	YL-702	NIL	89	VP-H755/ 22.2*32.5*27	140	480	26.8*200	31.8	89	82	HLQ-10 16H	NIL	NIL	50*65
Volt-X 10	BB-16M/ 73x138	NONE	175	28.6	50	695	25.4/200	28.6	188	184	F: 36H A/V / R:36H A/V	NONE	NONE	NONE
Volt-X 20	BB-16M/ 73x138	NONE	175	28.6	50	690	25.4/200	28.6	188	184	F: 36H A/V / R:36H A/V	NONE	NONE	NONE
Volt-X 30	VP-B35	NONE	160	28.6	50	605	25.4/230	28.6	186	186	F: 36H A/V / R:36H A/V	NONE	NONE	NONE
Speedster JR 24	VP-BC 73/ 68x103	AFD2400BM/ 31.8	145	28.6	60	380	27.2/250	31.8	237	230/232	F: 20H F/V / R:24H F/V	NONE	NONE	NONE

07 TECHNICAL DATA & GEOMETRIES




SCALE: 930, 935

	S		M		L		XL	
A HEAD TUBE ANGLE	69.5 °		69.5 °		69.5 °		69.5 °	
B HEAD TUBE LENGTH	105.0 mm	4.1 in	105.0 mm	4.1 in	115.0 mm	4.5 in	125.0 mm	4.9 in
C TOP TUBE HORIZONTAL	580.0 mm	22.8 in	600.0 mm	23.6 in	620.0 mm	24.4 in	640.0 mm	25.2 in
D STANDOVER HEIGHT	756.0 mm	29.8 in	783.0 mm	30.8 in	810.0 mm	31.9 in	842.0 mm	33.1 in
E BB OFFSET	-60.0 mm	-2.4 in	-60.0 mm	-2.4 in	-60.0 mm	-2.4 in	-60.0 mm	-2.4 in
F BB HEIGHT	310.0 mm	12.2 in	310.0 mm	12.2 in	310.0 mm	12.2 in	310.0 mm	12.2 in
G WHEEL BASE	1'079.0 mm	42.5 in	1'096.8 mm	43.2 in	1'117.0 mm	44.0 in	1'137.9 mm	44.8 in
H BB CENTER TO TOP TUBE CENTER	329.0 mm	13.0 in	375.0 mm	14.8 in	415.0 mm	16.3 in	465.0 mm	18.3 in
I BB CENTER TO TOP OF SEATTUBE	390.0 mm	15.4 in	440.0 mm	17.3 in	480.0 mm	18.9 in	530.0 mm	20.9 in
J SEAT ANGLE	72.5 °		72.5 °		72.5 °		72.5 °	
K CHAINSTAY	438.0 mm	17.2 in	438.0 mm	17.2 in	438.0 mm	17.2 in	438.0 mm	17.2 in
L REACH	385.0 mm	15.2 in	405.0 mm	15.9 in	422.0 mm	16.6 in	439.0 mm	17.3 in
M STACK	618.0 mm	24.3 in	618.0 mm	24.3 in	628.0 mm	24.7 in	637.0 mm	25.1 in
N STEM LENGTH	70.0 mm	2.8 in	80.0 mm	3.1 in	90.0 mm	3.5 in	100.0 mm	3.9 in

SCALE: 730, 735

	S		M		L		XL	
A HEAD TUBE ANGLE	69.0 °		69.0 °		69.0 °		69.0 °	
B HEAD TUBE LENGTH	100.0 mm	3.9 in	100.0 mm	3.9 in	115.0 mm	4.5 in	125.0 mm	4.9 in
C TOP TUBE HORIZONTAL	575.0 mm	22.6 in	600.0 mm	23.6 in	625.0 mm	24.6 in	650.0 mm	25.6 in
D STANDOVER HEIGHT	728.9 mm	28.7 in	758.0 mm	29.8 in	786.8 mm	31.0 in	819.7 mm	32.3 in
E BB OFFSET	-44.0 mm	-1.7 in	-44.0 mm	-1.7 in	-44.0 mm	-1.7 in	-44.0 mm	-1.7 in
F BB HEIGHT	307.5 mm	12.1 in	307.5 mm	12.1 in	307.5 mm	12.1 in	307.5 mm	12.1 in
G WHEEL BASE	1'075.2 mm	42.3 in	1'100.2 mm	43.3 in	1'126.3 mm	44.3 in	1'152.0 mm	45.4 in
H BB CENTER TO TOP TUBE CENTER	315.8 mm	12.4 in	369.3 mm	14.5 in	409.3 mm	16.1 in	458.2 mm	18.0 in
I BB CENTER TO TOP OF SEATTUBE	390.0 mm	15.4 in	440.0 mm	17.3 in	480.0 mm	18.9 in	530.0 mm	20.9 in
J SEAT ANGLE	73.0 °		73.0 °		73.0 °		73.0 °	
K CHAINSTAY	427.0 mm	16.8 in	427.0 mm	16.8 in	427.0 mm	16.8 in	427.0 mm	16.8 in
L REACH	398.1 mm	15.7 in	423.1 mm	16.7 in	443.8 mm	17.5 in	466.0 mm	18.3 in
M STACK	578.6 mm	22.8 in	578.6 mm	22.8 in	592.6 mm	23.3 in	601.9 mm	23.7 in
N STEM LENGTH	70.0 mm	2.8 in	80.0 mm	3.1 in	90.0 mm	3.5 in	100.0 mm	3.9 in



SCALE 900 RC: SL, ULTIMATE, WORLD CUP, PRO


SCALE: 900, 910, 920

	S		M		L		XL	
A HEAD TUBE ANGLE	69.5 °		69.5 °		69.5 °		69.5 °	
B HEAD TUBE LENGTH	95.0 mm	3.7 in	100.0 mm	3.9 in	115.0 mm	4.5 in	125.0 mm	4.9 in
C TOP TUBE HORIZONTAL	575.0 mm	22.6 in	600.0 mm	23.6 in	625.0 mm	24.6 in	650.0 mm	25.6 in
D STANDOVER HEIGHT	743.0 mm	29.3 in	774.0 mm	30.5 in	800.0 mm	31.5 in	835.1 mm	32.9 in
E BB OFFSET	-58.0 mm	-2.3 in	-58.0 mm	-2.3 in	-58.0 mm	-2.3 in	-58.0 mm	-2.3 in
F BB HEIGHT	312.0 mm	12.3 in	312.0 mm	12.3 in	312.0 mm	12.3 in	312.0 mm	12.3 in
G WHEEL BASE	1,076.4 mm	42.4 in	1,101.8 mm	43.4 in	1,127.9 mm	44.4 in	1,153.7 mm	45.4 in
H BB CENTER TO TOP TUBE CENTER	325.0 mm	12.8 in	375.0 mm	14.8 in	415.0 mm	16.3 in	465.0 mm	18.3 in
I BB CENTER TO TOP OF SEATTUBE	390.0 mm	15.4 in	440.0 mm	17.3 in	480.0 mm	18.9 in	530.0 mm	20.9 in
J SEAT ANGLE	73.6 °		73.6 °		73.6 °		73.6 °	
K CHAINSTAY	425.0 mm	16.7 in	425.0 mm	16.7 in	425.0 mm	16.7 in	425.0 mm	16.7 in
L REACH	398.7 mm	15.7 in	422.3 mm	16.6 in	443.2 mm	17.4 in	465.5 mm	18.3 in
M STACK	599.0 mm	23.6 in	603.6 mm	23.8 in	617.7 mm	24.3 in	627.1 mm	24.7 in
N STEM LENGTH	60.0 mm	2.4 in	70.0 mm	2.8 in	80.0 mm	3.1 in	90.0 mm	3.5 in
O TRAIL	83.9 mm	3.3 in	83.9 mm	3.3 in	83.9 mm	3.3 in	83.9 mm	3.3 in

SCALE 700 RC: SL, ULTIMATE, WORLD CUP, PRO

SCALE: 700, 710, 720

	S		M		L	
A HEAD TUBE ANGLE	69.0 °		69.0 °		69.0 °	
B HEAD TUBE LENGTH	95.0 mm	3.7 in	100.0 mm	3.9 in	115.0 mm	4.5 in
C TOP TUBE HORIZONTAL	575.0 mm	22.6 in	600.0 mm	23.6 in	625.0 mm	24.6 in
D STANDOVER HEIGHT	726.0 mm	28.6 in	756.0 mm	29.8 in	784.0 mm	30.9 in
E BB OFFSET	-46.0 mm	-1.8 in	-46.0 mm	-1.8 in	-46.0 mm	-1.8 in
F BB HEIGHT	305.5 mm	12.0 in	305.5 mm	12.0 in	305.5 mm	12.0 in
G WHEEL BASE	1,073.7 mm	42.3 in	1,099.0 mm	43.3 in	1,125.2 mm	44.3 in
H BB CENTER TO TOP TUBE CENTER	325.0 mm	12.8 in	375.0 mm	14.8 in	415.0 mm	16.3 in
I BB CENTER TO TOP OF SEATTUBE	390.0 mm	15.4 in	440.0 mm	17.3 in	480.0 mm	18.9 in
J SEAT ANGLE	73.2 °		73.2 °		73.2 °	
K CHAINSTAY	425.0 mm	16.7 in	425.0 mm	16.7 in	425.0 mm	16.7 in
L REACH	401.0 mm	15.8 in	424.6 mm	16.7 in	445.3 mm	17.5 in
M STACK	575.0 mm	22.6 in	579.6 mm	22.8 in	593.6 mm	23.4 in
N STEM LENGTH	60.0 mm	2.4 in	70.0 mm	2.8 in	80.0 mm	3.1 in
O TRAIL	87.8 mm	3.5 in	87.8 mm	3.5 in	87.8 mm	3.5 in




SCALE: 950, 960, 965, 970


	S		M		L		XL		XXL	
A HEAD TUBE ANGLE	69.5 °		69.5 °		69.5 °		69.5 °		69.5 °	
B HEAD TUBE LENGTH	105.0 mm	4.1 in	105.0 mm	4.1 in	115.0 mm	4.5 in	125.0 mm	4.9 in	140.0 mm	5.5 in
C TOP TUBE HORIZONTAL	580.0 mm	22.8 in	600.0 mm	23.6 in	620.0 mm	24.4 in	640.0 mm	25.2 in	660.0 mm	26.0 in
D STANDOVER HEIGHT	756.0 mm	29.8 in	783.0 mm	30.8 in	810.0 mm	31.9 in	842.0 mm	33.1 in	883.9 mm	34.8 in
E BB OFFSET	-60.0 mm	-2.4 in	-60.0 mm	-2.4 in	-60.0 mm	-2.4 in	-60.0 mm	-2.4 in	-60.0 mm	-2.4 in
F BB HEIGHT	310.0 mm	12.2 in	310.0 mm	12.2 in	310.0 mm	12.2 in	310.0 mm	12.2 in	310.0 mm	12.2 in
G WHEEL BASE	1'079.0 mm	42.5 in	1'096.0 mm	43.1 in	1'117.0 mm	44.0 in	1'137.0 mm	44.8 in	1'160.6 mm	45.7 in
H BB CENTER TO TOPTUBE CENTER	329.0 mm	13.0 in	375.0 mm	14.8 in	415.0 mm	16.3 in	465.0 mm	18.3 in	522.8 mm	20.6 in
I BB CENTER TO TOP OF SEATTUBE	390.0 mm	15.4 in	440.0 mm	17.3 in	480.0 mm	18.9 in	530.0 mm	20.9 in	580.0 mm	22.8 in
J SEAT ANGLE	72.5 °		72.5 °		72.5 °		72.5 °		72.5 °	
K CHAINSTAY	438.0 mm	17.2 in	438.0 mm	17.2 in	438.0 mm	17.2 in	438.0 mm	17.2 in	438.0 mm	17.2 in
L REACH										
M STACK	385.0 mm	15.2 in	405.0 mm	15.9 in	422.0 mm	16.6 in	439.0 mm	17.3 in	452.9 mm	17.8 in
N STEM LENGTH	618.0 mm	24.3 in	618.0 mm	24.3 in	628.0 mm	24.7 in	637.0 mm	25.1 in	650.8 mm	25.6 in

SCALE: 750, 760, 765, 770

	XS		S		M		L		XL	
A HEAD TUBE ANGLE	69.0 °		69.0 °		69.0 °		69.0 °		69.0 °	
B HEAD TUBE LENGTH	100.0 mm	3.9 in	100.0 mm	3.9 in	100.0 mm	3.9 in	115.0 mm	4.5 in	125.0 mm	4.9 in
C TOP TUBE HORIZONTAL	560.0 mm	22.0 in	575.0 mm	22.6 in	600.0 mm	23.6 in	625.0 mm	24.6 in	650.0 mm	25.6 in
D STANDOVER HEIGHT	720.0 mm	28.3 in	728.9 mm	28.7 in	758.0 mm	29.8 in	786.8 mm	31.0 in	819.7 mm	32.3 in
E BB OFFSET	-44.0 mm	-1.7 in	-44.0 mm	-1.7 in	-44.0 mm	-1.7 in	-44.0 mm	-1.7 in	-44.0 mm	-1.7 in
F BB HEIGHT	307.5 mm	12.1 in	307.5 mm	12.1 in	307.5 mm	12.1 in	307.5 mm	12.1 in	307.5 mm	12.1 in
G WHEEL BASE	1'060.2 mm	41.7 in	1'075.2 mm	42.3 in	1'100.2 mm	43.3 in	1'126.3 mm	44.3 in	1'152.0 mm	45.4 in
H BB CENTER TO TOPTUBE CENTER	313.4 mm	12.3 in	315.8 mm	12.4 in	369.3 mm	14.5 in	409.3 mm	16.1 in	458.2 mm	18.0 in
I BB CENTER TO TOP OF SEATTUBE	355.0 mm	14.0 in	390.0 mm	15.4 in	440.0 mm	17.3 in	480.0 mm	18.9 in	530.0 mm	20.9 in
J SEAT ANGLE	73.0 °		73.0 °		73.0 °		73.0 °		73.0 °	
K CHAINSTAY	427.0 mm	16.8 in	427.0 mm	16.8 in	427.0 mm	16.8 in	427.0 mm	16.8 in	427.0 mm	16.8 in
L REACH	382.5 mm	15.1 in	398.1 mm	15.7 in	423.1 mm	16.7 in	443.8 mm	17.5 in	466.0 mm	18.3 in
M STACK	576.0 mm	22.7 in	578.6 mm	22.8 in	578.6 mm	22.8 in	592.6 mm	23.3 in	601.9 mm	23.7 in
N STEM LENGTH	60.0 mm	2.4 in	70.0 mm	2.8 in	80.0 mm	3.1 in	90.0 mm	3.5 in	100.0 mm	3.9 in



SCALE PLUS




BIG JON

SCALE PLUS: 710, 720, 730

	S		M		L		XL	
A HEAD TUBE ANGLE	66.5 °		66.5 °		66.5 °		66.5 °	
B HEAD TUBE LENGTH	100.0 mm	3.9 in	105.0 mm	4.1 in	115.0 mm	4.5 in	125.0 mm	4.9 in
C TOP TUBE HORIZONTAL	577.0 mm	22.7 in	602.0 mm	23.7 in	627.0 mm	24.7 in	652.0 mm	25.7 in
D STANDOVER HEIGHT	780.0 mm	30.7 in	806.0 mm	31.7 in	829.0 mm	32.6 in	857.0 mm	33.7 in
E BB OFFSET	-55.0 mm	-2.2 in	-55.0 mm	-2.2 in	-55.0 mm	-2.2 in	-55.0 mm	-2.2 in
F BB HEIGHT	310.0 mm	12.2 in	310.0 mm	12.2 in	310.0 mm	12.2 in	310.0 mm	12.2 in
G WHEEL BASE	1'108.0 mm	43.6 in	1'133.4 mm	44.6 in	1'159.3 mm	45.6 in	1'185.2 mm	46.7 in
H BB CENTER TO TOPTUBE CENTER	328.0 mm	12.9 in	383.0 mm	15.1 in	425.0 mm	16.7 in	477.0 mm	18.8 in
I BB CENTER TO TOP OF SEATTUBE	390.0 mm	15.4 in	440.0 mm	17.3 in	480.0 mm	18.9 in	530.0 mm	20.9 in
J SEAT ANGLE	72.8 °		72.8 °		72.8 °		72.8 °	
K CHAINSTAY	439.0 mm	17.3 in	439.0 mm	17.3 in	439.0 mm	17.3 in	439.0 mm	17.3 in
L REACH	389.0 mm	15.3 in	412.0 mm	16.2 in	435.0 mm	17.1 in	457.0 mm	18.0 in
M STACK	607.0 mm	23.9 in	612.0 mm	24.1 in	621.0 mm	24.4 in	631.0 mm	24.8 in
N STEM LENGTH	50.0 mm	2.0 in	60.0 mm	2.4 in	70.0 mm	2.8 in	80.0 mm	3.1 in

BIG JON

	S		M		L		XL	
A HEAD TUBE ANGLE	69.0 °		69.0 °		69.0 °		69.0 °	
B HEAD TUBE LENGTH	105.0 mm	4.1 in	105.0 mm	4.1 in	115.0 mm	4.5 in	125.0 mm	4.9 in
C TOP TUBE HORIZONTAL	575.0 mm	22.6 in	600.0 mm	23.6 in	625.0 mm	24.6 in	650.0 mm	25.6 in
D STANDOVER HEIGHT	787.0 mm	31.0 in	811.0 mm	31.9 in	835.0 mm	32.9 in	863.0 mm	34.0 in
E BB OFFSET	-60.0 mm	-2.4 in	-60.0 mm	-2.4 in	-60.0 mm	-2.4 in	-60.0 mm	-2.4 in
F BB HEIGHT	320.0 mm	12.6 in	320.0 mm	12.6 in	320.0 mm	12.6 in	320.0 mm	12.6 in
G WHEEL BASE	1,106.0 mm	43.5 in	1,131.0 mm	44.5 in	1,157.0 mm	45.6 in	1,183.0 mm	46.6 in
H BB CENTER TO TOPTUBE CENTER	320.0 mm	12.6 in	372.0 mm	14.6 in	414.0 mm	16.3 in	465.0 mm	18.3 in
I BB CENTER TO TOP OF SEATTUBE	390.0 mm	15.4 in	440.0 mm	17.3 in	480.0 mm	18.9 in	530.0 mm	20.9 in
J SEAT ANGLE	73.0 °		73.0 °		73.0 °		73.0 °	
K CHAINSTAY	465.0 mm	18.3 in	465.0 mm	18.3 in	465.0 mm	18.3 in	465.0 mm	18.3 in
L REACH	385.0 mm	15.2 in	410.0 mm	16.1 in	432.0 mm	17.0 in	454.0 mm	17.9 in
M STACK	619.0 mm	24.4 in	619.0 mm	24.4 in	629.0 mm	24.8 in	638.0 mm	25.1 in
N STEM LENGTH	60.0 mm	2.4 in	60.0 mm	2.4 in	70.0 mm	2.8 in	70.0 mm	2.8 in




SPARK 900 RC: SL, ULTIMATE, WORLD CUP, PRO

	S		M		L		XL	
A HEAD TUBE ANGLE	68.5°		68.5°		68.5°		68.5°	
B HEAD TUBE LENGTH	95.0 mm	3.7 in	95.0 mm	3.7 in	105.0 mm	4.1 in	115.0 mm	4.5 in
C TOP TUBE HORIZONTAL	570.0 mm	22.4 in	600.0 mm	23.6 in	630.0 mm	24.8 in	650.0 mm	25.6 in
D STANDOVER HEIGHT								
E BB OFFSET	-50.5 mm	-2.0 in	-50.5 mm	-2.0 in	-50.5 mm	-2.0 in	-50.5 mm	-2.0 in
F BB HEIGHT	319.5 mm	12.6 in	319.5 mm	12.6 in	319.5 mm	12.6 in	319.5 mm	12.6 in
G WHEEL BASE	1,097.7 mm	43.2 in	1,127.7 mm	44.4 in	1,158.6 mm	45.6 in	1,179.6 mm	46.4 in
H BB CENTER TO TOPTUBE CENTER								
I BB CENTER TO TOP OF SEATTUBE	410.0 mm	16.1 in	440.0 mm	17.3 in	490.0 mm	19.3 in	540.0 mm	21.3 in
J SEAT ANGLE	73.8°		73.8°		73.8°		73.8°	
K CHAINSTAY	435.0 mm	17.1 in	435.0 mm	17.1 in	435.0 mm	17.1 in	435.0 mm	17.1 in
L REACH	399.5 mm	15.7 in	429.5 mm	16.9 in	456.8 mm	18.0 in	474.1 mm	18.7 in
M STACK	586.9 mm	23.1 in	586.9 mm	23.1 in	596.2 mm	23.5 in	605.5 mm	23.8 in
N STEM LENGTH	60.0 mm	2.4 in	70.0 mm	2.8 in	80.0 mm	3.1 in	90.0 mm	3.5 in
O TRAIL	90.9 mm	3.6 in	90.9 mm	3.6 in	90.9 mm	3.6 in	90.9 mm	3.6 in

SPARK 700 RC: SL, ULTIMATE, WORLD CUP, PRO

	S		M		L	
A HEAD TUBE ANGLE	68.5°		68.5°		68.5°	
B HEAD TUBE LENGTH	95.0 mm	3.7 in	100.0 mm	3.9 in	110.0 mm	4.3 in
C TOP TUBE HORIZONTAL	570.0 mm	22.4 in	600.0 mm	23.6 in	625.0 mm	24.6 in
D STANDOVER HEIGHT						
E BB OFFSET	-34.0 mm	-1.3 in	-34.0 mm	-1.3 in	-34.0 mm	-1.3 in
F BB HEIGHT	317.5 mm	12.5 in	317.5 mm	12.5 in	317.5 mm	12.5 in
G WHEEL BASE	1,082.3 mm	42.6 in	1,112.8 mm	43.8 in	1,138.7 mm	44.8 in
H BB CENTER TO TOPTUBE CENTER	345.0 mm	13.6 in	375.0 mm	14.8 in	425.0 mm	16.7 in
I BB CENTER TO TOP OF SEATTUBE	410.0 mm	16.1 in	440.0 mm	17.3 in	490.0 mm	19.3 in
J SEAT ANGLE	73.5°		73.5°		73.5°	
K CHAINSTAY	425.0 mm	16.7 in	425.0 mm	16.7 in	425.0 mm	16.7 in
L REACH	403.9 mm	15.9 in	432.5 mm	17.0 in	454.8 mm	17.9 in
M STACK	560.8 mm	22.1 in	565.4 mm	22.3 in	574.7 mm	22.6 in
N STEM LENGTH	60.0 mm	2.4 in	70.0 mm	2.8 in	80.0 mm	3.1 in
O TRAIL	91.2 mm	3.6 in	91.2 mm	3.6 in	91.2 mm	3.6 in



SPARK: 900 ULTIMATE, 900 PREMIUM, 900, 910, 920, 930, 940, 945, 950, 960


	S		M		L		XL	
A HEAD TUBE ANGLE	67.2 °		67.2 °		67.2 °		67.2 °	
B HEAD TUBE LENGTH	95.0 mm	3.7 in	95.0 mm	3.7 in	105.0 mm	4.1 in	115.0 mm	4.5 in
C TOP TUBE HORIZONTAL	575.0 mm	22.6 in	605.0 mm	23.8 in	635.0 mm	25.0 in	655.0 mm	25.8 in
D STANDOVER HEIGHT								
E BB OFFSET	-43.0 mm	-1.7 in	-43.0 mm	-1.7 in	-43.0 mm	-1.7 in	-43.0 mm	-1.7 in
F BB HEIGHT	327.0 mm	12.9 in	327.0 mm	12.9 in	327.0 mm	12.9 in	327.0 mm	12.9 in
G WHEEL BASE	1,121.6 mm	44.2 in	1,151.6 mm	45.3 in	1,182.8 mm	46.6 in	1,203.9 mm	47.4 in
H BB CENTER TO TOPTUBE CENTER	345.0 mm	13.6 in	375.0 mm	14.8 in	425.0 mm	16.7 in	475.0 mm	18.7 in
I BB CENTER TO TOP OF SEATTUBE	410.0 mm	16.1 in	440.0 mm	17.3 in	490.0 mm	19.3 in	540.0 mm	21.3 in
J SEAT ANGLE	73.8 °		73.8 °		73.8 °		73.8 °	
K CHAINSTAY	438.0 mm	17.2 in	438.0 mm	17.2 in	438.0 mm	17.2 in	438.0 mm	17.2 in
L REACH	402.7 mm	15.9 in	432.7 mm	17.0 in	460.0 mm	18.1 in	477.3 mm	18.8 in
M STACK	593.1 mm	23.4 in	593.1 mm	23.4 in	602.4 mm	23.7 in	611.6 mm	24.1 in
N STEM LENGTH	50.0 mm	2.0 in	60.0 mm	2.4 in	70.0 mm	2.8 in	80.0 mm	3.1 in
O TRAIL	100.2 mm	3.9 in	100.2 mm	3.9 in	100.2 mm	3.9 in	100.2 mm	3.9 in

SPARK: 700 ULTIMATE, 700 PREMIUM, 700, 710, 720, 730, 740, 745, 750, 760

	S		M		L	
A HEAD TUBE ANGLE	67.0 °		67.0 °		67.0 °	
B HEAD TUBE LENGTH	100.0 mm	3.9 in	105.0 mm	4.1 in	115.0 mm	4.5 in
C TOP TUBE HORIZONTAL	575.0 mm	22.6 in	605.0 mm	23.8 in	635.0 mm	25.0 in
D STANDOVER HEIGHT						
E BB OFFSET	-26.0 mm	-1.0 in	-26.0 mm	-1.0 in	-26.0 mm	-1.0 in
F BB HEIGHT	325.5 mm	12.8 in	325.5 mm	12.8 in	325.5 mm	12.8 in
G WHEEL BASE	1,115.2 mm	43.9 in	1,145.8 mm	45.1 in	1,177.0 mm	46.3 in
H BB CENTER TO TOPTUBE CENTER	345.0 mm	13.6 in	375.0 mm	14.8 in	425.0 mm	16.7 in
I BB CENTER TO TOP OF SEATTUBE	410.0 mm	16.1 in	440.0 mm	17.3 in	490.0 mm	19.3 in
J SEAT ANGLE	73.8 °		73.8 °		73.8 °	
K CHAINSTAY	428.0 mm	16.9 in	428.0 mm	16.9 in	428.0 mm	16.9 in
L REACH	409.7 mm	16.1 in	438.4 mm	17.3 in	465.7 mm	18.3 in
M STACK	568.9 mm	22.4 in	573.5 mm	22.6 in	582.7 mm	22.9 in
N STEM LENGTH	50.0 mm	2.0 in	60.0 mm	2.4 in	70.0 mm	2.8 in
O TRAIL	101.4 mm	4.0 in	101.4 mm	4.0 in	101.4 mm	4.0 in

SPARK PLUS: 700 TUNED, 710, 720, 730

	S		M		L		XL	
A HEAD TUBE ANGLE	66.9 °		66.9 °		66.9 °		66.9 °	
B HEAD TUBE LENGTH	95.0 mm	3.7 in	95.0 mm	3.7 in	105.0 mm	4.1 in	115.0 mm	4.5 in
C TOP TUBE HORIZONTAL	576.9 mm	22.7 in	607.0 mm	23.9 in	637.0 mm	25.1 in	657.0 mm	25.9 in
D STANDOVER HEIGHT								
E BB OFFSET	-36.0 mm	-1.4 in	-36.0 mm	-1.4 in	-36.0 mm	-1.4 in	-36.0 mm	-1.4 in
F BB HEIGHT	329.0 mm	13.0 in	329.0 mm	13.0 in	329.0 mm	13.0 in	329.0 mm	13.0 in
G WHEEL BASE	1,128.1 mm	44.4 in	1,158.1 mm	45.6 in	1,189.3 mm	46.8 in	1,210.5 mm	47.7 in
H BB CENTER TO TOPTUBE CENTER	345.0 mm	13.6 in	375.0 mm	14.8 in	425.0 mm	16.7 in	475.0 mm	18.7 in
I BB CENTER TO TOP OF SEATTUBE	410.0 mm	16.1 in	440.0 mm	17.3 in	490.0 mm	19.3 in	540.0 mm	21.3 in
J SEAT ANGLE	73.2 °		73.2 °		73.2 °		73.2 °	
K CHAINSTAY	438.0 mm	17.2 in	438.0 mm	17.2 in	438.0 mm	17.2 in	438.0 mm	17.2 in
L REACH	396.3 mm	15.6 in	426.4 mm	16.8 in	453.6 mm	17.9 in	470.9 mm	18.5 in
M STACK	598.1 mm	23.5 in	598.1 mm	23.5 in	607.3 mm	23.9 in	616.5 mm	24.3 in
N STEM LENGTH	50.0 mm	2.0 in	50.0 mm	2.0 in	60.0 mm	2.4 in	70.0 mm	2.8 in
O TRAIL	100.2 mm	3.9 in	100.2 mm	3.9 in	100.2 mm	3.9 in	100.2 mm	3.9 in



GENIUS: 700 PREMIUM, 710, 720


	S		S		M		M		L		L		XL		XL	
	LOW BB SETTING		HIGH BB SETTING		LOW BB SETTING		HIGH BB SETTING		LOW BB SETTING		HIGH BB SETTING		LOW BB SETTING		HIGH BB SETTING	
A HEAD TUBE ANGLE	67.9 °		68.4 °		67.9 °		68.4 °		67.9 °		68.4 °		67.9 °		68.4 °	
B HEAD TUBE LENGTH	100.0 mm	3.9 in	100.0 mm	3.9 in	110.0 mm	4.3 in	110.0 mm	4.3 in	120.0 mm	4.7 in	120.0 mm	4.7 in	135.0 mm	5.3 in	135.0 mm	5.3 in
C TOP TUBE HORIZONTAL	569.9 mm	22.4 in	568.6 mm	22.4 in	599.9 mm	23.6 in	598.6 mm	23.6 in	624.9 mm	24.6 in	623.6 mm	24.6 in	649.9 mm	25.6 in	648.6 mm	25.5 in
D STANDOVER HEIGHT	773.1 mm	30.4 in	775.9 mm	30.5 in	774.6 mm	30.5 in	777.6 mm	30.6 in	807.0 mm	31.8 in	810.4 mm	31.9 in	809.0 mm	31.9 in	812.4 mm	32.0 in
E BB OFFSET	-11.6 mm	-0.5 in	-6.1 mm	-0.2 in	-11.6 mm	-0.5 in	-6.1 mm	-0.2 in	-11.6 mm	-0.5 in	-6.1 mm	-0.2 in	-11.6 mm	-0.5 in	-6.1 mm	-0.2 in
F BB HEIGHT	344.9 mm	13.6 in	350.4 mm	13.8 in	344.9 mm	13.6 in	350.4 mm	13.8 in	344.9 mm	13.6 in	350.4 mm	13.8 in	344.9 mm	13.6 in	350.4 mm	13.8 in
G WHEEL BASE	1'122.7 mm	44.2 in	1'121.8 mm	44.2 in	1'153.8 mm	45.4 in	1'152.9 mm	45.4 in	1'179.9 mm	46.5 in	1'179.0 mm	46.4 in	1'206.6 mm	47.5 in	1'205.7 mm	47.5 in
H BB CENTER TO TOP TUBE CENTER																
I BB CENTER TO TOP OF SEAT TUBE	415.0 mm	16.3 in	415.0 mm	16.3 in	440.0 mm	17.3 in	440.0 mm	17.3 in	475.0 mm	18.7 in	475.0 mm	18.7 in	510.0 mm	20.1 in	510.0 mm	20.1 in
J SEAT ANGLE	74.0 °		74.5 °		74.0 °		74.5 °		74.0 °		74.5 °		74.0 °		74.5 °	
K CHAINSTAY	439.0 mm	17.3 in	439.0 mm	17.3 in	439.0 mm	17.3 in	439.0 mm	17.3 in	439.0 mm	17.3 in	439.0 mm	17.3 in	439.0 mm	17.3 in	439.0 mm	17.3 in
L REACH	401.4 mm	15.8 in	406.1 mm	16.0 in	428.7 mm	16.9 in	433.4 mm	17.1 in	451.1 mm	17.8 in	455.7 mm	17.9 in	472.1 mm	18.6 in	476.7 mm	18.8 in
M STACK	588.8 mm	23.2 in	585.5 mm	23.1 in	598.1 mm	23.5 in	594.7 mm	23.4 in	607.3 mm	23.9 in	603.9 mm	23.8 in	621.2 mm	24.5 in	617.7 mm	24.3 in
N STEM LENGTH	60.0 mm	2.4 in	60.0 mm	2.4 in	70.0 mm	2.8 in	70.0 mm	2.8 in	80.0 mm	3.1 in	80.0 mm	3.1 in	90.0 mm	3.5 in	90.0 mm	3.5 in

GENIUS: 920


	S		S		M		M		L		L		XL		XL	
	LOW BB SETTING		HIGH BB SETTING		LOW BB SETTING		HIGH BB SETTING		LOW BB SETTING		HIGH BB SETTING		LOW BB SETTING		HIGH BB SETTING	
A HEAD TUBE ANGLE	68.9 °		69.4 °		68.9 °		69.4 °		69.0 °		69.4 °		69.0 °		69.4 °	
B HEAD TUBE LENGTH	100.0 mm	3.9 in	100.0 mm	3.9 in	100.0 mm	3.9 in	100.0 mm	3.9 in	110.0 mm	4.3 in	110.0 mm	4.3 in	120.0 mm	4.7 in	120.0 mm	4.7 in
C TOP TUBE HORIZONTAL	570.3 mm	22.5 in	569.0 mm	22.4 in	600.3 mm	23.6 in	598.9 mm	23.6 in	625.2 mm	24.6 in	623.8 mm	24.6 in	650.2 mm	25.6 in	648.8 mm	25.5 in
D STANDOVER HEIGHT	770.4 mm	30.3 in	772.8 mm	30.4 in	772.8 mm	30.4 in	775.5 mm	30.5 in	803.0 mm	31.6 in	806.1 mm	31.7 in	800.6 mm	31.5 in	803.8 mm	31.6 in
E BB OFFSET	-34.5 mm	-1.4 in	-29.1 mm	-1.1 in	-34.5 mm	-1.4 in	-29.0 mm	-1.1 in	-34.0 mm	-1.3 in	-28.5 mm	-1.1 in	-34.0 mm	-1.3 in	-28.4 mm	-1.1 in
F BB HEIGHT	335.5 mm	13.2 in	340.9 mm	13.4 in	335.5 mm	13.2 in	341.0 mm	13.4 in	336.0 mm	13.2 in	341.5 mm	13.4 in	336.0 mm	13.2 in	341.6 mm	13.4 in
G WHEEL BASE	1'112.2 mm	43.8 in	1'111.8 mm	43.8 in	1'142.2 mm	45.0 in	1'141.8 mm	45.0 in	1'168.0 mm	46.0 in	1'167.6 mm	46.0 in	1'193.9 mm	47.0 in	1'193.5 mm	47.0 in
H BB CENTER TO TOP TUBE CENTER																
I BB CENTER TO TOP OF SEAT TUBE	415.0 mm	16.3 in	415.0 mm	16.3 in	440.0 mm	17.3 in	440.0 mm	17.3 in	475.0 mm	18.7 in	475.0 mm	18.7 in	510.0 mm	20.1 in	510.0 mm	20.1 in
J SEAT ANGLE	73.9 °		74.4 °		73.9 °		74.4 °		74.0 °		74.4 °		74.0 °		74.4 °	
K CHAINSTAY	450.0 mm	17.7 in	449.0 mm	17.7 in	450.0 mm	17.7 in	449.0 mm	17.7 in	449.9 mm	17.7 in	448.9 mm	17.7 in	449.9 mm	17.7 in	448.9 mm	17.7 in
L REACH	394.2 mm	15.5 in	399.2 mm	15.7 in	424.2 mm	16.7 in	429.1 mm	16.9 in	447.1 mm	17.6 in	451.8 mm	17.8 in	469.4 mm	18.5 in	474.1 mm	18.7 in
M STACK	770.4 mm	30.3 in	772.8 mm	30.4 in	772.8 mm	30.4 in	775.5 mm	30.5 in	803.0 mm	31.6 in	806.1 mm	31.7 in	800.6 mm	31.5 in	803.8 mm	31.6 in
N STEM LENGTH	60.0 mm	2.4 in	60.0 mm	2.4 in	70.0 mm	2.8 in	70.0 mm	2.8 in	80.0 mm	3.1 in	80.0 mm	3.1 in	90.0 mm	3.5 in	90.0 mm	3.5 in

GENIUS: 940

	S		S		M		M		L		L		XL		XL	
	LOW BB SETTING		HIGH BB SETTING		LOW BB SETTING		HIGH BB SETTING		LOW BB SETTING		HIGH BB SETTING		LOW BB SETTING		HIGH BB SETTING	
A HEAD TUBE ANGLE	68.9 °		69.4 °		68.9 °		69.4 °		69.0 °		69.4 °		69.0 °		69.4 °	
B HEAD TUBE LENGTH	100.0 mm	3.9 in	100.0 mm	3.9 in	100.0 mm	3.9 in	100.0 mm	3.9 in	110.0 mm	4.3 in	110.0 mm	4.3 in	120.0 mm	4.7 in	120.0 mm	4.7 in
C TOP TUBE HORIZONTAL	570.3 mm	22.5 in	569.0 mm	22.4 in	600.3 mm	23.6 in	598.9 mm	23.6 in	625.2 mm	24.6 in	623.8 mm	24.6 in	650.2 mm	25.6 in	648.8 mm	25.5 in
D STANDOVER HEIGHT	770.4 mm	30.3 in	772.8 mm	30.4 in	772.8 mm	30.4 in	775.5 mm	30.5 in	803.0 mm	31.6 in	806.1 mm	31.7 in	800.6 mm	31.5 in	803.8 mm	31.6 in
E BB OFFSET	-34.5 mm	-1.4 in	-29.1 mm	-1.1 in	-34.5 mm	-1.4 in	-29.0 mm	-1.1 in	-34.0 mm	-1.3 in	-28.5 mm	-1.1 in	-34.0 mm	-1.3 in	-28.4 mm	-1.1 in
F BB HEIGHT	335.5 mm	13.2 in	340.9 mm	13.4 in	335.5 mm	13.2 in	341.0 mm	13.4 in	336.0 mm	13.2 in	341.5 mm	13.4 in	336.0 mm	13.2 in	341.6 mm	13.4 in
G WHEEL BASE	1'112.2 mm	43.8 in	1'111.8 mm	43.8 in	1'142.2 mm	45.0 in	1'141.8 mm	45.0 in	1'168.0 mm	46.0 in	1'167.6 mm	46.0 in	1'193.9 mm	47.0 in	1'193.5 mm	47.0 in
H BB CENTER TO TOP TUBE CENTER																
I BB CENTER TO TOP OF SEAT TUBE	415.0 mm	16.3 in	415.0 mm	16.3 in	440.0 mm	17.3 in	440.0 mm	17.3 in	475.0 mm	18.7 in	475.0 mm	18.7 in	510.0 mm	20.1 in	510.0 mm	20.1 in
J SEAT ANGLE	73.9 °		74.4 °		73.9 °		74.4 °		74.0 °		74.4 °		74.0 °		74.4 °	
K CHAINSTAY	450.0 mm	17.7 in	449.0 mm	17.7 in	450.0 mm	17.7 in	449.0 mm	17.7 in	449.9 mm	17.7 in	448.9 mm	17.7 in	449.9 mm	17.7 in	448.9 mm	17.7 in
L REACH	394.2 mm	15.5 in	399.2 mm	15.7 in	424.2 mm	16.7 in	429.1 mm	16.9 in	447.1 mm	17.6 in	451.8 mm	17.8 in	469.4 mm	18.5 in	474.1 mm	18.7 in
M STACK	770.4 mm	30.3 in	772.8 mm	30.4 in	772.8 mm	30.4 in	775.5 mm	30.5 in	803.0 mm	31.6 in	806.1 mm	31.7 in	800.6 mm	31.5 in	803.8 mm	31.6 in
N STEM LENGTH	60.0 mm	2.4 in	60.0 mm	2.4 in	70.0 mm	2.8 in	70.0 mm	2.8 in	80.0 mm	3.1 in	80.0 mm	3.1 in	90.0 mm	3.5 in	90.0 mm	3.5 in



GENIUS &
GENIUS PLUS



GENIUS LT PLUS

GENIUS: 730, 740, 750


	S		S		M		M		L		L		XL		XL	
	LOW BB SETTING		HIGH BB SETTING		LOW BB SETTING		HIGH BB SETTING		LOW BB SETTING		HIGH BB SETTING		LOW BB SETTING		HIGH BB SETTING	
A HEAD TUBE ANGLE	67.9 °		68.4 °		67.9 °		68.4 °		67.9 °		68.4 °		67.9 °		68.4 °	
B HEAD TUBE LENGTH	100.0 mm	3.9 in	100.0 mm	3.9 in	110.0 mm	4.3 in	110.0 mm	4.3 in	120.0 mm	4.7 in	120.0 mm	4.7 in	135.0 mm	5.3 in	135.0 mm	5.3 in
C TOP TUBE HORIZONTAL	569.9 mm	22.4 in	568.6 mm	22.4 in	599.9 mm	23.6 in	598.6 mm	23.6 in	624.9 mm	24.6 in	623.6 mm	24.6 in	649.9 mm	25.6 in	648.6 mm	25.5 in
D STANDOVER HEIGHT	773.1 mm	30.4 in	775.9 mm	30.5 in	774.6 mm	30.5 in	777.6 mm	30.6 in	807.0 mm	31.8 in	810.4 mm	31.9 in	809.0 mm	31.9 in	812.4 mm	32.0 in
E BB OFFSET	-11.6 mm	-0.5 in	-6.1 mm	-0.2 in	-11.6 mm	-0.5 in	-6.1 mm	-0.2 in	-11.6 mm	-0.5 in	-6.1 mm	-0.2 in	-11.6 mm	-0.5 in	-6.1 mm	-0.2 in
F BB HEIGHT	344.9 mm	13.6 in	350.4 mm	13.8 in	344.9 mm	13.6 in	350.4 mm	13.8 in	344.9 mm	13.6 in	350.4 mm	13.8 in	344.9 mm	13.6 in	350.4 mm	13.8 in
G WHEEL BASE	1'122.7 mm	44.2 in	1'121.8 mm	44.2 in	1'153.8 mm	45.4 in	1'152.9 mm	45.4 in	1'179.9 mm	46.5 in	1'179.0 mm	46.4 in	1'206.6 mm	47.5 in	1'205.7 mm	47.5 in
H BB CENTER TO TOP TUBE CENTER																
I BB CENTER TO TOP OF SEAT TUBE	415.0 mm	16.3 in	415.0 mm	16.3 in	440.0 mm	17.3 in	440.0 mm	17.3 in	475.0 mm	18.7 in	475.0 mm	18.7 in	510.0 mm	20.1 in	510.0 mm	20.1 in
J SEAT ANGLE	74.0 °		74.5 °		74.0 °		74.5 °		74.0 °		74.5 °		74.0 °		74.5 °	
K CHAINSTAY	439.0 mm	17.3 in	439.0 mm	17.3 in	439.0 mm	17.3 in	439.0 mm	17.3 in	439.0 mm	17.3 in	439.0 mm	17.3 in	439.0 mm	17.3 in	439.0 mm	17.3 in
L REACH	401.4 mm	15.8 in	406.1 mm	16.0 in	428.7 mm	16.9 in	433.4 mm	17.1 in	451.1 mm	17.8 in	455.7 mm	17.9 in	472.1 mm	18.6 in	476.7 mm	18.8 in
M STACK	588.8 mm	23.2 in	585.5 mm	23.1 in	598.1 mm	23.5 in	594.7 mm	23.4 in	607.3 mm	23.9 in	603.9 mm	23.8 in	621.2 mm	24.5 in	617.7 mm	24.3 in
N STEM LENGTH	60.0 mm	2.4 in	60.0 mm	2.4 in	70.0 mm	2.8 in	70.0 mm	2.8 in	80.0 mm	3.1 in	80.0 mm	3.1 in	90.0 mm	3.5 in	90.0 mm	3.5 in

GENIUS PLUS: 700 TUNED, 710, 720


	S		S		M		M		L		L		XL		XL	
	LOW BB SETTING		HIGH BB SETTING		LOW BB SETTING		HIGH BB SETTING		LOW BB SETTING		HIGH BB SETTING		LOW BB SETTING		HIGH BB SETTING	
A HEAD TUBE ANGLE	67.5 °		68.0 °		67.5 °		68.0 °		67.5 °		68.0 °		67.5 °		68.0 °	
B HEAD TUBE LENGTH	100.0 mm	3.9 in	100.0 mm	3.9 in	100.0 mm	3.9 in	100.0 mm	3.9 in	110.0 mm	4.3 in	110.0 mm	4.3 in	120.0 mm	4.7 in	120.0 mm	4.7 in
C TOP TUBE HORIZONTAL	570.0 mm	22.4 in	570.0 mm	22.4 in	600.0 mm	23.6 in	600.0 mm	23.6 in	625.0 mm	24.6 in	625.0 mm	24.6 in	650.0 mm	25.6 in	650.0 mm	25.6 in
D STANDOVER HEIGHT	819.0 mm	32.2 in	822.0 mm	32.4 in	823.0 mm	32.4 in	826.0 mm	32.5 in	843.0 mm	33.2 in	846.0 mm	33.3 in	865.0 mm	34.1 in	868.0 mm	34.2 in
E BB OFFSET	-30.0 mm	-1.2 in	-25.0 mm	-1.0 in	-30.0 mm	-1.2 in	-25.0 mm	-1.0 in	-30.0 mm	-1.2 in	-25.0 mm	-1.0 in	-30.0 mm	-1.2 in	-25.0 mm	-1.0 in
F BB HEIGHT	335.0 mm	13.2 in	340.0 mm	13.4 in	335.0 mm	13.2 in	340.0 mm	13.4 in	335.0 mm	13.2 in	340.0 mm	13.4 in	335.0 mm	13.2 in	340.0 mm	13.4 in
G WHEEL BASE	1'135.0 mm	44.7 in	1'134.0 mm	44.6 in	1'165.0 mm	45.9 in	1'164.0 mm	45.8 in	1'191.0 mm	46.9 in	1'190.0 mm	46.9 in	1'271.0 mm	50.0 in	1'270.0 mm	50.0 in
H BB CENTER TO TOP TUBE CENTER	336.0 mm	13.2 in	336.0 mm	13.2 in	345.0 mm	13.6 in	345.0 mm	13.6 in	378.0 mm	14.9 in	378.0 mm	14.9 in	409.0 mm	16.1 in	409.0 mm	16.1 in
I BB CENTER TO TOP OF SEAT TUBE	415.0 mm	16.3 in	415.0 mm	16.3 in	440.0 mm	17.3 in	440.0 mm	17.3 in	475.0 mm	18.7 in	475.0 mm	18.7 in	510.0 mm	20.1 in	510.0 mm	20.1 in
J SEAT ANGLE	73.9 °		74.4 °		73.9 °		74.4 °		73.9 °		74.4 °		73.9 °		74.4 °	
K CHAINSTAY	445.0 mm	17.5 in	445.0 mm	17.5 in	445.0 mm	17.5 in	445.0 mm	17.5 in	445.0 mm	17.5 in	445.0 mm	17.5 in	445.0 mm	17.5 in	445.0 mm	17.5 in
L REACH	395.0 mm	15.6 in	399.0 mm	15.7 in	425.0 mm	16.7 in	429.0 mm	16.9 in	448.0 mm	17.6 in	452.0 mm	17.8 in	470.0 mm	18.5 in	474.0 mm	18.7 in
M STACK	613.0 mm	24.1 in	610.0 mm	24.0 in	614.0 mm	24.2 in	611.0 mm	24.1 in	623.0 mm	24.5 in	620.0 mm	24.4 in	633.0 mm	24.9 in	630.0 mm	24.8 in
N STEM LENGTH	40.0 mm	1.6 in	40.0 mm	1.6 in	50.0 mm	2.0 in	50.0 mm	2.0 in	60.0 mm	2.4 in	60.0 mm	2.4 in	70.0 mm	2.8 in	70.0 mm	2.8 in

GENIUS LT PLUS: 700 TUNED, 710, 720

	S		S		M		M		L		L	
	LOW BB SETTING		HIGH BB SETTING		LOW BB SETTING		HIGH BB SETTING		LOW BB SETTING		HIGH BB SETTING	
A HEAD TUBE ANGLE	65.8 °		66.3 °		65.8 °		66.3 °		65.8 °		66.3 °	
B HEAD TUBE LENGTH	100.0 mm	3.9 in	100.0 mm	3.9 in	110.0 mm	4.3 in	110.0 mm	4.3 in	120.0 mm	4.7 in	120.0 mm	4.7 in
C TOP TUBE HORIZONTAL	570.0 mm	22.4 in	570.0 mm	22.4 in	600.0 mm	23.6 in	600.0 mm	23.6 in	625.0 mm	24.6 in	625.0 mm	24.6 in
D STANDOVER HEIGHT	815.0 mm	32.1 in	818.0 mm	32.2 in	820.0 mm	32.3 in	823.0 mm	32.4 in	832.0 mm	32.8 in	835.0 mm	32.9 in
E BB OFFSET	-20.0 mm	-0.8 in	-20.0 mm	-0.8 in	-20.0 mm	-0.8 in	-20.0 mm	-0.8 in	-20.0 mm	-0.8 in	-20.0 mm	-0.8 in
F BB HEIGHT	345.0 mm	13.6 in	345.0 mm	13.6 in	345.0 mm	13.6 in	345.0 mm	13.6 in	345.0 mm	13.6 in	345.0 mm	13.6 in
G WHEEL BASE	1'161.0 mm	45.7 in	1'160.0 mm	45.7 in	1'192.0 mm	46.9 in	1'191.0 mm	46.9 in	1'219.0 mm	48.0 in	1'218.0 mm	48.0 in
H BB CENTER TO TOP TUBE CENTER	335.0 mm	13.2 in	335.0 mm	13.2 in	335.0 mm	13.2 in	335.0 mm	13.2 in	350.0 mm	13.8 in	350.0 mm	13.8 in
I BB CENTER TO TOP OF SEAT TUBE	415.0 mm	16.3 in	415.0 mm	16.3 in	440.0 mm	17.3 in	440.0 mm	17.3 in	475.0 mm	18.7 in	475.0 mm	18.7 in
J SEAT ANGLE	74.0 °		74.5 °		74.0 °		74.5 °		74.0 °		74.5 °	
K CHAINSTAY	448.0 mm	17.6 in	448.0 mm	17.6 in	448.0 mm	17.6 in	448.0 mm	17.6 in	448.0 mm	17.6 in	448.0 mm	17.6 in
L REACH	390.0 mm	15.4 in	394.0 mm	15.5 in	417.0 mm	16.4 in	421.0 mm	16.6 in	439.0 mm	17.3 in	443.0 mm	17.4 in
M STACK	608.0 mm	23.9 in	605.0 mm	23.8 in	618.0 mm	24.3 in	615.0 mm	24.2 in	627.0 mm	24.7 in	624.0 mm	24.6 in
N STEM LENGTH	40.0 mm	1.6 in	40.0 mm	1.6 in	50.0 mm	2.0 in	50.0 mm	2.0 in	60.0 mm	2.4 in	60.0 mm	2.4 in



GAMBLER




VOLTAGE FR

GAMBLER: 710, 720, 730


	S		S		M		M		L		L	
	LOW BB SETTING		HIGH BB SETTING		LOW BB SETTING		HIGH BB SETTING		LOW BB SETTING		HIGH BB SETTING	
A HEAD TUBE ANGLE	63.0 °		63.7 °		63.0 °		63.7 °		63.0 °		63.7 °	
B HEAD TUBE LENGTH	115.0 mm	4.5 in	115.0 mm	4.5 in	115.0 mm	4.5 in	115.0 mm	4.5 in	115.0 mm	4.5 in	115.0 mm	4.5 in
C TOP TUBE HORIZONTAL	549.7 mm	21.6 in	546.2 mm	21.5 in	595.4 mm	23.4 in	591.5 mm	23.3 in	633.6 mm	24.9 in	629.3 mm	24.8 in
D STANDOVER HEIGHT	778.6 mm	30.7 in	783.6 mm	30.9 in	771.6 mm	30.4 in	777.1 mm	30.6 in	765.3 mm	30.1 in	771.3 mm	30.4 in
E BB OFFSET	-13.0 mm	-0.5 in	-3.0 mm	-0.1 in	-13.0 mm	-0.5 in	-3.0 mm	-0.1 in	-13.0 mm	-0.5 in	-3.0 mm	-0.1 in
F BB HEIGHT	343.0 mm	13.5 in	353.0 mm	13.9 in	343.0 mm	13.5 in	353.0 mm	13.9 in	343.0 mm	13.5 in	353.0 mm	13.9 in
G WHEEL BASE	1,175.8 mm	46.3 in	1,172.5 mm	46.2 in	1,205.8 mm	47.5 in	1,202.5 mm	47.3 in	1,235.8 mm	48.7 in	1,232.5 mm	48.5 in
H BB CENTER TO TOPTUBE CENTER	336.0 mm	13.2 in	336.0 mm	13.2 in	333.0 mm	13.1 in	333.0 mm	13.1 in	331.0 mm	13.0 in	331.0 mm	13.0 in
I BB CENTER TO TOP OF SEATTUBE	406.0 mm	16.0 in	406.0 mm	16.0 in	404.0 mm	15.9 in	404.0 mm	15.9 in	403.0 mm	15.9 in	403.0 mm	15.9 in
J SEAT ANGLE	75.1 °		75.9 °		73.7 °		74.6 °		73.0 °		73.9 °	
K CHAINSTAY	425.0 mm	16.7 in	421.5 mm	16.6 in	425.0 mm	16.7 in	421.5 mm	16.6 in	425.0 mm	16.7 in	421.5 mm	16.6 in
L REACH	385.0 mm	15.2 in	393.0 mm	15.5 in	415.0 mm	16.3 in	422.8 mm	16.6 in	445.0 mm	17.5 in	452.6 mm	17.8 in
M STACK	616.7 mm	24.3 in	611.7 mm	24.1 in	616.7 mm	24.3 in	611.4 mm	24.1 in	616.7 mm	24.3 in	611.2 mm	24.1 in
N STEM LENGTH	50.0 mm	2.0 in	50.0 mm	2.0 in	50.0 mm	2.0 in	50.0 mm	2.0 in	50.0 mm	2.0 in	50.0 mm	2.0 in

VOLTAGE FR: 710, 720, 730

	S		M		L	
	LOW BB SETTING		LOW BB SETTING		LOW BB SETTING	
A HEAD TUBE ANGLE	64.0 °		64.0 °		64.0 °	
B HEAD TUBE LENGTH	115.0 mm	4.5 in	115.0 mm	4.5 in	115.0 mm	4.5 in
C TOP TUBE HORIZONTAL	569.6 mm	22.4 in	604.6 mm	23.8 in	629.6 mm	24.8 in
D STANDOVER HEIGHT	776.6 mm	30.6 in	770.6 mm	30.3 in	770.3 mm	30.3 in
E BB OFFSET	-13.0 mm	-0.5 in	-13.0 mm	-0.5 in	-13.0 mm	-0.5 in
F BB HEIGHT	345.0 mm	13.6 in	345.0 mm	13.6 in	345.0 mm	13.6 in
G WHEEL BASE	1'165.2 mm	45.9 in	1'200.2 mm	47.3 in	1'225.2 mm	48.2 in
H BB CENTER TO TOPTUBE CENTER						
I BB CENTER TO TOP OF SEATTUBE	368.8 mm	14.5 in	368.8 mm	14.5 in	368.8 mm	14.5 in
J SEAT ANGLE	73.5 °		73.5 °		73.5 °	
K CHAINSTAY	425.0 mm	16.7 in	425.0 mm	16.7 in	425.0 mm	16.7 in
L REACH	385.0 mm	15.2 in	420.0 mm	16.5 in	445.0 mm	17.5 in
M STACK	623.1 mm	24.5 in	623.1 mm	24.5 in	623.1 mm	24.5 in
N STEM LENGTH	50.0 mm	2.0 in	50.0 mm	2.0 in	50.0 mm	2.0 in



VOLTAGE YZ




VOLTAGE

VOLTAGE YZ: 0.1, 0.2

	M
A HEAD TUBE ANGLE	68.5 °
B HEAD TUBE LENGTH	120.0 mm 4.7 in
C TOP TUBE HORIZONTAL	600.0 mm 23.6 in
D STANDOVER HEIGHT	702.0 mm 27.6 in
E BB OFFSET	-15.0 mm -0.6 in
F BB HEIGHT	324.0 mm 12.8 in
G WHEEL BASE	1'047.0 mm 41.2 in
H BB CENTER TO TOPTUBE CENTER	261.1 mm 10.3 in
I BB CENTER TO TOP OF SEATTUBE	315.0 mm 12.4 in
J SEAT ANGLE	71.0 °
K CHAINSTAY	380.0 mm 15.0 in
L REACH	403.4 mm 15.9 in
M STACK	570.9 mm 22.5 in
N STEM LENGTH	40.0 mm 1.6 in

VOLTAGE: 10, 20

	XS		S		M		L		XL	
A HEAD TUBE ANGLE	68.5 °		69.0 °		69.0 °		69.5 °		69.5 °	
B HEAD TUBE LENGTH	100.0 mm	3.9 in	110.0 mm	4.3 in	120.0 mm	4.7 in	135.0 mm	5.3 in	150.0 mm	5.9 in
C TOP TUBE HORIZONTAL	540.0 mm	21.3 in	550.0 mm	21.7 in	560.0 mm	22.0 in	570.0 mm	22.4 in	585.0 mm	23.0 in
D STANDOVER HEIGHT	684.0 mm	26.9 in	715.0 mm	28.1 in	746.0 mm	29.4 in	786.0 mm	30.9 in	823.0 mm	32.4 in
E BB OFFSET	-32.0 mm	-1.3 in	-32.0 mm	-1.3 in	-32.0 mm	-1.3 in	-32.0 mm	-1.3 in	-32.0 mm	-1.3 in
F BB HEIGHT	307.0 mm	12.1 in	307.0 mm	12.1 in	307.0 mm	12.1 in	307.0 mm	12.1 in	307.0 mm	12.1 in
G WHEEL BASE	1'052.0 mm	41.4 in	1'052.0 mm	41.4 in	1'058.0 mm	41.7 in	1'063.0 mm	41.9 in	1'079.0 mm	42.5 in
H BB CENTER TO TOPTUBE CENTER	280.0 mm	11.0 in	320.0 mm	12.6 in	360.0 mm	14.2 in	410.0 mm	16.1 in	460.0 mm	18.1 in
I BB CENTER TO TOP OF SEATTUBE	330.0 mm	13.0 in	370.0 mm	14.6 in	410.0 mm	16.1 in	460.0 mm	18.1 in	510.0 mm	20.1 in
J SEAT ANGLE	74.0 °		73.5 °		73.0 °		73.0 °		73.0 °	
K CHAINSTAY	420.0 mm	16.5 in	420.0 mm	16.5 in	420.0 mm	16.5 in	420.0 mm	16.5 in	420.0 mm	16.5 in
L REACH	377.0 mm	14.8 in	378.0 mm	14.9 in	380.0 mm	15.0 in	385.0 mm	15.2 in	396.0 mm	15.6 in
M STACK	568.0 mm	22.4 in	580.0 mm	22.8 in	589.0 mm	23.2 in	606.0 mm	23.9 in	620.0 mm	24.4 in
N STEM LENGTH	60.0 mm	2.4 in	60.0 mm	2.4 in	60.0 mm	2.4 in	80.0 mm	3.1 in	80.0 mm	3.1 in



ASPECT: 900, 910, 920, 930, 940, 950, 960, 970, 980


	S		M		L		XL		XXL	
A HEAD TUBE ANGLE	69.5 °		69.5 °		69.5 °		69.5 °		69.5 °	
B HEAD TUBE LENGTH	105.0 mm	4.1 in	115.0 mm	4.5 in	125.0 mm	4.9 in	140.0 mm	5.5 in	155.0 mm	6.1 in
C TOP TUBE HORIZONTAL	575.0 mm	22.6 in	585.0 mm	23.0 in	605.0 mm	23.8 in	625.0 mm	24.6 in	645.0 mm	25.4 in
D STANDOVER HEIGHT	786.0 mm	30.9 in	817.0 mm	32.2 in	842.0 mm	33.1 in	875.0 mm	34.4 in	881.4 mm	34.7 in
E BB OFFSET	-60.0 mm	-2.4 in	-60.0 mm	-2.4 in	-60.0 mm	-2.4 in	-60.0 mm	-2.4 in	-60.0 mm	-2.4 in
F BB HEIGHT	308.0 mm	12.1 in	308.0 mm	12.1 in	308.0 mm	12.1 in	308.0 mm	12.1 in	308.0 mm	12.1 in
G WHEEL BASE	1'084.0 mm	42.7 in	1'094.0 mm	43.1 in	1'115.0 mm	43.9 in	1'136.0 mm	44.7 in	1'156.5 mm	45.5 in
H BB CENTER TO TOPTUBE CENTER	340.0 mm	13.4 in	385.0 mm	15.2 in	425.0 mm	16.7 in	475.0 mm	18.7 in	542.2 mm	21.3 in
I BB CENTER TO TOP OF SEATTUBE	395.0 mm	15.6 in	440.0 mm	17.3 in	480.0 mm	18.9 in	530.0 mm	20.9 in	580.0 mm	22.8 in
J SEAT ANGLE	72.5 °		72.5 °		72.5 °		72.5 °		72.5 °	
K CHAINSTAY	450.0 mm	17.7 in	450.0 mm	17.7 in	450.0 mm	17.7 in	450.0 mm	17.7 in	450.0 mm	17.7 in
L REACH	381.0 mm	15.0 in	388.0 mm	15.3 in	405.0 mm	15.9 in	420.0 mm	16.5 in	436.0 mm	17.2 in
M STACK	451.1 mm	17.8 in	481.7 mm	19.0 in	506.8 mm	20.0 in	539.9 mm	21.3 in	573.4 mm	22.6 in
N STEM LENGTH	75.0 mm	3.0 in	90.0 mm	3.5 in	100.0 mm	3.9 in	110.0 mm	4.3 in	120.0 mm	4.7 in

ASPECT: 700, 710, 720, 730, 740, 750, 760, 770, 780


	XS		S		M		L		XL	
A HEAD TUBE ANGLE	69.0 °		69.0 °		69.0 °		69.0 °		69.0 °	
B HEAD TUBE LENGTH	100.0 mm	3.9 in	100.0 mm	3.9 in	110.0 mm	4.3 in	125.0 mm	4.9 in	140.0 mm	5.5 in
C TOP TUBE HORIZONTAL	555.0 mm	21.9 in	575.0 mm	22.6 in	585.0 mm	23.0 in	610.0 mm	24.0 in	635.0 mm	25.0 in
D STANDOVER HEIGHT	720.5 mm	28.4 in	742.1 mm	29.2 in	769.5 mm	30.3 in	797.1 mm	31.4 in	829.2 mm	32.6 in
E BB OFFSET	-44.0 mm	-1.7 in	-44.0 mm	-1.7 in	-44.0 mm	-1.7 in	-44.0 mm	-1.7 in	-44.0 mm	-1.7 in
F BB HEIGHT	295.0 mm	11.6 in	295.0 mm	11.6 in	295.0 mm	11.6 in	295.0 mm	11.6 in	295.0 mm	11.6 in
G WHEEL BASE	1'055.2 mm	41.5 in	1'075.0 mm	42.3 in	1'085.0 mm	42.7 in	1'111.0 mm	43.7 in	1'137.0 mm	44.8 in
H BB CENTER TO TOPTUBE CENTER										
I BB CENTER TO TOP OF SEATTUBE	355.0 mm	14.0 in	395.0 mm	15.6 in	440.0 mm	17.3 in	480.0 mm	18.9 in	530.0 mm	20.9 in
J SEAT ANGLE	73.0 °		73.0 °		73.0 °		73.0 °		73.0 °	
K CHAINSTAY	427.0 mm	16.8 in	427.0 mm	16.8 in	427.0 mm	16.8 in	427.0 mm	16.8 in	427.0 mm	16.8 in
L REACH	378.1 mm	14.9 in	398.0 mm	15.7 in	405.3 mm	16.0 in	426.0 mm	16.8 in	446.7 mm	17.6 in
M STACK	578.6 mm	22.8 in	578.6 mm	22.8 in	587.9 mm	23.1 in	601.9 mm	23.7 in	615.9 mm	24.2 in
N STEM LENGTH	70.0 mm	2.8 in	70.0 mm	2.8 in	80.0 mm	3.1 in	90.0 mm	3.5 in	100.0 mm	3.9 in

ASPECT: 670, 680


	XS		S		M		L		XL	
A HEAD TUBE ANGLE	69.5 °		70.0 °		70.5 °		70.5 °		71.0 °	
B HEAD TUBE LENGTH	105.0 mm	4.1 in	115.0 mm	4.5 in	130.0 mm	5.1 in	145.0 mm	5.7 in	160.0 mm	6.3 in
C TOP TUBE HORIZONTAL	545.0 mm	21.5 in	555.0 mm	21.9 in	570.0 mm	22.4 in	585.0 mm	23.0 in	600.0 mm	23.6 in
D STANDOVER HEIGHT	708.7 mm	27.9 in	738.7 mm	29.1 in	775.5 mm	30.5 in	815.3 mm	32.1 in	861.4 mm	33.9 in
E BB OFFSET	-32.0 mm	-1.3 in	-32.0 mm	-1.3 in	-32.0 mm	-1.3 in	-32.0 mm	-1.3 in	-32.0 mm	-1.3 in
F BB HEIGHT	307.0 mm	12.1 in	307.0 mm	12.1 in	307.0 mm	12.1 in	307.0 mm	12.1 in	307.0 mm	12.1 in
G WHEEL BASE	1'055.0 mm	41.5 in	1'055.0 mm	41.5 in	1'061.0 mm	41.8 in	1'076.0 mm	42.4 in	1'081.0 mm	42.6 in
H BB CENTER TO TOPTUBE CENTER	296.0 mm	11.7 in	336.0 mm	13.2 in	386.0 mm	15.2 in	446.0 mm	17.6 in	516.0 mm	20.3 in
I BB CENTER TO TOP OF SEATTUBE	350.0 mm	13.8 in	390.0 mm	15.4 in	440.0 mm	17.3 in	500.0 mm	19.7 in	570.0 mm	22.4 in
J SEAT ANGLE	74.5 °		74.0 °		73.5 °		73.5 °		73.0 °	
K CHAINSTAY	427.0 mm	16.8 in	427.0 mm	16.8 in	427.0 mm	16.8 in	427.0 mm	16.8 in	427.0 mm	16.8 in
L REACH	389.9 mm	15.4 in	391.3 mm	15.4 in	396.1 mm	15.6 in	406.9 mm	16.0 in	411.2 mm	16.2 in
M STACK	559.4 mm	22.0 in	570.9 mm	22.5 in	587.1 mm	23.1 in	601.2 mm	23.7 in	617.5 mm	24.3 in
N STEM LENGTH	70.0 mm	2.8 in	80.0 mm	3.1 in	90.0 mm	3.5 in	100.0 mm	3.9 in	110.0 mm	4.3 in



PLASMA: PREMIUM, RC



PLASMA: 10, 20



FOIL

PLASMA: PREMIUM, RC


	S/51	M/54	L/57	XL/60
A HEAD TUBE ANGLE	72.0 °	73.0 °	73.0 °	73.5 °
B HEAD TUBE LENGTH	110.0 mm 4.3 in	138.0 mm 5.4 in	170.0 mm 6.7 in	199.0 mm 7.8 in
C TOP TUBE HORIZONTAL	524.0 mm 20.6 in	544.0 mm 21.4 in	564.0 mm 22.2 in	583.0 mm 23.0 in
D STANDOVER HEIGHT	779.0 mm 30.7 in	809.0 mm 31.9 in	839.0 mm 33.0 in	869.0 mm 34.2 in
E BB OFFSET	-65.0 mm -2.6 in	-65.0 mm -2.6 in	-65.0 mm -2.6 in	-65.0 mm -2.6 in
F BB HEIGHT	269.0 mm 10.6 in	269.0 mm 10.6 in	269.0 mm 10.6 in	269.0 mm 10.6 in
G WHEEL BASE	965.0 mm 38.0 in	983.0 mm 38.7 in	1,009.0 mm 39.7 in	1,029.0 mm 40.5 in
H BB CENTER TO TOP TUBE CENTER	514.8 mm 20.3 in	544.6 mm 21.4 in	574.4 mm 22.6 in	604.2 mm 23.8 in
I BB CENTER TO TOP OF SEATTUBE	529.8 mm 20.9 in	559.6 mm 22.0 in	589.4 mm 23.2 in	619.2 mm 24.4 in
J SEAT ANGLE	74.0 °	75.0 °	75.0 °	76.0 °
K CHAINSTAY	403.0 mm 15.9 in	403.0 mm 15.9 in	403.0 mm 15.9 in	403.0 mm 15.9 in
L REACH	380.0 mm 15.0 in	397.0 mm 15.6 in	414.0 mm 16.3 in	430.0 mm 16.9 in
M STACK	510.0 mm 20.1 in	540.0 mm 21.3 in	570.0 mm 22.4 in	600.0 mm 23.6 in
N STEM LENGTH	85.0 mm 3.3 in	85.0 mm 3.3 in	85.0 mm 3.3 in	85.0 mm 3.3 in

PLASMA: 10, 20


	S/51	M/54	L/57	XL/60
A HEAD TUBE ANGLE	72.0 °	73.0 °	73.0 °	73.5 °
B HEAD TUBE LENGTH	100.0 mm 3.9 in	128.0 mm 5.0 in	159.0 mm 6.3 in	199.0 mm 7.8 in
C TOP TUBE HORIZONTAL	526.0 mm 20.7 in	546.0 mm 21.5 in	566.0 mm 22.3 in	583.0 mm 23.0 in
D STANDOVER HEIGHT	769.0 mm 30.3 in	799.0 mm 31.5 in	829.0 mm 32.6 in	869.0 mm 34.2 in
E BB OFFSET	-65.0 mm -2.6 in	-65.0 mm -2.6 in	-65.0 mm -2.6 in	-65.0 mm -2.6 in
F BB HEIGHT	269.0 mm 10.6 in	269.0 mm 10.6 in	269.0 mm 10.6 in	269.0 mm 10.6 in
G WHEEL BASE	965.0 mm 38.0 in	983.0 mm 38.7 in	1,009.0 mm 39.7 in	1,029.0 mm 40.5 in
H BB CENTER TO TOP TUBE CENTER	504.9 mm 19.9 in	534.7 mm 21.0 in	564.4 mm 22.2 in	604.2 mm 23.8 in
I BB CENTER TO TOP OF SEATTUBE	519.9 mm 20.5 in	549.7 mm 21.6 in	579.4 mm 22.8 in	619.2 mm 24.4 in
J SEAT ANGLE	74.0 °	75.0 °	75.0 °	76.0 °
K CHAINSTAY	403.0 mm 15.9 in	403.0 mm 15.9 in	403.0 mm 15.9 in	403.0 mm 15.9 in
L REACH	383.0 mm 15.1 in	400.0 mm 15.7 in	417.0 mm 16.4 in	430.0 mm 16.9 in
M STACK	500.0 mm 19.7 in	530.0 mm 20.9 in	560.0 mm 22.0 in	600.0 mm 23.6 in
N STEM LENGTH				

FOIL: PREMIUM, RC, 10, 20, 30


	XXS/47	XS/49	S/52	M/54	L/56	XL/58	XXL/61
A HEAD TUBE ANGLE	70.5 °	71.0 °	72.0 °	72.5 °	73.0 °	73.3 °	73.3 °
B HEAD TUBE LENGTH	110.0 mm 4.3 in	115.0 mm 4.5 in	130.0 mm 5.1 in	150.0 mm 5.9 in	170.0 mm 6.7 in	190.0 mm 7.5 in	210.0 mm 8.3 in
C TOP TUBE HORIZONTAL	510.0 mm 20.1 in	520.0 mm 20.5 in	535.0 mm 21.1 in	550.0 mm 21.7 in	565.0 mm 22.2 in	580.0 mm 22.8 in	595.0 mm 23.4 in
D STANDOVER HEIGHT	715.9 mm 28.2 in	729.4 mm 28.7 in	753.6 mm 29.7 in	773.5 mm 30.5 in	798.8 mm 31.4 in	812.9 mm 32.0 in	837.3 mm 33.0 in
E BB OFFSET	-67.0 mm -2.6 in	-67.0 mm -2.6 in	-67.0 mm -2.6 in	-67.0 mm -2.6 in	-67.0 mm -2.6 in	-67.0 mm -2.6 in	-67.0 mm -2.6 in
F BB HEIGHT	272.0 mm 10.7 in	272.0 mm 10.7 in	272.0 mm 10.7 in	272.0 mm 10.7 in	272.0 mm 10.7 in	272.0 mm 10.7 in	272.0 mm 10.7 in
G WHEEL BASE	972.0 mm 38.3 in	978.0 mm 38.5 in	980.0 mm 38.6 in	987.0 mm 38.9 in	994.2 mm 39.1 in	1'002.9 mm 39.5 in	1'012.0 mm 39.8 in
H BB CENTER TO TOP TUBE CENTER	400.0 mm 15.7 in	420.0 mm 16.5 in	450.0 mm 17.7 in	470.0 mm 18.5 in	490.0 mm 19.3 in	510.0 mm 20.1 in	540.0 mm 21.3 in
I BB CENTER TO TOP OF SEATTUBE	410.0 mm 16.1 in	430.0 mm 16.9 in	460.0 mm 18.1 in	480.0 mm 18.9 in	500.0 mm 19.7 in	520.0 mm 20.5 in	550.0 mm 21.7 in
J SEAT ANGLE	74.5 °	74.5 °	74.0 °	73.6 °	73.3 °	73.0 °	72.5 °
K CHAINSTAY	405.0 mm 15.9 in	405.0 mm 15.9 in	405.0 mm 15.9 in	405.0 mm 15.9 in	405.0 mm 15.9 in	405.0 mm 15.9 in	405.0 mm 15.9 in
L REACH	370.6 mm 14.6 in	378.8 mm 14.9 in	384.0 mm 15.1 in	388.9 mm 15.3 in	394.5 mm 15.5 in	400.0 mm 15.7 in	403.4 mm 15.9 in
M STACK	502.6 mm 19.8 in	509.0 mm 20.0 in	526.7 mm 20.7 in	547.5 mm 21.6 in	568.3 mm 22.4 in	588.5 mm 23.2 in	607.7 mm 23.9 in
N STEM LENGTH	100.0 mm 3.9 in	100.0 mm 3.9 in	100.0 mm 3.9 in	110.0 mm 4.3 in	110.0 mm 4.3 in	120.0 mm 4.7 in	120.0 mm 4.7 in



ADDICT



ADDICT DISC



SOLACE

ADDICT: SL, RC Di2, 10, 15 Di2, 20, 30




	XXS/47		XS/49		S/52		M/54		L/56		XL/58		XXL/61	
A HEAD TUBE ANGLE	70.5°		71.0°		72.0°		72.5°		73.0°		73.3°		73.3°	
B HEAD TUBE LENGTH	100.0 mm	3.9 in	105.0 mm	4.1 in	120.0 mm	4.7 in	140.0 mm	5.5 in	160.0 mm	6.3 in	180.0 mm	7.1 in	200.0 mm	7.9 in
C TOP TUBE HORIZONTAL	510.0 mm	20.1 in	520.0 mm	20.5 in	535.0 mm	21.1 in	550.0 mm	21.7 in	565.0 mm	22.2 in	580.0 mm	22.8 in	595.0 mm	23.4 in
D STANDOVER HEIGHT	721.8 mm	28.4 in	734.7 mm	28.9 in	757.4 mm	29.8 in	777.0 mm	30.6 in	796.6 mm	31.4 in	815.9 mm	32.1 in	839.1 mm	33.0 in
E BB OFFSET	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in
F BB HEIGHT	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in
G WHEEL BASE	972.0 mm	38.3 in	978.0 mm	38.5 in	980.1 mm	38.6 in	987.0 mm	38.9 in	994.2 mm	39.1 in	1'002.9 mm	39.5 in	1'012.0 mm	39.8 in
H BB CENTER TO TOP TUBE CENTER	410.0 mm	16.1 in	430.0 mm	16.9 in	460.0 mm	18.1 in	480.0 mm	18.9 in	500.0 mm	19.7 in	520.0 mm	20.5 in	550.0 mm	21.7 in
I BB CENTER TO TOP OF SEATTUBE	455.0 mm	17.9 in	475.0 mm	18.7 in	505.0 mm	19.9 in	525.0 mm	20.7 in	545.0 mm	21.5 in	565.0 mm	22.2 in	596.0 mm	23.5 in
J SEAT ANGLE	74.5°		74.5°		74.0°		73.6°		73.3°		73.0°		72.5°	
K CHAINSTAY	405.0 mm	15.9 in	405.0 mm	15.9 in	405.0 mm	15.9 in	405.0 mm	15.9 in	405.0 mm	15.9 in	405.0 mm	15.9 in	405.0 mm	15.9 in
L REACH	370.6 mm	14.6 in	378.8 mm	14.9 in	384.0 mm	15.1 in	388.9 mm	15.3 in	394.5 mm	15.5 in	400.1 mm	15.8 in	403.4 mm	15.9 in
M STACK	502.6 mm	19.8 in	509.0 mm	20.0 in	526.7 mm	20.7 in	547.5 mm	21.6 in	568.3 mm	22.4 in	588.5 mm	23.2 in	607.7 mm	23.9 in
N STEM LENGTH	80.0 mm	3.1 in	90.0 mm	3.5 in	100.0 mm	3.9 in	110.0 mm	4.3 in	110.0 mm	4.3 in	120.0 mm	4.7 in	120.0 mm	4.7 in

ADDICT DISC: PREMIUM Di2, 20, 30

	XXS/47		XS/49		S/52		M/54		L/56		XL/58		XXL/61	
A HEAD TUBE ANGLE	70.5°		71.0°		72.0°		72.5°		73.0°		73.3°		73.3°	
B HEAD TUBE LENGTH	100.0 mm	3.9 in	105.0 mm	4.1 in	120.0 mm	4.7 in	140.0 mm	5.5 in	160.0 mm	6.3 in	180.0 mm	7.1 in	200.0 mm	7.9 in
C TOP TUBE HORIZONTAL	510.0 mm	20.1 in	520.0 mm	20.5 in	535.0 mm	21.1 in	550.0 mm	21.7 in	565.0 mm	22.2 in	580.0 mm	22.8 in	595.0 mm	23.4 in
D STANDOVER HEIGHT	721.8 mm	28.4 in	734.7 mm	28.9 in	757.4 mm	29.8 in	777.0 mm	30.6 in	796.6 mm	31.4 in	815.9 mm	32.1 in	839.1 mm	33.0 in
E BB OFFSET	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in
F BB HEIGHT	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in
G WHEEL BASE	977.1 mm	38.5 in	983.1 mm	38.7 in	985.1 mm	38.8 in	992.0 mm	39.1 in	999.3 mm	39.3 in	1,008.0 mm	39.7 in	1,017.1 mm	40.0 in
H BB CENTER TO TOP TUBE CENTER	410.0 mm	16.1 in	430.0 mm	16.9 in	460.0 mm	18.1 in	480.0 mm	18.9 in	500.0 mm	19.7 in	520.0 mm	20.5 in	550.0 mm	21.7 in
I BB CENTER TO TOP OF SEATTUBE	455.0 mm	17.9 in	475.0 mm	18.7 in	505.0 mm	19.9 in	525.0 mm	20.7 in	545.0 mm	21.5 in	565.0 mm	22.2 in	596.0 mm	23.5 in
J SEAT ANGLE	74.5°		74.5°		74.0°		73.6°		73.3°		73.0°		72.5°	
K CHAINSTAY	410.0 mm	16.1 in	410.0 mm	16.1 in	410.0 mm	16.1 in	410.0 mm	16.1 in	410.0 mm	16.1 in	410.0 mm	16.1 in	410.0 mm	16.1 in
L REACH	370.6 mm	14.6 in	378.8 mm	14.9 in	384.0 mm	15.1 in	388.9 mm	15.3 in	394.5 mm	15.5 in	400.1 mm	15.8 in	403.4 mm	15.9 in
M STACK	502.6 mm	19.8 in	509.0 mm	20.0 in	526.7 mm	20.7 in	547.5 mm	21.6 in	568.3 mm	22.4 in	588.5 mm	23.2 in	607.7 mm	23.9 in
N STEM LENGTH	80.0 mm	3.1 in	90.0 mm	3.5 in	100.0 mm	3.9 in	110.0 mm	4.3 in	110.0 mm	4.3 in	120.0 mm	4.7 in	120.0 mm	4.7 in
O TRAIL	72.3 mm	2.8 in	69.1 mm	2.7 in	62.8 mm	2.5 in	59.7 mm	2.4 in	56.6 mm	2.2 in	54.7 mm	2.2 in	54.7 mm	2.2 in

SOLACE: PREMIUM DISC, 10 DISC, 10, 20 DISC, 20, 30 FB DISC, 30

	XXS/47		XS/49		S/52		M/54		L/56		XL/58		XXL/61	
A HEAD TUBE ANGLE	70.5°		71.0°		72.0°		72.5°		73.0°		73.3°		73.3°	
B HEAD TUBE LENGTH	115.0 mm	4.5 in	125.0 mm	4.9 in	145.0 mm	5.7 in	165.0 mm	6.5 in	185.0 mm	7.3 in	205.0 mm	8.1 in	225.0 mm	8.9 in
C TOP TUBE HORIZONTAL	505.0 mm	19.9 in	515.0 mm	20.3 in	530.0 mm	20.9 in	545.0 mm	21.5 in	560.0 mm	22.0 in	575.0 mm	22.6 in	590.0 mm	23.2 in
D STANDOVER HEIGHT	725.3 mm	28.6 in	741.1 mm	29.2 in	767.5 mm	30.2 in	787.5 mm	31.0 in	807.5 mm	31.8 in	827.1 mm	32.6 in	851.4 mm	33.5 in
E BB OFFSET	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in
F BB HEIGHT	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in
G WHEEL BASE	973.1 mm	38.3 in	979.4 mm	38.6 in	981.2 mm	38.6 in	986.8 mm	38.9 in	991.6 mm	39.0 in	999.0 mm	39.3 in	1'012.7 mm	39.9 in
H BB CENTER TO TOP TUBE CENTER	410.0 mm	16.1 in	430.0 mm	16.9 in	460.0 mm	18.1 in	480.0 mm	18.9 in	500.0 mm	19.7 in	520.0 mm	20.5 in	550.0 mm	21.7 in
I BB CENTER TO TOP OF SEATTUBE	470.0 mm	18.5 in	490.0 mm	19.3 in	520.0 mm	20.5 in	540.0 mm	21.3 in	560.0 mm	22.0 in	580.0 mm	22.8 in	610.0 mm	24.0 in
J SEAT ANGLE	75.0°		75.0°		74.5°		74.0°		73.5°		73.1°		73.0°	
K CHAINSTAY	405.0 mm	15.9 in	405.0 mm	15.9 in	405.0 mm	15.9 in	405.0 mm	15.9 in	405.0 mm	15.9 in	405.0 mm	15.9 in	405.0 mm	15.9 in
L REACH	366.6 mm	14.4 in	373.5 mm	14.7 in	377.3 mm	14.9 in	381.2 mm	15.0 in	384.6 mm	15.1 in	389.0 mm	15.3 in	397.0 mm	15.6 in
M STACK	516.7 mm	20.3 in	527.9 mm	20.8 in	550.5 mm	21.7 in	571.3 mm	22.5 in	592.3 mm	23.3 in	612.5 mm	24.1 in	631.6 mm	24.9 in
N STEM LENGTH	80.0 mm	3.1 in	90.0 mm	3.5 in	110.0 mm	4.3 in	110.0 mm	4.3 in	110.0 mm	4.3 in	120.0 mm	4.7 in	120.0 mm	4.7 in



CR1: 10, 20, 30


	XXS/47		XS/49		S/52		M/54		L/56		XL/58		XXL/61	
A HEAD TUBE ANGLE	70.5 °		71.0 °		73.0 °		73.0 °		73.0 °		73.0 °		73.0 °	
B HEAD TUBE LENGTH	111.0 mm	4.4 in	116.0 mm	4.6 in	136.0 mm	5.4 in	156.0 mm	6.1 in	176.0 mm	6.9 in	196.0 mm	7.7 in	216.0 mm	8.5 in
C TOP TUBE HORIZONTAL	505.0 mm	19.9 in	515.0 mm	20.3 in	530.0 mm	20.9 in	545.0 mm	21.5 in	560.0 mm	22.0 in	575.0 mm	22.6 in	595.0 mm	23.4 in
D STANDOVER HEIGHT	723.0 mm	28.5 in	737.0 mm	29.0 in	765.0 mm	30.1 in	784.0 mm	30.9 in	803.0 mm	31.6 in	823.0 mm	32.4 in	847.0 mm	33.3 in
E BB OFFSET	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in
F BB HEIGHT	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in
G WHEEL BASE	975.0 mm	38.4 in	978.0 mm	38.5 in	980.0 mm	38.6 in	981.0 mm	38.6 in	992.0 mm	39.1 in	1'001.0 mm	39.4 in	1'021.0 mm	40.2 in
H BB CENTER TO TOP TUBE CENTER	410.0 mm	16.1 in	430.0 mm	16.9 in	460.0 mm	18.1 in	480.0 mm	18.9 in	500.0 mm	19.7 in	520.0 mm	20.5 in	550.0 mm	21.7 in
I BB CENTER TO TOP OF SEATTUBE	470.0 mm	18.5 in	490.0 mm	19.3 in	520.0 mm	20.5 in	540.0 mm	21.3 in	560.0 mm	22.0 in	580.0 mm	22.8 in	610.0 mm	24.0 in
J SEAT ANGLE	75.0 °		75.0 °		74.5 °		74.0 °		73.5 °		73.3 °		73.3 °	
K CHAINSTAY	405.0 mm	15.9 in	405.0 mm	15.9 in	405.0 mm	15.9 in	405.0 mm	15.9 in	405.0 mm	15.9 in	405.0 mm	15.9 in	405.0 mm	15.9 in
L REACH	368.0 mm	14.5 in	376.0 mm	14.8 in	379.0 mm	14.9 in	383.0 mm	15.1 in	387.0 mm	15.2 in	394.0 mm	15.5 in	409.0 mm	16.1 in
M STACK	513.0 mm	20.2 in	519.0 mm	20.4 in	545.0 mm	21.5 in	565.0 mm	22.2 in	584.0 mm	23.0 in	603.0 mm	23.7 in	620.0 mm	24.4 in
N STEM LENGTH	80.0 mm	3.1 in	90.0 mm	3.5 in	100.0 mm	3.9 in	110.0 mm	4.3 in	110.0 mm	4.3 in	120.0 mm	4.7 in	120.0 mm	4.7 in

SPEEDSTER: 10, 10 FB, 20, 30, 40 (CD16), 40 (24), 40 FB (24), 50


	XXS/47		XS/49		S/52		M/54		L/56		XL/58		XXL/61	
A HEAD TUBE ANGLE	70.5 °		71.0 °		72.0 °		72.5 °		73.0 °		73.3 °		73.3 °	
B HEAD TUBE LENGTH	115.0 mm	4.5 in	125.0 mm	4.9 in	145.0 mm	5.7 in	165.0 mm	6.5 in	185.0 mm	7.3 in	205.0 mm	8.1 in	225.0 mm	8.9 in
C TOP TUBE HORIZONTAL	505.0 mm	19.9 in	515.0 mm	20.3 in	530.0 mm	20.9 in	545.0 mm	21.5 in	560.0 mm	22.0 in	575.0 mm	22.6 in	590.0 mm	23.2 in
D STANDOVER HEIGHT	725.3 mm	28.6 in	741.1 mm	29.2 in	767.5 mm	30.2 in	787.5 mm	31.0 in	807.5 mm	31.8 in	827.1 mm	32.6 in	851.4 mm	33.5 in
E BB OFFSET	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in
F BB HEIGHT	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in
G WHEEL BASE	983.3 mm	38.7 in	989.6 mm	39.0 in	991.4 mm	39.0 in	997.0 mm	39.3 in	1,001.8 mm	39.4 in	1,007.9 mm	39.7 in	1,022.8 mm	40.3 in
H BB CENTER TO TOP TUBE CENTER	410.0 mm	16.1 in	430.0 mm	16.9 in	460.0 mm	18.1 in	480.0 mm	18.9 in	500.0 mm	19.7 in	520.0 mm	20.5 in	550.0 mm	21.7 in
I BB CENTER TO TOP OF SEATTUBE	470.0 mm	18.5 in	490.0 mm	19.3 in	520.0 mm	20.5 in	540.0 mm	21.3 in	560.0 mm	22.0 in	580.0 mm	22.8 in	610.0 mm	24.0 in
J SEAT ANGLE	75.0 °		75.0 °		74.5 °		74.0 °		73.5 °		73.0 °		73.0 °	
K CHAINSTAY	415.0 mm	16.3 in	415.0 mm	16.3 in	415.0 mm	16.3 in	415.0 mm	16.3 in	415.0 mm	16.3 in	415.0 mm	16.3 in	415.0 mm	16.3 in
L REACH	366.6 mm	14.4 in	373.5 mm	14.7 in	377.3 mm	14.9 in	381.2 mm	15.0 in	384.6 mm	15.1 in	389.0 mm	15.3 in	397.0 mm	15.6 in
M STACK	516.7 mm	20.3 in	527.9 mm	20.8 in	550.5 mm	21.7 in	571.3 mm	22.5 in	592.3 mm	23.3 in	612.5 mm	24.1 in	631.6 mm	24.9 in
N STEM LENGTH	80.0 mm	3.1 in	90.0 mm	3.5 in	100.0 mm	3.9 in	110.0 mm	4.3 in	110.0 mm	4.3 in	120.0 mm	4.7 in	120.0 mm	4.7 in

SPEEDSTER DISC: 10, 20

	XS/49		S/52		M/54		L/56		XL/58	
A HEAD TUBE ANGLE	70.0 °		70.0 °		71.0 °		71.0 °		71.0 °	
B HEAD TUBE LENGTH	95.0 mm	3.7 in	120.0 mm	4.7 in	140.0 mm	5.5 in	160.0 mm	6.3 in	180.0 mm	7.1 in
C TOP TUBE HORIZONTAL	505.0 mm	19.9 in	525.0 mm	20.7 in	545.0 mm	21.5 in	568.0 mm	22.4 in	590.0 mm	23.2 in
D STANDOVER HEIGHT	749.8 mm	29.5 in	775.7 mm	30.5 in	796.2 mm	31.3 in	814.1 mm	32.1 in	832.0 mm	32.8 in
E BB OFFSET	-68.0 mm	-2.7 in	-68.0 mm	-2.7 in	-68.0 mm	-2.7 in	-68.0 mm	-2.7 in	-68.0 mm	-2.7 in
F BB HEIGHT	281.0 mm	11.1 in	281.0 mm	11.1 in	281.0 mm	11.1 in	281.0 mm	11.1 in	281.0 mm	11.1 in
G WHEEL BASE	984.0 mm	38.7 in	1'002.0 mm	39.4 in	1'017.0 mm	40.0 in	1'043.0 mm	41.1 in	1'056.0 mm	41.6 in
H BB CENTER TO TOP TUBE CENTER	431.5 mm	17.0 in	462.7 mm	18.2 in	483.0 mm	19.0 in	503.2 mm	19.8 in	523.3 mm	20.6 in
I BB CENTER TO TOP OF SEATTUBE	490.0 mm	19.3 in	520.0 mm	20.5 in	540.0 mm	21.3 in	560.0 mm	22.0 in	580.0 mm	22.8 in
J SEAT ANGLE	74.5 °		74.0 °		73.5 °		73.0 °		73.0 °	
K CHAINSTAY	422.0 mm	16.6 in	422.0 mm	16.6 in	422.0 mm	16.6 in	422.0 mm	16.6 in	422.0 mm	16.6 in
L REACH	360.0 mm	14.2 in	369.0 mm	14.5 in	378.0 mm	14.9 in	390.0 mm	15.4 in	405.0 mm	15.9 in
M STACK	521.8 mm	20.5 in	545.5 mm	21.5 in	564.4 mm	22.2 in	583.3 mm	23.0 in	602.2 mm	23.7 in
N STEM LENGTH	90.0 mm	3.5 in	100.0 mm	3.9 in	110.0 mm	4.3 in	120.0 mm	4.7 in	120.0 mm	4.7 in
O TRAIL										



ADDICT CX




ADDICT GRAVEL

ADDICT CX DISC: 10, 20

	XS/49		S/52		M/54		L/56		XL/58	
A HEAD TUBE ANGLE	70.0 °		70.0 °		71.0 °		71.0 °		71.0 °	
B HEAD TUBE LENGTH	95.0 mm	3.7 in	120.0 mm	4.7 in	140.0 mm	5.5 in	160.0 mm	6.3 in	180.0 mm	7.1 in
C TOP TUBE HORIZONTAL	505.0 mm	19.9 in	525.0 mm	20.7 in	545.0 mm	21.5 in	568.0 mm	22.4 in	590.0 mm	23.2 in
D STANDOVER HEIGHT	749.8 mm	29.5 in	775.7 mm	30.5 in	796.2 mm	31.3 in	814.1 mm	32.1 in	832.0 mm	32.8 in
E BB OFFSET	-68.0 mm	-2.7 in	-68.0 mm	-2.7 in	-68.0 mm	-2.7 in	-68.0 mm	-2.7 in	-68.0 mm	-2.7 in
F BB HEIGHT	281.0 mm	11.1 in	281.0 mm	11.1 in	281.0 mm	11.1 in	281.0 mm	11.1 in	281.0 mm	11.1 in
G WHEEL BASE	984.0 mm	38.7 in	1'002.0 mm	39.4 in	1'017.0 mm	40.0 in	1'043.0 mm	41.1 in	1'056.0 mm	41.6 in
H BB CENTER TO TOP TUBE CENTER	431.5 mm	17.0 in	462.7 mm	18.2 in	483.0 mm	19.0 in	503.2 mm	19.8 in	523.3 mm	20.6 in
I BB CENTER TO TOP OF SEAT TUBE	490.0 mm	19.3 in	520.0 mm	20.5 in	540.0 mm	21.3 in	560.0 mm	22.0 in	580.0 mm	22.8 in
J SEAT ANGLE	74.5 °		74.0 °		73.5 °		73.0 °		73.0 °	
K CHAINSTAY	422.0 mm	16.6 in	422.0 mm	16.6 in	422.0 mm	16.6 in	422.0 mm	16.6 in	422.0 mm	16.6 in
L REACH	360.0 mm	14.2 in	369.0 mm	14.5 in	378.0 mm	14.9 in	390.0 mm	15.4 in	405.0 mm	15.9 in
M STACK	521.8 mm	20.5 in	545.5 mm	21.5 in	564.4 mm	22.2 in	583.3 mm	23.0 in	602.2 mm	23.7 in
N STEM LENGTH	90.0 mm	3.5 in	100.0 mm	3.9 in	110.0 mm	4.3 in	120.0 mm	4.7 in	120.0 mm	4.7 in
O TRAIL										

ADDICT GRAVEL DISC: 10, 20

	XS/49		S/52		M/54		L/56		XL/58	
A HEAD TUBE ANGLE	70.0 °		70.0 °		71.0 °		71.0 °		71.0 °	
B HEAD TUBE LENGTH	95.0 mm	3.7 in	120.0 mm	4.7 in	140.0 mm	5.5 in	160.0 mm	6.3 in	180.0 mm	7.1 in
C TOP TUBE HORIZONTAL	505.0 mm	19.9 in	525.0 mm	20.7 in	545.0 mm	21.5 in	568.0 mm	22.4 in	590.0 mm	23.2 in
D STANDOVER HEIGHT	749.8 mm	29.5 in	775.7 mm	30.5 in	796.2 mm	31.3 in	814.1 mm	32.1 in	832.0 mm	32.8 in
E BB OFFSET	-68.0 mm	-2.7 in	-68.0 mm	-2.7 in	-68.0 mm	-2.7 in	-68.0 mm	-2.7 in	-68.0 mm	-2.7 in
F BB HEIGHT	281.0 mm	11.1 in	281.0 mm	11.1 in	281.0 mm	11.1 in	281.0 mm	11.1 in	281.0 mm	11.1 in
G WHEEL BASE	984.0 mm	38.7 in	1'002.0 mm	39.4 in	1'017.0 mm	40.0 in	1'043.0 mm	41.1 in	1'056.0 mm	41.6 in
H BB CENTER TO TOP TUBE CENTER	431.5 mm	17.0 in	462.7 mm	18.2 in	483.0 mm	19.0 in	503.2 mm	19.8 in	523.3 mm	20.6 in
I BB CENTER TO TOP OF SEAT TUBE	490.0 mm	19.3 in	520.0 mm	20.5 in	540.0 mm	21.3 in	560.0 mm	22.0 in	580.0 mm	22.8 in
J SEAT ANGLE	74.5 °		74.0 °		73.5 °		73.0 °		73.0 °	
K CHAINSTAY	422.0 mm	16.6 in	422.0 mm	16.6 in	422.0 mm	16.6 in	422.0 mm	16.6 in	422.0 mm	16.6 in
L REACH	360.0 mm	14.2 in	369.0 mm	14.5 in	378.0 mm	14.9 in	390.0 mm	15.4 in	405.0 mm	15.9 in
M STACK	521.8 mm	20.5 in	545.5 mm	21.5 in	564.4 mm	22.2 in	583.3 mm	23.0 in	602.2 mm	23.7 in
N STEM LENGTH	90.0 mm	3.5 in	100.0 mm	3.9 in	110.0 mm	4.3 in	120.0 mm	4.7 in	120.0 mm	4.7 in
O TRAIL										





SPEEDSTER CX &
SPEEDSTER GRAVEL

SPEEDSTER CX DISC: 10, 20

	XS/49		S/52		M/54		L/56		XL/58	
A HEAD TUBE ANGLE	70.0 °		70.0 °		71.0 °		71.0 °		71.0 °	
B HEAD TUBE LENGTH	95.0 mm	3.7 in	120.0 mm	4.7 in	140.0 mm	5.5 in	160.0 mm	6.3 in	180.0 mm	7.1 in
C TOP TUBE HORIZONTAL	505.0 mm	19.9 in	525.0 mm	20.7 in	545.0 mm	21.5 in	568.0 mm	22.4 in	590.0 mm	23.2 in
D STANDOVER HEIGHT	749.8 mm	29.5 in	775.7 mm	30.5 in	796.2 mm	31.3 in	814.1 mm	32.1 in	832.0 mm	32.8 in
E BB OFFSET	-68.0 mm	-2.7 in	-68.0 mm	-2.7 in	-68.0 mm	-2.7 in	-68.0 mm	-2.7 in	-68.0 mm	-2.7 in
F BB HEIGHT	281.0 mm	11.1 in	281.0 mm	11.1 in	281.0 mm	11.1 in	281.0 mm	11.1 in	281.0 mm	11.1 in
G WHEEL BASE	984.0 mm	38.7 in	1'002.0 mm	39.4 in	1'017.0 mm	40.0 in	1'043.0 mm	41.1 in	1'056.0 mm	41.6 in
H BB CENTER TO TOP TUBE CENTER	431.5 mm	17.0 in	462.7 mm	18.2 in	483.0 mm	19.0 in	503.2 mm	19.8 in	523.3 mm	20.6 in
I BB CENTER TO TOP OF SEAT TUBE	490.0 mm	19.3 in	520.0 mm	20.5 in	540.0 mm	21.3 in	560.0 mm	22.0 in	580.0 mm	22.8 in
J SEAT ANGLE	74.5 °		74.0 °		73.5 °		73.0 °		73.0 °	
K CHAINSTAY	422.0 mm	16.6 in	422.0 mm	16.6 in	422.0 mm	16.6 in	422.0 mm	16.6 in	422.0 mm	16.6 in
L REACH	360.0 mm	14.2 in	369.0 mm	14.5 in	378.0 mm	14.9 in	390.0 mm	15.4 in	405.0 mm	15.9 in
M STACK	521.8 mm	20.5 in	545.5 mm	21.5 in	564.4 mm	22.2 in	583.3 mm	23.0 in	602.2 mm	23.7 in
N STEM LENGTH	90.0 mm	3.5 in	100.0 mm	3.9 in	110.0 mm	4.3 in	120.0 mm	4.7 in	120.0 mm	4.7 in
O TRAIL										

SPEEDSTER GRAVEL DISC: 10, 20

	XS/49		S/52		M/54		L/56		XL/58	
A HEAD TUBE ANGLE	70.0 °		70.0 °		71.0 °		71.0 °		71.0 °	
B HEAD TUBE LENGTH	95.0 mm	3.7 in	120.0 mm	4.7 in	140.0 mm	5.5 in	160.0 mm	6.3 in	180.0 mm	7.1 in
C TOP TUBE HORIZONTAL	505.0 mm	19.9 in	525.0 mm	20.7 in	545.0 mm	21.5 in	568.0 mm	22.4 in	590.0 mm	23.2 in
D STANDOVER HEIGHT	749.8 mm	29.5 in	775.7 mm	30.5 in	796.2 mm	31.3 in	814.1 mm	32.1 in	832.0 mm	32.8 in
E BB OFFSET	-68.0 mm	-2.7 in	-68.0 mm	-2.7 in	-68.0 mm	-2.7 in	-68.0 mm	-2.7 in	-68.0 mm	-2.7 in
F BB HEIGHT	281.0 mm	11.1 in	281.0 mm	11.1 in	281.0 mm	11.1 in	281.0 mm	11.1 in	281.0 mm	11.1 in
G WHEEL BASE	984.0 mm	38.7 in	1'002.0 mm	39.4 in	1'017.0 mm	40.0 in	1'043.0 mm	41.1 in	1'056.0 mm	41.6 in
H BB CENTER TO TOP TUBE CENTER	431.5 mm	17.0 in	462.7 mm	18.2 in	483.0 mm	19.0 in	503.2 mm	19.8 in	523.3 mm	20.6 in
I BB CENTER TO TOP OF SEAT TUBE	490.0 mm	19.3 in	520.0 mm	20.5 in	540.0 mm	21.3 in	560.0 mm	22.0 in	580.0 mm	22.8 in
J SEAT ANGLE	74.5 °		74.0 °		73.5 °		73.0 °		73.0 °	
K CHAINSTAY	422.0 mm	16.6 in	422.0 mm	16.6 in	422.0 mm	16.6 in	422.0 mm	16.6 in	422.0 mm	16.6 in
L REACH	360.0 mm	14.2 in	369.0 mm	14.5 in	378.0 mm	14.9 in	390.0 mm	15.4 in	405.0 mm	15.9 in
M STACK	521.8 mm	20.5 in	545.5 mm	21.5 in	564.4 mm	22.2 in	583.3 mm	23.0 in	602.2 mm	23.7 in
N STEM LENGTH	90.0 mm	3.5 in	100.0 mm	3.9 in	110.0 mm	4.3 in	120.0 mm	4.7 in	120.0 mm	4.7 in
O TRAIL										

CONTESSA SCALE: 700 RC, 700 &
CONTESSA SCALE: 900

CONTESSA SCALE: 910, 920, 930, 940

CONTESSA SCALE: 700 RC, 700


	S		M		L	
A HEAD TUBE ANGLE	69.0 °		69.0 °		69.0 °	
B HEAD TUBE LENGTH	95.0 mm	3.7 in	100.0 mm	3.9 in	115.0 mm	4.5 in
C TOP TUBE HORIZONTAL	575.0 mm	22.6 in	600.0 mm	23.6 in	625.0 mm	24.6 in
D STANDOVER HEIGHT	726.0 mm	28.6 in	756.0 mm	29.8 in	784.0 mm	30.9 in
E BB OFFSET	-46.0 mm	-1.8 in	-46.0 mm	-1.8 in	-46.0 mm	-1.8 in
F BB HEIGHT	305.5 mm	12.0 in	305.5 mm	12.0 in	305.5 mm	12.0 in
G WHEEL BASE	1,073.7 mm	42.3 in	1,099.0 mm	43.3 in	1,125.2 mm	44.3 in
H BB CENTER TO TOP TUBE CENTER	325.0 mm	12.8 in	375.0 mm	14.8 in	415.0 mm	16.3 in
I BB CENTER TO TOP OF SEATTUBE	390.0 mm	15.4 in	440.0 mm	17.3 in	480.0 mm	18.9 in
J SEAT ANGLE	73.2 °		73.2 °		73.2 °	
K CHAINSTAY	425.0 mm	16.7 in	425.0 mm	16.7 in	425.0 mm	16.7 in
L REACH	401.0 mm	15.8 in	424.6 mm	16.7 in	445.3 mm	17.5 in
M STACK	575.0 mm	22.6 in	579.6 mm	22.8 in	593.6 mm	23.4 in
N STEM LENGTH	60.0 mm	2.4 in	70.0 mm	2.8 in	80.0 mm	3.1 in
O TRAIL	87.8 mm	3.5 in	87.8 mm	3.5 in	87.8 mm	3.5 in

CONTESSA SCALE: 900


	S		M		L		XL	
A HEAD TUBE ANGLE	69.5 °		69.5 °		69.5 °		69.5 °	
B HEAD TUBE LENGTH	95.0 mm	3.7 in	100.0 mm	3.9 in	115.0 mm	4.5 in	125.0 mm	4.9 in
C TOP TUBE HORIZONTAL	575.0 mm	22.6 in	600.0 mm	23.6 in	625.0 mm	24.6 in	650.0 mm	25.6 in
D STANDOVER HEIGHT	743.0 mm	29.3 in	774.0 mm	30.5 in	800.0 mm	31.5 in	835.1 mm	32.9 in
E BB OFFSET	-58.0 mm	-2.3 in	-58.0 mm	-2.3 in	-58.0 mm	-2.3 in	-58.0 mm	-2.3 in
F BB HEIGHT	312.0 mm	12.3 in	312.0 mm	12.3 in	312.0 mm	12.3 in	312.0 mm	12.3 in
G WHEEL BASE	1,076.4 mm	42.4 in	1,101.8 mm	43.4 in	1,127.9 mm	44.4 in	1,153.7 mm	45.4 in
H BB CENTER TO TOP TUBE CENTER	325.0 mm	12.8 in	375.0 mm	14.8 in	415.0 mm	16.3 in	465.0 mm	18.3 in
I BB CENTER TO TOP OF SEATTUBE	390.0 mm	15.4 in	440.0 mm	17.3 in	480.0 mm	18.9 in	530.0 mm	20.9 in
J SEAT ANGLE	73.6 °		73.6 °		73.6 °		73.6 °	
K CHAINSTAY	425.0 mm	16.7 in	425.0 mm	16.7 in	425.0 mm	16.7 in	425.0 mm	16.7 in
L REACH	398.7 mm	15.7 in	422.3 mm	16.6 in	443.2 mm	17.4 in	465.5 mm	18.3 in
M STACK	599.0 mm	23.6 in	603.6 mm	23.8 in	617.7 mm	24.3 in	627.1 mm	24.7 in
N STEM LENGTH	60.0 mm	2.4 in	70.0 mm	2.8 in	80.0 mm	3.1 in	90.0 mm	3.5 in
O TRAIL	83.9 mm	3.3 in	83.9 mm	3.3 in	83.9 mm	3.3 in	83.9 mm	3.3 in

CONTESSA SCALE: 910, 920, 930, 940

	S		M		L	
A HEAD TUBE ANGLE	69.5 °		69.5 °		69.5 °	
B HEAD TUBE LENGTH	105.0 mm	4.1 in	115.0 mm	4.5 in	125.0 mm	4.9 in
C TOP TUBE HORIZONTAL	564.0 mm	22.2 in	574.0 mm	22.6 in	594.0 mm	22.6 in
D STANDOVER HEIGHT	694.0 mm	27.3 in	719.0 mm	28.3 in	754.0 mm	28.3 in
E BB OFFSET	-61.0 mm	-2.4 in	-61.0 mm	-2.4 in	-61.0 mm	-2.4 in
F BB HEIGHT	309.0 mm	12.2 in	309.0 mm	12.2 in	309.0 mm	12.2 in
G WHEEL BASE	1,073.5 mm	42.3 in	1,080.0 mm	42.5 in	1,097.6 mm	42.5 in
H BB CENTER TO TOP TUBE CENTER	315.0 mm	12.4 in	355.0 mm	14.0 in	405.0 mm	14.0 in
I BB CENTER TO TOP OF SEATTUBE	370.0 mm	14.6 in	410.0 mm	16.1 in	460.0 mm	16.1 in
J SEAT ANGLE	72.5 °		72.5 °		72.5 °	
K CHAINSTAY	450.0 mm	17.7 in	450.0 mm	17.7 in	450.0 mm	17.7 in
L REACH	364.1 mm	14.3 in	364.1 mm	14.3 in	371.0 mm	14.6 in
M STACK	623.7 mm	24.6 in	623.7 mm	24.6 in	630.0 mm	24.8 in
N STEM LENGTH	60.0 mm	2.4 in	70.0 mm	2.8 in	80.0 mm	3.1 in



CONTESSA SCALE: 710, 720, 730, 740




CONTESSA SCALE PLUS: 710

CONTESSA SCALE: 710, 720, 730, 740

	XS		S		M		L	
A HEAD TUBE ANGLE	69.0 °		69.0 °		69.0 °		69.0 °	
B HEAD TUBE LENGTH	100.0 mm	3.9 in	100.0 mm	3.9 in	100.0 mm	3.9 in	115.0 mm	4.5 in
C TOP TUBE HORIZONTAL	545.0 mm	21.5 in	565.0 mm	22.2 in	580.0 mm	22.8 in	595.0 mm	23.4 in
D STANDOVER HEIGHT	665.5 mm	26.2 in	676.5 mm	26.6 in	700.5 mm	27.6 in	730.0 mm	28.7 in
E BB OFFSET	-44.0 mm	-1.7 in	-44.0 mm	-1.7 in	-44.0 mm	-1.7 in	-44.0 mm	-1.7 in
F BB HEIGHT	311.0 mm	12.2 in	311.0 mm	12.2 in	311.0 mm	12.2 in	311.0 mm	12.2 in
G WHEEL BASE	1'045.2 mm	41.1 in	1'065.0 mm	41.9 in	1'080.0 mm	42.5 in	1'096.0 mm	43.1 in
H BB CENTER TO TOP TUBE CENTER	315.0 mm	12.4 in	320.0 mm	12.6 in	360.0 mm	14.2 in	410.0 mm	16.1 in
I BB CENTER TO TOP OF SEATTUBE	340.0 mm	13.4 in	370.0 mm	14.6 in	410.0 mm	16.1 in	460.0 mm	18.1 in
J SEAT ANGLE	73.0 °		73.0 °		73.0 °		73.0 °	
K CHAINSTAY	427.0 mm	16.8 in	427.0 mm	16.8 in	427.0 mm	16.8 in	427.0 mm	16.8 in
L REACH	368.1 mm	14.5 in	388.1 mm	15.3 in	403.1 mm	15.9 in	413.8 mm	16.3 in
M STACK	411.5 mm	16.2 in	426.6 mm	16.8 in	448.5 mm	17.7 in	482.9 mm	19.0 in
N STEM LENGTH	60.0 mm	2.4 in	70.0 mm	2.8 in	80.0 mm	3.1 in	90.0 mm	3.5 in

CONTESSA SCALE PLUS: 710

	S		M		L		XL	
A HEAD TUBE ANGLE	66.5 °		66.5 °		66.5 °		66.5 °	
B HEAD TUBE LENGTH	100.0 mm	3.9 in	105.0 mm	4.1 in	115.0 mm	4.5 in	125.0 mm	4.9 in
C TOP TUBE HORIZONTAL	577.0 mm	22.7 in	602.0 mm	23.7 in	627.0 mm	24.7 in	652.0 mm	25.7 in
D STANDOVER HEIGHT	780.0 mm	30.7 in	806.0 mm	31.7 in	829.0 mm	32.6 in	857.0 mm	33.7 in
E BB OFFSET	-55.0 mm	-2.2 in	-55.0 mm	-2.2 in	-55.0 mm	-2.2 in	-55.0 mm	-2.2 in
F BB HEIGHT	310.0 mm	12.2 in	310.0 mm	12.2 in	310.0 mm	12.2 in	310.0 mm	12.2 in
G WHEEL BASE	1'108.0 mm	43.6 in	1'133.4 mm	44.6 in	1'159.3 mm	45.6 in	1'185.2 mm	46.7 in
H BB CENTER TO TOP TUBE CENTER	328.0 mm	12.9 in	383.0 mm	15.1 in	425.0 mm	16.7 in	477.0 mm	18.8 in
I BB CENTER TO TOP OF SEATTUBE	390.0 mm	15.4 in	440.0 mm	17.3 in	480.0 mm	18.9 in	530.0 mm	20.9 in
J SEAT ANGLE	72.8 °		72.8 °		72.8 °		72.8 °	
K CHAINSTAY	439.0 mm	17.3 in	439.0 mm	17.3 in	439.0 mm	17.3 in	439.0 mm	17.3 in
L REACH	389.0 mm	15.3 in	412.0 mm	16.2 in	435.0 mm	17.1 in	457.0 mm	18.0 in
M STACK	607.0 mm	23.9 in	612.0 mm	24.1 in	621.0 mm	24.4 in	631.0 mm	24.8 in
N STEM LENGTH	50.0 mm	2.0 in	60.0 mm	2.4 in	70.0 mm	2.8 in	80.0 mm	3.1 in



CONTESSA SPARK &
CONTESSA SPARK PLUS

CONTESSA SPARK: 700 RC


	S		M		L	
A HEAD TUBE ANGLE	68.5°		68.5°		68.5°	
B HEAD TUBE LENGTH	95.0 mm	3.7 in	100.0 mm	3.9 in	110.0 mm	4.3 in
C TOP TUBE HORIZONTAL	570.0 mm	22.4 in	600.0 mm	23.6 in	625.0 mm	24.6 in
D STANDOVER HEIGHT						
E BB OFFSET	-34.0 mm	-1.3 in	-34.0 mm	-1.3 in	-34.0 mm	-1.3 in
F BB HEIGHT	317.5 mm	12.5 in	317.5 mm	12.5 in	317.5 mm	12.5 in
G WHEEL BASE	1,082.3 mm	42.6 in	1,112.8 mm	43.8 in	1,138.7 mm	44.8 in
H BB CENTER TO TOPTUBE CENTER	345.0 mm	13.6 in	375.0 mm	14.8 in	425.0 mm	16.7 in
I BB CENTER TO TOP OF SEATTUBE	410.0 mm	16.1 in	440.0 mm	17.3 in	490.0 mm	19.3 in
J SEAT ANGLE	73.5°		73.5°		73.5°	
K CHAINSTAY	425.0 mm	16.7 in	425.0 mm	16.7 in	425.0 mm	16.7 in
L REACH	403.9 mm	15.9 in	432.5 mm	17.0 in	454.8 mm	17.9 in
M STACK	560.8 mm	22.1 in	565.4 mm	22.3 in	574.7 mm	22.6 in
N STEM LENGTH						
O TRAIL	91.2 mm	3.6 in	91.2 mm	3.6 in	91.2 mm	3.6 in

CONTESSA SPARK: 700, 710, 720, 730

	S		M		L	
A HEAD TUBE ANGLE	67.0°		67.0°		67.0°	
B HEAD TUBE LENGTH	100.0 mm	3.9 in	105.0 mm	4.1 in	115.0 mm	4.5 in
C TOP TUBE HORIZONTAL	575.0 mm	22.6 in	605.0 mm	23.8 in	635.0 mm	25.0 in
D STANDOVER HEIGHT						
E BB OFFSET	-26.0 mm	-1.0 in	-26.0 mm	-1.0 in	-26.0 mm	-1.0 in
F BB HEIGHT	325.5 mm	12.8 in	325.5 mm	12.8 in	325.5 mm	12.8 in
G WHEEL BASE	1,115.2 mm	43.9 in	1,145.8 mm	45.1 in	1,177.0 mm	46.3 in
H BB CENTER TO TOPTUBE CENTER	345.0 mm	13.6 in	375.0 mm	14.8 in	425.0 mm	16.7 in
I BB CENTER TO TOP OF SEATTUBE	410.0 mm	16.1 in	440.0 mm	17.3 in	490.0 mm	19.3 in
J SEAT ANGLE	73.8°		73.8°		73.8°	
K CHAINSTAY	428.0 mm	16.9 in	428.0 mm	16.9 in	428.0 mm	16.9 in
L REACH	409.7 mm	16.1 in	438.4 mm	17.3 in	465.7 mm	18.3 in
M STACK	568.9 mm	22.4 in	573.5 mm	22.6 in	582.7 mm	22.9 in
N STEM LENGTH	50.0 mm	2.0 in	60.0 mm	2.4 in	70.0 mm	2.8 in
O TRAIL	101.4 mm	4.0 in	101.4 mm	4.0 in	101.4 mm	4.0 in

CONTESSA SPARK PLUS: 710, 720

	S		M		L		XL	
A HEAD TUBE ANGLE	66.9°		66.9°		66.9°		66.9°	
B HEAD TUBE LENGTH	95.0 mm	3.7 in	95.0 mm	3.7 in	105.0 mm	4.1 in	115.0 mm	4.5 in
C TOP TUBE HORIZONTAL	576.9 mm	22.7 in	607.0 mm	23.9 in	637.0 mm	25.1 in	657.0 mm	25.9 in
D STANDOVER HEIGHT								
E BB OFFSET	-36.0 mm	-1.4 in	-36.0 mm	-1.4 in	-36.0 mm	-1.4 in	-36.0 mm	-1.4 in
F BB HEIGHT	329.0 mm	13.0 in	329.0 mm	13.0 in	329.0 mm	13.0 in	329.0 mm	13.0 in
G WHEEL BASE	1,128.1 mm	44.4 in	1,158.1 mm	45.6 in	1,189.3 mm	46.8 in	1,210.5 mm	47.7 in
H BB CENTER TO TOPTUBE CENTER	345.0 mm	13.6 in	375.0 mm	14.8 in	425.0 mm	16.7 in	475.0 mm	18.7 in
I BB CENTER TO TOP OF SEATTUBE	410.0 mm	16.1 in	440.0 mm	17.3 in	490.0 mm	19.3 in	540.0 mm	21.3 in
J SEAT ANGLE	73.2°		73.2°		73.2°		73.2°	
K CHAINSTAY	438.0 mm	17.2 in	438.0 mm	17.2 in	438.0 mm	17.2 in	438.0 mm	17.2 in
L REACH	396.3 mm	15.6 in	426.4 mm	16.8 in	453.6 mm	17.9 in	470.9 mm	18.5 in
M STACK	598.1 mm	23.5 in	598.1 mm	23.5 in	607.3 mm	23.9 in	616.5 mm	24.3 in
N STEM LENGTH	50.0 mm	2.0 in	50.0 mm	2.0 in	60.0 mm	2.4 in	70.0 mm	2.8 in
O TRAIL	100.2 mm	3.9 in	100.2 mm	3.9 in	100.2 mm	3.9 in	100.2 mm	3.9 in



CONTESSA GENIUS &
CONTESSA GENIUS PLUS

CONTESSA GENIUS: 700


	S		S		M		M		L		L		XL		XL	
	LOW BB SETTING		HIGH BB SETTING		LOW BB SETTING		HIGH BB SETTING		LOW BB SETTING		HIGH BB SETTING		LOW BB SETTING		HIGH BB SETTING	
A HEAD TUBE ANGLE	67.9 °		68.4 °		67.9 °		68.4 °		67.9 °		68.4 °		67.9 °		68.4 °	
B HEAD TUBE LENGTH	100.0 mm	3.9 in	100.0 mm	3.9 in	110.0 mm	4.3 in	110.0 mm	4.3 in	120.0 mm	4.7 in	120.0 mm	4.7 in	135.0 mm	5.3 in	135.0 mm	5.3 in
C TOP TUBE HORIZONTAL	569.9 mm	22.4 in	568.6 mm	22.4 in	599.9 mm	23.6 in	598.6 mm	23.6 in	624.9 mm	24.6 in	623.6 mm	24.6 in	649.9 mm	25.6 in	648.6 mm	25.5 in
D STANDOVER HEIGHT	773.1 mm	30.4 in	775.9 mm	30.5 in	774.6 mm	30.5 in	777.6 mm	30.6 in	807.0 mm	31.8 in	810.4 mm	31.9 in	809.0 mm	31.9 in	812.4 mm	32.0 in
E BB OFFSET	-11.6 mm	-0.5 in	-6.1 mm	-0.2 in	-11.6 mm	-0.5 in	-6.1 mm	-0.2 in	-11.6 mm	-0.5 in	-6.1 mm	-0.2 in	-11.6 mm	-0.5 in	-6.1 mm	-0.2 in
F BB HEIGHT	344.9 mm	13.6 in	350.4 mm	13.8 in	344.9 mm	13.6 in	350.4 mm	13.8 in	344.9 mm	13.6 in	350.4 mm	13.8 in	344.9 mm	13.6 in	350.4 mm	13.8 in
G WHEEL BASE	1'122.7 mm	44.2 in	1'121.8 mm	44.2 in	1'153.8 mm	45.4 in	1'152.9 mm	45.4 in	1'179.9 mm	46.5 in	1'179.0 mm	46.4 in	1'206.6 mm	47.5 in	1'205.7 mm	47.5 in
H BB CENTER TO TOPTUBE CENTER																
I BB CENTER TO TOP OF SEATTUBE	415.0 mm	16.3 in	415.0 mm	16.3 in	440.0 mm	17.3 in	440.0 mm	17.3 in	475.0 mm	18.7 in	475.0 mm	18.7 in	510.0 mm	20.1 in	510.0 mm	20.1 in
J SEAT ANGLE	74.0 °		74.5 °		74.0 °		74.5 °		74.0 °		74.5 °		74.0 °		74.5 °	
K CHAINSTAY	439.0 mm	17.3 in	439.0 mm	17.3 in	439.0 mm	17.3 in	439.0 mm	17.3 in	439.0 mm	17.3 in	439.0 mm	17.3 in	439.0 mm	17.3 in	439.0 mm	17.3 in
L REACH	401.4 mm	15.8 in	406.1 mm	16.0 in	428.7 mm	16.9 in	433.4 mm	17.1 in	451.1 mm	17.8 in	455.7 mm	17.9 in	472.1 mm	18.6 in	476.7 mm	18.8 in
M STACK	588.8 mm	23.2 in	585.5 mm	23.1 in	598.1 mm	23.5 in	594.7 mm	23.4 in	607.3 mm	23.9 in	603.9 mm	23.8 in	621.2 mm	24.5 in	617.7 mm	24.3 in
N STEM LENGTH	60.0 mm	2.4 in	60.0 mm	2.4 in	70.0 mm	2.8 in	70.0 mm	2.8 in	80.0 mm	3.1 in	80.0 mm	3.1 in	90.0 mm	3.5 in	90.0 mm	3.5 in

CONTESSA GENIUS: 710


	S		S		M		M		L		L		XL		XL	
	LOW BB SETTING		HIGH BB SETTING		LOW BB SETTING		HIGH BB SETTING		LOW BB SETTING		HIGH BB SETTING		LOW BB SETTING		HIGH BB SETTING	
A HEAD TUBE ANGLE	67.9 °		68.4 °		67.9 °		68.4 °		67.9 °		68.4 °		67.9 °		68.4 °	
B HEAD TUBE LENGTH	100.0 mm	3.9 in	100.0 mm	3.9 in	110.0 mm	4.3 in	110.0 mm	4.3 in	120.0 mm	4.7 in	120.0 mm	4.7 in	135.0 mm	5.3 in	135.0 mm	5.3 in
C TOP TUBE HORIZONTAL	569.9 mm	22.4 in	568.6 mm	22.4 in	599.9 mm	23.6 in	598.6 mm	23.6 in	624.9 mm	24.6 in	623.6 mm	24.6 in	649.9 mm	25.6 in	648.6 mm	25.5 in
D STANDOVER HEIGHT	773.1 mm	30.4 in	775.9 mm	30.5 in	774.6 mm	30.5 in	777.6 mm	30.6 in	807.0 mm	31.8 in	810.4 mm	31.9 in	809.0 mm	31.9 in	812.4 mm	32.0 in
E BB OFFSET	-11.6 mm	-0.5 in	-6.1 mm	-0.2 in	-11.6 mm	-0.5 in	-6.1 mm	-0.2 in	-11.6 mm	-0.5 in	-6.1 mm	-0.2 in	-11.6 mm	-0.5 in	-6.1 mm	-0.2 in
F BB HEIGHT	344.9 mm	13.6 in	350.4 mm	13.8 in	344.9 mm	13.6 in	350.4 mm	13.8 in	344.9 mm	13.6 in	350.4 mm	13.8 in	344.9 mm	13.6 in	350.4 mm	13.8 in
G WHEEL BASE	1'122.7 mm	44.2 in	1'121.8 mm	44.2 in	1'153.8 mm	45.4 in	1'152.9 mm	45.4 in	1'179.9 mm	46.5 in	1'179.0 mm	46.4 in	1'206.6 mm	47.5 in	1'205.7 mm	47.5 in
H BB CENTER TO TOPTUBE CENTER																
I BB CENTER TO TOP OF SEATTUBE	415.0 mm	16.3 in	415.0 mm	16.3 in	440.0 mm	17.3 in	440.0 mm	17.3 in	475.0 mm	18.7 in	475.0 mm	18.7 in	510.0 mm	20.1 in	510.0 mm	20.1 in
J SEAT ANGLE	74.0 °		74.5 °		74.0 °		74.5 °		74.0 °		74.5 °		74.0 °		74.5 °	
K CHAINSTAY	439.0 mm	17.3 in	439.0 mm	17.3 in	439.0 mm	17.3 in	439.0 mm	17.3 in	439.0 mm	17.3 in	439.0 mm	17.3 in	439.0 mm	17.3 in	439.0 mm	17.3 in
L REACH	401.4 mm	15.8 in	406.1 mm	16.0 in	428.7 mm	16.9 in	433.4 mm	17.1 in	451.1 mm	17.8 in	455.7 mm	17.9 in	472.1 mm	18.6 in	476.7 mm	18.8 in
M STACK	588.8 mm	23.2 in	585.5 mm	23.1 in	598.1 mm	23.5 in	594.7 mm	23.4 in	607.3 mm	23.9 in	603.9 mm	23.8 in	621.2 mm	24.5 in	617.7 mm	24.3 in
N STEM LENGTH	60.0 mm	2.4 in	60.0 mm	2.4 in	70.0 mm	2.8 in	70.0 mm	2.8 in	80.0 mm	3.1 in	80.0 mm	3.1 in	90.0 mm	3.5 in	90.0 mm	3.5 in

CONTESSA GENIUS PLUS: 710


	S		S		M		M		L		L		XL		XL	
	LOW BB SETTING		HIGH BB SETTING		LOW BB SETTING		HIGH BB SETTING		LOW BB SETTING		HIGH BB SETTING		LOW BB SETTING		HIGH BB SETTING	
A HEAD TUBE ANGLE	67.5 °		68.0 °		67.5 °		68.0 °		67.5 °		68.0 °		67.5 °		68.0 °	
B HEAD TUBE LENGTH	100.0 mm	3.9 in	100.0 mm	3.9 in	100.0 mm	3.9 in	100.0 mm	3.9 in	110.0 mm	4.3 in	110.0 mm	4.3 in	120.0 mm	4.7 in	120.0 mm	4.7 in
C TOP TUBE HORIZONTAL	570.0 mm	22.4 in	570.0 mm	22.4 in	600.0 mm	23.6 in	600.0 mm	23.6 in	625.0 mm	24.6 in	625.0 mm	24.6 in	650.0 mm	25.6 in	650.0 mm	25.6 in
D STANDOVER HEIGHT	819.0 mm	32.2 in	822.0 mm	32.4 in	823.0 mm	32.4 in	826.0 mm	32.5 in	843.0 mm	33.2 in	846.0 mm	33.3 in	865.0 mm	34.1 in	868.0 mm	34.2 in
E BB OFFSET	-30.0 mm	-1.2 in	-25.0 mm	-1.0 in	-30.0 mm	-1.2 in	-25.0 mm	-1.0 in	-30.0 mm	-1.2 in	-25.0 mm	-1.0 in	-30.0 mm	-1.2 in	-25.0 mm	-1.0 in
F BB HEIGHT	335.0 mm	13.2 in	340.0 mm	13.4 in	335.0 mm	13.2 in	340.0 mm	13.4 in	335.0 mm	13.2 in	340.0 mm	13.4 in	335.0 mm	13.2 in	340.0 mm	13.4 in
G WHEEL BASE	1'135.0 mm	44.7 in	1'134.0 mm	44.6 in	1'165.0 mm	45.9 in	1'164.0 mm	45.8 in	1'191.0 mm	46.9 in	1'190.0 mm	46.9 in	1'271.0 mm	50.0 in	1'270.0 mm	50.0 in
H BB CENTER TO TOPTUBE CENTER	336.0 mm	13.2 in	336.0 mm	13.2 in	345.0 mm	13.6 in	345.0 mm	13.6 in	378.0 mm	14.9 in	378.0 mm	14.9 in	409.0 mm	16.1 in	409.0 mm	16.1 in
I BB CENTER TO TOP OF SEATTUBE	415.0 mm	16.3 in	415.0 mm	16.3 in	440.0 mm	17.3 in	440.0 mm	17.3 in	475.0 mm	18.7 in	475.0 mm	18.7 in	510.0 mm	20.1 in	510.0 mm	20.1 in
J SEAT ANGLE	73.9 °		74.4 °		73.9 °		74.4 °		73.9 °		74.4 °		73.9 °		74.4 °	
K CHAINSTAY	445.0 mm	17.5 in	445.0 mm	17.5 in	445.0 mm	17.5 in	445.0 mm	17.5 in	445.0 mm	17.5 in	445.0 mm	17.5 in	445.0 mm	17.5 in	445.0 mm	17.5 in
L REACH	395.0 mm	15.6 in	399.0 mm	15.7 in	425.0 mm	16.7 in	429.0 mm	16.9 in	448.0 mm	17.6 in	452.0 mm	17.8 in	470.0 mm	18.5 in	474.0 mm	18.7 in
M STACK	613.0 mm	24.1 in	610.0 mm	24.0 in	614.0 mm	24.2 in	611.0 mm	24.1 in	623.0 mm	24.5 in	620.0 mm	24.4 in	633.0 mm	24.9 in	630.0 mm	24.8 in
N STEM LENGTH	40.0 mm	1.6 in	40.0 mm	1.6 in	50.0 mm	2.0 in	50.0 mm	2.0 in	60.0 mm	2.4 in	60.0 mm	2.4 in	70.0 mm	2.8 in	70.0 mm	2.8 in



CONTESSA



CONTESSA SOLACE &
CONTESSA SOLACE DISC



CONTESSA SPEEDSTER

CONTESSA: 710, 720, 730, 740, 750


	XS		S		M		L	
A HEAD TUBE ANGLE	69.0 °		69.0 °		69.0 °		69.0 °	
B HEAD TUBE LENGTH	100.0 mm	3.9 in	100.0 mm	3.9 in	100.0 mm	3.9 in	115.0 mm	4.5 in
C TOP TUBE HORIZONTAL	545.0 mm	21.5 in	565.0 mm	22.2 in	580.0 mm	22.8 in	595.0 mm	23.4 in
D STANDOVER HEIGHT	665.5 mm	26.2 in	676.5 mm	26.6 in	700.5 mm	27.6 in	730.0 mm	28.7 in
E BB OFFSET	-44.0 mm	-1.7 in	-44.0 mm	-1.7 in	-44.0 mm	-1.7 in	-44.0 mm	-1.7 in
F BB HEIGHT	311.0 mm	12.2 in	311.0 mm	12.2 in	311.0 mm	12.2 in	311.0 mm	12.2 in
G WHEEL BASE	1'045.2 mm	41.1 in	1'065.0 mm	41.9 in	1'080.0 mm	42.5 in	1'096.0 mm	43.1 in
H BB CENTER TO TOP TUBE CENTER	315.0 mm	12.4 in	320.0 mm	12.6 in	360.0 mm	14.2 in	410.0 mm	16.1 in
I BB CENTER TO TOP OF SEAT TUBE	340.0 mm	13.4 in	370.0 mm	14.6 in	410.0 mm	16.1 in	460.0 mm	18.1 in
J SEAT ANGLE	73.0 °		73.0 °		73.0 °		73.0 °	
K CHAINSTAY	427.0 mm	16.8 in	427.0 mm	16.8 in	427.0 mm	16.8 in	427.0 mm	16.8 in
L REACH	368.1 mm	14.5 in	388.1 mm	15.3 in	403.1 mm	15.9 in	413.8 mm	16.3 in
M STACK	411.5 mm	16.2 in	426.6 mm	16.8 in	448.5 mm	17.7 in	482.9 mm	19.0 in
N STEM LENGTH	60.0 mm	2.4 in	60.0 mm	2.4 in	75.0 mm	3.0 in	90.0 mm	3.5 in

CONTESSA SOLACE: 35 CONTESSA SOLACE DISC: 15, 25


	XXS/46		XS/48		S/51		M/53		L/55	
A HEAD TUBE ANGLE	70.5 °		71.0 °		72.0 °		72.5 °		73.0 °	
B HEAD TUBE LENGTH	125.0 mm	4.9 in	135.0 mm	5.3 in	155.0 mm	6.1 in	175.0 mm	6.9 in	195.0 mm	7.7 in
C TOP TUBE HORIZONTAL	495.0 mm	19.5 in	505.0 mm	19.9 in	520.0 mm	20.5 in	535.0 mm	21.1 in	550.0 mm	21.7 in
D STANDOVER HEIGHT	725.1 mm	28.5 in	740.8 mm	29.2 in	767.4 mm	30.2 in	787.5 mm	31.0 in	807.8 mm	31.8 in
E BB OFFSET	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in
F BB HEIGHT	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in
G WHEEL BASE	967.7 mm	38.1 in	970.8 mm	38.2 in	971.6 mm	38.3 in	977.3 mm	38.5 in	981.8 mm	38.7 in
H BB CENTER TO TOP TUBE CENTER	400.0 mm	15.7 in	420.0 mm	16.5 in	450.0 mm	17.7 in	470.0 mm	18.5 in	490.0 mm	19.3 in
I BB CENTER TO TOP OF SEAT TUBE	460.0 mm	18.1 in	480.0 mm	18.9 in	510.0 mm	20.1 in	530.0 mm	20.9 in	550.0 mm	21.7 in
J SEAT ANGLE	75.0 °		75.0 °		74.5 °		74.0 °		73.5 °	
K CHAINSTAY	405.0 mm	15.9 in	405.0 mm	15.9 in	405.0 mm	15.9 in	405.0 mm	15.9 in	405.0 mm	15.9 in
L REACH	354.0 mm	13.9 in	361.0 mm	14.2 in	364.7 mm	14.4 in	368.4 mm	14.5 in	371.7 mm	14.6 in
M STACK	526.1 mm	20.7 in	537.4 mm	21.2 in	560.0 mm	22.0 in	580.9 mm	22.9 in	601.8 mm	23.7 in
N STEM LENGTH	60.0 mm	2.4 in	70.0 mm	2.8 in	90.0 mm	3.5 in	100.0 mm	3.9 in	110.0 mm	4.3 in

CONTESSA SPEEDSTER: 15, 25, 35, 45

	XXS/46		XS/48		S/51		M/53		L/55	
A HEAD TUBE ANGLE	70.5 °		71.0 °		72.0 °		72.5 °		73.0 °	
B HEAD TUBE LENGTH	125.0 mm	4.9 in	135.0 mm	5.3 in	155.0 mm	6.1 in	175.0 mm	6.9 in	195.0 mm	7.7 in
C TOP TUBE HORIZONTAL	495.0 mm	19.5 in	505.0 mm	19.9 in	520.0 mm	20.5 in	535.0 mm	21.1 in	550.0 mm	21.7 in
D STANDOVER HEIGHT	725.1 mm	28.5 in	740.8 mm	29.2 in	767.4 mm	30.2 in	787.5 mm	31.0 in	807.8 mm	31.8 in
E BB OFFSET	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in
F BB HEIGHT	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in
G WHEEL BASE	967.7 mm	38.1 in	970.8 mm	38.2 in	971.6 mm	38.3 in	977.3 mm	38.5 in	981.8 mm	38.7 in
H BB CENTER TO TOP TUBE CENTER	400.0 mm	15.7 in	420.0 mm	16.5 in	450.0 mm	17.7 in	470.0 mm	18.5 in	490.0 mm	19.3 in
I BB CENTER TO TOP OF SEAT TUBE	460.0 mm	18.1 in	480.0 mm	18.9 in	510.0 mm	20.1 in	530.0 mm	20.9 in	550.0 mm	21.7 in
J SEAT ANGLE	75.0 °		75.0 °		74.5 °		74.0 °		73.5 °	
K CHAINSTAY	405.0 mm	15.9 in	405.0 mm	15.9 in	405.0 mm	15.9 in	405.0 mm	15.9 in	405.0 mm	15.9 in
L REACH	354.0 mm	13.9 in	361.0 mm	14.2 in	364.7 mm	14.4 in	368.4 mm	14.5 in	371.7 mm	14.6 in
M STACK	526.1 mm	20.7 in	537.4 mm	21.2 in	560.0 mm	22.0 in	580.9 mm	22.9 in	601.8 mm	23.7 in
N STEM LENGTH	60.0 mm	2.4 in	70.0 mm	2.8 in	90.0 mm	3.5 in	100.0 mm	3.9 in	110.0 mm	4.3 in



E-SPARK PLUS

E-GENIUS PLUS &
E-GENIUS

E-SPARK PLUS: 700 TUNED, 710, 720


	S		M		L		XL	
A HEAD TUBE ANGLE	67.5 °		67.5 °		67.5 °		67.5 °	
B HEAD TUBE LENGTH	110.0 mm	4.3 in	120.0 mm	4.7 in	130.0 mm	5.1 in	140.0 mm	5.5 in
C TOP TUBE HORIZONTAL	580.0 mm	22.8 in	610.0 mm	24.0 in	640.0 mm	25.2 in	660.0 mm	26.0 in
D STANDOVER HEIGHT	725.0 mm	28.5 in	740.2 mm	29.1 in	760.0 mm	29.9 in	785.4 mm	30.9 in
E BB OFFSET	-26.0 mm	-1.0 in	-26.0 mm	-1.0 in	-26.0 mm	-1.0 in	-26.0 mm	-1.0 in
F BB HEIGHT	337.5 mm	13.3 in	337.5 mm	13.3 in	337.5 mm	13.3 in	337.5 mm	13.3 in
G WHEEL BASE	1,142.6 mm	45.0 in	1,173.8 mm	46.2 in	1,204.9 mm	47.4 in	1,226.0 mm	48.3 in
H BB CENTER TO TOP TUBE CENTER	335.0 mm	13.2 in	375.0 mm	14.8 in	425.0 mm	16.7 in	475.0 mm	18.7 in
I BB CENTER TO TOP OF SEATTUBE	400.0 mm	15.7 in	440.0 mm	17.3 in	490.0 mm	19.3 in	540.0 mm	21.3 in
J SEAT ANGLE	73.8 °		73.8 °		73.8 °		73.8 °	
K CHAINSTAY	445.0 mm	17.5 in	445.0 mm	17.5 in	445.0 mm	17.5 in	445.0 mm	17.5 in
L REACH	406.3 mm	16.0 in	433.6 mm	17.1 in	460.9 mm	18.1 in	478.3 mm	18.8 in
M STACK	597.9 mm	23.5 in	607.1 mm	23.9 in	616.3 mm	24.3 in	625.6 mm	24.6 in
N STEM LENGTH	60.0 mm	2.4 in	70.0 mm	2.8 in	80.0 mm	3.1 in	90.0 mm	3.5 in
O TRAIL	95.4 mm	3.8 in	95.4 mm	3.8 in	95.4 mm	3.8 in	95.4 mm	3.8 in

E-GENIUS PLUS: 700 TUNED, 710, 720, 730

	S		S		M		M		L		L		XL		XL	
	LOW BB SETTING		HIGH BB SETTING		LOW BB SETTING		HIGH BB SETTING		LOW BB SETTING		HIGH BB SETTING		LOW BB SETTING		HIGH BB SETTING	
A HEAD TUBE ANGLE	67.5 °		67.9 °		67.5 °		67.9 °		67.5 °		67.9 °		67.5 °		67.9 °	
B HEAD TUBE LENGTH	120.0 mm	4.7 in	120.0 mm	4.7 in	120.0 mm	4.7 in	120.0 mm	4.7 in	130.0 mm	5.1 in	130.0 mm	5.1 in	140.0 mm	5.5 in	140.0 mm	5.5 in
C TOP TUBE HORIZONTAL	575.0 mm	22.6 in	575.0 mm	22.6 in	600.0 mm	23.6 in	600.0 mm	23.6 in	625.0 mm	24.6 in	625.0 mm	24.6 in	650.0 mm	25.6 in	650.0 mm	25.6 in
D STANDOVER HEIGHT	805.0 mm	31.7 in	807.0 mm	31.8 in	805.0 mm	31.7 in	807.0 mm	31.8 in	930.0 mm	36.6 in	933.6 mm	32.8 in	943.0 mm	37.1 in	947.0 mm	33.3 in
E BB OFFSET	-30.0 mm	-1.2 in	-24.8 mm	-1.0 in	-30.0 mm	-1.2 in	-24.8 mm	-1.0 in	-30.0 mm	-1.2 in	-24.8 mm	-1.0 in	-30.0 mm	-1.2 in	-24.8 mm	-1.0 in
F BB HEIGHT	343.0 mm	13.5 in	348.2 mm	13.7 in	343.0 mm	13.5 in	348.2 mm	13.7 in	343.0 mm	13.5 in	348.2 mm	13.7 in	343.0 mm	13.5 in	348.2 mm	13.7 in
G WHEEL BASE	1'185.7 mm	46.7 in	1'185.2 mm	46.7 in	1'210.7 mm	47.7 in	1'210.2 mm	47.6 in	1'236.9 mm	48.7 in	1'236.3 mm	48.7 in	1'263.1 mm	49.7 in	1'262.5 mm	49.7 in
H BB CENTER TO TOP TUBE CENTER																
I BB CENTER TO TOP OF SEATTUBE	420.0 mm	16.5 in	420.0 mm	16.5 in	440.0 mm	17.3 in	440.0 mm	17.3 in	475.0 mm	18.7 in	475.0 mm	18.7 in	510.0 mm	20.1 in	510.0 mm	20.1 in
J SEAT ANGLE	73.9 °		74.3 °		73.9 °		74.3 °		73.9 °		74.3 °		73.9 °		74.3 °	
K CHAINSTAY	490.0 mm	19.3 in	490.0 mm	19.3 in	490.0 mm	19.3 in	490.0 mm	19.3 in	490.0 mm	19.3 in	490.0 mm	19.3 in	490.0 mm	19.3 in	490.0 mm	19.3 in
L REACH	393.7 mm	15.5 in	398.4 mm	15.7 in	418.7 mm	16.5 in	423.3 mm	16.7 in	441.0 mm	17.4 in	445.7 mm	17.5 in	463.4 mm	18.2 in	468.0 mm	18.4 in
M STACK	628.1 mm	24.7 in	625.2 mm	24.6 in	628.1 mm	24.7 in	625.0 mm	24.6 in	637.3 mm	25.1 in	634.1 mm	25.0 in	646.6 mm	25.5 in	643.3 mm	25.3 in
N STEM LENGTH	50.0 mm	2.0 in	50.0 mm	2.0 in	60.0 mm	2.4 in	60.0 mm	2.4 in	70.0 mm	2.8 in	70.0 mm	2.8 in	80.0 mm	3.1 in	80.0 mm	3.1 in

E-GENIUS: 910, 920

	S		S		M		M		L		L		XL		XL	
	LOW BB SETTING		HIGH BB SETTING		LOW BB SETTING		HIGH BB SETTING		LOW BB SETTING		HIGH BB SETTING		LOW BB SETTING		HIGH BB SETTING	
A HEAD TUBE ANGLE	67.5 °		67.9 °		67.5 °		67.9 °		67.5 °		67.9 °		67.5 °		67.9 °	
B HEAD TUBE LENGTH	120.0 mm	4.7 in	120.0 mm	4.7 in	120.0 mm	4.7 in	120.0 mm	4.7 in	130.0 mm	5.1 in	130.0 mm	5.1 in	140.0 mm	5.5 in	140.0 mm	5.5 in
C TOP TUBE HORIZONTAL	575.0 mm	22.6 in	575.0 mm	22.6 in	600.0 mm	23.6 in	600.0 mm	23.6 in	625.0 mm	24.6 in	625.0 mm	24.6 in	650.0 mm	25.6 in	650.0 mm	25.6 in
D STANDOVER HEIGHT	805.0 mm	31.7 in	807.0 mm	31.8 in	805.0 mm	31.7 in	807.0 mm	31.8 in	930.0 mm	36.6 in	933.6 mm	32.8 in	943.0 mm	37.1 in	947.0 mm	33.3 in
E BB OFFSET	-30.0 mm	-1.2 in	-24.8 mm	-1.0 in	-30.0 mm	-1.2 in	-24.8 mm	-1.0 in	-30.0 mm	-1.2 in	-24.8 mm	-1.0 in	-30.0 mm	-1.2 in	-24.8 mm	-1.0 in
F BB HEIGHT	343.0 mm	13.5 in	348.2 mm	13.7 in	343.0 mm	13.5 in	348.2 mm	13.7 in	343.0 mm	13.5 in	348.2 mm	13.7 in	343.0 mm	13.5 in	348.2 mm	13.7 in
G WHEEL BASE	1'185.7 mm	46.7 in	1'185.2 mm	46.7 in	1'210.7 mm	47.7 in	1'210.2 mm	47.6 in	1'236.9 mm	48.7 in	1'236.3 mm	48.7 in	1'263.1 mm	49.7 in	1'262.5 mm	49.7 in
H BB CENTER TO TOP TUBE CENTER																
I BB CENTER TO TOP OF SEATTUBE	420.0 mm	16.5 in	420.0 mm	16.5 in	440.0 mm	17.3 in	440.0 mm	17.3 in	475.0 mm	18.7 in	475.0 mm	18.7 in	510.0 mm	20.1 in	510.0 mm	20.1 in
J SEAT ANGLE	73.9 °		74.3 °		73.9 °		74.3 °		73.9 °		74.3 °		73.9 °		74.3 °	
K CHAINSTAY	490.0 mm	19.3 in	490.0 mm	19.3 in	490.0 mm	19.3 in	490.0 mm	19.3 in	490.0 mm	19.3 in	490.0 mm	19.3 in	490.0 mm	19.3 in	490.0 mm	19.3 in
L REACH	393.7 mm	15.5 in	398.4 mm	15.7 in	418.7 mm	16.5 in	423.3 mm	16.7 in	441.0 mm	17.4 in	445.7 mm	17.5 in	463.4 mm	18.2 in	468.0 mm	18.4 in
M STACK	628.1 mm	24.7 in	625.2 mm	24.6 in	628.1 mm	24.7 in	625.0 mm	24.6 in	637.3 mm	25.1 in	634.1 mm	25.0 in	646.6 mm	25.5 in	643.3 mm	25.3 in
N STEM LENGTH	50.0 mm	2.0 in	50.0 mm	2.0 in	60.0 mm	2.4 in	60.0 mm	2.4 in	70.0 mm	2.8 in	70.0 mm	2.8 in	80.0 mm	3.1 in	80.0 mm	3.1 in



E-SCALE &
E-SCALE PLUS

E-SCALE: 910, 920, 930


	S		M		L		XL	
A HEAD TUBE ANGLE	67.5 °		67.5 °		67.5 °		67.5 °	
B HEAD TUBE LENGTH	110.0 mm	4.3 in	115.0 mm	4.5 in	120.0 mm	4.7 in	130.0 mm	5.1 in
C TOP TUBE HORIZONTAL	570.0 mm	22.4 in	600.0 mm	23.6 in	625.0 mm	24.6 in	650.0 mm	25.6 in
D STANDOVER HEIGHT	772.5 mm	30.4 in	794.5 mm	31.3 in	824.2 mm	32.4 in	856.1 mm	33.7 in
E BB OFFSET	-58.5 mm	-2.3 in	-58.5 mm	-2.3 in	-58.5 mm	-2.3 in	-58.5 mm	-2.3 in
F BB HEIGHT	317.5 mm	12.5 in	317.5 mm	12.5 in	317.5 mm	12.5 in	317.5 mm	12.5 in
G WHEEL BASE	1,150.9 mm	45.3 in	1,181.4 mm	46.5 in	1,206.9 mm	47.5 in	1,232.8 mm	48.5 in
H BB CENTER TO TOPTUBE CENTER								
I BB CENTER TO TOP OF SEATTUBE	400.0 mm	15.7 in	440.0 mm	17.3 in	490.0 mm	19.3 in	540.0 mm	21.3 in
J SEAT ANGLE	72.8 °		72.8 °		72.8 °		72.8 °	
K CHAINSTAY	490.0 mm	19.3 in	490.0 mm	19.3 in	490.0 mm	19.3 in	490.0 mm	19.3 in
L REACH	382.4 mm	15.1 in	411.0 mm	16.2 in	434.5 mm	17.1 in	456.7 mm	18.0 in
M STACK	606.1 mm	23.9 in	610.7 mm	24.0 in	615.3 mm	24.2 in	624.5 mm	24.6 in
N STEM LENGTH	50.0 mm	2.0 in	60.0 mm	2.4 in	70.0 mm	2.8 in	80.0 mm	3.1 in
O TRAIL								

E-SCALE: 710, 720, 730


	S		M		L	
A HEAD TUBE ANGLE	67.5 °		67.5 °		67.5 °	
B HEAD TUBE LENGTH	110.0 mm	4.3 in	115.0 mm	4.5 in	120.0 mm	4.7 in
C TOP TUBE HORIZONTAL	570.0 mm	22.4 in	600.0 mm	23.6 in	625.0 mm	24.6 in
D STANDOVER HEIGHT	758.3 mm	29.9 in	781.0 mm	30.7 in	811.1 mm	31.9 in
E BB OFFSET	-39.0 mm	-1.5 in	-39.0 mm	-1.5 in	-39.0 mm	-1.5 in
F BB HEIGHT	317.5 mm	12.5 in	317.5 mm	12.5 in	317.5 mm	12.5 in
G WHEEL BASE	1,132.3 mm	44.6 in	1,162.8 mm	45.8 in	1,188.3 mm	46.8 in
H BB CENTER TO TOPTUBE CENTER						
I BB CENTER TO TOP OF SEATTUBE	400.0 mm	15.7 in	440.0 mm	17.3 in	490.0 mm	19.3 in
J SEAT ANGLE	72.8 °		72.8 °		72.8 °	
K CHAINSTAY	470.0 mm	18.5 in	470.0 mm	18.5 in	470.0 mm	18.5 in
L REACH	391.6 mm	15.4 in	420.2 mm	16.5 in	443.7 mm	17.5 in
M STACK	576.4 mm	22.7 in	581.0 mm	22.9 in	585.6 mm	23.1 in
N STEM LENGTH	50.0 mm	2.0 in	60.0 mm	2.4 in	70.0 mm	2.8 in
O TRAIL						

E-SCALE PLUS: 700 ULTIMATE, 710, 720

	S		M		L		XL	
A HEAD TUBE ANGLE	67.5 °		67.5 °		67.5 °		67.5 °	
B HEAD TUBE LENGTH	110.0 mm	4.3 in	115.0 mm	4.5 in	120.0 mm	4.7 in	130.0 mm	5.1 in
C TOP TUBE HORIZONTAL	570.0 mm	22.4 in	600.0 mm	23.6 in	625.0 mm	24.6 in	650.0 mm	25.6 in
D STANDOVER HEIGHT	775.4 mm	30.5 in	797.3 mm	31.4 in	826.9 mm	32.6 in	858.7 mm	33.8 in
E BB OFFSET	-46.0 mm	-1.8 in	-46.0 mm	-1.8 in	-46.0 mm	-1.8 in	-46.0 mm	-1.8 in
F BB HEIGHT	317.5 mm	12.5 in	317.5 mm	12.5 in	317.5 mm	12.5 in	317.5 mm	12.5 in
G WHEEL BASE	1,141.0 mm	44.9 in	1,171.5 mm	46.1 in	1,196.9 mm	47.1 in	1,222.9 mm	48.1 in
H BB CENTER TO TOPTUBE CENTER								
I BB CENTER TO TOP OF SEATTUBE	400.0 mm	15.7 in	440.0 mm	17.3 in	490.0 mm	19.3 in	540.0 mm	21.3 in
J SEAT ANGLE	72.8 °		72.8 °		72.8 °		72.8 °	
K CHAINSTAY	473.0 mm	18.6 in	473.0 mm	18.6 in	473.0 mm	18.6 in	473.0 mm	18.6 in
L REACH	612.0 mm	24.1 in	616.7 mm	24.3 in	621.3 mm	24.5 in	630.5 mm	24.8 in
M STACK	380.5 mm	15.0 in	409.1 mm	16.1 in	432.7 mm	17.0 in	454.8 mm	17.9 in
N STEM LENGTH	50.0 mm	2.0 in	60.0 mm	2.4 in	70.0 mm	2.8 in	80.0 mm	3.1 in
O TRAIL								



E-ASPECT



E-CONTESSA SPARK PLUS

E-ASPECT: 910, 920


	M		L		XL	
A HEAD TUBE ANGLE	68.5 °		68.5 °		68.5 °	
B HEAD TUBE LENGTH	145.0 mm	5.7 in	155.0 mm	6.1 in	160.0 mm	6.3 in
C TOP TUBE HORIZONTAL	600.0 mm	23.6 in	620.0 mm	24.4 in	640.0 mm	25.2 in
D STANDOVER HEIGHT	808.3 mm	31.8 in	840.6 mm	33.1 in	870.5 mm	34.3 in
E BB OFFSET	-60.0 mm	-2.4 in	-60.0 mm	-2.4 in	-60.0 mm	-2.4 in
F BB HEIGHT	316.0 mm	12.4 in	316.0 mm	12.4 in	316.0 mm	12.4 in
G WHEEL BASE	1,156.2 mm	45.5 in	1,177.0 mm	46.3 in	1,197.4 mm	47.1 in
H BB CENTER TO TOP TUBE CENTER						
I BB CENTER TO TOP OF SEATTUBE	440.0 mm	17.3 in	490.0 mm	19.3 in	540.0 mm	21.3 in
J SEAT ANGLE	73.0 °		73.0 °		73.0 °	
K CHAINSTAY	472.0 mm	18.6 in	472.0 mm	18.6 in	472.0 mm	18.6 in
L REACH	403.0 mm	15.9 in	420.1 mm	16.5 in	438.7 mm	17.3 in
M STACK	644.5 mm	25.4 in	653.8 mm	25.7 in	658.5 mm	25.9 in
N STEM LENGTH						
O TRAIL						

E-ASPECT: 710, 720


	S		M		L	
A HEAD TUBE ANGLE	68.5 °		68.5 °		68.5 °	
B HEAD TUBE LENGTH	140.0 mm	5.5 in	145.0 mm	5.7 in	155.0 mm	6.1 in
C TOP TUBE HORIZONTAL	580.0 mm	22.8 in	600.0 mm	23.6 in	620.0 mm	24.4 in
D STANDOVER HEIGHT	766.3 mm	30.2 in	790.3 mm	31.1 in	822.7 mm	32.4 in
E BB OFFSET	-50.0 mm	-2.0 in	-50.0 mm	-2.0 in	-50.0 mm	-2.0 in
F BB HEIGHT	307.5 mm	12.1 in	307.5 mm	12.1 in	307.5 mm	12.1 in
G WHEEL BASE	1,111.5 mm	43.8 in	1,131.9 mm	44.6 in	1,152.7 mm	45.4 in
H BB CENTER TO TOP TUBE CENTER						
I BB CENTER TO TOP OF SEATTUBE	400.0 mm	15.7 in	440.0 mm	17.3 in	490.0 mm	19.3 in
J SEAT ANGLE	73.0 °		73.0 °		73.0 °	
K CHAINSTAY	452.0 mm	17.8 in	452.0 mm	17.8 in	452.0 mm	17.8 in
L REACH	390.6 mm	15.4 in	406.2 mm	16.0 in	426.3 mm	16.8 in
M STACK	619.6 mm	24.4 in	624.2 mm	24.6 in	633.5 mm	24.9 in
N STEM LENGTH						
O TRAIL						

E-CONTESSA SPARK PLUS: 710

	S		M		L		XL	
A HEAD TUBE ANGLE	67.5 °		67.5 °		67.5 °		67.5 °	
B HEAD TUBE LENGTH	110.0 mm	4.3 in	120.0 mm	4.7 in	130.0 mm	5.1 in	140.0 mm	5.5 in
C TOP TUBE HORIZONTAL	580.0 mm	22.8 in	610.0 mm	24.0 in	640.0 mm	25.2 in	660.0 mm	26.0 in
D STANDOVER HEIGHT	725.0 mm	28.5 in	740.2 mm	29.1 in	760.0 mm	29.9 in	785.4 mm	30.9 in
E BB OFFSET	-26.0 mm	-1.0 in	-26.0 mm	-1.0 in	-26.0 mm	-1.0 in	-26.0 mm	-1.0 in
F BB HEIGHT	337.5 mm	13.3 in	337.5 mm	13.3 in	337.5 mm	13.3 in	337.5 mm	13.3 in
G WHEEL BASE	1,142.6 mm	45.0 in	1,173.8 mm	46.2 in	1,204.9 mm	47.4 in	1,226.0 mm	48.3 in
H BB CENTER TO TOP TUBE CENTER	335.0 mm	13.2 in	375.0 mm	14.8 in	425.0 mm	16.7 in	475.0 mm	18.7 in
I BB CENTER TO TOP OF SEATTUBE	400.0 mm	15.7 in	440.0 mm	17.3 in	490.0 mm	19.3 in	540.0 mm	21.3 in
J SEAT ANGLE	73.8 °		73.8 °		73.8 °		73.8 °	
K CHAINSTAY	445.0 mm	17.5 in	445.0 mm	17.5 in	445.0 mm	17.5 in	445.0 mm	17.5 in
L REACH	406.3 mm	16.0 in	433.6 mm	17.1 in	460.9 mm	18.1 in	478.3 mm	18.8 in
M STACK	597.9 mm	23.5 in	607.1 mm	23.9 in	616.3 mm	24.3 in	625.6 mm	24.6 in
N STEM LENGTH	60.0 mm	2.4 in	70.0 mm	2.8 in	80.0 mm	3.1 in	90.0 mm	3.5 in
O TRAIL	95.4 mm	3.8 in	95.4 mm	3.8 in	95.4 mm	3.8 in	95.4 mm	3.8 in



E-CONTESSA GENIUS PLUS



E-CONTESSA SCALE PLUS &
E-CONTESSA SCALE

E-CONTESSA GENIUS PLUS: 720


	S		S		M		M		L		L		XL		XL	
	LOW BB SETTING	HIGH BB SETTING	LOW BB SETTING	HIGH BB SETTING	LOW BB SETTING	HIGH BB SETTING	LOW BB SETTING	HIGH BB SETTING	LOW BB SETTING	HIGH BB SETTING	LOW BB SETTING	HIGH BB SETTING	LOW BB SETTING	HIGH BB SETTING	LOW BB SETTING	HIGH BB SETTING
A HEAD TUBE ANGLE	67.5 °		67.9 °		67.5 °		67.9 °		67.5 °		67.9 °		67.5 °		67.9 °	
B HEAD TUBE LENGTH	120.0 mm	4.7 in	120.0 mm	4.7 in	120.0 mm	4.7 in	120.0 mm	4.7 in	130.0 mm	5.1 in	130.0 mm	5.1 in	140.0 mm	5.5 in	140.0 mm	5.5 in
C TOP TUBE HORIZONTAL	575.0 mm	22.6 in	575.0 mm	22.6 in	600.0 mm	23.6 in	600.0 mm	23.6 in	625.0 mm	24.6 in	625.0 mm	24.6 in	650.0 mm	25.6 in	650.0 mm	25.6 in
D STANDOVER HEIGHT	805.0 mm	31.7 in	807.0 mm	31.8 in	805.0 mm	31.7 in	807.0 mm	31.8 in	930.0 mm	36.6 in	833.6 mm	32.8 in	943.0 mm	37.1 in	847.0 mm	33.3 in
E BB OFFSET	-30.0 mm	-1.2 in	-24.8 mm	-1.0 in	-30.0 mm	-1.2 in	-24.8 mm	-1.0 in	-30.0 mm	-1.2 in	-24.8 mm	-1.0 in	-30.0 mm	-1.2 in	-24.8 mm	-1.0 in
F BB HEIGHT	343.0 mm	13.5 in	348.2 mm	13.7 in	343.0 mm	13.5 in	348.2 mm	13.7 in	343.0 mm	13.5 in	348.2 mm	13.7 in	343.0 mm	13.5 in	348.2 mm	13.7 in
G WHEEL BASE	1'185.7 mm	46.7 in	1'185.2 mm	46.7 in	1'210.7 mm	47.7 in	1'210.2 mm	47.6 in	1'236.9 mm	48.7 in	1'236.3 mm	48.7 in	1'263.1 mm	49.7 in	1'262.5 mm	49.7 in
H BB CENTER TO TOP TUBE CENTER																
I BB CENTER TO TOP OF SEAT TUBE	420.0 mm	16.5 in	420.0 mm	16.5 in	440.0 mm	17.3 in	440.0 mm	17.3 in	475.0 mm	18.7 in	475.0 mm	18.7 in	510.0 mm	20.1 in	510.0 mm	20.1 in
J SEAT ANGLE	73.9 °		74.3 °		73.9 °		74.3 °		73.9 °		74.3 °		73.9 °		74.3 °	
K CHAINSTAY	490.0 mm	19.3 in	490.0 mm	19.3 in	490.0 mm	19.3 in	490.0 mm	19.3 in	490.0 mm	19.3 in	490.0 mm	19.3 in	490.0 mm	19.3 in	490.0 mm	19.3 in
L REACH	393.7 mm	15.5 in	398.4 mm	15.7 in	418.7 mm	16.5 in	423.3 mm	16.7 in	441.0 mm	17.4 in	445.7 mm	17.5 in	463.4 mm	18.2 in	468.0 mm	18.4 in
M STACK	628.1 mm	24.7 in	625.2 mm	24.6 in	628.1 mm	24.7 in	625.0 mm	24.6 in	637.3 mm	25.1 in	634.1 mm	25.0 in	646.6 mm	25.5 in	643.3 mm	25.3 in
N STEM LENGTH	50.0 mm	2.0 in	50.0 mm	2.0 in	60.0 mm	2.4 in	60.0 mm	2.4 in	70.0 mm	2.8 in	70.0 mm	2.8 in	80.0 mm	3.1 in	80.0 mm	3.1 in

E-CONTESSA SCALE PLUS: 720


	S	M	L	XL
A HEAD TUBE ANGLE	67.5 °	67.5 °	67.5 °	67.5 °
B HEAD TUBE LENGTH	110.0 mm	4.3 in	115.0 mm	4.5 in
C TOP TUBE HORIZONTAL	570.0 mm	22.4 in	600.0 mm	23.6 in
D STANDOVER HEIGHT	775.4 mm	30.5 in	797.3 mm	31.4 in
E BB OFFSET	-46.0 mm	-1.8 in	-46.0 mm	-1.8 in
F BB HEIGHT	317.5 mm	12.5 in	317.5 mm	12.5 in
G WHEEL BASE	1,141.0 mm	44.9 in	1,171.5 mm	46.1 in
H BB CENTER TO TOP TUBE CENTER			1,196.9 mm	47.1 in
I BB CENTER TO TOP OF SEAT TUBE	400.0 mm	15.7 in	440.0 mm	17.3 in
J SEAT ANGLE	72.8 °	72.8 °	72.8 °	72.8 °
K CHAINSTAY	473.0 mm	18.6 in	473.0 mm	18.6 in
L REACH	612.0 mm	24.1 in	616.7 mm	24.3 in
M STACK	380.5 mm	15.0 in	409.1 mm	16.1 in
N STEM LENGTH	50.0 mm	2.0 in	60.0 mm	2.4 in
O TRAIL			70.0 mm	2.8 in

E-CONTESSA SCALE: 730


	S	M	L
A HEAD TUBE ANGLE	67.5 °	67.5 °	67.5 °
B HEAD TUBE LENGTH	110.0 mm	4.3 in	115.0 mm
C TOP TUBE HORIZONTAL	570.0 mm	22.4 in	600.0 mm
D STANDOVER HEIGHT	758.3 mm	29.9 in	781.0 mm
E BB OFFSET	-39.0 mm	-1.5 in	-39.0 mm
F BB HEIGHT	317.5 mm	12.5 in	317.5 mm
G WHEEL BASE	1,132.3 mm	44.6 in	1,162.8 mm
H BB CENTER TO TOP TUBE CENTER			45.8 in
I BB CENTER TO TOP OF SEAT TUBE	400.0 mm	15.7 in	440.0 mm
J SEAT ANGLE	72.8 °	72.8 °	72.8 °
K CHAINSTAY	470.0 mm	18.5 in	470.0 mm
L REACH	391.6 mm	15.4 in	420.2 mm
M STACK	576.4 mm	22.7 in	581.0 mm
N STEM LENGTH	50.0 mm	2.0 in	60.0 mm
O TRAIL			2.4 in



E-SILENCE EVO &
E-SILENCE SPEED MEN



E-SILENCE MEN



E-SUB SPORT MEN &
E-SUB TOUR MEN

E-SILENCE: EVO E-SILENCE SPEED MEN: 10, 20


	S	M	L	XL
A HEAD TUBE ANGLE	70.5 °	70.5 °	71.5 °	71.5 °
B HEAD TUBE LENGTH	145.0 mm 5.7 in	160.0 mm 6.3 in	185.0 mm 7.3 in	210.0 mm 8.3 in
C TOP TUBE HORIZONTAL	578.5 mm 22.8 in	598.5 mm 23.6 in	618.5 mm 24.4 in	638.5 mm 25.1 in
D STANDOVER HEIGHT	781.4 mm 30.8 in	810.8 mm 31.9 in	845.2 mm 33.3 in	884.2 mm 34.8 in
E BB OFFSET	-59.9 mm -2.4 in	-59.9 mm -2.4 in	-59.9 mm -2.4 in	-59.8 mm -2.4 in
F BB HEIGHT	298.6 mm 11.8 in	298.6 mm 11.8 in	298.6 mm 11.8 in	298.7 mm 11.8 in
G WHEEL BASE	1,098.0 mm 43.2 in	1,112.7 mm 43.8 in	1,122.0 mm 44.2 in	1,136.1 mm 44.7 in
H BB CENTER TO TOP TUBE CENTER	385.0 mm 15.2 in	425.0 mm 16.7 in	465.0 mm 18.3 in	515.0 mm 20.3 in
I BB CENTER TO TOP OF SEATTUBE	440.0 mm 17.3 in	480.0 mm 18.9 in	520.0 mm 20.5 in	570.0 mm 22.4 in
J SEAT ANGLE	73.5 °	73.0 °	73.0 °	72.5 °
K CHAINSTAY	460.0 mm 18.1 in	460.0 mm 18.1 in	460.0 mm 18.1 in	460.0 mm 18.1 in
L REACH	390.2 mm 15.4 in	404.8 mm 15.9 in	416.2 mm 16.4 in	422.2 mm 16.6 in
M STACK	632.7 mm 24.9 in	632.6 mm 24.9 in	660.6 mm 26.0 in	684.3 mm 26.9 in
N STEM LENGTH				
O TRAIL				

E-SILENCE MEN: 10, 20


	S	M	L	XL
A HEAD TUBE ANGLE	70.0 °	70.0 °	71.0 °	71.0 °
B HEAD TUBE LENGTH	145.0 mm 5.7 in	160.0 mm 6.3 in	185.0 mm 7.3 in	210.0 mm 8.3 in
C TOP TUBE HORIZONTAL	580.0 mm 22.8 in	600.0 mm 23.6 in	620.0 mm 24.4 in	640.0 mm 25.2 in
D STANDOVER HEIGHT	787.8 mm 31.0 in	816.8 mm 32.2 in	851.2 mm 33.5 in	889.9 mm 35.0 in
E BB OFFSET	-56.0 mm -2.2 in	-56.0 mm -2.2 in	-56.0 mm -2.2 in	-56.0 mm -2.2 in
F BB HEIGHT	302.5 mm 11.9 in	302.5 mm 11.9 in	302.5 mm 11.9 in	302.5 mm 11.9 in
G WHEEL BASE	1,101.4 mm 43.4 in	1,116.1 mm 43.9 in	1,125.2 mm 44.3 in	1,139.3 mm 44.9 in
H BB CENTER TO TOP TUBE CENTER	385.0 mm 15.2 in	425.0 mm 16.7 in	465.0 mm 18.3 in	515.0 mm 20.3 in
I BB CENTER TO TOP OF SEATTUBE	440.0 mm 17.3 in	480.0 mm 18.9 in	520.0 mm 20.5 in	570.0 mm 22.4 in
J SEAT ANGLE	73.0 °	72.5 °	72.5 °	72.0 °
K CHAINSTAY	460.0 mm 18.1 in	460.0 mm 18.1 in	460.0 mm 18.1 in	460.0 mm 18.1 in
L REACH	389.9 mm 15.4 in	399.5 mm 15.7 in	410.6 mm 16.2 in	416.5 mm 16.4 in
M STACK	622.0 mm 24.5 in	636.0 mm 25.0 in	664.1 mm 26.1 in	687.8 mm 27.1 in
N STEM LENGTH				
O TRAIL				

E-SUB SPORT MEN: 10, 20 E-SUB TOUR: MEN


	S	M	L	XL
A HEAD TUBE ANGLE	71.0 °	71.5 °	72.0 °	72.5 °
B HEAD TUBE LENGTH	135.0 mm 5.3 in	155.0 mm 6.1 in	175.0 mm 6.9 in	195.0 mm 7.7 in
C TOP TUBE HORIZONTAL	567.0 mm 22.3 in	577.0 mm 22.7 in	592.0 mm 23.3 in	608.0 mm 23.9 in
D STANDOVER HEIGHT	783.5 mm 30.8 in	810.1 mm 31.9 in	835.5 mm 32.9 in	867.5 mm 34.2 in
E BB OFFSET	-56.0 mm -2.2 in	-56.0 mm -2.2 in	-56.0 mm -2.2 in	-56.0 mm -2.2 in
F BB HEIGHT				
G WHEEL BASE	1,089.4 mm 42.9 in	1,088.3 mm 42.8 in	1,097.8 mm 43.2 in	1,101.3 mm 43.4 in
H BB CENTER TO TOP TUBE CENTER	405.0 mm 15.9 in	432.0 mm 17.0 in	462.0 mm 18.2 in	500.0 mm 19.7 in
I BB CENTER TO TOP OF SEATTUBE	450.0 mm 17.7 in	480.0 mm 18.9 in	510.0 mm 20.1 in	550.0 mm 21.7 in
J SEAT ANGLE	66.0 °	66.0 °	66.0 °	66.0 °
K CHAINSTAY	491.0 mm 19.3 in	491.0 mm 19.3 in	491.0 mm 19.3 in	491.0 mm 19.3 in
L REACH	378.4 mm 14.9 in	375.8 mm 14.8 in	384.2 mm 15.1 in	387.0 mm 15.2 in
M STACK	617.0 mm 24.3 in	638.0 mm 25.1 in	659.1 mm 25.9 in	680.2 mm 26.8 in
N STEM LENGTH	90.0 mm 3.5 in	90.0 mm 3.5 in	90.0 mm 3.5 in	90.0 mm 3.5 in
O TRAIL				



E-SUB SPORT LADY &
E-SUB TOUR LADY



E-SUB TOUR UNISEX



E-SUB ACTIVE UNISEX

E-SUB SPORT LADY: 10, 20 E-SUB TOUR: LADY


	S		M		L	
A HEAD TUBE ANGLE	70,3 °		71,0 °		71,3 °	
B HEAD TUBE LENGTH	190,0 mm	7,5 in	190,0 mm	7,5 in	190,0 mm	7,5 in
C TOP TUBE HORIZONTAL	550,0 mm	21,7 in	565,0 mm	22,2 in	575,0 mm	22,6 in
D STANDOVER HEIGHT	542,6 mm	21,4 in	556,1 mm	21,9 in	599,9 mm	23,6 in
E BB OFFSET	-56,0 mm	-2,2 in	-56,0 mm	-2,2 in	-56,0 mm	-2,2 in
F BB HEIGHT						
G WHEEL BASE	1.086,8 mm	42,8 in	1.089,4 mm	42,9 in	1.086,9 mm	42,8 in
H BB CENTER TO TOP TUBE CENTER	247,0 mm	9,7 in	240,0 mm	9,4 in	239,0 mm	9,4 in
I BB CENTER TO TOP OF SEATTUBE	420,0 mm	16,5 in	460,0 mm	18,1 in	500,0 mm	19,7 in
J SEAT ANGLE	66,5 °		66,5 °		66,5 °	
K CHAINSTAY	491,0 mm	19,3 in	491,0 mm	19,3 in	491,0 mm	19,3 in
L REACH	352,5 mm	13,9 in	360,5 mm	14,2 in	363,4 mm	14,3 in
M STACK	666,7 mm	26,2 in	669,0 mm	26,3 in	671,2 mm	26,4 in
N STEM LENGTH	90,0 mm	3,5 in	90,0 mm	3,5 in	90,0 mm	3,5 in
O TRAIL						

E-SUB TOUR: UNISEX


	S		M		L	
A HEAD TUBE ANGLE	69,5 °		70,0 °		71,3 °	
B HEAD TUBE LENGTH	150,0 mm	5,9 in	160,0 mm	6,3 in	190,0 mm	7,5 in
C TOP TUBE HORIZONTAL	568,0 mm	22,4 in	584,0 mm	23,0 in	595,0 mm	23,4 in
D STANDOVER HEIGHT	446,1 mm	17,6 in	450,3 mm	17,7 in	456,9 mm	18,0 in
E BB OFFSET	-56,0 mm	-2,2 in	-56,0 mm	-2,2 in	-56,0 mm	-2,2 in
F BB HEIGHT						
G WHEEL BASE	1.086,8 mm	42,8 in	1.118,8 mm	44,0 in	1.131,5 mm	44,5 in
H BB CENTER TO TOP TUBE CENTER						
I BB CENTER TO TOP OF SEATTUBE	480,0 mm	18,9 in	520,0 mm	20,5 in	560,0 mm	22,0 in
J SEAT ANGLE	73,0 °		73,0 °		73,0 °	
K CHAINSTAY	491,0 mm	19,3 in	491,0 mm	19,3 in	491,0 mm	19,3 in
L REACH	377,0 mm	14,8 in	389,5 mm	15,3 in	391,9 mm	15,4 in
M STACK	624,6 mm	24,6 in	636,2 mm	25,0 in	664,4 mm	26,2 in
N STEM LENGTH	90,0 mm	3,5 in	90,0 mm	3,5 in	110,0 mm	4,3 in
O TRAIL						

E-SUB ACTIVE: UNISEX


	S		M		L	
A HEAD TUBE ANGLE	70,0 °		70,0 °		70,0 °	
B HEAD TUBE LENGTH	185,0 mm	7,3 in	185,0 mm	7,3 in	185,0 mm	7,3 in
C TOP TUBE HORIZONTAL	555,0 mm	21,9 in	570,0 mm	22,4 in	595,0 mm	23,4 in
D STANDOVER HEIGHT	647,1 mm	25,5 in	645,6 mm	25,4 in	646,7 mm	25,5 in
E BB OFFSET	-65,0 mm	-2,6 in	-65,0 mm	-2,6 in	-65,0 mm	-2,6 in
F BB HEIGHT						
G WHEEL BASE	1.123,0 mm	44,2 in	1.123,0 mm	44,2 in	1.148,0 mm	45,2 in
H BB CENTER TO TOP TUBE CENTER						
I BB CENTER TO TOP OF SEATTUBE	440,0 mm	17,3 in	480,0 mm	18,9 in	520,0 mm	20,5 in
J SEAT ANGLE	73,0 °		73,0 °		73,0 °	
K CHAINSTAY	480,0 mm	18,9 in	480,0 mm	18,9 in	480,0 mm	18,9 in
L REACH	360,7 mm	14,2 in	375,7 mm	14,8 in	400,7 mm	15,8 in
M STACK	635,5 mm	25,0 in	635,5 mm	25,0 in	635,5 mm	25,0 in
N STEM LENGTH	110,0 mm	4,3 in	110,0 mm	4,3 in	110,0 mm	4,3 in
O TRAIL						



SILENCE: EVO & SILENCE MEN &
SILENCE SPEED MEN



SILENCE LADY



SUB SPORT MEN

SILENCE: EVO SILENCE MEN: 10, 20, 30 SILENCE SPEED MEN: 10, 20


	S	M	L	XL
A HEAD TUBE ANGLE	70,0 °	70,0 °	70,0 °	70,0 °
B HEAD TUBE LENGTH	145,0 mm 5,7 in	160,0 mm 6,3 in	185,0 mm 7,3 in	210,0 mm 8,3 in
C TOP TUBE HORIZONTAL	570,0 mm 22,4 in	585,0 mm 23,0 in	600,0 mm 23,6 in	620,0 mm 24,4 in
D STANDOVER HEIGHT	766,4 mm 30,2 in	795,4 mm 31,3 in	826,9 mm 32,6 in	864,0 mm 34,0 in
E BB OFFSET	-60,0 mm -2,4 in	-60,0 mm -2,4 in	-60,0 mm -2,4 in	-60,0 mm -2,4 in
F BB HEIGHT	294,5 mm 11,6 in	294,5 mm 11,6 in	294,5 mm 11,6 in	294,5 mm 11,6 in
G WHEEL BASE	1.083,0 mm 42,6 in	1.098,8 mm 43,3 in	1.115,2 mm 43,9 in	1.136,6 mm 44,7 in
H BB CENTER TO TOP TUBE CENTER	389,0 mm 15,3 in	429,0 mm 16,9 in	469,0 mm 18,5 in	519,0 mm 20,4 in
I BB CENTER TO TOP OF SEATTUBE	440,0 mm 17,3 in	480,0 mm 18,9 in	520,0 mm 20,5 in	570,0 mm 22,4 in
J SEAT ANGLE	73,0 °	73,0 °	73,0 °	73,0 °
K CHAINSTAY	455,0 mm 17,9 in	455,0 mm 17,9 in	455,0 mm 17,9 in	455,0 mm 17,9 in
L REACH	387,0 mm 15,2 in	397,7 mm 15,7 in	405,5 mm 16,0 in	418,3 mm 16,5 in
M STACK	598,7 mm 23,6 in	612,8 mm 24,1 in	636,3 mm 25,1 in	659,8 mm 26,0 in
N STEM LENGTH	90,0 mm 3,5 in	90,0 mm 3,5 in	90,0 mm 3,5 in	90,0 mm 3,5 in
O TRAIL				

SILENCE LADY: 10, 20, 30


	S	M	L
A HEAD TUBE ANGLE	70,0 °	70,0 °	70,0 °
B HEAD TUBE LENGTH	190,0 mm 7,5 in	190,0 mm 7,5 in	190,0 mm 7,5 in
C TOP TUBE HORIZONTAL	550,0 mm 21,7 in	565,0 mm 22,2 in	575,0 mm 22,6 in
D STANDOVER HEIGHT	686,9 mm 27,0 in	687,3 mm 27,1 in	687,6 mm 27,1 in
E BB OFFSET	-65,0 mm -2,6 in	-65,0 mm -2,6 in	-65,0 mm -2,6 in
F BB HEIGHT	289,5 mm 11,4 in	289,5 mm 11,4 in	289,5 mm 11,4 in
G WHEEL BASE	1.063,3 mm 41,9 in	1.078,3 mm 42,5 in	1.088,3 mm 42,8 in
H BB CENTER TO TOP TUBE CENTER	210,0 mm 8,3 in	210,0 mm 8,3 in	210,0 mm 8,3 in
I BB CENTER TO TOP OF SEATTUBE	420,0 mm 16,5 in	460,0 mm 18,1 in	500,0 mm 19,7 in
J SEAT ANGLE	73,0 °	73,0 °	73,0 °
K CHAINSTAY	455,0 mm 17,9 in	455,0 mm 17,9 in	455,0 mm 17,9 in
L REACH	352,5 mm 13,9 in	367,5 mm 14,5 in	387,0 mm 15,2 in
M STACK	646,0 mm 25,4 in	646,0 mm 25,4 in	598,7 mm 23,6 in
N STEM LENGTH	90,0 mm 3,5 in	90,0 mm 3,5 in	90,0 mm 3,5 in
O TRAIL			

SUB SPORT MEN: 10, 20, 30, 40


	S	M	L	XL
A HEAD TUBE ANGLE	70,0 °	70,0 °	70,0 °	70,0 °
B HEAD TUBE LENGTH	185,0 mm 7,3 in	185,0 mm 7,3 in	185,0 mm 7,3 in	185,0 mm 7,3 in
C TOP TUBE HORIZONTAL	567,0 mm 22,3 in	580,0 mm 22,8 in	595,0 mm 23,4 in	605,0 mm 23,8 in
D STANDOVER HEIGHT	785,3 mm 30,9 in	801,3 mm 31,5 in	823,2 mm 32,4 in	843,7 mm 33,2 in
E BB OFFSET	-60,0 mm -2,4 in	-60,0 mm -2,4 in	-60,0 mm -2,4 in	-60,0 mm -2,4 in
F BB HEIGHT	294,5 mm 11,6 in	294,5 mm 11,6 in	294,5 mm 11,6 in	294,5 mm 11,6 in
G WHEEL BASE	1.088,0 mm 42,8 in	1.101,2 mm 43,4 in	1.116,2 mm 43,9 in	1.126,2 mm 44,3 in
H BB CENTER TO TOP TUBE CENTER	392,0 mm 15,4 in	422,0 mm 16,6 in	462,0 mm 18,2 in	502,0 mm 19,8 in
I BB CENTER TO TOP OF SEATTUBE	450,0 mm 17,7 in	480,0 mm 18,9 in	520,0 mm 20,5 in	560,0 mm 22,0 in
J SEAT ANGLE	73,5 °	73,5 °	73,5 °	73,5 °
K CHAINSTAY	455,0 mm 17,9 in	455,0 mm 17,9 in	455,0 mm 17,9 in	455,0 mm 17,9 in
L REACH	374,3 mm 14,7 in	387,3 mm 15,2 in	402,3 mm 15,8 in	412,3 mm 16,2 in
M STACK	650,7 mm 25,6 in	650,7 mm 25,6 in	650,7 mm 25,6 in	650,7 mm 25,6 in
N STEM LENGTH	90,0 mm 3,5 in	90,0 mm 3,5 in	90,0 mm 3,5 in	90,0 mm 3,5 in
O TRAIL				



SUB SPORT LADY



SUB COMFORT MEN



SUB COMFORT UNISEX

SUB SPORT LADY: 10, 20, 30, 40


	S		M		L	
A HEAD TUBE ANGLE	70,0 °		70,0 °		70,0 °	
B HEAD TUBE LENGTH	185,0 mm	7,3 in	185,0 mm	7,3 in	185,0 mm	7,3 in
C TOP TUBE HORIZONTAL	555,0 mm	21,9 in	570,0 mm	22,4 in	595,0 mm	23,4 in
D STANDOVER HEIGHT	681,1 mm	26,8 in	678,3 mm	26,7 in	680,6 mm	26,8 in
E BB OFFSET	-65,0 mm	-2,6 in	-65,0 mm	-2,6 in	-65,0 mm	-2,6 in
F BB HEIGHT	289,5 mm	11,4 in	289,5 mm	11,4 in	289,5 mm	11,4 in
G WHEEL BASE	1.078,6 mm	42,5 in	1.093,6 mm	43,1 in	1.118,6 mm	44,0 in
H BB CENTER TO TOPTUBE CENTER	252,0 mm	9,9 in	292,0 mm	11,5 in	332,0 mm	13,1 in
I BB CENTER TO TOP OF SEATTUBE	440,0 mm	17,3 in	480,0 mm	18,9 in	520,0 mm	20,5 in
J SEAT ANGLE	73,5 °		73,5 °		73,5 °	
K CHAINSTAY	455,0 mm	17,9 in	455,0 mm	17,9 in	455,0 mm	17,9 in
L REACH	364,1 mm	14,3 in	379,1 mm	14,9 in	404,1 mm	15,9 in
M STACK	644,6 mm	25,4 in	644,6 mm	25,4 in	664,6 mm	26,2 in
N STEM LENGTH	90,0 mm	3,5 in	90,0 mm	3,5 in	90,0 mm	3,5 in
O TRAIL						

SUB COMFORT MEN: 10, 20


	S		M		L		XL	
A HEAD TUBE ANGLE	70,0 °		70,0 °		70,0 °		70,0 °	
B HEAD TUBE LENGTH	185,0 mm	7,3 in	185,0 mm	7,3 in	185,0 mm	7,3 in	185,0 mm	7,3 in
C TOP TUBE HORIZONTAL	567,0 mm	22,3 in	580,0 mm	22,8 in	595,0 mm	23,4 in	605,0 mm	23,8 in
D STANDOVER HEIGHT	785,3 mm	30,9 in	801,3 mm	31,5 in	823,2 mm	32,4 in	843,7 mm	33,2 in
E BB OFFSET	-60,0 mm	-2,4 in	-60,0 mm	-2,4 in	-60,0 mm	-2,4 in	-60,0 mm	-2,4 in
F BB HEIGHT								
G WHEEL BASE	1.088,0 mm	42,8 in	1.101,2 mm	43,4 in	1.116,2 mm	43,9 in	1.126,2 mm	44,3 in
H BB CENTER TO TOPTUBE CENTER	392,0 mm	15,4 in	422,0 mm	16,6 in	462,0 mm	18,2 in	502,0 mm	19,8 in
I BB CENTER TO TOP OF SEATTUBE	450,0 mm	17,7 in	480,0 mm	18,9 in	520,0 mm	20,5 in	560,0 mm	22,0 in
J SEAT ANGLE	73,5 °		73,5 °		73,5 °		73,5 °	
K CHAINSTAY	455,0 mm	17,9 in	455,0 mm	17,9 in	455,0 mm	17,9 in	455,0 mm	17,9 in
L REACH	374,3 mm	14,7 in	387,3 mm	15,2 in	402,3 mm	15,8 in	412,3 mm	16,2 in
M STACK	650,7 mm	25,6 in	650,7 mm	25,6 in	650,7 mm	25,6 in	650,7 mm	25,6 in
N STEM LENGTH	90,0 mm	3,5 in	90,0 mm	3,5 in	90,0 mm	3,5 in	90,0 mm	3,5 in
O TRAIL								

SUB COMFORT UNISEX: 10, 20

	S		M		L	
A HEAD TUBE ANGLE	70,0 °		70,0 °		70,0 °	
B HEAD TUBE LENGTH	160,0 mm	6,3 in	170,0 mm	6,7 in	180,0 mm	7,1 in
C TOP TUBE HORIZONTAL	545,0 mm	21,5 in	565,0 mm	22,2 in	585,0 mm	23,0 in
D STANDOVER HEIGHT						
E BB OFFSET	-65,0 mm	-2,6 in	-65,0 mm	-2,6 in	-65,0 mm	-2,6 in
F BB HEIGHT	285,0 mm	11,2 in	285,0 mm	11,2 in	285,0 mm	11,2 in
G WHEEL BASE	1.059,9 mm	41,7 in	1.080,4 mm	42,5 in	1.101,1 mm	43,4 in
H BB CENTER TO TOPTUBE CENTER	426,8 mm	16,8 in	406,8 mm	16,0 in	446,8 mm	17,6 in
I BB CENTER TO TOP OF SEATTUBE	420,0 mm	16,5 in	460,0 mm	18,1 in	500,0 mm	19,7 in
J SEAT ANGLE	73,0 °		73,0 °		73,0 °	
K CHAINSTAY	460,0 mm	18,1 in	460,0 mm	18,1 in	460,0 mm	18,1 in
L REACH						
M STACK						
N STEM LENGTH	110,0 mm	4,3 in	110,0 mm	4,3 in	110,0 mm	4,3 in



SUB CROSS &
SUB CROSS MEN



SUB CROSS LADY

SUB CROSS: 10 SUB CROSS MEN: 20, 30, 40

	S	M	L	XL	XXL
A HEAD TUBE ANGLE	70.0 °	70.0 °	70.0 °	70.0 °	70.0 °
B HEAD TUBE LENGTH	105.0 mm 4.1 in	125.0 mm 4.9 in	145.0 mm 5.7 in	165.0 mm 6.5 in	185.0 mm 7.3 in
C TOP TUBE HORIZONTAL	567.0 mm 22.3 in	577.0 mm 22.7 in	592.0 mm 23.3 in	608.0 mm 23.9 in	620.0 mm 24.4 in
D STANDOVER HEIGHT	767.0 mm 30.2 in	793.0 mm 31.2 in	817.0 mm 32.2 in	847.0 mm 33.3 in	876.0 mm 34.5 in
E BB OFFSET	56.0 mm 2.2 in	56.0 mm 2.2 in	56.0 mm 2.2 in	56.0 mm 2.2 in	56.0 mm 2.2 in
F BB HEIGHT	406.0 mm 16.0 in	406.0 mm 16.0 in	406.0 mm 16.0 in	406.0 mm 16.0 in	406.0 mm 16.0 in
G WHEEL BASE	1,078.0 mm 42.4 in	1,084.0 mm 42.7 in	1,097.0 mm 43.2 in	1,110.0 mm 43.7 in	1,123.0 mm 44.2 in
H BB CENTER TO TOP TUBE CENTER					
I BB CENTER TO TOP OF SEAT TUBE	450.0 mm 17.7 in	480.0 mm 18.9 in	510.0 mm 20.1 in	550.0 mm 21.7 in	590.0 mm 23.2 in
J SEAT ANGLE	73.0 °	72.5 °	72.3 °	72.0 °	72.0 °
K CHAINSTAY	456.0 mm 18.0 in	456.0 mm 18.0 in	456.0 mm 18.0 in	456.0 mm 18.0 in	456.0 mm 18.0 in
L REACH	388.3 mm 15.3 in	386.8 mm 15.2 in	393.5 mm 15.5 in	399.8 mm 15.7 in	405.6 mm 16.0 in
M STACK					
N STEM LENGTH	80.0 mm 3.1 in	90.0 mm 3.5 in	90.0 mm 3.5 in	100.0 mm 3.9 in	100.0 mm 3.9 in
O TRAIL					

SUB CROSS LADY: 20, 30, 40

	S	M	L	XL
A HEAD TUBE ANGLE	70.0 °	70.0 °	70.0 °	70.0 °
B HEAD TUBE LENGTH	115.0 mm 4.5 in	130.0 mm 5.1 in	155.0 mm 6.1 in	180.0 mm 7.1 in
C TOP TUBE HORIZONTAL	550.0 mm 21.7 in	565.0 mm 22.2 in	575.0 mm 22.6 in	590.0 mm 23.2 in
D STANDOVER HEIGHT	679.5 mm 26.8 in	684.1 mm 26.9 in	695.8 mm 27.4 in	702.6 mm 27.7 in
E BB OFFSET	56.0 mm 2.2 in	56.0 mm 2.2 in	56.0 mm 2.2 in	56.0 mm 2.2 in
F BB HEIGHT	406.0 mm 16.0 in	406.0 mm 16.0 in	406.0 mm 16.0 in	406.0 mm 16.0 in
G WHEEL BASE	1,067.0 mm 42.0 in	1,078.0 mm 42.4 in	1,083.0 mm 42.6 in	1,099.0 mm 43.3 in
H BB CENTER TO TOP TUBE CENTER				
I BB CENTER TO TOP OF SEAT TUBE	420.0 mm 16.5 in	460.0 mm 18.1 in	500.0 mm 19.7 in	540.0 mm 21.3 in
J SEAT ANGLE	73.5 °	73.0 °	72.3 °	72.0 °
K CHAINSTAY	456.0 mm 18.0 in	456.0 mm 18.0 in	456.0 mm 18.0 in	456.0 mm 18.0 in
L REACH	374.0 mm 14.7 in	379.0 mm 14.9 in	375.9 mm 14.8 in	383.5 mm 15.1 in
M STACK				
N STEM LENGTH	70.0 mm 2.8 in	80.0 mm 3.1 in	90.0 mm 3.5 in	100.0 mm 3.9 in
O TRAIL				

SIZE CHARTS

Body Height	< 165 cm	165 - 175 cm	175 - 185 cm	185 - 195 cm	> 195 cm
SPARK 700/900/PLUS E-SPARK 700 PLUS	S	M	L	XL	
GENIUS 700/900/PLUS E-GENIUS 900/PLUS	S	M	L	XL	
CONTESSA SPARK 700/PLUS CONTESSA GENIUS 700/PLUS CONTESSA SCALE CARBON 700/900 CONTESSA SCALE PLUS E-CONTESSA	S	M	L		
GAMBLER 700 VOLTAGE FR	S	M	L		
GENIUS LT 700 PLUS	S	M	L		
SCALE 700/900/PLUS E-SCALE 700/900/PLUS BIG JON	XS	S	M	L	XL
VOLTAGE YZ 10-20	XS	S	M	L	
ASPECT 600/700/900 E-ASPECT 700/900	XS	S	M	L	XL
FOIL ADDICT CRI SPEEDSTER	XXS	S	M	L	XL
SOLACE	XXS	S	M	L	XL
CONTESSA SOLACE CONTESSA SPEEDSTER	XXS	S	M	L	
ADDICT / SPEEDSTER CX	XS	S	M	L	XL
SILENCE E-SILENCE SUB MEN E-SUB MEN	S	M	L	XL	
PLASMA 4/5	S	M	L	XL	
CONTESSA ACTIVE CONTESSA SCALE ALLOY	XS	S	M	L	
SUB LADY/UNISEX E-SUB LADY/UNISEX	S	M	L	XL	

JUNIOR

Body Height Approximate Age	80-95 cm 2-4	95-120 cm 4-6	120-130 cm 6-9	130-145 cm 9-11	> 145 cm 11-12+
VOLT-X			Wheel 20"	Wheel 20"	Wheel 20"
SPEEDSTER JR				Wheel 24"	
SCALE			Wheel 20"	Wheel 24"	Wheel 26"
VOLTAGE	Wheel 12"	Wheel 16"	Wheel 20"	Wheel 24"	Wheel 26"
CONTESSA JR	Wheel 12"	Wheel 16"	Wheel 20"	Wheel 24"	Wheel 26"
WALKER	Wheel 12"				

08 TWINLOC

TWINLOC

For MY17 we have a new lever which can be mounted under the bar on the LH side, perfect for 1x setups. The Syncros dropper post lever is also integrated into the same bracket to keep your bars clean.

For x2 and non Syncros dropper seatposts the levers remain the same as previous years. Please refer to “TWINLOCs over the years” for compatibility

You can only assemble the “standard” TWINLOC remote lever in “left side upward position” on the handlebar & the under bar TWINLOC remote lever in “left side downward.” (non-seatpost options available).




IMPORTANT







You can only assemble the “standard” TWINLOC remote lever in “left side upward position” on the handlebar & the new under bar TWINLOC remote lever in “left side downward.”

You have 3 positions of the TWINLOC remote lever.

- 1 CLIMB MODE:**
The shock is nearly locked; climbing on asphalt roads is now possible without any power loss. Simultaneous a blow-off system prevents the shock being damaged in case the rider did not open the system while crossing obstacles.
- 2 TRACTION/RIDE MODE:**
For Traction: by reducing the internal chamber volume inside the shock the travel of the shock will be reduced to around 80% the characteristic of the air spring gets harder, the SAG is shorter and the geometry steeper. This results in climbing without “bobbing” and offers still optimum traction of the rear wheel.
For Ride: by adding a platform on the compression damping system the shock will not bounce while standing on the pedals.
- 3 DESCENT MODE:**
Full travel




TWINLOCS OVER THE YEARS: COMPATIBILITY CHART

Part Number	Description	Picture	DT M210	DT Nude TC	DT Nude 2	Equalizer 2	Equalizer 3	Fox Nude CTD	Fox Float CTD	Fox E-Nude	Nude 4/ Trunion
	*Twinloc lever downclamp/ seatpost 17			✓	✓			✓	✓		✓
242409	Twinloc Nude 3 Integ clamp down			✓	✓			✓	✓		✓
230097	Twinloc XLremote lever for Nude 2/3			✓	✓			✓	✓		✓
230098	Twinloc XL remote lever for DT M3		✓								
239171	Twinloc lever Nude 3 integ clamp			✓	✓			✓	✓		✓
239170	Twinloc lever FOX iNude									✓	
223298	Twinloc Lever for Nude/2-RS DNA3 Spark 2			✓	✓			✓	✓		✓
216351	Twinloc Lever for Nude TC/ Nude 2			✓	✓			✓	✓		✓
219562	Twinloc Lever for Equalizer 3					✓	✓				
216350	Twinloc Lever for Equalizer 2					✓	✓				
216352	Twinloc Lever for DT M 210		✓								


09 BROSE/BOSCH

BROSE COVER ASSEMBLY INSTRUCTIONS


1 Left side




2 Right side



3 Left and Right



4 Bottom side




BOSCH E-MOTOR COVER ASSEMBLY FOR E-GENIUS AND E-SCALE

IMPORTANT

Both side covers must be fitted first before the lower guard.


- 1 On the right hand side the clip on the motor holding the rear shift cable is to be fitted as shown.
Pay attention to the position of the clip, if fitted any other way may foul the cover causing an incorrect fit.



- 2 On the left hand side great care must be taken to ensure the correct fitment of the cover.


Do not store any excess wire in the motor cover, this may affect the motor cover fit slowing down the fitting of the cover.

Also don't route hydraulic or mechanical cables over the engine as this may damage the cables/ pipes and cause them to sit unnaturally.




- 3 Route the rear brake and seatpost (if applicable) under the motor body.

Any spare electrical wire should be stored in the down tube rather than the motor area. This will give a much smoother bend on the pipes lining them up in the correct position.



- 4** Place the motor cover loosely on the bike, insert the two bolts as shown, position the hoses and wires correctly, rear brake and sensor on the rear hole, seatpost on the front hole.

Gently tighten the bolts.



- 5** When the bolts are being tightened, if the motor cover is not sitting correctly it will probably be the rear 2 pipes not sitting in the hole correctly.



- 6** Slacken the bolts off a little and move the pipes so they are more in a "side by side" position.


Retighten the two top bolts.



- 7** Check the rear brake hose in front of the BB unit, (arrowed) if visible this will just need to be pushed back gently with a blunt tool, once out of sight the shape of the motor cover should hold it in place.

- 8** Once the pipe is routed correctly you should be able to pull the rear brake hose a little in and out confirming it's not trapped between the cover and the motor,

Re-assemble the rest of the cover bolts and lower guard as normal.




BOSCH BATTERY ASSEMBLY SHORT MANUAL FOR MY17 E-GENIUS AND E-SCALE



1 Remove the battery if it's locked on the frame.

2 Screw the two T15 M438mm bolts in the bracket threads together with washers. Do not unscrew them completely, just enough so you can still slide the battery cover underneath.



3 Slide the battery cover under the bolt heads and washers, place it so that it aligns well with the battery mount and Down Tube, also with the plate underneath the battery.



4 Tight both T15 M438mm bolt to fix the battery cover on the frame. MA3 3NM.

5 Assemble the Bosch battery and lock it.

6 Place the stickers in alignment with the Battery.



There are two different sizes of covers to fit each frame size well.

The difference is written in the inside like marked in the following pictures.

Size Split for E-Genius and E-Scale Models:

BIKE	SIZE	BATTERY COVER	
		GR.1	GR.2

E-SCALE

27" Plus	S	✓	
	M	✓	
	L		✓
	3L		✓
27"	S	✓	
	M		✓
	L		✓
29"	S	✓	
	M	✓	
	L		✓
	3L		✓

E-GENIUS

27" Plus	S	✓	
	M	✓	
	L	✓	
	3L	✓	
29"	S	✓	
	M	✓	
	L	✓	
	3L	✓	



10 BELT DRIVE

CONTI DRIVE SYSTEM

CONTI® Service Portal

Register now!

The b2b service portal is an essential element of the extensive Continental customer service regarding the CONTI® eBIKE SYSTEM and CONTI® DRIVE SYSTEM. As registered client, you benefit from:

- › Access to technical service & after-sales documents
- › Exclusive b2b news area
- › Public dealer search and OEM-client references



1. Register on www.contitech.de/b2b-portal
2. Approval by Continental Service Center
3. Unlimited access with personal profile

Benchmark Drives GmbH & Co. KG
Im Langgewann 5
65719 Hofheim - Germany

E-mail: service@bmd.contitech.de
Tel: +49 (0)6192-29 199-15
Fax: +49 (0)6192-29 199-13

Your new CONTI® DRIVE SYSTEM

Congratulations on purchasing your new CONTI® DRIVE SYSTEM (CDS). With the CDS *premium* belt drive system from Continental, you have chosen a strong and established brand that looks back on a long tradition of innovative technologies. The CONTI® DRIVE SYSTEM builds on this success and has already been presented with the "Eurobike Gold Award", the most prestigious award in the bicycle industry.

This user manual provides you with support on the proper handling of the drive components. It gives you suitable maintenance and care instructions that guarantee the durability of your CONTI® DRIVE SYSTEM.

The new drive system with a timing belt offers you an exceptional driving experience: Whether for long trekking tours or short city trips – the timing belt for bicycles, pedelecs, and eBikes is a real alternative to a chain.

- › Lightweight, clean, and quiet
- › Robust, durable, and maintenance-free

Enjoy your CDS belt drive system!

1 For your safety

Please read the entire manual before use, replacement of components, or installation of the CONTI® DRIVE SYSTEM *premium*. Improper installation, setting, modification, or maintenance may result in material damage or personal injury.

For more information, visit our website www.conti-drive-system.com or contact a bicycle dealer.

To avoid any misuse and to guarantee the durability of your belt drive system, please refer to the installation and handling instructions in this manual.

1.1 Intended use

- › Bicycles, pedelecs, or eBikes equipped with the CONTI® DRIVE SYSTEM are suitable exclusively for regular use on properly laid roads / paths but not on off-road terrain (i.e. not on roads or paths).
- › Before each ride, check the full functionality of your belt drive system. Any defects or damage discovered must be reviewed and, if necessary, repaired immediately.
- › Use only CDS belt drive systems as a whole consisting of the original Continental sprockets and belts that are suitable for your bicycle, pedelec, or eBike.
- › For your own safety and to conserve the value of the CONTI® DRIVE SYSTEM, use only the original spare parts available from bicycle dealers if a replacement of drive system components is necessary.
- › Your bicycle dealer is able to recognize potential signs of wear and can, if necessary, replace components before a system failure occurs.

1.2 Misuse and exclusion of liability

Failure to use your CDS belt drive system as intended or to follow safety-relevant instructions can lead to an exclusion of liability for any material defects. Any misuse must therefore be avoided!

The term "misuse" includes the following situations and uses in particular:

- › Improper repairs and maintenance that have not been carried out by a bicycle dealer.
- › Use of a CDS bicycle, pedelec, or eBike for competitions, jumps, stunts, or tricks and on off-road terrain (i.e. not on roads or paths).
- › Defects caused by external interference and improper structural modifications compared with the bicycle's condition upon delivery. This applies in particular to the manipulation (tuning) of the drive or other system-relevant bicycle components.

1.3 Safety notices

The following safety labels distinguish between the different danger levels and must be observed:



Danger

This safety notice indicates danger that may result in injury.



Warning

This safety notice indicates danger that has a high probability of an accident.



Caution

This safety notice indicates danger that may lead to minor injury



Attention


This safety notice highlights danger for possible material damage.



Danger

This product is a drive system with moving parts. Please make sure to never reach into a running drive system. This can cause serious injury. Pants, skirts, and other loose clothing can get stuck in the drive system. To prevent this from happening, we recommend installing a belt guard plate.

Do NOT reach into the running system.




2 The CONTI® DRIVE SYSTEM *premium*

The CDS *premium* is an innovative, award-winning belt drive system from Continental, which constitutes a quiet and maintenance-free alternative to a chain and is suitable for regular bicycles as well as pedelecs and eBikes.

The CDS *premium* consists of two lightweight and durable sprockets as well as a high-performance timing belt made of polyurethane with integrated aramid cords. Different belt

and sprocket variants ensure that the drive system is compatible with all common internal gear hubs, torque sensors, eBike motors, transmissions, and coaster brakes.




2.1 The sprockets

The front and rear sprockets have been developed to optimally suit their function in terms of material characteristics. While the front sprocket is made of aluminum to provide an ideal balance between durability and lightness, the rear sprocket is made of stainless steel to withstand high power transmission and wear. Based on the variety of different-sized sprockets, the belt drive system can be adjusted to the desired power transmission and chain stay length of various bicycle, pedelec, or eBike concepts.



2.2 The timing belt


In addition to the front and rear sprockets, the belt is the core element of the drive system. Thanks to Continental's many years of experience in the field of automotive and industrial technology, a high-performance timing belt made of polyurethane has been developed that is optimally tailored to the loads and specific requirements of a bicycle.



2.3 Advantages of the CDS belt drive system


Clean, quiet, and maintenance-free

The belt is completely dry (no oil) and is therefore extremely clean and runs particularly quietly. This makes the CDS belt drive ideal for everyday use by all cyclists - for city bikes and trekking bikes to eBikes and pedelecs.




Low belt pretension

Low pretension makes handling particularly easy. For any maintenance work, the belt can be pulled off and subsequently repositioned on the sprockets without the use of any tools or the need for complex tensioning methods.




Long service life

Made of polyurethane with integrated aramid cords, the high-performance timing belt is resistant to any media and offers a higher mileage than a chain.



Tolerances and compatibility

Thanks to the material and low pretension, the CONTI® DRIVE SYSTEM offers high tolerance values in terms of angular errors and belt line. The system is also compatible with all common internal gear hubs, pedal sensors, motors, transmissions, and coaster brakes.





3 Operating instructions

The CDS belt drive system is tailored to suit all types of bike-friendly weather conditions, which means it can be used throughout all seasons of the year.

Its operation is designed to meet the following conditions:

- › Operating temperature between -40 °C and +80 °C (between -40 °F and +176 °F)
- › Usable in all bike-friendly weather conditions (not deep snow, black ice, storms, etc.)
- › Resistant to various media such as oil or cleaning agents
- › Resistant to UV radiation and ozone



3.1 Maintenance and care

Before use and during each cleaning process, check your CDS belt drive for damage, material deformation, or cracks. In case of doubt, please ask a dealer to analyze the defects.

To ensure durability of the system, we recommend cleaning the CONTI® DRIVE SYSTEM with water or a hand brush after riding through mud or dirt, for example. Any residue on the belt or on the sprockets can cause increased and running noise (e.g. squeaking and creaking).

If the running noise cannot be solved by cleaning the drive system components, it is possible to spray a thin layer of dry silicone on the belt's inner side. This will protect the belt from further residue and improves the sliding properties to reduce the running noise.




Caution

Defective components can cause injury and material damage. Defective parts must be replaced immediately by a bicycle dealer.

3.2 Handling


Keep the belt in its natural shape and avoid any tensions or other influences on the belt. The belt works optimally and offers maximum durability with a minimum diameter of curvature of 100 mm.




Attention

Please observe the following handling instructions to ensure a long service life of the belt. Improper handling can cause damage to the belt and could make a replacement necessary!


A Do not bend or twist




B Do not turn inside out




C Do not bundle or wind




D Do not use as belt whip




E Do not use any tools or sharp devices for the belt




F Do not lever belt onto sprocket



G Do not use tensioner or guide pulleys



H Do not use oils




4 Assembly instructions

The CONTI® DRIVE SYSTEM *premium* offers high tolerance values. Nevertheless, correct sprocket arrangement and alignment should be ensured during installation and maintenance.

4.1 Installing the CDS for the first time


1. Install sprockets

The front and rear CDS sprockets can be mounted like conventional chain rings or pinions. Correct alignment of the belt line and flanged wheels must be ensured here. For this, follow the instructions in section 4.2.




2. Open the frame lock

Please consult the user manual of the bicycle or frame manufacturer for precise instructions on opening your specific frame lock variant.




3. Insert belt in the bicycle frame

Now insert the belt through the frame lock without squashing, twisting, or bending the belt. Afterward, close the frame lock again.




4. Mount the rear wheel

Mount the rear wheel according to the manufacturer's instructions for the hub without squashing, bending, or twisting the belt.




5. Mount the belt

First, place the belt on the front sprocket. Then position the top of the belt on the rear sprocket by hand. By turning the rear wheel backward slightly, the belt runs completely onto the sprocket without the use of force.



6. Adjust the belt system

Please ensure that the belt line, sprocket angles, and belt tension are in line with the specifications in sections 4.2 and 4.3.



4.2 Arranging the flanged wheels

To ensure optimum functionality of the CDS *premium*, the sprockets must be arranged correctly. Essential factors are the parallelism and the angle between the two sprockets as well as the correct arrangement of the flanged wheels.



Warning


The arrangement of the sprockets is very important and can vary from bicycle to bicycle.

Parallelism:

A maximum parallelism error of 3 mm away from the flanged wheels and measured by the middle of the sprocket treads is permitted.

Angle:

A maximum angular error of 0.5° is permitted between the sprockets.





Exceeding the prescribed maximum tolerance values may cause the belt to run off. In addition, major angular errors shorten its service life.



Attention

Both the front and the rear sprockets have flanged wheels that prevent the belt from running off. The flanged wheel of the front sprocket is on the outside and the one of the rear sprocket is on the inside (toward the hub).



Both installation dimensions can be inspected with the original CDS tools. Please refer to sections 4.3 for the exact procedure.

4.3 Adjusting the belt

Belt tension

Insufficient belt tension can cause the belt to "jump." In this case, the teeth of the belt slip over the sprocket, which the rider will feel as slippage. Jumping entails a risk of injury.

However, excessive pretension can lead to greater wear due to overstress. It can damage the bottom bracket and the inner bearings of the rear hub.



Attention

The correct belt tension is essential for optimum operation of the CONTI® DRIVE SYSTEM. With the special tooth profile, the CONTI® DRIVE SYSTEM can be driven with a lower pretension than other belt systems. An ideal pretension should be set in accordance with the guide values to optimize the quiet ride and component protection.

There are different tensioning mechanisms. Please contact your bicycle or frame manufacturer for information regarding use of your tensioning mechanism.

The optimum belt tension is approximately 75 N. This corresponds to a belt slack of a maximum of 25 mm with a central vertical load of 5 kg on the upper belt string.

Sprocket tool

The original CDS sprocket tool is used for holding steady rear wheel hubs with free-wheel or releasing the lock nut.

Use and function of the sprocket tool is similar to that of a chain whip.




Belt measurement and adjustment tool

With the original CDS measurement and adjustment tool, it is possible to inspect the belt line as well as the belt tension. Inspecting the belt line is important for checking the correct parallelism and angular alignment of the sprockets. For more information, please refer to sections 4.2 and 4.3.



In addition to the belt line, the belt tension can be inspected very easily when the adjustment tool is applied. A centrally integrated tension spring with a weight of 5 kg displays the current belt tension on its scale. If the pretension is not in line with the guide values, the tension should be readjusted according to the available setting options of the bicycle, pedelec, or eBike. For more information, please refer to section 4.2.



www.parktool.com


CONTI® DRIVE SYSTEM tools are available through the prestigious tool manufacturer Park Tool®

Please refer to the package insert for the exact instruction steps for the tools.

4.4 Removing the rear wheel


1. Remove the belt

Pull the belt off the rear sprocket by hand (do not use any tools).




2. Remove and mount the rear wheel

Remove the rear wheel according to the manufacturer's instructions for the hub. After performing rear wheel maintenance, please mount the rear wheel again. Please do not squash, bend, or twist the belt during both steps.




3. Mount the belt

First, place the belt on the front sprocket.





Then position the top of the belt on the rear sprocket by hand. By turning the rear wheel backward slightly, the belt runs completely onto the sprocket without the use of force.



4. Adjust the belt


Please ensure that the belt line, sprocket angles, and belt tension are in line with the specifications in section 4.3.



4.5 Replacing the belt without changing the sprockets


1. Open the frame lock

Please consult the user manual of the bicycle or frame manufacturer for precise instructions on opening your specific frame lock variant.




2. Remove the old belt

Pull the belt off the sprockets by hand only and then remove it through the open frame lock.




3. Mount the new belt


Now insert the new belt through the frame lock without squashing, twisting, or bending the belt.



First, place the belt on the front sprocket.




Then position the top of the belt on the rear sprocket by hand. By turning the rear wheel backward slightly, the belt runs completely onto the sprocket without the use of force.





4. Close the frame lock

Please consult the user manual of the bicycle or frame manufacturer for precise instructions on closing your specific frame lock variant.



5. Adjust the belt

Please ensure that the belt line, sprocket angles, and belt tension are in line with the specifications in section 4.2 and 4.3.



4.6 Changing the belt and sprockets

If a replacement of the sprockets is required due to wear or for any other reasons, the entire CDS system including both sprockets and the belt should be replaced. This is necessary to ensure optimum functionality of the CDS belt system.

1. Follow the steps for removing the rear wheel as described in section 4.4.
2. Follow the steps for changing the belt as described in section 4.5.
3. The front and rear CDS sprockets can be disassembled like conventional chain rings or pinions.
4. Follow the instructions for installing new sprockets and belts as described in section 4.1.

5 Transport

The CONTI® DRIVE SYSTEM belt drive has no influence on the existing transport regulations for your bicycle, pedelec, or eBike.

Therefore, please pay attention to the manufacturer's individual transport regulations and ensure that no other objects impact on the belt during transport. Squashing or twisting the belt may cause damage and can make a replacement necessary.



6 Wear

Compared with a classic chain, an advantage of the CONTI® DRIVE SYSTEM *premium* is its durability. However, with increased mileage, the CDS *premium* can also show signs of wear.


If you discover signs of wear on the belt and/or sprockets, you should contact a bicycle dealer who is able to check the condition of the belt system and replace the worn components if necessary.

Please refer to the overview on the next page for specific signs of wear and the resulting measures.



Danger

Please inspect the belt and sprockets for defects before each ride. The use of a worn or damaged component may result in material damage or serious injury.



CDS wear scenarios	Replace front sprocket	Replace rear sprocket	Replace belt
Front sprocket: inward-bent flanged wheel(s)	•	•	•
Front sprocket: outward-bent flanged wheel(s)	•		
Front sprocket has lateral runout (bent)	•		•
Tooth profile of front sprocket is visibly damaged (asymmetrical)	•		•
Rear sprocket wobbles on the hub, worn fitting, spinning		•	
Sheared sprocket		•	•
Sharp-edged flanged wheel	•	•	
Bent belt			•
Tooth profile of belt is visibly damaged			•
Belt shows cracks, porous patches			•
Crack in belt			•
Frayed belt			•

7 Accessories

You can upgrade your CDS *premium* with the original accessory products.

For information about our latest CDS products and available accessories, please contact your bicycle dealer or visit our website www.conti-drive-system.com. Your dealer will be happy to inform you and can order any accessory parts that can be obtained only through the retail market.

7.1 Crank

To continue the design of the CDS belt drive, you can add the high-quality Continental crank so that everything features a consistent look.



7.2 Belt guard plate

The optional belt guard plate helps to protect the belt against external impact. It reduces excessive exposure of bigger elements and the risk of pants, skirts or other loose clothing getting stuck between the belt and the front sprocket.



SPARE PARTS CONTI DRIVE SYSTEM

ITEM	SPARE PARTS CONTI
252406	E-bike crankset FSA isis 170mm /brose
252407	E-bike/Silence/Brose spider FSA Boost
252408	E-bike/Silence chainring 44T +bashguard
252409	E-bike chainring+spider 36T Brose/ Aspect
262056	E-bike drive belt Conti e-silence 2017
262057	E-bike chainring+spider 39T Conti/ brose
262058	E-bike sprocket Conti 20T nuvinci
262638	E-bike sprocket Miranda Delta 15T
262639	E-bike sprocket Miranda D.Boost 3mm 15T
262640	E-bike sprocket Miranda Delta 8.65mm 15T


GATES CARBON BELT DRIVE SYSTEM

For MY17, 2 models are using the Gates Carbon Belt Drive System. This system provides a long lifetime and maintenance freedom. In addition it is lightweight, clean, efficient and quiet which makes it well suited for urban use.

IMPORTANT

Do not crimp, twist, backbend, invert, bundle or zip tie the belt. Do not use the belt as a strap wrench or chainwhip. Do not roll or force on the belt onto a sprocket without slackening the drive first.

To adjust the tension from the belt you have to turn the eccentric BB to the front, and reverse to slacken.



BELT TENSION AND DRIVE ALIGNMENT

Proper tension and drive alignment is key to optimal performance.

- Lack of belt tension can lead to “skipping”. Too much tension can damage other components and increase the wear of your Carbon Drive System.
- Signs of a misaligned drive include, but are not limited to, noise, premature belt or sprocket wear, belt walk-off.


Detailed information and schematics can be found here:

In our Technical Manual:

www.gatescarbondrive.com/tech/resources

OR


Download the app for your iPhone.




2 MODELS IN MY17 RANGE USE GATES BELTS

SCOTT Sub 10 & EVO 10:

They use Gate's system (CDN) and are not compatible with other gates models used on previous bikes without changing the sprockets. (Belt and rings have a different shape from CDC and CDX please see diagram.)



The belt can also be easily identified from the outer surface.



SPARE PARTS BELT DRIVE

ITEM	SPARE PARTS CDC	ITEM	SPARE PARTS CDX	ITEM	SPARE PARTS CDN
224416	Gates sprocket 24T	239549	Gates belt CDX 122T	242467	Gates belt CDN 118T
224417	Gates belt 118T	239550	Gates chain ring CDX 50T	242466	Gates belt CDN 122T
224418	Gates chain ring 46T	239551	Gates sprocket CDX 26T	242469	Gates sprocket CDN 24T
				242468	Gates sprocket CDN 26T

11

MAXIMUM ROTOR SIZE

DISC BRAKE MAXIMUM ROTOR SIZE PER MODEL LINE

The chart shows the maximum disc brake rotor size on the rear wheel.



IMPORTANT

Please note that for the front fork the maximum rotor size needs to be checked individually in the related fork manufacturer's manual.

Bike	Maximum Rotor Size
Solace Disc/Addict Disc/Gravel/CX	160 Flat Mount Front & Rear 140mm
Speedster Disc/CX/Gravel	160 Flat Mount Front & Rear 140mm
Gambler	203
Voltage FR	203
Big John	180
Aspect	180
Scale Alloy 700/900	180
Scale 2 Carbon 700/900	180
Scale 700 Plus	180
Scale 3 Carbon 700/900	180
Spark 3 700/900	180
Spark 3 700 Plus	180
E-Genius 900/E-Genius Plus 700	203
E-Spark 700 Plus	203
E-Scale 700/900	180
E-Scale Plus 700	180
E-Aspect 700/900	180
E-Contessa Spark 710 Plus	203
E-Contessa Genius 720 Plus	203
E-Contessa Scale 720 Plus	180
E-Contessa Scale 730	180
Genius 700/900	180
Genius 700 Plus	203
Genius LT Plus 700	203
Voltage A Frame	180
Voltage C Frame	180
Contessa Scale 700/900	180
Contessa Scale 710 Plus	180
Contessa Spark 700	180
Contessa Spark Plus 700	180
Contessa Genius 700	180
Contessa Genius Plus 700	203
Contessa 700	180

12

B2B IMAGES/ DIRECT EMAIL ENQUIRIES

IMAGE QUALITY

- 1** When uploading images to B2B or in direct emails please **ensure the images are in focus and legible**.
- 2** **We cannot help** with the assessment of an issue or problem **if the evidence presented is not of a required standard**.
- 3** **Always include the frame number of the bike** in all direct email enquiries, as this information helps us easily track the problem.

Examples of **poor quality** images that you should **NOT** send:




All of the important information is **not in focus**.



Frame Number is **obscured or blurry**.

Examples of **good quality** images that we **REQUIRE** including excellent claim information:




BOTTOM BRACKET/DROPOUT

If you have issues with Bottom Bracket Dimensions or Dropout Alignment please **measure the following along with the overall alignment of the frame**. If this data is collected first the assessment of the problem will

be a lot faster.

These tools can be used on aluminium and carbon frames. A full list of recommended tools will be covered in a separate chapter.



HELMETS

When uploading claims for Helmets, please **also attach an image of the serial number** if possible as we can add this number into the claim when we process it.



13 CARBON REPAIRS

CARBON FIBER REPAIRS

If a customer needs a new drop-out on a CR1 MY 04-09, or a new BB insert on a Scale, CR1 MY 04-09, Spark, or Addict due to their own fault but they do not want to buy a new frame then we have contact details of companies that can repair carbon frames with this kind of damage on their own account.

IMPORTANT

Please note that SCOTT cannot take any direct liability on repair works done by these companies.

IMPORTANT

It is recommended that frames should no longer be used or tried to be repaired if they suffered from impacts caused by crashes or traffic accidents. This is because fibres can be damaged without there being any visible signs of damage, such as cracks in the tube or frame.

Please note that some of the companies have special requests regarding shipments and preparation of the frames.

When in doubt, please contact them before you ship the goods to have an efficient and economic handling of the repair.

We will work on offering you more information and details of more companies that will be able to help you in your country directly.

Please feel free to provide us with details of any other suitable companies that offer these types of services in your country.

In the case of a **crash or accident**, it may be helpful to have an **expert** examine your carbon frame and get a detailed report to see whether the frame is **still safe to use**.

In Germany, the company Dipl. Ing. Dirk Zedler is offering this kind of service and expertise:

Ingenieur-und Sachverständigenbüro Zedler
Teinacher Str. 51
71634 Ludwigsburg
Germany

Phone: +49-7141-3164 7

info@zedler.de

www.zedler.de

Companies that offer carbon frame repair services using original SCOTT parts:

AUSTRALIA

Hillbrick Racing Frames

Unit 7, 25-31 Airds Rd
Minto, NSW, 2566
Australia

Phone: +61 2 9820 4011

Moblie: +61 4 12 842 730

paul@hillbrick.com.au

www.hillbrick.com.au

BELGIUM

Jean-François Stelet

Rue Payefa
B-4790 Ferrieres
Belgium

Phone: +32(0)497/189 880

jf.stelet@skynet.be

FRANCE

Véga Réalisations Composites

Laurent Pascual
113, route des Argos
74940 Annecy-le-Vieux
France

Phone: +33 04 50 09 80 50

Fax: +33 04 50 66 15 57

Mobile: +33 06 08 25 90 11

vega.rc@wanadoo.fr

www.vega-realisations-composites.fr

GERMANY

Koehn/Reset - Germany/Austria

Göttinger Chaussee 12-14
D-30453 Hannover
Germany

Phone: +49 511 473204 40

Fax: +49 511 473204 49

info@reset-racing.de

www.reset-racing.de

THM-Carbones

THM Faserverbund-Technologie GmbH
Am Sportplatz 3
D-24791 Alt Duvenstedt
Germany

Phone: +49 4338 9993 0

Fax: +49 4338 9993 11

info@thm-carbones.com

www.thm-carbon.de

POLAND

Carbonbike

Mlawska 8
03-113 Warszawa
Poland

Phone/Fax: +22 670 34 93

info@carbonbike.pl

www.carbonbike.pl

SPAIN

Biciletas Carreras

Aureli Maria Escarre
Mollet Del Valles
Barcelona 08100
Spain

Phone: 93 593 21 63

www.biciletascarreras.com

SWEDEN

Innolite Design

Bäverstigen 34
150 23 Enhörna
Sweden

Phone: +46 708 857832

info@innolite.se

SWITZERLAND

MAW Mariotto Art Works

Hof 9
CH- 4917 Busswil
Switzerland

Phone: +41 76 365 65 40

info@maworks.ch

www.maworks.ch

UAE

Wolfi's Bike Shop

Sheikh Zayed Road
PO Box 72327
Dubai - U.A.E.

Phone: +971 4 3394453

Fax: +971 4 3394452

robert@wbs.ae

www.wbs.ae

UK

HQ fibre products

Vale farm
Blofield Road, Norwich
Norfolk NR13 4AJ
UK

Phone: +44 1603 71 39 72

USA

Calfee Design

681 Beach Drive
La Selva Beach, CA 95076
United States of America

Phone: +1 831 728 1859

repairs@calfeedesign.com

www.calfeedesign.com/repair/

Ruckus Components

305 SE Madison St. Suite 6
Portland, OR 97214
United States of America

Phone: +1 503 515 5218

shawn@ruckuscomponents.com

www.ruckuscomponents.com

14

ONLINE WARRANTY PROGRAM

FOR BIKE FRAMES,
HELMETS, SHOES
& PROTECTION

THE ONLINE B2B WARRANTY SYSTEM ENSURES A FAST AND EFFICIENT CLAIMS PROCESS BY PROVIDING REAL-TIME 24/7 ACCESS TO THE DATA, PICTURES, AND PROGRESS OF CLAIMS TO ALL THE PARTIES INVOLVED.

Our warranty service and communications are streamlined throughout the claims process.

From the first lodgement of a claim through to the final replacement part delivered to the consumer, each party can track the progress of the claim 24/7.

All members of the supply chain have access to the online claim pictures and data which helps to improve our quality of engineering and production.



IMPORTANT

We will **ONLY** accept warranty claims submitted through our B2B warranty system for:

- **Bike frames**
- **Bike shoes**
- **Helmets**
- **Body protection**

We will **NOT** accept fax, mail or other versions of warranty claims.

For other small parts such as:

- **Accessories**
- **Bike parts (e.g. swingarm repair kits etc.)**
- **Or other bike parts**

Please do **NOT** use the B2B system.

Instead, **please email** your SCOTT team member to deal with these small parts.

LOG YOUR CLAIM:

Enter your SCOTT customer number and password to access our B2B system.

Please visit <https://shop.scott-sports.com/index.html> and refer to the following instructions and screenshots.

CHECK THE PROGRESS OF YOUR CLAIM:

Use the Claim Number generated when your claim was finalized. Access our B2B system to check the progress of your claim, the replacement part you will receive, shipment details, etc in the same way as you would in a regular order on B2B.

DISTRIBUTORS ONLY:

All other items for each category please use the Parts Claims Excel Sheets.

SYNCROS

- For Catalogue Syncros Accessories use the Syncros Excel Claims Sheet
- For Syncros OEM parts (on complete bikes i.e FL2.0 Stems , FL2.5 handlebars & Seatpost, XR2.5 Saddles etc) use the Syncros Excel Claims Sheet

SCOTT SUBSIDIARIES:

- For Catalogue Syncros Parts
- Accessories and OEM parts use ZKL1

BIKE FRAMES

- 1 Go to:
<https://shop.scott-sports.com/index.html>
Log in using your user name and password.

The warranty request form can be found via the link in the main navigation located at the top of the page.

Select the appropriate Division and Product group.

- 2 All fields in the warranty request form must be completed.

Enter the bike's frame number and click the blue button to check the number.

Double check the information is correct.
If the information is not correct please contact us. Do NOT continue to enter the claim!

Select the location and description of the damage from the drop down menus.

Add any additional comments in the box provided, then click the 'Send' button.

- 3 You must upload all pictures for the claim to be processed.

Picture 1: Clearly shows the damage,
Picture 2: Shows the frame's serial number,
Picture 3: Shows the entire bike,
Picture 4: A copy of consumer's proof of purchase.

We only accept these file formats: **jpg, pdf or doc.**

Click the 'Send' button.



IMPORTANT

It is NOT possible to send a claim without pictures!
The system will reject your claim.

4 Check over all the details to ensure they are correct before you submit your claim.

You can add an alternative email address to send the data, and can also add your own reference.

5 You must read and agree to the terms by clicking on the check box before your claim can be processed.

If there is a Material defect that caused a REAL bodily injury, click YES.
For all other claims, you must click NO.

Click on 'Create claim' to finalize your claim.

SCOTT SPORTS - WARRANTY

1 → 2 → 3 → **4** → 5
Define group Enter infos Upload pictures **Create claim** Claim result

Warranty claim details:
Please check your data before you create a new claim.

Year of sales: 2012
Product description: 221760 Dike Aspect 29 Tour(221760)
Size: 007 M
Serial number: tstg2423
Damage location: 202 Top tube middle
Damage type: f welding seam defective
Comment:
Your reference:
Additional email:

Submit warranty claim:
To finalize your submission you must agree to the terms outlined bellow!

☐ * The defective material needs to be destroyed so that it is not any more suitable for common use (this does not concern product liability cases). SCOTT Sports IT shall indemnify and hold harmless SCOTT Sports SA and/or its affiliates from and against any claims by thirds incurred by SCOTT Sports SA and/or its affiliates arising out of any defects and/or damages caused by the defective material. .

 bodily injury / Personenschaden / dommage corporel
☐ Yes
☐ No

Create claim



Making a claim for bodily injury is extremely serious.

ONLY click 'Yes' if a REAL bodily injury was CAUSED BY A MATERIAL DEFECT!

6 A unique Claim number is automatically generated.

Please always use your Claim number for all correspondence regarding your claim.

You will receive a confirmation email showing all relevant information to your claim.

You can track the progress of your claim in 'My Transactions' using your Claim number.

SCOTT SPORTS - WARRANTY

1 → 2 → 3 → 4 → **5**
Define group Enter infos Upload pictures Create claim **Claim result**

Warranty claim details:

Claim number: 000100034089

BIKE HELMETS

1 Go to:
<https://shop.scott-sports.com/index.html>
 Log in using your user name and password.

The warranty request form can be found via the link in the main navigation located at the top of the page.

Select the appropriate Division and Product group.

2 All fields in the warranty request form must be completed.

Double check the information is correct.
If the information is not correct please contact us. Do NOT continue to enter the claim!

Select the location and description of the damage from the drop down menus.

Add any additional comments in the box provided, then click the 'Send' button.

3 You must upload all pictures for the claim to be processed.

Picture 1: Clearly shows the damage,
 Picture 2: Shows the frame's serial number.

We only accept these file formats: **jpg, pdf** or **doc**.

Click the 'Send' button.



IMPORTANT

It is NOT possible to send a claim without pictures!
The system will reject your claim.

4-6 Follow the same steps as bike frames.

15

SUPPLIER AGREEMENT: DIRECT WARRANTY SUPPORT TO DEALERS & NATIONAL SCOTT DISTRIBUTORS

PLEASE NOTE THAT WE HAVE
AN AGREEMENT WITH THE
BELOW COMPANIES/BRANDS
FOR WORLDWIDE WARRANTY
SUPPORT OF OE PARTS
SPEC'D BY SCOTT:

- Shimano
- SRAM
- DT-Swiss
- Ritchey
- Continental
Tires
- Schwalbe Tires
- SR SunTour
- Rock Shox
(SRAM)
- Fox Racing
Shox
- E-13
- Zipp
- Profile
- Bosch
- Brose
- Kenda
- FSA
- Raceface
- Maxxis
- X-Fusion
- Alex Rims
- Formula
- Marzocchi

SUPPLIER AGREEMENT

The national distributor of the defective product will help you or your dealer with warranty support in your country.

Please contact your national distributor directly and include the cleaned defective part along with the proof of purchase to help make the claim process more efficient.

If you have any difficulties with warranty support from a distributor, **please do not hesitate to contact SCOTT for further assistance.**

To help SCOTT follow up on your claim with the distributor **please provide us with as much information as possible:**

- **Detailed information about the part**
- **Digital picture**
- **Name of the contact person at the distributor with whom you are having difficulties.**

ALEX RIMS

You can find your local Alex agent at:
www.alexrims.com/distributors/

If you have any difficulty contacting Alex rims you can contact directly Mr HENDRIK TAFEL with your enquiries on Syncros/Alex Rims

HENDRIK TAFEL
Alexrims European Office
TEL: +49 151 23433124
hendrik.tafel@alexrims.com.tw

NUVINCI

EUROPE AND REST OF WORLD

The Netherlands (Zwolle)
Phone: +31387200711
eu-service@nuvincicycling.com

GERMANY / AUSTRIA

Hermann Hartje KG
Phone: +49 2289 2939 079
de-service@nuvincicycling.com

SWITZERLAND / LIECHTENSTEIN

OFELEC AG
Phone: +41 43 508 55 97
ch-service@nuvincicycling.com

TEKTRO

Please find below the list of TEKTRO service centres.
If you cannot find a service agent in your area please
contact Tina@tektro.com.tw

TEKTRO Service Centers:

AUSTRALIA

Adventure Brands
Phone: +61 3 9770 8912
Fax: +61 3 9770 8947
www.adventurebrands.com.au

ARGENTINA

Ferraris S.R.L
ferraris@fibertel.com.ar

BELGIUM

Buzaglo BV
<http://www.buzaglo.nl/>

BULGARIA

CROSS LTD.
Phone: +35996300715
www.crosscycle.com

CANADA

Cycles Lambert Inc.
Phone: +418 835 1685
Fax: +418 835 5322
www.cycleslambert.com

CHINA

Tektro [wuxi] Technology Co. Ltd
Phone: +86 510 882 62458

Tektro Metal [shenzhen] Co. Ltd
Phone: +86 755 277 35740

CHILE

RAFAEL BURGOS S.A.
Phone: +562 252 00600
www.rburgos.cl

COSTA RICA

Distribuidora De Bicicletas Disdebi S.A.
Phone: +2440-9248, 2431-2610
Fax: +2442-4309
www.disdebisa.com

CZECH REPUBLIC

Universe Agency Sopl s.r.o
Phone: +42 0 244 990 777
Fax: +42 0 244 990 778
www.uniag.biz

DENMARK

Sonder Gaard & Sonner A/S
Phone: +45 8628 1022
Fax: +45 8628 7731
www.bikesond.dk

ECUADOR

Distribuidora itssimo Cia. Ltda.
Phone: +593 2 603 9326
Fax: +593 2 603 9326

FRANCE

Ride On
Phone: +33 [0] 321 640 251
www.rideon.fr/tektro

FINLAND

Tunturi
bike.mail@tunturi.com
www.tunturi.fi/

GERMANY

E. Wiener Bike Parts
Phone: +49 [0] 97 21 / 650-10
Fax: +49 [0] 97 21 / 650-160
www.bike-parts.de

HARTJE

Phone: +49 [0] 42 51 / 811-20
Fax: +49 [0] 42 51 / 811-59
www.hartje.de

Merida & Centurion Germany GMBH
Phone: +49 7159 9459 30
Fax: +49 7159 9459 50
www.centurion.de/de_de

GREECE

G. Theotokis and Sons Co
Phone: +30 231 092 2922
Fax: +30 231 094 2922

HUNGARY

Bikefun
Phone: +36 [1] 278 5213
Fax: +36 [1] 278 5219
www.bikefun.hu

INDIA

Starkenn Sports PVT LTD
Phone: +91-20-67208700
www.starkennbikes.com/Home.aspx

ISRAEL

PEDALIM
Phone: +972 2672 9904
www.pedalim.com

ITALY

B.I.S SRL
Phone: +39 0322 889811
Fax: +39 0322 839390
www.bissrl.it

JAPAN

Aki Corporation Limited
Phone: +81 78 806 0230
www.akiworld.co.jp

KOREA

Comet Bicycle Association
Phone: +82 2 2642 1764
Fax: +82 2 2642 1765
www.cometbicycle.com

MEXICO

Comercializadora Fammax S.A. De C.V.
Phone: +(52) 55 22 69 75
Fax: +(52) 55 42 77 21
www.bicitodo.com

NETHERLANDS / BENELUX

Buzaglo BV
Phone: +31 [0] 365 210 119
Fax: +31 [0] 365 210 105
www.buzaglo.nl

NEW ZEALAND

Marleen Wholesalers Ltd.
Phone: +64 3 348 4150

NORWAY

Bike Pack
Phone: +47 3345 5161
Fax: +47 3345 5314
www.bikepack.no

PHILIPPINES

Hatch motor parts company
Phone: +63 917 537 3612

PORTUGAL

Ague sport
Info@agusport.com
www.aguesport.com

RUSSIA

ALNA-BIKE CO.
Phone: +7 495 755 14 09
Fax: +7 903 124 79 69
www.velobox.ru

SOUTH-AFRICA

Omnico (Pty) Ltd.
Phone: +27 21 691 0110
Fax: +27 21 691 0112
www.omnico.co.za

SWITZERLAND

Biroma ikes and parts
Phone: +41 44 251 18 82
www.biroma.ch/

TURKEY

Asli Bisiklet
Phone: +90 212 527 2563
www.aslibisikley.com

UK

Upgrade Bikes Ltd.
Phone: +44 [0] 1403 711 611
Fax: +44 [0] 1403 710 753
www.upgradebikes.co.uk

UKRAINE

Vksota LLC
Phone: +38 044 417 0440
www.vysota.com.ua

USA

Tektro USA
Phone: +1 877 807 4162
www.tektro-usa.com

Quality Bicycle Products
Phone: +1 888 988 8959
www.qbp.com

16 WORKSHOP TOOLS

Workshop cleanliness and order in the workplace are prerequisites for **QUALITY!**

SCOTT is a brand that develops and offers products with high end and lightweight standards.

This high standard begins with development and production and continues through to the service.


To offer high quality and professional service to our customers it is necessary to have a clean and well equipped workshop. As a branch or an importer, YOU reflect the quality and standards of SCOTT products in the service you provide.

EXAMPLES OF HOW TO SET UP YOUR WORKSHOP

SCOTT Italia



SCOTT Germany



EXAMPLES OF WHAT **NOT** TO DO



Listed below are some important special tools we recommend you have in your workshop to check and repair bikes in a professional and uncomplicated way.

Tool	Notes	Brand	Image
HTR-1 Headset Reamer	For all bikes		
FFG-2 D.o. Alignment Gauge Set	For all frames to check the drop out alignment		
FAG-2 Frame Alignment Gauge	For all frames to check the alignment		
WAG-4 Wheel Alignment Gauge	For all wheels		
RT-1 Head Cup Remover	To remove headset cups 1 1/8		
RT-2 Head Cup Remover	To remove Headset Cups 1.5		
DAG-2	To check the RD alignment		
09171	Rivet plier to fix bottle cage rivets		
091714	Adapter for M4 screw for rivet plier		
0917240	M4 Rivet for e.g. bottle cage		
063901	Hand Tap Set, to rework or clean threat		
06571	Tap wrench for hand tap set		

SCOTT, in partnership with TOPEAK, also recommend the following items available through the TOPEAK distribution network.

Renovate and upgrade your workshop with the following Topeak premium tools and workstands:



D-TOURQ WRENCH DX

Protect your investment with the feature packed torque wrench. D-Torq DX features a reversible ratcheting head, standard 3/8" square drive, a box wrench for tool bits and can measure torque in 4 units including Nm, in-lb, ft-lb, or kg-cm. The digital readout provides a visible display while there are also separate programmable audible warnings for your target torque value and another for over torque. Never strip threads again!

TOOLS

Reversible ratchet wrench 3/8" square drive

ALLEN BITS

3/4/5/6/8/10 mm

TORX® BIT

T25/T30/T40

SCREW DRIVERS

#2 Phillips

SOCKETS

8 / 9 / 10 / 11 / 12 / 13 / 14 / 15 mm

ADAPTER

3/8" square drive adapter for use with bits

UNIT

4 unit (Nm / in-lb / ft-lb / kg-cm)

BATTERY

AAA x 2 (included)

BATTERY LIFE

(APPROX) 48 hrs

MATERIAL

Hardened steel/ Engineering grade plastic

ADDED FEATURES

Pre-set torque valve
Warning sound for over pre-set torque valve
LCD display
Auto off
Hard shell storage case

SIZE L x W x H

33.4 x 3.2 x 2.8 cm / 13.1" x 1.2" x 1.1"

WEIGHT

430 g / 15.13 oz

ART NO.

TT2531



18 TOOLS



D-TOURQ WRENCH

Protect your investment with the feature packed torque wrench. D-Torq features a reversible ratcheting head, a box wrench for tool bits and can measure torque in 4 units including Nm, in-lb, ft-lb, or kg-cm. The digital readout provides a visible display while there are also separate programmable audible warnings for your target torque value and another for over torque. Never strip threads again!

TOOLS

Reversible ratchet wrench for use with bits

ALLEN BITS

2/2.5/3/4/5/6 mm

TORX® BIT

T25

SCREW DRIVERS

#2 Phillips

UNIT

4 unit (Nm / in-lb / ft-lb / kg-cm)

BATTERY

AAA x 1 (included)

BATTERY LIFE

(APPROX) 20 hrs

MATERIAL

Hardened steel / Engineering grade plastic

ADDED FEATURES

Pre-set torque valve
Warning sound for over pre-set torque valve
LCD display
Auto off
Hard shell storage case

SIZE L x W x H

20.4 x 2.1 x 2.1 cm / 8" x 0.8" x 0.8"

WEIGHT

153 g / 5.39 oz

ART NO.

TT2530



8 TOOLS





PREPSTATION PRO

Easy moving trolley tool station with 5" wheels and seven tool compartments containing 43 sets of professional shop quality bike tools. Wheel base can be easily pulled out to extend working base for better stability. Push button Lift Handle opens tool trays for quick and easy repairs.

COMPARTMENTS

7 total, includes 5 tool trays and 2 component trays

ADDED FEATURES

5" ball bearing wheels
foldable handle
Optional case cover

MATERIAL

Engineering grade plastic

SIZE L x W x H

38 x 36.2 x 72.1 cm /
15" x 14.2" x 28.4"
(Folded)

TOOLS

43 sets professional tools

38 x 36.2 x 96.5 cm /
15" x 14.2" x 38"
(Open)

TOOL MATERIAL

Chrome vanadium steel / Hardened steel

ART NO.
TPS-05



43 SETS

PREPSTAND™ PRO

A pro level workstand with a built-in digital weight scale. Stable tripod design folds down small for travel or use at the races.

CLAMP HEAD

Non-marring rubber jaws
360 degree rotation
digital weight scale

CLAMP HEIGHT

122 cm To 183 cm
(48.0"~72")

CLAMP OPENING

1.9 cm To 4.5 cm
(0.75"~1.8")

FOLDING

Two QR clamps

BASE

HD folding 6061 T6 tubes

MATERIAL

6061 T6 tubes

MAX. WEIGHT

CAPACITY
25 kgs / 55 lbs

ADDED FEATURES

Carry bag
Rubber base feet

SIZE L x W x H

17.8 x 117 cm /
7.0" x 46.0" (Folded)
135 cm / 53.1"
(Base diameter)

WEIGHT

6.2 kgs / 13.67 lbs

ART NO.

TW001



Digital scale weighs up to 25kgs (55lbs)



Clamp rotates 360 degree



Foldable supporting legs



Carry bag included



* Not available for European market



UPGRADE KIT

Small tray for weighing small parts plus a hook for weighing wheels and other odd shaped items. For use with PrepStand™ Pro.

MATERIAL

Engineering grade plastic

WEIGHT

125 g / 4.40 oz

SIZE L x W x H

12 x 12 x 26.5 cm /
4.7" x 4.7" x 10.4"

ART NO.

TW001-SP01



TOOL TRAY

A handy holder for tools, lubes and small parts. For use with PrepStand™ Pro, Elite and Race.

MATERIAL

Engineering grade plastic

WEIGHT

700 g / 1.54 lbs

ART NO.

TW001-SP02

SIZE L x W x H

125.9 x 30.5 x 6.6 cm /
10.2" x 12.0" x 2.6"



HANDLEBAR STABILIZER

Holds handlebar, forks and front wheel secure while working on bike. Adjustable length to fit most bikes.

MATERIAL

Engineering grade plastic

WEIGHT

125 g / 4.40 oz

SIZE L x W x H

12 x 12 x 26.5 cm /
4.7" x 4.7" x 10.4"

ART NO.

TW001-SP03





Attachable carry bag for additional tools



Die cut foam inserts insure tool placement and security



Integrated pad and mesh covers to prevent tools from dislodging when PrepBox is opened

PREPBOX

18 sets of professional shop quality bike tools fit neatly into a pro-level carrying case. Attachable carry bag for additional tools. Great for shop work, events or at-home bike maintenance.

TOOLS	ADDED FEATURE	ART NO.
18 sets professional tools	Attachable carry bag	TPX-01
MATERIAL	SIZE L x W x H 40.5 x 32 x 11.5 cm / 15.9" x 12.6" x 4.5"	
Engineering grade plastic	WEIGHT 4.63 kgs / 10.21 lbs (Case w/ tools) 320 g / 11.26 oz (Carry bag)	
TOOL MATERIAL Chrome vanadium steel / Hardened steel		



18 SETS



Please send your order information to workshop@topeak.com.tw and we will inform Topeak local distributor to contact with you for a special offer. Your order should include the following information:

- Your company name.
- Your country.
- Contact person.
- E-mail address of the contact person.
- Telephone number.
- Topeak Part # and description.
- Order q'ty.

As an additional service to set up an even higher level of technical service to our customers, we have worked with Würth Tools to propose 3 levels of workshop tool packages available to order for all SCOTT Subsidiaries and distributors.

- Basic package
- Expert package
- Pro package
- Chemical package

Please find below each package detailed with pictures, barcodes and part numbers directly extracted from the Würth catalogue.

Each package has a preset item number in the Würth parts list to simplify the ordering process.

If you wish to order a package please let the QM Team now and we will help to organize on your behalf.

Katalog für Kunden-Nr. 644490 Angebot 113777513 Basic



061312108 VE 10
Quergriff Steckschlüssel
SHRDRH-QUERGRF-AUS6KT-8X200



061341502 VE 1
Schraubendreher Sechskant-Kuglkopf
SHRDRH-IN6KT-KUGKPF-SW2X100



0613483015 VE 10
Feinmechaniker Schraubendreher für Inne...
SHRDRH-FEINMECH-IN6KT-KUGKPF-SW1,5X50



06139147 VE 1
Quergriff Innen-TX Satz 7-teilig
SHRDRH-QUERGRF-SORT-INTX-7TLG



071330123 VE 5
Ringmaulschlüssel kurze Form
RGMAULSHSL-ABGEWI-KURZ-SW23



071330125 VE 5
Ringmaulschlüssel kurze Form
RGMAULSHSL-ABGEWI-KURZ-SW25



071330127 VE 5
Ringmaulschlüssel kurze Form
RGMAULSHSL-ABGEWI-KURZ-SW27



071330140 VE 1
Ringmaulschlüssel-Sortiment kurze Form
RGMAULSHSL-SORT-11TLG-SW(8-22)



061312110 VE 10
Quergriff Steckschlüssel
SHRDRH-QUERGRF-AUS6KT-10X230



061343410 VE 1
Schraubendreher TX
SHRDRH-TX10X80



06139136 VE 1
Quergriff Innensechskant mit Kuglkopf S...
SHRDRH-QUERGRF-SORT-IN6KT-6TLG



061393225 VE 1
Schraubendreher-Satz
SHRDRH-SORT-PH/SZ-5TLG



071330124 VE 5
Ringmaulschlüssel kurze Form
RGMAULSHSL-ABGEWI-KURZ-SW24



071330126 VE 5
Ringmaulschlüssel kurze Form
RGMAULSHSL-ABGEWI-KURZ-SW26



071330128 VE 5
Ringmaulschlüssel kurze Form
RGMAULSHSL-ABGEWI-KURZ-SW28



071402 85 VE 10
Wasserpumpenzange selbststellend
WAPUZANG-SELBSTJUST-250MM





071403 16 VE 24
Telefon- und Kabelschere
TELSHER-L140MM



071425108 VE 1
Ratschen-Ringmaulschlüssel metrisch, ge...
RATRGMALSHSL-SW8



071425113 VE 10
Ratschen-Ringmaulschlüssel metrisch, ge...
RATRGMALSHSL-SW13



071464 02 VE 1
Metallbügelsäge
METSÄE-BGL



071501 569 VE 10
Flachrundzange
FLRDZANG-40GRD-SCHWARZ/ROT-L200MM



071534 96 VE 1
Teleskopmagnet
TSKOPMAGN-(L155-670MM)



071540 100 VE 1
Winkelschraubendreher-Satz Innensechskan...
WNKLSHRDRH-SORT-KUGKPF(1,5-10)-9TLG



071572 54 VE 1
Rückschlagfreier Hammer
SCHONHAM-RUECKSHLGFREI-D40MM



071403 17 VE 12
Arbeitsschere
ARBSHER-L205MM



071425110 VE 10
Ratschen-Ringmaulschlüssel metrisch, ge...
RATRGMALSHSL-SW10



071461 90 VE 1
Werkstatt-Feilen-Satz
WRKSTFEIL-SORT-KFZ-L200MM-5TLG



071471 20 VE 1
Drehmomentschlüssel
DRHMOMSHSL-USK-1/4ZO-(4-20NM)



071506 01 VE 10
Kompakt-Bolzenschneider
BLZSHND-KOMPAKT-L200MM



071537 100 VE 10
Winkelschraubendreher-Satz TX
WNKLSHRDRH-SORT-KUGKPF(TX9-40)-8TLG



071554 00 VE 1
Ein- und Ausdrehwerkzeug
VENTWZG-RFN-AUS-EINDRHWZG-VENTE



071573 50 VE 1
Schlosserhammer mit Stielschutzhülse
SHLOSHAM-HUE-500GR



Katalog für Kunden-Nr. 644490 Angebot 113777518 Expert



0502111 VE 300
Kabelbinder Standard mit Kunststoffzunge...
KBLBA-KST-KSTZNG-SCHWARZ-2,5X100



061323091 VE 1
Vorstecher
VORSTECH-6X100



07120140 VE 1
Umschaltknarre 1/4 Zoll
KNAR-UMSCH-1/4ZO-72ZAHNE-135MM



0713111108 VE 10
1/4" Steckschlüsseinsatz metrisch
STESHSL-1/4ZO-KURZ-6KT-SW8



0713111113 VE 10
1/4" Steckschlüsseinsatz metrisch
STESHSL-1/4ZO-KURZ-6KT-SW13



0713118104 VE 20
1/4" Verlängerung
VERL-1/4ZO-L100MM



071401 551 VE 10
Kraft-Seitenschneider DIN ISO 5749
KFTSEITSHND-L140MM



071471 19 VE 1
Drehmomentschlüssel 1/4 Zoll-Sechskant
DRHMOMSHSL-ASK-1/4ZO-(1-5NM)



071471 23 VE 1
Drehmomentschlüssel 1/2 Zoll
DRHMOMSHSL-USK-1/2ZO-(40-200NM)



071511310 VE 10
1/4 Zoll-Steckschlüsseinsatz
STESHSL-1/4ZO-INTX-TX10



0502131 VE 100
Kabelbinder Standard mit Kunststoffzunge...
KBLBA-KST-KSTZNG-SCHWARZ-3,6X200



07120120 VE 1
Umschaltknarre 1/2 Zoll
KNAR-UMSCH-1/2ZO-72ZAHNE-250MM



0713111107 VE 10
1/4" Steckschlüsseinsatz metrisch
STESHSL-1/4ZO-KURZ-6KT-SW7



0713111110 VE 10
1/4" Steckschlüsseinsatz metrisch
STESHSL-1/4ZO-KURZ-6KT-SW10



0713118102 VE 20
1/4" Verlängerung
VERL-1/4ZO-L50MM



0713118401 VE 20
1/4 Zoll Verbindungsteil
VERBTL-(1/4-3/8ZO)



071463 41 VE 1
Splinttreibersatz
SPLTREIB-SORT-6TLG



071471 20 VE 1
Drehmomentschlüssel
DRHMOMSHSL-USK-1/4ZO-(4-20NM)



071491 21 VE 1
Innen- und Aussenfräser
ENTGRATWZG-RO-IN/AUSFRAESER-INOX



071511315 VE 10
1/4 Zoll-Steckschlüsseinsatz
STESHSL-1/4ZO-INTX-TX15





071511504 VE 10
1/4 Zoll Steckschlüsseinsatz
STESHSL-1/4ZO-IN6KT-SW4



0715137100 VE 10
1/2 Zoll Steckschlüsseinsatz metrisch
STESHSL-1/2ZO-IN6KT-SW10-L60MM



0715671001 VE 1
Drehteller
ZB-DREHTELLER-PS-F.HEUER-100MM



071573 50 VE 1
Schlosserhammer mit Stielschutzhülse
SHLOSHAM-HUE-500GR



0893270025 VE 1
Schraubensicherung hochfest
SHRSI-DOS-HOCHFEST-25G



071511506 VE 10
1/4 Zoll Steckschlüsseinsatz
STESHSL-1/4ZO-IN6KT-SW6



071567100 VE 1
Parallel-Schraubstock Heuer
PARASHRBSTOCK-HEUER-100MM



071572 54 VE 1
Rückschlagfreier Hammer
SCHONHAM-RUECKSHLGFREI-D40MM



0893243050 VE 1
Schraubensicherung mittelfest
SHRSI-DOS-MITTELFEST-50G



096513 110 VE 1
1/2 Zoll Steckschlüssel-Sortiment
STESHSL-SORT-1/2ZO-IN6KT-11TLG



Katalog für Kunden-Nr. 644490 Angebot 113777520 PRO



07011600 VE 1
Hochdruckreiniger HDR 160 premium
REINIG-GER-EL-(HDR160-PREMIUM)



07022020 VE 1
Elektronik-Heissluftgebläse HLG 2000
HLUFTGEBLAESE-EL-HLG2000



071492 14 VE 1
Verlängerungsdüse für Ausblaspistole
ZB-VERLDUESE-AUSBLASPIST-ABGEWI-L100MM



071593 07 VE 1
Magnetschiene mit Halterung
MAGNSHN-WZG-KOMPL



0890600109 VE 12
Hautschutzlotion Combi
HAUTSHTZCREME-(COMBI)-100ML



0891503001 VE 1
Pumpsprühflasche
PUMPSPRFLASH-KST-LEER-1000ML



089190051 VE 1
Wandschiene
SPENDSYS-WANDSCHIENE



08931063 VE 12
Haftschmierstoff HHS ® 5000
HAFTSHMIRST-HHS5000-500ML



0893221 VE 12
Silikonspray
SILSPR-500ML



0899511905 VE 1
Augenspülstation
AUGSPAUEL-WANDSTATION-500ML



07012290 VE 1
Kompressor K 290-2
KOMPR-EL-K290-2



071492 13 VE 1
Ausblaspistole
AUSBLASPIST-DL



0714938218 VE 1
Schraubendreherhalter
SHRDRHRACK-UNBEST-SCHWARZ-310X100X185MM



0890108715 VE 1
Bremsenreiniger
BREMSREINIG-5LTR



0890600606 VE 12
Handreiniger Super
HNDREINIG-(SUPER)-200ML



08919005 VE 1
Spendersystem SKIN LINE
SPENDSYS-SKIN



089305540 VE 12
Wartungsöl Multi
WARTOEL-MULTI-400ML



089314005 VE 1
Reiniger Industrie-Clean
ETIKENTF-(INDUSTRIE-CLEAN)-KANISTER-5LTI



089947002 VE 100
Einweghandschuh Nitril
SHTZHNSHH-NITRIL-BLAU-PUDERFREI-L



0899800606 VE 1
Putzpapierständer
ABROLLSTAEND-PUPAP-BODEN-FAHRBAR





0899800900 VE 1
Reinigungstuch Softex/Softex-light
REINIGTUCH-SOFTEX-ROLLE-40X38-500BL



0957311422 VE 1
Werkbank Typ WUG 25
WRKBANK-STA-WUG25-2000-RAL7035



0957366420 VE 1
Kunststoffbox
ZB-KSTBOX-SLSHRNK-B-150X75X36



0960050013 VE 1
Grundplatte Lochplattensystem
GRNDPL-RAL9011-GRAPHITSCHWARZ-457X148€



0960050142 VE 5
U-Halter
HALT-U-40X75MM



0957270201 VE 1
Hocker HA1
DRHSTUHL-VERSTELLBAR




0957366410 VE 1
Kunststoffbox
ZB-KSTBOX-SLSHRNK-A-75X75X36



0960050012 VE 1
Grundplatte Lochplattensystem
GRNDPL-RAL9011-GRAPHITSCHWARZ-457X991MM



0960050101 VE 5
Haltestift
HAK-SCHRAEG-L50MM



Katalog für Kunden-Nr. 644490 Angebot 113777521 Chemical



0890108715 VE 1
Bremsenreiniger
BREMSREINIG-5LTR



0890600606 VE 12
Handreiniger Super
HNDREINIG-(SUPER)-200ML



08931063 VE 12
Haftschmierstoff HHS ® 5000
HAFTSHMIRST-HHS5000-500ML



089322105 VE 1
Silikonspray
SILSPR-5LTR



0890600109 VE 12
Hautschutzlotion Combi
HAUTSHTZCREME-(COMBI)-100ML



089305540 VE 12
Wartungsöl Multi
WARTOEL-MULTI-400ML



089314005 VE 1
Reiniger Industrie-Clean
ETIKENTF-(INDUSTRIE-CLEAN)-KANISTER-5LTI



0899511905 VE 1
Augenspülstation
AUGSPUEL-WANDSTATION-500ML




17




REPLACEABLE DROP OUTS

SINCE 1995

REPLACEABLE DROP OUTS


Item	Product Name	Image	
228845	MY 1995 Vantage 3.0 Pro Only, Dual Pro		
228844	MY 1995 Pro Only Tandem, Vantage 1.0, Vantage 2.0, AFD 903		
228841	MY 1995 Dual Pro		
228837	MY 1996 Vertigo LSD, Vertigo LSD Pro		
228840	MY 1997 all AFD		
228839	MY 1996 Vantage M 15-55, Elite Racing, Team Racing, Elite Racing JR, Comp Racing CST, AFD 606, AFD 906		
228843	Dropout for Waimea/Kailua 97'		
228846	MY 1996 Vertigo LSD DH, Vantage M 15-55, Elite Racing, Team Racing, Elite Racing JR, Dual Pro, Expression, Waimea, Waimea Pro		

Item	Product Name	Image	
228842	Dropout for Comp/ Expert 97'/ Vantage.3.0/ Scale Jr 24"		
228838	Dropout + screws Urban&Outdoor 2000' Sonoma		
204648	Dropout Repair set Scale Carbon 05/06		
236414	Dropout SCOTT Scale Carbon 07'-10'		
206375	Dropout+Screw all MTB since 97'		
206376	Dropout+Screw AFD/Speedster since 98'		
206472	Dropout SCOTT Addict 07'-11'/ CR1 10'±		
206473	Dropout Spark/ Genius'09 Scale'11		

Item	Product Name	Image	Item	Product Name	Image
213487	Dropout replacement Plasma 2/3		215999	Dropout IDS 12mm Short -10mm No axle	
200520	Dropout IDS QRelease		219572	Dropout Set IDS 2 135/RWS 5	
202779	Dropout Right IDS std axle		219573	Dropout Set IDS 2 135/RWS12 Compatible with 150 x 12	
200521	Dropout IDS 12mm Standard 0mm No axle		219574	Dropout Set IDS 2 142/RWS12 Compatible with 148 x 12 & 197 x 12	
202780	Dropout Right IDS 12mm thr.axle		219575	D.out Hanger right IDS2 135/RWS5	
206796	Dropout IDS RockShox Maxle 12x135mm		219576	D.out Hanger.right IDS2 135/RWS12 Compatible with 150 x 12	
206819	Dropout Right IDS for Maxle		219577	Dropout Hanger right IDS 2 142/RWS12 Compatible with 148 x 12 & 197 x 12	
210004	Dropout IDS 12mm Long +10mm No axle		219583	Dropout Hanger Foil 2011'	
215998	Dropout IDS Single Speed		229735	Dropout set Gambler 2013'	

Item	Product Name	Image
233930	Dropout Speedster 10-50 2013'	
233961	Dropout Cont660-650 ScalJr 20-24 2-PAK	
235286	Dropout hanger Addict Solace 2014'	
235287	Dropout Set IDS 2 142/RWS 12 DM Compatible with 148 x 12 & 197 x 12	
235288	D.out hanger right IDS 2 142/ RWS12DM Compatible with 148 x 12 & 197 x 12	
239175	D.out hanger DM Gambler'13/Volt FR '15	
239176	D.pout set nut. axle Std135x10 Volt.FR	
239177	Dropout set Thru Axle Voltage FR 2015	
239178	Dropout hanger Plasma 4+5 2015	

Item	Product Name	Image
239530	Dropout hanger Solace Disc '15<	
242546	Dropout hanger Ø12MM Big Jon	
244755	Dropout hanger Speedster Disc/ CX '16	
219566	FD-Mount Plate Set Genius LT 2011'	
254090	Dropout hanger boost TA12-SW carb MY17 (None direct mount.)	
254091	Dropout hang boost TA12-SW DM carb MY17. (Direct mount only)	
254093	Dropout hanger boost TA12 DM alloy MY17. (Direct mount only)	
254092	Dropout hanger boost TA12 alloy MY17. (None direct mount)	
254094	Dropout hanger boost Q/R not direct MY17. (MY 17 Spark 9/760 only)	

Item	Product Name	Image
223304	FD-Mount Plate Set Spark 2012'	
229728	FD-Mount Genius 700-650B 2013'	
229729	FD-Mount Genius 900-29 2013'	
235276	FD-Mount plate Set Spark 700 14'	
235277	FD-Mount plate Set Genius LT 700 14'	
235278	FD-Mount plate Set Spark 900 14'	
239285	FD mount clamp Big Ed 2015	
245450	FD-Mount clamp Big Jon 2016	
254096	Brake mount Scale/Spark 12/160mm MY17	

Item	Product Name	Image
254095	Brake mount Scale/Spark 12/180mm MY17	
254097	Brake mount Scale/Spark QR/180mm MY17 (MY 17 Spark 9/760, Contessa Spark 730 only)	
254088	Front derailleur mount Scale MY17. (compatible only with Scale 3 none RC frames)	
254087	Front derailleur mount Spark MY17 (None RC frames only)	
254098	Chainguide Scale small 30T-36T MY17 (Scale 3 only)	
254099	Chainguide Scale Large 30T-40T MY17 (Scale 3 only)	
254100	Chainguide set Spark RC MY17 (36T max)	
254101	Chainguide set Spark MY17 (120mm spark only 36T max)	

2017 REPLACEABLE DERAILLEUR HANGERS

BIKE	HANGER	ALTERNATIVE HANGERS			FD MOUNT	BIKE	HANGER	ALTERNATIVE HANGERS			FD MOUNT	BIKE	HANGER	ALTERNATIVE HANGERS			FD MOUNT
MOUNTAIN						TREKKING						JUNIOR					
SCALE 700/900						SILENCE						SUB CROSS					
Scale RC 700/900 SL	254090	254091				Addict EVO	N/A					SUB Cross 10	206375				
Scale RC 700/900 Ultimate	254090	254091				Silence 10 Men	206375					SUB Cross 20 Men	206375				
Scale RC 700/900 World Cup	254090	254091				Silence 10 Lady	206375					SUB Cross 20 Lady	206375				
Scale RC 700/900 Pro	254091	254090				Silence 20 Men	206375					SUB Cross 30 Men	206375				
Scale 700/900	254091	254090			254088	Silence 20 Lady	206375					SUB Cross 30 Lady	206375				
Scale 710/910	254091	254090			254088	Silence 30 Men	206375					SUB Cross 40 Men	206375				
Scale 720/920	254091	254090			254088	Silence 30 Lady						SUB Cross 40 Lady	206375				
Scale 730/930	219574	235288	219572	219573		Silence Sport 10 Men	206375					SUB EQUIPPED					
Scale 735/735	219573	219574	219572	235288		Silence Sport 20 Men	206375					SUB Sport 10 Men	206375				
Scale 740/940	206375											SUB Sport 10 Lady	206375				
Scale 745/945	206375					GRAVEL						SUB Sport 20 Men	206375				
Scale 750/950	206375					Addict Gravel 10 Disc	239530					SUB Sport 20 Lady	206375				
Scale 760/960	206375					Addict Gravel 20 Disc (CD22)	239530					SUB Sport 30 Men	206375				
Scale 765/965	206375					Speedster Gravel 10 Disc (CD20)	244755					SUB Sport 30 Lady	206375				
Scale 770/970	206375					Speedster Gravel 20 Disc (CD20)	244755					SUB Sport 40 Men	206375				
BIG ED						SOLACE						SUB Sport 40 Lady	206375				
Big Jon	242546				245450	Solace Premium Disc(CD22)	239530					SUB Sport 10 Men	206375				
SCALE PLUS						Solace 10 Disc (CD22)	239530					SUB Sport 10 Lady	206375				
Scale 710 Plus	219574	235288	219572	219573		Solace 10 (CD22)	235286					SUB Sport 20 Men	206375				
Scale 720 Plus	235288	219574	219573	219572		Solace 20 Disc (CD22)	239530					SUB Sport 20 Lady	206375				
Scale 730 Plus	235288	219574	219573	219572		Solace 20 (CD22)	235286					SUB Sport 30 Men	206375				
SPARK 700/900						Solace 30 FB Disc (CD20)	239530					SUB Sport 30 Lady	206375				
Spark RC 700/900 SL	254090	254091				CRI						SUB Sport 40 Men	206375				
Spark RC 700/900 Ultimate	254090	254091				CRI 10 ULT (CD22)	206472					SUB Sport 40 Lady	206375				
Spark RC 700/900 World Cup	254090	254091				CRI 20 105 (CD22)	206472					SUB Comfort 10 Men	206375				
Spark RC 700/900 Pro	254091	254090				CRI 30 SORA (CD18)	206472					SUB Comfort 10 Unisex	206375				
Spark 700/900 Ultimate	254090	254091			254087	SPEEDSTER						SUB Comfort 20 Men	206375				
Spark 700/900 Premium	254091	254090			254087	Speedster 10 (CD22)	233930					SUB Comfort 20 Unisex	206375				
Spark 700/900	254092	254093			254087	Speedster 10 Disc (CD22)	244755					WOMEN					
Spark 710/910	254093	254092			254087	Speedster 10 FB (30)	233930					CONTESSA RACE MTB					
Spark 720/920	254093	254092			254087	Speedster 20 (CD20)	233930					Contessa Spark RC 700	254090	254091			
Spark 730/930	254092	254093			254087	Speedster 20 Disc (CD20)	244755					Contessa Scale RC 700	254090	254091			
Spark 740/940	254093	254092			254087	Speedster 30 (CD18)	233930					CONTESSA ROAD					
Spark 745/945	254092	254093			254087	Speedster 40 (CD16)	233930					Contessa Solace 15 (CD22) Disc	239530				
Spark 750/950	254093	254092			254087	Speedster 40 (24)	233930					Contessa Solace 25 (CD22) Disc	239530				
Spark 760/960	254094				254087	Speedster FB40 (24)	233930					Contessa Solace 35 (CD20)	235286				
SPARK 700 PLUS (130 - 120mm)						Speedster 50 (CD14)	233930					Contessa Speedster 15 (CD22)	233930				
Spark 700 Plus Tuned	254090	254091			254087	CX						Contessa Speedster 25 (20)	233930				
Spark 710 Plus	254093	254092			254087	Addict CX 10 Disc (CD22)	239530					Contessa Speedster 35 (27)	233930				
Spark 720 Plus	254093	254092			254087	Addict CX 20 Disc (CD22)	239530					Contessa Speedster 45 (24)	233930				
Spark 730 Plus	254093	254092			254087	Speedster CX 10 Disc 105 (CD22)	244755					CONTESSA SPORT					
GENIUS 700						Speedster CX 20 Disc TIAGRA (CD20)	244755					Contessa Scale 700	206375			254088	
Genius 700 Premium	219574	235288	219572	219573		PLASMA						Contessa Scale 710	206375				
Genius 710	235288	219574	219573	219572		Plasma Premium	239178					Contessa Scale 720	206375				
Genius 720	219574	219573	219572	235288		Plasma RC	239178					Contessa Scale 730	206375				
Genius 730	235288	219574	219573	219572		Plasma 10	239178					Contessa Scale 740	206375				
Genius 740	235288	219574	219573	219572		Plasma 20	239178					Contessa Scale 900	206375				
Genius 750	219572	219574	219573	235288		E-BIKE						Contessa Scale 910	206375				
GENIUS 900						E-ASPECT						Contessa Scale 920	206375				
Genius 920	219574	219573	219572	235288		E-Aspect 710/910	235288					Contessa Scale 930	206375				
Genius 940	235288	219574	219573	219572		E-Aspect 720/920	219572					Contessa Scale 940	206375				
GENIUS 700 PLUS						E-SCALE + GENIUS + GENIUS PLUS						Contessa Scale 710 Plus	235288	219574	219573	219572	
Genius 700 Plus Tuned	219574	235288	219572	219573		E-Genius 700 plus tuned	219573	219574	235288	219572		Contessa Scale 700	254093	254092		254087	
Genius 710 Plus	235288	219574	219572	219573		E-Genius 710 plus	219573	219574	235288	219572		Contessa Spark 710	254093	254092		254087	
Genius 720 Plus	235288	219574	219572	219573		E-Genius 720 plus	219573	219574	235288	219572		Contessa Spark 720	254093	254092		254087	
GENIUS LT 700 PLUS						E-Genius 730 plus	219573	219574	235288	219572		Contessa Spark 730	254094			254087	
Genius LT 700 Plus Tuned	219574	235288	219572	219573		E-Genius 910	219574	235288	219573	219572		Contessa Spark 710 Plus	254093	254092		254087	
Genius LT 710 Plus	219574	235288	219572	219573		E-Genius 920	235288	219574	219573	219572		Contessa Spark 720 Plus	254093	254092		254087	
Genius LT 720 Plus	219574	235288	219572	219573		E-Contessa Genius 720 plus	219573	219574	219572	235288		Contessa Genius 700	235288	219574	219573	219572	
PROGRESSIVE						E-Contessa Scale 720 plus	219574	219573	219572	235288		Contessa Genius 710	235288	219574	219573	219572	
Gambler 710	229735					E-Contessa Scale 730	219574	219573	219572	235288		Contessa Genius 710 Plus	235288	219574	219573	219572	
Gambler 720	229735					E-BIKE						CONTESSA ACTIVE					
Gambler 730	229735					E-Contessa Scale 750	219574	219573	219572	235288		Contessa 710	206375				
VOLTAGE						E-Scale 700 plus Ultimate	219574	235288	219573	219572		Contessa 720	206375				
Voltage FR 710	229735	239177				E-Scale 710 plus	235288	219574	219573	219572		Contessa 730	206375				
Voltage FR 720	229735	239177				E-Scale 720 plus	235288	219574	219573	219572		Contessa 740	206375				
Voltage YZ 0.1	N/A					E-Scale 710/910	235288	219574	219573	219572		Contessa 750	206375				
Voltage YZ 0.2	N/A					E-Scale 720/920	235288	219574	219573	219572		CONTESSA ACTIVE					
Voltage YZ 10	206375					E-Scale 730/930	219572	219573	219574	235288		Contessa 710	206375				
Voltage YZ 20	206375					E-SILENCE						Contessa 720	206375				
ASPECT 600/700/900						E-Silence Evo	206375					Contessa 730	206375				
Aspect 700/900	206375					E-Silence 10	206375					Contessa 740	206375				
Aspect 710/910	206375					E-Silence 20	206375					Contessa 750	206375				
Aspect 720/920	206375					E-Silence Speed 10	206375					JUNIOR					
Aspect 730/930	206375					E-Silence Speed 20	206375					Scale JR 26	206375				
Aspect 740/940	206375					E-SUB						Contessa JR 26	206375				
Aspect 750/950	206375					E-SUB Sport 10 Men	206375					Voltage JR 26	206375				
Aspect 760/960	206375					E-SUB Sport 10 Lady	206375					Scale RC JR 24 (disc)	233961				
Aspect 670/770/970	206375					E-SUB Sport 20 Men	206375					Scale JR 24 (disc)	233961				
Aspect 680/780/980	206375					E-SUB Sport 20 Lady	206375					Scale JR 24	233961				
ROAD						E-SUB Tour Men	206375					Scale JR 24 rigid fork	233961				
FOIL 2						E-SUB Tour Lady	206375					Scale JR 24 Plus	233961				
Foil Premium (CD22)	235286					E-SUB Tour Unisex	206375					Voltage JR 24 (disc)	N/A				
Foil RC (CD22)	235286					E-SUB Active Unisex	206375					Voltage JR 24	N/A				
Foil 10 (CD22)	235286					TREKKING						Contessa JR 24	N/A				
SCALE 700/900						SILENCE						Scale JR 20	233961				
Scale RC 700/900 SL	254090	254091				Silence Evo	N/A					Scale JR 20 rigid fork	233961				
Scale RC 700/900 Ultimate	254090	254091				Silence 10 Men	206375					Scale JR 20 Plus	233961				
Scale RC 700/900 World Cup	254090	254091				Silence 10 Lady	206375					JUNIOR					
Scale RC 700/900 Pro	254091	254090				Silence 20 Men	206375					Scale JR 26	206375				
Scale 700/900	254091	254090			254088	Silence 20 Lady	206375					Contessa JR 26	206375				
Scale 710/910	254091	254090			254088	Silence 30 Men	206375										

HANGERS PER PACK

IDS QR	200520	x1 Set L&R
12mm IDS 0mm No Axle	200521	x1 Set L&R
IDS STD Axle	202779	x1 Right Side Only
IDS 12mm Thru Axle	202780	x1 Right Side Only
Voltage Axle 135mm	202781	x1
Axle 5mm Q/R rear big Ed 2015	239286	
Gambler Axle 150mm	202782	x1
MTB Alloy	206375	x5
Road Alloy	206376	x2
Addict/CR1	206472	x1
Addict/Solace Disc Front 12mm 2016	242431	
Addict/Solace Disc Rear 12mm 2016	239528	
Spark 2009/Genius 2009/Scale 2011	206473	x2
Maxle IDS 12x135mm	206796	x1 Set L&R + Axle
Plasma 2 & 3	213487	x1
Plasma 4 & 5	239178	x1 Set
Single Speed IDS	215998	x1 Set L&R
12mm IDS -10mm No Axle	215999	x1 Set L&R
IDS2 135/RWS 5	219572	x1 Set L&R
IDS2 135/RWS 12	219573	x1 Set L&R
IDS2 142/RWS 12	219574	x1 Set L&R
IDS2 135/RWS 5	219575	x1 Right Side Only
IDS2 135/RWS 12	219576	x1 Right Side Only
IDS2 142/RWS 12	219577	x1 Right Side Only
Foil	219583	x1
Gambler 2013	229735	x1
DM Gambler 2013/Voltage FR 2015	239175	x1 Set L&R
Gambler Axle 150mm 2013	230237	x1
Speedster 10-50 2013	233930	x1
Speedster disc, speedster CX	N/A	
Dropout Cont660-650 ScalJr 20-24 2-PAK	233961	x1
Big Jon thru axle 197x12mm	242545	
Big jon thru axle 150x15mm	242573	
Big jon dropout	249574	
148x12mm boost	242429	
197x12mm axle RWS	242430	
IDS2 142/RWS 12 DM	235287	x1 Set L&R
IDS2 142/RWS 12 DM	235288	x1 Right Side Only
Voltage FR MY15 135x12 Axle	239174	x1
Voltage FR MY15 Nut Axle Dropout	239176	x1 Set L&R
Voltage FR MY15 Thru Axle Dropout	239177	x1 Set L&R
Solace	235286	x2
Axle Big Ed QR	239286	x1
Genius 700 premium	239528	x1
Axle Front Solace Disc 2015	239529	x1
Axle Rear Solace Disc 2015	239528	x1



B2B: SHOP.SCOTT-SPORTS.COM

200520		
200521		
206375		
206376		
206472		
206473		
206796		
213487		
215998		
215999		
219572		
219573		
219574		
219583		
229735		
233930		
233961		
235286		
235288		
239175		
239176		
239177		
239178		
239528		
244755		
242546		
245450		

F FRONT B BACK L LEFT R RIGHT

18 CABLE GUIDES

NON SAP BB CABLE GUIDES 2017

Product Name	Image
SCOTT Scale Plus	
SCOTT CR1	
SCOTT Scale Alloy (not Plus)	
SCOTT Sub Evo, SCOTT Sub Sport, SCOTT Sub Comfort	
SCOTT Speedster (external cables)	
SCOTT Sub Cross, Aspect (internal cable)	
1st generation Addict	

19 REPLACEMENT PARTS

The following pages list all new articles for 2017.

Also included are parts numbers for MY16 to MY11.

For parts numbers from **2010 or older**, use the specific workshop folder for the different model years.


If you cannot find an article in those lists please feel free to contact QM Team.

In addition, we have a direct view on spare parts linked to each bike on our B2B homepage.

Please follow the instructions below on how to find parts belonging to specific bikes.

ORDER PROCESS

- 1 Go to:
shop.scott-sports.com
Log in using your user name and password.




- 2 Select 'Replacement Parts' from the catalog list.
Select the appropriate category.

The availability and details of the related products will display:

Green = available now

Yellow = will be in stock soon


Red = sold out




3 To place an order you have to click on the picture or the button 'Details'.

The detail view of the replacement part shows:

- the date of the next delivery to our stock if the product is not currently available;
- the price; and
- allows you to enter your desired order quantity.



4 Clicking the 'Add to cart' button will store the product in the shopping cart where you are able to finalize your order.



SPARE PARTS 2017

Article no.	Description
252128-006	Front triangle Spark RC 700 SL 2017 S
252128-007	Front triangle Spark RC 700 SL 2017 M
252128-008	Front triangle Spark RC 700 SL 2017 L
252129-006	Front triangle Spark RC 700 Ultim 2017 S
252129-007	Front triangle Spark RC 700 Ultim 2017 M
252129-008	Front triangle Spark RC 700 Ultim 2017 L
252130-006	Front triangle Spark RC 700 W/C 2017 S
252130-007	Front triangle Spark RC 700 W/C 2017 M
252130-008	Front triangle Spark RC 700 W/C 2017 L
252131-006	Front triangle Spark RC 700 Pro 2017 S
252131-007	Front triangle Spark RC 700 Pro 2017 M
252131-008	Front triangle Spark RC 700 Pro 2017 L
252132-006	Front triangle Spark 700 Ultimate 2017 S
252132-007	Front triangle Spark 700 Ultimate 2017 M
252132-008	Front triangle Spark 700 Ultimate 2017 L
252133-006	Front triangle Spark 700 Premium 2017 S
252133-007	Front triangle Spark 700 Premium 2017 M
252133-008	Front triangle Spark 700 Premium 2017 L
252134-006	Front triangle Spark 700 2017 S
252134-007	Front triangle Spark 700 2017 M
252134-008	Front triangle Spark 700 2017 L
252135-006	Front triangle Spark 710 2017 S
252135-007	Front triangle Spark 710 2017 M
252135-008	Front triangle Spark 710 2017 L
252136-006	Front triangle Spark 720 2017 S
252136-007	Front triangle Spark 720 2017 M
252136-008	Front triangle Spark 720 2017 L
252137-006	Front triangle Spark 730 2017 S
252137-007	Front triangle Spark 730 2017 M
252137-008	Front triangle Spark 730 2017 L
252138-006	Front triangle Spark RC 900 SL 2017 S
252138-007	Front triangle Spark RC 900 SL 2017 M
252138-008	Front triangle Spark RC 900 SL 2017 L
252138-009	Front triangle Spark RC 900 SL 2017 XL
252139-006	Front triangle Spark RC 900 Ultim 2017 S
252139-007	Front triangle Spark RC 900 Ultim 2017 M
252139-008	Front triangle Spark RC 900 Ultim 2017 L
252139-009	Front triangle Spark RC 900 Ultim 2017 XL
252140-006	Front triangle Spark RC 900 W/C 2017 S
252140-007	Front triangle Spark RC 900 W/C 2017 M
252140-008	Front triangle Spark RC 900 W/C 2017 L
252140-009	Front triangle Spark RC 900 W/C 2017 XL
252141-006	Front triangle Spark RC 900 Pro 2017 S
252141-007	Front triangle Spark RC 900 Pro 2017 M
252141-008	Front triangle Spark RC 900 Pro 2017 L
252141-009	Front triangle Spark RC 900 Pro 2017 XL
252142-006	Front triangle Spark 900 Ultimate 2017 S
252142-007	Front triangle Spark 900 Ultimate 2017 M
252142-008	Front triangle Spark 900 Ultimate 2017 L
252142-009	Front triangle Spark 900 Ultimate 2017 XL
252143-006	Front triangle Spark 900 Premium 2017 S
252143-007	Front triangle Spark 900 Premium 2017 M
252143-008	Front triangle Spark 900 Premium 2017 L
252143-009	Front triangle Spark 900 Premium 2017 XL
252144-006	Front triangle Spark 900 2017 S
252144-007	Front triangle Spark 900 2017 M
252144-008	Front triangle Spark 900 2017 L
252144-009	Front triangle Spark 900 2017 XL
252145-006	Front triangle Spark 910 2017 S
252145-007	Front triangle Spark 910 2017 M
252145-008	Front triangle Spark 910 2017 L
252145-009	Front triangle Spark 910 2017 XL
252146-006	Front triangle Spark 920 2017 S

Article no.	Description
252146-007	Front triangle Spark 920 2017 M
252146-008	Front triangle Spark 920 2017 L
252146-009	Front triangle Spark 920 2017 XL
252147-006	Front triangle Spark 930 2017 S
252147-007	Front triangle Spark 930 2017 M
252147-008	Front triangle Spark 930 2017 L
252147-009	Front triangle Spark 930 2017 XL
252148-006	Front triangle Spark 700 + Tuned 2017 S
252148-007	Front triangle Spark 700 + Tuned 2017 M
252148-008	Front triangle Spark 700 + Tuned 2017 L
252148-009	Front triangle Spark 700 + Tuned 2017 XL
252149-006	Front triangle Spark 710 PLUS 2017 S
252149-007	Front triangle Spark 710 PLUS 2017 M
252149-008	Front triangle Spark 710 PLUS 2017 L
252149-009	Front triangle Spark 710 PLUS 2017 XL
252150-006	Front triangle Spark 720 PLUS 2017 S
252150-007	Front triangle Spark 720 PLUS 2017 M
252150-008	Front triangle Spark 720 PLUS 2017 L
252150-009	Front triangle Spark 720 PLUS 2017 XL
252151-006	Front triangle Spark 730 PLUS 2017 S
252151-007	Front triangle Spark 730 PLUS 2017 M
252151-008	Front triangle Spark 730 PLUS 2017 L
252151-009	Front triangle Spark 730 PLUS 2017 XL
252152-006	Front triangle Genius 700 Premium 2017 S
252152-007	Front triangle Genius 700 Premium 2017 M
252152-008	Front triangle Genius 700 Premium 2017 L
252152-009	Front triangle Genius 700 Premium 2017 XL
252153-006	Front triangle Genius 710 2017 S
252153-007	Front triangle Genius 710 2017 M
252153-008	Front triangle Genius 710 2017 L
252153-009	Front triangle Genius 710 2017 XL
252154-006	Front triangle Genius 720 2017 S
252154-007	Front triangle Genius 720 2017 M
252154-008	Front triangle Genius 720 2017 L
252154-009	Front triangle Genius 720 2017 XL
252155-006	Front triangle Genius 920 2017 S
252155-007	Front triangle Genius 920 2017 M
252155-008	Front triangle Genius 920 2017 L
252155-009	Front triangle Genius 920 2017 XL
252156-006	Front triangle Genius 940 2017 S
252156-007	Front triangle Genius 940 2017 M
252156-008	Front triangle Genius 940 2017 L
252156-009	Front triangle Genius 940 2017 XL
252157-006	Front triangle Genius 700 + Tuned 2017 S
252157-007	Front triangle Genius 700 + Tuned 2017 M
252157-008	Front triangle Genius 700 + Tuned 2017 L
252157-009	Front triangle Genius 700 + Tuned 2017 XL
252158-006	Front triangle Genius 710 PLUS 2017 S
252158-007	Front triangle Genius 710 PLUS 2017 M
252158-008	Front triangle Genius 710 PLUS 2017 L
252158-009	Front triangle Genius 710 PLUS 2017 XL
252159-006	Front triangle Genius 720 PLUS 2017 S
252159-007	Front triangle Genius 720 PLUS 2017 M
252159-008	Front triangle Genius 720 PLUS 2017 L
252159-009	Front triangle Genius 720 PLUS 2017 XL
252160-006	Front triangle Genius LT700+ Tuned 2017 S
252160-007	Front triangle Genius LT700+ Tuned 2017 M
252160-008	Front triangle Genius LT700+ Tuned 2017 L
252161-006	Front triangle Genius LT 710 PLUS 2017 S
252161-007	Front triangle Genius LT 710 PLUS 2017 M
252161-008	Front triangle Genius LT 710 PLUS 2017 L
252162-006	Front triangle Genius LT 720 PLUS 2017 S
252162-007	Front triangle Genius LT 720 PLUS 2017 M

SPARE PARTS 2017

Article no.	Description
252162-008	Front triangle Genius LT 720 PLUS 2017 L
252163-006	Front triangle Gambler 710 2017 S
252163-007	Front triangle Gambler 710 2017 M
252163-008	Front triangle Gambler 710 2017 L
252164-006	Front triangle Gambler 720 2017 S
252164-007	Front triangle Gambler 720 2017 M
252164-008	Front triangle Gambler 720 2017 L
252165-006	Front triangle Gambler 730 2017 S
252165-007	Front triangle Gambler 730 2017 M
252165-008	Front triangle Gambler 730 2017 L
252166-006	Front triangle Voltage FR 710 2017 S
252166-007	Front triangle Voltage FR 710 2017 M
252166-008	Front triangle Voltage FR 710 2017 L
252167-006	Front triangle Voltage FR 720 2017 S
252167-007	Front triangle Voltage FR 720 2017 M
252167-008	Front triangle Voltage FR 720 2017 L
252168-006	Front triangle Voltage FR 730 2017 S
252168-007	Front triangle Voltage FR 730 2017 M
252168-008	Front triangle Voltage FR 730 2017 L
252169-006	Front triangle Contessa Spark RC700 17 S
252169-007	Front triangle Contessa Spark RC700 17 M
252169-008	Front triangle Contessa Spark RC700 17 L
252170-006	Front triangle Contessa Spark 700 2017 S
252170-007	Front triangle Contessa Spark 700 2017 M
252170-008	Front triangle Contessa Spark 700 2017 L
252171-006	Front triangle Contessa Spark 710 2017 S
252171-007	Front triangle Contessa Spark 710 2017 M
252171-008	Front triangle Contessa Spark 710 2017 L
252172-006	Front triangle Contessa Spark 710+ 2017 S
252172-007	Front triangle Contessa Spark 710+ 2017 M
252172-008	Front triangle Contessa Spark 710+ 2017 L
252173-006	Front triangle Contessa Spark 720+ 2017 S
252173-007	Front triangle Contessa Spark 720+ 2017 M
252173-008	Front triangle Contessa Spark 720+ 2017 L
252174-006	Front triangle Contessa Genius 700 2017 S
252174-007	Front triangle Contessa Genius 700 2017 M
252174-008	Front triangle Contessa Genius 700 2017 L
252175-006	Front triangle Contessa Genius 710 2017 S
252175-007	Front triangle Contessa Genius 710 2017 M
252175-008	Front triangle Contessa Genius 710 2017 L
252176-006	Front triangle Contessa Genius 710+ 2017 S
252176-007	Front triangle Contessa Genius 710+ 2017 M
252176-008	Front triangle Contessa Genius 710+ 2017 L
252177-006	Front triangle E-Genius 910 BO 2017 S
252177-007	Front triangle E-Genius 910 BO 2017 M
252177-008	Front triangle E-Genius 910 BO 2017 L
252177-009	Front triangle E-Genius 910 BO 2017 XL
252178-006	Front triangle E-Genius 920 BO 2017 S
252178-007	Front triangle E-Genius 920 BO 2017 M
252178-008	Front triangle E-Genius 920 BO 2017 L
252178-009	Front triangle E-Genius 920 BO 2017 XL
252179-006	Front triangle E-Genius 700 Tuned+ BO 17 S
252179-007	Front triangle E-Genius 700 Tuned+ BO 17 M
252179-008	Front triangle E-Genius 700 Tuned+ BO 17 L
252179-009	Front triangle E-Genius 700 Tuned+ BO 17 XL
252180-006	Front triangle E-Genius 710+ BO 2017 S
252180-007	Front triangle E-Genius 710+ BO 2017 M
252180-008	Front triangle E-Genius 710+ BO 2017 L
252180-009	Front triangle E-Genius 710+ BO 2017 XL
252181-006	Front triangle E-Genius 720+ BO 2017 S
252181-007	Front triangle E-Genius 720+ BO 2017 M
252181-008	Front triangle E-Genius 720+ BO 2017 L
252181-009	Front triangle E-Genius 720+ BO 2017 XL

Article no.	Description
252182-006	Front triangle E-Genius Cont 720+ BO '17 S
252182-007	Front triangle E-Genius Cont 720+ BO '17 M
252182-008	Front triangle E-Genius Cont 720+ BO '17 L
252183-006	Front triangle E-Spark 700+ tuned SH '17 S
252183-007	Front triangle E-Spark 700+ tuned SH '17 M
252183-008	Front triangle E-Spark 700+ tuned SH '17 L
252184-006	Front triangle E-Spark 710+ 2017 SH S
252184-007	Front triangle E-Spark 710+ 2017 SH M
252184-008	Front triangle E-Spark 710+ 2017 SH L
252186-006	Front triangle E-cont spark 710+ SH 2017 S
252186-007	Front triangle E-cont spark 710+ SH 2017 M
252186-008	Front triangle E-cont spark 710+ SH 2017 L
252187-005	Frame Aspect 700 2017 warr XS
252187-006	Frame Aspect 700 2017 warr S
252187-007	Frame Aspect 700 2017 warr M
252187-008	Frame Aspect 700 2017 warr L
252187-009	Frame Aspect 700 2017 warr XL
252188-005	Frame Aspect 780 V/Disc brake 17 Warr XS
252188-006	Frame Aspect 780 V/Disc brake 17 Warr S
252188-007	Frame Aspect 780 V/Disc brake 17 Warr M
252188-008	Frame Aspect 780 V/Disc brake 17 Warr L
252188-009	Frame Aspect 780 V/Disc brake 17 Warr XL
252189-006	Frame Aspect 900 2017 warr S
252189-007	Frame Aspect 900 2017 warr M
252189-008	Frame Aspect 900 2017 warr L
252189-009	Frame Aspect 900 2017 warr XL
252189-010	Frame Aspect 900 2017 warr XXL
252190-006	Frame Aspect 980 V/Disc brake 17 warr S
252190-007	Frame Aspect 980 V/Disc brake 17 warr M
252190-008	Frame Aspect 980 V/Disc brake 17 warr L
252190-009	Frame Aspect 980 V/Disc brake 17 warr XL
252190-010	Frame Aspect 980 V/Disc brake 17 warr XXL
252191-005	Frame Aspect 670 V/Disc 2017 warr XS
252191-006	Frame Aspect 670 V/Disc 2017 warr S
252191-007	Frame Aspect 670 V/Disc 2017 warr M
252191-008	Frame Aspect 670 V/Disc 2017 warr L
252191-009	Frame Aspect 670 V/Disc 2017 warr XL
252192-006	Frame Contessa Scale RC 700 17 warr S
252192-007	Frame Contessa Scale RC 700 17 warr M
252192-008	Frame Contessa Scale RC 700 17 warr L
252193-006	Frame Contessa Scale 700 17 warranty S
252193-007	Frame Contessa Scale 700 17 warranty M
252193-008	Frame Contessa Scale 700 17 warranty L
252194-005	Frame Contessa Scale 710 17 warranty XS
252194-006	Frame Contessa Scale 710 17 warranty S
252194-007	Frame Contessa Scale 710 17 warranty M
252194-008	Frame Contessa Scale 710 17 warranty L
252195-005	Frame Contessa Scale 720 17 warranty XS
252195-006	Frame Contessa Scale 720 17 warranty S
252195-007	Frame Contessa Scale 720 17 warranty M
252195-008	Frame Contessa Scale 720 17 warranty L
252196-006	Frame Contessa Scale 900 17 warranty S
252196-007	Frame Contessa Scale 900 17 warranty M
252196-008	Frame Contessa Scale 900 17 warranty L
252197-006	Frame Contessa Scale 910 17 warranty S
252197-007	Frame Contessa Scale 910 17 warranty M
252197-008	Frame Contessa Scale 910 17 warranty L
252198-006	Frame Contessa Scale 710+ 17 warranty S
252198-007	Frame Contessa Scale 710+ 17 warranty M
252198-008	Frame Contessa Scale 710+ 17 warranty L
252199-006	Frame Scale 700 RC Ultimate 17 warranty S
252199-007	Frame Scale 700 RC Ultimate 17 warranty M
252199-008	Frame Scale 700 RC Ultimate 17 warranty L

SPARE PARTS 2017

Article no.	Description
252200-006	Frame Scale 700 RC pro 17 warranty S
252200-007	Frame Scale 700 RC pro 17 warranty M
252200-008	Frame Scale 700 RC pro 17 warranty L
252201-006	Frame Scale 700 2017 warranty S
252201-007	Frame Scale 700 2017 warranty M
252201-008	Frame Scale 700 2017 warranty L
252202-006	Frame Scale 730 2017 warranty S
252202-007	Frame Scale 730 2017 warranty M
252202-008	Frame Scale 730 2017 warranty L
252203-005	Frame Scale 740 2017 warranty XS
252203-006	Frame Scale 740 2017 warranty S
252203-007	Frame Scale 740 2017 warranty M
252203-008	Frame Scale 740 2017 warranty L
252203-009	Frame Scale 740 2017 warranty XL
252204-006	Frame Scale 900 RC Ultimate 17 warranty S
252204-007	Frame Scale 900 RC Ultimate 17 warranty M
252204-008	Frame Scale 900 RC Ultimate 17 warranty L
252204-009	Frame Scale 900 RC Ultimate 17 warranty XL
252205-006	Frame Scale 900 RC pro 17 warranty S
252205-007	Frame Scale 900 RC pro 17 warranty M
252205-008	Frame Scale 900 RC pro 17 warranty L
252205-009	Frame Scale 900 RC pro 17 warranty XL
252206-006	Frame Scale 900 2017 warranty S
252206-007	Frame Scale 900 2017 warranty M
252206-008	Frame Scale 900 2017 warranty L
252206-009	Frame Scale 900 2017 warranty XL
252207-006	Frame Scale 930 2017 warranty S
252207-007	Frame Scale 930 2017 warranty M
252207-008	Frame Scale 930 2017 warranty L
252207-009	Frame Scale 930 2017 warranty XL
252208-006	Frame Scale 940 2017 warranty S
252208-007	Frame Scale 940 2017 warranty M
252208-008	Frame Scale 940 2017 warranty L
252208-009	Frame Scale 940 2017 warranty XL
252208-010	Frame Scale 940 2017 warranty XXL
252209-006	Frame Scale 710 plus 2017 warranty S
252209-007	Frame Scale 710 plus 2017 warranty M
252209-008	Frame Scale 710 plus 2017 warranty L
252209-009	Frame Scale 710 plus 2017 warranty XL
252210-006	Frame Big Jon 2017 warranty S
252210-007	Frame Big Jon 2017 warranty M
252210-008	Frame Big Jon 2017 warranty L
252210-009	Frame Big Jon 2017 warranty XL
252211-006	Frame Spark 740 2017 warranty S
252211-007	Frame Spark 740 2017 warranty M
252211-008	Frame Spark 740 2017 warranty L
252212-006	Frame Spark 940 2017 warranty S
252212-007	Frame Spark 940 2017 warranty M
252212-008	Frame Spark 940 2017 warranty L
252212-009	Frame Spark 940 2017 warranty XL
252213-006	Frame Genius 730 2017 warranty S
252213-007	Frame Genius 730 2017 warranty M
252213-008	Frame Genius 730 2017 warranty L
252213-009	Frame Genius 730 2017 warranty XL
252214-222	Frame Voltage YZ 0.1 2017 warr 1size
252215-005	Frame Voltage YZ 10 2017 warr XS
252215-006	Frame Voltage YZ 10 2017 warr S
252215-007	Frame Voltage YZ 10 2017 warr M
252215-008	Frame Voltage YZ 10 2017 warr L
252216-005	Frame Contessa 710 2017 warr XS
252216-006	Frame Contessa 710 2017 warr S
252216-007	Frame Contessa 710 2017 warr M
252216-008	Frame Contessa 710 2017 warr L

Article no.	Description
252217-006	Frame E-Scale 910 BO 2017 warr S
252217-007	Frame E-Scale 910 BO 2017 warr M
252217-008	Frame E-Scale 910 BO 2017 warr L
252217-009	Frame E-Scale 910 BO 2017 warr XL
252218-006	Frame E-Scale 710 BO 2017 warr S
252218-007	Frame E-Scale 710 BO 2017 warr M
252218-008	Frame E-Scale 710 BO 2017 warr L
252219-006	Frame E-Scale 700+ ult BO 2017 warr S
252219-007	Frame E-Scale 700+ ult BO 2017 warr M
252219-008	Frame E-Scale 700+ ult BO 2017 warr L
252219-009	Frame E-Scale 700+ ult BO 2017 warr XL
252220-006	Frame E-Contessa Scale 720+ BO 17 warr S
252220-007	Frame E-Contessa Scale 720+ BO 17 warr M
252220-008	Frame E-Contessa Scale 720+ BO 17 warr L
252221-006	Frame E-Contessa Scale 730 BO 17 warr S
252221-007	Frame E-Contessa Scale 730 BO 17 warr M
252221-008	Frame E-Contessa Scale 730 BO 17 warr L
252222-006	Frame E-Aspect 710 BR 2017 warr S
252222-007	Frame E-Aspect 710 BR 2017 warr M
252222-008	Frame E-Aspect 710 BR 2017 warr L
252223-007	Frame E-Aspect 910 BR 2017 warr M
252223-008	Frame E-Aspect 910 BR 2017 warr L
252223-009	Frame E-Aspect 910 BR 2017 warr XL
252224-222	Frame Scale JR 26 2017 warr 1size
252225-222	Frame Contessa JR 26 2017 warr 1size
252226-222	Swingarm Spark RC 700 SL 2017 1size
252227-222	Swingarm Spark RC 700 Ultim 2017 1size
252228-222	Swingarm Spark RC 700 W/C 2017 1size
252229-222	Swingarm Spark RC 700 Pro 2017 1size
252230-222	Swingarm Spark 700 Ultimate 2017 1size
252231-222	Swingarm Spark 700 Premium 2017 1size
252232-222	Swingarm Spark 700 2017 1size
252233-222	Swingarm Spark 710 2017 1size
252234-222	Swingarm Spark 720/750 2017 1size
252235-222	Swingarm Spark 730 2017 1size
252236-222	Swingarm Spark RC 900 SL 2017 1size
252237-222	Swingarm Spark RC 900 Ultim 2017 1size
252238-222	Swingarm Spark RC 900 W/C 2017 1size
252239-222	Swingarm Spark RC 900 Pro 2017 1size
252240-222	Swingarm Spark 900 Ultimate 2017 1size
252241-222	Swingarm Spark 900 Premium 2017 1size
252242-222	Swingarm Spark 900 2017 1size
252243-222	Swingarm Spark 910 2017 1size
252244-222	Swingarm Spark 920/950 2017 1size
252245-222	Swingarm Spark 930 2017 1size
252246-222	Swingarm Spark 700 PLUS Tuned 2017 1size
252247-222	Swingarm Spark 710 PLUS 2017 1size
252248-222	Swingarm Spark 720 PLUS 2017 1size
252249-222	Swingarm Spark 730 PLUS 2017 1size
252250-222	Chainstays Genius 700 Premium 2017 1size
252251-222	Chainstays Genius 710 2017 1size
252252-222	Chainstays Genius 720 2017 1size
252253-222	Chainstays Genius 920 2017 1size
252254-222	Chainstays Genius 940 2017 1size
252255-222	Chainstays Genius 700 PLUS Tuned 2017 1size
252256-222	Chainstays Genius 710 PLUS 2017 1size
252257-222	Chainstays Genius 720 PLUS 2017 1size
252258-222	Chainstays Genius LT 700 + Tuned 2017 1size
252259-222	Chainstays Genius LT 710 PLUS 2017 1size
252260-222	Chainstays Genius LT 720 PLUS 2017 1size
252261-222	Swingarm Gambler 710 2017 1size
252262-222	Swingarm Gambler 720 2017 1size
252263-222	Swingarm Gambler 730 2017 1size

SPARE PARTS 2017

Article no.	Description
252264-222	Chainstays Voltage FR 710 2017 1size
252265-222	Chainstays Voltage FR 720 2017 1size
252266-222	Chainstays Voltage FR 730 2017 1size
252267-222	Chainstays Contessa Genius 700 2017 1size
252268-222	Chainstays Contessa Genius 710 2017 1size
252269-222	Chainstays Contessa Genius 710 + 2017 1size
252270-222	Chainstays E-Genius 910 2017 1size
252271-222	Chainstays E-Genius 920 2017 1size
252272-222	Chainstays E-Genius 700 TND+ 2017 1size
252273-222	Chainstays E-Genius 710+ 2017 1size
252274-222	Chainstays E-Genius 720+ 2017 1size
252275-222	Chainstays E-Genius Cont 720+ 2017 1size
252276-222	Swingarm E-Spark 700+ tuned 2017 1size
252277-222	Swingarm E-Spark 710+ 2017 1size
252279-082	Seatstays Genius 700 Premium 2017 S/M
252279-083	Seatstays Genius 700 Premium 2017 L/XL
252280-082	Seatstays Genius 710 2017 S/M
252280-083	Seatstays Genius 710 2017 L/XL
252281-082	Seatstays Genius 720 2017 S/M
252281-083	Seatstays Genius 720 2017 L/XL
252282-006	Seatstays Genius 920 2017 S
252282-007	Seatstays Genius 920 2017 M
252282-008	Seatstays Genius 920 2017 L
252282-009	Seatstays Genius 920 2017 XL
252283-006	Seatstays Genius 940 2017 S
252283-007	Seatstays Genius 940 2017 M
252283-008	Seatstays Genius 940 2017 L
252283-009	Seatstays Genius 940 2017 XL
252284-006	Seatstays Genius 700 PLUS Tuned 2017 S
252284-007	Seatstays Genius 700 PLUS Tuned 2017 M
252284-008	Seatstays Genius 700 PLUS Tuned 2017 L
252284-009	Seatstays Genius 700 PLUS Tuned 2017 XL
252285-006	Seatstays Genius 710 PLUS 2017 S
252285-007	Seatstays Genius 710 PLUS 2017 M
252285-008	Seatstays Genius 710 PLUS 2017 L
252285-009	Seatstays Genius 710 PLUS 2017 XL
252286-006	Seatstays Genius 720 PLUS 2017 S
252286-007	Seatstays Genius 720 PLUS 2017 M
252286-008	Seatstays Genius 720 PLUS 2017 L
252286-009	Seatstays Genius 720 PLUS 2017 XL
252287-222	Seatstays Genius LT 700 + Tuned 2017 1size
252288-222	Seatstays Genius LT 710 PLUS 2017 1size
252289-222	Seatstays Genius LT 720 PLUS 2017 1size
252290-082	Seatstays Contessa Genius 700 2017 S/M
252290-083	Seatstays Contessa Genius 700 2017 L/XL
252291-082	Seatstays Contessa Genius 710 2017 S/M
252291-083	Seatstays Contessa Genius 710 2017 L/XL
252292-222	Seatstays Contessa Genius 710 + 2017 1size
252293-222	Seatstays Voltage FR 710 2017 1size
252294-222	Seatstays Voltage FR 720 2017 1size
252295-222	Seatstays Voltage FR 730 2017 1size
252296-222	Seatstays E-Genius 910 2017 1size
252297-222	Seatstays E-Genius 920 2017 1size
252298-222	Seatstays E-Genius 700 Tuned+ 2017 1size
252299-222	Seatstays E-Genius 710+ 2017 1size
252300-222	Seatstays E-Genius 720+ 2017 1size
252301-222	Seatstays E-Genius Cont 720+ 2017 1size
252302-006	Frame SUB Cross 10 Man 2017 S
252302-007	Frame SUB Cross 10 Man 2017 M
252302-008	Frame SUB Cross 10 Man 2017 L
252302-009	Frame SUB Cross 10 Man 2017 XL
252302-010	Frame SUB Cross 10 Man 2017 XXL
252303-006	Frame SUB Cross 20 Lady 2017 S

Article no.	Description
252303-007	Frame SUB Cross 20 Lady 2017 M
252303-008	Frame SUB Cross 20 Lady 2017 L
252303-009	Frame SUB Cross 20 Lady 2017 XL
252304-006	Frame SUB Sport 10 Man 2017 S
252304-007	Frame SUB Sport 10 Man 2017 M
252304-008	Frame SUB Sport 10 Man 2017 L
252304-009	Frame SUB Sport 10 Man 2017 XL
252305-006	Frame SUB Sport 10 Lady 2017 S
252305-007	Frame SUB Sport 10 Lady 2017 M
252305-008	Frame SUB Sport 10 Lady 2017 L
252306-006	Frame SUB Comfort 10 Man 2017 S
252306-007	Frame SUB Comfort 10 Man 2017 M
252306-008	Frame SUB Comfort 10 Man 2017 L
252306-009	Frame SUB Comfort 10 Man 2017 XL
252307-006	Frame SUB Comfort 10 Unisex 2017 S
252307-007	Frame SUB Comfort 10 Unisex 2017 M
252307-008	Frame SUB Comfort 10 Unisex 2017 L
252308-006	Frame E-SUB 10 Sport Man 2017 S
252308-007	Frame E-SUB 10 Sport Man 2017 M
252308-008	Frame E-SUB 10 Sport Man 2017 L
252308-009	Frame E-SUB 10 Sport Man 2017 XL
252309-006	Frame E-SUB 10 Sport Lady 2017 S
252309-007	Frame E-SUB 10 Sport Lady 2017 M
252309-008	Frame E-SUB 10 Sport Lady 2017 L
252310-006	Frame E-SUB Tour Unisex 2017 S
252310-007	Frame E-SUB Tour Unisex 2017 M
252310-008	Frame E-SUB Tour Unisex 2017 L
252311-006	Frame E-SUB Active S
252311-007	Frame E-SUB Active M
252311-008	Frame E-SUB Active L
252312-006	Frameset E-Silence EVO 2017 warr S
252312-007	Frameset E-Silence EVO 2017 warr M
252312-008	Frameset E-Silence EVO 2017 warr L
252312-009	Frameset E-Silence EVO 2017 warr XL
252313-006	Frame E-Silence 10 2017 S
252313-007	Frame E-Silence 10 2017 M
252313-008	Frame E-Silence 10 2017 L
252313-009	Frame E-Silence 10 2017 XL
252314-006	Frameset Silence EVO 2017 warr S
252314-007	Frameset Silence EVO 2017 warr M
252314-008	Frameset Silence EVO 2017 warr L
252314-009	Frameset Silence EVO 2017 warr XL
252315-006	Frameset Silence 10 Man 2017 warr S
252315-007	Frameset Silence 10 Man 2017 warr M
252315-008	Frameset Silence 10 Man 2017 warr L
252315-009	Frameset Silence 10 Man 2017 warr XL
252316-006	Frameset Silence 10 Lady 2017 warr S
252316-007	Frameset Silence 10 Lady 2017 warr M
252316-008	Frameset Silence 10 Lady 2017 warr L
252317-020	Frameset speedster CX10 Disc 2017 warr XS49
252317-021	Frameset speedster CX10 Disc 2017 warr S52
252317-022	Frameset speedster CX10 Disc 2017 warr M54
252317-023	Frameset speedster CX10 Disc 2017 warr L56
252317-024	Frameset speedster CX10 Disc 2017 warr XL58
252318-020	Frameset Speedster Gravel 10 2017 warr XS49
252318-021	Frameset Speedster Gravel 10 2017 warr S52
252318-022	Frameset Speedster Gravel 10 2017 warr M54
252318-023	Frameset Speedster Gravel 10 2017 warr L56
252318-024	Frameset Speedster Gravel 10 2017 warr XL58
252319-019	Frameset speedster 10 2017 warr XXS47
252319-020	Frameset speedster 10 2017 warr XS49
252319-021	Frameset speedster 10 2017 warr S52
252319-022	Frameset speedster 10 2017 warr M54

SPARE PARTS 2017

Article no.	Description
252319-023	Frameset speedster 10 2017 warr L56
252319-024	Frameset speedster 10 2017 warr XL58
252319-025	Frameset speedster 10 2017 warr 2XL61
252320-020	Frameset speedster 10 Disc 2017 warr XS49
252320-021	Frameset speedster 10 Disc 2017 warr S52
252320-022	Frameset speedster 10 Disc 2017 warr M54
252320-023	Frameset speedster 10 Disc 2017 warr L56
252320-024	Frameset speedster 10 Disc 2017 warr XL58
252321-014	Frameset Contessa Speedster 15 17 warr XXS46
252321-015	Frameset Contessa Speedster 15 17 warr XS48
252321-016	Frameset Contessa Speedster 15 17 warr S51
252321-017	Frameset Contessa Speedster 15 17 warr M53
252321-018	Frameset Contessa Speedster 15 17 warr L55
252322-016	Frameset Plasma Premium 2017 warr S51
252322-022	Frameset Plasma Premium 2017 warr M54
252322-027	Frameset Plasma Premium 2017 warr L57
252322-028	Frameset Plasma Premium 2017 warr XL60
252323-016	Frameset Plasma 10 2017 warranty S51
252323-022	Frameset Plasma 10 2017 warranty M54
252323-027	Frameset Plasma 10 2017 warranty L57
252323-028	Frameset Plasma 10 2017 warranty XL60
252324-019	Frameset Addict - SL HMX-SL 2017 warr XXS47
252324-020	Frameset Addict - SL HMX-SL 2017 warr XS49
252324-021	Frameset Addict - SL HMX-SL 2017 warr S52
252324-022	Frameset Addict - SL HMX-SL 2017 warr M54
252324-023	Frameset Addict - SL HMX-SL 2017 warr L56
252324-024	Frameset Addict - SL HMX-SL 2017 warr XL58
252324-025	Frameset Addict - SL HMX-SL 2017 warr 2XL61
252325-020	Frameset Addict Gravel 10 Disc 2017 warr XS49
252325-021	Frameset Addict Gravel 10 Disc 2017 warr S52
252325-022	Frameset Addict Gravel 10 Disc 2017 warr M54
252325-023	Frameset Addict Gravel 10 Disc 2017 warr L56
252325-024	Frameset Addict Gravel 10 Disc 2017 warr XL58
252326-019	Frameset Solace Premium Disc 2017 warr XXS47
252326-020	Frameset Solace Premium Disc 2017 warr XS49
252326-021	Frameset Solace Premium Disc 2017 warr S52
252326-022	Frameset Solace Premium Disc 2017 warr M54
252326-023	Frameset Solace Premium Disc 2017 warr L56
252326-024	Frameset Solace Premium Disc 2017 warr XL58
252326-025	Frameset Solace Premium Disc 2017 warr 2XL61
252327-019	Frameset Solace 10 Disc 2017 warr XXS47
252327-020	Frameset Solace 10 Disc 2017 warr XS49
252327-021	Frameset Solace 10 Disc 2017 warr S52
252327-022	Frameset Solace 10 Disc 2017 warr M54
252327-023	Frameset Solace 10 Disc 2017 warr L56
252327-024	Frameset Solace 10 Disc 2017 warr XL58
252327-025	Frameset Solace 10 Disc 2017 warr 2XL61
252328-019	Frameset Solace 10 2017 warr XXS47
252328-020	Frameset Solace 10 2017 warr XS49
252328-021	Frameset Solace 10 2017 warr S52
252328-022	Frameset Solace 10 2017 warr M54
252328-023	Frameset Solace 10 2017 warr L56
252328-024	Frameset Solace 10 2017 warr XL58
252328-025	Frameset Solace 10 2017 warr 2XL61
252329-019	Frameset CR1 10 2017 warr XXS47
252329-020	Frameset CR1 10 2017 warr XS49
252329-021	Frameset CR1 10 2017 warr S52
252329-022	Frameset CR1 10 2017 warr M54
252329-023	Frameset CR1 10 2017 warr L56
252329-024	Frameset CR1 10 2017 warr XL58
252329-025	Frameset CR1 10 2017 warr 2XL61
252330-020	Frameset Addict CX 20 Disc 17 warr XS49
252330-021	Frameset Addict CX 20 Disc 17 warr S52

Article no.	Description
252330-022	Frameset Addict CX 20 Disc 17 warr M54
252330-023	Frameset Addict CX 20 Disc 17 warr L56
252330-024	Frameset Addict CX 20 Disc 17 warr XL58
252331-014	Frameset Contessa SOLACE 15 DISC 17 warr XXS46
252331-015	Frameset Contessa SOLACE 15 DISC 17 warr XS48
252331-016	Frameset Contessa SOLACE 15 DISC 17 warr S51
252331-017	Frameset Contessa SOLACE 15 DISC 17 warr M53
252331-018	Frameset Contessa SOLACE 15 DISC 17 warr L55
252332-014	Frameset Contessa SOLACE 35 2017 warr XXS46
252332-015	Frameset Contessa SOLACE 35 2017 warr XS48
252332-016	Frameset Contessa SOLACE 35 2017 warr S51
252332-017	Frameset Contessa SOLACE 35 2017 warr M53
252332-018	Frameset Contessa SOLACE 35 2017 warr L55
252333-019	Frameset Addict 15 Di2 2017 warr XXS47
252333-020	Frameset Addict 15 Di2 2017 warr XS49
252333-021	Frameset Addict 15 Di2 2017 warr S52
252333-022	Frameset Addict 15 Di2 2017 warr M54
252333-023	Frameset Addict 15 Di2 2017 warr L56
252333-024	Frameset Addict 15 Di2 2017 warr XL58
252333-025	Frameset Addict 15 Di2 2017 warr 2XL61
252334-019	Frameset Foil premium 2017 Warranty XXS47
252334-020	Frameset Foil premium 2017 Warranty XS49
252334-021	Frameset Foil premium 2017 Warranty S52
252334-022	Frameset Foil premium 2017 Warranty M54
252334-023	Frameset Foil premium 2017 Warranty L56
252334-024	Frameset Foil premium 2017 Warranty XL58
252334-025	Frameset Foil premium 2017 Warranty 2XL61
252335-019	Frameset Foil RC 2017 Warranty BK/GRN XXS47
252335-020	Frameset Foil RC 2017 Warranty BK/GRN XS49
252335-021	Frameset Foil RC 2017 Warranty BK/GRN S52
252335-022	Frameset Foil RC 2017 Warranty BK/GRN M54
252335-023	Frameset Foil RC 2017 Warranty BK/GRN L56
252335-024	Frameset Foil RC 2017 Warranty BK/GRN XL58
252335-025	Frameset Foil RC 2017 Warranty BK/GRN 2XL61
252336-019	Frameset Foil 10 2017 warranty XXS47
252336-020	Frameset Foil 10 2017 warranty XS49
252336-021	Frameset Foil 10 2017 warranty S52
252336-022	Frameset Foil 10 2017 warranty M54
252336-023	Frameset Foil 10 2017 warranty L56
252336-024	Frameset Foil 10 2017 warranty XL58
252336-025	Frameset Foil 10 2017 warranty 2XL61
252338-222	Fork Speedster CX 10 Disc 2017 1size
252339-222	Fork Speedster CX 20 Disc 2017 1size
252340-222	Fork Speedster gravel 10 2017 1size
252341-222	Fork Speedster gravel 20 2017 1size
252342-222	Fork Speedster 10 2017 1size
252343-222	Fork Speedster 20 2017 1size
252344-222	Fork Speedster 30 2017 1size
252345-222	Fork Speedster 40 2017 1size
252346-222	Fork Speedster 50 2017 1size
252347-222	Fork Speedster 10 disc 2017 1size
252348-222	Fork Speedster 20 disc 2017 1size
252349-222	Fork Speedster 10 FB 2017 1size
252350-222	Fork Contessa Speedster 15 2017 1size
252351-222	Fork Contessa Speedster 25 2017 1size
252352-222	Fork Contessa Speedster 35 2017 1size
252353-222	Fork Contessa Speedster 45 2017 1size
252354-016	Fork Plasma Premium 2017 S51
252354-022	Fork Plasma Premium 2017 M54
252354-027	Fork Plasma Premium 2017 L57
252354-028	Fork Plasma Premium 2017 XL60
252355-016	Fork Plasma RC 2017 S51
252355-022	Fork Plasma RC 2017 M54

SPARE PARTS 2017

Article no.	Description
252355-027	Fork Plasma RC 2017 L57
252355-028	Fork Plasma RC 2017 XL60
252356-222	Fork Plasma 10 2017 1size
252357-222	Fork Plasma 20 2017 1size
252358-222	Fork Foil Premium 2017 1size
252359-222	Fork Foil RC 2017 BK/GRN 1size
252360-222	Fork Foil 10 2017 1size
252361-222	Fork Foil 20 2017 1size
252362-222	Fork Foil 30 2017 1size
252363-222	Fork Addict - SL 2017 1size
252364-222	Fork Addict Premium Disc DI2 2017 1size
252365-222	Fork Addict RC DI2 2017 BK/GRN 1size
252366-222	Fork Addict 10 2017 1size
252367-222	Fork Addict 15 DI2 2017 1size
252368-222	Fork Addict 20 Disc 2017 1size
252369-222	Fork Addict 20 2017 1size
252370-222	Fork Addict 30 Disc 2017 1size
252371-222	Fork Addict 30 2017 1size
252372-222	Fork Addict Gravel 10 Disc 2017 1size
252373-222	Fork Addict Gravel 20 Disc 2017 1size
252374-222	Fork Solace Premium DI2 Disc 2017 1size
252375-222	Fork Solace 10 Disc 2017 1size
252376-245	Fork Solace 10 2017 47-54/56-61
252376-246	Fork Solace 10 2017 56-61
252377-222	Fork Solace 20 Disc 2017 1size
252378-245	Fork Solace 20 2017 47-54/56-61
252378-246	Fork Solace 20 2017 56-61
252379-245	Fork Solace 30 2017 47-54/56-61
252379-246	Fork Solace 30 2017 56-61
252380-222	Fork Solace 30 FB Disc 2017 1size
252381-222	Fork CR1 10 2017 1size
252382-222	Fork CR1 20 2017 1size
252383-222	Fork CR1 30 2017 1size
252384-222	Fork Addict CX 10 Disc 2017 1size
252385-222	Fork Addict CX 20 Disc 2017 1size
252386-222	Fork Contessa SOLACE 15 DISC 2017 1size
252387-222	Fork Contessa SOLACE 25 DISC 2017 1size
252388-222	Fork Contessa SOLACE 35 2017 1size
252389-222	Fork E-Silence EVO 2017 1size
252390-222	Fork Silence EVO 2017 1size
252391-222	Fork E-Silence SPEED 10 2017 1size
252392-222	Fork E-Silence SPEED 20 2017 1size
252393-222	Fork Silence 10 MEN 2017 1size
252394-222	Fork Silence 10 LADY 2017 1size
252395-222	Fork Silence 20 MEN 2017 1size
252396-222	Fork Silence 20 LADY 2017 1size
252397-222	Fork Silence 30 MEN 2017 1size
252398-222	Fork Silence 30 LADY 2017 1size
252399-222	Fork Silence SPEED 10 2017 1size
252400-222	Fork Silence SPEED 20 2017 1size
252401-222	Rear Shock Spark 120mm 17 X-fusion165x45 1size
252403-222	Hub rep kit Form CT-1702 / 5x141mm 1size
252404-222	Hub rep kit Form CT-142 / 12x142mm 1size
252406-0001240	E-bike crankset FSA isis 170mm /brose black 170mm
252408-222	E-bike/Silence chainring 44T +bashguard 1size
252409-222	E-bike chainring+spider 36T Brose/Aspect 1size
252410-222	E-bike Brose motor cover 1size
252411-222	E-bike light E-Silence EVO rear 2017 1size
252412-222	E-bike light E-Silence front 1size
252413-222	E-bike light E-Silence rear 2017 1size
252414-222	E-bike light E-Silence EVO front 2017 1size
252415-0001047	Rim Alex X-35 27.5 plus 32H black 27.5"
252416-0001047	Rim Alex X-25 27.5 32H black 27.5"

Article no.	Description
252417-0001049	Rim Alex X-25 29 32H black 29"
252418-0001047	Rim Syncros J19S disc 27.5 32H black 27.5"
252419-0001049	Rim Syncros J19S disc 29 32H black 29"
252420-141	Seatpost E-Silence 316
252421-154	Seatpost Foil 10 warranty only 2017 5mm
252421-156	Seatpost Foil 10 warranty only 2017 20mm
252422-154	Seatpost Foil premium Warranty 2017 5mm
252422-156	Seatpost Foil premium Warranty 2017 20mm
252423-154	Seatpost Foil RC Warranty 2017 5mm
252423-156	Seatpost Foil RC Warranty 2017 20mm
252424-154	Seatpost Foil 20 Warranty 2017 5mm
252424-156	Seatpost Foil 20 Warranty 2017 20mm
252425-154	Seatpost Foil 30 Warranty 2017 5mm
252425-156	Seatpost Foil 30 Warranty 2017 20mm
252439-222	Light Silence front stem mount 2017 1size
252440-222	Light Silence rear post mount 2017 1size
252441-255	Stem E/Silence adj. w/o light 2017 brwn met flk
252442-255	Stem Silence fix w/o light 2017 brwn met flk
252467-0001006	Front triangle E-Spark 720 + SH 2017 black S
252467-0001007	Front triangle E-Spark 720 + SH 2017 black M
252467-0001008	Front triangle E-Spark 720 + SH 2017 black L
252468-006	Front triangle E-Genius 730 + BO 2017 S
252468-007	Front triangle E-Genius 730 + BO 2017 M
252468-008	Front triangle E-Genius 730 + BO 2017 L
252469-005	Frame Aspect 710 green 2017 warranty XS
252469-006	Frame Aspect 710 green 2017 warranty S
252469-007	Frame Aspect 710 green 2017 warranty M
252469-008	Frame Aspect 710 green 2017 warranty L
252469-009	Frame Aspect 710 green 2017 warranty XL
252470-006	Frame Aspect 910 green 2017 warranty S
252470-007	Frame Aspect 910 green 2017 warranty M
252470-008	Frame Aspect 910 green 2017 warranty L
252470-009	Frame Aspect 910 green 2017 warranty XL
252470-010	Frame Aspect 910 green 2017 warranty XXL
252471-006	Frame Contessa Scale 920 17 warr S
252471-007	Frame Contessa Scale 920 17 warr M
252471-008	Frame Contessa Scale 920 17 warr L
252472-222	Frame Scale JR RC 24 disc 17 warr 1size
252473-222	Frame Scale JR + 24 2017 warr 1size
252474-222	Swingarm E-Spark 720 + 2017 1size
252475-0001222	Chainstays E-Genius 730 + 2017 black 1size
252476-0001222	Seatstays E-Genius 730 + 2017 black 1size
252477-019	Frameset Addict 10 2017 Warranty XXS47
252477-020	Frameset Addict 10 2017 Warranty XS49
252477-021	Frameset Addict 10 2017 Warranty S52
252477-022	Frameset Addict 10 2017 Warranty M54
252477-023	Frameset Addict 10 2017 Warranty L56
252477-024	Frameset Addict 10 2017 Warranty XL58
252477-025	Frameset Addict 10 2017 Warranty 2XL61
252478-019	Frameset CR1 30 thrd BB 2017 Warranty XXS47
252478-020	Frameset CR1 30 thrd BB 2017 Warranty XS49
252478-021	Frameset CR1 30 thrd BB 2017 Warranty S52
252478-022	Frameset CR1 30 thrd BB 2017 Warranty M54
252478-023	Frameset CR1 30 thrd BB 2017 Warranty L56
252478-024	Frameset CR1 30 thrd BB 2017 Warranty XL58
252478-025	Frameset CR1 30 thrd BB 2017 Warranty 2XL61
252479-0001006	Frameset E-Silence speed 10 2017 warr black S
252479-0001007	Frameset E-Silence speed 10 2017 warr black M
252479-0001008	Frameset E-Silence speed 10 2017 warr black L
252479-0001009	Frameset E-Silence speed 10 2017 warr black XL
252480-0001006	Frame Sub sport 30 men 17 black S
252480-0001007	Frame Sub sport 30 men 17 black M
252480-0001008	Frame Sub sport 30 men 17 black L

SPARE PARTS 2017

Article no.	Description
252480-0001009	Frame Sub sport 30 men 17 black XL
252481-0001006	Frame Sub sport 30 lady 17 black S
252481-0001007	Frame Sub sport 30 lady 17 black M
252481-0001008	Frame Sub sport 30 lady 17 black L
252482-222	Frameset Scale JR 24 2017 warr 1size
252483-0001222	Fork Volt-X 10 2017 black 1size
252484-222	Fork Volt-X 20 2017 1size
252485-222	Fork Volt-X 30 2017 1size
254084-005	Frame Aspect 710 orange 2017 warranty XS
254084-006	Frame Aspect 710 orange 2017 warranty S
254084-007	Frame Aspect 710 orange 2017 warranty M
254084-008	Frame Aspect 710 orange 2017 warranty L
254084-009	Frame Aspect 710 orange 2017 warranty XL
254085-006	Frame Aspect 910 orange 2017 warranty S
254085-007	Frame Aspect 910 orange 2017 warranty M
254085-008	Frame Aspect 910 orange 2017 warranty L
254085-009	Frame Aspect 910 orange 2017 warranty XL
254085-010	Frame Aspect 910 orange 2017 warranty XXL
254086-019	Frameset Addict RCDi2 HMX BK/GRN 17 warr XXS47
254086-020	Frameset Addict RCDi2 HMX BK/GRN 17 warr XS49
254086-021	Frameset Addict RCDi2 HMX BK/GRN 17 warr S52
254086-022	Frameset Addict RCDi2 HMX BK/GRN 17 warr M54
254086-023	Frameset Addict RCDi2 HMX BK/GRN 17 warr L56
254086-024	Frameset Addict RCDi2 HMX BK/GRN 17 warr XL58
254086-025	Frameset Addict RCDi2 HMX BK/GRN 17 warr 2XL61
254087-222	Front derailleur mount Spark MY17 1size
254088-222	Front derailleur mount Scale MY17 1size
254089-222	Front derailleur blank Scale/Spark MY17 1size
254090-222	Dropout hanger boost TA12-SW carb MY17 1size
254091-222	Dropout hang boost TA12-SW DM carb MY17 1size
254092-222	Dropout hanger boost TA12 alloy MY17 1size
254093-222	Dropout hanger boost TA12 DM alloy MY17 1size
254094-222	Dropout hanger boost Q/R not direct MY17 1size
254095-222	Brake mount Scale/Spark 12/180mm MY17 1size
254096-222	Brake mount Scale/Spark 12/160mm MY17 1size
254097-222	Brake mount Scale/Spark QR/180mm MY17 1size
254098-222	Chainguide Scale small 30T-36T MY17 1size
254099-222	Chainguide Scale Large 30T-40T MY17 1size
254100-222	Chainguide set Spark RC MY17 1size
254101-222	Chainguide set Spark MY17 1size
254102-222	Cableguide Scale/Spark H-tube blk MY17 1size
254103-222	Cableguide Scale/Spark H-tube 4 MY17 1size
254104-222	Cableguide Scale/Spark H-tube 5 MY17 1size
254105-222	Cableguide Scale/Spark H-tube 4-4 MY17 1size
254106-222	Cableguide Scale/Spark H-tube 4-5 MY17 1size
254107-222	Cableguide Scale/Spark H-tube 5-5 MY17 1size
254108-222	Cableguide Scale/Spark H-tube 4-5-5 MY17 1size
254109-222	Cableguide Scale/Spark H-tube 4-4-5 MY17 1size
254110-222	Cableguide Scale/Spark H-tube Di2 MY17 1size
254111-222	Cableguide Scale/Spark H-tube 4-Di2 MY17 1size
254112-222	Cableguide Scale/Spark H-tube 5-Di2 MY17 1size
254113-222	Cableguide Scale/Spark H-tube 4-5-Di2 17 1size
254114-222	Cableguides Scale/Spark R/FD exit MY17 1size
254115-222	Cableguides Spark C-stay rubbers MY17 1size
254116-222	Cableguide Scale C-stay rubber MY17 1size
254117-222	Cableguide Spark D/T carb/alloy out MY17 1size
254118-222	Cableguide Spark shock rubber Fox Nude 1size
254119-222	Cableguide Spark shock rubber Float MY17 1size
254120-222	Cableguide Spark shock rubber X-fusion 1size
254121-222	Cableguide Spark shock noodle Nude 17 1size
254122-222	Cableguide Spark shock noodle Float 17 1size
254123-222	Cableguide Spark Alloy FD/downtube MY17 1size
262035-222	Rear Shock Spark 120mm Fox Nude 2017 1size

Article no.	Description
262036-222	Rear Shock Spark 120mm Fox Nude 2017 Ksh 1size
262037-222	Rear Shock Spark 100mm Fox Nude 2017 1size
262038-222	Rear Shock Spark 100mm Fox Nude 2017 Ksh 1size
262039-222	Swingarm rep kit Spark 120mm 2017 1size
262040-222	Linkage bar Spark alloy 120mm 2017 1size
262041-222	Linkage bar Spark Carbon 120mm 2017 1size
262042-222	Linkage bar Spark alloy 100mm 2017 1size
262043-222	Linkage bar Spark Carbon 100mm 2017 1size
262044-222	Shock mount hardware Spark 2017 1size
262045-222	Axle RWS10 Road disc 100/12mm F. plugin 1size
262046-222	Axle RWS Rear+lever 148x12 boost plugin 1size
262047-222	Chainguide E-Aspect MY17 1size
262048-222	Hub rep kit Syncros Form CL-25/CL2611 1size
262049-222	Hub rep kit Syncros RP 2.0 Form F+R 1size
262050-222	Hub rep kit Syncros RP 2.0 Disc Form F+R 1size
262051-222	Hub rep Kit syncros Formula RXC-142 1size
262052-039	Front wheel Scale JR 20 Plus disc 2017 20"
262053-039	Rear wheel Scale JR 20 Plus disc 2017 20"
262054-043	Front wheel Scale JR 24 Plus disc 2017 24"
262055-043	Rear wheel Scale JR 24 Plus disc 2017 24"
262056-262	E-bike drive belt Conti e-silence 2017 1344
262057-222	E-bike chainring+spider 39T Conti/brose 1size
262058-222	E-bike sprocket Conti 20T nuvinci 1size
262059-0001047	Rim Syncros Alex X20 32H black 27.5"
262059-0001049	Rim Syncros Alex X20 32H black 29"
262059-0001158	Rim Syncros Alex X20 32H black 700C
262060-0001158	Rim Syncros Alex Race 22 20H black 700C
262061-0001158	Rim Syncros Alex Race 22 24H black 700C
262062-0001158	Rim Syncros Alex Race 22 disc 28H black 700C
262063-158	Rim Syncros RP 2.0 disc Form 28H XRD-824 700C
262064-158	Rim Syncros RP 2.0 Formula 18H XR-201 700C
262065-158	Rim Syncros RP 2.0 Formula 24H XR-201 700C
262066-222	Chaingaurd E-silence MY17 1size
262067-222	Crankset Scale JR 24 + 2017 32T 152mm 1size
262068-222	Crankset Scale JR 20 + 2017 36T 140mm 1size
262069-257	Seatpost Syncros drop 2.0 W/O lever 31.6 100mm
262069-261	Seatpost Syncros drop 2.0 W/O lever 31.6 120mm
262070-222	Seatpost remote syncros 2.0 1size
262071-222	Seatpost remote syncros 2.5 1size
262072-257	Seatpost service air Cart kit Syncros2.0 100mm
262072-261	Seatpost service air Cart kit Syncros2.0 120mm
262073-257	Seatpost service air Cart kit Syncros2.5 100mm
262073-261	Seatpost service air Cart kit Syncros2.5 120mm
262074-222	Seatpost service a/base Syncros 2.0 1size
262075-222	E-silence Lockholder/rubber strap MY17 1size
262076-222	E-Silence lock blanking cover MY17 1size
262077-0135222	Fender set E-Silence F+R 2017 black matt 1size
262078-0135222	Fender set E-Silence F+R suspension 2017 black matt 1size
262079-0135222	Fender set Silence F+R 2017 black matt 1size
262079-2970222	Fender set Silence F+R 2017 toffee 1size
262079-2978222	Fender set Silence F+R 2017 black gloss 1size
262081-0271222	Carrier silence/E-silence warranty men cool grey 1size
262082-222	Headset spacer kit/topcap Syncros1.5 MTB 1size
262083-222	Headset spacer kit/topcap Syncros2.0 MTB 1size
262084-1040222	Saddle Scale RC/Speedster JR 2017 black/yellow 1size
262085-1004222	Saddle Scale JR 20/24 2017 black/blue 1size
262085-1043222	Saddle Scale JR 20/24 2017 black/green 1size
262085-1454222	Saddle Scale JR 20/24 2017 blue/orange 1size
262086-2278222	Saddle Voltage JR 20/24 2017 green/blue 1size
262086-4594222	Saddle Voltage JR 20/24 2017 green/grey 1size
262087-1009222	Saddle Voltage JR 16 2017 black/orange 1size
262088-1009222	Saddle Voltage JR 12 intg/post 2107 black/orange 1size
262210-006	Frame Contessa Spark 720 2017 warranty S

SPARE PARTS 2017

Article no.	Description
262210-007	Frame Contessa Spark 720 2017 warranty M
262210-008	Frame Contessa Spark 720 2017 warranty L
262211-222	Frame Voltage 24 disc/V brake 2017 warr 1size
262212-222	Frame volt X10 2017 warranty 1size
262213-222	Swingarm Contessa Spark RC700 2017 1size
262214-222	Swingarm Contessa Spark 700 2017 1size
262215-222	Swingarm Contessa Spark 710 1size
262216-222	Swingarm Contessa Spark 710+ 2017 1size
262217-222	Swingarm Contessa Spark 720+ 2017 1size
262218-222	Fork Scale JR 24+ 2017 1size
262219-222	Fork Scale RC JR 24 Disc 2017 1size
262220-222	Fork Scale JR 24 rigid V-brake 2017 1size
262386-222	Fork Foil RC 2017 BK/YEL 1size
262387-222	Fork Addict RC DI2 2017 BK/YEL 1size
262388-019	Frameset Foil RC 2017 Warranty BK/YEL XXS47
262388-020	Frameset Foil RC 2017 Warranty BK/YEL XS49
262388-021	Frameset Foil RC 2017 Warranty BK/YEL S52
262388-022	Frameset Foil RC 2017 Warranty BK/YEL M54
262388-023	Frameset Foil RC 2017 Warranty BK/YEL L56
262388-024	Frameset Foil RC 2017 Warranty BK/YEL XL58
262388-025	Frameset Foil RC 2017 Warranty BK/YEL 2XL61
262390-019	Frameset Addict RCDi2 HMX BK/YEL 17 warr XXS47
262390-020	Frameset Addict RCDi2 HMX BK/YEL 17 warr XS49
262390-021	Frameset Addict RCDi2 HMX BK/YEL 17 warr S52
262390-022	Frameset Addict RCDi2 HMX BK/YEL 17 warr M54
262390-023	Frameset Addict RCDi2 HMX BK/YEL 17 warr L56
262390-024	Frameset Addict RCDi2 HMX BK/YEL 17 warr XL58
262390-025	Frameset Addict RCDi2 HMX BK/YEL 17 warr 2XL61
262392-019	Frameset Addict RC HMX BK/YEL 17 warr XXS47
262392-020	Frameset Addict RC HMX BK/YEL 17 warr XS49
262392-021	Frameset Addict RC HMX BK/YEL 17 warr S52
262392-022	Frameset Addict RC HMX BK/YEL 17 warr M54
262392-023	Frameset Addict RC HMX BK/YEL 17 warr L56
262392-024	Frameset Addict RC HMX BK/YEL 17 warr XL58
262392-025	Frameset Addict RC HMX BK/YEL 17 warr 2XL61
262393-019	Frameset Addict RC HMX BK/GRN 17 warr XXS47
262393-020	Frameset Addict RC HMX BK/GRN 17 warr XS49
262393-021	Frameset Addict RC HMX BK/GRN 17 warr S52
262393-022	Frameset Addict RC HMX BK/GRN 17 warr M54
262393-023	Frameset Addict RC HMX BK/GRN 17 warr L56
262393-024	Frameset Addict RC HMX BK/GRN 17 warr XL58
262393-025	Frameset Addict RC HMX BK/GRN 17 warr 2XL61
262623-222	Cableguide set E-silence/E-aspect MY17 1size
262624-047	Rim Syncros Alex MD27 disc 32H 27.5"
262625-006	Frame contessa Spark 730 2017 warranty S
262625-007	Frame contessa Spark 730 2017 warranty M
262625-008	Frame contessa Spark 730 2017 warranty L
262626-006	Frame Spark 760 2017 warranty S
262626-007	Frame Spark 760 2017 warranty M
262626-008	Frame Spark 760 2017 warranty L
262627-006	Frame Spark 960 2017 warranty S
262627-007	Frame Spark 960 2017 warranty M
262627-008	Frame Spark 960 2017 warranty L
262627-009	Frame Spark 960 2017 warranty XL
262628-222	Fork Big John 2017 1size
262629-222	Axle RWS10 Road disc 142/12mm R. plugin 1size
262630-222	Swingarm rep kit Spark RC 100MM 2017 1size
262631-222	Twinloc lever downclamp/seatpost MY17 1size
262638-222	E-bike sprocket Miranda Delta 15T 1size
262639-222	E-bike sprocket Miranda D.Boost 3mm 15T 1size
262640-222	E-bike sprocket Miranda Delta 8.65mm 15T 1size
263078-222	Seatpost Syncros service toolbox 2.0 1size
263079-222	Seatpost Syncros service toolbox 2.5 1size

Article no.	Description
263379-222	Rear Shock Spark 120mm Fox Float Perf 17 1size
263468-0036049	Rim Sync/DT XR1.0 28H 17 SC/SP RC 900 SL orange 29"
263469-0003049	Rim Sync/DT XR1.5 28H 17 SC/SP RC 900 UI blue 29"
263470-0005049	Rim Sync/DT XR RC 28H 17 SC/SP RC 900 WC yellow 29"
263471-0002049	Rim Sync/DT XR2.0 28H 17 SC/SP RC 900 PR white 29"
263472-0036047	Rim Sync/DT XR1.0 28H 17 SC/SP RC 700 SL orange 27.5"
263473-0003047	Rim Sync/DT XR1.5 28H 17 SC/SP RC 700 UI blue 27.5"
263474-0005047	Rim Sync/DT XR RC 28H 17 SC/SP RC 700 WC yellow 27.5"
263475-0002047	Rim Sync/DT XR2.0 28H 17 SC/SP RC 700 RP white 27.5"
263476-0003049	Rim Sync/DT XR1.0 28H '17 Spark 900 Ult blue 29"
263477-0001049	Rim Sync/DT XR1.5 28H '17 Spark 900 Prem black 29"
263478-0003047	Rim Sync/DT XR1.0 28H '17 Spark 700 Ult blue 27.5"
263479-0001047	Rim Sync/DT XR1.5 28H '17 Spark 700 Prem black 27.5"
263480-0006049	Rim Sync/DT XR2.0 28H '17 SC/SP 900 green 29"
263481-0036049	Rim Sync/DT XR2.0 28H '17 SC/SP 910 orange 29"
263482-0002049	Rim Sync/DT XR2.5 28H '17 SC/SP 920 white 29"
263483-0006047	Rim Sync/DT XR2.0 28H '17 SC/SP 700 green 27.5"
263484-0036047	Rim Sync/DT XR2.0 28H '17 SC/SP 710 orange 27.5"
263485-0002047	Rim Sync/DT XR2.5 28H '17 SC/SP 720 white 27.5"
263486-0036047	Rim Sync/DT TR1.5 Plus 28H '17 Spark 700 orange 27.5"
263487-2278047	Rim Sync/DT TR2.0 Plus 28H '17 SP/GE 710 green/blue 27.5"
263488-1049047	Rim Sync/DT TR1.5 28H '17 Genius 700 PR grey/red 27.5"
263489-1294047	Rim Sync/DT TR2.0 28H '17 Genius 710 grey/orange 27.5"
263490-0006049	Rim Sync/DT TR2.5 28H '17 Genius 920 green 29"
263491-0005047	Rim Sync/DT TR2.5 28H '17 Genius 720 yellow 27.5"
263492-0036047	Rim Sync/DT TR1.5 Plus 28H '17 GE 700 orange 27.5"
263493-0036047	Rim Sync/DT TR1.5 Plus 28H '17 GE LT 700 orange 27.5"
263494-0036047	Rim Sync/DT DH 1.5 32H '17 Gambler 710 orange 27.5"
263495-0005047	Rim Sync/DT E TR 1.5 28H '17 E-SC/SP 700 yellow 27.5"
263496-0036047	Rim Sync/DT E TR 1.5 28H '17 E-GE 700 TND orange 27.5"
263497-0005158	Rim Sync/DT RR2.0 20H front '17 Foil 10 yellow 700C
263498-0005158	Rim Sync/DT RR2.0 24H rear '17 Foil 10 yellow 700C
263499-0004158	Rim Sync/DT RR2.0 20H front '17 Foil 20 red 700C
263500-0004158	Rim Sync/DT RR2.0 24H rear '17 Foil 20 red 700C
263501-0001158	Rim Sync/DT RP1.0 24H f/r '17 Addict PR D black 700C
263502-0011158	Rim Sync/DT RP1.5 20H front '17 Addict 10 grey 700C
263503-0011158	Rim Sync/DT RP1.5 24H rear '17 Addict 10 grey 700C
263504-1043158	Rim Sync/DT RP1.0 CarbDisc 24H f/r So'17 black/green 700C
263505-1042158	Rim Sync/DT RT1.0 CarbDisc 24H f/r'17 black/red 700C
263506-0005158	Rim Sync/DT RP1.0 CarbDisc 24H f/r Ad'17 yellow 700C
263507-0036158	Rim Sync/DT RP2.0 Disc 28H f/r '17 CX20 orange 700C
263508-0003047	Rim Sync/DT XR RC 28H 17 Cnt SC/SP RC700 blue 27.5"
263509-0011049	Rim Sync/DT XR2.0 28H '17 Cnt Scale 900 grey 29"
263510-0011047	Rim Sync/DT XR2.0 28H '17 Cnt SC/SP 700 grey 27.5"
263511-1100047	Rim Sync/DT XR2.5 28H '17 Spark 710 grey/blue 27.5"
263512-2489047	Rim Sync/DT XR2.0 Plus 28H '17 SP 710 yellow/green 27.5"
263513-0005047	Rim Sync/DT TR2.0 28H '17 Genius 700 yellow 27.5"
263868-0001222	E-bike Bosch dsp adapter E-SUB Sport '17 black 1size
263869-0001222	E-bike frame coverGr1 E-GeniusE-Scale'17 black 1size
263870-0001222	E-bike frame coverGr2 E-GeniusE-Scale'17 black 1size
263874-0001222	E-bike fork bumper E-Aspect MY17 black 1size
263875-0001222	E-bike CST Protector E-Aspect MY17 black 1size
263877-0001222	Fork Scale JR 24 susp. Disc 2017 black 1size
263878-0001222	Fork Scale JR 24 susp. V-brake 2017 black 1size
263999-222	Cableguide set Addict disc Mec/DI2 2017 1size
264026-222	Headset spacer kit/topcap Sync RR1.5/2.0
264047-222	Hub rep kit Formula DCL-360 rear
264048-0001158	Rim X15 disc 32H
264049-0001158	Rim Rodi disc 32H
264050-0001158	Rim Syncros Alex Race 22 28H

SPARE PARTS 2016

Article no.	Description
242167-006	Front triangle Spark 700 Ultimate 2016 S
242167-007	Front triangle Spark 700 Ultimate 2016 M
242167-008	Front triangle Spark 700 Ultimate 2016 L
242167-009	Front triangle Spark 700 Ultimate 2016 XL
242168-006	Front triangle Spark 700 Premium 2016 S
242168-007	Front triangle Spark 700 Premium 2016 M
242168-008	Front triangle Spark 700 Premium 2016 L
242168-009	Front triangle Spark 700 Premium 2016 XL
242169-006	Front triangle Spark 700 RC 2016 S
242169-007	Front triangle Spark 700 RC 2016 M
242169-008	Front triangle Spark 700 RC 2016 L
242169-009	Front triangle Spark 700 RC 2016 XL
242170-006	Front triangle Spark 710 2016 S
242170-007	Front triangle Spark 710 2016 M
242170-008	Front triangle Spark 710 2016 L
242170-009	Front triangle Spark 710 2016 XL
242171-006	Front triangle Spark 720 2016 S
242171-007	Front triangle Spark 720 2016 M
242171-008	Front triangle Spark 720 2016 L
242171-009	Front triangle Spark 720 2016 XL
242172-006	Front triangle Spark 730 2016 S
242172-007	Front triangle Spark 730 2016 M
242172-008	Front triangle Spark 730 2016 L
242172-009	Front triangle Spark 730 2016 XL
242173-006	Front triangle Spark 900 Premium 2016 S
242173-007	Front triangle Spark 900 Premium 2016 M
242173-008	Front triangle Spark 900 Premium 2016 L
242173-009	Front triangle Spark 900 Premium 2016 XL
242174-006	Front triangle Spark 900 RC 2016 S
242174-007	Front triangle Spark 900 RC 2016 M
242174-008	Front triangle Spark 900 RC 2016 L
242174-009	Front triangle Spark 900 RC 2016 XL
242175-006	Front triangle Spark 910 2016 S
242175-007	Front triangle Spark 910 2016 M
242175-008	Front triangle Spark 910 2016 L
242175-009	Front triangle Spark 910 2016 XL
242176-006	Front triangle Spark 920 2016 S
242176-007	Front triangle Spark 920 2016 M
242176-008	Front triangle Spark 920 2016 L
242176-009	Front triangle Spark 920 2016 XL
242177-006	Front triangle Spark 930 2016 S
242177-007	Front triangle Spark 930 2016 M
242177-008	Front triangle Spark 930 2016 L
242177-009	Front triangle Spark 930 2016 XL
242178-006	Front triangle Genius 700 Premium 2016 S
242178-007	Front triangle Genius 700 Premium 2016 M
242178-008	Front triangle Genius 700 Premium 2016 L
242178-009	Front triangle Genius 700 Premium 2016 XL
242179-006	Front triangle Genius 710 2016 S
242179-007	Front triangle Genius 710 2016 M
242179-008	Front triangle Genius 710 2016 L
242179-009	Front triangle Genius 710 2016 XL
242180-006	Front triangle Genius 720 2016 S
242180-007	Front triangle Genius 720 2016 M
242180-008	Front triangle Genius 720 2016 L
242180-009	Front triangle Genius 720 2016 XL
242181-006	Front triangle Genius 900 Tuned 2016 S
242181-007	Front triangle Genius 900 Tuned 2016 M
242181-008	Front triangle Genius 900 Tuned 2016 L
242181-009	Front triangle Genius 900 Tuned 2016 XL
242182-006	Front triangle Genius 910 2016 S
242182-007	Front triangle Genius 910 2016 M
242182-008	Front triangle Genius 910 2016 L

Article no.	Description
242182-009	Front triangle Genius 910 2016 XL
242183-006	Front triangle Genius 920 2016 S
242183-007	Front triangle Genius 920 2016 M
242183-008	Front triangle Genius 920 2016 L
242183-009	Front triangle Genius 920 2016 XL
242184-006	Front triangle Genius 700+ Tuned 2016 S
242184-007	Front triangle Genius 700+ Tuned 2016 M
242184-008	Front triangle Genius 700+ Tuned 2016 L
242184-009	Front triangle Genius 700+ Tuned 2016 XL
242185-006	Front triangle Genius 710+ 2016 S
242185-007	Front triangle Genius 710+ 2016 M
242185-008	Front triangle Genius 710+ 2016 L
242185-009	Front triangle Genius 710+ 2016 XL
242186-006	Front triangle Genius 720+ 2016 S
242186-007	Front triangle Genius 720+ 2016 M
242186-008	Front triangle Genius 720+ 2016 L
242186-009	Front triangle Genius 720+ 2016 XL
242187-006	Front triangle Genius LT 700 Tuned 2016 S
242187-007	Front triangle Genius LT 700 Tuned 2016 M
242187-008	Front triangle Genius LT 700 Tuned 2016 L
242188-006	Front triangle Genius LT 710 2016 S
242188-007	Front triangle Genius LT 710 2016 M
242188-008	Front triangle Genius LT 710 2016 L
242189-006	Front triangle Genius LT 720 2016 S
242189-007	Front triangle Genius LT 720 2016 M
242189-008	Front triangle Genius LT 720 2016 L
242190-006	Front triangle Genius LT 700+ Tuned 2016 S
242190-007	Front triangle Genius LT 700+ Tuned 2016 M
242190-008	Front triangle Genius LT 700+ Tuned 2016 L
242191-006	Front triangle Genius LT 710+ 2016 S
242191-007	Front triangle Genius LT 710+ 2016 M
242191-008	Front triangle Genius LT 710+ 2016 L
242192-006	Front triangle Genius LT 720+ 2016 S
242192-007	Front triangle Genius LT 720+ 2016 M
242192-008	Front triangle Genius LT 720+ 2016 L
242193-006	Front triangle Gambler 710 2016 S
242193-007	Front triangle Gambler 710 2016 M
242193-008	Front triangle Gambler 710 2016 L
242194-006	Front triangle Gambler 720 2016 S
242194-007	Front triangle Gambler 720 2016 M
242194-008	Front triangle Gambler 720 2016 L
242195-006	Front triangle Gambler 730 2016 S
242195-007	Front triangle Gambler 730 2016 M
242195-008	Front triangle Gambler 730 2016 L
242196-006	Front triangle Voltage FR 710 2016 S
242196-007	Front triangle Voltage FR 710 2016 M
242196-008	Front triangle Voltage FR 710 2016 L
242197-006	Front triangle Voltage FR 720 2016 S
242197-007	Front triangle Voltage FR 720 2016 M
242197-008	Front triangle Voltage FR 720 2016 L
242198-006	Front triangle Voltage FR 730 2016 S
242198-007	Front triangle Voltage FR 730 2016 M
242198-008	Front triangle Voltage FR 730 2016 L
242199-006	Front triangle Cont Spark 700 RC 2016 S
242199-007	Front triangle Cont Spark 700 RC 2016 M
242199-008	Front triangle Cont Spark 700 RC 2016 L
242200-006	Front triangle Cont Genius 700 2016 S
242200-007	Front triangle Cont Genius 700 2016 M
242200-008	Front triangle Cont Genius 700 2016 L
242201-006	Front triangle E-Spark 710 2016 S
242201-007	Front triangle E-Spark 710 2016 M
242201-008	Front triangle E-Spark 710 2016 L
242202-006	Front triangle E-Spark 720 2016 S

SPARE PARTS 2016

Article no.	Description
242202-007	Front triangle E-Spark 720 2016 M
242202-008	Front triangle E-Spark 720 2016 L
242203-006	Front triangle E-Genius 910 2016 S
242203-007	Front triangle E-Genius 910 2016 M
242203-008	Front triangle E-Genius 910 2016 L
242203-009	Front triangle E-Genius 910 2016 XL
242204-006	Front triangle E-Genius 920 2016 S
242204-007	Front triangle E-Genius 920 2016 M
242204-008	Front triangle E-Genius 920 2016 L
242204-009	Front triangle E-Genius 920 2016 XL
242205-006	Front triangle E-Genius 710+ 2016 S
242205-007	Front triangle E-Genius 710+ 2016 M
242205-008	Front triangle E-Genius 710+ 2016 L
242205-009	Front triangle E-Genius 710+ 2016 XL
242206-006	Front triangle E-Genius 720+ 2016 S
242206-007	Front triangle E-Genius 720+ 2016 M
242206-008	Front triangle E-Genius 720+ 2016 L
242206-009	Front triangle E-Genius 720+ 2016 XL
242207-006	Front triangle E-Genius Cont 720+ 2016 S
242207-007	Front triangle E-Genius Cont 720+ 2016 M
242207-008	Front triangle E-Genius Cont 720+ 2016 L
242208-006	Frame Scale 700 SL 2016 Warr. only S
242208-007	Frame Scale 700 SL 2016 Warr. only M
242208-008	Frame Scale 700 SL 2016 Warr. only L
242208-009	Frame Scale 700 SL 2016 Warr. only XL
242209-006	Frame Scale 700 Premium 2016 Warr. only S
242209-007	Frame Scale 700 Premium 2016 Warr. only M
242209-008	Frame Scale 700 Premium 2016 Warr. only L
242209-009	Frame Scale 700 Premium 2016 Warr. only XL
242210-006	Frame Scale 700 RC 2016 Warr. only S
242210-007	Frame Scale 700 RC 2016 Warr. only M
242210-008	Frame Scale 700 RC 2016 Warr. only L
242210-009	Frame Scale 700 RC 2016 Warr. only XL
242211-006	Frame Scale 710 2016 Warr. only S
242211-007	Frame Scale 710 2016 Warr. only M
242211-008	Frame Scale 710 2016 Warr. only L
242211-009	Frame Scale 710 2016 Warr. only XL
242212-006	Frame Scale 900 SL 2016 Warr. only S
242212-007	Frame Scale 900 SL 2016 Warr. only M
242212-008	Frame Scale 900 SL 2016 Warr. only L
242212-009	Frame Scale 900 SL 2016 Warr. only XL
242213-006	Frame Scale 900 Premium 2016 Warr. only S
242213-007	Frame Scale 900 Premium 2016 Warr. only M
242213-008	Frame Scale 900 Premium 2016 Warr. only L
242213-009	Frame Scale 900 Premium 2016 Warr. only XL
242214-006	Frame Scale 900 RC 2016 Warr. only S
242214-007	Frame Scale 900 RC 2016 Warr. only M
242214-008	Frame Scale 900 RC 2016 Warr. only L
242214-009	Frame Scale 900 RC 2016 Warr. only XL
242215-006	Frame Scale 910 2016 Warr. only S
242215-007	Frame Scale 910 2016 Warr. only M
242215-008	Frame Scale 910 2016 Warr. only L
242215-009	Frame Scale 910 2016 Warr. only XL
242216-006	Frame Scale 740 2016 Warr. only S
242216-007	Frame Scale 740 2016 Warr. only M
242216-008	Frame Scale 740 2016 Warr. only L
242216-009	Frame Scale 740 2016 Warr. only XL
242217-006	Frame Scale 940 2016 Warr. only S
242217-007	Frame Scale 940 2016 Warr. only M
242217-008	Frame Scale 940 2016 Warr. only L
242217-009	Frame Scale 940 2016 Warr. only XL
242218-006	Frame Scale 760 2016 Warr. only S
242218-007	Frame Scale 760 2016 Warr. only M

Article no.	Description
242218-008	Frame Scale 760 2016 Warr. only L
242218-009	Frame Scale 760 2016 Warr. only XL
242219-006	Frame Scale 960 2016 Warr. only S
242219-007	Frame Scale 960 2016 Warr. only M
242219-008	Frame Scale 960 2016 Warr. only L
242219-009	Frame Scale 960 2016 Warr. only XL
242219-010	Frame Scale 960 2016 Warr. only XXL
242220-006	Frame Scale 710+ 2016 Warr. only S
242220-007	Frame Scale 710+ 2016 Warr. only M
242220-008	Frame Scale 710+ 2016 Warr. only L
242220-009	Frame Scale 710+ 2016 Warr. only XL
242221-006	Frame Big Ed 2016 Warr. only S
242221-007	Frame Big Ed 2016 Warr. only M
242221-008	Frame Big Ed 2016 Warr. only L
242221-009	Frame Big Ed 2016 Warr. only XL
242222-006	Frame Big Jon 2016 Warr. only S
242222-007	Frame Big Jon 2016 Warr. only M
242222-008	Frame Big Jon 2016 Warr. only L
242222-009	Frame Big Jon 2016 Warr. only XL
242223-006	Frame Aspect 710 2016 Warr. only S
242223-007	Frame Aspect 710 2016 Warr. only M
242223-008	Frame Aspect 710 2016 Warr. only L
242223-009	Frame Aspect 710 2016 Warr. only XL
242224-006	Frame Aspect 910 2016 Warr. only S
242224-007	Frame Aspect 910 2016 Warr. only M
242224-008	Frame Aspect 910 2016 Warr. only L
242224-009	Frame Aspect 910 2016 Warr. only XL
242225-006	Frame Aspect 660 D+VB 2016 Warr. only S
242225-007	Frame Aspect 660 D+VB 2016 Warr. only M
242225-008	Frame Aspect 660 D+VB 2016 Warr. only L
242225-009	Frame Aspect 660 D+VB 2016 Warr. only XL
242226-222	Frame Voltage 0.1 2016 Warr. only 1size
242227-005	Frame Voltage 10 2016 Warr. only XS
242227-006	Frame Voltage 10 2016 Warr. only S
242227-007	Frame Voltage 10 2016 Warr. only M
242227-008	Frame Voltage 10 2016 Warr. only L
242227-009	Frame Voltage 10 2016 Warr. only XL
242228-006	Frame Spark 740 2016 Warr. only S
242228-007	Frame Spark 740 2016 Warr. only M
242228-008	Frame Spark 740 2016 Warr. only L
242228-009	Frame Spark 740 2016 Warr. only XL
242229-006	Frame Spark 940 2016 Warr. only S
242229-007	Frame Spark 940 2016 Warr. only M
242229-008	Frame Spark 940 2016 Warr. only L
242229-009	Frame Spark 940 2016 Warr. only XL
242230-006	Frame Genius 730 2016 Warr. only S
242230-007	Frame Genius 730 2016 Warr. only M
242230-008	Frame Genius 730 2016 Warr. only L
242230-009	Frame Genius 730 2016 Warr. only XL
242231-006	Frame Genius 930 2016 Warr. only S
242231-007	Frame Genius 930 2016 Warr. only M
242231-008	Frame Genius 930 2016 Warr. only L
242231-009	Frame Genius 930 2016 Warr. only XL
242232-006	Frame Cont Spark 700 2016 Warr. only S
242232-007	Frame Cont Spark 700 2016 Warr. only M
242232-008	Frame Cont Spark 700 2016 Warr. only L
242233-006	Frame Cont Genius 710 2016 Warr. only S
242233-007	Frame Cont Genius 710 2016 Warr. only M
242233-008	Frame Cont Genius 710 2016 Warr. only L
242234-006	Frame Cont Scale 700 RC 2016 Warr. only S
242234-007	Frame Cont Scale 700 RC 2016 Warr. only M
242234-008	Frame Cont Scale 700 RC 2016 Warr. only L
242235-005	Frame Cont Scale 700 2016 Warr. only XS

SPARE PARTS 2016

Article no.	Description
242235-006	Frame Cont Scale 700 2016 Warr. only S
242235-007	Frame Cont Scale 700 2016 Warr. only M
242235-008	Frame Cont Scale 700 2016 Warr. only L
242236-006	Frame Cont Scale 900 2016 Warr. only S
242236-007	Frame Cont Scale 900 2016 Warr. only M
242236-008	Frame Cont Scale 900 2016 Warr. only L
242237-005	Frame Contessa 710 2016 Warr. only XS
242237-006	Frame Contessa 710 2016 Warr. only S
242237-007	Frame Contessa 710 2016 Warr. only M
242237-008	Frame Contessa 710 2016 Warr. only L
242237-009	Frame Contessa 710 2016 Warr. only XL
242238-006	Frame E-Aspect 710 2016 Warr. only S
242238-007	Frame E-Aspect 710 2016 Warr. only M
242238-008	Frame E-Aspect 710 2016 Warr. only L
242238-009	Frame E-Aspect 710 2016 Warr. only XL
242239-007	Frame E-Aspect 910 2016 Warr. only M
242239-008	Frame E-Aspect 910 2016 Warr. only L
242239-009	Frame E-Aspect 910 2016 Warr. only XL
242240-045	Frame Scale JR 26 2016 Warr. only 26"
242241-045	Frame Voltage JR 26 2016 Warr. only 26"
242242-045	Frame Contessa JR 26 Warr. only 26"
242243-039	Frame Volt-X 10 2016 Warr. only 20"
242244-222	Chainstays Spark 700 Ultimate 2016 1size
242245-222	Chainstays Spark 700 Premium 2016 1size
242246-222	Chainstays Spark 700 RC 2016 1size
242247-222	Chainstays Spark 710 2016 1size
242248-222	Chainstays Spark 720 2016 1size
242249-222	Chainstays Spark 730 2016 1size
242250-222	Chainstays Spark 900 Premium 2016 1size
242251-222	Chainstays Spark 900 RC 2016 1size
242252-222	Chainstays Spark 910 2016 1size
242253-222	Chainstays Spark 920 2016 1size
242254-222	Chainstays Spark 930 2016 1size
242255-222	Chainstays Genius 700 Premium 2016 1size
242256-222	Chainstays Genius 710 2016 gloss 1size
242257-222	Chainstays Genius 720/30/cont 2016 matt 1size
242258-222	Chainstays Genius 900 Tuned 2016 1size
242259-222	Chainstays Genius 910 2016 gloss 1size
242260-222	Chainstays Genius 920/930 2016 matt 1size
242261-222	Chainstays Genius 700+ Tuned 2016 1size
242262-222	Chainstays Genius 710+ 2016 1size
242263-222	Chainstays Genius 720+ 2016 1size
242264-222	Chainstays Genius LT 700 Tuned 2016 1size
242265-222	Chainstays Genius LT 710 2016 1size
242266-222	Chainstays Genius LT 720 2016 1size
242267-222	Chainstays Genius LT 700+ Tuned 2016 1size
242268-222	Chainstays Genius LT 710+ 2016 1size
242269-222	Chainstays Genius LT 720+ 2016 1size
242270-222	Swingarm Gambler 710 2016 1size
242271-222	Swingarm Gambler 720 2016 1size
242272-222	Swingarm Gambler 730 2016 1size
242273-222	Chainstays Voltage FR 710 2016 1size
242274-222	Chainstays Voltage FR 720 2016 1size
242275-222	Chainstays Voltage FR 730 2016 1size
242276-222	Chainstays Contessa Spark 700 RC 2016 1size
242277-222	Chainstays Contessa Genius 700 2016 1size
242278-222	Chainstays E-Spark 710 2016 1size
242279-222	Chainstays E-Spark 720 2016 1size
242280-222	Chainstays E-Genius 910/920 2016 1size
242281-222	Chainstays E-Genius 710+/cont 720+ 2016 1size
242282-222	Chainstays E-Genius 720+ 2016 1size
242283-082	Seatstays Spark 700 Ultimate 2016 S/M
242283-083	Seatstays Spark 700 Ultimate 2016 L/XL

Article no.	Description
242284-082	Seatstays Spark 700 Premium 2016 S/M
242284-083	Seatstays Spark 700 Premium 2016 L/XL
242285-082	Seatstays Spark 700 RC 2016 S/M
242285-083	Seatstays Spark 700 RC 2016 L/XL
242286-082	Seatstays Spark 710 2016 S/M
242286-083	Seatstays Spark 710 2016 L/XL
242287-082	Seatstays Spark 720 2016 S/M
242287-083	Seatstays Spark 720 2016 L/XL
242288-082	Seatstays Spark 730 2016 S/M
242288-083	Seatstays Spark 730 2016 L/XL
242289-006	Seatstays Spark 900 Premium 2016 S
242289-007	Seatstays Spark 900 Premium 2016 M
242289-008	Seatstays Spark 900 Premium 2016 L
242289-009	Seatstays Spark 900 Premium 2016 XL
242290-006	Seatstays Spark 900 RC 2016 S
242290-007	Seatstays Spark 900 RC 2016 M
242290-008	Seatstays Spark 900 RC 2016 L
242290-009	Seatstays Spark 900 RC 2016 XL
242291-006	Seatstays Spark 910 2016 S
242291-007	Seatstays Spark 910 2016 M
242291-008	Seatstays Spark 910 2016 L
242291-009	Seatstays Spark 910 2016 XL
242292-006	Seatstays Spark 920 2016 S
242292-007	Seatstays Spark 920 2016 M
242292-008	Seatstays Spark 920 2016 L
242292-009	Seatstays Spark 920 2016 XL
242293-006	Seatstays Spark 930 2016 S
242293-007	Seatstays Spark 930 2016 M
242293-008	Seatstays Spark 930 2016 L
242293-009	Seatstays Spark 930 2016 XL
242294-082	Seatstays Genius 700 Premium 2016 S/M
242294-083	Seatstays Genius 700 Premium 2016 L/XL
242295-082	Seatstays Genius 710 2016 S/M
242295-083	Seatstays Genius 710 2016 L/XL
242296-082	Seatstays Genius 720 2016 S/M
242296-083	Seatstays Genius 720 2016 L/XL
242297-006	Seatstays Genius 900 tuned 2016 S
242297-007	Seatstays Genius 900 tuned 2016 M
242297-008	Seatstays Genius 900 tuned 2016 L
242297-009	Seatstays Genius 900 tuned 2016 XL
242298-006	Seatstays Genius 910 2016 S
242298-007	Seatstays Genius 910 2016 M
242298-008	Seatstays Genius 910 2016 L
242298-009	Seatstays Genius 910 2016 XL
242299-006	Seatstays Genius 920 2016 S
242299-007	Seatstays Genius 920 2016 M
242299-008	Seatstays Genius 920 2016 L
242299-009	Seatstays Genius 920 2016 XL
242300-006	Seatstays Genius 700+ Tuned 2016 S
242300-007	Seatstays Genius 700+ Tuned 2016 M
242300-008	Seatstays Genius 700+ Tuned 2016 L
242300-009	Seatstays Genius 700+ Tuned 2016 XL
242301-006	Seatstays Genius 710+ 2016 S
242301-007	Seatstays Genius 710+ 2016 M
242301-008	Seatstays Genius 710+ 2016 L
242301-009	Seatstays Genius 710+ 2016 XL
242302-006	Seatstays Genius 720+ 2016 S
242302-007	Seatstays Genius 720+ 2016 M
242302-008	Seatstays Genius 720+ 2016 L
242302-009	Seatstays Genius 720+ 2016 XL
242303-222	Seatstays Genius LT 700 Tuned 2016 1size
242304-222	Seatstays Genius LT 710 2016 1size
242305-222	Seatstays Genius LT 720 2016 1size

SPARE PARTS 2016

Article no.	Description
242306-222	Seatstays Genius LT 700+ Tuned 2016 1size
242307-222	Seatstays Genius LT 710+ 2016 1size
242308-222	Seatstays Genius LT 720+ 2016 1size
242309-222	Seatstays Voltage FR 710 2016 1size
242310-222	Seatstays Voltage FR 720 2016 1size
242311-222	Seatstays Voltage FR 730 2016 1size
242312-008	Seatstays Contessa Spark 700 RC 2016 L
242312-082	Seatstays Contessa Spark 700 RC 2016 S/M
242313-008	Seatstays Contessa Genius 700 2016 L
242313-082	Seatstays Contessa Genius 700 2016 S/M
242314-222	Seatstays E-Spark 710 2016 1size
242315-222	Seatstays E-Spark 720 2016 1size
242316-222	Seatstays E-Genius 910 2016 1size
242317-222	Seatstays E-Genius 920 2016 1size
242318-222	Seatstays E-Genius 710+ 2016 1size
242319-222	Seatstays E-Genius 720+ 2016 1size
242320-222	Seatstays E-Genius Contessa 720+ 2016 1size
242321-006	Frame Sub Cross 10 2016 S
242321-007	Frame Sub Cross 10 2016 M
242321-008	Frame Sub Cross 10 2016 L
242321-009	Frame Sub Cross 10 2016 XL
242321-010	Frame Sub Cross 10 2016 XXL
242322-006	Frame Sub Cross 30 Solution 2016 S
242322-007	Frame Sub Cross 30 Solution 2016 M
242322-008	Frame Sub Cross 30 Solution 2016 L
242322-009	Frame Sub Cross 30 Solution 2016 XL
242323-006	Frame Sub Cross 40 Lady 2016 S
242323-007	Frame Sub Cross 40 Lady 2016 M
242323-008	Frame Sub Cross 40 Lady 2016 L
242323-009	Frame Sub Cross 40 Lady 2016 XL
242324-006	Frame Sub Sport 10 Men 2016 S
242324-007	Frame Sub Sport 10 Men 2016 M
242324-008	Frame Sub Sport 10 Men 2016 L
242324-009	Frame Sub Sport 10 Men 2016 XL
242325-006	Frame Sub Sport 10 Lady 2016 S
242325-007	Frame Sub Sport 10 Lady 2016 M
242325-008	Frame Sub Sport 10 Lady 2016 L
242326-006	Frame Sub Comfort 10 Uni 2016 S
242326-007	Frame Sub Comfort 10 Uni 2016 M
242326-008	Frame Sub Comfort 10 Uni 2016 L
242327-006	Frame Sub Comfort 10 Men 2016 S
242327-007	Frame Sub Comfort 10 Men 2016 M
242327-008	Frame Sub Comfort 10 Men 2016 L
242327-009	Frame Sub Comfort 10 Men 2016 XL
242328-006	Frame Sub Comfort 10 Lady 2016 S
242328-007	Frame Sub Comfort 10 Lady 2016 M
242328-008	Frame Sub Comfort 10 Lady 2016 L
242329-006	Frame E-Sub Sport Men 2016 S
242329-007	Frame E-Sub Sport Men 2016 M
242329-008	Frame E-Sub Sport Men 2016 L
242329-009	Frame E-Sub Sport Men 2016 XL
242330-006	Frame E-Sub Sport Lady 2016 S
242330-007	Frame E-Sub Sport Lady 2016 M
242330-008	Frame E-Sub Sport Lady 2016 L
242331-006	Frame E-Sub Tour Uni 2016 S
242331-007	Frame E-Sub Tour Uni 2016 M
242331-008	Frame E-Sub Tour Uni 2016 L
242332-006	Frame E-Sub Comfort Men 2016 S
242332-007	Frame E-Sub Comfort Men 2016 M
242332-008	Frame E-Sub Comfort Men 2016 L
242332-009	Frame E-Sub Comfort Men 2016 XL
242333-006	Frame E-Sub Comfort Uni 2016 S
242333-007	Frame E-Sub Comfort Uni 2016 M

Article no.	Description
242333-008	Frame E-Sub Comfort Uni 2016 L
242334-019	Frameset CR1 10 2016 int BB XXS47
242334-020	Frameset CR1 10 2016 int BB XS49
242334-021	Frameset CR1 10 2016 int BB S52
242334-022	Frameset CR1 10 2016 int BB M54
242334-023	Frameset CR1 10 2016 int BB L56
242334-024	Frameset CR1 10 2016 int BB XL58
242334-025	Frameset CR1 10 2016 int BB 2XL61
242335-019	Frameset CR1 30 2016 Stand BB XXS47
242335-020	Frameset CR1 30 2016 Stand BB XS49
242335-021	Frameset CR1 30 2016 Stand BB S52
242335-022	Frameset CR1 30 2016 Stand BB M54
242335-023	Frameset CR1 30 2016 Stand BB L56
242335-024	Frameset CR1 30 2016 Stand BB XL58
242335-025	Frameset CR1 30 2016 Stand BB 2XL61
242336-019	Frameset Speedster 10 2016 XXS47
242336-020	Frameset Speedster 10 2016 XS49
242336-021	Frameset Speedster 10 2016 S52
242336-022	Frameset Speedster 10 2016 M54
242336-023	Frameset Speedster 10 2016 L56
242336-024	Frameset Speedster 10 2016 XL58
242336-025	Frameset Speedster 10 2016 2XL61
242337-019	Frameset Speedster 20 disc 2016 XXS47
242337-020	Frameset Speedster 20 disc 2016 XS49
242337-021	Frameset Speedster 20 disc 2016 S52
242337-022	Frameset Speedster 20 disc 2016 M54
242337-023	Frameset Speedster 20 disc 2016 L56
242337-024	Frameset Speedster 20 disc 2016 XL58
242337-025	Frameset Speedster 20 disc 2016 2XL61
242338-019	Frameset Speedster 20 FB 2016 XXS47
242338-020	Frameset Speedster 20 FB 2016 XS49
242338-021	Frameset Speedster 20 FB 2016 S52
242338-022	Frameset Speedster 20 FB 2016 M54
242338-023	Frameset Speedster 20 FB 2016 L56
242338-024	Frameset Speedster 20 FB 2016 XL58
242338-025	Frameset Speedster 20 FB 2016 2XL61
242339-005	Frameset Speedster CX 10 disc 2016 XS
242339-006	Frameset Speedster CX 10 disc 2016 S
242339-007	Frameset Speedster CX 10 disc 2016 M
242339-008	Frameset Speedster CX 10 disc 2016 L
242339-009	Frameset Speedster CX 10 disc 2016 XL
242339-020	Frameset Speedster CX 10 disc 2016 XS49
242339-021	Frameset Speedster CX 10 disc 2016 S52
242339-022	Frameset Speedster CX 10 disc 2016 M54
242339-023	Frameset Speedster CX 10 disc 2016 L56
242339-024	Frameset Speedster CX 10 disc 2016 XL58
242340-014	Frameset Con Solace 15 2016 XXS46
242340-015	Frameset Con Solace 15 2016 XS48
242340-016	Frameset Con Solace 15 2016 S51
242340-017	Frameset Con Solace 15 2016 M53
242340-018	Frameset Con Solace 15 2016 L55
242341-014	Frameset Con Speedster 15 2016 XXS46
242341-015	Frameset Con Speedster 15 2016 XS48
242341-016	Frameset Con Speedster 15 2016 S51
242341-017	Frameset Con Speedster 15 2016 M53
242341-018	Frameset Con Speedster 15 2016 L55
242342-006	Frameset E-Sub EVO 2016 S
242342-007	Frameset E-Sub EVO 2016 M
242342-008	Frameset E-Sub EVO 2016 L
242342-009	Frameset E-Sub EVO 2016 XL
242343-005	Frameset Sub Speed 10 2016 XS
242343-006	Frameset Sub Speed 10 2016 S
242343-007	Frameset Sub Speed 10 2016 M

SPARE PARTS 2016

Article no.	Description
242343-008	Frameset Sub Speed 10 2016 L
242343-009	Frameset Sub Speed 10 2016 XL
242344-005	Frameset Sub Speed 20 2016 XS
242344-006	Frameset Sub Speed 20 2016 S
242344-007	Frameset Sub Speed 20 2016 M
242344-008	Frameset Sub Speed 20 2016 L
242344-009	Frameset Sub Speed 20 2016 XL
242345-005	Frameset Sub Speed 30 2016 XS
242345-006	Frameset Sub Speed 30 2016 S
242345-007	Frameset Sub Speed 30 2016 M
242345-008	Frameset Sub Speed 30 2016 L
242345-009	Frameset Sub Speed 30 2016 XL
242346-006	Frameset Sub EVO 10 2016 S
242346-007	Frameset Sub EVO 10 2016 M
242346-008	Frameset Sub EVO 10 2016 L
242346-009	Frameset Sub EVO 10 2016 XL
242347-006	Frameset Sub EVO 20 Men 2016 S
242347-007	Frameset Sub EVO 20 Men 2016 M
242347-008	Frameset Sub EVO 20 Men 2016 L
242347-009	Frameset Sub EVO 20 Men 2016 XL
242348-006	Frameset Sub EVO 20 Lady 2016 S
242348-007	Frameset Sub EVO 20 Lady 2016 M
242348-008	Frameset Sub EVO 20 Lady 2016 L
242349-222	Fork Big Jon 2016 1size
242350-006	Fork Plasma Team issue 2016 S
242350-007	Fork Plasma Team issue 2016 M
242350-008	Fork Plasma Team issue 2016 L
242350-009	Fork Plasma Team issue 2016 XL
242351-006	Fork Plasma Premium 2016 S
242351-007	Fork Plasma Premium 2016 M
242351-008	Fork Plasma Premium 2016 L
242351-009	Fork Plasma Premium 2016 XL
242352-222	Fork Plasma 10 2016 1size
242353-222	Fork Plasma 20 2016 1size
242354-222	Fork Foil team Issue 2016 1size
242355-222	Fork Foil Premium 2016 1size
242356-222	Fork Foil 10 2016 1size
242357-222	Fork Foil 20 2016 1size
242358-222	Fork Foil 30 2016 1size
242359-222	Fork Addict SL 2016 1size
242360-222	Fork Addict Team Issue 2016 1size
242361-222	Fork Addict 10 2016 1size
242362-222	Fork Addict 15 2016 1size
242363-222	Fork Addict 20 2016 1size
242364-222	Fork Addict 30 2016 1size
242365-222	Fork Solace Premium Disc 2016 1size
242366-222	Fork Solace 10 Disc 2016 1size
242367-222	Fork Solace 10 2016 1size
242368-222	Fork Solace 20 Disc 2016 1size
242369-222	Fork Solace 20 2016 1size
242370-222	Fork Solace 30 FB Disc 2016 1size
242371-222	Fork CRI 10 2016 1size
242372-222	Fork CRI 20 2016 1size
242373-222	Fork CRI 30 2016 1size
242374-222	Fork Speedster 10 2016 1size
242375-222	Fork Speedster 20 2016 1size
242376-222	Fork Speedster 20 Disc 2016 1size
242377-222	Fork Speedster 30 2016 1size
242378-222	Fork Speedster 30 Disc 2016 1size
242379-222	Fork Speedster 40 2016 1size
242380-222	Fork Speedster 50 2016 1size
242381-222	Fork Speedster 50 FB 2016 1size
242382-222	Fork Speedster 60 2016 1size

Article no.	Description
242383-222	Fork Addict CX 10 Disc 2016 1size
242384-222	Fork Addict CX 20 Disc 2016 1size
242385-222	Fork Speedster CX 10 Disc 2016 1size
242386-222	Fork Speedster CX 20 Disc 2016 1size
242387-222	Fork Contessa Solace 15 2016 1size
242388-222	Fork Contessa Solace 25 2016 1size
242389-222	Fork Contessa Solace 35 2016 1size
242390-222	Fork Contessa Speedster 15 2016 1size
242391-222	Fork Contessa Speedster 25 2016 1size
242392-222	Fork Contessa Speedster 35 2016 1size
242393-222	Fork Contessa Speedster 45 2016 1size
242394-222	Fork E-Sub EVO 2016 1size
242395-222	Fork Sub Speed 10 2016 1size
242396-222	Fork Sub Speed 20 2016 1size
242397-222	Fork Sub Speed 30 2016 1size
242398-222	Fork Sub EVO 10 2016 1size
242399-222	Fork Sub EVO 20 Men 2016 1size
242400-222	Fork Sub EVO 20 Lady 2016 1size
242401-222	Fork Sub EVO 30 Men 2016 1size
242402-222	Fork Sub EVO 30 Lady 2016 1size
242403-222	Fork Scale RC JR 24 2016 1size
242404-222	Fork Scale JR 24 Rigid 2016 1size
242405-222	Fork Volt-X 10 2016 1size
242406-222	Fork Volt-X 20 2016 1size
242407-222	Fork Volt-X 30 2016 1size
242408-0001047	Fork Suntour Raidon RL-R boost black 27.5
242409-222	Twinloc lever Nude 3 integ clamp down 1size
242410-222	Rideloc lever Integ clamp down 1size
242411-222	Rear shock FOX NUD3 DPS Kash 190*50 1size
242412-222	Rear shock FOX NUD3 DPS Kash 165*38 1size
242413-222	Rear shock FOX NUD3 DPS 190*50 1size
242414-222	Rear shock FOX NUD3 DPS 165*38 1size
242415-222	Rear shock FOX NUD3 DPS EVOL Kash 200*57 1size
242416-222	Rear shock FOX NUD3 DPS EVOL Kash 190*50 1size
242417-222	Rear shock FOX NUD3 DPS EVOL 200*57 1size
242418-222	Rear shock FOX NUD3 DPS EVOL 190*50 1size
242419-222	Rear shock Xfusion NUDE 190*50 1size
242420-222	Rear shock Xfusion NUDE 200*57 1size
242421-222	Rear shock Xfusion NUDE 165*38 1size
242422-222	Rear shock Genius FOX Float DPS 190*50 1size
242423-222	Rear shock FOX Float DPS 165*38 1size
242424-222	Rear shock FOX Float DPS 200*57 1size
242425-222	Rear shock Spark FOX Float DPS 190*50 1size
242426-222	Rear shock FOX NUD3 DPS EVOL Kash 215 1size
242427-222	Rear shock FOX NUD3 DPS EVOL 215 1size
242428-222	Rear shock FOX Float DPS 215 1size
242429-222	Axle RWS Alu thru 148MM / Ø12MM 1size
242430-222	Axle RWS Alu thru 197MM / Ø12MM 1size
242431-222	Axle RWS Front Road Disc >16 / Ø12MM 1size
242432-222	Axle RWS Alu thru 150MM / Ø12MM 1size
242433-222	Cable fixing set Addict Disc '16 1size
242434-222	Cable fixing set Foil '16 1size
242435-222	Chainguide set Addict CX '16 1size
242436-222	BB Cable guide integ Aspect 900 1size
242437-222	Hub rep kit Syncros Formula CL811 1size
242438-222	Hub rep kit Syncros Formula CL14811 1size
242439-222	Hub rep kit Syncros Formula CL148S 1size
242440-222	Hub rep kit Syncros Formula CT150 1size
242441-222	Hub rep kit Syncros Formula CT197 1size
242442-222	Hub rep kit Syncros Formula Road Team 1size
242443-222	Hub rep kit Syncros Formula Road Comp 1size
242444-222	Hub rep kit Sync Form Road Team Disc QR 1size
242445-222	Hub rep kit Sync Form Road Team Disc Ø12 1size

SPARE PARTS 2016

Article no.	Description
242446-240	E-bike crankset Miranda Delta Boost 17T 170mm
242446-242	E-bike crankset Miranda Delta Boost 17T 175mm
242447-222	E-bike sprocket Miranda Delta Boost 17T 1size
242448-0001222	E-bike integ bat. socket Unisex 2016 black 1size
242449-0001222	E-bike integ bat. socket Sport Tour 2016 black 1size
242450-222	E-bike Bosch Motor Cover 2016 1size
242451-0001048	Tire Schwalbe Rocket Ron EVO 27.5*2.8" black 27.5" Plus
242452-0001045	Tire Schwalbe Jumbo Jim EVO 26*4.8" black 26"
242453-0001048	Tire Schwalbe Nobby Nic EVO 27.5*2.8" black 27.5" Plus
242454-048	Rim tape Scale/Genius/Genius LT + 27.5" Plus
242455-048	Tube Scale/Genius/Genius LT + 27.5" Plus
242456-045	Rim tape Big Ed 26*4.8"/80mm orange
242457-045	Rim tape Big Jon 26*4.8"/80mm green
242458-045	Tube 26 Big Ed 4.8" 26"
242459-0001047	Rim alex Syncros X-40 32H black 27.5"
242460-0001158	Rim Cross X12 32H black 700C
242461-0001158	Rim Cross X3 32H black 700C
242462-0001158	Rim Mach 1 640 black 700C
242463-0001158	Rim Syncros CX disc 28H black 700C
242464-047	Schwalbe Procore set 27.5"
242465-222	Chainsuck protector Foil MY16 1size
242466-222	Gates Belt CDN 122T 1size
242467-222	Gates Belt CDN 118T 1size
242468-222	Gates Sprocket CDN 26T 1size
242469-222	Gates Sprocket CDN 24T 1size
242470-222	Gates Chainring CDX 46T 5B 1size
242471-222	Gates Chainring CDX 50T 5B 1size
242472-240	Crankset RF RXC db 36*22 Big Jon 2016 170mm
242472-242	Crankset RF RXC db 36*22 Big Jon 2016 175mm
242473-222	Bb set Big Jon 2016 Race Face 1size
242474-222	Seatpost Remote Xfusion Hilo 1size
242475-132	Seatpost Xfusion Hilo strate 31.6 125
242476-222	Seatclamp Foil 2016 1size
242477-154	Seatpost Foil Premium 2016 5mm
242477-156	Seatpost Foil Premium 2016 20mm
242478-154	Seatpost Foil Team Issue 2016 5mm
242478-156	Seatpost Foil Team Issue 2016 20mm
242479-154	Seatpost Foil 10 2016 5mm
242479-156	Seatpost Foil 10 2016 20mm
242480-154	Seatpost Foil 20 2016 5mm
242480-156	Seatpost Foil 20 2016 20mm
242481-154	Seatpost Foil 30 2016 5mm
242481-156	Seatpost Foil 30 2016 20mm
242482-053	Seatpost Syncros M3.0 27.2 350mm
242482-057	Seatpost Syncros M3.0 27.2 400mm
242483-222	Fender set Sub speed 10 2016 1size
242484-222	Fender set Sub speed 20 2016 1size
242485-222	Fender set Sub Speed 30 2016 1size
242486-222	Headset Compression kit Plasma 5 1size
242487-222	Headset Spacers kit Foil 2016 1size
242488-222	Headset Compression kit 1" 1/8 1size
242489-222	Headset Compression kit 1" 1/4 1size
242490-222	Saddle Contessa JR 26 2016 1size
242491-222	Saddle Contessa JR 24 2016 1size
242492-222	Saddle Contessa JR 20 2016 1size
242493-222	Saddle Contessa JR 16 2016 1size
242494-222	Saddle Contessa JR 12 2016 1size
242495-222	Saddle Scale JR 26 2016 1size
242496-222	Saddle Scale JR 24/20 2016 1size
242497-222	Saddle Scale JR 24/20 rigid 2016 1size
242498-222	Saddle Scale JR 24 RC 2016 1size
242499-222	Saddle Speedster JR 24 2016 1size
242500-222	Saddle Voltage JR 26 2016 1size

Article no.	Description
242501-222	Saddle Voltage JR 24 2016 1size
242502-222	Saddle Voltage JR 24 Disc 2016 1size
242503-222	Saddle Voltage JR 20 2016 1size
242504-222	Saddle Voltage JR 16 2016 1size
242505-222	Saddle Voltage JR 12 2016 1size
242506-222	Saddle Voltage Walker 2016 1size
242507-222	Saddle Contessa Walker 2016 1size
242514-222	Hub rep kit Syncros Formula CL71 1size
242545-222	Axle Alu Thru 197MM / Ø12MM Big Jon 1size
242546-222	Dropout hanger Ø12MM Big Jon 1size
242573-222	Axle Alu Thru 150mm / Ø15MM Big Jon 1size
242602-0001222	Chainring+Guard E-SUB/MTB 14 Bosch 17T black 1size
242605-222	Rear shock FOX NUD3 DPS EVOL Kash 215*60 1size
242606-222	Rear shock FOX NUD3 DPS EVOL 215*60 1size
242607-222	Rear shock FOX Float DPS 215*60 1size
244750-020	Frameset Addict Gravel disc '16 War.only XS49
244750-021	Frameset Addict Gravel disc '16 War.only S52
244750-022	Frameset Addict Gravel disc '16 War.only M54
244750-023	Frameset Addict Gravel disc '16 War.only L56
244750-024	Frameset Addict Gravel disc '16 War.only XL58
244751-019	Frameset Addict SL HMX-SL 2016 War.only XXS47
244751-020	Frameset Addict SL HMX-SL 2016 War.only XS49
244751-021	Frameset Addict SL HMX-SL 2016 War.only S52
244751-022	Frameset Addict SL HMX-SL 2016 War.only M54
244751-023	Frameset Addict SL HMX-SL 2016 War.only L56
244751-024	Frameset Addict SL HMX-SL 2016 War.only XL58
244751-025	Frameset Addict SL HMX-SL 2016 War.only 2XL61
244752-019	Frameset Addict 10 HMF 2016 War.only XXS47
244752-020	Frameset Addict 10 HMF 2016 War.only XS49
244752-021	Frameset Addict 10 HMF 2016 War.only S52
244752-022	Frameset Addict 10 HMF 2016 War.only M54
244752-023	Frameset Addict 10 HMF 2016 War.only L56
244752-024	Frameset Addict 10 HMF 2016 War.only XL58
244752-025	Frameset Addict 10 HMF 2016 War.only 2XL61
244753-019	Frameset Solace Prem Di2 HMX 16 War.only XXS47
244753-020	Frameset Solace Prem Di2 HMX 16 War.only XS49
244753-021	Frameset Solace Prem Di2 HMX 16 War.only S52
244753-022	Frameset Solace Prem Di2 HMX 16 War.only M54
244753-023	Frameset Solace Prem Di2 HMX 16 War.only L56
244753-024	Frameset Solace Prem Di2 HMX 16 War.only XL58
244753-025	Frameset Solace Prem Di2 HMX 16 War.only 2XL61
244754-019	Frameset Foil 10 Mec/Di2 HMF 16 War.only XXS47
244754-020	Frameset Foil 10 Mec/Di2 HMF 16 War.only XS49
244754-021	Frameset Foil 10 Mec/Di2 HMF 16 War.only S52
244754-022	Frameset Foil 10 Mec/Di2 HMF 16 War.only M54
244754-023	Frameset Foil 10 Mec/Di2 HMF 16 War.only L56
244754-024	Frameset Foil 10 Mec/Di2 HMF 16 War.only XL58
244754-025	Frameset Foil 10 Mec/Di2 HMF 16 War.only 2XL61
244755-222	Dropout hanger Speedster Disc/CX '16 1size
244756-2658158	Rim Sync/DT RP1.5 18H Addict10 f 16 neon yellow 700C
244757-2658158	Rim Sync/DT RP1.5 24H Addict10 r 16 neon yellow 700C
244758-5327158	Rim Sync/DT RP2.0 18H Addict15 f 16 dodger blue 700C
244759-5327158	Rim Sync/DT RP2.0 24H Addict15 r 16 dodger blue 700C
244760-4858158	Rim Sync/DT RP2.0 D 24H Addict20 16 neon red 700C
244761-4858158	Rim Sync/DT RP2.0 18H Addict20 f 16 neon red 700C
244762-4858158	Rim Sync/DT RP2.0 24H Addict20 r 16 neon red 700C
244763-2658158	Rim Sync/DT RP1.0 D 24H Addict CX 16 neon yellow 700C
244764-0327158	Rim Sync/DT RP2.0 D 24H Add Grvl/CX20 16 neon orange 700C
244765-0327158	Rim Sync/DT RP1.0 D 24H Add/Sol Prem 16 neon orange 700C
244766-5328047	Rim Sync/DT TR 2.0 28H Cont Genius 16 ne pi sermon 27.5"
244767-4857047	Rim Sync/DT XR2.0 28H Cont Sc/Sp RC 16 neon blue 27.5"
244768-4857158	Rim Sync/DT RP2.0 18H Cont Solace15 f 16 neon blue 700C

SPARE PARTS 2016

Article no.	Description
244769-4857158	Rim Sync/DT RP2.0 24H Cont Solace15 r 16 neon blue 700C
244770-2658158	Rim Sync/DT RR2.0 20H Foil10 f 16 neon yellow 700C
244771-2658158	Rim Sync/DT RR2.0 24H Foil10 r 16 neon yellow 700C
244772-4858158	Rim Sync/DT RR2.0 20H Foil20 f 16 neon red 700C
244773-4858158	Rim Sync/DT RR2.0 24H Foil20 r 16 neon red 700C
244774-0327047	Rim Sync/DT FR570 32H Gambler 710 16 neon orange 27.5"
244775-2658047	Rim Sync/DT TR1.5 28H Genius700 Prem 16 neon yellow 27.5"
244776-0327047	Rim Sync/DT TR1.5 28H Genius LT/Tnd + 16 neon orange 27.5"
244777-5325047	Rim Sync/DT TR2.0 28H Genius710 16 neon lime 27.5"
244778-4858047	Rim Sync/DT TR2.5 28H Genius720 16 neon red 27.5"
244779-0327049	Rim Sync/DT TR1.0 28H Genius900 Tnd 16 neon orange 29"
244780-5325049	Rim Sync/DT TR2.0 28H Genius910 16 neon lime 29"
244781-4858049	Rim Sync/DT TR2.5 28H Genius920 16 neon red 29"
244782-4858047	Rim Sync/DT AM1.5 28H Genius LT Tnd 16 neon red 27.5"
244783-0327047	Rim Sync/DT XR1.0 28H Scale700 SL 16 neon orange 27.5"
244784-0327049	Rim Sync/DT XR1.0 28H Scale900 SL 16 neon orange 29"
244785-0327047	Rim Sync/DT XR1.5 28H Sc/Sp700 Prem 16 neon orange 27.5"
244786-2658047	Rim Sync/DT XR RC 28H Sc/Sp700 RC 16 neon yellow 27.5"
244787-5326047	Rim Sync/DT XR2.0 28H Sc/Sp710 whi/neon red 27.5"
244788-0350047	Rim Sync/DT XR2.5 28H Sc/Sp720 neon green 27.5"
244789-0327049	Rim Sync/DT XR1.5 28H Sc/Sp900 Prem 16 neon orange 29"
244790-2658049	Rim Sync/DT XR RC 28H Sc/Sp900 RC 16 neon yellow 29"
244791-5326049	Rim Sync/DT XR2.0 28H Sc/Sp910 whi/neon red 29"
244792-0350049	Rim Sync/DT XR2.5 28H Sc/Sp920 neon green 29"
244793-2658158	Rim Sync/DT RP2.0 D 24H Solace10 16 neon yellow 700C
244794-2658158	Rim Sync/DT RP2.0 18H Solace10 f 16 neon yellow 700C
244795-2658158	Rim Sync/DT RP2.0 24H Solace10 r 16 neon yellow 700C
244796-4858047	Rim Sync/DT XR1.0 28H Spark700 Ult 16 neon red 27.5"
244412-0001222	Flip/Flop head MY16 1pc top cap and seal
244413-0001222	Needle set box for FP2.5 MY15
244909-0001222	Complete Flip/Flop head+hose FP3.0 MY16
244910-222	Headset Kit Voltage FR10 only
245450-222	Fd mount clamp Big John 2016
245451-222	Chainsuck protector E-Genius/Plus 16
245452-222	Headset Bearing kit Foil 2016
246375-006	Frame Aspect 660 Disc 2016 Warr. only S
246375-007	Frame Aspect 660 Disc 2016 Warr. only M
246375-008	Frame Aspect 660 Disc 2016 Warr. only L
246375-009	Frame Aspect 660 Disc 2016 Warr. only XL
246376-0001047	Rim alex X-23 disc 32H BK 27.5
246376-0001049	Rim alex X-23 disc 32H BK 29
246378-222	CSP Pre shape E-Genius/E-Genius+ '16
246386-0001222	Brake Voltage-X30 rear warranty
246985-2978045	Fork Zoom 565 Aspect 660 '16 War.only black gloss 26"
246986-2978045	Fork Zoom 565 Aspect 670 '16 War.only black gloss 26"
246987-0135047	Fork Zoom 565 Aspect 760 '16 War.only black matt 27.5"
246988-0135047	Fork Zoom 565 Aspect 770 '16 War.only black matt 27.5"
246989-0135047	Fork Zoom 565 Aspect 765 '16 War.only black matt 27.5"
246990-0135049	Fork Zoom 565 Aspect 960 '16 War.only black matt 29"
246991-0135049	Fork Zoom 565 Aspect 970 '16 War.only black matt 29"
246992-0135045	Fork Zoom 565 Voltage Jr26 '16 War.only black matt 26"
246993-2979045	Fork Zoom 565 Contes. Jr26 '16 War.only white gloss 26"
246994-2978045	Fork Zoom 565 Contes. 650 '16 War.only black gloss 26"
246995-0135047	Fork Zoom 565 Contes. 730 '16 War.only black matt 27.5"
246996-0196047	Fork Zoom 565 Contes. 740 '16 War.only white matt 27.5"
250399-222	Light Front Spanninga Kendo Dynamo Warr
250400-222	Light Rear Spanninga Solo 16 Warranty one size
250401-222	Light Rear Spanninga Plateo 16 Warranty one size
250511-222	Light Front Spanninga Kendo E-bike Warr one size
251927-139	Seatpost Syncros FL1.0 25mm BLK recall

SPARE PARTS 2015

Article no.	Description
239062-006	Front triangle Spark 700 Ultimate 2015 S
239062-007	Front triangle Spark 700 Ultimate 2015 M
239062-008	Front triangle Spark 700 Ultimate 2015 L
239062-009	Front triangle Spark 700 Ultimate 2015 XL
239063-006	Front triangle Spark 700 SL 2015 S
239063-007	Front triangle Spark 700 SL 2015 M
239063-008	Front triangle Spark 700 SL 2015 L
239063-009	Front triangle Spark 700 SL 2015 XL
239064-006	Front triangle Spark 700 Premium 2015 S
239064-007	Front triangle Spark 700 Premium 2015 M
239064-008	Front triangle Spark 700 Premium 2015 L
239064-009	Front triangle Spark 700 Premium 2015 XL
239065-006	Front triangle Spark 700 RC 2015 S
239065-007	Front triangle Spark 700 RC 2015 M
239065-008	Front triangle Spark 700 RC 2015 L
239065-009	Front triangle Spark 700 RC 2015 XL
239066-006	Front triangle Spark 710 2015 S
239066-007	Front triangle Spark 710 2015 M
239066-008	Front triangle Spark 710 2015 L
239066-009	Front triangle Spark 710 2015 XL
239067-006	Front triangle Spark 720 2015 S
239067-007	Front triangle Spark 720 2015 M
239067-008	Front triangle Spark 720 2015 L
239067-009	Front triangle Spark 720 2015 XL
239068-006	Front triangle Spark 730 2015 S
239068-007	Front triangle Spark 730 2015 M
239068-008	Front triangle Spark 730 2015 L
239068-009	Front triangle Spark 730 2015 XL
239069-006	Front triangle Spark 900 SL 2015 S
239069-007	Front triangle Spark 900 SL 2015 M
239069-008	Front triangle Spark 900 SL 2015 L
239069-009	Front triangle Spark 900 SL 2015 XL
239070-006	Front triangle Spark 900 Premium 2015 S
239070-007	Front triangle Spark 900 Premium 2015 M
239070-008	Front triangle Spark 900 Premium 2015 L
239070-009	Front triangle Spark 900 Premium 2015 XL
239071-006	Front triangle Spark 900 RC 2015 S
239071-007	Front triangle Spark 900 RC 2015 M
239071-008	Front triangle Spark 900 RC 2015 L
239071-009	Front triangle Spark 900 RC 2015 XL
239072-006	Front triangle Spark 910 2015 S
239072-007	Front triangle Spark 910 2015 M
239072-008	Front triangle Spark 910 2015 L
239072-009	Front triangle Spark 910 2015 XL
239073-006	Front triangle Spark 920 2015 S
239073-007	Front triangle Spark 920 2015 M
239073-008	Front triangle Spark 920 2015 L
239073-009	Front triangle Spark 920 2015 XL
239074-006	Front triangle Spark 930 2015 S
239074-007	Front triangle Spark 930 2015 M
239074-008	Front triangle Spark 930 2015 L
239074-009	Front triangle Spark 930 2015 XL
239075-006	Front triangle Genius 700 tuned 2015 S
239075-007	Front triangle Genius 700 tuned 2015 M
239075-008	Front triangle Genius 700 tuned 2015 L
239075-009	Front triangle Genius 700 tuned 2015 XL
239076-006	Front triangle Genius 700 Premium 2015 S
239076-007	Front triangle Genius 700 Premium 2015 M
239076-008	Front triangle Genius 700 Premium 2015 L
239076-009	Front triangle Genius 700 Premium 2015 XL
239077-006	Front triangle Genius 710 2015 S
239077-007	Front triangle Genius 710 2015 M
239077-008	Front triangle Genius 710 2015 L

SPARE PARTS 2015

Article no.	Description
239077-009	Front triangle Genius 710 2015 XL
239078-006	Front triangle Genius 720 2015 S
239078-007	Front triangle Genius 720 2015 M
239078-008	Front triangle Genius 720 2015 L
239078-009	Front triangle Genius 720 2015 XL
239079-006	Front triangle Genius 730 2015 S
239079-007	Front triangle Genius 730 2015 M
239079-008	Front triangle Genius 730 2015 L
239079-009	Front triangle Genius 730 2015 XL
239080-006	Front triangle Genius 740 2015 S
239080-007	Front triangle Genius 740 2015 M
239080-008	Front triangle Genius 740 2015 L
239080-009	Front triangle Genius 740 2015 XL
239081-006	Front triangle Genius 900 tuned 2015 S
239081-007	Front triangle Genius 900 tuned 2015 M
239081-008	Front triangle Genius 900 tuned 2015 L
239081-009	Front triangle Genius 900 tuned 2015 XL
239082-006	Front triangle Genius 910 2015 S
239082-007	Front triangle Genius 910 2015 M
239082-008	Front triangle Genius 910 2015 L
239082-009	Front triangle Genius 910 2015 XL
239083-006	Front triangle Genius LT 700 tuned 2015 S
239083-007	Front triangle Genius LT 700 tuned 2015 M
239083-008	Front triangle Genius LT 700 tuned 2015 L
239084-006	Front triangle Genius LT 710 2015 S
239084-007	Front triangle Genius LT 710 2015 M
239084-008	Front triangle Genius LT 710 2015 L
239085-006	Front triangle Genius LT 720 2015 S
239085-007	Front triangle Genius LT 720 2015 M
239085-008	Front triangle Genius LT 720 2015 L
239086-006	Front triangle Gambler 710 2015 S
239086-007	Front triangle Gambler 710 2015 M
239086-008	Front triangle Gambler 710 2015 L
239087-006	Front triangle Gambler 720 2015 S
239087-007	Front triangle Gambler 720 2015 M
239087-008	Front triangle Gambler 720 2015 L
239088-006	Front triangle Gambler 730 2015 S
239088-007	Front triangle Gambler 730 2015 M
239088-008	Front triangle Gambler 730 2015 L
239089-006	Front triangle Voltage FR 710 2015 S
239089-007	Front triangle Voltage FR 710 2015 M
239089-008	Front triangle Voltage FR 710 2015 L
239090-006	Front triangle Voltage FR 720 2015 S
239090-007	Front triangle Voltage FR 720 2015 M
239090-008	Front triangle Voltage FR 720 2015 L
239091-006	Front triangle Voltage FR 730 2015 S
239091-007	Front triangle Voltage FR 730 2015 M
239091-008	Front triangle Voltage FR 730 2015 L
239092-006	Front triangle E-Spark 710 2015 S
239092-007	Front triangle E-Spark 710 2015 M
239092-008	Front triangle E-Spark 710 2015 L
239092-009	Front triangle E-Spark 710 2015 XL
239093-006	Front triangle E-Spark 720 2015 S
239093-007	Front triangle E-Spark 720 2015 M
239093-008	Front triangle E-Spark 720 2015 L
239093-009	Front triangle E-Spark 720 2015 XL
239094-006	Front triangle Contessa Spark 700 RC 15' S
239094-007	Front triangle Contessa Spark 700 RC 15' M
239094-008	Front triangle Contessa Spark 700 RC 15' L
239095-006	Front triangle Contessa Genuis 700 2015 S
239095-007	Front triangle Contessa Genuis 700 2015 M
239095-008	Front triangle Contessa Genuis 700 2015 L
239096-006	Front triangle Contessa Genius 710 2015 S

Article no.	Description
239096-007	Front triangle Contessa Genius 710 2015 M
239096-008	Front triangle Contessa Genius 710 2015 L
239097-006	Front triangle Contessa Spark 700 2015 S
239097-007	Front triangle Contessa Spark 700 2015 M
239097-008	Front triangle Contessa Spark 700 2015 L
239098-222	Chainstay Spark 700 Ultimate 2015 1size
239099-222	Chainstay Spark 700 SL 2015 1size
239100-222	Chainstay Spark 700 Premium 2015 1size
239101-222	Chainstay Spark 700 RC 2015 1size
239102-222	Chainstay Spark 710 2015 1size
239103-222	Chainstay Spark 720 2015 1size
239104-222	Chainstay Spark 730 2015 1size
239105-222	Chainstay Spark 900 Premium 2015 1size
239106-222	Chainstay Spark 900 RC 2015 1size
239107-222	Chainstay Spark 900 SL 2015 1size
239108-222	Chainstay Spark 910 2015 1size
239109-222	Chainstay Spark 920 2015 1size
239110-222	Chainstay Spark 930 2015 1size
239111-222	Chainstay Genius 700 Tuned/Prem 2015 1size
239112-222	Chainstay Genius 700 Premium 2015 1size
239113-222	Chainstay Genius 710/730 2015 1size
239114-222	Chainstay Genius 720 2015 1size
239115-222	Chainstay Genius 730 2015 1size
239116-222	Chainstay Genius 900 Tuned 2015 1size
239117-222	Chainstay Genius 910/930 2015 1size
239119-222	Chainstay Genius 740 2015 1size
239120-222	Chainstay Genius LT 700 Tuned 2015 1size
239121-222	Chainstay Genius LT 710 2015 1size
239122-222	Chainstay Genius LT 720 2015 1size
239123-222	Swingarm Gambler 710 2015 1size
239124-222	Swingarm Gambler 720 2015 1size
239125-222	Swingarm Gambler 730 2015 1size
239126-222	Chainstay Voltage FR 710 2015 1size
239127-222	Chainstay Voltage FR 720 2015 1size
239128-222	Chainstay Voltage FR 730 2015 1size
239129-222	Chainstay E-Spark 710 2015 1size
239130-222	Chainstay E-Spark 720 2015 1size
239131-222	Chainstay Contessa Spark 700 RC 2015 1size
239132-222	Chainstay Contessa Genius 710 2015 1size
239133-222	Chainstay Contessa Spark 700 2015 1size
239134-082	Seatstay Spark 700 Ultim/SL/RC 2015 S/M
239134-083	Seatstay Spark 700 Ultim/SL/RC 2015 L/XL
239135-082	Seatstay Spark 700 SL 2015 S/M
239135-083	Seatstay Spark 700 SL 2015 L/XL
239136-082	Seatstay Spark 700 Premium 2015 S/M
239136-083	Seatstay Spark 700 Premium 2015 L/XL
239137-082	Seatstay Spark 700 RC 2015 S/M
239137-083	Seatstay Spark 700 RC 2015 L/XL
239138-082	Seatstay Spark 710 2015 S/M
239138-083	Seatstay Spark 710 2015 L/XL
239139-082	Seatstay Spark 720 2015 S/M
239139-083	Seatstay Spark 720 2015 L/XL
239140-082	Seatstay Spark 730 2015 S/M
239140-083	Seatstay Spark 730 2015 L/XL
239141-006	Seatstay Spark 900 SL/RC 2015 S
239141-007	Seatstay Spark 900 SL/RC 2015 M
239141-008	Seatstay Spark 900 SL/RC 2015 L
239141-009	Seatstay Spark 900 SL/RC 2015 XL
239142-006	Seatstay Spark 900 Premium 2015 S
239142-007	Seatstay Spark 900 Premium 2015 M
239142-008	Seatstay Spark 900 Premium 2015 L
239142-009	Seatstay Spark 900 Premium 2015 XL
239144-006	Seatstay Spark 910 2015 S

SPARE PARTS 2015

Article no.	Description
239144-007	Seatstay Spark 910 2015 M
239144-008	Seatstay Spark 910 2015 L
239144-009	Seatstay Spark 910 2015 XL
239145-006	Seatstay Spark 920 2015 S
239145-007	Seatstay Spark 920 2015 M
239145-008	Seatstay Spark 920 2015 L
239145-009	Seatstay Spark 920 2015 XL
239146-006	Seatstay Spark 930 2015 S
239146-007	Seatstay Spark 930 2015 M
239146-008	Seatstay Spark 930 2015 L
239146-009	Seatstay Spark 930 2015 XL
239147-082	Seatstay Genius 700 Premium 2015 S/M
239147-083	Seatstay Genius 700 Premium 2015 L/XL
239148-082	Seatstay Genius 710 2015 S/M
239148-083	Seatstay Genius 710 2015 L/XL
239149-082	Seatstay Genius 720 2015 S/M
239149-083	Seatstay Genius 720 2015 L/XL
239150-082	Seatstay Genius 730 2015 S/M
239150-083	Seatstay Genius 730 2015 L/XL
239151-082	Seatstay Genius 740 2015 S/M
239151-083	Seatstay Genius 740 2015 L/XL
239152-082	Seatstay Genius 700 Tuned 2015 S/M
239152-083	Seatstay Genius 700 Tuned 2015 L/XL
239153-006	Seatstay Genius 900 Tuned 2015 S
239153-007	Seatstay Genius 900 Tuned 2015 M
239153-008	Seatstay Genius 900 Tuned 2015 L
239153-009	Seatstay Genius 900 Tuned 2015 XL
239154-006	Seatstay Genius 910 2015 S
239154-007	Seatstay Genius 910 2015 M
239154-008	Seatstay Genius 910 2015 L
239154-009	Seatstay Genius 910 2015 XL
239155-006	Seatstay Genius 930 2015 S
239155-007	Seatstay Genius 930 2015 M
239155-008	Seatstay Genius 930 2015 L
239155-009	Seatstay Genius 930 2015 XL
239156-222	Seatstay Genius LT 700 Tuned 2015 1size
239157-222	Seatstay Genius LT 710 2015 1size
239158-222	Seatstay Genius LT 720 2015 1size
239159-222	Seatstay Voltage FR 710 2015 1size
239160-222	Seatstay Voltage FR 720 2015 1size
239161-222	Seatstay Voltage FR 730 2015 1size
239162-222	Seatstay E-Spark 710 2015 1size
239163-222	Seatstay E-Spark 720 2015 1size
239164-008	Seatstay Contessa Spark 700 RC 2015 L
239164-082	Seatstay Contessa Spark 700 RC 2015 S/M
239165-008	Seatstay Contessa Genius 710 2015 L
239165-082	Seatstay Contessa Genius 710 2015 S/M
239166-008	Seatstay Contessa Spark 700 2015 L
239166-082	Seatstay Contessa Spark 700 2015 S/M
239167-0001222	Linkage bar set Voltage FR MY 2015 black 1size
239168-0001222	Shock mount set Voltage FR 2015 black 1size
239169-222	Rear shock FOX iNude190e2e Kash 1size
239170-222	Twinloc lever FOX iNude 1size
239171-222	Twinloc lever Nude 3 integ clamp 1size
239172-222	Rideloc lever integ clamp 1size
239173-222	Swingarm repair kit Voltage FR 2015 1size
239174-0001222	Axle 12mm 135mm rear Voltage `15 black 1size
239175-222	Dropout hanger DM Gambler`13/Volt FR `15 1size
239176-222	Dropout set nutted Axle (STD135x10) Volt 1size
239177-222	Dropout set Thru Axle Voltage FR 2015 1size
239178-222	Dropouthanger Plasma 4 + 5 1size
239179-222	BB cableguide Set Plasma 4 Di2 + Mechani 1size
239180-222	Cableguide Set Spark Ultimate Di2`15 1size

Article no.	Description
239181-222	BB cableguide Set Plasma 5 Di2 + Mechani 1size
239182-0001006	Brake Cover Plasma 5 front brake black S
239182-0001007	Brake Cover Plasma 5 front brake black M
239182-0001008	Brake Cover Plasma 5 front brake black L
239182-0001009	Brake Cover Plasma 5 front brake black XL
239183-0001222	Brake Cover Plasma 5 rear brake black 1size
239184-0001222	Di2 Spark Ultimate 15' Battery holder black 1size
239185-006	Frame Spark 740 2015 warranty only S
239185-007	Frame Spark 740 2015 warranty only M
239185-008	Frame Spark 740 2015 warranty only L
239185-009	Frame Spark 740 2015 warranty only XL
239186-006	Frame Spark 940 2015 warranty only S
239186-007	Frame Spark 940 2015 warranty only M
239186-008	Frame Spark 940 2015 warranty only L
239186-009	Frame Spark 940 2015 warranty only XL
239187-006	Frame Big ED 2015 S
239187-007	Frame Big ED 2015 M
239187-008	Frame Big ED 2015 L
239187-009	Frame Big ED 2015 XL
239188-222	Frame Voltage YZ 0.1 2015 1size
239189-222	Frame Voltage YZ 0.3 2015 1size
239190-005	Frame Voltage YZ 10 2015 XS
239190-006	Frame Voltage YZ 10 2015 S
239190-007	Frame Voltage YZ 10 2015 M
239190-008	Frame Voltage YZ 10 2015 L
239190-009	Frame Voltage YZ 10 2015 XL
239191-006	Frame Aspect 710 2015 S
239191-007	Frame Aspect 710 2015 M
239191-008	Frame Aspect 710 2015 L
239191-009	Frame Aspect 710 2015 XL
239192-006	Frame Aspect 910 2015 S
239192-007	Frame Aspect 910 2015 M
239192-008	Frame Aspect 910 2015 L
239192-009	Frame Aspect 910 2015 XL
239193-006	Frame Aspect 650 D+V-brake 2015 S
239193-007	Frame Aspect 650 D+V-brake 2015 M
239193-008	Frame Aspect 650 D+V-brake 2015 L
239193-009	Frame Aspect 650 D+V-brake 2015 XL
239194-007	Frame E-Aspect 920 2015 M
239194-008	Frame E-Aspect 920 2015 L
239194-009	Frame E-Aspect 920 2015 XL
239195-006	Frame E-Aspect 710 2015 S
239195-007	Frame E-Aspect 710 2015 M
239195-008	Frame E-Aspect 710 2015 L
239195-009	Frame E-Aspect 710 2015 XL
239196-006	Frame E-Contessa 720 2015 S
239196-007	Frame E-Contessa 720 2015 M
239196-008	Frame E-Contessa 720 2015 L
239197-006	Frame Contessa Scale 710 2015 S
239197-007	Frame Contessa Scale 710 2015 M
239197-008	Frame Contessa Scale 710 2015 L
239198-005	Frame Contessa 610 2015 XS
239198-006	Frame Contessa 610 2015 S
239198-007	Frame Contessa 610 2015 M
239198-008	Frame Contessa 610 2015 L
239199-005	Frame Contessa 640 V-brake 2015 XS
239199-006	Frame Contessa 640 V-brake 2015 S
239199-007	Frame Contessa 640 V-brake 2015 M
239199-008	Frame Contessa 640 V-brake 2015 L
239200-039	Frame Volt X 10 2015 20"
239201-045	Frame Scale JR 26 2015 26"
239202-043	Frame Scale RC JR 24 2015 24"
239203-006	Frame Sportster 10 2015 S

SPARE PARTS 2015

Article no.	Description
239203-007	Frame Sportster 10 2015 M
239203-008	Frame Sportster 10 2015 L
239203-009	Frame Sportster 10 2015 XL
239204-006	Frame Sportster 20 Men 2015 S
239204-007	Frame Sportster 20 Men 2015 M
239204-008	Frame Sportster 20 Men 2015 L
239204-009	Frame Sportster 20 Men 2015 XL
239205-006	Frame Sportster 30 Solution 2015 S
239205-007	Frame Sportster 30 Solution 2015 M
239205-008	Frame Sportster 30 Solution 2015 L
239206-006	Frame Sportster 40 Lady 2015 S
239206-007	Frame Sportster 40 Lady 2015 M
239206-008	Frame Sportster 40 Lady 2015 L
239207-006	Frame SUB EVO 10 2015 S
239207-007	Frame SUB EVO 10 2015 M
239207-008	Frame SUB EVO 10 2015 L
239207-009	Frame SUB EVO 10 2015 XL
239208-006	Frame SUB Sport 10 Men 2015 S
239208-007	Frame SUB Sport 10 Men 2015 M
239208-008	Frame SUB Sport 10 Men 2015 L
239208-009	Frame SUB Sport 10 Men 2015 XL
239209-006	Frame SUB Sport 10 Lady 2015 S
239209-007	Frame SUB Sport 10 Lady 2015 M
239209-008	Frame SUB Sport 10 Lady 2015 L
239210-006	Frame SUB Comfort 10 Men 2015 S
239210-007	Frame SUB Comfort 10 Men 2015 M
239210-008	Frame SUB Comfort 10 Men 2015 L
239210-009	Frame SUB Comfort 10 Men 2015 XL
239211-006	Frame SUB Comfort 10 Lady 2015 S
239211-007	Frame SUB Comfort 10 Lady 2015 M
239211-008	Frame SUB Comfort 10 Lady 2015 L
239212-006	Frame SUB Retro 10 Men 2015 S
239212-007	Frame SUB Retro 10 Men 2015 M
239212-008	Frame SUB Retro 10 Men 2015 L
239212-009	Frame SUB Retro 10 Men 2015 XL
239213-006	Frame SUB Retro 10 Lady 2015 S
239213-007	Frame SUB Retro 10 Lady 2015 M
239213-008	Frame SUB Retro 10 Lady 2015 L
239214-006	Frame OTG 10 2015 S
239214-007	Frame OTG 10 2015 M
239214-008	Frame OTG 10 2015 L
239215-019	Frameset CR1 10 2015 int. BB Warratny on XXS47
239215-020	Frameset CR1 10 2015 int. BB Warratny on XS49
239215-021	Frameset CR1 10 2015 int. BB Warratny on S52
239215-022	Frameset CR1 10 2015 int. BB Warratny on M54
239215-023	Frameset CR1 10 2015 int. BB Warratny on L56
239215-024	Frameset CR1 10 2015 int. BB Warratny on XL58
239215-025	Frameset CR1 10 2015 int. BB Warratny on 2XL61
239216-019	Frameset CR1 30 2015 std. BB Warratny on XXS47
239216-020	Frameset CR1 30 2015 std. BB Warratny on XS49
239216-021	Frameset CR1 30 2015 std. BB Warratny on S52
239216-022	Frameset CR1 30 2015 std. BB Warratny on M54
239216-023	Frameset CR1 30 2015 std. BB Warratny on L56
239216-024	Frameset CR1 30 2015 std. BB Warratny on XL58
239216-025	Frameset CR1 30 2015 std. BB Warratny on 2XL61
239217-019	Frameset Speedster 10 2015 XXS47
239217-020	Frameset Speedster 10 2015 XS49
239217-021	Frameset Speedster 10 2015 S52
239217-022	Frameset Speedster 10 2015 M54
239217-023	Frameset Speedster 10 2015 L56
239217-024	Frameset Speedster 10 2015 XL58
239217-025	Frameset Speedster 10 2015 2XL61
239218-019	Frameset Speedster 20 FB 2015 XXS47

Article no.	Description
239218-020	Frameset Speedster 20 FB 2015 XS49
239218-021	Frameset Speedster 20 FB 2015 S52
239218-022	Frameset Speedster 20 FB 2015 M54
239218-023	Frameset Speedster 20 FB 2015 L56
239218-024	Frameset Speedster 20 FB 2015 XL58
239218-025	Frameset Speedster 20 FB 2015 2XL61
239219-005	Frameset SUB Speed 10 EBB 2015 XS
239219-006	Frameset SUB Speed 10 EBB 2015 S
239219-007	Frameset SUB Speed 10 EBB 2015 M
239219-008	Frameset SUB Speed 10 EBB 2015 L
239219-009	Frameset SUB Speed 10 EBB 2015 XL
239220-005	Frameset SUB Speed 20 2015 XS
239220-006	Frameset SUB Speed 20 2015 S
239220-007	Frameset SUB Speed 20 2015 M
239220-008	Frameset SUB Speed 20 2015 L
239220-009	Frameset SUB Speed 20 2015 XL
239221-014	Frameset Contessa Solace 15 2015 XXS46
239221-015	Frameset Contessa Solace 15 2015 XS48
239221-016	Frameset Contessa Solace 15 2015 S51
239221-017	Frameset Contessa Solace 15 2015 M53
239221-018	Frameset Contessa Solace 15 2015 L55
239222-014	Frameset Contessa Speedster 15 2015 XXS46
239222-015	Frameset Contessa Speedster 15 2015 XS48
239222-016	Frameset Contessa Speedster 15 2015 S51
239222-017	Frameset Contessa Speedster 15 2015 M53
239222-018	Frameset Contessa Speedster 15 2015 L55
239222-019	Frameset Contessa Speedster 15 2015 XXS47
239222-020	Frameset Contessa Speedster 15 2015 XS49
239222-021	Frameset Contessa Speedster 15 2015 S52
239222-022	Frameset Contessa Speedster 15 2015 M54
239222-023	Frameset Contessa Speedster 15 2015 L56
239223-043	Frameset Speedster JR 24 2015 24"
239224-006	Frameset E-SUB Speed SH 2015 S
239224-007	Frameset E-SUB Speed SH 2015 M
239224-008	Frameset E-SUB Speed SH 2015 L
239224-009	Frameset E-SUB Speed SH 2015 XL
239225-006	Frame E-SUB Tour 10 Lady BO 2015 S
239225-007	Frame E-SUB Tour 10 Lady BO 2015 M
239225-008	Frame E-SUB Tour 10 Lady BO 2015 L
239225-009	Frame E-SUB Tour 10 Lady BO 2015 XL
239226-006	Frame E-SUB Sport Solution BO 2015 S
239226-007	Frame E-SUB Sport Solution BO 2015 M
239226-008	Frame E-SUB Sport Solution BO 2015 L
239227-006	Frame E-SUB Sport Men BO 2015 S
239227-007	Frame E-SUB Sport Men BO 2015 M
239227-008	Frame E-SUB Sport Men BO 2015 L
239228-006	Frame E-SUB Tour 10 Unisex BO 2015 S
239228-007	Frame E-SUB Tour 10 Unisex BO 2015 M
239228-008	Frame E-SUB Tour 10 Unisex BO 2015 L
239229-006	Frame E-SUB Tour 20 Lady SH 2015 S
239229-007	Frame E-SUB Tour 20 Lady SH 2015 M
239229-008	Frame E-SUB Tour 20 Lady SH 2015 L
239230-006	Frame E-SUB Tour 20 Men SH 2015 S
239230-007	Frame E-SUB Tour 20 Men SH 2015 M
239230-008	Frame E-SUB Tour 20 Men SH 2015 L
239230-009	Frame E-SUB Tour 20 Men SH 2015 XL
239231-006	Frame E-SUB Tour 20 Unisex SH 2015 S
239231-007	Frame E-SUB Tour 20 Unisex SH 2015 M
239231-008	Frame E-SUB Tour 20 Unisex SH 2015 L
239232-222	Fork Foil Premium 2015 1size
239233-222	Fork Foil Team Issue 2015 1size
239234-222	Fork Foil 10 2015 1size
239235-222	Fork Addict SL 2015 1size

SPARE PARTS 2015

Article no.	Description
239236-222	Fork Addict Team Issue 2015 Di2 1size
239237-222	Fork Addict 10 2015 1size
239238-222	Fork Addict 15 2015 1size
239239-222	Fork Addict 20 2015 1size
239240-222	Fork Addict 30 2015 1size
239241-222	Fork Solace 10 2015 1size
239242-222	Fork Solace 15 Disc 2015 1size
239243-222	Fork Solace 20 2015 1size
239244-222	Fork Solace 30 2015 1size
239245-222	Fork Solace 40 FB 2015 1size
239246-222	Fork CR1 10 2015 1size
239247-222	Fork CR1 20 2015 1size
239248-222	Fork CR1 30 2015 1size
239249-222	Fork Speedster 10 2015 1size
239250-222	Fork Speedster 20 2015 1size
239251-222	Fork Speedster 30 2015 1size
239252-222	Fork Speedster 40 2015 1size
239253-222	Fork Speedster 50 2015 1size
239254-222	Fork Speedster 60 2015 1size
239255-222	Fork Speedster 20 FB 2015 1size
239256-222	Fork Speedster 50 FB 2015 1size
239257-006	Fork Plasma Team Issue 2015 S
239257-007	Fork Plasma Team Issue 2015 M
239257-008	Fork Plasma Team Issue 2015 L
239257-009	Fork Plasma Team Issue 2015 XL
239258-006	Fork Plasma Premium 2015 S
239258-007	Fork Plasma Premium 2015 M
239258-008	Fork Plasma Premium 2015 L
239258-009	Fork Plasma Premium 2015 XL
239259-222	Fork Plasma 10 2015 1size
239260-222	Fork Plasma 20 2015 1size
239261-222	Fork E- SUB Speed 2015 1size
239262-222	Fork Sporster 20 Men 2015 1size
239263-222	Fork SUB Speed 10 2015 1size
239264-222	Fork SUB Speed 20 2015 1size
239265-222	Fork SUB Speed 30 2015 1size
239266-222	Fork SUB Speed 40 2015 1size
239267-222	Fork SUB EVO 10 2015 1size
239268-222	Fork SUB EVO 20 2015 1size
239269-222	Fork SUB EVO 30 2015 1size
239270-222	Fork SUB EVO 40 2015 1size
239271-222	Fork SUB Retro 10 Men 2015 1size
239272-222	Fork SUB Retro 10 Lady 2015 1size
239273-222	Fork OTG 10 2015 1size
239274-222	Fork Contessa Solace 35 2015 1size
239275-222	Fork Contessa Speedster 15 2015 1size
239276-222	Fork Contessa Speedster 25 2015 1size
239277-222	Fork Contessa Speedster 35 2015 1size
239278-222	Fork Contessa Speedster 45 2015 1size
239279-222	Fork Volt X 10 2015 1size
239280-222	Fork Volt X 20 2015 1size
239281-222	Fork Volt X 30 2015 1size
239283-222	Hub front Big Ed 150x15 CL 32H 1size
239284-222	Hub rear Big Ed 190 CL 32H 1size
239285-222	FD mount clamp Big Ed 2015 1size
239286-222	Axle 5mm QR rear Big Ed 2015
239287-0001222	Crankset Big Ed E13 36-22T black 1size
239288-222	BB Cartridge Big Ed E13 41x121mm PF 1size
239289-222	Fenderset Sub Speed 10 2015 1size
239290-222	Fenderset Sub Speed 20 2015 1size
239291-222	Fenderset Sub Speed 30 2015 1size
239292-222	Fenderset Sub Speed 40 2015 1size
239293-222	Saddle Scale RC Junior 2015 1size
239294-222	Saddle Scale JR 20 / 24 2015 1size
239295-222	Saddle Cont. Scale JR 20 / 24 2015 1size

Article no.	Description
239296-222	Saddle Voltage JR 24 2015 1size
239297-222	Saddle Voltage JR 24 Disc 2015 1size
239298-222	Saddle Voltage JR 20 2015 1size
239299-222	Saddle Voltage JR 16 2015 1size
239300-222	Saddle Voltage JR 12 2015 1size
239301-222	Saddle Voltage Walker 2015 1size
239302-222	Saddle Cont. JR 16 2015 1size
239303-222	Saddle Cont. JR 12 2015 1size
239304-222	Saddle Cont. Walker 2015 1size
239305-222	Saddle Speedster JR 24 2015 1size
239306-222	Tire Big Ed Kenda 26x 4.5" 1size
239307-222	Tube Big Ed SV 26x4.5" 1size
239308-222	Rim Tape Big Ed 26x4,5" 1size
239309-0001045	Rim Syncros FAT 26" 32H black 26"
239310-0001045	Rim Syncros MD25 Disc 26 32H black 26"
239311-0001047	Rim Syncros MD25 Disc 27.5 32H black 27.5"
239312-0001047	Rim Syncros SX 37 32H black 27.5"
239313-0001049	Rim Syncros SX 39 32H black 29"
239314-0001158	Rim Mach 1 560 Disc 32H 622 black 700C
239315-152	Seatpost Foil Premium 2015 Omm
239315-153	Seatpost Foil Premium 2015 25mm
239316-152	Seatpost Foil Team Issue 2015 Omm
239316-153	Seatpost Foil Team Issue 2015 25mm
239317-152	Seatpost Foil 10 2015 Omm
239317-153	Seatpost Foil 10 2015 25mm
239318-222	Seatpost Plasma 4 / 5 1size
239319-0001158	Fork Suntour NEX HLO w/ Lockout PM black 700C
239319-0002158	Fork Suntour NEX HLO w/ Lockout PM white 700C
239320-0001158	Fork Suntour NRX D-LO PM black 700C
239320-0002158	Fork Suntour NRX D-LO PM white 700C
239326-222	Hub rep set Big Ed 190 Kun Teng 1size
239402-006	Frame Scale 760 2015 warranty only S
239402-007	Frame Scale 760 2015 warranty only M
239402-008	Frame Scale 760 2015 warranty only L
239402-009	Frame Scale 760 2015 warranty only XL
239403-006	Frame Scale 960 2015 warranty only S
239403-007	Frame Scale 960 2015 warranty only M
239403-008	Frame Scale 960 2015 warranty only L
239403-009	Frame Scale 960 2015 warranty only XL
239526-0001222	Linkage Main Link Gambler 2015 black 1size
239527-0001222	Linkage Floating Link Gambler 2015 black 1size
239528-0001222	Axle 12mm rear Solace Disc '15 black 1size
239529-0001222	Axle 15mm front Solace Disc '15 black 1size
239530-222	Dropout hanger Solace Disc '15< 1size
239531-222	Cableguide set SolDisc'15 mec/Di2 1size
239532-222	Fork bumper Gambler '15 1size
239533-006	Frame Scale Prem. 700 2015 warranty only S
239533-007	Frame Scale Prem. 700 2015 warranty only M
239533-008	Frame Scale Prem. 700 2015 warranty only L
239533-009	Frame Scale Prem. 700 2015 warranty only XL
239534-006	Frame Scale Prem. 900 2015 warranty only S
239534-007	Frame Scale Prem. 900 2015 warranty only M
239534-008	Frame Scale Prem. 900 2015 warranty only L
239534-009	Frame Scale Prem. 900 2015 warranty only XL
239535-006	Frame Contessa Scale 700 RC 2015 warrant S
239535-007	Frame Contessa Scale 700 RC 2015 warrant M
239535-008	Frame Contessa Scale 700 RC 2015 warrant L
239536-019	Frameset Foil Prem Di2 2015 warran. only XXS47
239536-020	Frameset Foil Prem Di2 2015 warran. only XS49
239536-021	Frameset Foil Prem Di2 2015 warran. only S52
239536-022	Frameset Foil Prem Di2 2015 warran. only M54
239536-023	Frameset Foil Prem Di2 2015 warran. only L56
239536-024	Frameset Foil Prem Di2 2015 warran. only XL58
239536-025	Frameset Foil Prem Di2 2015 warran. only 2XL61
239537-019	Frameset Foil 10 HMF 2015 warranty only XXS47

SPARE PARTS 2015

Article no.	Description
239537-020	Frameset Foil 10 HMF 2015 warranty only XS49
239537-021	Frameset Foil 10 HMF 2015 warranty only S52
239537-022	Frameset Foil 10 HMF 2015 warranty only M54
239537-023	Frameset Foil 10 HMF 2015 warranty only L56
239537-024	Frameset Foil 10 HMF 2015 warranty only XL58
239537-025	Frameset Foil 10 HMF 2015 warranty only 2XL61
239538-019	Frameset Solace 15 Disc 2015 warra. only XXS47
239538-020	Frameset Solace 15 Disc 2015 warra. only XS49
239538-021	Frameset Solace 15 Disc 2015 warra. only S52
239538-022	Frameset Solace 15 Disc 2015 warra. only M54
239538-023	Frameset Solace 15 Disc 2015 warra. only L56
239538-024	Frameset Solace 15 Disc 2015 warra. only XL58
239538-025	Frameset Solace 15 Disc 2015 warra. only 2XL61
239539-222	Fork Addict Team Issue 2015 1size
239540-222	Fork Contessa Solace 15 2015 1size
239541-222	Fork Contessa Solace 25 2015 1size
239542-222	Hub rear Volt X Joy Tech 14mm 36H 1size
239543-0002039	Rim Alex C-1000 32H 20" white 20"
239544-222	Seatclamp Plasma 4+5 1size
239545-222	Brake front Plasma 5 2015 TKB136 1size
239546-222	Brake Mount rear PM SolDisc '15 1size
239547-222	CSP Pre Shape E-Spark '15 1size
239548-222	CSP Pre Shape E-Aspect '15 1size
239549-222	Gates belt CDX 122T 1size
239550-222	Gates chain ring CDX 50T 1size
239551-222	Gates sprocket CDX 26T 1size
239552-222	Chainguide DM Genius-LT-Spark '15 1size
239553-222	E-Bike E-sub batterie socket Shimano 1size
239554-222	Chainstay Contessa Genius 700 2015 1size
239555-008	Seatstay Contessa Genius 700 2015 L
239555-082	Seatstay Contessa Genius 700 2015 S/M
239556-006	Frame Scale 910 2015 warranty only S
239556-007	Frame Scale 910 2015 warranty only M
239556-008	Frame Scale 910 2015 warranty only L
239556-009	Frame Scale 910 2015 warranty only XL
239557-006	Frame Scale 710 2015 warranty only S
239557-007	Frame Scale 710 2015 warranty only M
239557-008	Frame Scale 710 2015 warranty only L
239557-009	Frame Scale 710 2015 warranty only XL
240133-0001158	Fork Suntour NCX R-LO PM disc only black 700C
240133-0002158	Fork Suntour NCX R-LO PM disc only white 700C
240134-0001158	Fork Suntour NCX R-LO PM disc+V br. black 700C
240134-0002158	Fork Suntour NCX R-LO PM disc+V br. white 700C
240157-0001047	Rim Syncros AM67 Disc 32H black 27.5"
240158-0001047	Rim Syncros TR67 Disc 32H black 27.5"
240159-0001049	Rim Syncros TR69 Disc 32H black 29"
240312-222	Chainsuck Protector Solace '14< 1size
240476-006	Frame Scale 900 RC 2015 warranty only S
240476-007	Frame Scale 900 RC 2015 warranty only M
240476-008	Frame Scale 900 RC 2015 warranty only L
240476-009	Frame Scale 900 RC 2015 warranty only XL
240477-006	Frame Scale 700 RC 2015 warranty only S
240477-007	Frame Scale 700 RC 2015 warranty only M
240477-008	Frame Scale 700 RC 2015 warranty only L
240477-009	Frame Scale 700 RC 2015 warranty only XL
240478-006	Frame Scale 900 SL 2015 warranty only S
240478-007	Frame Scale 900 SL 2015 warranty only M
240478-008	Frame Scale 900 SL 2015 warranty only L
240478-009	Frame Scale 900 SL 2015 warranty only XL
240479-006	Frame Scale 700 SL 2015 warranty only S
240479-007	Frame Scale 700 SL 2015 warranty only M
240479-008	Frame Scale 700 SL 2015 warranty only L
240479-009	Frame Scale 700 SL 2015 warranty only XL
240537-006	Front triangle Genius 930 2015 S
240537-007	Front triangle Genius 930 2015 M

Article no.	Description
240537-008	Front triangle Genius 930 2015 L
240537-009	Front triangle Genius 930 2015 XL
240538-005	Frameset SUB Speed 40 2015 XS
240538-006	Frameset SUB Speed 40 2015 S
240538-007	Frameset SUB Speed 40 2015 M
240538-008	Frameset SUB Speed 40 2015 L
240538-009	Frameset SUB Speed 40 2015 XL
240605-0001158	Rim Alex/Sync Solace Disc 28H black 700C
240843-0001222	Spoke DT New Aero 296 SP S PAK-20
240844-0001222	Spoke DT Aero Comp 298 SP S PAK-20
240845-0001158	Rim Sync/DT RL1.0 20H Addict SL f 15'
240846-0001158	Rim Sync/DT RL1.0 24H Addict SL r 15'
240847-0001158	Rim Sync/DT RL1.1 20H Addict Tissue f 15'
240848-0001158	Rim Sync/DT RL1.1 24H Addict Tissue r 15'
240849-0001158	Rim Sync/DT RL1.1 20H Add.TissuDi2 f 15'
240850-0001158	Rim Sync/DT RL1.1 24H Add.TissuDi2 r 15'
240851-0001158	Rim Sync/DT RP1.5 18H Addict 10 f 15'
240852-0001158	Rim Sync/DT RP1.5 24H Addict 10 r 15'
240853-0001158	Rim Sync/DT RP2.0 18H Add15Di2/20 f 15'
240854-0001158	Rim Sync/DT RP2.0 24H Add15Di2/20 r 15'
240855-0001158	Rim Sync/DT RP2.0 18H Solace 10 f 15'
240856-0001158	Rim Sync/DT RP2.0 24H Solace 10 r 15'
240857-0001158	Rim Sync/DT RP2.0 18H Solace 20 f 15'
240858-0001158	Rim Sync/DT RP2.0 24H Solace 20 r 15'
240859-0001158	Rim Sync/DT RP2.0 24H Solace 15D 15'
240860-0001158	Rim Sync/DT RP2.0 18H Solcont 15 f 15'
240861-0001158	Rim Sync/DT RP2.0 24H Solcont 15 r 15'
240862-0001158	Rim Sync/DT RR1.0 16H Foil prem f 15'
240863-0001158	Rim Sync/DT RR1.0 24H Foil prem r 15'
240864-0001158	Rim Sync/DT RR1.5 16H Foil T.issue f 15'
240865-0001158	Rim Sync/DT RR1.5 20H Foil T.issue r 15'
240866-0001158	Rim Sync/DT RR2.0 20H Foil 10 f 15'
240867-0001158	Rim Sync/DT RR2.0 24H Foil 10 r 15'
240868-0001047	Rim Sync/DT TR1.0 28H Genius 700Tu 15'
240869-0001049	Rim Sync/DT TR1.0 28H Genius 900Tu 15'
240870-0001047	Rim Sync/DT TR1.5 28H Genius 700 Pr 15'
240871-0001047	Rim Sync/DT TR2.0 28H Genius 710 15'
240872-0001049	Rim Sync/DT TR2.0 28H Genius 910 15'
240873-0001047	Rim Sync/DT TR2.0 28H Gen. 700Con 15'
240874-0001047	Rim Sync/DT XR1.0 28H Spark 700Ulti 15'
240875-0001049	Rim Sync/DT XR1.0 28H Spa/Scal900SL 15'
240876-0001047	Rim Sync/DT XR1.0 28H Spa/Scal700SL 15'
240877-0001047	Rim Sync/DT XR1.5 28H Spa/Scal700Pr 15'
240878-0001049	Rim Sync/DT XR1.5 28H Spa/Scal900Pr 15'
240879-0001047	Rim Sync/DT XR2.0 28H Spa/Scal 710 15'
240880-0001049	Rim Sync/DT XR2.0 28H Spa/Scal 910 15'
240881-0001049	Rim Sync/DT XR2.5 28H Spa/Scal 920 15'
240882-0001047	Rim Sync/DT XR2.5 28H Spa/Scal 720 15'
240883-0001047	Rim Sync/DT XR2.0 28H Spa/ScalConRC 15'
240884-0001047	Rim Sync/DT XR-RC 28H Spa/Scal700RC 15'
240885-0001049	Rim Sync/DT XR-RC 28H Spa/Scal900RC 15'
240886-0001047	Rim Sync/DT AM1.5 28H GeniusLT700Tu 15'
240887-0001047	Rim Sync/DT FR570 32H Gambler 710 15'
240936-0001047	Rim Sync/DT TR2.5 28H Genius 720 15'
240953-0004222	Geometry chip Gambler 2015 red
242120-222	Hub rep set Formula DC-25RQR
242166-222	Hub rep set Formula Team 11s 2015
242572-222	Seatpost Syncros 31.6 warranty
242616-222	Light front Sub Evo int. 2015
242617-222	Light rear Sub Evo int. short 2015
242618-222	Light rear Sub Evo int. long 2015
242619-222	E-bike light front E-Subspeed int. 2015
242620-222	E-bike light rear E-Subspeed int.long 15
244536-222	Fork Suntour XCT fix.bolts recall set
244910-222	Headset Kit Voltage FR10 only

SPARE PARTS 2014

Article no.	Description
235159-006	Front Triangle Spark 900 SL 2014 S
235159-007	Front Triangle Spark 900 SL 2014 M
235159-008	Front Triangle Spark 900 SL 2014 L
235159-009	Front Triangle Spark 900 SL 2014 XL
235160-006	Front Triangle Spark 900 Premium 2014 S
235160-007	Front Triangle Spark 900 Premium 2014 M
235160-008	Front Triangle Spark 900 Premium 2014 L
235160-009	Front Triangle Spark 900 Premium 2014 XL
235161-006	Front Triangle Spark 900 RC 2014 S
235161-007	Front Triangle Spark 900 RC 2014 M
235161-008	Front Triangle Spark 900 RC 2014 L
235161-009	Front Triangle Spark 900 RC 2014 XL
235162-006	Front Triangle Spark 910 2014 S
235162-007	Front Triangle Spark 910 2014 M
235162-008	Front Triangle Spark 910 2014 L
235162-009	Front Triangle Spark 910 2014 XL
235163-006	Front Triangle Spark 920 2014 S
235163-007	Front Triangle Spark 920 2014 M
235163-008	Front Triangle Spark 920 2014 L
235163-009	Front Triangle Spark 920 2014 XL
235164-006	Front Triangle Spark 930 2014 S
235164-007	Front Triangle Spark 930 2014 M
235164-008	Front Triangle Spark 930 2014 L
235164-009	Front Triangle Spark 930 2014 XL
235165-006	Front Triangle Spark 700 SL 2014 S
235165-007	Front Triangle Spark 700 SL 2014 M
235165-008	Front Triangle Spark 700 SL 2014 L
235165-009	Front Triangle Spark 700 SL 2014 XL
235166-006	Front Triangle Spark 700 Premium 2014 S
235166-007	Front Triangle Spark 700 Premium 2014 M
235166-008	Front Triangle Spark 700 Premium 2014 L
235166-009	Front Triangle Spark 700 Premium 2014 XL
235167-006	Front Triangle Spark 700 RC 2014 S
235167-007	Front Triangle Spark 700 RC 2014 M
235167-008	Front Triangle Spark 700 RC 2014 L
235167-009	Front Triangle Spark 700 RC 2014 XL
235168-006	Front Triangle Spark 710 2014 S
235168-007	Front Triangle Spark 710 2014 M
235168-008	Front Triangle Spark 710 2014 L
235168-009	Front Triangle Spark 710 2014 XL
235169-006	Front Triangle Spark 720 2014 S
235169-007	Front Triangle Spark 720 2014 M
235169-008	Front Triangle Spark 720 2014 L
235169-009	Front Triangle Spark 720 2014 XL
235170-006	Front Triangle Spark 730 2014 S
235170-007	Front Triangle Spark 730 2014 M
235170-008	Front Triangle Spark 730 2014 L
235170-009	Front Triangle Spark 730 2014 XL
235171-006	Front Triangle Genius 700 Tuned 2014 S
235171-007	Front Triangle Genius 700 Tuned 2014 M
235171-008	Front Triangle Genius 700 Tuned 2014 L
235171-009	Front Triangle Genius 700 Tuned 2014 XL
235172-006	Front Triangle Genius 700 Premium 2014 S
235172-007	Front Triangle Genius 700 Premium 2014 M
235172-008	Front Triangle Genius 700 Premium 2014 L
235172-009	Front Triangle Genius 700 Premium 2014 XL
235173-006	Front Triangle Genius 710 2014 S
235173-007	Front Triangle Genius 710 2014 M
235173-008	Front Triangle Genius 710 2014 L
235173-009	Front Triangle Genius 710 2014 XL
235174-006	Front Triangle Genius 720 2014 S
235174-007	Front Triangle Genius 720 2014 M
235174-008	Front Triangle Genius 720 2014 L

Article no.	Description
235174-009	Front Triangle Genius 720 2014 XL
235175-006	Front Triangle Genius 740 2014 S
235175-007	Front Triangle Genius 740 2014 M
235175-008	Front Triangle Genius 740 2014 L
235175-009	Front Triangle Genius 740 2014 XL
235176-006	Front Triangle Genius 730 2014 S
235176-007	Front Triangle Genius 730 2014 M
235176-008	Front Triangle Genius 730 2014 L
235176-009	Front Triangle Genius 730 2014 XL
235177-006	Front Triangle Genius 900 Premium 2014 S
235177-007	Front Triangle Genius 900 Premium 2014 M
235177-008	Front Triangle Genius 900 Premium 2014 L
235177-009	Front Triangle Genius 900 Premium 2014 XL
235178-006	Front Triangle Genius 910 2014 S
235178-007	Front Triangle Genius 910 2014 M
235178-008	Front Triangle Genius 910 2014 L
235178-009	Front Triangle Genius 910 2014 XL
235179-006	Front Triangle Genius 920 2014 S
235179-007	Front Triangle Genius 920 2014 M
235179-008	Front Triangle Genius 920 2014 L
235179-009	Front Triangle Genius 920 2014 XL
235180-006	Front Triangle Genius 930 2014 S
235180-007	Front Triangle Genius 930 2014 M
235180-008	Front Triangle Genius 930 2014 L
235180-009	Front Triangle Genius 930 2014 XL
235181-006	Front Triangle Genius LT 700 Tuned 2014 S
235181-007	Front Triangle Genius LT 700 Tuned 2014 M
235181-008	Front Triangle Genius LT 700 Tuned 2014 L
235182-006	Front Triangle Genius LT 710 2014 S
235182-007	Front Triangle Genius LT 710 2014 M
235182-008	Front Triangle Genius LT 710 2014 L
235183-006	Front Triangle Genius LT 720 2014 S
235183-007	Front Triangle Genius LT 720 2014 M
235183-008	Front Triangle Genius LT 720 2014 L
235184-006	Front Triangle Genius 940 2014 S
235184-007	Front Triangle Genius 940 2014 M
235184-008	Front Triangle Genius 940 2014 L
235184-009	Front Triangle Genius 940 2014 XL
235185-006	Front Triangle Gambler 10 2014 S
235185-007	Front Triangle Gambler 10 2014 M
235185-008	Front Triangle Gambler 10 2014 L
235186-006	Front Triangle Gambler 20 2014 S
235186-007	Front Triangle Gambler 20 2014 M
235186-008	Front Triangle Gambler 20 2014 L
235187-006	Front Triangle Gambler 30 2014 S
235187-007	Front Triangle Gambler 30 2014 M
235187-008	Front Triangle Gambler 30 2014 L
235188-006	Front Triangle Voltage FR 10 2014 S
235188-008	Front Triangle Voltage FR 10 2014 L
235189-006	Front Triangle Voltage FR 20 2014 S
235189-008	Front Triangle Voltage FR 20 2014 L
235190-006	Front Triangle E-Spark 710 2014 S
235190-007	Front Triangle E-Spark 710 2014 M
235190-008	Front Triangle E-Spark 710 2014 L
235190-009	Front Triangle E-Spark 710 2014 XL
235191-006	Front Triangle E-Spark 720 2014 S
235191-007	Front Triangle E-Spark 720 2014 M
235191-008	Front Triangle E-Spark 720 2014 L
235191-009	Front Triangle E-Spark 720 2014 XL
235192-006	Front triangle Contessa Spark 700 RC '14 S
235192-007	Front triangle Contessa Spark 700 RC '14 M
235192-008	Front triangle Contessa Spark 700 RC '14 L
235193-006	Front triangle Contessa Spark 700 2014 S

SPARE PARTS 2014

Article no.	Description
235193-007	Front triangle Contessa Spark 700 2014 M
235193-008	Front triangle Contessa Spark 700 2014 L
235194-006	Front triangle Contessa Genius 700 2014 S
235194-007	Front triangle Contessa Genius 700 2014 M
235194-008	Front triangle Contessa Genius 700 2014 L
235195-006	Front triangle Contessa Genius 710 2014 S
235195-007	Front triangle Contessa Genius 710 2014 M
235195-008	Front triangle Contessa Genius 710 2014 L
235196-222	Chainstays Spark 700 SL 2014 1size
235197-222	Chainstays Spark 700 Premium 2014 1size
235198-222	Chainstays Spark 700 RC 2014 1size
235199-222	Chainstays Spark 710 2014 1size
235200-222	Chainstays Spark 720 2014 1size
235201-222	Chainstays Spark 730 2014 1size
235202-222	Chainstays Spark 900 SL 2014 1size
235203-222	Chainstays Spark 900 Premium 2014 1size
235204-222	Chainstays Spark 900 RC 2014 1size
235205-222	Chainstays Spark 910 2014 1size
235206-222	Chainstays Spark 920 2014 1size
235207-222	Chainstays Spark 930 2014 1size
235208-222	Chainstays Genius 700 Tuned 2014 1size
235209-222	Chainstays Genius 700 Premium 2014 1size
235210-222	Chainstays Genius 710 2014 1size
235211-222	Chainstays Genius 720 2014 1size
235212-222	Chainstays Genius 730 2014 1size
235213-222	Chainstays Genius 740 2014 1size
235214-222	Chainstays Genius 900 Premium 2014 1size
235215-222	Chainstays Genius 910 2014 1size
235216-222	Chainstays Genius 920 2014 1size
235217-222	Chainstays Genius 930 2014 1size
235218-222	Chainstays Genius 940 2014 1size
235219-222	Chainstays Genius LT 700 Tuned 2014 1size
235220-222	Chainstays Genius LT 710 2014 1size
235221-222	Chainstays Genius LT 720 2014 1size
235222-222	Swingarm Gambler 10 2014 1size
235223-222	Swingarm Gambler 20 2014 1size
235224-222	Swingarm Gambler 30 2014 1size
235225-222	Chainstays Voltage FR 10 2014 1size
235226-222	Chainstays Voltage FR 20 2014 1size
235227-222	Chainstays E-Spark 710 2014 1size
235228-222	Chainstays E-Spark 720 2014 1size
235229-222	Chainstays Contessa Spark 700 RC 2014 1size
235230-222	Chainstays Contessa Genius 700 2014 1size
235231-222	Chainstays Contessa Genius 710 2014 1size
235232-222	Chainstays Contessa Spark 700 2014 1size
235233-082	Seatstays Spark 700 SL 2014 S/M
235233-083	Seatstays Spark 700 SL 2014 L/XL
235234-082	Seatstays Spark 700 Premium 2014 S/M
235234-083	Seatstays Spark 700 Premium 2014 L/XL
235235-082	Seatstays Spark 700 RC 2014 S/M
235235-083	Seatstays Spark 700 RC 2014 L/XL
235236-082	Seatstays Spark 710 2014 S/M
235236-083	Seatstays Spark 710 2014 L/XL
235237-082	Seatstays Spark 720 2014 S/M
235237-083	Seatstays Spark 720 2014 L/XL
235238-082	Seatstays Spark 730 2014 S/M
235238-083	Seatstays Spark 730 2014 L/XL
235239-006	Seatstays Spark 900 SL 2014 S
235239-007	Seatstays Spark 900 SL 2014 M
235239-008	Seatstays Spark 900 SL 2014 L
235239-009	Seatstays Spark 900 SL 2014 XL
235240-006	Seatstays Spark 900 Premium 2014 S
235240-007	Seatstays Spark 900 Premium 2014 M

Article no.	Description
235240-008	Seatstays Spark 900 Premium 2014 L
235240-009	Seatstays Spark 900 Premium 2014 XL
235241-006	Seatstays Spark 900 RC 2014 S
235241-007	Seatstays Spark 900 RC 2014 M
235241-008	Seatstays Spark 900 RC 2014 L
235241-009	Seatstays Spark 900 RC 2014 XL
235242-006	Seatstays Spark 910 2014 S
235242-007	Seatstays Spark 910 2014 M
235242-008	Seatstays Spark 910 2014 L
235242-009	Seatstays Spark 910 2014 XL
235243-006	Seatstays Spark 920 2014 S
235243-007	Seatstays Spark 920 2014 M
235243-008	Seatstays Spark 920 2014 L
235243-009	Seatstays Spark 920 2014 XL
235244-006	Seatstays Spark 930 2014 S
235244-007	Seatstays Spark 930 2014 M
235244-008	Seatstays Spark 930 2014 L
235244-009	Seatstays Spark 930 2014 XL
235245-082	Seatstays Genius 700 Tuned 2014 S/M
235245-083	Seatstays Genius 700 Tuned 2014 L/XL
235246-082	Seatstays Genius 700 Premium 2014 S/M
235246-083	Seatstays Genius 700 Premium 2014 L/XL
235247-082	Seatstays Genius 710 2014 S/M
235247-083	Seatstays Genius 710 2014 L/XL
235248-082	Seatstays Genius 720 2014 S/M
235248-083	Seatstays Genius 720 2014 L/XL
235249-082	Seatstays Genius 730 2014 S/M
235249-083	Seatstays Genius 730 2014 L/XL
235250-082	Seatstays Genius 740 2014 S/M
235250-083	Seatstays Genius 740 2014 L/XL
235251-082	Seatstays Genius 900 Premium 2014 S/M
235251-083	Seatstays Genius 900 Premium 2014 L/XL
235252-082	Seatstays Genius 910 2014 S/M
235252-083	Seatstays Genius 910 2014 L/XL
235253-082	Seatstays Genius 920 2014 S/M
235253-083	Seatstays Genius 920 2014 L/XL
235254-082	Seatstays Genius 930 2014 S/M
235254-083	Seatstays Genius 930 2014 L/XL
235255-082	Seatstays Genius 940 2014 S/M
235255-083	Seatstays Genius 940 2014 L/XL
235256-222	Seatstays Genius LT 700 Tuned 2014 1size
235257-222	Seatstays Genius LT 710 2014 1size
235258-222	Seatstays Genius LT 720 2014 1size
235259-222	Seatstays Voltage FR 10 2014 1size
235260-222	Seatstays Voltage FR 20 2014 1size
235261-222	Seatstays E-Spark 710 2014 1size
235262-222	Seatstays E-Spark 720 2014 1size
235263-007	Seatstays Contessa Spark 700 RC 2014 M
235263-008	Seatstays Contessa Spark 700 RC 2014 L
235263-082	Seatstays Contessa Spark 700 RC 2014 S/M
235264-008	Seatstays Contessa Genius 700 2014 L
235264-082	Seatstays Contessa Genius 700 2014 S/M
235265-008	Seatstays Contessa Genius 710 2014 L
235265-082	Seatstays Contessa Genius 710 2014 S/M
235266-008	Seatstays Contessa Spark 700 2014 L
235266-082	Seatstays Contessa Spark 700 2014 S/M
235267-082	Linkage bar set Genius 900 2014 S/M
235267-083	Linkage bar set Genius 900 2014 L/XL
235268-008	Linkage bar set Spark 900 2014 L
235268-009	Linkage bar set Spark 900 2014 XL
235268-082	Linkage bar set Spark 900 2014 S/M
235269-008	Linkage bar set Spark 700 2014 L
235269-009	Linkage bar set Spark 700 2014 XL

SPARE PARTS 2014

Article no.	Description
235269-082	Linkage bar set Spark 700 2014 S/M
235270-082	Linkage bar set Genius 700 2014 S/M
235270-083	Linkage bar set Genius 700 2014 L/XL
235271-222	Linkage bar set Genius LT 2014 1size
235272-222	Geometry chip Spark Genius All 14 1size
235273-222	Geometry chip no Fox 14 1size
235276-222	FD-Mount plate Set Spark 700 2014 1size
235277-222	FD-Mount plate Set Genius LT 700 2014 1size
235278-222	FD-Mount plate Set Spark 900 2014 1size
235279-222	Chainguide Scale 700 2014 1size
235280-222	Cableguide Set Solace Mechanic 2014 1size
235281-222	Cableguide Set Solace Di2 2014 1size
235282-222	Cableguide Set Addict Mechanic MY14 1size
235283-222	Cableguide Set Addict Di2 MY14 1size
235284-222	Cableguide Set Genius LT 2014 1size
235285-222	Cableguide BB Scale Carbon 700 2014 1size
235286-222	Dropout hanger Addict Solace 2014 1size
235287-222	Dropout Set IDS 2 142/RWS 12 Dir.Mount 1size
235288-222	Dropout Hanger right IDS 2 142/RWS 12 DM 1size
235289-222	Di2 Int.Bat. hold.27.2 DIS-22 Sol/Add'14 1size
235290-222	Di2 Int.Bat.holder. 31.6 DIS-23 Foil 1size
235291-222	Chainguide Genius LT 2014 single Speed 1size
235292-222	Chainguide Genius LT 2014 double Speed 1size
235295-039	Frameset Volt X 10 2014 20"
235296-222	Frame Voltage YZ 0.1 2014 1size
235297-222	Frame Voltage YZ 0.3 2014 1size
235298-005	Frame Voltage YZ 10 2014 XS
235298-006	Frame Voltage YZ 10 2014 S
235298-007	Frame Voltage YZ 10 2014 M
235298-008	Frame Voltage YZ 10 2014 L
235298-009	Frame Voltage YZ 10 2014 XL
235299-006	Frame Aspect 910 2014 S
235299-007	Frame Aspect 910 2014 M
235299-008	Frame Aspect 910 2014 L
235299-009	Frame Aspect 910 2014 XL
235300-006	Frame Aspect 710 2014 S
235300-007	Frame Aspect 710 2014 M
235300-008	Frame Aspect 710 2014 L
235300-009	Frame Aspect 710 2014 XL
235301-006	Frame Aspect 640 2014 S
235301-007	Frame Aspect 640 2014 M
235301-008	Frame Aspect 640 2014 L
235301-009	Frame Aspect 640 2014 XL
235302-006	Frame Aspect 660 2014 S
235302-007	Frame Aspect 660 2014 M
235302-008	Frame Aspect 660 2014 L
235302-009	Frame Aspect 660 2014 XL
235303-005	Frame Scale 770 2014 XS
235303-006	Frame Scale 770 2014 S
235303-007	Frame Scale 770 2014 M
235303-008	Frame Scale 770 2014 L
235303-009	Frame Scale 770 2014 XL
235303-010	Frame Scale 770 2014 XXL
235304-006	Frame Scale 970 2014 S
235304-007	Frame Scale 970 2014 M
235304-008	Frame Scale 970 2014 L
235304-009	Frame Scale 970 2014 XL
235305-043	Frame Spark Junior 24 2014 24"
235306-043	Frame Scale RC JR 24 2014 24"
235307-043	Frame Speedster JR 24 2014 24"
235308-005	Frame Contessa 610 2014 XS
235308-006	Frame Contessa 610 2014 S
235308-007	Frame Contessa 610 2014 M

Article no.	Description
235308-008	Frame Contessa 610 2014 L
235310-006	Frame Spark 740 2014 S
235310-007	Frame Spark 740 2014 M
235310-008	Frame Spark 740 2014 L
235310-009	Frame Spark 740 2014 XL
235311-006	Frame Spark 940 2014 S
235311-007	Frame Spark 940 2014 M
235311-008	Frame Spark 940 2014 L
235311-009	Frame Spark 940 2014 XL
235312-006	Frame Contessa Scale 700 RC 2014 S
235312-007	Frame Contessa Scale 700 RC 2014 M
235312-008	Frame Contessa Scale 700 RC 2014 L
235313-004	Frameset CR1 10 2014 int BB Warranty Onl XXS
235313-005	Frameset CR1 10 2014 int BB Warranty Onl XS
235313-006	Frameset CR1 10 2014 int BB Warranty Onl S
235313-007	Frameset CR1 10 2014 int BB Warranty Onl M
235313-008	Frameset CR1 10 2014 int BB Warranty Onl L
235313-009	Frameset CR1 10 2014 int BB Warranty Onl XL
235313-010	Frameset CR1 10 2014 int BB Warranty Onl XXL
235313-019	Frameset CR1 10 2014 int BB Warranty Onl XXS47
235313-020	Frameset CR1 10 2014 int BB Warranty Onl XS49
235313-021	Frameset CR1 10 2014 int BB Warranty Onl S52
235313-022	Frameset CR1 10 2014 int BB Warranty Onl M54
235313-023	Frameset CR1 10 2014 int BB Warranty Onl L56
235313-024	Frameset CR1 10 2014 int BB Warranty Onl XL58
235313-025	Frameset CR1 10 2014 int BB Warranty Onl 2XL61
235314-004	Frameset CR1 10 2014 in std BB Warranty XXS
235314-005	Frameset CR1 10 2014 in std BB Warranty XS
235314-006	Frameset CR1 10 2014 in std BB Warranty S
235314-007	Frameset CR1 10 2014 in std BB Warranty M
235314-008	Frameset CR1 10 2014 in std BB Warranty L
235314-009	Frameset CR1 10 2014 in std BB Warranty XL
235314-010	Frameset CR1 10 2014 in std BB Warranty XXL
235314-019	Frameset CR1 10 2014 in std BB Warranty XXS47
235314-020	Frameset CR1 10 2014 in std BB Warranty XS49
235314-021	Frameset CR1 10 2014 in std BB Warranty S52
235314-022	Frameset CR1 10 2014 in std BB Warranty M54
235314-023	Frameset CR1 10 2014 in std BB Warranty L56
235314-024	Frameset CR1 10 2014 in std BB Warranty XL58
235314-025	Frameset CR1 10 2014 in std BB Warranty 2XL61
235315-004	Frameset Speedster 10 2014 XXS
235315-005	Frameset Speedster 10 2014 XS
235315-006	Frameset Speedster 10 2014 S
235315-007	Frameset Speedster 10 2014 M
235315-008	Frameset Speedster 10 2014 L
235315-009	Frameset Speedster 10 2014 XL
235315-010	Frameset Speedster 10 2014 XXL
235315-019	Frameset Speedster 10 2014 XXS47
235315-020	Frameset Speedster 10 2014 XS49
235315-021	Frameset Speedster 10 2014 S52
235315-022	Frameset Speedster 10 2014 M54
235315-023	Frameset Speedster 10 2014 L56
235315-024	Frameset Speedster 10 2014 XL58
235315-025	Frameset Speedster 10 2014 2XL61
235316-004	Frameset Speedster 50 FB 2014 XXS
235316-005	Frameset Speedster 50 FB 2014 XS
235316-006	Frameset Speedster 50 FB 2014 S
235316-007	Frameset Speedster 50 FB 2014 M
235316-008	Frameset Speedster 50 FB 2014 L
235316-009	Frameset Speedster 50 FB 2014 XL
235316-010	Frameset Speedster 50 FB 2014 XXL
235316-019	Frameset Speedster 50 FB 2014 XXS47
235316-020	Frameset Speedster 50 FB 2014 XS49

SPARE PARTS 2014

Article no.	Description
235316-021	Frameset Speedster 50 FB 2014 S52
235316-022	Frameset Speedster 50 FB 2014 M54
235316-023	Frameset Speedster 50 FB 2014 L56
235316-024	Frameset Speedster 50 FB 2014 XL58
235316-025	Frameset Speedster 50 FB 2014 2XL61
235317-005	Frameset Metrix 10 2014 XS
235317-006	Frameset Metrix 10 2014 S
235317-007	Frameset Metrix 10 2014 M
235317-008	Frameset Metrix 10 2014 L
235317-009	Frameset Metrix 10 2014 XL
235318-005	Frameset Metrix 20 Solution 2014 XS
235318-006	Frameset Metrix 20 Solution 2014 S
235318-007	Frameset Metrix 20 Solution 2014 M
235318-008	Frameset Metrix 20 Solution 2014 L
235319-005	Frameset SUB Speed 10 2014 XS
235319-006	Frameset SUB Speed 10 2014 S
235319-007	Frameset SUB Speed 10 2014 M
235319-008	Frameset SUB Speed 10 2014 L
235319-009	Frameset SUB Speed 10 2014 XL
235320-006	Frameset SUB Speed 40 Solution 2014 S
235320-007	Frameset SUB Speed 40 Solution 2014 M
235320-008	Frameset SUB Speed 40 Solution 2014 L
235321-006	Frame E-Aspect 920 2014 S
235321-007	Frame E-Aspect 920 2014 M
235321-008	Frame E-Aspect 920 2014 L
235321-009	Frame E-Aspect 920 2014 XL
235322-006	Frame E-Aspect 710 2014 S
235322-007	Frame E-Aspect 710 2014 M
235322-008	Frame E-Aspect 710 2014 L
235322-009	Frame E-Aspect 710 2014 XL
235323-006	Frame E-SUB Sport Men 2014 S
235323-007	Frame E-SUB Sport Men 2014 M
235323-008	Frame E-SUB Sport Men 2014 L
235323-009	Frame E-SUB Sport Men 2014 XL
235324-006	Frame E- SUB Sport Solution 2014 S
235324-007	Frame E- SUB Sport Solution 2014 M
235324-008	Frame E- SUB Sport Solution 2014 L
235325-006	Frame E-Sub Comfort Unisex 2014 S
235325-007	Frame E-Sub Comfort Unisex 2014 M
235325-008	Frame E-Sub Comfort Unisex 2014 L
235326-006	Frame E-Sub Comfort Solution 2014 S
235326-007	Frame E-Sub Comfort Solution 2014 M
235326-008	Frame E-Sub Comfort Solution 2014 L
235327-006	Frame E-Sub Tour Unisex 2014 S
235327-007	Frame E-Sub Tour Unisex 2014 M
235327-008	Frame E-Sub Tour Unisex 2014 L
235328-006	Frameset SUB EVO 10 Men 2014 S
235328-007	Frameset SUB EVO 10 Men 2014 M
235328-008	Frameset SUB EVO 10 Men 2014 L
235328-009	Frameset SUB EVO 10 Men 2014 XL
235329-006	Frameset SUB EVO 10 Lady 2014 S
235329-007	Frameset SUB EVO 10 Lady 2014 M
235329-008	Frameset SUB EVO 10 Lady 2014 L
235330-006	Frame SUB Comfort 10 Men 2014 S
235330-007	Frame SUB Comfort 10 Men 2014 M
235330-008	Frame SUB Comfort 10 Men 2014 L
235330-009	Frame SUB Comfort 10 Men 2014 XL
235331-006	Frame SUB Comfort 10 Unisex 2014 S
235331-007	Frame SUB Comfort 10 Unisex 2014 M
235331-008	Frame SUB Comfort 10 Unisex 2014 L
235332-006	Frame SUB Comfort 40 Unisex 2014 S
235332-007	Frame SUB Comfort 40 Unisex 2014 M
235332-008	Frame SUB Comfort 40 Unisex 2014 L

Article no.	Description
235333-006	Frame SUB Comfort 40 Men 2014 S
235333-007	Frame SUB Comfort 40 Men 2014 M
235333-008	Frame SUB Comfort 40 Men 2014 L
235333-009	Frame SUB Comfort 40 Men 2014 XL
235334-005	Frameset SUB Speed 20 2014 XS
235334-006	Frameset SUB Speed 20 2014 S
235334-007	Frameset SUB Speed 20 2014 M
235334-008	Frameset SUB Speed 20 2014 L
235334-009	Frameset SUB Speed 20 2014 XL
235335-006	Frame Sportster 10 2014 S
235335-007	Frame Sportster 10 2014 M
235335-008	Frame Sportster 10 2014 L
235335-009	Frame Sportster 10 2014 XL
235335-010	Frame Sportster 10 2014 XXL
235336-006	Frame Sportster 20 Solution 2014 S
235336-007	Frame Sportster 20 Solution 2014 M
235336-008	Frame Sportster 20 Solution 2014 L
235336-009	Frame Sportster 20 Solution 2014 XL
235337-006	Frame Sportster Comfort 10 Men 2014 S
235337-007	Frame Sportster Comfort 10 Men 2014 M
235337-008	Frame Sportster Comfort 10 Men 2014 L
235337-009	Frame Sportster Comfort 10 Men 2014 XL
235337-010	Frame Sportster Comfort 10 Men 2014 XXL
235338-006	Frame Sportster Comfort 10 Lady 2014 S
235338-007	Frame Sportster Comfort 10 Lady 2014 M
235338-008	Frame Sportster Comfort 10 Lady 2014 L
235338-009	Frame Sportster Comfort 10 Lady 2014 XL
235339-004	Frameset Plasma 20 2014 warranty XXS
235339-005	Frameset Plasma 20 2014 warranty XS
235339-006	Frameset Plasma 20 2014 warranty S
235339-007	Frameset Plasma 20 2014 warranty M
235339-008	Frameset Plasma 20 2014 warranty L
235339-019	Frameset Plasma 20 2014 warranty XXS47
235339-020	Frameset Plasma 20 2014 warranty XS49
235339-021	Frameset Plasma 20 2014 warranty S52
235339-022	Frameset Plasma 20 2014 warranty M54
235339-023	Frameset Plasma 20 2014 warranty L56
235340-006	Frame OTG 10 2014 S
235340-007	Frame OTG 10 2014 M
235340-008	Frame OTG 10 2014 L
235341-222	Saddle Contessa Walker 2014 1size
235342-222	Saddle Contessa JR 12 2014 1size
235343-222	Saddle Contessa JR 16 2014 1size
235344-222	Saddle Contessa JR 20 2014 1size
235345-222	Saddle Contessa JR 24 2014 1size
235346-222	Saddle Contessa Scale JR 20 2014 1size
235347-222	Saddle Contessa Scale JR 24 2014 1size
235348-222	Saddle Voltage Walker 2014 1size
235349-222	Saddle Voltage JR 12 2014 1size
235350-222	Saddle Voltage JR 16 2014 1size
235351-222	Saddle Voltage JR 20 2014 1size
235352-222	Saddle Voltage JR 24 2014 color Option 1 1size
235353-222	Saddle Voltage JR 24 2014 color Option 2 1size
235354-222	Saddle Voltage JR 24 Disc 2014 1size
235355-222	Saddle Scale JR 20 2014 1size
235356-222	Saddle Scale JR 24 2014 1size
235357-222	Saddle Scale RC JR 2014 1size
235358-222	Saddle Spark JR 20 / 24 2014 1size
235359-222	Rear shock FOX Nude 3 Kash 200e2e 1size
235360-222	Rear shock FOX Genius Nude 3 Kash 190e2e 1size
235361-222	Rear shock FOX Spark Nude 3 Kash 190e2e 1size
235362-222	Rear shock FOX Nude 3 Kash165e2e 1size
235363-222	Rear shock FOX Nude 3 Kash BV 215e2e 1size

SPARE PARTS 2014

Article no.	Description
235364-222	Rear shock FOX Nude 3 165e2e 1size
235365-222	Rear shock FOX Nude 3 200e2e 1size
235366-222	Rear shock FOX Genius Nude 3 190e2e 1size
235367-222	Rear shock FOX Spark Nude 3 190e2e 1size
235368-222	Rear shock FOX Nude 3 BV 215e2e 1size
235369-222	Rear shock FOX Float 165e2e 1size
235370-222	Rear shock FOX Float 200e2e 1size
235371-222	Rear shock FOX Genius Float 190e2e 1size
235372-222	Rear shock FOX Spark Float 190e2e 1size
235373-222	Rear shock FOX Float 215e2e 1size
235374-222	Rear shock X-Fusion O2 RL Air 190e2e 1size
235375-222	Rear shock X-Fusion O2 RL Air 165e2e 1size
235376-222	Fork Foil Premium 2014 1size
235377-222	Fork Foil Team Issue 2014 1size
235378-222	Fork Foil 15 2014 1size
235379-222	Fork Foil 10 2014 1size
235380-222	Fork Foil 20 2014 1size
235381-222	Fork Addict SL 2014 1size
235382-222	Fork Addict Team Issue 2014 1size
235383-222	Fork Addict 10 2014 1size
235384-222	Fork Solace Premium 2014 1size
235385-222	Fork Solace 10 2014 1size
235386-222	Fork Solace 20 2014 1size
235387-222	Fork Solace 30 2014 1size
235388-222	Fork CR1 10 2014 1size
235389-222	Fork CR1 20 2014 1size
235390-222	Fork CR1 30 2014 1size
235391-222	Fork Speedster 10 2014 1size
235392-222	Fork Speedster 20 2014 1size
235393-222	Fork Speedster 30 2014 1size
235394-222	Fork Speedster 40 2014 1size
235395-222	Fork Speedster 50 2014 1size
235396-222	Fork Speedster FB 50 2014 1size
235397-222	Fork Speedster 60 2014 1size
235398-222	Fork Metrix 10 2014 1size
235399-222	Fork Metrix 20 2014 1size
235400-222	Fork Metrix 30 2014 1size
235401-222	Fork Metrix 40 2014 1size
235402-222	Fork Metrix 40 Solution 2014 1size
235403-006	Fork Plasma Premium 2014 S
235403-007	Fork Plasma Premium 2014 M
235403-008	Fork Plasma Premium 2014 L
235404-006	Fork Plasma 10 2014 S
235404-007	Fork Plasma 10 2014 M
235404-008	Fork Plasma 10 2014 L
235405-222	Fork Plasma 20 2014 1size
235406-222	Fork Plasma 30 2014 1size
235407-222	Fork Sportster Comfort 20 Men 2014 1size
235408-222	Fork Sportster Comfort 20 Lady 2014 1size
235409-222	Fork SUB 10 2014 1size
235410-222	Fork SUB 20 2014 1size
235411-222	Fork SUB 30 2014 1size
235412-222	Fork SUB 40 Men 2014 1size
235413-222	Fork SUB 40 Solution 2014 1size
235414-222	Fork SUB Evo 10 Men 2014 1size
235415-222	Fork SUB Evo 10 Lady 2014 1size
235416-222	Fork OTG 10 2014 1size
235417-222	Fork Solace Contessa 15 2014 1size
235418-222	Fork Solace Contessa 25 2014 1size
235419-222	Fork Solace 35 Contessa 2014 1size
235420-222	Fork CR1 Contessa 2014 1size
235421-222	Fork Speedster 15 Contessa 2014 1size
235422-222	Fork Speedster 25 Contessa 2014 1size
235423-222	Fork Speedster 35 Contessa 2014 1size
235424-222	Fork Speedster 45 Contessa 2014 1size

Article no.	Description
235425-222	Fork Volt X 10 2014 1size
235426-222	Fork Volt X 20 2014 1size
235427-222	Fork Volt X 30 2014 1size
235428-222	Headset Rit. WCS Addict/Solace MY14 1size
235429-0001222	Seatclamp 30.2mm bolt Addict MY14 black 1size
235430-0001222	Seatclamp 31.2mm bolt Solace black 1size
235431-222	Antichainsuck Plate Addict MY14 1size
235432-0001047	Rim Syncros X 37 Eyelets 32H black 27.5"
235433-0001049	Rim Syncros X 39 Eyelets 32H black 29"
235434-0001047	Rim Syncros X 67 Eyelets 32H black 27.5"
235435-0001049	Rim Syncros X 69 Eyelets 32H black 29"
235436-0001047	Rim Syncros XC 67 Disc 32H black 27.5"
235437-0001045	Rim Syncros FR 32 Disc 32H black 26"
235438-0001158	Rim Syncros Race 27 20H black 700C
235439-0001158	Rim Syncros Race 27 24H black 700C
235440-0002158	Rim Syncros Race 27 20H white 700C
235441-0002158	Rim Syncros Race 27 24H white 700C
235442-0001047	Rim Syncros XC 55 Disc Eyelets 32H black 27.5"
235443-0001045	Rim Syncros FR 30 Disc 32H black 26"
235444-0001045	Rim Syncros X 36 Disc 32H black 26"
235445-0001043	Rim Alex DM 22 32H black 24"
235446-0001158	Rim Alex AT 490 CNC 32H black 700C
235447-0001158	Rim Alex ATD 490 Disc 32H black 700C
235448-0001158	Rim Cross X2 19 Eyelets 32H black 700C
235449-0001158	Rim Cross X2 21 Eyelets 36H black 700C
235450-152	Seatpost Foil Premium 2014 Omm
235450-153	Seatpost Foil Premium 2014 25mm
235451-152	Seatpost Foil Team Issue'14 Omm
235451-153	Seatpost Foil Team Issue'14 25mm
235452-152	Seatpost Foil 15 2014 Omm
235452-153	Seatpost Foil 15 2014 25mm
235453-152	Seatpost Foil 20 2014 Omm
235453-153	Seatpost Foil 20 2014 25mm
235454-0001049	Fork Suntour XCR LO R 100mm Disc black 29"
235455-0001047	Fork Suntour XCR RL R 100mm Disc black 27.5"
235455-0001049	Fork Suntour XCR RL R 100mm Disc black 29"
235455-0002047	Fork Suntour XCR RL R 100mm Disc white 27.5"
235456-0001045	Fork Suntour XCM HLO 100mm Disc black 26"
235457-0001045	Fork Suntour XCT MLO 100mm V Brake black 26"
235458-0001047	Fork Suntour XCR LO 100mm Disc black 27.5"
235458-0002047	Fork Suntour XCR LO 100mm Disc white 27.5"
235459-0001158	Fork Suntour NCX D RL 63mm Disc black 700C
235460-0001158	Fork Suntour NCX D LO 63mm Disc black 700C
235461-0001158	Fork Suntour SF7 CR 8R Roler Brake black 700C
235462-0002045	Fork Suntour XCT 100mm V Brake white 26"
235463-0001222	E-Spark Battery Socket black 1size
235466-005	Frame Contessa 640 2014 XS
235466-006	Frame Contessa 640 2014 S
235466-007	Frame Contessa 640 2014 M
235466-008	Frame Contessa 640 2014 L
235503-006	Frame E-Sub Tour Men 2014 S
235503-007	Frame E-Sub Tour Men 2014 M
235503-008	Frame E-Sub Tour Men 2014 L
235503-009	Frame E-Sub Tour Men 2014 XL
235504-005	Frame E-Sub Tour Lady 2014 XS
235504-006	Frame E-Sub Tour Lady 2014 S
235504-007	Frame E-Sub Tour Lady 2014 M
235504-008	Frame E-Sub Tour Lady 2014 L
235505-222	Fork Metrix 20 Solution 2014 1size
235571-006	Frame Contessa 710 2014 S
235571-007	Frame Contessa 710 2014 M
235571-008	Frame Contessa 710 2014 L
235572-006	Frame Scale Contessa 700 S
235572-007	Frame Scale Contessa 700 M
235572-008	Frame Scale Contessa 700 L

SPARE PARTS 2014

Article no.	Description
235573-222	Headset FSA TH 42 B Cup 1size
235596-008	Linkage bar set E-Spark 700 2014 L
235596-082	Linkage bar set E-Spark 700 2014 S/M
235710-222	Shock Mount/Bush.set Spark Genius/LT 14> 1size
235740-0001222	Chainguard Curana E-Bike Bosch 2014 black 1size
235942-014	Frameset Contessa Solace 15 2014 XXS46
235942-015	Frameset Contessa Solace 15 2014 XS48
235942-016	Frameset Contessa Solace 15 2014 S51
235942-017	Frameset Contessa Solace 15 2014 M53
235942-018	Frameset Contessa Solace 15 2014 L55
235943-019	Frameset Contessa CR1 2014 XXS47
235943-020	Frameset Contessa CR1 2014 XS49
235943-021	Frameset Contessa CR1 2014 S52
235943-022	Frameset Contessa CR1 2014 M54
235943-023	Frameset Contessa CR1 2014 L56
235944-019	Frameset Contessa Speedster 15 2014 XXS47
235944-020	Frameset Contessa Speedster 15 2014 XS49
235944-021	Frameset Contessa Speedster 15 2014 S52
235944-022	Frameset Contessa Speedster 15 2014 M54
235944-023	Frameset Contessa Speedster 15 2014 L56
236130-0002043	Fork Suntour XCR LO Air 65mm PM/Vbrake white 24"
236153-222	Axle RWS 10 Alu thru 142MM / Ø12MM 1size
236350-222	Headset Ritchey LoZero tapered F/11/8 1size
236892-0001043	Rim Alex/Sync Race Jr 28 20H black 24"
236893-0001043	Rim Alex/Sync Race Jr 28 24H black 24"
236950-006	Frame Scale 910 2014 warranty S
236950-007	Frame Scale 910 2014 warranty M
236950-008	Frame Scale 910 2014 warranty L
236950-009	Frame Scale 910 2014 warranty XL
237313-222	Rock guard Genius LT 2014' 1size
237314-152	Seatpost Foil 10 2014 0mm
237314-153	Seatpost Foil 10 2014 25mm
237435-222	Fork Addict 20 2014
237436-0001222	Crankset Voltage 0.1-2 / BMX 73/170 25T
237437-222	Bb set BMX mid BB-16M
237438-222	Bb set Voltage mid BB-18H 19mm axle
237510-0001222	Crankset E-SUB / MTB 2014 175
237511-000122	Crankset E-SUB / MTB 2014 170
237512-000122	Chainring/ Guard E-SUB/ MTB 14 Bosch 16T
237513-000122	Chainring/ Guard E-SUB/ MTB 14 Bosch 20T
237514-000122	Carrier E-SUB Lady 2014 warr. only
237515-000122	Carrier SUB 2014 warranty only
237519-0001222	Pedal Wellgo C-127-DU
237680-0001047	Rim Sync/DT AM1.5 28H GenLT700TunF 14
237681-0001047	Rim Sync/DT AM1.5 28H GenLT700TunR 14
237682-0001158	Rim Sync/DT RL1.0 20H Addict SL F 14
237683-0001158	Rim Sync/DT RL1.0 24H Addict SL R 14
237684-0001158	Rim Sync/DT RL1.1 20H Sol.prem. F 14
237685-0001158	Rim Sync/DT RL1.1 24H Sol.prem. R 14
237686-0001158	Rim Sync/DT RL1.1 20H Addict T.Issue F 14
237687-0001158	Rim Sync/DT RL1.1 24H Addict T.Issue R 14
237688-0001158	Rim Sync/DT RP1.5 18H Addict 10 F 14
237689-0001158	Rim Sync/DT RP1.5 24H Addict 10 R 14
237690-0001158	Rim Sync/DT RP2.0 18H Solace 10 F 14
237691-0001158	Rim Sync/DT RP2.0 18H Solace 20 F 14
237692-0001158	Rim Sync/DT RP2.0 18H Solace cont. F 14
237693-0001158	Rim Sync/DT RP2.0 24H Solace 10 R 14
237694-0001158	Rim Sync/DT RP2.0 24H Solace 20 R 14
237695-0001158	Rim Sync/DT RP2.0 24H Solace cont. R 14
237696-0001158	Rim Sync/DT RR1.0 16H Foil premium F 14
237697-0001158	Rim Sync/DT RR1.0 24H Foil premium R 14
237698-0001158	Rim Sync/DT RR1.5 16H Foil T.Issue F 14
237699-0001158	Rim Sync/DT RR1.5 20H Foil T.Issue R 14
237700-0001158	Rim Sync/DT RR2.0 20H Foil 10 F 14
237701-0001158	Rim Sync/DT RR2.0 20H Foil 15 F 14

Article no.	Description
237702-0001158	Rim Sync/DT RR2.0 24H Foil 10 R 14
237703-0001158	Rim Sync/DT RR2.0 24H Foil 15 R 14
237704-0001047	Rim Sync/DT TR1.0 28H Genius700TunF14
237705-0001047	Rim Sync/DT TR1.0 28H Genius700TunR14
237706-0001047	Rim Sync/DT TR1.5 28H Genius700Prem 14
237707-0001049	Rim Sync/DT TR1.5 28H Genius900Prem 14
237708-0001047	Rim Sync/DT TR2.0 28H Genius 710 14
237709-0001049	Rim Sync/DT TR2.0 28H Genius 910 14
237710-0001047	Rim Sync/DT TR2.0 28H Gen.Cont.700 14
237711-0001049	Rim Sync/DT XR1.0 28H Spa/Scal900SL 14
237712-0001047	Rim Sync/DT XR1.0 28H Spa/Scal700SL 14
237713-0001047	Rim Sync/DT XR1.5 28H Spa/Scal700Pr 14
237714-0001049	Rim Sync/DT XR1.5 28H Spa/Scal900Pr 14
237715-0001047	Rim Sync/DT XR2.0 28H Spa/Scal 710 14
237716-0001049	Rim Sync/DT XR2.0 28H Spa/Scal 910 14
237717-0001047	Rim Sync/DT XR2.0 28H Spa/ScalConRC 14
237718-0001047	Rim Sync/DT XR-RC 28H Spa/Scal700RC 14
237719-0001049	Rim Sync/DT XR-RC 28H Spa/Scal900RC 14
237720-0001222	Spoke DT Aero Comp 260 T-H S PAK-20
237721-0001222	Spoke DT Aero Comp 262 T-H S PAK-20
237722-0001222	Spoke DT Aero Comp 276 T-H S PAK-20
237723-0001222	Spoke DT Aero Comp 278 T-H S PAK-20
237724-0001222	Spoke DT Aero Comp 283 SP S PAK-20
237725-0001222	Spoke DT Aero Comp 284 SP S PAK-20
237726-0001222	Spoke DT Aero Comp 285 SP S PAK-20
237727-0001222	Spoke DT Aero Comp 286 SP S PAK-20
237728-0001222	Spoke DT Aero Comp 287 SP S PAK-20
237729-0001222	Spoke DT Aero Comp 303 SP S PAK-20
237730-0001222	Spoke DT Aero Comp 304 SP S PAK-20
237731-0001222	Spoke DT Aero Comp 305 SP S PAK-20
237732-0001222	Spoke DT Aero Comp 306 SP S PAK-20
237733-0001222	Spoke DT Aerolite 279 T-H S PAK-20
237734-0001222	Spoke DT Aerolite 283 T-H S PAK-20
237735-0001222	Spoke DT Aerolite 286 T-H S PAK-20
237736-0001222	Spoke DT Aerolite 288 T-H S PAK-20
237737-0001222	Spoke DT New Aero 256 T-H S PAK-20
237738-0001222	Spoke DT New Aero 272 T-H S PAK-20
237739-0001222	Spoke DT New Aero 276 T-H S PAK-20
237740-0001222	Spoke DT New Aero 282 T-H S PAK-20
237831-0001222	Crankset SRAM XX QF166 170 Spark S
237832-0001222	Crankset SRAM XX QF166 175 Spark M-L-XL
238113-0001222	Crankset SRAM XX QF156 170 Spark S
238114-0001222	Crankset SRAM XX QF156 175 Spark M-L-XL
238133-222	QR washer Set Suntour NEX Recall
238134-0001222	NCX Fork Lower Set 2014 Recall Black
238134-0002222	NCX Fork Lower Set 2014 Recall White
239048-019	Frameset Plasma 2 SE 2014 warranty only 47
239048-020	Frameset Plasma 2 SE 2014 warranty only 49
239048-021	Frameset Plasma 2 SE 2014 warranty only 52
239048-022	Frameset Plasma 2 SE 2014 warranty only 54
239048-023	Frameset Plasma 2 SE 2014 warranty only 56
239049-222	Fender Set Curana Sub Evo' 14-> Warranty
239372-222	Gabel Speedster 30/35 2014 Recall 1size
239373-222	Gabel Speedster 40/45 2014 Recall 1size
239374-222	Gabel Speedster 25 Contessa 2014 Recall 1size
239375-222	Gabel Speedster 35 Contessa 2014 Recall 1size
239714-0001222	NCX Fork Lower Set 2014 30mm Recall black 1size
239714-0002222	NCX Fork Lower Set 2014 30mm Recall white 1size
240054-0001158	Tire for Speedster fork 23mm Recall black 700C
240136-222	NCX Fork bottom case parts kit Recall 1size
240312-222	Chainsuck Protector Solace '14<

SPARE PARTS 2013

Article no.	Description
229499-0001222	Fork SF13-NEX-HLO 700C black 1size
229499-0002222	Fork SF13-NEX-HLO 700C white 1size
229500-222	Fork Sportster V10 2013 1size
229501-222	Fork Speedster S10 2013 1size
229502-222	Fork Speedster S20 2013 1size
229503-222	Fork Speedster S30 2013 1size
229504-222	Fork Speedster S40 2013 1size
229505-222	Fork Speedster S50 2013 1size
229506-222	Fork Speedster S60 2013 1size
229507-222	Fork Metrix 10 2013 1size
229508-222	Fork Metrix 20 2013 1size
229509-222	Fork Metrix 30 2013 1size
229510-222	Fork Metrix 40 2013 1size
229511-222	Fork OTG 10 2013 1size
229512-222	Fork CR1 Premium 2013 1size
229513-222	Fork CR 1 Comp 2013 1size
229514-222	Fork CR 1 Team 2013 1size
229515-222	Fork CR 1 Elite 2013 1size
229516-222	Fork CR 1 Pro 2013 1size
229517-222	Fork Contessa Foil 2013 1size
229518-222	Fork Contessa CR1 Team 2013 1size
229519-222	Fork Contessa CR1 Comp 2013 1size
229520-222	Fork Contessa Speedster S15 2013 1size
229521-222	Fork Contessa Speedster S25 2013 1size
229522-222	Fork Contessa Speedster S35 2013 1size
229523-222	Fork Contessa Speedster S45 2013 1size
229524-222	Fork Foil Premium 2013 1size
229525-222	Fork Foil Team Issue 2013 1size
229526-222	Fork Foil 10 2013 1size
229527-222	Fork Foil 15 2013 1size
229528-222	Fork Foil 20 2013 1size
229529-222	Fork Foil 30 2013 1size
229530-222	Fork Foil 40 2013 1size
229531-006	Fork Plasma TT 2013 S
229531-007	Fork Plasma TT 2013 M
229531-008	Fork Plasma TT 2013 L
229532-006	Fork Plasma Premium 2013 S
229532-007	Fork Plasma Premium 2013 M
229532-008	Fork Plasma Premium 2013 L
229533-222	Fork Plasma 10 2013 1size
229534-222	Fork Plasma 20 2013 1size
229535-222	Fork Plasma 30 2013 1size
229536-222	Fork Addict CX 2013 1size
229537-222	Fork CX Team 2013 1size
229538-222	Fork CX Comp 2013 1size
229539-222	Fork Volt-X 10 2013 1size
229540-222	Fork Volt-X 20 2013 1size
229541-222	Fork Volt-X 30 2013 1size
229542-222	Fork SF13-NCX-D-RL-SCT 700C 1size
229543-222	Fork SR Suntour XCT-JR-MLO 24 / 50 mm 1size
229544-222	Fork SR Suntour XCT-JR-MLO 20 / 40 mm 1size
229545-222	Fork Sub 10 2013 1size
229546-222	Fork Sub 20 2013 1size
229547-222	Fork Sub 30 2013 1size
229548-222	Fork Sub 40 2013 1size
229549-222	Fork SUB 40 Solution 2013 1size
229550-006	Front Triangle Gambler 10 2013 S
229550-007	Front Triangle Gambler 10 2013 M
229550-008	Front Triangle Gambler 10 2013 L
229551-006	Front Triangle Gambler 20 2013 S
229551-007	Front Triangle Gambler 20 2013 M
229551-008	Front Triangle Gambler 20 2013 L
229552-006	Front Triangle Gambler 30 2013 S

Article no.	Description
229552-007	Front Triangle Gambler 30 2013 M
229552-008	Front Triangle Gambler 30 2013 L
229553-006	Front Triangle Genius LT 10 2013 S
229553-007	Front Triangle Genius LT 10 2013 M
229553-008	Front Triangle Genius LT 10 2013 L
229554-006	Front Triangle Genius LT 20 2013 S
229554-007	Front Triangle Genius LT 20 2013 M
229554-008	Front Triangle Genius LT 20 2013 L
229555-006	Front Triangle Genius LT 30 2013 S
229555-007	Front Triangle Genius LT 30 2013 M
229555-008	Front Triangle Genius LT 30 2013 L
229556-006	Front Triangle Genius 700 SL 2013 S
229556-007	Front Triangle Genius 700 SL 2013 M
229556-008	Front Triangle Genius 700 SL 2013 L
229556-009	Front Triangle Genius 700 SL 2013 XL
229557-006	Front Triangle Genius 710 2013 S
229557-007	Front Triangle Genius 710 2013 M
229557-008	Front Triangle Genius 710 2013 L
229557-009	Front Triangle Genius 710 2013 XL
229558-006	Front Triangle Genius 720 2013 S
229558-007	Front Triangle Genius 720 2013 M
229558-008	Front Triangle Genius 720 2013 L
229558-009	Front Triangle Genius 720 2013 XL
229559-006	Front Triangle Genius 730 2013 S
229559-007	Front Triangle Genius 730 2013 M
229559-008	Front Triangle Genius 730 2013 L
229559-009	Front Triangle Genius 730 2013 XL
229560-006	Front Triangle Genius 740 2013 S
229560-007	Front Triangle Genius 740 2013 M
229560-008	Front Triangle Genius 740 2013 L
229560-009	Front Triangle Genius 740 2013 XL
229561-006	Front Triangle Genius 900 SL 2013 S
229561-007	Front Triangle Genius 900 SL 2013 M
229561-008	Front Triangle Genius 900 SL 2013 L
229561-009	Front Triangle Genius 900 SL 2013 XL
229562-006	Front Triangle Genius 910 2013 S
229562-007	Front Triangle Genius 910 2013 M
229562-008	Front Triangle Genius 910 2013 L
229562-009	Front Triangle Genius 910 2013 XL
229563-006	Front Triangle Genius 920 2013 S
229563-007	Front Triangle Genius 920 2013 M
229563-008	Front Triangle Genius 920 2013 L
229563-009	Front Triangle Genius 920 2013 XL
229564-006	Front Triangle Genius 930 2013 S
229564-007	Front Triangle Genius 930 2013 M
229564-008	Front Triangle Genius 930 2013 L
229564-009	Front Triangle Genius 930 2013 XL
229565-006	Front Triangle Genius 940 2013 S
229565-007	Front Triangle Genius 940 2013 M
229565-008	Front Triangle Genius 940 2013 L
229565-009	Front Triangle Genius 940 2013 XL
229566-006	Front Triangle Spark Premium 2013 S
229566-007	Front Triangle Spark Premium 2013 M
229566-008	Front Triangle Spark Premium 2013 L
229566-009	Front Triangle Spark Premium 2013 XL
229567-006	Front Triangle Spark RC 2013 S
229567-007	Front Triangle Spark RC 2013 M
229567-008	Front Triangle Spark RC 2013 L
229567-009	Front Triangle Spark RC 2013 XL
229568-006	Front Triangle Spark 610 2013 S
229568-007	Front Triangle Spark 610 2013 M
229568-008	Front Triangle Spark 610 2013 L
229568-009	Front Triangle Spark 610 2013 XL

SPARE PARTS 2013

Article no.	Description
229569-006	Front Triangle Spark 620 2013 S
229569-007	Front Triangle Spark 620 2013 M
229569-008	Front Triangle Spark 620 2013 L
229569-009	Front Triangle Spark 620 2013 XL
229570-006	Front Triangle Spark 30 2013 S
229570-007	Front Triangle Spark 30 2013 M
229570-008	Front Triangle Spark 30 2013 L
229570-009	Front Triangle Spark 30 2013 XL
229571-006	Front Triangle Spark 900 SL 2013 S
229571-007	Front Triangle Spark 900 SL 2013 M
229571-008	Front Triangle Spark 900 SL 2013 L
229571-009	Front Triangle Spark 900 SL 2013 XL
229572-006	Front Triangle Spark 900 Premium 2013 S
229572-007	Front Triangle Spark 900 Premium 2013 M
229572-008	Front Triangle Spark 900 Premium 2013 L
229572-009	Front Triangle Spark 900 Premium 2013 XL
229573-006	Front Triangle Spark 910 2013 S
229573-007	Front Triangle Spark 910 2013 M
229573-008	Front Triangle Spark 910 2013 L
229573-009	Front Triangle Spark 910 2013 XL
229574-006	Front Triangle Spark 920 2013 S
229574-007	Front Triangle Spark 920 2013 M
229574-008	Front Triangle Spark 920 2013 L
229574-009	Front Triangle Spark 920 2013 XL
229575-006	Front Triangle Spark 930 2013 S
229575-007	Front Triangle Spark 930 2013 M
229575-008	Front Triangle Spark 930 2013 L
229575-009	Front Triangle Spark 930 2013 XL
229576-006	Front Triangle Contessa Spark 900 RC '13 S
229576-007	Front Triangle Contessa Spark 900 RC '13 M
229576-008	Front Triangle Contessa Spark 900 RC '13 L
229577-006	Front Triangle Contessa Genius 700 2013 S
229577-007	Front Triangle Contessa Genius 700 2013 M
229577-008	Front Triangle Contessa Genius 700 2013 L
229578-006	Front Triangle Contessa Spark 900 2013 S
229578-007	Front Triangle Contessa Spark 900 2013 M
229578-008	Front Triangle Contessa Spark 900 2013 L
229579-416	Front Triangle Voltage FR 10 2013 short
229579-417	Front Triangle Voltage FR 10 2013 long
229580-416	Front Triangle Voltage FR 20 2013 short
229580-417	Front Triangle Voltage FR 20 2013 long
229581-416	Front Triangle Voltage FR 30 2013 short
229581-417	Front Triangle Voltage FR 30 2013 long
229582-019	Frame + Fork Contessa Speedster 15 '13 XXS47
229582-020	Frame + Fork Contessa Speedster 15 '13 XS49
229582-021	Frame + Fork Contessa Speedster 15 '13 S52
229582-022	Frame + Fork Contessa Speedster 15 '13 M54
229582-023	Frame + Fork Contessa Speedster 15 '13 L56
229583-006	Frameset OTG 10 S 2013 S
229583-007	Frameset OTG 10 S 2013 M
229583-008	Frameset OTG 10 S 2013 L
229584-005	Frame Voltage YZ-10 2013 XS
229584-006	Frame Voltage YZ-10 2013 S
229584-007	Frame Voltage YZ-10 2013 M
229584-008	Frame Voltage YZ-10 2013 L
229584-009	Frame Voltage YZ-10 2013 XL
229585-222	Frame Voltage YZ 0.1 2013 1size
229586-005	Frame Aspect 610 2013 XS
229586-006	Frame Aspect 610 2013 S
229586-007	Frame Aspect 610 2013 M
229586-008	Frame Aspect 610 2013 L
229586-009	Frame Aspect 610 2013 XL
229586-010	Frame Aspect 610 2013 XXL

Article no.	Description
229587-007	Frame E-Aspect 910 2013 M
229587-008	Frame E-Aspect 910 2013 L
229587-009	Frame E-Aspect 910 2013 XL
229588-006	Frame Aspect 910 2013 S
229588-007	Frame Aspect 910 2013 M
229588-008	Frame Aspect 910 2013 L
229588-009	Frame Aspect 910 2013 XL
229589-005	Frame Aspect 640 2013 XS
229589-006	Frame Aspect 640 2013 S
229589-007	Frame Aspect 640 2013 M
229589-008	Frame Aspect 640 2013 L
229589-009	Frame Aspect 640 2013 XL
229590-005	Frame SUB 10 Men EBB split DO 2013 XS
229590-006	Frame SUB 10 Men EBB split DO 2013 S
229590-007	Frame SUB 10 Men EBB split DO 2013 M
229590-008	Frame SUB 10 Men EBB split DO 2013 L
229590-009	Frame SUB 10 Men EBB split DO 2013 XL
229591-005	Frame SUB 20 Men 2013 XS
229591-006	Frame SUB 20 Men 2013 S
229591-007	Frame SUB 20 Men 2013 M
229591-008	Frame SUB 20 Men 2013 L
229591-009	Frame SUB 20 Men 2013 XL
229592-005	Frame SUB 40 Men 2013 XS
229592-006	Frame SUB 40 Men 2013 S
229592-007	Frame SUB 40 Men 2013 M
229592-008	Frame SUB 40 Men 2013 L
229592-009	Frame SUB 40 Men 2013 XL
229593-006	Frame SUB 40 Solution 2013 S
229593-007	Frame SUB 40 Solution 2013 M
229593-008	Frame SUB 40 Solution 2013 L
229593-009	Frame SUB 40 Solution 2013 XL
229594-006	Frame Sportster X10 2013 S
229594-007	Frame Sportster X10 2013 M
229594-008	Frame Sportster X10 2013 L
229594-009	Frame Sportster X10 2013 XL
229594-010	Frame Sportster X10 2013 XXL
229595-006	Frame Sportster X20 Solution 2013 S
229595-007	Frame Sportster X20 Solution 2013 M
229595-008	Frame Sportster X20 Solution 2013 L
229595-009	Frame Sportster X20 Solution 2013 XL
229596-006	Frame Sportster X30 Solution 2013 S
229596-007	Frame Sportster X30 Solution 2013 M
229596-008	Frame Sportster X30 Solution 2013 L
229596-009	Frame Sportster X30 Solution 2013 XL
229597-006	Frame Sportster X40 Lady 2013 S
229597-007	Frame Sportster X40 Lady 2013 M
229597-008	Frame Sportster X40 Lady 2013 L
229597-009	Frame Sportster X40 Lady 2013 XL
229598-006	Frame E- Sportster 10 Men 2013 S
229598-007	Frame E- Sportster 10 Men 2013 M
229598-008	Frame E- Sportster 10 Men 2013 L
229598-009	Frame E- Sportster 10 Men 2013 XL
229599-006	Frame E-Sportster 10 Solution 2013 S
229599-007	Frame E-Sportster 10 Solution 2013 M
229599-008	Frame E-Sportster 10 Solution 2013 L
229600-006	Frame E-Sportster 10 Lady 2013 S
229600-007	Frame E-Sportster 10 Lady 2013 M
229600-008	Frame E-Sportster 10 Lady 2013 L
229601-005	Frameset Metrix 10 2013 XS
229601-006	Frameset Metrix 10 2013 S
229601-007	Frameset Metrix 10 2013 M
229601-008	Frameset Metrix 10 2013 L
229601-009	Frameset Metrix 10 2013 XL

SPARE PARTS 2013

Article no.	Description
229602-005	Frameset Metrix 20 Solution 2013 XS
229602-006	Frameset Metrix 20 Solution 2013 S
229602-007	Frameset Metrix 20 Solution 2013 M
229602-008	Frameset Metrix 20 Solution 2013 L
229602-009	Frameset Metrix 20 Solution 2013 XL
229603-006	Frame Contessa Scale 900 RC 2013 S
229603-007	Frame Contessa Scale 900 RC 2013 M
229603-008	Frame Contessa Scale 900 RC 2013 L
229604-005	Frame Contessa 610 2013 XS
229604-006	Frame Contessa 610 2013 S
229604-007	Frame Contessa 610 2013 M
229604-008	Frame Contessa 610 2013 L
229605-193	Frame JR Scale RC 24" 2013 24"
229606-193	Frame JR Tmo Voltage 24" 2013 24"
229607-193	Frameset JR Spark 24" 2013 24"
229608-193	Frameset Speedster JR 24 2013 24"
229609-192	Frameset Volt-X 10 2013 20"
229610-222	Chainstays Voltage FR 10 2013 1size
229611-222	Chainstays Voltage FR 20 2013 1size
229612-222	Chainstays Voltage FR 30 2013 1size
229613-222	Chainstays Genius LT 10 2013 1size
229614-222	Chainstays Genius LT 20 2013 1size
229615-222	Chainstays Genius LT 30 2013 1size
229616-222	Chainstays Genius 700 SL 2013 1size
229617-222	Chainstays Genius 710 2013 1size
229618-222	Chainstays Genius 720 2013 1size
229619-222	Chainstays Genius 730 2013 1size
229620-222	Chainstays Genius 740 2013 1size
229621-222	Chainstays Genius 750 2013 1size
229622-222	Chainstays Genius 900 SL 2013 1size
229623-222	Chainstays Genius 910 2013 1size
229624-222	Chainstays Genius 920 2013 1size
229625-222	Chainstays Genius 930 2013 1size
229626-222	Chainstays Genius 940 2013 1size
229627-222	Chainstays Genius 950 2013 1size
229628-222	Chainstays Spark 900 Premium 2013 1size
229629-222	Chainstays Spark 900 RC 2013 1size
229630-222	Chainstays Spark 610 2013 1size
229631-222	Chainstays Spark 620 2013 1size
229632-222	Chainstays Spark 30 2013 1size
229633-222	Chainstays Spark 900 SL 2013 1size
229634-222	Chainstays Spark 910 2013 1size
229635-222	Chainstays Spark 920 2013 1size
229636-222	Chainstays Spark 930 2013 1size
229637-222	Chainstays Contessa Spark 900 RC 2013 1size
229638-222	Chainstays Contessa Genius 700 2013 1size
229639-222	Chainstays Contessa Spark 900 2013 1size
229640-222	Seatstays Genius LT 10 2013 1size
229641-222	Seatstays Genius LT 20 2013 1size
229642-222	Seatstays Genius LT 30 2013 1size
229643-015	Seatstays Genius 700 SL 2013 S/M
229643-016	Seatstays Genius 700 SL 2013 L/XL
229644-015	Seatstays Genius 710 2013 S/M
229644-016	Seatstays Genius 710 2013 L/XL
229645-015	Seatstays Genius 720 2013 S/M
229645-016	Seatstays Genius 720 2013 L/XL
229646-015	Seatstays Genius 730 2013 S/M
229646-016	Seatstays Genius 730 2013 L/XL
229647-015	Seatstays Genius 740 2013 S/M
229647-016	Seatstays Genius 740 2013 L/XL
229648-015	Seatstays Genius 750 2013 S/M
229648-016	Seatstays Genius 750 2013 L/XL
229649-015	Seatstays Genius 900 SL 2013 S/M

Article no.	Description
229649-016	Seatstays Genius 900 SL 2013 L/XL
229650-015	Seatstays Genius 910 2013 S/M
229650-016	Seatstays Genius 910 2013 L/XL
229651-015	Seatstays Genius 920 2013 S/M
229651-016	Seatstays Genius 920 2013 L/XL
229652-015	Seatstays Genius 930 2013 S/M
229652-016	Seatstays Genius 930 2013 L/XL
229653-015	Seatstays Genius 940 2013 S/M
229653-016	Seatstays Genius 940 2013 L/XL
229654-015	Seatstays Genius 950 2013 S/M
229654-016	Seatstays Genius 950 2013 L/XL
229655-006	Seatstays Spark Premium 2013 S
229655-007	Seatstays Spark Premium 2013 M
229655-008	Seatstays Spark Premium 2013 L
229655-009	Seatstays Spark Premium 2013 XL
229656-006	Seatstays Spark 600 RC 2013 S
229656-007	Seatstays Spark 600 RC 2013 M
229656-008	Seatstays Spark 600 RC 2013 L
229656-009	Seatstays Spark 600 RC 2013 XL
229657-006	Seatstays Spark 610 2013 S
229657-007	Seatstays Spark 610 2013 M
229657-008	Seatstays Spark 610 2013 L
229657-009	Seatstays Spark 610 2013 XL
229658-006	Seatstays Spark 620 2013 S
229658-007	Seatstays Spark 620 2013 M
229658-008	Seatstays Spark 620 2013 L
229658-009	Seatstays Spark 620 2013 XL
229659-006	Seatstays Spark 630 2013 S
229659-007	Seatstays Spark 630 2013 M
229659-008	Seatstays Spark 630 2013 L
229659-009	Seatstays Spark 630 2013 XL
229660-006	Seatstays Spark 900 Premium 2013 S
229660-007	Seatstays Spark 900 Premium 2013 M
229660-008	Seatstays Spark 900 Premium 2013 L
229660-009	Seatstays Spark 900 Premium 2013 XL
229661-006	Seatstays Spark 900 SL 2013 S
229661-007	Seatstays Spark 900 SL 2013 M
229661-008	Seatstays Spark 900 SL 2013 L
229661-009	Seatstays Spark 900 SL 2013 XL
229662-006	Seatstays Spark 900 RC 2013 S
229662-007	Seatstays Spark 900 RC 2013 M
229662-008	Seatstays Spark 900 RC 2013 L
229662-009	Seatstays Spark 900 RC 2013 XL
229663-006	Seatstays Spark 910 2013 S
229663-007	Seatstays Spark 910 2013 M
229663-008	Seatstays Spark 910 2013 L
229663-009	Seatstays Spark 910 2013 XL
229664-006	Seatstays Spark 920 2013 S
229664-007	Seatstays Spark 920 2013 M
229664-008	Seatstays Spark 920 2013 L
229664-009	Seatstays Spark 920 2013 XL
229665-006	Seatstays Spark 930 2013 S
229665-007	Seatstays Spark 930 2013 M
229665-008	Seatstays Spark 930 2013 L
229665-009	Seatstays Spark 930 2013 XL
229666-006	Seatstays Contessa Spark 900 RC 2013 S
229666-007	Seatstays Contessa Spark 900 RC 2013 M
229666-008	Seatstays Contessa Spark 900 RC 2013 L
229667-015	Seatstays Contessa Genius 700 2013 S/M
229667-016	Seatstays Contessa Genius 700 2013 L/XL
229668-006	Seatstays Contessa Spark 900 2013 S
229668-007	Seatstays Contessa Spark 900 2013 M
229668-008	Seatstays Contessa Spark 900 2013 L

SPARE PARTS 2013

Article no.	Description
229669-0001714	Rim Syncros TR 2.5 650b 32H black 27.5"
229669-0001715	Rim Syncros TR 2.5 650b 32H black 29"
229670-0001714	Rim Syncros XC-55 650b Disc 32H black 27.5"
229671-0001715	Rim Syncros XC-49 29 Disc 32H / Eyelets black 29"
229672-0001194	Rim Syncros XC-44 Disc 26 32H black 26"
229673-714	Tire Nobby Nic EVO (650b) x 2.35 67 EP 27.5"
229674-714	Innertube 650B (27.5x 2.35) 27.5"
229675-1004	Saddle Spark JR 24 2013 black/blue
229676-1004	Saddle Spark JR 20 2013 black/blue
229677-1040	Saddle Scale RC JR 2013 black/yellow
229678-1043	Saddle Scale JR 24 2013 black/green
229679-1043	Saddle Scale JR 20 2013 black/green
229680-0001	Saddle Voltage JR 24 TMO 2013 black
229681-1043	Saddle Voltage JR 24 Disc 2013 black/green
229682-1042	Saddle Voltage JR 24 2013 black/red
229683-1004	Saddle Voltage JR 20 2013 black/blue
229684-1054	Saddle Voltage JR 16 2013 blue/yellow
229685-1042	Saddle Voltage JR 12 2013 black/red
229686-1413	Saddle Voltage Walker 2013 blue/green
229687-1050	Saddle Contessa Scale JR 2013 white/green
229688-2329	Saddle Contessa JR 24 2013 purple/white
229689-1050	Saddle Contessa JR 20 2013 white/green
229690-0026	Saddle Contessa JR 16 2013 pink
229691-1244	Saddle Contessa JR 12 2013 pink/white
229692-1087	Saddle Contessa Walker 2013 white/pink
229693-1043	Saddle Speedster JR 24 2013 black/green
229694-1007	Saddle Sportster Men EVO black/white
229694-1042	Saddle Sportster Men EVO black/red
229694-1043	Saddle Sportster Men EVO black/green
229695-1007	Saddle Sportster Solution EVO black/white
229695-2405	Saddle Sportster Solution EVO black/aqua
229696-0001	Saddle Sportster Lady black
229697-1002611	Seatpost Foil Premium MY13 black/anthr. 0mm
229697-1002612	Seatpost Foil Premium MY13 black/anthr. 25mm
229698-1043611	Seatpost Foil Team Issue MY13 black/green 0mm
229698-1043612	Seatpost Foil Team Issue MY13 black/green 25mm
229699-1000611	Seatpost Foil 10 MY13 black/silver 0mm
229699-1000612	Seatpost Foil 10 MY13 black/silver 25mm
229700-0001611	Seatpost Foil 15 MY13 black 0mm
229700-0001612	Seatpost Foil 15 MY13 black 25mm
229701-1042611	Seatpost Foil 20 MY13 black/red 0mm
229701-1042612	Seatpost Foil 20 MY13 black/red 25mm
229702-1040611	Seatpost Foil 30 MY13 black/yellow 0mm
229702-1040612	Seatpost Foil 30 MY13 black/yellow 25mm
229703-1043611	Seatpost Foil 40 MY13 black/green 0mm
229703-1043612	Seatpost Foil 40 MY13 black/green 25mm
229704-1043611	Seatpost Foil Contessa MY13 black/green 0mm
229705-222	Bearing Set Gambler 2013 1size
229706-222	Linkage Floating Link Gambler 2013 1size
229707-222	Linkage Main Link Gambler 2013 1size
229708-222	Geometrie Chip Gambler 2013 1size
229709-222	Swingarm Gambler 10 2013 1size
229710-222	Swingarm Gambler 20 2013 1size
229711-222	Swingarm Gambler 30 2013 1size
229712-0001015	Linkage Bars Genius 700 2013 black S/M
229712-0001016	Linkage Bars Genius 700 2013 black L/XL
229712-0002015	Linkage Bars Genius 700 2013 white S/M
229712-0002016	Linkage Bars Genius 700 2013 white L/XL
229713-0001015	Linkage Bars Genius 900 2013 black S/M
229713-0001016	Linkage Bars Genius 900 2013 black L/XL
229713-0002015	Linkage Bars Genius 900 2013 white S/M
229713-0002016	Linkage Bars Genius 900 2013 white L/XL
229714-222	Geometrie Chip Genius 2013 1size

Article no.	Description
229715-222	Fork Stopp Gambler 2013 1size
229716-222	Shock Mount Bolt Genius 2013 1size
229717-222	Shock Mount Bolt Gambler 2013 1size
229718-222	Rear Shock DT Nude2 f/Genius 900 2013 1size
229719-222	Rear Shock SCOTT DT M3 f. Genius 940 '13 1size
229720-222	Rear Shock DT Nude2 f/Genius 700 2013 1size
229721-222	Rear Shock SCOTT DT M3 f. Genius 740 '13 1size
229723-222	Cable clamping set Genius Carbon 1size
229724-222	Cable Clamping Set Genius alloy 2013 1size
229725-222	Rock Guard Gambler 2013 1size
229726-222	Cancelled 1size
229727-222	Chainblocker Genius 2013 1size
229728-222	FD Mount Genius 2013 700-650B 1size
229729-222	FD Mount Genius 2013 900-29 1size
229730-222	Chainguide ISCG adaptor set Genius 2013 1size
229733-222	Seatclamp Gambler 34.9 2013 1size
229735-222	Dropout set Gambler 2013 1size
230097-222	Twinloc XLremote lever for Nude 2 1size
230098-222	Twinloc XL remote lever for DT M3 1size
230099-222	Rideloc remote lever for Scale 1size
230100-222	Seatstays Voltage FR 10 2013 1size
230101-222	Seatstays Voltage FR 20 2013 1size
230102-222	Seatstays Voltage FR 30 2013 1size
230103-006	Frame Spark 640 2013 Warranty only S
230103-007	Frame Spark 640 2013 Warranty only M
230103-008	Frame Spark 640 2013 Warranty only L
230103-009	Frame Spark 640 2013 Warranty only XL
230104-006	Frame Spark 940 2013 Warranty only S
230104-007	Frame Spark 940 2013 Warranty only M
230104-008	Frame Spark 940 2013 Warranty only L
230104-009	Frame Spark 940 2013 Warranty only XL
230237-0001222	Axle 12mm 150mm Rear Gambler '13 black 1size
230660-006	Frame Scale 910 2013' warranty S
230660-007	Frame Scale 910 2013' warranty M
230660-008	Frame Scale 910 2013' warranty L
230660-009	Frame Scale 910 2013' warranty XL
230661-006	Frame Scale 900 RC 2013' warranty S
230661-007	Frame Scale 900 RC 2013' warranty M
230661-008	Frame Scale 900 RC 2013' warranty L
230661-009	Frame Scale 900 RC 2013' warranty XL
230662-007	Frame Scale 29 PRO 2011 warranty M
230662-009	Frame Scale 29 PRO 2011 warranty XL
230663-008	Frame Scale 29 PRO 2012 warranty L
230663-009	Frame Scale 29 PRO 2012 warranty XL
230664-007	Frame Scale 29 Expert 2012 warranty M
230664-009	Frame Scale 29 Expert 2012 warranty XL
230665-007	Frame Scale 900 Premium 2013' warranty M
231066-0001222	E-Bike Spanninga Pixeo XS rearlight black 1size
231137-0001194	Rim Alex/Sync FR32 disc 32H black 26"
231138-0001204	Rim Alex/Sync Race 32H black 28"
231139-0001204	Rim Alex/Sync Race 20H black 28"
231139-0002204	Rim Alex/Sync Race 20H white 28"
231140-0001204	Rim Alex/Sync Race 24H black 28"
231140-0002204	Rim Alex/Sync Race 24H white 28"
231141-0001194	Rim Alex/Syncros AM44 eyelets Disc 32H black 26"
231142-0001204	Rim Syncros RR2.0 front 20H black 28"
231143-0001204	Rim Syncros RR2.0 rear 24H black 28"
231144-0001204	Rim Syncros RP 1.5 front 18H black 28"
231145-0001204	Rim Syncros RP 1.5 rear assym. 24H black 28"
231146-0055716	Rim Syncros DT Swiss RR1.5 Front 16H carbon 700C
231147-0055716	Rim Syncros DT Swiss RR1.5 Rear 20H carbon 700C
231148-0055716	Rim Syncros DT Swiss RR1.0 Front 16H carbon 700C
231149-0055716	Rim Syncros DT Swiss RR1.0 Rear 20H carbon 700C

SPARE PARTS 2013

Article no.	Description
231150-0055716	Rim Syncros DT Swiss RL1.0 Front 20H carbon 700C
231151-0055716	Rim Syncros DT Swiss RL1.0 Rear 24H carbon 700C
231152-0004204	Rim Ryde DP 2000 Disc 32H red 28"
231153-0001204	Rim Ryde DP 2000 CNC 32H black 28"
231153-0077204	Rim Ryde DP 2000 CNC 32H turquoise 28"
231154-0055194	Rim Syncros DT Swiss XR1.0 Carbon 28H carbon 26"
231154-0055715	Rim Syncros DT Swiss XR1.0 Carbon 28H carbon 29"
231155-0001194	Rim Syncros DT Swiss XR1.5 28H black 26"
231155-0001715	Rim Syncros DT Swiss XR1.5 28H black 29"
231156-0001194	Rim Syncros DT Swiss XR 2.0 28H black 26"
231156-0001715	Rim Syncros DT Swiss XR 2.0 28H black 29"
231157-0001194	Rim Syncros DT Swiss XR 2.5 28H black 26"
231157-0001715	Rim Syncros DT Swiss XR 2.5 28H black 29"
231158-0055714	Rim Syncros TR1.0 Carbon 28H carbon 27.5"
231159-0055715	Rim Syncros DT Swiss TR1.0 Carbon 28H carbon 29"
231160-0001714	Rim Syncros DT Swiss TR 2.0 28H black 27.5"
231160-0001715	Rim Syncros DT Swiss TR 2.0 28H black 29"
231161-0001194	Rim Syncros DT Swiss AM10 black 26"
231162-0001194	Rim Syncros DT Swiss AM20 black 26"
231163-0001	Spoke DT AERO COMP 266 TH S PAK-10 black
231164-0001	Spoke DT AERO COMP 267 TH S PAK-10 black
231165-0001	Spoke DT AERO COMP 272 TH S PAK-10 black
231166-3964	Spoke DT AERO COMP 274 SP M PAK-10 sandblasted
231167-3964	Spoke DT AERO COMP 275 SP M PAK-10 sandblasted
231168-3964	Spoke DT AERO COMP 285 SP M PAK-10 sandblasted
231169-3964	Spoke DT AERO COMP 286 SP M PAK-10 sandblasted
231170-3964	Spoke DT AERO COMP 303 SP M PAK-10 sandblasted
231171-3964	Spoke DT AERO COMP 304 SP M PAK-10 sandblasted
231172-3964	Spoke DT AERO COMP 305 SP M PAK-10 sandblasted
231173-0001	Spoke DT AEROLITE 273 T-HEAD S PAK-10 black
231174-0001	Spoke DT AEROLITE 276 T-HEAD S PAK-10 black
231175-0001	Spoke DT AEROLITE 281 T-HEAD S PAK-10 black
231176-0001	Spoke DT AEROLITE 281 TH S PAK-10 black
231177-0001	Spoke DT AEROLITE 284 TH S PAK-10 black
231178-0001	Spoke DT AEROLITE 285 T-HEAD S PAK-10 black
231179-0001	Spoke DT NEW AERO 265 TH S PAK-10 black
231180-0001	Spoke DT NEW AERO 270 T-HEAD S PAK-10 black
231181-0001	Spoke DT NEW AERO 277 T-HEAD S PAK-10 black
231182-3964	Spoke DT SUPER COMP 274 SP M PAK-10 sandblasted
231183-3964	Spoke DT SUPER COMP 275 SP M PAK-10 sandblasted
231184-3964	Spoke DT SUPER COMP 306 SP M PAK-10 sandblasted
231185-3964	Spoke DT SUPER COMP 307 SP M PAK-10 sandblasted
231186-0001	Spoke DT SUPER COMP 273 SP S PAK-10 black
231187-0001	Spoke DT SUPER COMP 274 SP S PAK-10 black
231188-0001	Spoke DT SUPER COMP 303 SP S PAK-10 black
231189-0001	Spoke DT SUPER COMP 305 SP S PAK-10 black
231190-0001	Spoke DT SUPER COMP 286 SP S PAK-10 black
231191-0001	Spoke DT SUPER COMP 284 SP S PAK-10 black
231192-0001	Spoke DT SUPER COMP 304 SP S PAK-10 black
231193-0002	Spoke DT AERO COMP 274 SP W PAK-10 white
231194-0002	Spoke DT AERO COMP 275 SP W PAK-10 white
231195-0002	Spoke DT AERO COMP 300 SP W PAK-10 white
231196-0002	Spoke DT AERO COMP 301 SP W PAK-10 white
231197-0002	Spoke DT AERO COMP 305 SP W PAK-10 white
231198-0002	Spoke DT AERO COMP 307 SP W PAK-10 white
231367-0001222	E-Bike Kickstand Pletscher Comp Zoom black 1size
231956-222	Rear Shock SCOTT DT M3 Spark 650 2013
231957-222	Rear Shock SCOTT DT M3 Spark 950 2013
231958-222	Rear Shock Nude2 Mount RedSet Genius 13
231997-714	Tire Nobby Nic EVO (650b) x 2.25 67 EP 27.5"
232213-019	Frameset CRI Pro SSP/SBB 2013 warranty XXS47
232213-020	Frameset CRI Pro SSP/SBB 2013 warranty XS49
232213-021	Frameset CRI Pro SSP/SBB 2013 warranty S52

Article no.	Description
232213-022	Frameset CRI Pro SSP/SBB 2013 warranty M54
232213-023	Frameset CRI Pro SSP/SBB 2013 warranty L56
232213-024	Frameset CRI Pro SSP/SBB 2013 warranty XL58
232213-025	Frameset CRI Pro SSP/SBB 2013 warranty 2XL61
232282-416	Frameset Gambler 10 2011' W/o shock Short
232282-417	Frameset Gambler 10 2011' W/o shock Long
232283-0001715	Rim Syncros/DT TR 2.5 32H 29" black 29"
232284-0001715	Rim Alex XC49 Disc 32H warranty black 29"
232285-0001204	Rim Araya DS700 Disc 32H black 28"
232354-006	Front triangle Spark 900 RC 2013 S
232354-007	Front triangle Spark 900 RC 2013 M
232354-008	Front triangle Spark 900 RC 2013 L
232354-009	Front triangle Spark 900 RC 2013 XL
232355-222	Chainstay Spark 600 RC 2013 1size
233930-222	Dropout Speedster 10-50 2013 1size
233961-222	Dropout Contessa 660 2013 1size
234242-0006194	Rim Alex XC 44 disc 26 32H Green
234242-0006194	Rim Alex XC 44 disc 26 32H Green
234243-0002194	Rim Alex ACE24 CNC 32H MY13 white 26"
234243-0002194	Rim Alex ACE24 CNC 32H MY13 white 26"
234243-0029194	Rim Alex ACE24 CNC 32H MY13 violet 26"
234243-0029194	Rim Alex ACE24 CNC 32H MY13 violet 26"
235510-006	Frame Scale 610 2013 warranty S
235510-007	Frame Scale 610 2013 warranty M
235510-008	Frame Scale 610 2013 warranty L
235510-009	Frame Scale 610 2013 warranty XL
235935-006	Frame Contessa Scale 900 13' Warranty S
235935-007	Frame Contessa Scale 900 13' Warranty M
235935-008	Frame Contessa Scale 900 13' Warranty L
235597-222	Fork Suntour XCT MLO JR 24 PM Disc 1size
235741-0001222	Chainguard Curana E-Bike Bosch 2011-13
236130-0002043	Fork Suntour XCR LO Air 65mm PM/Vbrake
236131-222	BB Cableguide Set Speedster 10 2013
237635-222	Hub Rep Kit Formula CL81 front
238939-222	Headset FSA 1.5ext. lower cup f. tapered 1size

SPARE PARTS 2012

Article no.	Description
223081-0001	Fork Suntour XCR H-LO 100mm black
223081-0002	Fork Suntour XCR H-LO 100mm white
223082-0001	Fork Suntour XCM H-LO 100mm black
223082-0002	Fork Suntour XCM H-LO 100mm white
223083-0001	Fork Suntour XCM V3 100mm black
223083-0002	Fork Suntour XCM V3 100mm white
223084-0002	Fork Suntour XCT V4 100mm white
223085-0001	Fork Suntour NEX 4610 V4 63mm black
223085-0002	Fork Suntour NEX 4610 V4 63mm white
223086-0001	Fork Suntour XCR 29 H-LO 100mm black
223087-0001	Fork Suntour XCM 29 H-LO 100mm black
223088-0002	Fork RST Capa 24 white
223089-0001	Fork RST Capa 20 black
223090-0001	Fork SUB 700C disc only 2012 black
223091-0001	Fork SUB 700C for V-brake 2012 black
223092-222	Fork E-Venture 10 Men 2012 1size
223093-222	Fork E-Venture 20 Men 2012 1size
223094-222	Fork E-Venture 20 Solution 2012 1size
223095-222	Fork E-Venture 30 Men 2012 1size
223096-222	Fork E-Venture 30 Solution 2012 1size
223097-222	Fork Speedster S10 2012 1size
223098-222	Fork Speedster S20 2012 1size
223099-222	Fork Speedster S30 2012 1size
223100-222	Fork Speedster S40 2012 1size
223101-222	Fork Speedster S50 2012 1size
223102-222	Fork Roam 10 2012 1size
223103-222	Fork Roam 20 2012 1size
223104-222	Fork Roam 30 2012 1size
223105-222	Fork Roam 40 2012 1size
223106-222	Fork Fixie 10 2012 1size
223107-222	Fork CR 1 Comp 2012 1size
223108-222	Fork CR 1 Team 2012 1size
223109-222	Fork CR 1 Elite 2012 1size
223110-222	Fork CR 1 Pro 2012 1size
223111-222	Fork CR 1 SL 2012 1size
223112-222	Fork Contessa Foil 2012 1size
223113-222	Fork Contessa CR1 Team 2012 1size
223114-222	Fork Contessa CR1 Comp 2012 1size
223115-222	Fork Contessa Speedster 15 2012 1size
223116-222	Fork Contessa Speedster 25 2012 1size
223117-222	Fork Contessa Speedster 35 2012 1size
223118-222	Fork Contessa Speedster 45 2012 1size
223119-222	Fork Foil 10 2012 1size
223120-222	Fork Foil 15 2012 1size
223121-222	Fork Foil 20 2012 1size
223122-222	Fork Foil 30 2012 1size
223123-222	Fork Foil 40 2012 1size
223124-006	Fork Plasma TT 2012 S
223124-007	Fork Plasma TT 2012 M
223124-008	Fork Plasma TT 2012 L
223125-006	Fork Plasma Premium 2012 S
223125-007	Fork Plasma Premium 2012 M
223125-008	Fork Plasma Premium 2012 L
223126-222	Fork Plasma 10 2012 1size
223127-222	Fork Plasma 20 2012 1size
223128-222	Fork Plasma 30 2012 1size
223129-222	Fork Addict CX 2012 1size
223130-222	Fork CX Team 2012 1size
223131-222	Fork CX Comp 2012 1size
223132-222	Fork Volt-X 10 1size
223133-222	Fork Volt-X 20 1size
223134-222	Fork Volt-X 30 1size
223135-222	Fork Volt-X 40 1size

Article no.	Description
223136-222	Fork Voltage JR 24 Tmo 2012 1size
223137-222	Fork Voltage YZ 0.2 2012 1size
223138-222	Frameset Volt-X 10 2012 1size
223139-222	Frameset Volt-X 30 2012 1size
223140-005	Frame Voltage YZ-10 2012 XS
223140-006	Frame Voltage YZ-10 2012 S
223140-007	Frame Voltage YZ-10 2012 M
223140-008	Frame Voltage YZ-10 2012 L
223140-009	Frame Voltage YZ-10 2012 XL
223141-222	Frame Voltage YZ 0.1 2012 1size
223142-005	Frame Aspect 10 2012 XS
223142-006	Frame Aspect 10 2012 S
223142-007	Frame Aspect 10 2012 M
223142-008	Frame Aspect 10 2012 L
223142-009	Frame Aspect 10 2012 XL
223142-010	Frame Aspect 10 2012 XXL
223143-006	Frame E-Aspect 29 2012 S
223143-007	Frame E-Aspect 29 2012 M
223143-008	Frame E-Aspect 29 2012 L
223143-009	Frame E-Aspect 29 2012 XL
223144-006	Frame Aspect 29 2012 S
223144-007	Frame Aspect 29 2012 M
223144-008	Frame Aspect 29 2012 L
223144-009	Frame Aspect 29 2012 XL
223145-005	Frame Aspect 50 2012 XS
223145-006	Frame Aspect 50 2012 S
223145-007	Frame Aspect 50 2012 M
223145-008	Frame Aspect 50 2012 L
223145-009	Frame Aspect 50 2012 XL
223146-005	Frame Contessa 10 2012 XS
223146-006	Frame Contessa 10 2012 S
223146-007	Frame Contessa 10 2012 M
223146-008	Frame Contessa 10 2012 L
223147-005	Frame Sub 10 EBB split DO 2012 XS
223147-006	Frame Sub 10 EBB split DO 2012 S
223147-007	Frame Sub 10 EBB split DO 2012 M
223147-008	Frame Sub 10 EBB split DO 2012 L
223147-009	Frame Sub 10 EBB split DO 2012 XL
223148-005	Frame Sub 20 2012 XS
223148-006	Frame Sub 20 2012 S
223148-007	Frame Sub 20 2012 M
223148-008	Frame Sub 20 2012 L
223148-009	Frame Sub 20 2012 XL
223149-005	Frame Sub 30 Solution 2012 XS
223149-006	Frame Sub 30 Solution 2012 S
223149-007	Frame Sub 30 Solution 2012 M
223149-008	Frame Sub 30 Solution 2012 L
223149-009	Frame Sub 30 Solution 2012 XL
223150-006	Frame Sportster 10 2012 S
223150-007	Frame Sportster 10 2012 M
223150-008	Frame Sportster 10 2012 L
223150-009	Frame Sportster 10 2012 XL
223150-010	Frame Sportster 10 2012 XXL
223151-006	Frame Sportster Solution 20 2012 S
223151-007	Frame Sportster Solution 20 2012 M
223151-008	Frame Sportster Solution 20 2012 L
223151-009	Frame Sportster Solution 20 2012 XL
223152-006	Frame Sportster 40 Lady 2012 S
223152-007	Frame Sportster 40 Lady 2012 M
223152-008	Frame Sportster 40 Lady 2012 L
223152-009	Frame Sportster 40 Lady 2012 XL
223153-006	Frame E-Venture 10 2012 S
223153-007	Frame E-Venture 10 2012 M

SPARE PARTS 2012

Article no.	Description
223153-008	Frame E-Venture 10 2012 L
223153-009	Frame E-Venture 10 2012 XL
223154-006	Frame E-Venture 20 Men 2012 S
223154-007	Frame E-Venture 20 Men 2012 M
223154-008	Frame E-Venture 20 Men 2012 L
223154-009	Frame E-Venture 20 Men 2012 XL
223155-006	Frame E-Venture 20 Solution 2012 S
223155-007	Frame E-Venture 20 Solution 2012 M
223155-008	Frame E-Venture 20 Solution 2012 L
223156-006	Frame E-Venture 30 Solution 2012 S
223156-007	Frame E-Venture 30 Solution 2012 M
223156-008	Frame E-Venture 30 Solution 2012 L
223157-005	Frameset Roam 10 2012 XS
223157-006	Frameset Roam 10 2012 S
223157-007	Frameset Roam 10 2012 M
223157-008	Frameset Roam 10 2012 L
223157-009	Frameset Roam 10 2012 XL
223158-005	Frameset Roam 20 2012 XS
223158-006	Frameset Roam 20 2012 S
223158-007	Frameset Roam 20 2012 M
223158-008	Frameset Roam 20 2012 L
223158-009	Frameset Roam 20 2012 XL
223159-006	Frameset Fixie 10 2012 S
223159-007	Frameset Fixie 10 2012 M
223159-008	Frameset Fixie 10 2012 L
223160-019	Frameset CR1 Pro 2012sp/sbb 2012 XXS47
223160-020	Frameset CR1 Pro 2012sp/sbb 2012 XS49
223160-021	Frameset CR1 Pro 2012sp/sbb 2012 S52
223160-022	Frameset CR1 Pro 2012sp/sbb 2012 M54
223160-023	Frameset CR1 Pro 2012sp/sbb 2012 L56
223160-024	Frameset CR1 Pro 2012sp/sbb 2012 XL58
223160-025	Frameset CR1 Pro 2012sp/sbb 2012 2XL61
223161-416	Front Triangle Gambler 10 2012 short
223161-417	Front Triangle Gambler 10 2012 long
223162-222	Seatstays Gambler 10 2012 1size
223163-222	Chainstays Gambler 10 2012 1size
223164-416	Front Triangle Gambler 20 2012 short
223164-417	Front Triangle Gambler 20 2012 long
223165-222	Seatstays Gambler 20 2012 1size
223166-222	Chainstays Gambler 20 2012 1size
223167-416	Front Triangle Voltage FR 10 2012 short
223167-417	Front Triangle Voltage FR 10 2012 long
223168-222	Seatstays Voltage FR 10 2012 1size
223169-222	Chainstays Voltage FR 10 2012 1size
223170-416	Front Triangle Voltage FR 20 2012 short
223170-417	Front Triangle Voltage FR 20 2012 long
223171-222	Seatstays Voltage FR 20 2012 1size
223172-222	Chainstays Voltage FR 20 2012 1size
223173-416	Front Triangle Voltage FR 30 2012 short
223173-417	Front Triangle Voltage FR 30 2012 long
223174-222	Seatstays Voltage FR 30 2012 1size
223175-222	Chainstays Voltage FR 30 2012 1size
223176-006	Front Triangle Genius LT 10 2012 S
223176-007	Front Triangle Genius LT 10 2012 M
223176-008	Front Triangle Genius LT 10 2012 L
223177-222	Seatstays Genius LT 10 2012 1size
223178-222	Chainstays Genius LT 10 2012 1size
223179-006	Front Triangle Genius LT 20 2012 S
223179-007	Front Triangle Genius LT 20 2012 M
223179-008	Front Triangle Genius LT 20 2012 L
223180-222	Seatstays Genius LT 20 2012 1size
223181-222	Chainstays Genius LT 20 2012 1size
223182-006	Front Triangle Genius LT 30 2012 S
223182-007	Front Triangle Genius LT 30 2012 M
223182-008	Front Triangle Genius LT 30 2012 L

Article no.	Description
223183-222	Seatstays Genius LT 30 2012 1size
223184-222	Chainstays Genius LT 30 2012 1size
223185-006	Front Triangle Genius LT 40 2012 S
223185-007	Front Triangle Genius LT 40 2012 M
223185-008	Front Triangle Genius LT 40 2012 L
223186-222	Seatstays Genius LT 40 2012 1size
223187-222	Chainstays Genius LT 40 2012 1size
223188-006	Front Triangle Genius 10 2012 S
223188-007	Front Triangle Genius 10 2012 M
223188-008	Front Triangle Genius 10 2012 L
223188-009	Front Triangle Genius 10 2012 XL
223189-222	Seatstays Genius 10 2012 1size
223190-222	Chainstays Genius 10 2012 1size
223191-006	Front Triangle Genius 20 2012 S
223191-007	Front Triangle Genius 20 2012 M
223191-008	Front Triangle Genius 20 2012 L
223191-009	Front Triangle Genius 20 2012 XL
223192-222	Seatstays Genius 20 2012 1size
223193-222	Chainstays Genius 20 2012 1size
223194-006	Front Triangle Genius 30 2012 S
223194-007	Front Triangle Genius 30 2012 M
223194-008	Front Triangle Genius 30 2012 L
223194-009	Front Triangle Genius 30 2012 XL
223195-222	Seatstays Genius 30 2012 1size
223196-222	Chainstays Genius 30 2012 1size
223197-006	Front Triangle Genius 40 2012 S
223197-007	Front Triangle Genius 40 2012 M
223197-008	Front Triangle Genius 40 2012 L
223197-009	Front Triangle Genius 40 2012 XL
223198-222	Seatstays Genius 40 2012 1size
223199-222	Chainstays Genius 40 2012 1size
223200-006	Front Triangle Genius 50 2012 S
223200-007	Front Triangle Genius 50 2012 M
223200-008	Front Triangle Genius 50 2012 L
223200-009	Front Triangle Genius 50 2012 XL
223201-222	Seatstays Genius 50 2012 1size
223202-222	Chainstays Genius 50 2012 1size
223206-006	Front Triangle Spark SL 2012 S
223206-007	Front Triangle Spark SL 2012 M
223206-008	Front Triangle Spark SL 2012 L
223206-009	Front Triangle Spark SL 2012 XL
223207-006	Seatstays Spark SL 2012 S
223207-007	Seatstays Spark SL 2012 M
223207-008	Seatstays Spark SL 2012 L
223207-009	Seatstays Spark SL 2012 XL
223208-222	Chainstays Spark SL 2012 1size
223209-006	Front Triangle Spark Premium 2012 S
223209-007	Front Triangle Spark Premium 2012 M
223209-008	Front Triangle Spark Premium 2012 L
223209-009	Front Triangle Spark Premium 2012 XL
223210-006	Seatstays Spark Premium 2012 S
223210-007	Seatstays Spark Premium 2012 M
223210-008	Seatstays Spark Premium 2012 L
223210-009	Seatstays Spark Premium 2012 XL
223211-222	Chainstays Spark Premium 2012 1size
223212-006	Front Triangle Spark RC 2012 S
223212-007	Front Triangle Spark RC 2012 M
223212-008	Front Triangle Spark RC 2012 L
223212-009	Front Triangle Spark RC 2012 XL
223213-006	Seatstays Spark RC 2012 S
223213-007	Seatstays Spark RC 2012 M
223213-008	Seatstays Spark RC 2012 L
223213-009	Seatstays Spark RC 2012 XL
223214-222	Chainstays Spark RC 2012 1size
223215-006	Front Triangle Spark RC 2012 S

SPARE PARTS 2012

Article no.	Description
223215-007	Front Triangle Spark 10 2012 M
223215-008	Front Triangle Spark 10 2012 L
223215-009	Front Triangle Spark 10 2012 XL
223216-006	Seatstays Spark 10 2012 S
223216-007	Seatstays Spark 10 2012 M
223216-008	Seatstays Spark 10 2012 L
223216-009	Seatstays Spark 10 2012 XL
223217-222	Chainstays Spark 10 2012 1size
223218-006	Front Triangle Spark 20 2012 S
223218-007	Front Triangle Spark 20 2012 M
223218-008	Front Triangle Spark 20 2012 L
223218-009	Front Triangle Spark 20 2012 XL
223219-006	Seatstays Spark 20 2012 S
223219-007	Seatstays Spark 20 2012 M
223219-008	Seatstays Spark 20 2012 L
223219-009	Seatstays Spark 20 2012 XL
223220-222	Chainstays Spark 20 2012 1size
223221-006	Front Triangle Spark 30 2012 S
223221-007	Front Triangle Spark 30 2012 M
223221-008	Front Triangle Spark 30 2012 L
223221-009	Front Triangle Spark 30 2012 XL
223222-006	Seatstays Spark 30 2012 S
223222-007	Seatstays Spark 30 2012 M
223222-008	Seatstays Spark 30 2012 L
223222-009	Seatstays Spark 30 2012 XL
223223-222	Chainstays Spark 30 2012 1size
223224-006	Front Triangle Spark 35 2012 S
223224-007	Front Triangle Spark 35 2012 M
223224-008	Front Triangle Spark 35 2012 L
223224-009	Front Triangle Spark 35 2012 XL
223225-006	Seatstays Spark 35 2012 S
223225-007	Seatstays Spark 35 2012 M
223225-008	Seatstays Spark 35 2012 L
223225-009	Seatstays Spark 35 2012 XL
223226-222	Chainstays Spark 35 2012 1size
223227-006	Frame Spark 40 2012 S
223227-007	Frame Spark 40 2012 M
223227-008	Frame Spark 40 2012 L
223227-009	Frame Spark 40 2012 XL
223228-006	Front Triangle Spark 29 RC 2012 S
223228-007	Front Triangle Spark 29 RC 2012 M
223228-008	Front Triangle Spark 29 RC 2012 L
223228-009	Front Triangle Spark 29 RC 2012 XL
223229-006	Seatstays Spark 29 RC 2012 S
223229-007	Seatstays Spark 29 RC 2012 M
223229-008	Seatstays Spark 29 RC 2012 L
223229-009	Seatstays Spark 29 RC 2012 XL
223230-222	Chainstays Spark 29 RC 2012 1size
223231-006	Front Triangle Spark 29 Pro 2012 S
223231-007	Front Triangle Spark 29 Pro 2012 M
223231-008	Front Triangle Spark 29 Pro 2012 L
223231-009	Front Triangle Spark 29 Pro 2012 XL
223232-006	Seatstays Spark 29 Pro 2012 S
223232-007	Seatstays Spark 29 Pro 2012 M
223232-008	Seatstays Spark 29 Pro 2012 L
223232-009	Seatstays Spark 29 Pro 2012 XL
223233-222	Chainstays Spark 29 Pro 2012 1size
223234-006	Front Triangle Spark 29 Expert 2012 S
223234-007	Front Triangle Spark 29 Expert 2012 M
223234-008	Front Triangle Spark 29 Expert 2012 L
223234-009	Front Triangle Spark 29 Expert 2012 XL
223235-006	Seatstays Spark 29 Expert 2012 S
223235-007	Seatstays Spark 29 Expert 2012 M
223235-008	Seatstays Spark 29 Expert 2012 L
223235-009	Seatstays Spark 29 Expert 2012 XL

Article no.	Description
223236-222	Chainstays Spark 29 Expert 2012 1size
223237-006	Frameset Spark 29 Elite 2012 S
223237-007	Frameset Spark 29 Elite 2012 M
223237-008	Frameset Spark 29 Elite 2012 L
223237-009	Frameset Spark 29 Elite 2012 XL
223238-0001006	Linkage Bars Spark 26 black S
223238-0001007	Linkage Bars Spark 26 black M
223238-0001008	Linkage Bars Spark 26 black L
223238-0001009	Linkage Bars Spark 26 black XL
223238-0002006	Linkage Bars Spark 26 white S
223238-0002007	Linkage Bars Spark 26 white M
223238-0002008	Linkage Bars Spark 26 white L
223238-0002009	Linkage Bars Spark 26 white XL
223239-0001006	Linkage Bars Spark 29 black S
223239-0001007	Linkage Bars Spark 29 black M
223239-0001008	Linkage Bars Spark 29 black L
223239-0001009	Linkage Bars Spark 29 black XL
223239-0002006	Linkage Bars Spark 29 white S
223239-0002007	Linkage Bars Spark 29 white M
223239-0002008	Linkage Bars Spark 29 white L
223239-0002009	Linkage Bars Spark 29 white XL
223240-006	Front Triangle Contessa Spark RC 2012 S
223240-007	Front Triangle Contessa Spark RC 2012 M
223240-008	Front Triangle Contessa Spark RC 2012 L
223241-006	Seatstays Contessa Spark RC 2012 S
223241-007	Seatstays Contessa Spark RC 2012 M
223241-008	Seatstays Contessa Spark RC 2012 L
223242-222	Chainstays Contessa Spark RC 2012 1size
223243-006	Frame Contessa Scale RC 2012 S
223243-007	Frame Contessa Scale RC 2012 M
223243-008	Frame Contessa Scale RC 2012 L
223244-005	Frame Contessa Scale 10 2012 XS
223244-006	Frame Contessa Scale 10 2012 S
223244-007	Frame Contessa Scale 10 2012 M
223244-008	Frame Contessa Scale 10 2012 L
223244-009	Frame Contessa Scale 10 2012 XL
223245-006	Front Triangle Contessa Genius 2012 S
223245-007	Front Triangle Contessa Genius 2012 M
223245-008	Front Triangle Contessa Genius 2012 L
223246-222	Seatstays Contessa Genius 2012 1size
223247-222	Chainstays Contessa Genius 2012 1size
223248-006	Front Triangle Contessa Spark 2012 S
223248-007	Front Triangle Contessa Spark 2012 M
223248-008	Front Triangle Contessa Spark 2012 L
223249-006	Seatstays Contessa Spark 2012 S
223249-007	Seatstays Contessa Spark 2012 M
223249-008	Seatstays Contessa Spark 2012 L
223250-222	Chainstays Contessa Spark 2012 1size
223251-019	Frameset Contessa Foil 2012 XXS47
223251-020	Frameset Contessa Foil 2012 XS49
223251-021	Frameset Contessa Foil 2012 S52
223251-022	Frameset Contessa Foil 2012 M54
223251-023	Frameset Contessa Foil 2012 L56
223252-019	Frameset Contessa CR 1 Team 2012 XXS47
223252-020	Frameset Contessa CR 1 Team 2012 XS49
223252-021	Frameset Contessa CR 1 Team 2012 S52
223252-022	Frameset Contessa CR 1 Team 2012 M54
223252-023	Frameset Contessa CR 1 Team 2012 L56
223253-019	Frameset Contessa Speedster 15 2012 XXS47
223253-020	Frameset Contessa Speedster 15 2012 XS49
223253-021	Frameset Contessa Speedster 15 2012 S52
223253-022	Frameset Contessa Speedster 15 2012 M54
223253-023	Frameset Contessa Speedster 15 2012 L56
223254-193	Frame JR Scale RC 24 2012 24"
223255-193	Frame JR Tmo Voltage 24 2012 24"

SPARE PARTS 2012

Article no.	Description
223256-193	Frameset JR Spark 24 2012 24"
223257-192	Frameset JR Spark 20 2012 20"
223258-193	Frameset Speedster JR 24 2012 24"
223259-0001	Rim Araya DS 600 disc 26 32H black
223260-0001	Rim Araya TX 633 disc 26 32H black
223261-0001	Rim Araya TX 633 CNC 26 32H black
223262-0001	Rim Araya DS 700 disc 29 32H black
223263-0001	Rim Araya TX 733 CNC 29 32H black
223264-0001	Rim Alex Speedster JR 24 black
223265-0001	Rim Alex Race 28 20H black
223266-0001	Rim Alex Race 28 24H black
223267-0001	Rim Alex Race 28 28H black
223269-0001	Tire Kenda Speedster JR 24 black
223270-0001	Tire Kenda K-832 XC Type 24x1.95 black
223271-0001	Tire Kenda K-832 XC Type 20 x 2.0 black
223272-0001	Tire Kenda K-841 Kontakt 12 x 2.25 black
223273-0167	Saddle Voltage JR 12 2012 multi color
223274-0167	Saddle Voltage JR 16 2012 multi color
223275-0167	Saddle Voltage JR 20 2012 multi color
223276-0167	Saddle Voltage JR 24 2012 multi color
223277-0167	Saddle Scale JR 20+24 2012 multi color
223278-0167	Saddle Contessa JR12 2012 multi color
223279-0167	Saddle Contessa JR16 2012 multi color
223280-0167	Saddle Contessa JR 20 2012 multi color
223281-0167	Saddle Contessa JR 24 2012 multi color
223282-0167	Saddle Voltage Pivotal Atmosfair direct multi color
223284-0001	Saddle Contessa MTB black
223284-0002	Saddle Contessa MTB white
223285-0001	Saddle Contessa Race black
223285-0002	Saddle Contessa Race white
223286-0001	Seatpost combo Volt-X 25.4x200 black
223287-0475	Seatpost Plasma-2 Carbon UB matt
223287-0476	Seatpost Plasma-2 Carbon UB gloss
223288-222	Seatpost KindShox i900 w/o remote 1size
223289-222	Tool set swingarm Spark 2012 1size
223290-223	Screw Set red Spark/Scale/Genius '12 Nsize
223291-223	Screw Set blk Spark/Scale/Genius '12 Nsize
223292-223	Rear Shock DT Swiss Nude 2 w/o lev.190 E Nsize
223293-223	Rear Shock DT Swiss Nude 2 w/o lev.165 E Nsize
223294-223	Rear Shock DT Swiss M210 w/o lev.190 E2E Nsize
223295-223	Rear Shock DT Swiss M210 w/o lev.165 E2E Nsize
223296-223	Rear Shock X-Fusion E1 RL w/o lev.165 E2 Nsize
223297-223	Rear Shock X-Fusion E1 RL w/o lev.190 E2 Nsize
223298-223	Twinloc Lever for Nude/2-RS DNA3 Spark 2 Nsize
223299-223	Rear Shock Nude 2 Mount Reducer Set Nsize
223300-223	Rear Shock Nude 2 Mount Bolt Set Nsize
223301-223	Swingarm Repair Kit Spark 2012 Nsize
223302-222	Igus Bushing Set Spark 2012 CST/SST w/ca 1size
223303-222	Ind. Bearing Set Spark 2012 CST/SST w/ax 1size
223304-223	FD-Mount Plate Set Spark 2012 Nsize
223305-223	BB Cableguide Spark 2012 carbon Nsize
223306-223	Geometry Chip Spark DT shox 2012 Nsize
223307-223	Geometry Chip Spark no DT shox 2012 Nsize
223308-223	Shockmount Set Gambler for 10.5 shock Nsize
223309-222	Seatclamp 34.9mm w/QR CrMo bolt 1size
223310-222	Seatclamp 34.9mm w/QR Titanium bolt 1size
223311-222	Seatclamp 37.8mm w/QR CrMo bolt 1size
223312-222	Seatclamp 37.8mm w/QR Titanium bolt 1size
223728-006	Frame E-Venture 20 Lady 2012 S
223728-007	Frame E-Venture 20 Lady 2012 M
223728-008	Frame E-Venture 20 Lady 2012 L
223908-020	Frame set Addict R1 US Warranty ssp/sbb XS49
223908-021	Frame set Addict R1 US Warranty ssp/sbb S52
223908-022	Frame set Addict R1 US Warranty ssp/sbb M54
223908-023	Frame set Addict R1 US Warranty ssp/sbb L56

Article no.	Description
223908-024	Frame set Addict R1 US Warranty ssp/sbb XL58
223908-025	Frame set Addict R1 US Warranty ssp/sbb 2XL61
223909-020	Frame set Addict R1 US Warranty ssp/ibb XS49
223909-021	Frame set Addict R1 US Warranty ssp/ibb S52
223909-022	Frame set Addict R1 US Warranty ssp/ibb M54
223909-023	Frame set Addict R1 US Warranty ssp/ibb L56
223909-024	Frame set Addict R1 US Warranty ssp/ibb XL58
223909-025	Frame set Addict R1 US Warranty ssp/ibb 2XL61
224002-222	Seatclamp 39.9mm Ti screw 1size
224014-222	E-Bike front light warranty only 1size
224018-223	Box assorted Ritchey bars close out 2011 Nsize
224095-006	Frame Scale 29 RC 2012 nur Garantie S
224095-007	Frame Scale 29 RC 2012 nur Garantie M
224095-008	Frame Scale 29 RC 2012 nur Garantie L
224095-009	Frame Scale 29 RC 2012 nur Garantie XL
224416-223	Gates sprocket 24T
224417-223	Gates belt 118T
224418-223	Gates chain ring 46T
224419-223	Cable clamping set Genius LT 2012 Nsize
224420-222	Seatclamp System Plasma 2 2012
224421-222	Cutting Tool Seattube Plasma 2 2012
224422-222	Seatpost spacer support Plasma 2 2012
224423-200	Seatpost spacers set 1,2,5mm Plasma 2 2012
224438-019	Frame set Foil 20 MY12 XXS47 warranty only
224438-020	Frame set Foil 20 MY12 XS49warranty only
224438-021	Frame set Foil 20 MY12 S52 warranty only
224438-022	Frame set Foil 20 MY12 M54 warranty only
224438-023	Frame set Foil 20 MY12 L56 warranty only
224438-024	Frame set Foil 20 MY12 XL58 warranty only
224438-025	Frame set Foil 20 MY12 XXL61 warranty only
224568-019	Frame set Foil Team Replica XXS47 (HMX) (Di2)
224568-020	Frame set Foil Team Replica XS49 (HMX) (Di2)
224568-021	Frame set Foil Team Replica S52 (HMX) (Di2)
224568-022	Frame set Foil Team Replica M54 (HMX) (Di2)
224568-023	Frame set Foil Team Replica L56 (HMX) (Di2)
224568-024	Frame set Foil Team Replica XL58 (HMX) (Di2)
224568-025	Frame set Foil Team Replica XXL61 (HMX) (Di2)
224569-019	Frame set Foil 15 XXS47 (HMF) (Di2)
224569-020	Frame set Foil 15 XS49 (HMF) (Di2)
224569-021	Frame set Foil 15 S52 (HMF) (Di2)
224569-022	Frame set Foil 15 M54 (HMF) (Di2)
224569-023	Frame set Foil 15 L56 (HMF) (Di2)
224569-024	Frame set Foil 15 XL58 (HMF) (Di2)
224569-025	Frame set Foil 15 XXL61 (HMF) (Di2)
224996-0004	Rim Alex FR 32, 26", 32H, disc only, red
224997-0004	Rim Alex Sub, 700C, 32H, disc only, red.
225316-222	Crankset Volt TMO'12 CrMo 28T 3pc.BK
225317-222	BB shell Euro extern.73mm Voltage
225377-222	Hub rep set Formula DC 22RQR 1size
226005-0002	Fork SUB 10 700C MY12 disc only Wh
226006-0001	Fork SUB 20 700C MY12 disc only Bk
226007-0002	Fork SUB 25 700C MY12 V-brake Wh
226013-222	Cable clamping set Spark Alloy 2012
229767-222	Linkage Bar Gambler MY 12 only
230119-222	Fork Metrix 20 Solution 2012 one size
232360-222	Chainstay Spark 40 2012 1size
232361-222	Chainstay Spark 50 2012 one size
232362-222	Chainstay Spark 60 2012 1size
232363-222	Chainstay Spark 70 2012 one size
232364-222	Chainstay Spark 29 Elite 2012 1size
232365-222	Chainstay Spark 29 Team 2012 one size
232366-222	Chainstay Spark 29 Comp 2012 1size
236753-222	Chainstay Gambler WC/DH/FR 08'-12" BK 1size

SPARE PARTS 2011

Article no.	Description
219361-0001	Fork Suntour XCR H-LO 100mm black
219361-0002	Fork Suntour XCR H-LO 100mm white
219362-0001	Fork Suntour XCM H-LO 100mm black
219362-0002	Fork Suntour XCM H-LO 100mm white
219363-0001	Fork Suntour XCM V3 100mm black
219363-0002	Fork Suntour XCM V3 100mm white
219364-0001	Fork Suntour NCX-D RL-A 63mm black
219365-0002	Fork RST RST F1 JR, 65mm, 24", air spr white
219366-0002	Fork RST Capa 24" white
219367-0001	Fork RST Capa 20" black
219368-0001	Fork SUB TL 316 700C disc only black
219369-0001	Fork SUB TL 316 700C V-Brake black
219370-222	Fork Speedster S10 2011 1size
219371-222	Fork Speedster S20 2011 1size
219372-222	Fork Speedster S30 2011 1size
219373-222	Fork Speedster S40 2011 1size
219374-222	Fork Speedster S50 2011 1size
219375-222	Fork Speedster S20 FB 2011 1size
219376-222	Fork Speedster S50 FB 2011 1size
219377-222	Fork CR 1 Comp 2011 1size
219378-222	Fork CR 1 Team 2011 1size
219379-222	Fork CR1 Elite 2011 1size
219380-222	Fork CR1 Pro 2011 1size
219381-222	Fork CR1 SL 2011 1size
219382-222	Fork CR1 Contessa Pro 2011 1size
219383-222	Fork CR1 Contessa Team 2011 1size
219384-222	Fork CR1 Contessa Speedster S15 2011 1size
219385-222	Fork CR1 Contessa Speedster S25 2011 1size
219386-222	Fork CR1 Contessa Speedster S35 2011 1size
219387-222	Fork Addict RC 2011 1size
219388-222	Fork Addict R1 2011 1size
219389-222	Fork Addict R15 2011 1size
219390-222	Fork Addict R2 2011 1size
219391-222	Fork Addict R3 2011 1size
219392-222	Fork Foil R1 2011 1size
219393-222	Fork Foil R2 2011 1size
219394-222	Fork Foil R3 2011 1size
219395-006	Fork Plasma TT 2011 S
219395-007	Fork Plasma TT 2011 M
219395-008	Fork Plasma TT 2011 L
219395-222	Fork Plasma TT 2011 1size
219396-006	Fork Plasma Premium 2011 S
219396-007	Fork Plasma Premium 2011 M
219396-008	Fork Plasma Premium 2011 L
219396-222	Fork Plasma Premium 2011 1size
219397-222	Fork Plasma 10 2011 1size
219398-222	Fork Plasma 20 2011 1size
219399-222	Fork Addict CX RC 2011 1size
219400-222	Fork Addict CX 2011 1size
219401-222	Fork CX Team 2011 1size
219402-222	Fork CX Comp 2011 1size
219403-222	Fork Volt-X 10-20 white 1size
219404-222	Fork Volt-X 30 1size
219405-222	Fork Volt-X 40 1size
219406-222	Fork Voltage Jr 24" Tmo 2011 1size
219407-222	Fork Voltage YZ 0.2 2011 1size
219408-192	Frame Volt-X 10 20"
219409-192	Frame Volt-X 20 20"
219410-192	Frame Volt-X 30 20"
219411-192	Frame Volt-X 40 20"
219412-005	Frame Voltage YZ-10 2011 XS
219412-006	Frame Voltage YZ-10 2011 S
219412-007	Frame Voltage YZ-10 2011 M

Article no.	Description
219412-008	Frame Voltage YZ-10 2011 L
219412-009	Frame Voltage YZ-10 2011 XL
219413-005	Frame Aspect 10 2011 XS
219413-006	Frame Aspect 10 2011 S
219413-007	Frame Aspect 10 2011 M
219413-008	Frame Aspect 10 2011 L
219413-009	Frame Aspect 10 2011 XL
219413-010	Frame Aspect 10 2011 XXL
219414-005	Frame Contessa 10 2011 XS
219414-006	Frame Contessa 10 2011 S
219414-007	Frame Contessa 10 2011 M
219414-008	Frame Contessa 10 2011 L
219414-009	Frame Contessa 10 2011 XL
219415-005	Frame SUB 10 Classic EBB 2011 XS
219415-006	Frame SUB 10 Classic EBB 2011 S
219415-007	Frame SUB 10 Classic EBB 2011 M
219415-008	Frame SUB 10 Classic EBB 2011 L
219415-009	Frame SUB 10 Classic EBB 2011 XL
219416-006	Frame SUB 10 Solution EBB 2011 S
219416-007	Frame SUB 10 Solution EBB 2011 M
219416-008	Frame SUB 10 Solution EBB 2011 L
219416-009	Frame SUB 10 Solution EBB 2011 XL
219417-006	Frame Sportster 10 2011 S
219417-007	Frame Sportster 10 2011 M
219417-008	Frame Sportster 10 2011 L
219417-009	Frame Sportster 10 2011 XL
219417-010	Frame Sportster 10 2011 XXL
219418-006	Frame Sportster Solution 10 2011 S
219418-007	Frame Sportster Solution 10 2011 M
219418-008	Frame Sportster Solution 10 2011 L
219418-009	Frame Sportster Solution 10 2011 XL
219419-006	Frame Sportster 40 Lady 2011 S
219419-007	Frame Sportster 40 Lady 2011 M
219419-008	Frame Sportster 40 Lady 2011 L
219419-009	Frame Sportster 40 Lady 2011 XL
219420-006	Frameset Scale 899 2011 S
219420-007	Frameset Scale 899 2011 M
219420-008	Frameset Scale 899 2011 L
219420-009	Frameset Scale 899 2011 XL
219421-019	Frameset Speedster S20 FB 2011 XXS47
219421-020	Frameset Speedster S20 FB 2011 XS49
219421-021	Frameset Speedster S20 FB 2011 S52
219421-022	Frameset Speedster S20 FB 2011 M54
219421-023	Frameset Speedster S20 FB 2011 L56
219421-024	Frameset Speedster S20 FB 2011 XL58
219421-025	Frameset Speedster S20 FB 2011 2XL61
219422-019	Frameset CR1 Pro ssp/sbb 2011 Warranty XXS47
219422-020	Frameset CR1 Pro ssp/sbb 2011 Warranty XS49
219422-021	Frameset CR1 Pro ssp/sbb 2011 Warranty S52
219422-022	Frameset CR1 Pro ssp/sbb 2011 Warranty M54
219422-023	Frameset CR1 Pro ssp/sbb 2011 Warranty L56
219422-024	Frameset CR1 Pro ssp/sbb 2011 Warranty XL58
219422-025	Frameset CR1 Pro ssp/sbb 2011 Warranty 2XL61
219423-416	Front Triangle Gambler 10 2011 short
219423-417	Front Triangle Gambler 10 2011 long
219424-222	Seatstays Gambler 10 2011 1size
219425-222	Chainstays Gambler 10 2011 1size
219426-416	Front Triangle Gambler 20 2011 short
219426-417	Front Triangle Gambler 20 2011 long
219427-222	Seatstays Gambler 20 2011 1size
219428-222	Chainstays Gambler 20 2011 1size
219429-416	Front Triangle Gambler 30 2011 short
219429-417	Front Triangle Gambler 30 2011 long

SPARE PARTS 2011

Article no.	Description
219430-222	Seatstays Gambler 30 2011 1size
219431-222	Chainstays Gambler 30 2011 1size
219432-416	Front Triangle Voltage FR 10 2011 short
219432-417	Front Triangle Voltage FR 10 2011 long
219433-222	Seatstays Voltage FR 10 2011 1size
219434-222	Chainstays Voltage FR 10 2011 1size
219435-416	Front Triangle Voltage FR 20 2011 short
219435-417	Front Triangle Voltage FR 20 2011 long
219436-222	Seatstays Voltage FR 20 2011 1size
219437-222	Chainstays Voltage FR 20 2011 1size
219438-416	Front Triangle Voltage FR 30 2011 short
219438-417	Front Triangle Voltage FR 30 2011 long
219439-222	Seatstays Voltage FR 30 2011 1size
219440-222	Chainstays Voltage FR 30 2011 1size
219441-006	Front Triangle Genius LT 10 2011 S
219441-007	Front Triangle Genius LT 10 2011 M
219441-008	Front Triangle Genius LT 10 2011 L
219442-222	Seatstays Genius LT 10 2011 1size
219443-222	Chainstays Genius LT 10 2011 1size
219444-006	Front Triangle Genius LT 20 2011 S
219444-007	Front Triangle Genius LT 20 2011 M
219444-008	Front Triangle Genius LT 20 2011 L
219445-222	Seatstays Genius LT 20 2011 1size
219446-222	Chainstays Genius LT 20 2011 1size
219447-006	Front Triangle Genius LT 30 2011 S
219447-007	Front Triangle Genius LT 30 2011 M
219447-008	Front Triangle Genius LT 30 2011 L
219448-222	Seatstays Genius LT 30 2011 1size
219449-222	Chainstays Genius LT 30 2011 1size
219450-006	Front Triangle Genius LT 40 2011 S
219450-007	Front Triangle Genius LT 40 2011 M
219450-008	Front Triangle Genius LT 40 2011 L
219451-222	Seatstays Genius LT 40 2011 1size
219452-222	Chainstays Genius LT 40 2011 1size
219453-222	Linkage Bar Genius LT 2011 1size
219454-006	Front Triangle Genius Premium 2011 S
219454-007	Front Triangle Genius Premium 2011 M
219454-008	Front Triangle Genius Premium 2011 L
219454-009	Front Triangle Genius Premium 2011 XL
219455-222	Seatstays Genius Premium 2011 1size
219456-222	Chainstays Genius Premium 2011 1size
219457-006	Front Triangle Genius 10 2011 S
219457-007	Front Triangle Genius 10 2011 M
219457-008	Front Triangle Genius 10 2011 L
219457-009	Front Triangle Genius 10 2011 XL
219458-222	Seatstays Genius 10 2011 1size
219459-222	Chainstays Genius 10 2011 1size
219460-006	Front Triangle Genius 20 2011 S
219460-007	Front Triangle Genius 20 2011 M
219460-008	Front Triangle Genius 20 2011 L
219460-009	Front Triangle Genius 20 2011 XL
219461-222	Seatstays Genius 20 2011 1size
219462-222	Chainstays Genius 20 2011 1size
219463-006	Front Triangle Genius 30 2011 S
219463-007	Front Triangle Genius 30 2011 M
219463-008	Front Triangle Genius 30 2011 L
219463-009	Front Triangle Genius 30 2011 XL
219464-222	Seatstays Genius 30 2011 1size
219465-222	Chainstays Genius 30 2011 1size
219466-006	Front Triangle Genius 40 2011 S
219466-007	Front Triangle Genius 40 2011 M
219466-008	Front Triangle Genius 40 2011 L
219466-009	Front Triangle Genius 40 2011 XL

Article no.	Description
219467-222	Seatstays Genius 40 2011 1size
219468-222	Chainstays Genius 40 2011 1size
219469-006	Front Triangle Genius 50 2011 S
219469-007	Front Triangle Genius 50 2011 M
219469-008	Front Triangle Genius 50 2011 L
219469-009	Front Triangle Genius 50 2011 XL
219470-222	Seatstays Genius 50 2011 1size
219471-222	Chainstays Genius 50 2011 1size
219472-006	Front Triangle Genius 60 2011 S
219472-007	Front Triangle Genius 60 2011 M
219472-008	Front Triangle Genius 60 2011 L
219472-009	Front Triangle Genius 60 2011 XL
219473-222	Seatstays Genius 60 2011 1size
219474-222	Chainstays Genius 60 2011 1size
219475-006	Front Triangle Spark RC 2011 S
219475-007	Front Triangle Spark RC 2011 M
219475-008	Front Triangle Spark RC 2011 L
219475-009	Front Triangle Spark RC 2011 XL
219476-006	Seatstays Spark RC 2011 S
219476-007	Seatstays Spark RC 2011 M
219476-008	Seatstays Spark RC 2011 L
219476-009	Seatstays Spark RC 2011 XL
219477-222	Chainstays Spark RC 2011 1size
219478-006	Front Triangle Spark 10 2011 S
219478-007	Front Triangle Spark 10 2011 M
219478-008	Front Triangle Spark 10 2011 L
219478-009	Front Triangle Spark 10 2011 XL
219479-006	Seatstays Spark 10 2011 S
219479-007	Seatstays Spark 10 2011 M
219479-008	Seatstays Spark 10 2011 L
219479-009	Seatstays Spark 10 2011 XL
219480-222	Chainstays Spark 10 2011 1size
219481-006	Front Triangle Spark 20 2011 S
219481-007	Front Triangle Spark 20 2011 M
219481-008	Front Triangle Spark 20 2011 L
219481-009	Front Triangle Spark 20 2011 XL
219482-006	Seatstays Spark 20 2011 S
219482-007	Seatstays Spark 20 2011 M
219482-008	Seatstays Spark 20 2011 L
219482-009	Seatstays Spark 20 2011 XL
219483-222	Chainstays Spark 20 2011 1size
219484-006	Front Triangle Spark 30 2011 S
219484-007	Front Triangle Spark 30 2011 M
219484-008	Front Triangle Spark 30 2011 L
219484-009	Front Triangle Spark 30 2011 XL
219485-006	Seatstays Spark 30 2011 S
219485-007	Seatstays Spark 30 2011 M
219485-008	Seatstays Spark 30 2011 L
219485-009	Seatstays Spark 30 2011 XL
219486-222	Chainstays Spark 30 2011 1size
219487-006	Front Triangle Spark 35 2011 S
219487-007	Front Triangle Spark 35 2011 M
219487-008	Front Triangle Spark 35 2011 L
219487-009	Front Triangle Spark 35 2011 XL
219488-006	Seatstays Spark 35 2011 S
219488-007	Seatstays Spark 35 2011 M
219488-008	Seatstays Spark 35 2011 L
219488-009	Seatstays Spark 35 2011 XL
219489-222	Chainstays Spark 35 2011 1size
219490-006	Frame Spark 40 2011 S
219490-007	Frame Spark 40 2011 M
219490-008	Frame Spark 40 2011 L
219490-009	Frame Spark 40 2011 XL

SPARE PARTS 2011

Article no.	Description
219491-006	Front Triangle Contessa Spark RC 2011 S
219491-007	Front Triangle Contessa Spark RC 2011 M
219491-008	Front Triangle Contessa Spark RC 2011 L
219492-006	Seatstays Contessa Spark RC 2011 S
219492-007	Seatstays Contessa Spark RC 2011 M
219492-008	Seatstays Contessa Spark RC 2011 L
219493-222	Chainstays Contessa Spark RC 2011 1size
219494-006	Frame Contessa Scale RC 2011 S
219494-007	Frame Contessa Scale RC 2011 M
219494-008	Frame Contessa Scale RC 2011 L
219495-006	Frame Contessa Scale 10 2011 S
219495-007	Frame Contessa Scale 10 2011 M
219495-008	Frame Contessa Scale 10 2011 L
219496-006	Front Triangle Contessa Genius 2011 S
219496-007	Front Triangle Contessa Genius 2011 M
219496-008	Front Triangle Contessa Genius 2011 L
219497-222	Seatstays Contessa Genius 2011 1size
219498-222	Chainstays Contessa Genius 2011 1size
219499-006	Front Triangle Contessa Spark 2011 S
219499-007	Front Triangle Contessa Spark 2011 M
219499-008	Front Triangle Contessa Spark 2011 L
219500-006	Seatstays Contessa Spark 2011 S
219500-007	Seatstays Contessa Spark 2011 M
219500-008	Seatstays Contessa Spark 2011 L
219501-222	Chainstays Contessa Spark 2011 1size
219502-019	Frameset Contessa CR 1 Pro 2011 XXS47
219502-020	Frameset Contessa CR 1 Pro 2011 XS49
219502-021	Frameset Contessa CR 1 Pro 2011 S52
219502-022	Frameset Contessa CR 1 Pro 2011 M54
219502-023	Frameset Contessa CR 1 Pro 2011 L56
219503-019	Frameset Contessa Speedster S15 2011 XXS47
219503-020	Frameset Contessa Speedster S15 2011 XS49
219503-021	Frameset Contessa Speedster S15 2011 S52
219503-022	Frameset Contessa Speedster S15 2011 M54
219503-023	Frameset Contessa Speedster S15 2011 L56
219504-193	Frame Scale JR RC 2011 24"
219505-193	Frame Voltage JR TMO 2011 24"
219506-193	Frameset Spark JR 24 2011 24"
219507-192	Frameset Spark JR 20 2011 20"
219508-222	Headset Ritchey WCS carb.0-tapered 1size
219509-222	Headset Ritchey WCS carb.0-tap.f/1 1/8 1size
219510-222	Headset Volt-X 10 1size
219511-222	Headset Rotor set Volt-X 1size
219512-222	Headset Ritchey Foil 50/55mm 1size
219513-222	Headset Ritchey Plasma TT 1size
219514-222	Slider f/steerer Plasma TT incl. Topcap 1size
219515-222	Axle Pegs Set Volt-X 1size
219516-222	Freewheel Cog Lida LMA-0 14T 1size
219517-222	Hub Rear Joy Tech F036DSE-14-9T 1size
219518-222	Hub rep set Formula DC 22N nutted 1size
219519-222	Hub Rep Set Formula Road SCOTT Comp 1size
219520-222	Hub Rep Set Formula Road SCOTT Pro 1size
219521-222	Crankset Samox BFC-21S incl. Euro BB 1size
219522-222	Crankset Samox BFC-21S incl. US BB 1size
219523-222	Crankset Samox CW-160 incl. US BB 1size
219524-222	Crankset Samox BFC-1121 Cr-Mo 2pc 28T 1size
219525-222	Pedal Wellgo B107.P clear white 1size
219526-222	Pedal Wellgo C128 1size
219527-0001	Rim Alex XC 49 disc 32H 29" black
219528-0011	Rim Alex FR 30 disc 32H grey
219529-0002	Rim Alex FR 32 disc 32H white
219530-0002	Rim Alex Race 28 32H white
219531-0002	Rim Alex DM 24 36H white


Article no.	Description
219532-0002	Rim Alex DM 24 48H white
219533-1412	Saddle Voltage JR 12 2011 grn/yellow
219534-1005	Saddle Voltage JR 16 2011 red/white
219535-1054	Saddle Voltage JR 20 2011 blue/yellow
219536-1457	Saddle Voltage JR 24 2011 gry/green
219537-1040	Saddle Scale JR 20 2011 black/yellow
219538-1030	Saddle Scale JR 24 2011 white/red
219539-1070	Saddle Scale JR RC 2011 wht/yell
219540-1244	Saddle Contessa JR12 2011 pink/wht
219541-1244	Saddle Contessa JR16 2011 pink/wht
219542-1075	Saddle Contessa JR 20 2011 green/wht
219543-1006	Saddle Contessa JR 24 2011 blue/white
219544-2713	Saddle Voltage Pivot.Atm.dir.mount,Timo clear
219545-1617	Saddle Voltage Pivot.Atm.dir.mount clar/whte
219546-0002	Saddle Contessa MTB white
219547-0002	Saddle Contessa Race white
219548-0001	Saddle Aspect black
219548-0002	Saddle Aspect white
219549-222	Seatpost SCOTT Plasma 3 TT 1size
219550-222	Seatpost SCOTT Plasma 3 Premium 1size
219551-222	Seatpost Volt-X pivotal 25.4 1size
219553-222	Tool set swingarm Genius LT 2011 1size
219554-0001	Stem Volt-X black
219555-272	Stem Plasma TT Ritchey 0° 90
219556-264	Stem Profile Plasma Premium 75
219556-272	Stem Profile Plasma Premium 90
219557-0001	Bar JD 11.2 600mm 2011 black
219558-0001	Bar JD 16.2 610mm 2011 black
219559-223	Red screw set Spark/Scale/Genius/Gen.LT Nsize
219560-223	Blck screw set Spark/Scale/Genius/Gen.LT Nsiz
219561-223	Rear shock DT Swiss Equalizer 3 w/o lev. Nsiz
219562-223	Twinloc Lever for Equalizer 3 Nsize
219563-222	Rear Shock EQ3 Mount Reducer Set 1size
219564-222	Rear Shock EQ3 Mount Bolt Set 1size
219565-223	Swingarm-Rep. Kit Genius LT Nsize
219566-222	FD-Mount Plate Set Genius LT 2011 1size
219567-222	Cable Fixing Set Genius LT 2011 1size
219568-222	Brake Mount Adapt.Spacers 4mm f/185mm 1size
219569-222	Seatclamp 34.9mm QR Genius LT 2011 1size
219570-222	Chainguide ISCG Adaptor Set Genius LT'11 1siz
219571-222	Geometry Chip Genius LT 2011 1size
219572-222	Dropout Set IDS 2 135/RWS 5 1size
219573-222	Dropout Set IDS 2 135/RWS 12 1size
219574-222	Dropout Set IDS 2 142/RWS 12 1size
219575-222	Dropout Hanger right side IDS 2 135/RWS5 1siz
219576-222	Dropout Hang.right side IDS 2 135/RWS12 1size
219577-222	Dropout Hang.right side IDS 2 142/RWS12 1size
219578-222	Chainguide System Scale 2011 1size
219579-222	BB Cableguide Scale Carbon 2011 1size
219580-222	Seatclamp System Scale RC 2011 1size
219581-222	Seatclamp System Plasma TT 2011 1size
219582-222	Seatclamp System Foil 2011 1size
219583-222	Dropout Hanger Foil 2011 1size
219584-222	BB Cableguide Foil 2011 1size
219585-222	Spoke set DT yellow 64 pcs 1size
219586-223	E-Bike Drive Unit Mount Bolt Set Bosch Nsize
219587-223	E-Bike Battery Pack Bosch 2011 Nsize
219588-223	E-Bike Battery Pack Housing Bosch 2011 Nsize
219589-223	E-Bike Battery Connector Holder Bosch Nsize
219590-223	E-Bike Battery Lock Holder Bosch 2011 Nsize
219591-223	E-Bike Battery Lock Bosch 2011 Nsize
219592-223	E-Bike Drive Unit Bosch 2011 Nsize
219593-223	E-Bike Drive Unit Housing Bosch 2011 Nsize

SPARE PARTS 2011

Article no.	Description
219594-223	E-Bike Cable Set Bosch 2011 Nsize
219595-223	E-Bike HMI Set Bosch 2011 Nsize
219596-223	E-Bike Battery Charger Bosch 2011 Nsize
219597-223	E-Bike Diagnosis Tool Dealer Bosch 2011 Nsize
219598-223	E-Bike Diagnosis Tool OEM Bosch 2011 Nsize
219599-006	Frame E-Sportster Men 2011 S
219599-007	Frame E-Sportster Men 2011 M
219599-008	Frame E-Sportster Men 2011 L
219599-009	Frame E-Sportster Men 2011 XL
219600-006	Frame E-Sportster Solution 2011 S
219600-007	Frame E-Sportster Solution 2011 M
219600-008	Frame E-Sportster Solution 2011 L
219600-009	Frame E-Sportster Solution 2011 XL
219601-006	Frame E-SUB 10 Men 2011 S
219601-007	Frame E-SUB 10 Men 2011 M
219601-008	Frame E-SUB 10 Men 2011 L
219601-009	Frame E-SUB 10 Men 2011 XL
219602-006	Frame E-SUB 20 Solution 2011 S
219602-007	Frame E-SUB 20 Solution 2011 M
219602-008	Frame E-SUB 20 Solution 2011 L
219602-009	Frame E-SUB 20 Solution 2011 XL
219603-222	Fork E-Sportster 2011 1size
219604-222	Fork E-SUB Men 10 2011 1size
219605-222	Fork E-SUB Men 20 2011 1size
219606-222	Fork E-SUB Solution 20 2011 1size
219699-0001	DT-Wheelset MY-Genius 10 3-PAK black
219700-0002	DT-Wheelset MY-Genius 20 3-PAK white
219701-0001	DT-Wheelset MY-Genius 30 3-PAK black
219956-222	Hub Rep Set Formula Road SCOTT Team 1size
220243-264	Stem Profile Plasma 3 75
220243-272	Stem Profile Plasma 3 90
220276-601	Crankset S20 CD MY 11 silver 170
220276-602	Crankset S20 CD MY 11 silver 172.5
220276-603	Crankset S20 CD MY 11 silver 175
220518-0012	Chainsuck Protector Scale Carbon '11 silver
220519-0012	Pivot Genius LT cable plate protector silver
220520-222	Cutting Tool Seattube Plasma 3 1size
220690-601	Crankset E-SUB/Sportster 2011 170mm 170
220691-603	Crankset E-SUB/Sportster 2011 175mm 175
220692-222	Chainring/Chainguard E-SUB/Sport.'11 44T 1siz
220693-222	Speed Sensor Mount Kit E-SUB/Sportster 1size
220798-222	Seatpost spacer support TT3
220799-200	Seatpost spacers set 1,2,5mm TT3
220895-0475611	Seatpost SCOTT Foil WCS UD matt 0mm
220895-0475612	Seatpost SCOTT Foil WCS UD matt 25mm
220895-0476611	Seatpost SCOTT Foil WCS UD gloss 0mm
220895-0476612	Seatpost SCOTT Foil WCS UD gloss 25mm
221153-0002222	Front wheel YZ 30 2011 white 1size
221154-0002222	Rear wheel YZ 30 2011 white 1size
221162-222	Gabel Contessa Jr 12 2011
221163-222	Gabel Voltage Jr 12 2011
221164-222	Gabel Contessa Jr 16 2011
221165-222	Gabel Voltage Jr 16 2011
221176-222	Fork Foil Premium 2011
221177-222	Fork Foil Team Issue 2011
221344-006	Front Triangle Spark RC 2010 HMX stdBB/isp S
221344-007	Front Triangle Spark RC 2010 HMX stdBB/isp M
221344-008	Front Triangle Spark RC 2010 HMX stdBB/isp L
221344-009	Front Triangle Spark RC 2010 HMX stdBB/isp XL
221345-222	Headset Ritchey R.crown 1.5" f/1 1/8"
221653-222	Chainguide System Foil 2011
221654-222	FD Mount Adapter Plate Foil 2011
225314-019	Frame set Addict RC'11 XXS47 Warranty ssp/ibb


Article no.	Description
225314-020	Frame set Addict RC'11 XS49 Warranty ssp/ibb
225314-021	Frame set Addict RC'11 S52 Warranty ssp/ibb
225314-022	Frame set Addict RC'11 M54 Warranty ssp/ibb
225314-023	Frame set Addict RC'11 L56 Warranty ssp/ibb
225314-024	Frame set Addict RC'11 XL58 Warranty ssp/ibb
225314-025	Frame set Addict RC'11 XXL61 Warranty ssp/ibb
225315-019	Frame set Addict RC'11 XXS47 Warranty ssp/sbb
225315-020	Frame set Addict RC'11 XS49 Warranty ssp/sbb
225315-021	Frame set Addict RC'11 S52 Warranty ssp/sbb
225315-022	Frame set Addict RC'11 M54 Warranty ssp/sbb
225315-023	Frame set Addict RC'11 L56 Warranty ssp/sbb
225315-024	Frame set Addict RC'11 XL58 Warranty ssp/sbb
225315-025	Frame set Addict RC'11 XXL61 Warranty ssp/sbb
226008-0002	Fork SUB 35 Men 700C MY11 V-brake Wh
226009-0025	Fork SUB 35 Solution 700C MY11 V-br Purple

20 HELMETS

Item	Name	Colors	Color Code	Sizes	Image
SPARE PARTS - VISORS					
230607	Shield Split SCOTT Optics (CE)	clear afc	3807	S-M-L	
233954	Shield Split SCOTT Optics (CPSC)				
233955	Shield Split SCOTT Optics (AS)				
230607	Shield Split SCOTT Optics (CE)	brown gold chrome	3808	S-M-L	
233954	Shield Split SCOTT Optics (CPSC)				
233955	Shield Split SCOTT Optics (AS)				
230607	Shield Split SCOTT Optics (CE)	yellow afc	3809	S-M-L	
233954	Shield Split SCOTT Optics (CPSC)				
233955	Shield Split SCOTT Optics (AS)				
210564	Visor SCOTT Spectre / Spartan	black	0001	one size	
		white	0002	one size	
215848	Visor SCOTT Groove II / Lin	black	0001	one size	
		white	0002	one size	
215849	Visor SCOTT Watu / Taal	black	0001	one size	
		white	0002	one size	
219974	Visor SCOTT Vanish / Vanish evo / Vanish 2	black	0001	S-M-L	

Item	Name	Colors	Color Code	Sizes	Image
------	------	--------	------------	-------	-------

SPARE PARTS - VISORS CONTINUED

230083	Visor SCOTT Mythic / Stego	black	0001	S-M-L	
		white	0002	S-M-L	
238540	Visor SCOTT Vivo	black	0001	S-M-L	
		white	0002	S-M-L	
242094	Visor SCOTT Supra	black	0001	one size	
		white	0002	one size	
219975	Visor SCOTT Spunto	black	0001	one size	
		white	0002	one size	
238541	Visor SCOTT Arx MTB	black	0001	S-M-L	
		white	0002	S-M-L	
223732	Visor SCOTT Wit	black	0001	S-M-L	Old design:  NEW design Running Change MY 2013: 
		white	0002	S-M-L	

Item	Name	Colors	Color Code	Sizes	Image
------	------	--------	------------	-------	-------

SPARE PARTS - VISORS CONTINUED

252800	Visor Fuga PLUS	black	0001	S-M-L	
		white	0002	S-M-L	





PADDING

212871	Inner Pads Spare Kit Groove	grey	0011	one size	
230084	Inner Pads Spare Kit Lin	black	0001	one size	
215851	Inner Pads Spare Kit SCOTT Watu	grey	0011	one size	
230085	Inner Pads Spare Kit SCOTT Taal	black	0001	one size	
219977	Inner Pads Spare Kit SCOTT Spunto	grey	0011	one size	
230086	Inner Pads Spare Kit SCOTT Vanish evo / Vanish 2 Note: Pad kit is also compatible with 1st Generation Vanish helmet	black	0001	one size	

Item	Name	Colors	Color Code	Sizes	Image
238542	Inner Pads Spare Kit SCOTT Mythic	grey	0011	S, M/L	
238543	Inner Pads Spare Kit SCOTT Stego	black	0001	S, M/L	
238544	Inner Pads Spare Kit SCOTT Vivo	grey	0011	S-M-L	
238545	Inner Pads Spare Kit SCOTT Vivo PLUS	black	0001	S-M-L	
242095	Inner Pads Spare Kit SCOTT Supra PLUS	black	0001	one size	
252801	Inner Pads Spare Kit Supra	black	0001	one size	
230608	Inner Pads Spare Kit SCOTT Jibe	black	0001	S-M-L	
223734	Inner Pads Spare Kit SCOTT Wit	grey	0011	one size	
230088	Inner Pads Spare Kit SCOTT Split	grey	0011	one size	

Item	Name	Colors	Color Code	Sizes	Image
------	------	--------	------------	-------	-------

PADDING continued

235704	Inner Pads Spare Kit Arx (CO)	grey	0011	S-M-L	
238546	Inner Pads Spare Kit Arx Plus (NEW)	black	0001	S-M-L	
235705	Inner Pads Spare Kit SCOTT Torus	black	0001	S-M-L	
246390	Inner Pads Spare Kit SCOTT Torus PLUS	black	0001	S-M-L	
240416	Inner Pads Spare Kit Chomp Thin	red	0004	one size	
252802	Inner Pads Spare Kit Fuga Plus	black	0001	S/M, L	
252803	Inner Pads Spare Kit Cadence Plus / Centric Plus	black	0001	S-M-L	

OTHER SPARE PARTS

223735	Goggle Retainer SCOTT Jibe	black	0001	one size	
--------	----------------------------	-------	------	----------	---


Item	Name	Colors	Color Code	Sizes	Image
------	------	--------	------------	-------	-------

OTHER SPARE PARTS continued

252806	HALO 360 Spare Kit	black	0001	one size	
252805	HALO 270 Spare Kit	black	0001	one size	
252804	MRAS 17 Spare Kit	black	0001	one size	
238943	M-RAS II System Kit <15	black	0001	one size	
238942	M-RAS System Kit <15	black/white	1007	one size	
246391	M-RAS Solo	black	0001	one size	
242096	RAS Spare Kit <16	black	0001	one size	
234588	LW Fit System Kit	black	0001	one size	
242097	V-RAS Spare Kit <16	black	0001	one size	

Item	Name	Colors	Color Code	Sizes	Image
------	------	--------	------------	-------	-------

OTHER SPARE PARTS continued

228548	W-M.A.S. Adj. System Wide	black	0001		
252807	Cadence Winter Plugs	black	0001	S, M, L	

FIT SYSTEMS CHART

FIT SYSTEM NAME	HALO 360	HALO 270	MRAS 17	M-RAS II <15	M-RAS <15	MRAS SOLO	RAS <16	LW FIT SYSTEM	V-RAS <16	W-RAS
SPLIT										✓
CADENCE PLUS	✓									
CENTRIC PLUS	✓									
ARX PLUS			✓	✓						
ARX			✓	✓						
FUGA PLUS		✓								
ARX MTB PLUS			✓	✓						
ARX MTB			✓	✓						
STEGO			✓	✓						
VIVO PLUS			✓	✓						
VIVO			✓	✓						
SUPRA PLUS						✓				
SUPRA						✓				
SPUNTO							✓			
CHOMP 2	NON REPLACEABLE									
VANISH					✓					
VANISH -R					✓					
VANISH EVO				✓						
VANISH 2				✓						
WIT					✓					
WIT-R					✓					
LIN									✓	
GROOVE 2									✓	
TAAL							✓			
WATU							✓			
TORUS PLUS								✓		
TORUS								✓		
KARMA							✓			
FUGA					✓					


21 BIKE SHOES

Name	Item	Color	Image
Buckle kit	2104850001	Black	
	2104850012	Silver	

STUD REPLACEMENT PARTS

Stud replacement kit	224574	Nylon	
	224574	Steel	

SHOE REPLACEMENT PARTS

Heel Lug for Road Outsoles	225073	All colors	
Team Issue strap and EVA pad New Logo	224572	White/yellow	
Team Carbon strap and EVA pad New Logo	224573	Black/red	
Buckle	217224	All colors	
Innersole insert and wedge	220922		
Strap for Team shoes	217226	Black and white	

Name	Item	Color	Description	Image
------	------	-------	-------------	-------

2005–2006

Boa Reel and Lace replacement kits for shoes 2005–2006	230235		Boa lace system replacement parts model B	
--	--------	--	---	---

2007–2009

Boa Reel and Lace replacement kits for shoes 2007–2009	220702	Black 1 size	Boa lace system replacement parts model LSR www.boatechnology.com/support/consumers/videos	
--	--------	-----------------	---	---

FROM 2010

Boa reel & lace replacement kits for shoes from 2010	220703	Black 1 size	2014 Sport Series www.boatechnology.com/support/consumers/videos	
--	--------	-----------------	---	--

FROM 2014

Boa Reel and Lace replacement kits for Road & MTB shoes from 2014	236210	Black 1 size	www.boatechnology.com/support/consumers/videos	
	236211	White 1 size		

FROM 2015

Boa Reel & Lace replacement kit IP1 Left and Right for Road & MTB shoes from 2015	240274	Black 1 size		
	240275	Bright yellow 1 size		
	240275	Teal blue 1 size		

FROM 2017

Boa Reel and Lace replacement kit L6 1576 E for Road & MTB Shoes 2017	263866	Black 1 size		
---	--------	-----------------	--	---

BOA CARE AND MAINTENANCE

Boa provides replaceable parts to the customer at no charge for the lifetime of the PRODUCT (not the life of the customer).

Warranty link:

<https://www4.boatechnology.com/warranty>

Care and Maintenance link:

<http://www.boatechnology.com/repair-center/>

22 LEGAL INFORMATION

PROCEDURE IN PRODUCT LIABILITY CASES

PRODUCT LIABILITY

Definition:

- Product defect (a product is defective in this meaning if it is not as safe as it can be generally expected at the moment of the first placing on the market, e.g. a fault in construction, a fault in production, etc.);
- Bodily injury of the consumer caused by the product defect; and/or
- Property damage of things other than the defective product.

Procedure:



SCOTT Headquarters SOLELY handles product liability cases.

Therefore, please follow this checklist.

If you do not follow this checklist, SCOTT may be sued and may not be able to adequately defend its position. This may result in unjustified prejudices that may have detrimental consequences both for SCOTT's trademark image and your business relationship with SCOTT.

SEND ALL INFORMATION TO:

Barbara Moigno / Lena Huse

Phone: +41 26 460 1 - 680 / - 706

Fax: +41 26 460 16 00

Email: EU.legal@scott-sports.com

Holger Klinter

Phone: +41 26 460 17 39

Fax: +41 26 460 16 00

Email: Holger.Klinter@scott-sports.com

Patrick Bochud

Phone: +41 26 460 16 89

Fax: +41 26 460 16 00

Email: Patrick.Bochud@scott-sports.com

CHECKLIST

All written information should be provided in its **original language**. If the information is in a language other than English, German or French, please also **translate** it into one of these three languages for faster processing.

ONLY with the explicit prior permission of SCOTT should you send the evidence back to the claimant. **Please NEVER THROW IT AWAY!**

Please provide:

1. The claimant's **address and phone number**.
2. The **proof of purchase** / sales slip.
3. A **memo** with the following information:
 - **What** happened and **who** was involved?
 - **When, where** and **why** did the incident happen?
 - What is the general **appearance** of the product?
 - **Detailed product information**, e.g. frame number, model, etc.
4. Confirmation of the product's periodical **maintenance and service history**.
5. A short **summary of how the product has been used** since it was purchased.
6. The **complete written correspondence** of the claimant, particularly medical certificates, technical expertise, etc.
7. **SHARP, GOOD QUALITY photos** of the defective product from all sides showing the defects as clearly as possible;
OR
If the claimant does NOT provide the defective product for examination, then provide the name and address of the location where the product may be examined by us.
8. Careful **storage of ALL pieces of evidence**, particularly the defective piece.

ALWAYS REMEMBER:

1. **NEVER make comments or statements** concerning the **reason** for the **product failure** to the claimant or the dealer!
2. **ALWAYS behave in a customer-friendly manner** with the claimant! (active listening, sympathy and concern, etc.)
3. **ONLY SCOTT Headquarters will handle communication** with consumers / lawyers / insurance companies!

CUSTOMER COMMUNICATION ON SOCIAL MEDIA

BASIC PRINCIPLES

1. *Always stay positive*

- Deal with all customer complaints offline = email, phone, face to face
- Avoid customer service online by all means
- Don't post any opinions
- Don't engage in negative discussions at all
- Keep answers clear and short

2. *Always pause and think before posting*

- Always think twice before hitting 'send'; consider what could happen when you publish information. When in doubt, do not post!
- Double check content, tone, and grammar

GOLDEN RULES

1. *Use Common Sense*

- Talk to your readers like you would talk to real people in professional situations.
- Be respectful but casual.
- Don't engage in a customer service discussion online.
- Let negative or aggressive posts stand and monitor.


2. *Protect SCOTT Sports and yourself.*

- Anything said can be picked up by fans, competitors, stakeholders, analysts, hackers, and the media. There are people looking for such information 24/7.
- Respect confidentiality, never post internal or classified information.
- Never post anyone's personal details without consent (not even a name).

3. *Take Responsibility*

- Be responsible for what you write. Posting on the page means that you represent the SCOTT company.
- Everything you say as an employee is accessible and searchable – even if you delete it afterwards.
- Tell the truth. If you make an error, be up front and honest about your mistake.
- Your honesty or dishonesty will be noticed quickly.

HOW TO REPLY



23 SYNCROS WHEELS

1. SYNCROS ASM WHEELS MOUNTAIN MY2017

1.1 Syncros by DT Swiss XR1.0 Carbon 27.5" Boost

ASM Wheel-Set

	SAP Nr.	Description
Front Wheel		
Wheel	WXRCSCOBGIXC013883	XRC SCO XR1.0 BO 275 A FW CL 15110 ORA
Hub	H350BCIXR28SO0328C	350 110 DBCL BO TA15 R28 BMG SCO B
Spokes left	SACS20283S05000253	AEC 2.0/1.25/2.3 X 283 SP S
Spokes right	SACS20283S05000253	AEC 2.0/1.25/2.3 X 283 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Rim	RDXR3365028C104263	XRC SCO XR1.0 27.5 DB 28 XRC 330 ORA WS
Rear Wheel		
Wheel	WXRCSCOTGDR0C013884	XRC SCO XR1.0 BO275 A RW CL 12148ASR ORA
Hub	H240TCDDR28SO0333C	240 148 CL BO TA12 ASRAM R28 BMG SCO B
Spokes left	SACS20283S05000253	AEC 2.0/1.25/2.3 X 283 SP S
Spokes right	SACS20283S05000253	AEC 2.0/1.25/2.3 X 283 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Rim	RDXR3365028C104263	XRC SCO XR1.0 27.5 DB 28 XRC 330 ORA WS



1.2 Syncros by DT Swiss XR1.0 Carbon 29" Boost

ASM Wheel-Set

	SAP Nr.	Description
Front Wheel		
Wheel	WXRCSCOBEXC013885	XRC SCO XR1.0 BO 29 A FW CL 15110 ORA
Hub	H350BCIXR28SO0328C	350 110 DBCL BO TA15 R28 BMG SCO B
Spokes left	SACS20302S05000253	AEC 2.0/1.25/2.3 X 302 SP S
Spokes right	SACS20302S05000253	AEC 2.0/1.25/2.3 X 302 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Rim	RDXR3329N28C104250	XRC SCO XR1.0 29 DB 28 XRC 330 ORA WS
Rear Wheel		
Wheel	WXRCSCOTEDRC013886	XRC SCO XR1.0 BO 29 A RW CL 12148ASR ORA
Hub	H240TCDDR28SO0333C	240 148 CL BO TA12 ASRAM R28 BMG SCO B
Spokes left	SACS20302S05000253	AEC 2.0/1.25/2.3 X 302 SP S
Spokes right	SACS20302S05000253	AEC 2.0/1.25/2.3 X 302 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Rim	RDXR3329N28C104250	XRC SCO XR1.0 29 DB 28 XRC 330 ORA WS



1.3 Syncros by DT Swiss XR1.5 27.5" Boost

ASM Wheel-Set

	SAP Nr.	Description
Front Wheel		
Wheel	WXRSCOTBGIXS013893	XR SCO XR1.5 BO 275 A FW CL 15110 GREY
Hub	H350BCIXR28S00339C	350 110 DBCL BO TA15 R28 BM SCO B
Spokes left	SACS20288S05000253	AEC 2.0/1.25/2.3 X 288 SP S
Spokes right	SACS20288S05000253	AEC 2.0/1.25/2.3 X 288 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Washer	WSZXX10051297S	WASHER FOR ONE Ø8.5/4.3X0.9 100
Rim	RDXR3665028S102928	XR SCO XR1.5 27.5 DB 28 XR361AS WS GR WS
Rear Wheel		
Wheel	WXRSCOTTGDL013894	XR SCO XR1.5 BO275 A RW CL 12148ASF GREY
Hub	H350TCDLR28S00343C	350 148 DBCL BO TA12 ASF R28 BM SCO B
Spokes left	SACS20288S05000253	AEC 2.0/1.25/2.3 X 288 SP S
Spokes right	SACS20288S05000253	AEC 2.0/1.25/2.3 X 288 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Washer	WSZXX10051297S	WASHER FOR ONE Ø8.5/4.3X0.9 100
Rim	RDXR3665028S102928	XR SCO XR1.5 27.5 DB 28 XR361AS WS GR WS



1.4 Syncros by DT Swiss XR1.5 29" Boost

ASM Wheel-Set

	SAP Nr.	Description
Front Wheel		
Wheel	WXRSCOTBEIXS013905	XR SCO XR1.5 BO 29 A FW CL 15110 GREY
Hub	H350BCIXR28S00339C	350 110 DBCL BO TA15 R28 BM SCO B
Spokes left	SACS20307S05000253	AEC 2.0/1.25/2.3 X 307 SP S
Spokes right	SACS20307S05000253	AEC 2.0/1.25/2.3 X 307 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Washer	WSZXX10051297S	WASHER FOR ONE Ø8.5/4.3X0.9 100
Rim	RDXR3629N28S102930	XR SCO XR1.5 29 DB 28 XR361AS GREY WS
Rear Wheel		
Wheel	WXRSCOTTEDLS013906	XR SCO XR1.5 BO 29 A RW CL 12148ASF GREY
Hub	H350TCDLR28S00343C	350 148 DBCL BO TA12 ASF R28 BM SCO B
Spokes left	SACS20307S05000253	AEC 2.0/1.25/2.3 X 307 SP S
Spokes right	SACS20307S05000253	AEC 2.0/1.25/2.3 X 307 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Washer	WSZXX10051297S	WASHER FOR ONE Ø8.5/4.3X0.9 100
Rim	RDXR3629N28S102930	XR SCO XR1.5 29 DB 28 XR361AS GREY WS



2. SYNCROS ASM WHEELS ROAD MY2017

2.1 Syncros by DT Swiss RP1.0 DBCL Carbon

ASM Wheel-Set

	SAP Nr.	Description
Front Wheel		
Wheel	WRCSCOTAIDXC012922	RC SCOTT RP 1.0 DB ASM FW DBCL 12/100 C
Hub	H37PACDXS24SO6910W	37P/35P 100 ROAD DBCL TA12 S24 B WHEELS
Spokes left	SATS20290S05000164	AEL 2.0/0.9/2.3 X 290 SP S
Spokes right	SATS20292S05000164	AEL 2.0/0.9/2.3 X 292 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL SCHWARZ
Rim	RDCR3DDPN24C104203	RC 38C DB DISC PRE NE 24 CA 10P 4203 SCO
Rear Wheel		
Wheel	WRCSCOTNIDUS012923	RC SCO RP1.0DB A RW DBCL 12/142 ASS11 C
Hub	H36PNCUDUS24SO6363W	36P 142 ROAD DBCL SA12 ASS11 S24 S WHEEL
Spokes left	SATS20291S05000164	AEL 2.0/0.9/2.3 X 291 SP S
Spokes right	SACS20288S05000253	AEC 2.0/1.25/2.3 X 288 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL SCHWARZ
Rim	RDCR3DDPN24C104203	RC 38C DB DISC PRE NE 24 CA 10P 4203 SCO



3. SYNCROS OE WHEELS MOUNTAIN MY2017

3.1 Syncros by DT Swiss XRC1.0 29" Boost

Scale / Spark RC 900 SL

	SAP Nr.	Description
Front Wheel		
Wheel	WXRCSCOBEXC103885	XRC SCO XR1.0 BO 29 O FW CL 15110 ORA
Hub	H350BCIXR28SO0328C	350 110 DBCL BO TA15 R28 BMG SCO B
Spokes left	SACS20302S05000253	AEC 2.0/1.25/2.3 X 302 SP S
Spokes right	SACS20302S05000253	AEC 2.0/1.25/2.3 X 302 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Rim	RDXR3329N28C104250	XRC SCO XR1.0 29 DB 28 XRC 330 ORA WS
Rear Wheel		
Wheel	WXRCSCOTEDRC103886	XRC SCO XR1.0 BO 29 O RW CL 12148ASR ORA
Hub	H240TCDDR28SO0333C	240 148 CL BO TA12 ASRAM R28 BMG SCO B
Spokes left	SACS20302S05000253	AEC 2.0/1.25/2.3 X 302 SP S
Spokes right	SACS20302S05000253	AEC 2.0/1.25/2.3 X 302 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Rim	RDXR3329N28C104250	XRC SCO XR1.0 29 DB 28 XRC 330 ORA WS

**COMPLETE WHEELS ARE NOT AVAILABLE.**

Wheel numbers are only for reference to find the relevant spare parts.

3.2 Syncros by DT Swiss XRC1.0 27.5" Boost

Scale / Spark RC 700 SL

	SAP Nr.	Description
Front Wheel		
Wheel	WXRCSCOBGIXC103883	XRC SCO XR1.0 BO 27.5 O FW CL 15110 ORA
Hub	H350BCIXR28SO0328C	350 110 DBCL BO TA15 R28 BMG SCO B
Spokes left	SACS20283S05000253	AEC 2.0/1.25/2.3 X 283 SP S
Spokes right	SACS20283S05000253	AEC 2.0/1.25/2.3 X 283 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Rim	RDXR3365028C104263	XRC SCO XR1.0 27.5 DB 28 XRC 330 ORA WS
Rear Wheel		
Wheel	WXRCSCOTGDRC103884	XRC SCO XR1.0 BO275 O RW CL 12148ASR ORA
Hub	H240TCDDR28SO0333C	240 148 CL BO TA12 ASRAM R28 BMG SCO B
Spokes left	SACS20283S05000253	AEC 2.0/1.25/2.3 X 283 SP S
Spokes right	SACS20283S05000253	AEC 2.0/1.25/2.3 X 283 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Rim	RDXR3365028C104263	XRC SCO XR1.0 27.5 DB 28 XRC 330 ORA WS

**COMPLETE WHEELS ARE NOT AVAILABLE.**

Wheel numbers are only for reference to find the relevant spare parts.

3.3 Syncros by DT Swiss XRC1.0 29" Boost

Spark 900 Ultimate

	SAP Nr.	Description
Front Wheel		
Wheel	WXRSCOTBEIXS103903	XRC SCO XR1.0 BO 29 O FW CL 15110 NB/NG
Hub	H350BCIXR28SO0328C	350 110 DBCL BO TA15 R28 BMG SCO B
Spokes left	SACS20302S05000253	AEC 2.0/1.25/2.3 X 302 SP S
Spokes right	SACS20302S05000253	AEC 2.0/1.25/2.3 X 302 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Rim	RDXR3329N28C104254	XRC SCO XR1.0 29 DB 28 XRC 330 GRE WS
Rear Wheel		
Wheel	WXRSCOTTEDRS103904	XRC SCO XR1.0 BO29 O RW CL 12148ASR NBNG
Hub	H240TCDDR28SO0333C	240 148 CL BO TA12 ASRAM R28 BMG SCO B
Spokes left	SACS20302S05000253	AEC 2.0/1.25/2.3 X 302 SP S
Spokes right	SACS20302S05000253	AEC 2.0/1.25/2.3 X 302 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Rim	RDXR3329N28C104254	XRC SCO XR1.0 29 DB 28 XRC 330 GRE WS



COMPLETE WHEELS ARE NOT AVAILABLE.

Wheel numbers are only for reference to find the relevant spare parts.

3.4 Syncros by DT Swiss XRC1.0 27.5" Boost

Spark 700 Ultimate

	SAP Nr.	Description
Front Wheel		
Wheel	WXRSCOTBGIXS103891	XRC SCO XR1.0 BO 275 O FW CL 15110 NB/NG
Hub	H350BCIXR28SO0328C	350 110 DBCL BO TA15 R28 BMG SCO B
Spokes left	SACS20283S05000253	AEC 2.0/1.25/2.3 X 283 SP S
Spokes right	SACS20283S05000253	AEC 2.0/1.25/2.3 X 283 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Rim	RDXR3365028C104264	XRC SCO XR1.0 27.5 DB 28 XRC 330 GRE WS
Rear Wheel		
Wheel	WXRSCOTTGDRS103892	XRC SCO XR1.0 BO275O RW CL 12148ASR NBNG
Hub	H240TCDDR28SO0333C	240 148 CL BO TA12 ASRAM R28 BMG SCO B
Spokes left	SACS20283S05000253	AEC 2.0/1.25/2.3 X 283 SP S
Spokes right	SACS20283S05000253	AEC 2.0/1.25/2.3 X 283 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Rim	RDXR3365028C104264	XRC SCO XR1.0 27.5 DB 28 XRC 330 GRE WS



COMPLETE WHEELS ARE NOT AVAILABLE.

Wheel numbers are only for reference to find the relevant spare parts.

3.5 Syncros by DT Swiss XR1.5 29" Boost

Scale / Spark RC 900 Ultimate

	SAP Nr.	Description
Front Wheel		
Wheel	WXRSCOTBEIXS103899	XR SCO XR1.5 BO 29 O FW CL 15110 NB/NG
Hub	H350BCIXR28S00383C	350 110 DBCL BO TA15 R28 BM SCO NG
Spokes left	SACS20307S05000253	AEC 2.0/1.25/2.3 X 307 SP S
Spokes right	SACS20307S05000253	AEC 2.0/1.25/2.3 X 307 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Washer	WSZXX10051297S	WASHER FOR ONE Ø8.5/4.3X0.9 100
Rim	RDXR3629N28S102929	XR SCO XR1.5 29 DB 28 XR361AS NB/NG WS
Rear Wheel		
Wheel	WXRSCOTTEDRS103900	XR SCO XR1.5 BO29 O RW CL 12148ASR NB/NG
Hub	H350TCDRR28S00415C	350 148 CL BO TA12 ASRAM R28 BM SCO NG
Spokes left	SACS20307S05000253	AEC 2.0/1.25/2.3 X 307 SP S
Spokes right	SACS20307S05000253	AEC 2.0/1.25/2.3 X 307 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Washer	WSZXX10051297S	WASHER FOR ONE Ø8.5/4.3X0.9 100
Rim	RDXR3629N28S102929	XR SCO XR1.5 29 DB 28 XR361AS NB/NG WS

COMPLETE WHEELS ARE NOT AVAILABLE.

Wheel numbers are only for reference to find the relevant spare parts.



3.6 Syncros by DT Swiss XR1.5 27.5" Boost

Scale / Spark RC 700 Ultimate

	SAP Nr.	Description
Front Wheel		
Wheel	WXRSCOTBGIXS103887	XR SCO XR1.5 BO 275 O FW CL 15110 NB/NG
Hub	H350BCIXR28S00383C	350 110 DBCL BO TA15 R28 BM SCO NG
Spokes left	SACS20288S05000253	AEC 2.0/1.25/2.3 X 288 SP S
Spokes right	SACS20288S05000253	AEC 2.0/1.25/2.3 X 288 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Washer	WSZXX10051297S	WASHER FOR ONE Ø8.5/4.3X0.9 100
Rim	RDXR3665028S102927	XR SCO XR1.5 27.5 DB 28 XR361AS NB/NG WS
Rear Wheel		
Wheel	WXRSCOTTGDRS103888	XR SCO XR1.5 BO275 O RW CL 12148ASR NBNG
Hub	H350TCDRR28S00415C	350 148 CL BO TA12 ASRAM R28 BM SCO NG
Spokes left	SACS20288S05000253	AEC 2.0/1.25/2.3 X 288 SP S
Spokes right	SACS20288S05000253	AEC 2.0/1.25/2.3 X 288 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Washer	WSZXX10051297S	WASHER FOR ONE Ø8.5/4.3X0.9 100
Rim	RDXR3665028S102927	XR SCO XR1.5 27.5 DB 28 XR361AS NB/NG WS

COMPLETE WHEELS ARE NOT AVAILABLE.

Wheel numbers are only for reference to find the relevant spare parts.



3.7 Syncros by DT Swiss XR1.5 29" Boost

Spark 900 Premium

	SAP Nr.	Description
Front Wheel		
Wheel	WXRSCOTBEIXS103905	XR SCO XR1.5 BO 29 O FW CL 15110 GREY
Hub	H350BCIXR28S00339C	350 110 DBCL BO TA15 R28 BM SCO B
Spokes left	SACS20307S05000253	AEC 2.0/1.25/2.3 X 307 SP S
Spokes right	SACS20307S05000253	AEC 2.0/1.25/2.3 X 307 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Washer	WSZXX10051297S	WASHER FOR ONE Ø8.5/4.3X0.9 100
Rim	RDXR3629N28S102930	XR SCO XR1.5 29 DB 28 XR361AS GREY WS
Rear Wheel		
Wheel	WXRSCOTTEDLS103906	XR SCO XR1.5 BO 29 O RW CL 12148ASF GREY
Hub	H350TCDLR28S00343C	350 148 DBCL BO TA12 ASF R28 BM SCO B
Spokes left	SACS20307S05000253	AEC 2.0/1.25/2.3 X 307 SP S
Spokes right	SACS20307S05000253	AEC 2.0/1.25/2.3 X 307 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Washer	WSZXX10051297S	WASHER FOR ONE Ø8.5/4.3X0.9 100
Rim	RDXR3629N28S102930	XR SCO XR1.5 29 DB 28 XR361AS GREY WS

COMPLETE WHEELS ARE NOT AVAILABLE.

Wheel numbers are only for reference to find the relevant spare parts.



3.8 Syncros by DT Swiss XR1.5 27.5" Boost

Spark 700 Premium

	SAP Nr.	Description
Front Wheel		
Wheel	WXRSCOTBGIXS103893	XR SCO XR1.5 BO 27.5 O FW CL 15110 GREY
Hub	H350BCIXR28S00339C	350 110 DBCL BO TA15 R28 BM SCO B
Spokes left	SACS20288S05000253	AEC 2.0/1.25/2.3 X 288 SP S
Spokes right	SACS20288S05000253	AEC 2.0/1.25/2.3 X 288 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Washer	WSZXX10051297S	WASHER FOR ONE Ø8.5/4.3X0.9 100
Rim	RDXR3665028S102928	XR SCO XR1.5 27.5 DB 28 XR361AS WS GR WS
Rear Wheel		
Wheel	WXRSCOTTGDLS103894	XR SCO XR1.5 BO27.5 O RW CL 12148ASF GREY
Hub	H350TCDLR28S00343C	350 148 DBCL BO TA12 ASF R28 BM SCO B
Spokes left	SACS20288S05000253	AEC 2.0/1.25/2.3 X 288 SP S
Spokes right	SACS20288S05000253	AEC 2.0/1.25/2.3 X 288 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Washer	WSZXX10051297S	WASHER FOR ONE Ø8.5/4.3X0.9 100
Rim	RDXR3665028S102928	XR SCO XR1.5 27.5 DB 28 XR361AS WS GR WS

COMPLETE WHEELS ARE NOT AVAILABLE.

Wheel numbers are only for reference to find the relevant spare parts.



3.9 Syncros by DT Swiss TR1.5 27.5" Boost Spark 700 PLUS Tuned

	SAP Nr.	Description
Front Wheel		
Wheel	WXMSCOTBGIXS103911	XM SCO TR1.5P BO 275 O FW CL 15110 BLU
Hub	H350BCIXR28S06568C	350 110 DBCL BO TA15 R28 BMG SCOTT SP NO
Spokes left	SACS20285S05000253	AEC 2.0/1.25/2.3 X 285 SP S
Spokes right	SACS20285S05000253	AEC 2.0/1.25/2.3 X 285 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Washer	WSZXX10051297S	WASHER FOR ONE Ø8.5/4.3X0.9 100
Rim	RDXM5265028S102933	XM SCO TR1.5P 27.5 DB 28 XM521 BLU WS
Rear Wheel		
Wheel	WXMSCOTTGDRS103914	XM SCO TR1.5P BO275 O RW CL 12148ASR BLU
Hub	H350TCDRR28S06569C	350 148 CL BO TA12 ASRAM R28 BMG SCO NO
Spokes left	SACS20285S05000253	AEC 2.0/1.25/2.3 X 285 SP S
Spokes right	SACS20285S05000253	AEC 2.0/1.25/2.3 X 285 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Washer	WSZXX10051297S	WASHER FOR ONE Ø8.5/4.3X0.9 100
Rim	RDXM5265028S102933	XM SCO TR1.5P 27.5 DB 28 XM521 BLU WS



COMPLETE WHEELS ARE NOT AVAILABLE.

Wheel numbers are only for reference to find the relevant spare parts.

3.10 Syncros by DT Swiss TR1.5 27.5" Genius 700 Premium

	SAP Nr.	Description
Front Wheel		
Wheel	WXMSCOTAGIXS103909	XM SCO TR1.5 275 O FW CL 15100 RED
Hub	H350ACIXR28S00539C	350 100 DBCL TA15 R28 BM SCOTT SP GREY
Spokes left	SACS20285S05000253	AEC 2.0/1.25/2.3 X 285 SP S
Spokes right	SACS20285S05000253	AEC 2.0/1.25/2.3 X 285 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Washer	WSZXX10051297S	WASHER FOR ONE Ø8.5/4.3X0.9 100
Rim	RDXM4265028S102926	XM SCO TR1.5 27.5 DB 28 XM421 NR/GR WS
Rear Wheel		
Wheel	WXMSCOTNGDLS103910	XM SCO TR1.5 275 O RW CL 12142 ASF RED
Hub	H350NCDLR28S00658C	350 142 DBCL TA12 ASF R28 BM SCO SP GREY
Spokes left	SACS20285S05000253	AEC 2.0/1.25/2.3 X 285 SP S
Spokes right	SACS20285S05000253	AEC 2.0/1.25/2.3 X 285 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Washer	WSZXX10051297S	WASHER FOR ONE Ø8.5/4.3X0.9 100
Rim	RDXM4265028S102926	XM SCO TR1.5 27.5 DB 28 XM421 NR/GR WS



COMPLETE WHEELS ARE NOT AVAILABLE.

Wheel numbers are only for reference to find the relevant spare parts.

3.11 Syncros by DT Swiss TR1.5 27.5" Boost

Genius 700 PLUS Tuned

	SAP Nr.	Description
Front Wheel		
Wheel	WXMSCOTBGIXS103911	XM SCO TR1.5P BO 275 O FW CL 15110 BLU
Hub	H350BCIXR28S06568C	350 110 DBCL BO TA15 R28 BMG SCOTT SP NO
Spokes left	SACS20285S05000253	AEC 2.0/1.25/2.3 X 285 SP S
Spokes right	SACS20285S05000253	AEC 2.0/1.25/2.3 X 285 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Washer	WSZXX10051297S	WASHER FOR ONE Ø8.5/4.3X0.9 100
Rim	RDXM5265028S102933	XM SCO TR1.5P 27.5 DB 28 XM521 BLU WS
Rear Wheel		
Wheel	WXMSCOTTGDRS103912	XM SCO TR1.5P BO275 O RW CL 12148ASR BLU
Hub	H350TCDRR28S06569C	350 148 CL BO TA12 ASRAM R28 BMG SCO NO
Spokes left	SACS20285S05000253	AEC 2.0/1.25/2.3 X 285 SP S
Spokes right	SACS20285S05000253	AEC 2.0/1.25/2.3 X 285 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Washer	WSZXX10051297S	WASHER FOR ONE Ø8.5/4.3X0.9 100
Rim	RDXM5265028S102933	XM SCO TR1.5P 27.5 DB 28 XM521 BLU WS

COMPLETE WHEELS ARE NOT AVAILABLE.

Wheel numbers are only for reference to find the relevant spare parts.



3.12 Syncros by DT Swiss TR1.5 27.5" Boost

Genius LT 700 PLUS Tuned

	SAP Nr.	Description
Front Wheel		
Wheel	WXMSCOTBGIXS103943	XM SCO TR1.5P BO 275 O FW CL 15110 BLU
Hub	H350BCIXR28S06568C	350 110 DBCL BO TA15 R28 BMG SCOTT SP NO
Spokes left	SACS20285S05000253	AEC 2.0/1.25/2.3 X 285 SP S
Spokes right	SACS20285S05000253	AEC 2.0/1.25/2.3 X 285 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Washer	WSZXX10051297S	WASHER FOR ONE Ø8.5/4.3X0.9 100
Rim	RDXM5265028S102933	XM SCO TR1.5P 27.5 DB 28 XM521 BLU WS
Rear Wheel		
Wheel	WXMSCOTTGDRS103944	XM SCO TR1.5P BO275 O RW CL 12148ASR BLU
Hub	H350TCDRR28S06569C	350 148 CL BO TA12 ASRAM R28 BMG SCO NO
Spokes left	SACS20285S05000253	AEC 2.0/1.25/2.3 X 285 SP S
Spokes right	SACS20285S05000253	AEC 2.0/1.25/2.3 X 285 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Washer	WSZXX10051297S	WASHER FOR ONE Ø8.5/4.3X0.9 100
Rim	RDXM5265028S102933	XM SCO TR1.5P 27.5 DB 28 XM521 BLU WS

COMPLETE WHEELS ARE NOT AVAILABLE.

Wheel numbers are only for reference to find the relevant spare parts.



3.13 Syncros by DT Swiss XR2.0 29" Boost

Scale / Spark RC 900 World Cup

	SAP Nr.	Description
Front Wheel		
Wheel	WXRSCOTBEIXS103901	X SCO XR 2.0 BO 29 O FW CL 15110 YEL
Hub	H350BCIXR28SO0217C	350 110 DBCL BO TA15 R28 BM SCO WHEELS
Spokes left	SACS20306S05000253	AEC 2.0/1.25/2.3 X 306 SP S
Spokes right	SACS20306S05000253	AEC 2.0/1.25/2.3 X 306 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Rim	RDX03929N28S102921	X SCO XR-RC 29 DB 28 X392 WS NY WS
Rear Wheel		
Wheel	WXRSCOTTEDRS103902	X SCO XR 2.0 BO 29 O RW CL 12148ASR YEL
Hub	H360TCDDR28SO0417C	360 148 CL BO TA12 ASSRAM R28 BM SCO WHE
Spokes left	SACS20306S05000253	AEC 2.0/1.25/2.3 X 306 SP S
Spokes right	SACS20306S05000253	AEC 2.0/1.25/2.3 X 306 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Rim	RDX03929N28S102921	X SCO XR-RC 29 DB 28 X392 WS NY WS

**COMPLETE WHEELS ARE NOT AVAILABLE.**

Wheel numbers are only for reference to find the relevant spare parts.

3.14 Syncros by DT Swiss XR2.0 27.5" Boost

Scale / Spark RC 700 World Cup

	SAP Nr.	Description
Front Wheel		
Wheel	WXRSCOTBGIXS103889	X SCO XR 2.0 RC BO 27.5 O FW CL 15110 YEL
Hub	H350BCIXR28SO0217C	350 110 DBCL BO TA15 R28 BM SCO WHEELS
Spokes left	SACS20287S05000253	AEC 2.0/1.25/2.3 X 287 SP S
Spokes right	SACS20287S05000253	AEC 2.0/1.25/2.3 X 287 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Rim	RDX03965028S102915	X SCO XR-RC 27.5 DB 28 X392 NY WS
Rear Wheel		
Wheel	WXRSCOTTGDRS103890	XSCOXR 2.0RC BO 27.5 O RW CL 12148 ASR YE
Hub	H360TCDDR28SO0417C	360 148 CL BO TA12 ASSRAM R28 BM SCO WHE
Spokes left	SACS20287S05000253	AEC 2.0/1.25/2.3 X 287 SP S
Spokes right	SACS20287S05000253	AEC 2.0/1.25/2.3 X 287 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Rim	RDX03965028S102915	X SCO XR-RC 27.5 DB 28 X392 NY WS

**COMPLETE WHEELS ARE NOT AVAILABLE.**

Wheel numbers are only for reference to find the relevant spare parts.

3.15 Syncros by DT Swiss XR2.0 27.5" Boost

Contessa Scale / Spark RC 700 World Cup

	SAP Nr.	Description
Front Wheel		
Wheel	WXRSCOTBGIXS103897	X SCO XR2.0RCCO BO 275 O FW CL 15110 Y/B
Hub	H350BCIXR28S00217C	350 110 DBCL BO TA15 R28 BM SCO WHEELS
Spokes left	SACS20287S05000253	AEC 2.0/1.25/2.3 X 287 SP S
Spokes right	SACS20287S05000253	AEC 2.0/1.25/2.3 X 287 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Rim	RDX03965028S102916	X SCO XR-RC 27.5 DB 28 X392 Y/B WS
Rear Wheel		
Wheel	WXRSCOTTGDRS103898	X SCO XR20RCCO BO 275 O RW CL 12148ASRYB
Hub	H360TCDDR28S00417C	360 148 CL BO TA12 ASSRAM R28 BM SCO WHE
Spokes left	SACS20287S05000253	AEC 2.0/1.25/2.3 X 287 SP S
Spokes right	SACS20287S05000253	AEC 2.0/1.25/2.3 X 287 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Rim	RDX03965028S102916	X SCO XR-RC 27.5 DB 28 X392 Y/B WS



COMPLETE WHEELS ARE NOT AVAILABLE.

Wheel numbers are only for reference to find the relevant spare parts.

3.16 Syncros by DT Swiss XR2.0 29" Boost

Scale / Spark RC 900 Pro

	SAP Nr.	Description
Front Wheel		
Wheel	W0XSCOTBEIXS103921	X SCO XR2.0 BO 29 O FW CL 15110 RE
Hub	H350BCIXR28S00217C	350 110 DBCL BO TA15 R28 BM SCO WHEELS
Spokes left	SCOS20306S0500	COM 2.0/1.8 X 306 SP S
Spokes right	SCOS20306S0500	COM 2.0/1.8 X 306 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Rim	RDX03929N28S102922	X SCO XR2.0 29 DB 28 X392 NR/WH WS
Rear Wheel		
Wheel	W0XSCOTTEDTS103922	X SCO XR2.0 BO 29 O RW CL 12148ASS RE
Hub	H360TCDDR28S006798C	360 148 CL BO TA12 ASS R28 BM SCO WHEELS
Spokes left	SCOS20306S0500	COM 2.0/1.8 X 306 SP S
Spokes right	SCOS20306S0500	COM 2.0/1.8 X 306 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Rim	RDX03929N28S102922	X SCO XR2.0 29 DB 28 X392 NR/WH WS



COMPLETE WHEELS ARE NOT AVAILABLE.

Wheel numbers are only for reference to find the relevant spare parts.

3.17 Syncros by DT Swiss XR2.0 27.5" Boost

Scale / Spark RC 700 Pro

	SAP Nr.	Description
Front Wheel		
Wheel	W0XSCOTBGIXS103915	X SCO XR2.0 BO 275 O FW CL 15110 RED
Hub	H350BCIXR28SO0217C	350 110 DBCL BO TA15 R28 BM SCO WHEELS
Spokes left	SCOS20287S0500	COM 2.0/1.8 x 287 SP S
Spokes right	SCOS20287S0500	COM 2.0/1.8 x 287 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Rim	RDX03965028S102917	X SCO XR2.0 27.5 DB 28 X392 NR/WH WS
Rear Wheel		
Wheel	W0XSCOTTGDTTS103916	X SCO XR2.0 BO 275 O RW CL 12148 ASS RED
Hub	H360TCDTR28SO6798C	360 148 CL BO TA12 ASS R28 BM SCO WHEELS
Spokes left	SCOS20287S0500	COM 2.0/1.8 x 287 SP S
Spokes right	SCOS20287S0500	COM 2.0/1.8 x 287 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Rim	RDX03965028S102917	X SCO XR2.0 27.5 DB 28 X392 NR/WH WS

**COMPLETE WHEELS ARE NOT AVAILABLE.**

Wheel numbers are only for reference to find the relevant spare parts.

3.18 Syncros by DT Swiss XR2.0 29" Boost

Scale / Spark 900

	SAP Nr.	Description
Front Wheel		
Wheel	WXRSCOTBEIXS104035	X SCO XR 2.0 BO 29 O FW CL 15110 NG/GR
Hub	H350BCIXR28SO0217C	350 110 DBCL BO TA15 R28 BM SCO WHEELS
Spokes left	SCOS20306S0500	COM 2.0/1.8 x 306 SP S
Spokes right	SCOS20307S0500	COM 2.0/1.8 x 307 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Rim	RDX03929N28S102925	X SCO XR2.0 29 DB 28 X392 NG/GR WS
Rear Wheel		
Wheel	WXRSCOTTEDRS104036	X SCO XR 2.0 BO29 O RW CL 12148ASR NG/GR
Hub	H360TCDRR28SO0417C	360 148 CL BO TA12 ASSRAM R28 BM SCO WHE
Spokes left	SCOS20306S0500	COM 2.0/1.8 x 306 SP S
Spokes right	SCOS20306S0500	COM 2.0/1.8 x 306 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Rim	RDX03929N28S102925	X SCO XR2.0 29 DB 28 X392 NG/GR WS

**COMPLETE WHEELS ARE NOT AVAILABLE.**

Wheel numbers are only for reference to find the relevant spare parts.

3.19 Syncros by DT Swiss XR2.0 27.5" Boost

Scale / Spark 700

	SAP Nr.	Description
Front Wheel		
Wheel	WXRSCOTBGIXS104033	X SCO XR2.0 BO 275 O FW CL 15110 NG/GR
Hub	H350BCIXR28SO0217C	350 110 DBCL BO TA15 R28 BM SCO WHEELS
Spokes left	SCOS20288S0500	COM 2.0/1.8 x 288 SP S
Spokes right	SCOS20288S0500	COM 2.0/1.8 x 288 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Rim	RDX03965028S102920	X SCO XR2.0 27.5 DB 28 X392 NG/GR WS
Rear Wheel		
Wheel	WXRSCOTTGDRS104034	X SCO XR2.0 BO275 O RW CL 12148ASR NG/GR
Hub	H360TCDDRR28SO0417C	360 148 CL BO TA12 ASSRAM R28 BM SCO WHE
Spokes left	SCOS20288S0500	COM 2.0/1.8 x 288 SP S
Spokes right	SCOS20287S0500	COM 2.0/1.8 x 287 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Rim	RDX03965028S102920	X SCO XR2.0 27.5 DB 28 X392 NG/GR WS



COMPLETE WHEELS ARE NOT AVAILABLE.

Wheel numbers are only for reference to find the relevant spare parts.

3.20 Syncros by DT Swiss XR2.0 29" Boost

Contessa Scale 900

	SAP Nr.	Description
Front Wheel		
Wheel	W0XSCOTBEIXS103925	X SCO XR2.0 CO BO 29 O FW CL 15110 GO
Hub	H350BCIXR28SO0217C	350 110 DBCL BO TA15 R28 BM SCO WHEELS
Spokes left	SCOS20306S0500	COM 2.0/1.8 X 306 SP S
Spokes right	SCOS20306S0500	COM 2.0/1.8 X 306 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Rim	RDX03929N28S102924	X SCO XR2.0 29 DB 28 X392 GO/GR WS
Rear Wheel		
Wheel	W0XSCOTTEDTS103926	X SCO XR2.0CO BO 29 O RW CL 12148 ASS GO
Hub	H360TCDDTR28SO6798C	360 148 CL BO TA12 ASS R28 BM SCO WHEELS
Spokes left	SCOS20306S0500	COM 2.0/1.8 X 306 SP S
Spokes right	SCOS20306S0500	COM 2.0/1.8 X 306 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Rim	RDX03929N28S102924	X SCO XR2.0 29 DB 28 X392 GO/GR WS



COMPLETE WHEELS ARE NOT AVAILABLE.

Wheel numbers are only for reference to find the relevant spare parts.

3.21 Syncros by DT Swiss XR2.0 27.5" Boost

Contessa Scale / Spark 700

	SAP Nr.	Description
Front Wheel		
Wheel	W0XSCOTBGIXS103919	X SCO XR2.0 BO 275 O FW CL 15110 GO
Hub	H350BCIXR28SO0217C	350 110 DBCL BO TA15 R28 BM SCO WHEELS
Spokes left	SCOS20287S0500	COM 2.0/1.8 x 287 SP S
Spokes right	SCOS20287S0500	COM 2.0/1.8 x 287 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Rim	RDX03965028S102919	X SCO XR2.0 27.5 DB 28 X392 GO/GR WS
Rear Wheel		
Wheel	W0XSCOTTGDTs103920	X SCO XR2.0 BO 275 O RW CL 12148 ASS GO
Hub	H360TCDTR28SO6798C	360 148 CL BO TA12 ASS R28 BM SCO WHEELS
Spokes left	SCOS20287S0500	COM 2.0/1.8 x 287 SP S
Spokes right	SCOS20287S0500	COM 2.0/1.8 x 287 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Rim	RDX03965028S102919	X SCO XR2.0 27.5 DB 28 X392 GO/GR WS

**COMPLETE WHEELS ARE NOT AVAILABLE.**

Wheel numbers are only for reference to find the relevant spare parts.

3.22 Syncros by DT Swiss XR2.0 29" Boost

Scale / Spark 910

	SAP Nr.	Description
Front Wheel		
Wheel	W0XSCOTBEIXS103923	X SCO XR2.0 BO 29 O FW CL 15110 ORA
Hub	H350BCIXR28SO0217C	350 110 DBCL BO TA15 R28 BM SCO WHEELS
Spokes left	SCOS20306S0500	COM 2.0/1.8 X 306 SP S
Spokes right	SCOS20306S0500	COM 2.0/1.8 X 306 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Rim	RDX03929N28S102923	X SCO XR2.0 29 DB 28 X392 NO/GR WS
Rear Wheel		
Wheel	W0XSCOTTEDTS103924	X SCO XR2.0 BO 29 O RW CL 12148 ASS ORA
Hub	H360TCDTR28SO6798C	360 148 CL BO TA12 ASS R28 BM SCO WHEELS
Spokes left	SCOS20306S0500	COM 2.0/1.8 X 306 SP S
Spokes right	SCOS20306S0500	COM 2.0/1.8 X 306 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Rim	RDX03929N28S102923	X SCO XR2.0 29 DB 28 X392 NO/GR WS

**COMPLETE WHEELS ARE NOT AVAILABLE.**

Wheel numbers are only for reference to find the relevant spare parts.

3.23 Syncros by DT Swiss XR2.0 27.5" Boost

Scale / Spark 710

	SAP Nr.	Description
Front Wheel		
Wheel	W0XSCOTBGIXS103917	X SCO XR2.0 BO 275 O FW CL 15110 ORA
Hub	H350BCIXR28SO0217C	350 110 DBCL BO TA15 R28 BM SCO WHEELS
Spokes left	SCOS20287S0500	COM 2.0/1.8 x 287 SP S
Spokes right	SCOS20287S0500	COM 2.0/1.8 x 287 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Rim	RDX03965028S102918	X SCO XR2.0 27.5 DB 28 X392 NO/GR WS
Rear Wheel		
Wheel	W0XSCOTTGDTs103918	X SCO XR2.0 BO 275 O RW CL 12148 ASS ORA
Hub	H360TCDDR28SO6798C	360 148 CL BO TA12 ASS R28 BM SCO WHEELS
Spokes left	SCOS20287S0500	COM 2.0/1.8 x 287 SP S
Spokes right	SCOS20287S0500	COM 2.0/1.8 x 287 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Rim	RDX03965028S102918	X SCO XR2.0 27.5 DB 28 X392 NO/GR WS



COMPLETE WHEELS ARE NOT AVAILABLE.

Wheel numbers are only for reference to find the relevant spare parts.

3.24 Syncros by DT Swiss TR2.0 27.5"

Genius 710

	SAP Nr.	Description
Front Wheel		
Wheel	W0MSCOTAGIXS103927	M SCO TR2.0 275 O FW CL 15100 RED
Hub	H350ACIXR28SO6934C	350 100 DBCL TA15 R28 BM SCOTT WHEELS
Spokes left	SCOS20286S0500	COM 2.0/1.8 x 286 SP S
Spokes right	SCOS20286S0500	COM 2.0/1.8 x 286 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Rim	RDM04465028S102913	M SCO TR2.0 27.5 DB 28 M442 NR/GR WS
Rear Wheel		
Wheel	W0MSCOTNGDTS103928	M SCO TR2.0 275 O RW CL 12142 ASS RED
Hub	H360NCDTR28SO6069C	360 142 DBCL TA12 ASS R28 BM SCOTT WHEEL
Spokes left	SCOS20286S0500	COM 2.0/1.8 x 286 SP S
Spokes right	SCOS20286S0500	COM 2.0/1.8 x 286 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Rim	RDM04465028S102913	M SCO TR2.0 27.5 DB 28 M442 NR/GR WS



COMPLETE WHEELS ARE NOT AVAILABLE.

Wheel numbers are only for reference to find the relevant spare parts.

3.25 Syncros by DT Swiss TR2.0 27.5"

Contessa Genius 700

	SAP Nr.	Description
Front Wheel		
Wheel	W0MSCOTBGIXS103929	M SCO TR2.0 275 O FW CL 15100 YEL
Hub	H350ACIXR28SO6934C	350 100 DBCL TA15 R28 BM SCOTT WHEELS
Spokes left	SCOS20286S0500	COM 2.0/1.8 x 286 SP S
Spokes right	SCOS20286S0500	COM 2.0/1.8 x 286 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Rim	RDM04465028S102914	M SCO TR2.0 27.5 DB 28 M442 YE/GR WS
Rear Wheel		
Wheel	W0MSCOTTGDTs103930	M SCO TR2.0 275 O RW CL 12142 ASS YEL
Hub	H360NCDTR28SO6069C	360 142 DBCL TA12 ASS R28 BM SCOTT WHEEL
Spokes left	SCOS20286S0500	COM 2.0/1.8 x 286 SP S
Spokes right	SCOS20286S0500	COM 2.0/1.8 x 286 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Rim	RDM04465028S102914	M SCO TR2.0 27.5 DB 28 M442 YE/GR WS

**COMPLETE WHEELS ARE NOT AVAILABLE.**

Wheel numbers are only for reference to find the relevant spare parts.

3.26 Syncros by DT Swiss TR2.0 27.5" Boost

Spark / Genius 710 PLUS

	SAP Nr.	Description
Front Wheel		
Wheel	W0MSCOTBGIXS103939	M SCO TR2.0P BO 275 O FW CL 15110 CY
Hub	H350BCIXR28SO0217C	350 110 DBCL BO TA15 R28 BM SCO WHEELS
Spokes left	SCOS20285S0500	COM 2.0/1.8 x 285 SP S
Spokes right	SCOS20285S0500	COM 2.0/1.8 x 285 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Rim	RDM05465028S102931	M SCO TR2.0P 27.5 DB 28 M542 CY WS
Rear Wheel		
Wheel	W0MSCOTTGDTs103940	M SCO TR2.0P BO 275 O RW CL 12148 ASS CY
Hub	H360TCDTR28SO6798C	360 148 CL BO TA12 ASS R28 BM SCO WHEELS
Spokes left	SCOS20285S0500	COM 2.0/1.8 x 285 SP S
Spokes right	SCOS20285S0500	COM 2.0/1.8 x 285 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Rim	RDM05465028S102931	M SCO TR2.0P 27.5 DB 28 M542 CY WS

**COMPLETE WHEELS ARE NOT AVAILABLE.**

Wheel numbers are only for reference to find the relevant spare parts.

3.27 Syncros by DT Swiss TR2.0 27.5" Boost

Contessa Spark 710 PLUS

	SAP Nr.	Description
Front Wheel		
Wheel	W0MSCOTBGIXS103941	M SCO TR2.0P BO 275 O FW CL 15110 GO
Hub	H350BCIXR28SO0217C	350 110 DBCL BO TA15 R28 BM SCO WHEELS
Spokes left	SCOS20285S0500	COM 2.0/1.8 x 285 SP S
Spokes right	SCOS20285S0500	COM 2.0/1.8 x 285 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Rim	RDM05465028S102932	M SCO TR2.0P 27.5 DB 28 M542 GO WS
Rear Wheel		
Wheel	W0MSCOTTGDTTS103942	M SCO TR2.0P BO 275 O RW CL 12148 ASS GO
Hub	H360TCDTR28SO6798C	360 148 CL BO TA12 ASS R28 BM SCO WHEELS
Spokes left	SCOS20285S0500	COM 2.0/1.8 x 285 SP S
Spokes right	SCOS20285S0500	COM 2.0/1.8 x 285 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Rim	RDM05465028S102932	M SCO TR2.0P 27.5 DB 28 M542 GO WS



COMPLETE WHEELS ARE NOT AVAILABLE.

Wheel numbers are only for reference to find the relevant spare parts.

3.28 Syncros by DT Swiss XR2.5 27.5" Boost

Contessa Spark 710

	SAP Nr.	Description
Front Wheel		
Wheel	W0XSCOTBGIXS103937	X SCO XR2.5 CO BO 275 O FW CL 15110 NBL
Hub	H35PBCIXR28SO0220C	37P/35P 110 CL BO TA15 R28 B WHEELS CUST
Spokes left	SCOS20288S05000268	COM 2.0/1.8 x 288 SP TCS S
Spokes right	SCOS20288S05000268	COM 2.0/1.8 x 288 SP TCS S
Nipples	NPBH20150S0100	BRASSN 2.0 X 15 30-306 ST PH PL BL
Rim	RDX45365028S102909	X SCO XR2.5 27.5 DB 28 453D NB/GR WS
Rear Wheel		
Wheel	W0XSCOTTGDTTS103938	XSCO XR25CO BO 275 O RW CL 12148 ASS NBL
Hub	H36PTCDTR28SO0224W	36P 148 CL BO TA12 ASS R28 B WHEELS
Spokes left	SCOS20288S05000268	COM 2.0/1.8 x 288 SP TCS S
Spokes right	SCOS20287S05000268	COM 2.0/1.8 x 287 SP TCS S
Nipples	NPBH20150S0100	BRASSN 2.0 X 15 30-306 ST PH PL BL
Rim	RDX45365028S102909	X SCO XR2.5 27.5 DB 28 453D NB/GR WS



COMPLETE WHEELS ARE NOT AVAILABLE.

Wheel numbers are only for reference to find the relevant spare parts.

3.29 Syncros by DT Swiss XR2.5 29" Boost

Scale / Spark 920

	SAP Nr.	Description
Front Wheel		
heel	W0XSCOTBEIXS103933	X SCO XR2.5 BO 29 O FW CL 15110 RED
Hub	H35PBCIXR28SO0220C	37P/35P 110 CL BO TA15 R28 B WHEELS CUST
Spokes left	SCOS20307S05000268	COM 2.0/1.8 x 307 SP TCS S
Spokes right	SCOS20307S05000268	COM 2.0/1.8 x 307 SP TCS S
Nipples	NPBH20150S0100	BRASSN 2.0 X 15 30-306 ST PH PL BL
Rim	RDX45329S28S102910	X SCO XR2.5 29 DB 28 453D NR/WH WS
Rear Wheel		
Wheel	W0XSCOTTEDTS103934	X SCO XR2.5 BO 29 O RW CL 12148 ASS RED
Hub	H36PTCDTR28SO0224W	36P 148 CL BO TA12 ASS R28 B WHEELS
Spokes left	SCOS20307S05000268	COM 2.0/1.8 x 307 SP TCS S
Spokes right	SCOS20307S05000268	COM 2.0/1.8 x 307 SP TCS S
Nipples	NPBH20150S0100	BRASSN 2.0 X 15 30-306 ST PH PL BL
Rim	RDX45329S28S102910	X SCO XR2.5 29 DB 28 453D NR/WH WS

**COMPLETE WHEELS ARE NOT AVAILABLE.**

Wheel numbers are only for reference to find the relevant spare parts.

3.30 Syncros by DT Swiss XR2.5 27.5" Boost

Scale / Spark 720

	SAP Nr.	Description
Front Wheel		
Wheel	W0XSCOTBGIXS103931	X SCO XR2.5 BO 27.5 O FW CL 15110 RED
Hub	H35PBCIXR28SO0220C	37P/35P 110 CL BO TA15 R28 B WHEELS CUST
Spokes left	SCOS20288S05000268	COM 2.0/1.8 x 288 SP TCS S
Spokes right	SCOS20288S05000268	COM 2.0/1.8 x 288 SP TCS S
Nipples	NPBH20150S0100	BRASSN 2.0 X 15 30-306 ST PH PL BL
Rim	RDX45365028S102908	X SCO XR2.5 27.5 DB 28 453D NR/WH WS
Rear Wheel		
Wheel	W0XSCOTTGDTTS103932	X SCO XR2.5 BO 27.5 O RW CL 12148 ASS RED
Hub	H36PTCDTR28SO0224W	36P 148 CL BO TA12 ASS R28 B WHEELS
Spokes left	SCOS20288S05000268	COM 2.0/1.8 x 288 SP TCS S
Spokes right	SCOS20287S05000268	COM 2.0/1.8 x 287 SP TCS S
Nipples	NPBH20150S0100	BRASSN 2.0 X 15 30-306 ST PH PL BL
Rim	RDX45365028S102908	X SCO XR2.5 27.5 DB 28 453D NR/WH WS

**COMPLETE WHEELS ARE NOT AVAILABLE.**

Wheel numbers are only for reference to find the relevant spare parts.

3.31 Syncros by DT Swiss TR2.5 27.5"

Genius 720

	SAP Nr.	Description
Front Wheel		
Wheel	W0MSCOTAGIXS103935	M SCO TR2.5 275 O FW CL 15100 NGR
Hub	H37PACIXR28S07791C	37P/35P 100 DBCL TA15 R28 B WHEELS CUST
Spokes left	SCOS20285S05000268	COM 2.0/1.8 x 285 SP TCS S
Spokes right	SCOS20286S05000268	COM 2.0/1.8 x 286 SP TCS S
Nipples	NPBH20150S0100	BRASSN 2.0 X 15 30-306 ST PH PL BL
Rim	RDX48365028S102911	M SCO TR2.5 27.5 DB 28 483D NL/NG WS
Rear Wheel		
Wheel	W0MSCOTNGDQS103936	M SCO TR2.5 275 O RW CL 12142 ASSR NGR
Hub	H36PNCQDR28S06933W	36P 142 DBCL TA12 ASSRAM R28 B WHEELS
Spokes left	SCOS20286S05000268	COM 2.0/1.8 x 286 SP TCS S
Spokes right	SCOS20285S05000268	COM 2.0/1.8 x 285 SP TCS S
Nipples	NPBH20150S0100	BRASSN 2.0 X 15 30-306 ST PH PL BL
Rim	RDX48365028S102911	M SCO TR2.5 27.5 DB 28 483D NL/NG WS



COMPLETE WHEELS ARE NOT AVAILABLE.

Wheel numbers are only for reference to find the relevant spare parts.

3.32 Syncros by DT Swiss TR2.5 29"

Genius 920

	SAP Nr.	Description
Front Wheel		
Wheel	W0XSCOTAEIXS103989	X SCO TR2.5 29 O FW CL 15/100 NGR
Hub	H37PACIXR28S07791C	37P/35P 100 DBCL TA15 R28 B WHEELS CUST
Spokes left	SCOS20304S05000268	COM 2.0/1.8 x 304 SP TCS S
Spokes right	SCOS20305S05000268	COM 2.0/1.8 x 305 SP TCS S
Nipples	NPBH20150S0100	BRASSN 2.0 X 15 30-306 ST PH PL BL
Rim	RDX48329S28S102912	M SCO TR2.5 29 DB 28 483D NL/NG WS
Rear Wheel		
Wheel	W0XSCOTNEDTS103990	X SCO TR2.5 29 O RW CL 12/142 ASSR NGR
Hub	H36PNCQDR28S06933W	36P 142 DBCL TA12 ASSRAM R28 B WHEELS
Spokes left	SCOS20305S05000268	COM 2.0/1.8 x 305 SP TCS S
Spokes right	SCOS20305S05000268	COM 2.0/1.8 x 305 SP TCS S
Nipples	NPBH20150S0100	BRASSN 2.0 X 15 30-306 ST PH PL BL
Rim	RDX48329S28S102912	M SCO TR2.5 29 DB 28 483D NL/NG WS



COMPLETE WHEELS ARE NOT AVAILABLE.

Wheel numbers are only for reference to find the relevant spare parts.

3.33 Syncros by DT Swiss DH1.5 27.5"

Gambler 710

	SAP Nr.	Description
Front Wheel		
Wheel	WFRSCOTBHEXS103831	FR SCOTT DH 1.5 27.5 OEM FW IS 20/110 BL
Hub	H370BDEXR32SO4248W	370 110 DBISDH SA20 R32 S WHEEL
Spokes left	SCO020272S0500	COM 2.0/1.8 x 272 S 6.2
Spokes right	SCO020273S0500	COM 2.0/1.8 x 273 S 6.2
Nipples	NPBH20150S0100	BRASSN 2.0 X 15 30-306 ST PH PL BL
Rim	RDEX51BDPW32SO5656	EX DH15 27X30 DB 32 BL EX511 SCO VI
Rear Wheel		
Wheel	WFRSCOTLHDAS103832	FR SCOTT DH 1.5 27.5 O RW IS 12/150 AS B
Hub	H350LDDAR32SO4946W	350 150 DBIS SA12 AS R32 S WHEELS
Spokes left	SCO020272S0500	COM 2.0/1.8 x 272 S 6.2
Spokes right	SCO020272S0500	COM 2.0/1.8 x 272 S 6.2
Nipples	NPBH20150S0100	BRASSN 2.0 X 15 30-306 ST PH PL BL
Rim	RDEX51BDPW32SO5656	EX DH15 27X30 DB 32 BL EX511 SCO VI

**COMPLETE WHEELS ARE NOT AVAILABLE.**

Wheel numbers are only for reference to find the relevant spare parts.

3.34 Syncros by DT Swiss ETR1.5 27.5" Boost

E-Scale 700 PLUS Ultimate / E-Spark 700 PLUS Tuned

	SAP Nr.	Description
Front Wheel		
Wheel	WXMSCOTBGIXS104071	XM SCO ETR1.5 B0275 O FW CL 15110 YE
Hub	H350BCIXR28SO0689C	350 110 DBCL BO TA15 R28 BMG SCO Y
Spokes left	SCOS20285S0500	COM 2.0/1.8 x 285 SP S
Spokes right	SCOS20285S0500	COM 2.0/1.8 x 285 SP S
Nipples	NPBH20150S0100	BRASSN 2.0 X 15 30-306 ST PH PL BL
Washer	WSZXX10051297S	WASHER FOR ONE Ø8.5/4.3X0.9 100
Rim	RDXM5265028S102952	XM SCO E TR1.5 275 DB 28 XM521 YEL WS
Rear Wheel		
Wheel	WXMSCOTTGDLIS104072	XM SCO ETR1.5 B0275 O RW CL 12148 ASF YE
Hub	H350TCDLR28SO0422C	350 148 CL BO TA12 ASF R28 BMG SCO Y
Spokes left	SCOS20285S0500	COM 2.0/1.8 x 285 SP S
Spokes right	SCOS20285S0500	COM 2.0/1.8 x 285 SP S
Nipples	NPBH20150S0100	BRASSN 2.0 X 15 30-306 ST PH PL BL
Washer	WSZXX10051297S	WASHER FOR ONE Ø8.5/4.3X0.9 100
Rim	RDXM5265028S102952	XM SCO E TR1.5 275 DB 28 XM521 YEL WS

**COMPLETE WHEELS ARE NOT AVAILABLE.**

Wheel numbers are only for reference to find the relevant spare parts.

3.35 Syncros by DT Swiss ETR1.5 27.5" Boost

E-Genius 700 PLUS Tuned

	SAP Nr.	Description
Front Wheel		
Wheel	WXMSCOTBHIXS104073	XM SCO ETR1.5 BO275 O FW IS 15110 ORA
Hub	H350BDIXR28SO0771W	370/350 110 DBIS BO TA15 R28 B WHEELS
Spokes left	SCO020278S0500	COM 2.0/1.8 x 278 S 6.2
Spokes right	SCO020279S0500	COM 2.0/1.8 x 279 S 6.2
Nipples	NPBH20150S0100	BRASSN 2.0 X 15 30-306 ST PH PL BL
Washer	WSZXX10051297S	WASHER FOR ONE Ø8.5/4.3X0.9 100
Rim	RDXM5565028S062953	XM SCO E TR1.5 275 DB 28 XM551 ORA WS
Rear Wheel		
Wheel	WXMSCOTLHDL104074	XM SCO ETR1.5 275 O RW IS 12150 ASF ORA
Hub	H350LDDL28SO0773W	350 150 DBIS TA12 ASF R28 B WHEELS
Spokes left	SCO020277S0500	COM 2.0/1.8 x 277 S 6.2
Spokes right	SCO020277S0500	COM 2.0/1.8 x 277 S 6.2
Nipples	NPBH20150S0100	BRASSN 2.0 X 15 30-306 ST PH PL BL
Washer	WSZXX10051297S	WASHER FOR ONE Ø8.5/4.3X0.9 100
Rim	RDXM5565028S062953	XM SCO E TR1.5 275 DB 28 XM551 ORA WS



COMPLETE WHEELS ARE NOT AVAILABLE.

Wheel numbers are only for reference to find the relevant spare parts.

4. SYNCROS OE WHEELS ROAD MY2017

4.1 Syncros by DT Swiss RR2.0 QR/100mm

Foil 10

	SAP Nr.	Description
Front Wheel		
Wheel	W0RSCOTAAQXS103961	R SCO RR2.0 O FW RADIAL 5/100 BL YEL
Hub	H370AAQXS20S03044C	370 100 NONDISC QR S20 S SCOTT SP
Spokes left	SATS20273S05000208	AEL 2.0/0.9/2.3 X 273 TH S
Spokes right	SATS20273S05000208	AEL 2.0/0.9/2.3 X 273 TH S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Washer	WSZXX10051297S	WASHER FOR ONE Ø8.5/4.3X0.9 100
Rim	RDRR51RPN20S102937	RR SCO RR2.0 FW RB 20 RR511 YELLOW WS
Rear Wheel		
Wheel	W0RSCOTHRQUS103962	R SCO RR2.0 O RW ROAD 5/130 ASS11 YEL
Hub	H360HRQUR24S04460C	360 130 ROAD QR ASS11 R24 SG SCOTT SP
Spokes left	SATS20276S05000208	AEL 2.0/0.9/2.3 X 276 TH S
Spokes right	SNAS20270S05000260	NAE 2.0/1.2/3.0 X 270 TH S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Washer	WSZXX10051297S	WASHER FOR ONE Ø8.5/4.3X0.9 100
Rim	RDRR51RPN24S102938	RR SCO RR2.0 RW RB 24 RR511 YELLOW WS

**COMPLETE WHEELS ARE NOT AVAILABLE.**

Wheel numbers are only for reference to find the relevant spare parts.

4.2 Syncros by DT Swiss RR2.0 QR/100

Foil 20

	SAP Nr.	Description
Front Wheel		
Wheel	W0RSCOTAAQXS103975	R SCO RR2.0 O FW RADIAL 5/100 RED
Hub	H370AAQXS20S03044C	370 100 NONDISC QR S20 S SCOTT SP
Spokes left	SATS20273S05000208	AEL 2.0/0.9/2.3 X 273 TH S
Spokes right	SATS20273S05000208	AEL 2.0/0.9/2.3 X 273 TH S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Washer	WSZXX10051297S	WASHER FOR ONE Ø8.5/4.3X0.9 100
Rim	RDRR51RPN20S102939	RR SCO RR2.0 FW RB 20 RR511 RED WS
Rear Wheel		
Wheel	W0RSCOTHRQUS103976	R SCO RR2.0 O RW ROAD 5/130 ASS11 RED
Hub	H360HRQUR24S04460C	360 130 ROAD QR ASS11 R24 SG SCOTT SP
Spokes left	SATS20276S05000208	AEL 2.0/0.9/2.3 X 276 TH S
Spokes right	SNAS20270S05000260	NAE 2.0/1.2/3.0 X 270 TH S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Washer	WSZXX10051297S	WASHER FOR ONE Ø8.5/4.3X0.9 100
Rim	RDRR51RPN24S102940	RR SCO RR2.0 RW RB 24 RR511 RED WS

**COMPLETE WHEELS ARE NOT AVAILABLE.**

Wheel numbers are only for reference to find the relevant spare parts.

4.3 Syncros by DT Swiss RP1.5 QR/100

Addict 10

	SAP Nr.	Description
Front Wheel		
Wheel	WRRSCOTAAQXS103959	RR SCO RP1.5 O FW RADIAL 5/100 YEL
Hub	H370AAQXS20S03044C	370 100 NONDISC QR S20 S SCOTT SP
Spokes left	SATS20282S05000208	AEL 2.0/0.9/2.3 X 282 TH S
Spokes right	SATS20282S05000208	AEL 2.0/0.9/2.3 X 282 TH S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Washer	WSZXX10051297S	WASHER FOR ONE Ø8.5/4.3X0.9 100
Rim	RDRR41RPN20S102935	RR SCO RP1.5 FW RB 20 RR411 SYM YEL WS
Rear Wheel		
Wheel	WRRSCOTHRQUS103960	RR SCO RP1.5 O RW ROAD 5/130 ASS11 YEL
Hub	H360HRQUR24S03443C	360 130ROAD QR ASS11 R24 SG SCO SP ASY
Spokes left	SATS20286S05000208	AEL 2.0/0.9/2.3 X 286 TH S
Spokes right	SNAS20278S05000260	NAE 2.0/1.2/3.0 X 278 TH S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Washer	WSZXX10051297S	WASHER FOR ONE Ø8.5/4.3X0.9 100
Rim	RDRR41RPN24S102936	RR SCO RP1.5 RW RB 24 RR411 ASYM YEL WS



COMPLETE WHEELS ARE NOT AVAILABLE.

Wheel numbers are only for reference to find the relevant spare parts.

4.4 Syncros by DT Swiss RP1.0 DBCL 12/100

Addict Premium Disc DI2

	SAP Nr.	Description
Front Wheel		
Wheel	WRCSCOTAIDXC103957	RC SCO RP1.0 O FW DBCL 12/100 BLA
Hub	H37DACDXS24S00295W	37D/35D 100 ROAD CL TA12 S24 BHG SCOTT
Spokes left	SATS20281S05000208	AEL 2.0/0.9/2.3 X 281 TH S
Spokes right	SATS20287S05000208	AEL 2.0/0.9/2.3 X 287 TH S
Nipples	NPAF20120N0100	ALUN 2.0x12 30-278 F PL
Rim	RDCR3DDPN24C104255	RC SCO RP1.0 C DISC 24 RC38 GRE WS
Rear Wheel		
Wheel	WRCSCOTNIDUC103958	RC SCO RP1.0 O RW DBCL 12/142 ASS11 BLA
Hub	H36DNCUS24S00277W	36D 142 CL TA12 ASS11 S24 BHG WHEEL SCO
Spokes left	SATS20284S05000208	AEL 2.0/0.9/2.3 X 284 TH S
Spokes right	SACS20281S05000249	AEC 2.0/1.25/2.3 X 281 TH S
Nipples	NPAF20120N0100	ALUN 2.0x12 30-278 F PL
Rim	RDCR3DDPN24C104255	RC SCO RP1.0 C DISC 24 RC38 GRE WS



COMPLETE WHEELS ARE NOT AVAILABLE.

Wheel numbers are only for reference to find the relevant spare parts.

4.5 Syncros by DT Swiss RP1.0 DBCL 12/100

Solace Premium Disc

	SAP Nr.	Description
Front Wheel		
Wheel	WRCSCOTAIDXC103955	RC SCO RP1.0 O FW DBCL 12/100 GRE
Hub	H37DACDXS24SO0295W	37D/35D 100 ROAD CL TA12 S24 BHG SCOTT
Spokes left	SATS20281S05000208	AEL 2.0/0.9/2.3 X 281 TH S
Spokes right	SATS20287S05000208	AEL 2.0/0.9/2.3 X 287 TH S
Nipples	NPAF20120N0100	ALUN 2.0x12 30-278 F PL
Rim	RDCR3DDPN24C104251	RC SCO RP1.0 C DISC 24 RC38 GRE WS
Rear Wheel		
Wheel	WRCSCOTNIDUC103956	RC SCO RP1.0 O RW DBCL 12/142 ASS11 GRE
Hub	H36DNCUS24SO0277W	36D 142 CL TA12 ASS11 S24 BHG WHEEL SCO
Spokes left	SATS20284S05000208	AEL 2.0/0.9/2.3 X 284 TH S
Spokes right	SACS20281S05000249	AEC 2.0/1.25/2.3 X 281 TH S
Nipples	NPAF20120N0100	ALUN 2.0x12 30-278 F PL
Rim	RDCR3DDPN24C104251	RC SCO RP1.0 C DISC 24 RC38 GRE WS

**COMPLETE WHEELS ARE NOT AVAILABLE.**

Wheel numbers are only for reference to find the relevant spare parts.

4.6 Syncros by DT Swiss RP1.0 DBCL 12/100

Addict CX 10 Disc

	SAP Nr.	Description
Front Wheel		
Wheel	WRCSCOTAIDXC102924	RC SCOTT RP 1.0 DB OEM FW DBCL 12/100 C
Hub	H37PACDXS24SO6910W	37P/35P 100 ROAD DBCL TA12 S24 B WHEELS
Spokes left	SATS20290S05000164	AEL 2.0/0.9/2.3 X 290 SP S
Spokes right	SATS20292S05000164	AEL 2.0/0.9/2.3 X 292 SP S
Nipples	NPAF20120N0100	ALUN 2.0x12 30-278 F PL
Rim	RECR3DDPN24C104184	RC 38C DB DISC PRE NE 24 CA 10P 4183 SCO
Rear Wheel		
Wheel	WRCSCOTNIDUS102925	RC SCO RP1.0DB O RW DBCL 12/142 ASS11 C
Hub	H36PNCUS24SO3976W	36P 142 ROAD DBCL TA12 ASS11 S24 B WHEEL
Spokes left	SATS20291S05000164	AEL 2.0/0.9/2.3 X 291 SP S
Spokes right	SACS20288S05000253	AEC 2.0/1.25/2.3 X 288 SP S
Nipples	NPAF20120N0100	ALUN 2.0x12 30-278 F PL
Rim	RECR3DDPN24C104184	RC 38C DB DISC PRE NE 24 CA 10P 4184 SCO

**COMPLETE WHEELS ARE NOT AVAILABLE.**

Wheel numbers are only for reference to find the relevant spare parts.

4.7 Syncros by DT Swiss RP2.0 DBCL 12/100

Addict CX 20 Disc

	SAP Nr.	Description
Front Wheel		
Wheel	W0RSCOTAIDXC103013	R SCOTT RP 2.0 DB OEM FW DBCL 12/100 S
Hub	H37PACDXS24S06910W	37P/35P 100 ROAD DBCL TA12 S24 B WHEELS
Spokes left	SNAS20296S05000254	NAE 2.0/1.2/3.0 x 296 SP S
Spokes right	SACS20298S05000274	AEC WIDE 2.0/1.0/2.8 X 298 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Rim	RDR046DPN24S102778	R SCO RP2.0 DISC 24 BL 10P 2778 R460 WS
Rear Wheel		
Wheel	W0RSCOTNIDUS103014	R SCO RP2.0DB O RW DBCL 12/142 ASS11 S
Hub	H36PNCDS24S06363W	36P 142 ROAD DBCL SA12 ASS11 S24 S WHEEL
Spokes left	SACS20298S05000274	AEC WIDE 2.0/1.0/2.8 X 298 SP S
Spokes right	SNAS20296S05000254	NAE 2.0/1.2/3.0 x 296 SP S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Rim	RDR046DPN24S102778	R SCO RP2.0 DISC 24 BL 10P 2778 R460 WS



COMPLETE WHEELS ARE NOT AVAILABLE.

Wheel numbers are only for reference to find the relevant spare parts.

4.8 Syncros by DT Swiss RT1.0 DBCL 12/100

Addict Gravel 10 Disc

	SAP Nr.	Description
Front Wheel		
Wheel	WRCSCOTAIDXC103981	RC SCO RT1.0 O FW DBCL 12/100 GRE
Hub	H37DACDXS24S00295W	37D/35D 100 ROAD CL TA12 S24 BHG SCOTT
Spokes left	SACS20287S05000249	AEC 2.0/1.25/2.3 X 287 TH S
Spokes right	SATS20292S05000208	AEL 2.0/0.9/2.3 X 292 TH S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Rim	RDXR3329N24C104252	XRC SCO RT1.0 29 DB 24 XRC 330 RED WS
Rear Wheel		
Wheel	WRCSCOTNIDRC103982	RC SCO RT1.0 O RW DBCL 12/142 ASR GRE
Hub	H36DNCDQS24S01364W	36D 142 CL TA12 ASSRAM S24 BHG WHEEL SCO
Spokes left	SATS20288S05000208	AEL 2.0/0.9/2.3 X 288 TH S
Spokes right	SACS20286S05000249	AEC 2.0/1.25/2.3 X 286 TH S
Nipples	NPAH20150S0100	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Rim	RDXR3329N24C104252	XRC SCO RT1.0 29 DB 24 XRC 330 RED WS



COMPLETE WHEELS ARE NOT AVAILABLE.

Wheel numbers are only for reference to find the relevant spare parts.

5. CONVERSION AND SPARE PART KITS FOR HUBS

Conversion Kits Rear, fitting 240s and 350 rear hubs

Conversion to	QR/100	QR/135	QR/135	QR/135
Content	350/370	190/240/440 DISC	240 SRAM XD	240 11S ROAD DB
DT Swiss part number:	HWGXXX00S3801S	HWGXXX0001528S	HWGXXX00S3115S	HWGXXX0006383S





Spare Part Kits for rear hubs 240 and 370

	Hub Rep Kit DT star ratchet hubs	Hub Rep Kit DT 2-pawl hubs	Hub Rep Kit 3-Pawl Hubs
Content	2 ratchets, 2 springs, 1 seal, 2 bearings, 1 rotor, 1 special grease DT Swiss	2 pawls, 1 spring, 1 needle bearing kit, 1 bearing 6000, 1 bearing 6900, 1 rotor, 1 multi purpose grease	2 bearings 6902, 1 rotor, 1 multi purpose grease
DT Swiss part number:	HWTSCO00NSK35C	HWTSCO00NSK37C	HWTSCO00NSK3PC





6. TECHNICAL DATA OEM WHEELS

		Wheel description	Wheel type	max Tensio (N)	min Tensio (N)	average Tensio (N)	lateral run out (mm)	vertical run out (mm)	max off center (dish)	weight per wheel (g +/- 10%)	systemweight (kg)	rim dimension (mm)	ERD (mm)
MTB													
Scale / Spark	RC 900 SL	XR Carbon 29"	FW	1200	950	1'150 - 1'000 N	0.25	0.5	0.3	694	110	622x22.5	598
		XR Carbon 29"	RW	1200	950	1'150 - 1'000 N	0.25	0.3	0.3	787	110	622x22.5	598
Scale / Spark	RC 700 SL	XR Carbon 27.5"	FW	1200	950	1'150 - 1'000 N	0.25	0.5	0.3	664	110	584x22.5	560
		XR Carbon 27.5"	RW	1200	950	1'150 - 1'000 N	0.25	0.3	0.3	757	110	584x22.5	560
Spark	900 Ultimate	XR Carbon 29"	FW	1300	1050	1'250 - 1'100 N	0.25	0.5	0.3	737	110	622x22.5	598
		XR Carbon 29"	RW	1300	1050	1'250 - 1'100 N	0.25	0.3	0.3	872	110	622x22.5	598
Spark	700 Ultimate	XR Carbon 27.5"	FW	1300	1050	1'250 - 1'100 N	0.25	0.5	0.3	717	110	584x22.5	560
		XR Carbon 27.5"	RW	1300	1050	1'250 - 1'100 N	0.25	0.3	0.3	852	110	584x22.5	560
Scale / Spark	RC 900 Ultimate	XR 1.5 29"	FW	1300	1050	1'250 - 1'100 N	0.25	0.5	0.3	737	110	622x22.5	607 incl. washer
		XR 1.5 29"	RW	1300	1050	1'250 - 1'100 N	0.25	0.3	0.3	872	110	622x22.5	607 incl. washer
Scale / Spark	RC 700 Ultimate	XR 1.5 27.5"	FW	1300	1050	1'250 - 1'100 N	0.25	0.5	0.3	717	110	584x22.5	569 incl. washer
		XR 1.5 27.5"	RW	1300	1050	1'250 - 1'100 N	0.25	0.3	0.3	852	110	584x22.5	569 incl. washer
Spark	900 Premium	XR 1.5 29"	FW	1300	1050	1'250 - 1'100 N	0.25	0.5	0.3	737	110	622x22.5	607 incl. washer
		XR 1.5 29"	RW	1300	1050	1'250 - 1'100 N	0.25	0.3	0.3	872	110	622x22.5	607 incl. washer
Spark	700 Premium	XR 1.5 27.5"	FW	1300	1050	1'250 - 1'100 N	0.25	0.5	0.3	717	110	584x22.5	569 incl. washer
		XR 1.5 27.5"	RW	1300	1050	1'250 - 1'100 N	0.25	0.3	0.3	852	110	584x22.5	569 incl. washer
Spark	700 PLUS Tuned	TR 1.5 27.5"	FW	1450	1200	1'400 - 1'250 N	0.25	0.5	0.3	923	120	584x35	562 incl. Washer
		TR 1.5 27.5"	RW	1450	1200	1'400 - 1'250 N	0.25	0.3	0.3	1034	120	584x35	562 incl. Washer
Genius	700 Premium	TR 1.5 27.5"	FW	1300	1050	1'250 - 1'100 N	0.25	0.5	0.3	756	120	584 x 25	564 incl. washer
		TR 1.5 27.5"	RW	1300	1050	1'250 - 1'100 N	0.25	0.3	0.3	892	120	584 x 25	564 incl. washer
Genius	700 PLUS Tuned	TR 1.5 27.5"	FW	1450	1200	1'400 - 1'250 N	0.25	0.5	0.3	923	120	584x35	562 incl. Washer
		TR 1.5 27.5"	RW	1450	1200	1'400 - 1'250 N	0.25	0.3	0.3	1034	120	584x35	562 incl. Washer
Genius	LT 700 PLUS Tuned	TR 1.5 27.5"	FW	1450	1200	1'400 - 1'250 N	0.25	0.5	0.3	923	120	584x35	562 incl. Washer
		TR 1.5 27.5"	RW	1450	1200	1'400 - 1'250 N	0.25	0.3	0.3	1034	120	584x35	562 incl. Washer
Scale / Spark	RC 900 World Cup	XR 2.0 29"	FW	1300	1050	1'250 - 1'100 N	0.25	0.5	0.3	771	110	622 x 20	606
		XR 2.0 29"	RW	1300	1050	1'250 - 1'100 N	0.25	0.3	0.3	911	110	622 x 20	606
Scale / Spark	RC 700 World Cup	XR 2.0 27.5"	FW	1300	1050	1'250 - 1'100 N	0.25	0.5	0.3	746	110	584 x 20	568
		XR 2.0 27.5"	RW	1300	1050	1'250 - 1'100 N	0.25	0.3	0.3	886	110	584 x 20	568
Contessa Scale / Spark	RC 700 World Cup	XR 2.0 27.5"	FW	1300	1050	1'250 - 1'100 N	0.25	0.5	0.3	746	110	584 x 20	568
		XR 2.0 27.5"	RW	1300	1050	1'250 - 1'100 N	0.25	0.3	0.3	886	110	584 x 20	568
Scale / Spark	RC 900 Pro	XR 2.0 29"	FW	1300	1050	1'250 - 1'100 N	0.25	0.5	0.3	771	110	622 x 20	606
		XR 2.0 29"	RW	1300	1050	1'250 - 1'100 N	0.25	0.3	0.3	928	110	622 x 20	606
Scale / Spark	RC 700 Pro	XR 2.0 27.5"	FW	1300	1050	1'250 - 1'100 N	0.25	0.5	0.3	746	110	584 x 20	568
		XR 2.0 27.5"	RW	1300	1050	1'250 - 1'100 N	0.25	0.3	0.3	903	110	584 x 20	568
Scale / Spark	900	XR 2.0 29"	FW	1300	1050	1'250 - 1'100 N	0.25	0.5	0.3	771	110	622 x 20	606
		XR 2.0 29"	RW	1300	1050	1'250 - 1'100 N	0.25	0.3	0.3	911	110	622 x 20	606
Scale / Spark	700	XR 2.0 27.5"	FW	1300	1050	1'250 - 1'100 N	0.25	0.5	0.3	746	110	584 x 20	568
		XR 2.0 27.5"	RW	1300	1050	1'250 - 1'100 N	0.25	0.3	0.3	886	110	584 x 20	568
Contessa Scale	900	XR 2.0 29"	FW	1300	1050	1'250 - 1'100 N	0.25	0.5	0.3	771	110	622 x 20	606
		XR 2.0 29"	RW	1300	1050	1'250 - 1'100 N	0.25	0.3	0.3	928	110	622 x 20	606
Contessa Scale / Spark	700	XR 2.0 27.5"	FW	1300	1050	1'250 - 1'100 N	0.25	0.5	0.3	746	110	584 x 20	568
		XR 2.0 27.5"	RW	1300	1050	1'250 - 1'100 N	0.25	0.3	0.3	903	110	584 x 20	568
Scale / Spark	910	XR 2.0 29"	FW	1300	1050	1'250 - 1'100 N	0.25	0.5	0.3	771	110	622 x 20	606
		XR 2.0 29"	RW	1300	1050	1'250 - 1'100 N	0.25	0.3	0.3	928	110	622 x 20	606
Scale / Spark	710	XR 2.0 27.5"	FW	1300	1050	1'250 - 1'100 N	0.25	0.5	0.3	746	110	584 x 20	568
		XR 2.0 27.5"	RW	1300	1050	1'250 - 1'100 N	0.25	0.3	0.3	903	110	584 x 20	568
Genius	710	TR 2.0 27.5"	FW	1300	1050	1'250 - 1'100 N	0.25	0.5	0.3	784	120	584 x 22.5	565
		TR 2.0 27.5"	RW	1300	1050	1'250 - 1'100 N	0.25	0.3	0.3	943	120	584 x 22.5	565
Contessa Genius	700	TR 2.0 27.5"	FW	1300	1050	1'250 - 1'100 N	0.25	0.5	0.3	784	120	584 x 22.5	565
		TR 2.0 27.5"	RW	1300	1050	1'250 - 1'100 N	0.25	0.3	0.3	943	120	584 x 22.5	565
Spark / Genius	710 Plus	TR 2.0 27.5"	FW	1450	1200	1'400 - 1'250 N	0.25	0.5	0.3	784	120	584 x 22.5	565
		TR 2.0 27.5"	RW	1450	1200	1'400 - 1'250 N	0.25	0.3	0.3	943	120	584 x 22.5	565
Contessa Spark	710 Plus	TR 2.0 27.5"	FW	1450	1200	1'400 - 1'250 N	0.25	0.5	0.3	784	120	584 x 22.5	565
		TR 2.0 27.5"	RW	1450	1200	1'400 - 1'250 N	0.25	0.3	0.3	943	120	584 x 22.5	565
Contessa Spark	710	XR 2.5 27.5"	FW	1300	1050	1'250 - 1'100 N	0.25	0.5	0.3	818	110	584x20	568
		XR 2.5 27.5"	RW	1300	1050	1'250 - 1'100 N	0.25	0.3	0.3	959	110	584x20	568
Scale / Spark	920	XR 2.5 29"	FW	1300	1050	1'250 - 1'100 N	0.25	0.5	0.3	848	110	622x20	606
		XR 2.5 29"	RW	1300	1050	1'250 - 1'100 N	0.25	0.3	0.3	989	110	622x20	606
Scale / Spark	720	XR 2.5 27.5"	FW	1300	1050	1'250 - 1'100 N	0.25	0.5	0.3	818	110	584x20	568
		XR 2.5 27.5"	RW	1300	1050	1'250 - 1'100 N	0.25	0.3	0.3	959	110	584x20	568
Genius	720	TR 2.5 27.5"	FW	1300	1050	1'250 - 1'100 N	0.25	0.5	0.3	851	120	584x22.5	565
		TR 2.5 27.5"	RW	1300	1050	1'250 - 1'100 N	0.25	0.3	0.3	993	120	584x22.5	565
Genius	920	TR 2.5 29"	FW	1300	1050	1'250 - 1'100 N	0.25	0.5	0.3	881	120	622x22.5	603
		TR 2.5 29"	RW	1300	1050	1'250 - 1'100 N	0.25	0.3	0.3	1023	120	622x22.5	603
Gambler	710	DH 1.5 27.5"	FW	1300	1050	1'250 - 1'100 N	0.25	0.5	0.3	1065	140	584x30	563 incl. washer
		DH 1.5 27.5"	RW	1300	1050	1'250 - 1'100 N	0.25	0.3	0.3	1065	140	584x30	563 incl. washer
E-Scale 700 PLUS Ultimate	E-Spark 700 PLUS Tuned	ETR 1.5 27.5"	FW	1450	1200	1'400 - 1'250 N	0.25	0.5	0.3	960	120	584x35	562 incl. Washer
		ETR 1.5 27.5"	RW	1450	1200	1'400 - 1'250 N	0.25	0.3	0.3	1095	120	584x35	562 incl. Washer
E-Genius	700 PLUS Tuned	ETR 1.5 27.5"	FW	1450	1200	1'400 - 1'250 N	0.25	0.5	0.3	994	120	584x40	564 incl. Washer
		ETR 1.5 27.5"	RW	1450	1200	1'400 - 1'250 N	0.25	0.3	0.3	1161	120	584x40	564 incl. Washer

		Wheel description	Wheel type	max Tensio (N)	min Tensio (N)	average Tensio (N)	lateral run out (mm)	vertical run out (mm)	max off center (dish)	weight per wheel (g +/- 10%)	systemweight (kg)	rim dimension (mm)	ERD (mm)
ROAD													
Foil	10	RR 2.0 28"	FW	1300	1050	1'250 - 1'100 N	0.25	0.5	0.2	709	110	622x18	581 incl. washer
		RR 2.0 28"	RW	1300	1050	1'250 - 1'100 N	0.25	0.3	0.2	894	110	622x18	581 incl. washer
Foil	20	RR 2.0 28"	FW	1300	1050	1'250 - 1'100 N	0.25	0.5	0.2	709	110	622x18	581 incl. washer
		RR 2.0 28"	RW	1300	1050	1'250 - 1'100 N	0.25	0.3	0.2	894	110	622x18	581 incl. washer
Addict	10	RP 1.5 28"	FW	1300	1050	1'250 - 1'100 N	0.25	0.5	0.2	673	110	622 x 18	601 incl. washer
		RP 1.5 28"	RW	1300	1050	1'250 - 1'100 N	0.25	0.3	0.2	860	110	622 x 18	601 incl. washer
Addict	Premium Disc DI2	RP 1.0 28" dbcl	FW	1200	950	1'150 - 1'000 N	0.25	0.5	0.3	680	100	622 x 15	570
		RP 1.0 28" dbcl	RW	1200	950	1'150 - 1'000 N	0.25	0.3	0.3	838	100	622 x 15	570
Solace	Premium Disc	RP 1.0 28" dbcl	FW	1200	950	1'150 - 1'000 N	0.25	0.5	0.3	680	100	622 x 15	570
		RP 1.0 28" dbcl	RW	1200	950	1'150 - 1'000 N	0.25	0.3	0.3	838	100	622 x 15	570
Addict	CX 10 Disc	RP 1.0 28" dbcl	FW	1200	950	1'150 - 1'000 N	0.25	0.5	0.3	680	100	622 x 15	570
		RP 1.0 28" dbcl	RW	1200	950	1'150 - 1'000 N	0.25	0.3	0.3	829	100	622 x 15	570
Addict	CX 20 Disc	RP 2.0 28" dbcl	FW	1300	1050	1'250 - 1'100 N	0.25	0.5	0.3	765	110	622 x 18	596
		RP 2.0 28" dbcl	RW	1300	1050	1'250 - 1'100 N	0.25	0.3	0.3	901	110	622 x 18	596
Addict	Gravel 10 Disc	RT 1.0 28" dbcl	FW	1200	950	1'150 - 1'000 N	0.25	0.5	0.3	602	110	622x22.5	598
		RT 1.0 28" dbcl	RW	1200	950	1'150 - 1'000 N	0.25	0.3	0.3	760	110	622x22.5	598
ASM													
ASM	Wheels	XR Carbon 27.5"	FW	1200	950	1'150 - 1'000 N	0.3	0.4	0.4	664	110	584x22.5	560
		XR Carbon 27.5"	RW	1200	950	1'150 - 1'000 N	0.3	0.4	0.4	757	110	584x22.5	560
ASM	Wheels	XR Carbon 29"	FW	1200	950	1'150 - 1'000 N	0.3	0.4	0.4	694	110	622x22.5	598
		XR Carbon 29"	RW	1200	950	1'150 - 1'000 N	0.3	0.4	0.4	787	110	622x22.5	598
ASM	Wheels	XR 1.5 27.5"	FW	1200	950	1'150 - 1'000 N	0.3	0.4	0.4	717	110	584x22.5	569 incl. washer
		XR 1.5 27.5"	RW	1200	950	1'150 - 1'000 N	0.3	0.4	0.4	852	110	584x22.5	569 incl. washer
ASM	Wheels	XR 1.5 29"	FW	1200	950	1'150 - 1'000 N	0.3	0.4	0.4	737	110	622x22.5	607 incl. washer
		XR 1.5 29"	RW	1200	950	1'150 - 1'000 N	0.3	0.4	0.4	872	110	622x22.5	607 incl. washer
ASM	Wheels	RP 1.0 28" dbcl	FW	1200	950	1'150 - 1'000 N	0.25	0.5	0.3	680	100	622 x 15	570
		RP 1.0 28" dbcl	RW	1200	950	1'150 - 1'000 N	0.25	0.3	0.3	829	100	622 x 15	570

							
							
FRONT WHEEL				REAR WHEEL			
1	CNC-F-0501	1	HUB SHELL	1	O-ring (15x1)	1	15 x 1 O型環
2	AXLE-0435	1	ALLOY AXLE	2	DWG-0753	1	21T Gear Ring
3	SB-18307	2	SEAL BEARING 30x18x7	3	CNC-R-0600	1	HUB SHELL
4	DWG-0849	1	END CAP	4	SB-6903	2	HOPE 6903 (30x17x7)
5	DWG-0850	1	END CAP	5	FH-535	1	Sram Steel Free Hub
6	SP-021	28	XERO FORZA 14Gx286mm NIPPLE	6	AXLE-0471	1	ALLOY AXLE
7	NP-019	28	NIPPLE 14Gx12L	7	DWG-1075	1	END CAP
8	RIM-602	1	ALEX X-23 27.5"xW23x28	8	DWG-1000	1	END CAP
				9	SP-021	28	XERO FORZA 14Gx286mm NIPPLE
				10	NP-019	28	NIPPLE 14Gx12L
				11	RIM-602	1	ALEX X-23 27.5"xW23x28

FRONT WHEEL				REAR WHEEL			
1	CNC-F-0501	1	HUB SHELL	1	O-ring (15x1)	1	15 x 1 O型環
2	AXLE-0435	1	ALLOY AXLE	2	DWG-0753	1	21T Gear Ring
3	SB-18307	2	SEAL BEARING 30x18x7	3	CNC-R-0600	1	HUB SHELL
4	DWG-0849	1	END CAP	4	SB-6903	2	HOPE 6903 (30x17x7)
5	DWG-0850	1	END CAP	5	FH-535	1	Sram Steel Free Hub
6	SP-021	28	XERO FORZA 14Gx285mm	6	AXLE-0471	1	ALLOY AXLE
7	NP-019	28	NIPPLE 14Gx12L	7	DWG-1075	1	END CAP
8	RIM-604	1	ALEX X-35 27.5"xW35x28	8	DWG-1000	1	END CAP
				9	SP-021	28	XERO FORZA 14Gx285mm
				10	NP-019	28	NIPPLE 14Gx12L
				11	RIM-604	1	ALEX X-35 27.5"xW35x28

							
							
FRONT WHEEL				REAR WHEEL			
1	CNC-F-0501	1	HUB SHELL	1	O-ring (15x1)	1	15 x 1 O型環
2	AXLE-0435	1	ALLOY AXLE	2	DWG-0753	1	21T Gear Ring
3	SB-18307	2	SEAL BEARING 30x18x7	3	CNC-R-0600	1	HUB SHELL
4	DWG-0849	1	END CAP	4	SB-6903	2	HOPE 6903 (30x17x7)
5	DWG-0850	1	END CAP	5	FH-535	1	Sram Steel Free Hub
6	SP-021	28	XERO FORZA 14Gx285mm NIPPLE 14Gx12L	6	AXLE-0471	1	ALLOY AXLE
7	NP-019	28	NIPPLE 14Gx12L	7	DWG-1075	1	END CAP
8	RIM-604	1	ALEX X-35 27.5"xW35x28	8	DWG-1000	1	END CAP
				9	SP-021	28	XERO FORZA 14Gx285mm NIPPLE 14Gx12L
				10	NP-019	28	NIPPLE 14Gx12L
				11	RIM-604	1	ALEX X-35 27.5"xW35x28

FRONT WHEEL

1	CNC-F-0501	1	HUB SHELL	
2	AXLE-0435	1	ALLOY AXLE	●
3	SB-18307	2	SEAL BEARING 30x18x7	●
4	DWG-0849	1	END CAP	
5	DWG-0850	1	END CAP	
6	SP-021	28	XERO FORZA 14Gx305mm	●
7	NP-019	28	NIPPLE 14Gx12L	●
8	RIM-603	1	ALEX X-23 29'xW23x28H	

REAR WHEEL

1	O-ring (15x1)	1	15 x 1 O型環	
2	DWG-0753	1	21T Gear Ring	
3	CNC-R-0600	1	HUB SHELL	
4	SB-6903	2	HOPE 6903 (30x17x7)	●
5	FH-535	1	Sram Steel Free Hub	●
6	AXLE-0471	1	ALLOY AXLE	●
7	DWG-1075	1	END CAP	
8	DWG-1000	1	END CAP	
9	SP-021	28	XERO FORZA 14Gx305mm	●
10	NP-019	28	NIPPLE 14Gx12L	●
11	RIM-603	1	ALEX X-23 29'xW23x28H	

FRONT WHEEL				REAR WHEEL			
1	CNC-F-0448	1	HUB SHELL	1	CNC-R-0520	1	HUB SHELL
2	AXLE-0452	1	ALLOY AXLE	2	DWG-0753	1	21T Gear Ring
3	SB-18307	2	SEAL BEARING 30x18x7	3	O-ring (15x1)	1	15 x 1 O型環
4	O-ring (15x1)	2	15 x 1 O型環	4	SB-6903	2	HOPE 6903 (30x17x7)
5	DWG-1085	1	END CAP	5	FH-536	1	SHIMANO 11S
6	DWG-1084	1	END CAP	6	AXLE-0447	1	ALLOY AXLE
7	SP-089	28	XERO GRAND STRADA 14/15Gx302mm	7	DWG-1075	1	END CAP
8	NP-049	28	NIPPLE 14Gx14L XRD-824	8	DWG-0910	1	END CAP
9	RIM-598	1	700CxW19x28	9	SP-089	28	XERO GRAND STRADA 14/15Gx302mm
				10	NP-049	28	NIPPLE 14Gx14L XRD-824
				11	RIM-598	1	700CxW19x28
				12	ATN-137	1	8/9/10 WASH CP

FRONT WHEEL			
1	CNC-F-0448	1	HUB SHELL
2	AXLE-0452	1	ALLOY AXLE
3	SB-18307	2	SEAL BEARING 30x18x7
4	O-ring (15x1)	2	15 x 1 O型環
5	DWG-1085	1	END CAP
6	DWG-1084	1	END CAP
7	SP-089	28	XERO GRAND STRADA 14/15Gx302mm
8	NP-049	28	NIPPLE 14Gx14L XRD-824
9	RIM-598	1	700CxW19x28

REAR WHEEL			
1	CNC-R-0520	1	HUB SHELL
2	DWG-0753	1	21T Gear Ring
3	O-ring (15x1)	1	15 x 1 O型環
4	SB-6903	2	HOPE 6903 (30x17x7)
5	FH-536	1	SHIMANO 11S
6	AXLE-0447	1	ALLOY AXLE
7	DWG-1075	1	END CAP
8	DWG-0910	1	END CAP
9	SP-089	28	XERO GRAND STRADA 14/15Gx302mm
10	NP-049	28	NIPPLE 14Gx14L XRD-824
11	RIM-598	1	700CxW19x28
12	ATN-137	1	8/9/10 WASH CP



FRONT WHEEL				REAR WHEEL			
1	CNC-F-0448	1	HUB SHELL	1	CNC-R-0520	1	HUB SHELL
2	AXLE-0452	1	ALLOY AXLE	2	DWG-0753	1	21T Gear Ring
3	SB-18307	2	SEAL BEARING 30x18x7	3	O-ring (15x1)	1	15 x 1 O型環
4	O-ring (15x1)	2	15 x 1 O型環	4	SB-6903	2	HOPE 6903 (30x17x7)
5	DWG-1085	1	END CAP	5	FH-536	1	SHIMANO 11S
6	DWG-1084	1	END CAP	6	AXLE-0447	1	ALLOY AXLE
7	SP-089	28	XERO GRAND STRADA 14/15Gx302mm	7	DWG-1075	1	END CAP
8	NP-049	28	NIPPLE 14Gx14L XRD-824	8	DWG-0910	1	END CAP
9	RIM-598	1	700CxW19x28	9	SP-089	28	XERO GRAND STRADA 14/15Gx302mm
				10	NP-049	28	NIPPLE 14Gx14L XRD-824
				11	RIM-598	1	700CxW19x28
				12	ATN-137	1	8/9/10 WASH CP

FRONT WHEEL			
1	CNC-F-0448	1	HUB SHELL
2	AXLE-0452	1	ALLOY AXLE
3	SB-18307	2	SEAL BEARING 30x18x7
4	O-ring (15x1)	2	15 x 1 O型環
5	DWG-1085	1	END CAP
6	DWG-1084	1	END CAP
7	SP-089	28	XERO GRAND STRADA 14/15Gx302mm
8	NP-049	28	NIPPLE 14Gx14L XRD-824
9	RIM-598	1	700CxW19x28

REAR WHEEL			
1	CNC-R-0520	1	HUB SHELL
2	DWG-0753	1	21T Gear Ring
3	O-ring (15x1)	1	15 x 1 O型環
4	SB-6903	2	HOPE 6903 (30x17x7)
5	FH-536	1	SHIMANO 11S
6	AXLE-0447	1	ALLOY AXLE
7	DWG-1075	1	END CAP
8	DWG-0910	1	END CAP
9	SP-089	28	XERO GRAND STRADA 14/15Gx302mm
10	NP-049	28	NIPPLE 14Gx14L XRD-824
11	RIM-598	1	700CxW19x28
12	ATN-137	1	8/9/10 WASH CP





FRONT WHEEL				REAR WHEEL			
1	CNC-F-0448	1	HUB SHELL	1	CNC-R-0520	1	HUB SHELL
2	AXLE-0452	1	ALLOY AXLE	2	DWG-0753	1	21T Gear Ring
3	SB-18307	2	SEAL BEARING 30x18x7	3	O-ring (15x1)	1	15 x 1 O型環
4	O-ring (15x1)	2	15 x 1 O型環	4	SB-6903	2	HOPE 6903 (30x17x7)
5	DWG-1085	1	END CAP	5	FH-536	1	SHIMANO 11S
6	DWG-1084	1	END CAP	6	AXLE-0447	1	ALLOY AXLE
7	SP-089	28	XERO GRAND STRADA 14/15Gx302mm	7	DWG-1075	1	END CAP
8	NP-049	28	NIPPLE 14Gx14L XRD-824	8	DWG-0910	1	END CAP
9	RIM-598	1	700CxW19x28	9	SP-089	28	XERO GRAND STRADA 14/15Gx302mm
				10	NP-049	28	NIPPLE 14Gx14L XRD-824
				11	RIM-598	1	700CxW19x28
				12	ATN-137	1	8/9/10 WASH CP

FRONT WHEEL					REAR WHEEL				
1	CNC-F-0561	1	HUB SHELL		1	AXLE-0334	1	ALLOY AXLE	●
2	AXLE-0261	1	ALLOY AXLE	●	2	FH-210	1	SHIMANO 11S	●
3	SB-6000	2	TPI 26x10x8	●	3	SB-6901	2	HOPE 24x12x6	●
4	DWG-0467	2	END CAP		4	DWG-0206A	1	ALLOY SPACER	●
5	DWG-0230	2	Steel CP ring		5	DWG-0168	1	Special gasket	
6	SP-091	18	XERO GRAND STRADA 14/18Gx287mm	●	6	DWG-0154	1	15T Gear Ring	
7	NP-049	18	NIPPLE 14Gx14L XR-201	●	7	DWG-0164	1	SEAL	
8	RIM-474	1	700CxW19x18 No Logo		8	DWG-0034A	1	SEAL	●
9	QR-55	1	M5x114 A01		9	DWG-0221	1	END CAP	
					10	DWG-0059	1	Steel CP ring	
					11	DWG-0230	1	Steel CP ring	
					12	DWG-0482	1	END CAP	
					13	CNC-R-0641	1	HUB SHELL	
					14	SP-091	12 12	XERO GRAND STRADA 14/18Gx287mm 14/18Gx297mm	●
					15	NP-049	24	NIPPLE 14Gx14L XR-201	●
					16	RIM-475	1	700CxW19x24	
					17	QR-55	1	No Logo M5x148 A01	
					18	ATN-137	1	8/9/10 WASH CP	●



FRONT WHEEL					REAR WHEEL				
1	CNC-F-0561	1	HUB SHELL		1	AXLE-0334	1	ALLOY AXLE	●
2	AXLE-0261	1	ALLOY AXLE	●	2	FH-210	1	SHIMANO 11S	●
3	SB-6000	2	TPI 26x10x8	●	3	SB-6901	2	HOPE 24x12x6	●
4	DWG-0467	2	END CAP		4	DWG-0206A	1	ALLOY SPACER	●
5	DWG-0230	2	Steel CP ring		5	DWG-0168	1	Special gasket	
6	SP-091	18	XERO GRAND STRADA 14/18Gx287mm	●	6	DWG-0154	1	15T Gear Ring	
7	NP-049	18	NIPPLE 14Gx14L XR-201	●	7	DWG-0164	1	SEAL	
8	RIM-474	1	700CxW19x18 No Logo		8	DWG-0034A	1	SEAL	●
9	QR-55	1	M5x114 A01		9	DWG-0221	1	END CAP	
					10	DWG-0059	1	Steel CP ring	
					11	DWG-0230	1	Steel CP ring	
					12	DWG-0482	1	END CAP	
					13	CNC-R-0641	1	HUB SHELL	
					14	SP-091	12 12	XERO GRAND STRADA 14/18Gx287mm 14/18Gx297mm	●
					15	NP-049	24	NIPPLE 14Gx14L	●
					16	RIM-475	1	XR-201 700CxW19x24	
					17	QR-55	1	No Logo M5x148 A01	
					18	ATN-137	1	8/9/10 WASH CP	●

FRONT WHEEL					REAR WHEEL				
1	CNC-F-0561	1	HUB SHELL		1	AXLE-0334	1	ALLOY AXLE	●
2	AXLE-0261	1	ALLOY AXLE	●	2	FH-210	1	SHIMANO 11S	●
3	SB-6000	2	TPI 26x10x8	●	3	SB-6901	2	HOPE 24x12x6	●
4	DWG-0467	2	END CAP		4	DWG-0206A	1	ALLOY SPACER	●
5	DWG-0230	2	Steel CP ring		5	DWG-0168	1	Special gasket	
6	SP-091	18	XERO GRAND STRADA 14/18Gx287mm	●	6	DWG-0154	1	15T Gear Ring	
7	NP-049	18	NIPPLE 14Gx14L XR-201	●	7	DWG-0164	1	SEAL	
8	RIM-474	1	700CxW19x18 No Logo		8	DWG-0034A	1	SEAL	●
9	QR-55	1	M5x114 A01		9	DWG-0221	1	END CAP	
					10	DWG-0059	1	Steel CP ring	
					11	DWG-0230	1	Steel CP ring	
					12	DWG-0482	1	END CAP	
					13	CNC-R-0641	1	HUB SHELL	
					14	SP-091	12 12	XERO GRAND STRADA 14/18Gx287mm 14/18Gx297mm	●
					15	NP-049	24	NIPPLE 14Gx14L XR-201	●
					16	RIM-475	1	700CxW19x24	
					17	QR-55	1	No Logo M5x148 A01	
					18	ATN-137	1	8/9/10 WASH CP	●

									
									
FRONT WHEEL					REAR WHEEL				
1	CNC-F-0561	1	HUB SHELL		1	AXLE-0334	1	ALLOY AXLE	●
2	AXLE-0261	1	ALLOY AXLE	●	2	FH-210	1	SHIMANO 11S	●
3	SB-6000	2	TPI 26x10x8	●	3	SB-6901	2	HOPE 24x12x6	●
4	DWG-0467	2	END CAP		4	DWG-0206A	1	ALLOY SPACER	●
5	DWG-0230	2	Steel CP ring		5	DWG-0168	1	Special gasket	
6	SP-091	18	XERO GRAND STRADA 14/18Gx287mm	●	6	DWG-0154	1	15T Gear Ring	
7	NP-049	18	NIPPLE 14Gx14L XR-201 700CxW19x18	●	7	DWG-0164	1	SEAL	
8	RIM-474	1	No Logo M5x114 A01		8	DWG-0034A	1	SEAL	●
9	QR-55	1			9	DWG-0221	1	END CAP	
					10	DWG-0059	1	Steel CP ring	
					11	DWG-0230	1	Steel CP ring	
					12	DWG-0482	1	END CAP	
					13	CNC-R-0641	1	HUB SHELL	
					14	SP-091	12 12	XERO GRAND STRADA 14/18Gx287mm 14/18Gx297mm	●
					15	NP-049	24	NIPPLE 14Gx14L XR-201	●
					16	RIM-475	1	700CxW19x24	
					17	QR-55	1	No Logo M5x148 A01 8/9/10 WASH CP	
					18	ATN-137	1		●

FRONT WHEEL				REAR WHEEL			
1	CNC-F-0448	1	HUB SHELL	1	CNC-R-0520	1	HUB SHELL
2	AXLE-0386	1	ALLOY AXLE	2	DWG-0753	1	21T Gear Ring
3	SB-18307	2	SEAL BEARING 30x18x7	3	O-ring (15x1)	1	15 x 1 O型環
4	DWG-0849	1	END CAP	4	SB-6903	2	HOPE 6903 (30x17x7)
5	DWG-0850	1	END CAP	5	FH-524	1	SHIMANO FREEHUB
6	O-ring (18x1)	2	18 x 1 O型環	6	AXLE-0447	1	ALLOY AXLE
7	SP-021	28	XERO FORZA 14Gx286mm	7	DWG-1075	1	END CAP
8	NP-019	28	NIPPLE 14Gx12L	8	DWG-0910	1	END CAP
9	RIM-602	1	ALEX X-23 27.5"xW23x28	9	SP-021	28	XERO FORZA 14Gx286mm
10	DWG-0864	1	END CAP	10	NP-019	28	NIPPLE 14Gx12L
11	DWG-0865	1	END CAP	11	RIM-602	1	ALEX X-23 27.5"xW23x28
12	ET-041	1	ALEX Valve	12	DWG-1054	1	END CAP
13	ET-042	1	Instructions	13	DWG-0906	1	END CAP 刻Loosen
14	TP-118	1	TAPE 26mm*7米*1捲	14	DWG-0906	1	END CAP 刻XD SRAM
				15	DWG-0910	1	END CAP 刻XD SRAM
				16	FH-515	1	Sram Steel Free Hub
				17	ET-041	1	ALEX Valve
				18	ET-042	1	Instructions
				19	TP-118	1	TAPE 26mm*7米*1捲

FRONT WHEEL				REAR WHEEL			
1	CNC-F-0501	1	HUB SHELL	1	CNC-R-0600	1	HUB SHELL
2	AXLE-0435	1	ALLOY AXLE	2	DWG-0753	1	21T Gear Ring
3	SB-18307	2	SEAL BEARING 30x18x7	3	AXLE-0471	1	ALLOY AXLE
4	DWG-0849	1	END CAP	4	SB-6903	2	HOPE 6903 (30x17x7)
5	DWG-0850	1	END CAP	5	FH-524	1	SHIMANO FREEHUB
6	SP-021	28	XERO FORZA 14Gx286mm NIPPLE 14Gx12L	6	DWG-1075	1	END CAP
7	NP-019	28	ALEX X-23 27.5"xW23x28	7	O-ring (15x1)	1	15 x 1 O型環
8	RIM-602	1	ALEX Valve	8	DWG-0910	1	END CAP
9	ET-041	1	Instructions	9	SP-021	28	XERO FORZA 14Gx285mm NIPPLE 14Gx12L
10	ET-042	1	TAPE 26mm*7米*1捲	10	NP-019	28	ALEX X-23 27.5"xW23x28
				11	RIM-602	1	END CAP
				12	DWG-0910	1	刻XD SRAM Sram Steel Free Hub
				13	FH-515	1	ALEX Valve
				14	ET-041	1	Instructions
				15	ET-042	1	TAPE 26mm*7米*1捲
				16	TP-118	1	

FRONT WHEEL				REAR WHEEL			
1	CNC-F-0448	1	HUB SHELL	1	CNC-R-0520	1	HUB SHELL
2	AXLE-0386	1	ALLOY AXLE	2	DWG-0753	1	21T Gear Ring
3	SB-18307	2	SEAL BEARING 30x18x7	3	O-ring (15x1)	1	15 x 1 O型環
4	DWG-0849	1	END CAP	4	SB-6903	2	HOPE 6903 (30x17x7)
5	DWG-0850	1	END CAP	5	FH-524	1	SHIMANO FREEHUB
6	O-ring (18x1)	2	18 x 1 O型環	6	AXLE-0447	1	ALLOY AXLE
7	SP-021	28	XERO FORZA 14Gx305mm	7	DWG-1075	1	END CAP
8	NP-019	28	NIPPLE 14Gx12L	8	DWG-0910	1	END CAP
9	RIM-603	1	ALEX X-23 29'xW23x28H	9	SP-021	28	XERO FORZA 14Gx303mm
10	DWG-0864	1	END CAP	10	NP-019	28	NIPPLE 14Gx12L
11	DWG-0865	1	END CAP	11	RIM-603	1	ALEX X-23 29'xW23x28H
12	ET-041	1	ALEX Valve	12	DWG-1054	1	END CAP
13	ET-042	1	Instructions	13	DWG-0906	1	END CAP 刻Loosen
14	TP-118	1	TAPE 26mm*7米*1捲	14	DWG-0906	1	END CAP 刻XD SRAM
				15	DWG-0910	1	END CAP 刻XD SRAM
				16	FH-515	1	Sram Steel Free Hub
				17	ET-041	1	ALEX Valve
				18	ET-042	1	Instructions
				19	TP-118	1	TAPE 26mm*7米*1捲

FRONT WHEEL				REAR WHEEL			
1	CNC-F-0501	1	HUB SHELL	1	CNC-R-0600	1	HUB SHELL
2	AXLE-0435	1	ALLOY AXLE	2	DWG-0753	1	21T Gear Ring
3	SB-18307	2	SEAL BEARING 30x18x7	3	AXLE-0471	1	ALLOY AXLE
4	DWG-0849	1	END CAP	4	SB-6903	2	HOPE 6903 (30x17x7)
5	DWG-0850	1	END CAP	5	FH-524	1	SHIMANO FREEHUB
6	SP-021	28	XERO FORZA 14Gx305mm NIPPLE 14Gx12L	6	DWG-1075	1	END CAP
7	NP-019	28	ALEX X-23 27.5"xW23x28	7	O-ring (15x1)	1	15 x 1 O型環
8	RIM-602	1	ALEX Valve	8	DWG-0910	1	END CAP
9	ET-041	1	Instructions	9	SP-021	28	XERO FORZA 14Gx305mm NIPPLE 14Gx12L
10	ET-042	1	TAPE 26mm*7米*1捲	10	NP-019	28	ALEX X-23 27.5"xW23x28
				11	RIM-602	1	END CAP
				12	DWG-0910	1	刻XD SRAM Sram Steel Free Hub
				13	FH-515	1	ALEX Valve
				14	ET-041	1	Instructions
				15	ET-042	1	TAPE 26mm*7米*1捲
				16	TP-118	1	

FRONT WHEEL				REAR WHEEL			
1	CNC-F-0501	1	HUB SHELL	1	CNC-R-0600	1	HUB SHELL
2	AXLE-0435	1	ALLOY AXLE	2	DWG-0753	1	21T Gear Ring
3	SB-18307	2	SEAL BEARING 30x18x7	3	AXLE-0471	1	ALLOY AXLE
4	DWG-0849	1	END CAP	4	SB-6903	2	HOPE 6903 (30x17x7)
5	DWG-0850	1	END CAP	5	FH-524	1	SHIMANO FREEHUB
6	SP-021	28	XERO FORZA 14Gx286mm	6	DWG-1075	1	END CAP
7	NP-019	28	NIPPLE 14Gx12L XD-740	7	O-ring (15x1)	1	15 x 1 O型環
8	RIM-578	1	27.5"x140x28H	8	DWG-0910	1	END CAP
9	ET-024	1	FORMULA Valve	9	SP-021	28	XERO FORZA 14Gx285mm
10	ET-042	1	Instructions	10	NP-019	28	NIPPLE 14Gx12L XD-740
11	TP-120	1	TAPE 38mm*7米*1捲	11	RIM-578	1	27.5"x140x28H
				12	DWG-0910	1	END CAP 刻XD SRAM
				13	FH-515	1	Sram Steel Free Hub
				14	ET-024	1	FORMULA Valve
				15	ET-042	1	Instructions
				16	TP-120	1	TAPE 38mm*7米*1捲

FRONT WHEEL					REAR WHEEL				
1	CNC-F-0448	1	HUB SHELL		1	CNC-R-0520	1	HUB SHELL	
2	AXLE-0452	1	ALLOY AXLE	●	2	DWG-0753	1	21T Gear Ring	
3	SB-18307	2	SEAL BEARING 30x18x7	●	3	O-ring (15x1)	1	15 x 1 O型環	
4	O-ring (15x1)	2	15 x 1 O型環		4	SB-6903	2	HOPE 6903 (30x17x7)	●
5	DWG-1085	1	END CAP		5	FH-536	1	SHIMANO 11S	●
6	DWG-1084	1	END CAP		6	AXLE-0447	1	ALLOY AXLE	●
7	SP-089	28	XERO GRAND STRADA 14/15Gx302mm	●	7	DWG-1075	1	END CAP	
8	NP-049	28	NIPPLE 14Gx14L XRD-824 700CxW19x28	●	8	DWG-0910	1	END CAP	
9	RIM-598	1			9	SP-089	28	XERO GRAND STRADA 14/15Gx302mm	●
10	DWG-1238	1	END CAP		10	NP-049	28	NIPPLE 14Gx14L XRD-824 700CxW19x28	●
11	DWG-1174	1	END CAP		11	RIM-598	1		●
12	ET-024	1	FORMULA Valve	●	12	ATN-137	1	8/9/10 WASH CP	●
13	ET-042	1	Instructions		13	DWG-1054	1	END CAP	
14	TP-119	1	TAPE 22mm*8米*1捲		14	DWG-0906	1	END CAP 剋Loosen	
					15	ET-024	1	FORMULA Valve	●
					16	ET-042	1	Instructions	
					17	TP-119	1	TAPE 22mm*8米*1捲	

HUB KITS

Item	Product Name	Image
242438	Hub rep kit Syncros Formula CL14811	
252403	Hub rep kit Form CT-1702 5x141mm	
252404	Hub rep kit Form CT-142 12x142mm	
252405	Hub rep kit Form CL-81115x110mm	
262048	Hub rep kit Syncros Form CL-25CL2611	
262049	Hub rep kit Syncros RP 2.0 Form F+R	
262050	Hub rep kit Syncros RP 2.0 Disc Form F+R	
262051	Hub rep Kit syncros Formula RXC-142	

Supply of spare parts and warranty support of Syncros wheel parts is done through the national DT Swiss Distributor.

If you do not have a national DT Swiss Distributor we can help with the following parts.

Please contact the SCOTT EU-QM Team for individual orders of these parts.

Please kindly note that these parts are intended for service and support but not regular sales.

For all other parts of the Syncros product range please refer to the regular dealer catalog or the webshop.

SPARE PARTS 2017

Article no.	Description
RIM	
252415-0001047	Rim Alex X-35 27.5 plus 32H
252416-0001047	Rim Alex X-25 27.5 32H
252417-0001049	Rim Alex X-25 29 32H
252418-0001047	Rim Syncros J19S disc 27.5 32H
252419-0001049	Rim Syncros J19S disc 29 32H
262059-0001047	Rim Syncros Alex X20 32H black 27.5"
262059-0001049	Rim Syncros Alex X20 32H black 29"
262059-0001158	Rim Syncros Alex X20 32H black 700C
262061-0001158	Rim Syncros Alex Race 22 24H black 700C
262062-0001158	Rim Syncros Alex Race 22 disc 28H black 700C
262063-158	Rim Syncros RP 2.0 disc Form 28H XRD-824 700C
262064-158	Rim Syncros RP 2.0 Formula 18H XR-201 700C
262065-158	Rim Syncros RP 2.0 Formula 24H XR-201 700C
262624-047	Rim Syncros Alex MD27 disc 32H 27.5"
264050-0001158	Rim Syncros Alex Race 22 28H
263468-0036049	Rim Sync/DT XR1.0 28H 17 SC/SP RC 900 SL oran
263469-0003049	Rim Sync/DT XR1.5 28H 17 SC/SP RC 900 UI blue
263470-0005049	Rim Sync/DT XR RC 28H 17 SC/SP RC 900 WC yell
263471-0002049	Rim Sync/DT XR2.0 28H 17 SC/SP RC 900 PR whit
263472-0036047	Rim Sync/DT XR1.0 28H 17 SC/SP RC 700 SL oran
263473-0003047	Rim Sync/DT XR1.5 28H 17 SC/SP RC 700 UI blue
263474-0005047	Rim Sync/DT XR RC 28H 17 SC/SP RC 700 WC yell
263475-0002047	Rim Sync/DT XR2.0 28H 17 SC/SP RC 700 RP whit
263476-0003049	Rim Sync/DT XR1.0 28H 17 Spark 900 Ult blue
263477-0001049	Rim Sync/DT XR1.5 28H 17 Spark 900 Prem blac
263478-0003047	Rim Sync/DT XR1.0 28H 17 Spark 700 Ult blue
263479-0001047	Rim Sync/DT XR1.5 28H 17 Spark 700 Prem blac
263480-0006049	Rim Sync/DT XR2.0 28H 17 SC/SP 900 green 29"
263481-0036049	Rim Sync/DT XR2.0 28H 17 SC/SP 910 orange 29
263482-0002049	Rim Sync/DT XR2.5 28H 17 SC/SP 920 white 29"
263483-0006047	Rim Sync/DT XR2.0 28H 17 SC/SP 700 green 27.
263484-0036047	Rim Sync/DT XR2.0 28H 17 SC/SP 710 orange 27
263485-0002047	Rim Sync/DT XR2.5 28H 17 SC/SP 720 white 27.
263486-0036047	Rim Sync/DT TR1.5 Plus 28H 17 Spark 700 oran
263487-2278047	Rim Sync/DT TR2.0 Plus 28H 17 SP/GE 710 gree
263488-1049047	Rim Sync/DT TR1.5 28H 17 Genius 700 PR grey/
263489-1294047	Rim Sync/DT TR2.0 28H 17 Genius 710 grey/ora
263490-0006049	Rim Sync/DT TR2.5 28H 17 Genius 920 green 29
263491-0005047	Rim Sync/DT TR2.5 28H 17 Genius 720 yellow 2
263492-0036047	Rim Sync/DT TR1.5 Plus 28H 17 GE 700 orange
263493-0036047	Rim Sync/DT TR1.5 Plus 28H 17 GE LT 700 oran
263494-0036047	Rim Sync/DT DH 1.5 32H 17 Gambler 710 orange
263495-0005047	Rim Sync/DT E TR 1.5 28H 17 E-SC/SP 700 yell
263496-0036047	Rim Sync/DT E TR 1.5 28H 17 E-GE 700 TND oran
263497-0005158	Rim Sync/DT RR2.0 20H front 17 Foil 10 yello
263498-0005158	Rim Sync/DT RR2.0 24H rear 17 Foil 10 yellow
263499-0004158	Rim Sync/DT RR2.0 20H front 17 Foil 20 red 7

Article no.	Description
263500-0004158	Rim Sync/DT RR2.0 24H rear 17 Foil 20 red 70
263501-0001158	Rim Sync/DT RP1.0 24H f/r 17 Addict PR D blac
263502-0011158	Rim Sync/DT RP1.5 20H front 17 Addict 10 grey
263503-0011158	Rim Sync/DT RP1.5 24H rear 17 Addict 10 grey
263504-1043158	Rim Sync/DT RP1.0 CarbDisc 24H f/r So'17 blac
263505-1042158	Rim Sync/DT RT1.0 CarbDisc 24H f/r'17 black/r
263506-0005158	Rim Sync/DT RP1.0 CarbDisc 24H f/r Ad'17 yell
263507-0036158	Rim Sync/DT RP2.0 Disc 28H f/r 17 CX20 orang
263508-0003047	Rim Sync/DT XR RC 28H 17 Cnt SC/SP RC700 blue
263509-0011049	Rim Sync/DT XR2.0 28H 17 Cnt Scale 900 grey
263510-0011047	Rim Sync/DT XR2.0 28H 17 Cnt SC/SP 700 grey
263511-1100047	Rim Sync/DT XR2.5 28H 17 Spark 710 grey/blue
263512-2489047	Rim Sync/DT XR2.0 Plus 28H 17 SP 710 yellow/
263513-0005047	Rim Sync/DT TR2.0 28H 17 Genius 700 yellow 2

HUB

234742-0001	Syncros XX1 Rotorkit black
241879-0001222	Syncros Road Disc Adapterkit FW QR
241880-0001222	Syncros Road Disc Adapterkit RW 135mm/QR
242429-222	Axle RWS Alu thru 148MM / Ø12MM 1size
242430-222	Axle RWS Alu thru 197MM / Ø12MM 1size
242431-222	Axle RWS Front Road Disc >16 / Ø12MM 1size
242432-222	Axle RWS Alu thru 150MM / Ø12MM 1size
262045-222	Axle RWS10 Road disc 100/12mm F. plugin
262046-222	Axle RWS Rear+lever 148x12 boost plugin
262629-222	Axle RWS10 Road disc 142/12mm R. plugin
262331-0001222	Syncros MTB Adapterkit RW 135mm/QR

PUMP

231040-0001	Syncros pump Reversible seals PACK-10
231041-0001	Syncros pump T-head seals PACK-10
231043-0001	Twin Head w/o hose for FP2.5 MY15
238620-0001222	Complete Auto Head w/hose for FP2.0 2014
238621-0001222	Seal for Auto Head FP2.0 MY14
238622-0001222	Seals P/S Dual Head FP3.0/FP3.0HV MY15
244412-0001222	Flip/Flop head MY16 1pc top cap and seal
244413-0001222	Needle set box for FP2.5 MY15
244909-0001222	Complete Flip/Flop head+hose FP3.0 MY16
250605-0001222	Seal Presta/Schrader MY17 HV mini pumps
250606-0001222	Seal Presta for MY17 HP mini pumps
263881-0001222	Complete Auto Head w/hose for FP2.0 2017
263882-0001222	Seal for Auto Head FP2.0 MY17

SPARE PARTS 2016

Article no.	Description
-------------	-------------

RIM

242459-0001047	Rim Alex Syncros X-40 32H black 27.5"
242463-0001158	Rim Syncros CX disc 28H black 700C
244756-2658158	Rim Sync/DT RP1.5 18H Addict10 f 16 neon yellow 700C
244757-2658158	Rim Sync/DT RP1.5 24H Addict10 r 16 neon yellow 700C
244758-5327158	Rim Sync/DT RP2.0 18H Addict15 f 16 dodger blue 700C
244759-5327158	Rim Sync/DT RP2.0 24H Addict15 r 16 dodger blue 700C
244760-4858158	Rim Sync/DT RP2.0 D 24H Addict20 16 neon red 700C
244761-4858158	Rim Sync/DT RP2.0 18H Addict20 f 16 neon red 700C
244762-4858158	Rim Sync/DT RP2.0 24H Addict20 r 16 neon red 700C
244763-2658158	Rim Sync/DT RP1.0 D 24H Addict CX 16 neon yellow 700C
244764-0327158	Rim Sync/DT RP2.0 D 24H Add Grvl/CX20 16 neon orange 700C
244765-0327158	Rim Sync/DT RP1.0 D 24H Add/Sol Prem 16 neon orange 700C
244766-5328047	Rim Sync/DT TR 2.0 28H Cont Genius 16 ne pi sermon 27.5"
244767-4857047	Rim Sync/DT XR2.0 28H Cont Sc/Sp RC 16 neon blue 27.5"
244768-4857158	Rim Sync/DT RP2.0 18H Cont Solace15 f 16 neon blue 700C
244769-4857158	Rim Sync/DT RP2.0 24H Cont Solace15 r 16 neon blue 700C
244770-2658158	Rim Sync/DT RR2.0 20H Foil10 f 16 neon yellow 700C
244771-2658158	Rim Sync/DT RR2.0 24H Foil10 r 16 neon yellow 700C
244772-4858158	Rim Sync/DT RR2.0 20H Foil20 f 16 neon red 700C
244773-4858158	Rim Sync/DT RR2.0 24H Foil20 r 16 neon red 700C
244774-0327047	Rim Sync/DT FR570 32H Gambler 710 16 neon orange 27.5"
244775-2658047	Rim Sync/DT TR1.5 28H Genius700 Prem 16 neon yellow 27.5"
244776-0327047	Rim Sync/DT TR1.5 28H Genius LT/Tnd + 16 neon orange 27.5"
244777-5325047	Rim Sync/DT TR2.0 28H Genius710 16 neon lime 27.5"
244778-4858047	Rim Sync/DT TR2.5 28H Genius720 16 neon red 27.5"
244779-0327049	Rim Sync/DT TR1.0 28H Genius900 Tnd 16 neon orange 29"
244780-5325049	Rim Sync/DT TR2.0 28H Genius910 16 neon lime 29"
244781-4858049	Rim Sync/DT TR2.5 28H Genius920 16 neon red 29"
244782-4858047	Rim Sync/DT AM1.5 28H Genius LT Tnd 16 neon red 27.5"
244783-0327047	Rim Sync/DT XR1.0 28H Scale700 SL 16 neon orange 27.5"
244784-0327049	Rim Sync/DT XR1.0 28H Scale900 SL 16 neon orange 29"
244785-0327047	Rim Sync/DT XR1.5 28H Sc/Sp700 Prem 16 neon orange 27.5"
244786-2658047	Rim Sync/DT XR RC 28H Sc/Sp700 RC 16 neon yellow 27.5"
244787-5326047	Rim Sync/DT XR2.0 28H Sc/Sp710 whi/neon red 27.5"
244788-0350047	Rim Sync/DT XR2.5 28H Sc/Sp720 neon green 27.5"
244789-0327049	Rim Sync/DT XR1.5 28H Sc/Sp900 Prem 16 neon orange 29"

Article no.	Description
-------------	-------------

244790-2658049	Rim Sync/DT XR RC 28H Sc/Sp900 RC 16 neon yellow 29"
244791-5326049	Rim Sync/DT XR2.0 28H Sc/Sp910 whi/neon red 29"
244792-0350049	Rim Sync/DT XR2.5 28H Sc/Sp920 neon green 29"
244793-2658158	Rim Sync/DT RP2.0 D 24H Solace10 16 neon yellow 700C
244794-2658158	Rim Sync/DT RP2.0 18H Solace10 f 16 neon yellow 700C
244795-2658158	Rim Sync/DT RP2.0 24H Solace10 r 16 neon yellow 700C
244796-4858047	Rim Sync/DT XR1.0 28H Spark700 Ult 16 neon red 27.5"

HUB

230699-0001	Syncros Adapterkit FW QR black
230700-0001	Syncros Adapterkit RW 135mm/QR black
234742-0001	Syncros XX1 Rotorkit black
241879-0001222	Syncros Road Disc Adapterkit FW QR
241880-0001222	Syncros Road Disc Adapterkit RW 135mm/QR
242429-222	Axle RWS Alu thru 148MM / Ø12MM 1size
242430-222	Axle RWS Alu thru 197MM / Ø12MM 1size
242431-222	Axle RWS Front Road Disc >16 / Ø12MM 1size
242432-222	Axle RWS Alu thru 150MM / Ø12MM 1size

PUMP

244412-0001222	Flip/Flop head MY16 1pc top cap and seal
244909-0001222	Complete Flip/Flop head+hose FP3.0 MY16

SPARE PARTS 2015

Article no.	Description
-------------	-------------

RIM

239309-0001045	Rim Syncros FAT 26" 32H
239310-0001045	Rim Syncros MD25 Disc 26 32H
239311-0001047	Rim Syncros MD25 Disc 27.5 32H
239312-0001047	Rim Syncros SX 37 32H
239313-0001049	Rim Syncros SX 39 32H
240605-0001158	Rim Alex/Sync Solace Disc 28H black 700C
240157-0001047	Rim Syncros AM67 Disc 32H black 27.5"
240158-0001047	Rim Syncros TR67 Disc 32H
240159-0001049	Rim Syncros TR69 Disc 32H
239309-0001045	Rim Syncros FAT 26" 32H black 26"
239310-0001045	Rim Syncros MD25 Disc 26 32H black 26"
239311-0001047	Rim Syncros MD25 Disc 27.5 32H black 27.5"
239312-0001047	Rim Syncros SX 37 32H black 27.5"
239313-0001049	Rim Syncros SX 39 32H black 29"
240158-0001047	Rim Syncros TR67 Disc 32H black 27.5"
240159-0001049	Rim Syncros TR69 Disc 32H black 29"
240845-0001158	Rim Sync/DT RL1.0 20H Addict SL f 15'
240846-0001158	Rim Sync/DT RL1.0 24H Addict SL r 15'
240847-0001158	Rim Sync/DT RL1.1 20H Addict Tissue f 15'
240848-0001158	Rim Sync/DT RL1.1 24H Addict Tissue r 15'
240849-0001158	Rim Sync/DT RL1.1 20H Add.TissuDi2 f 15'
240850-0001158	Rim Sync/DT RL1.1 24H Add.TissuDi2 r 15'
240851-0001158	Rim Sync/DT RP1.5 18H Addict 10 f 15'
240852-0001158	Rim Sync/DT RP1.5 24H Addict 10 r 15'
240853-0001158	Rim Sync/DT RP2.0 18H Add15Di2/20 f 15'
240854-0001158	Rim Sync/DT RP2.0 24H Add15Di2/20 r 15'
240855-0001158	Rim Sync/DT RP2.0 18H Solace 10 f 15'
240856-0001158	Rim Sync/DT RP2.0 24H Solace 10 r 15'
240857-0001158	Rim Sync/DT RP2.0 18H Solace 20 f 15'
240858-0001158	Rim Sync/DT RP2.0 24H Solace 20 r 15'
240859-0001158	Rim Sync/DT RP2.0 24H Solace 15D 15'
240860-0001158	Rim Sync/DT RP2.0 18H Solcont 15 f 15'
240861-0001158	Rim Sync/DT RP2.0 24H Solcont 15 r 15'
240862-0001158	Rim Sync/DT RR1.0 16H Foil prem f 15'
240863-0001158	Rim Sync/DT RR1.0 24H Foil prem r 15'
240864-0001158	Rim Sync/DT RR1.5 16H Foil T.Issue f 15'
240865-0001158	Rim Sync/DT RR1.5 20H Foil T.Issue r 15'
240866-0001158	Rim Sync/DT RR2.0 20H Foil 10 f 15'
240867-0001158	Rim Sync/DT RR2.0 24H Foil 10 r 15'
240868-0001047	Rim Sync/DT TR1.0 28H Genius 700Tu 15'
240869-0001049	Rim Sync/DT TR1.0 28H Genius 900Tu 15'
240870-0001047	Rim Sync/DT TR1.5 28H Genius 700 Pr 15'
240871-0001047	Rim Sync/DT TR2.0 28H Genius 710 15'
240872-0001049	Rim Sync/DT TR2.0 28H Genius 910 15'
240873-0001047	Rim Sync/DT TR2.0 28H Gen. 700Con 15'
240874-0001047	Rim Sync/DT XR1.0 28H Spark 700Ulti 15'
240875-0001049	Rim Sync/DT XR1.0 28H Spa/Scal900SL 15'
240876-0001047	Rim Sync/DT XR1.0 28H Spa/Scal700SL 15'
240877-0001047	Rim Sync/DT XR1.5 28H Spa/Scal700Pr 15'
240878-0001049	Rim Sync/DT XR1.5 28H Spa/Scal900Pr 15'
240879-0001047	Rim Sync/DT XR2.0 28H Spa/Scal 710 15'
240880-0001049	Rim Sync/DT XR2.0 28H Spa/Scal 910 15'
240881-0001049	Rim Sync/DT XR2.5 28H Spa/Scal 920 15'
240882-0001047	Rim Sync/DT XR2.5 28H Spa/Scal 720 15'
240883-0001047	Rim Sync/DT XR2.0 28H Spa/ScalConRC 15'
240884-0001047	Rim Sync/DT XR-RC 28H Spa/Scal700RC 15'
240885-0001049	Rim Sync/DT XR-RC 28H Spa/Scal900RC 15'
240886-0001047	Rim Sync/DT AM1.5 28H GeniusLT700Tu 15'

Article no.	Description
-------------	-------------

240887-0001047	Rim Sync/DT FR570 32H Gambler 710 15'
240936-0001047	Rim Sync/DT TR2.5 28H Genius 720 15'

SPOKE

240843-0001222	Spoke DT Aero Comp 298 SP S PAK-20 black
240844-0001222	Spoke DT New Aero 296 SP S PAK-20 black

HUB

230699-0001	Syncros Adapterkit FW QR black
230700-0001	Syncros Adapterkit RW 135mm/QR black
234742-0001	Syncros XX1 Rotorkit black
236153-222	Axe RWS 10 Alu thru 142MM / Ø12MM

PUMP

231043-0001	Twin Head w/o hose for FP2.5 MY15
238622-0001222	Seals P/S Dual Head FP3.0/FP3.0HV MY15
238223-0001222	Dual Head with hose FP3.0/FP3.0HV MY15
244413-0001222	Needle set box for FP2.5 MY15

SPARE PARTS 2014

Article no.	Description
-------------	-------------

RIM

236892-0001043	Rim Alex/Sync Race Jr 28 20H black 24"
236893-0001043	Rim Alex/Sync Race Jr 28 24H black 24"
237680-0001047	Rim sync/DT AM1.5 28H GenLT700TunF 14 black 27.5"
237681-0001047	Rim Sync/DT AM1.5 28H GenLT700TunR 14 black 27.5"
237682-0001158	Rim Sync/DT RL1.0 20H Addict SL F 14 black 700C
237683-0001158	Rim Sync/DT RL1.0 24H Addict SL R 14 black 700C
237684-0001158	Rim Sync/DT RL1.1 20H Sol.prem. F 14 black 700C
237685-0001158	Rim Sync/DT RL1.1 24H Sol.prem. R 14 black 700C
237686-0001158	Rim Sync/DT RL1.1 20H Addict T.Issue F 1 black 700C
237687-0001158	Rim Sync/DT RL1.1 24H Addict T.Issue R 1 black 700C
237688-0001158	Rim Sync/DT RP1.5 18H Addict 10 F 14 black 700C
237689-0001158	Rim Sync/DT RP1.5 24H Addict 10 R 14 black 700C
237690-0001158	Rim Sync/DT RP2.0 18H Solace 10 F 14 black 700C
237691-0001158	Rim Sync/DT RP2.0 18H Solace 20 F 14 black 700C
237692-0001158	Rim Sync/DT RP2.0 18H Solace cont. F 14 black 700C
237693-0001158	Rim Sync/DT RP2.0 24H Solace 10 R 14 black 700C
237694-0001158	Rim Sync/DT RP2.0 24H Solace 20 R 14 black 700C
237695-0001158	Rim Sync/DT RP2.0 24H Solace cont. R 14 black 700C
237696-0001158	Rim Sync/DT RR1.0 16H Foil premium F 14 black 700C
237697-0001158	Rim Sync/DT RR1.0 24H Foil premium R 14 black 700C
237698-0001158	Rim Sync/DT RR1.5 16H Foil T.Issue F 14 black 700C
237699-0001158	Rim Sync/DT RR1.5 20H Foil T.Issue R 14 black 700C
237700-0001158	Rim Sync/DT RR2.0 20H Foil 10 F 14 black 700C
237701-0001158	Rim Sync/DT RR2.0 20H Foil 15 F 14 black 700C
237702-0001158	Rim Sync/DT RR2.0 24H Foil 10 R 14 black 700C
237703-0001158	Rim Sync/DT RR2.0 24H Foil 15 R 14 black 700C
237704-0001047	Rim Sync/DT TR1.0 28H Genius700TunF14 black 27.5"
237705-0001047	Rim Sync/DT TR1.0 28H Genius700TunR14 black 27.5"
237706-0001047	Rim Sync/DT TR1.5 28H Genius700Prem 14 black 27.5"
237707-0001049	Rim Sync/DT TR1.5 28H Genius900Prem 14 black 29"
237708-0001047	Rim Sync/DT TR2.0 28H Genius 710 14 black 27.5"
237709-0001049	Rim Sync/DT TR2.0 28H Genius 910 14 black 29"
237710-0001047	Rim Sync/DT TR2.0 28H Gen.Cont.700 14 black 27.5"
237711-0001049	Rim Sync/DT XR1.0 28H Spa/Scal900SL 14 black 29"
237712-0001047	Rim Sync/DT XR1.0 28H Spa/Scal700SL 14 black 27.5"
237713-0001047	Rim Sync/DT XR1.5 28H Spa/Scal700Pr 14 black 27.5"
237714-0001049	Rim Sync/DT XR1.5 28H Spa/Scal900Pr 14 black 29"
237715-0001047	Rim Sync/DT XR2.0 28H Spa/Scal 710 14 black 27.5"
237716-0001049	Rim Sync/DT XR2.0 28H Spa/Scal 910 14 black 29"
237717-0001047	Rim Sync/DT XR2.0 28H Spa/ScalConRC 14 black 27.5"
237718-0001047	Rim Sync/DT XR-RC 28H Spa/Scal700RC 14 black 27.5"
237719-0001049	Rim Sync/DT XR-RC 28H Spa/Scal900RC 14 black 29"

SPOKE

237720-0001222	Spoke DT Aero Comp 260 T-H S PAK-20 black 1size
237721-0001222	Spoke DT Aero Comp 262 T-H S PAK-20 black 1size
237722-0001222	Spoke DT Aero Comp 276 T-H S PAK-20 black 1size
237723-0001222	Spoke DT Aero Comp 278 T-H S PAK-20 black 1size
237724-0001222	Spoke DT Aero Comp 283 SP S PAK-20 black 1size
237725-0001222	Spoke DT Aero Comp 284 SP S PAK-20 black 1size
237726-0001222	Spoke DT Aero Comp 285 SP S PAK-20 black 1size
237727-0001222	Spoke DT Aero Comp 286 SP S PAK-20 black 1size
237728-0001222	Spoke DT Aero Comp 287 SP S PAK-20 black 1size
237729-0001222	Spoke DT Aero Comp 303 SP S PAK-20 black 1size
237730-0001222	Spoke DT Aero Comp 304 SP S PAK-20 black 1size
237731-0001222	Spoke DT Aero Comp 305 SP S PAK-20 black 1size
237732-0001222	Spoke DT Aero Comp 306 SP S PAK-20 black 1size

Article no.	Description
-------------	-------------

237733-0001222	Spoke DT Aerolite 279 T-H S PAK-20 black 1size
237734-0001222	Spoke DT Aerolite 283 T-H S PAK-20 black 1size
237735-0001222	Spoke DT Aerolite 286 T-H S PAK-20 black 1size
237736-0001222	Spoke DT Aerolite 288 T-H S PAK-20 black 1size
237737-0001222	Spoke DT New Aero 256 T-H S PAK-20 black 1size
237738-0001222	Spoke DT New Aero 272 T-H S PAK-20 black 1size
237739-0001222	Spoke DT New Aero 276 T-H S PAK-20 black 1size
237740-0001222	Spoke DT New Aero 282 T-H S PAK-20 black 1size

PUMP

238620-0001222	Complete Auto Head w/hose for FP2.0 2014
238621-0001222	Seal for Auto Head FP2.0 MY14

SPARE PARTS 2013

Article no.	Description
-------------	-------------

RIM

231137-0001194	Rim Alex/Sync FR32 disc 32H black 26"
231139-0001204	Rim Alex/Sync Race 20H black 28"
231139-0002204	Rim Alex/Sync Race 20H white 28"
231140-0001204	Rim Alex/Sync Race 24H black 28"
231140-0002204	Rim Alex/Sync Race 24H white 28"
231138-0001204	Rim Alex/Sync Race 32H black 28"
231141-0001194	Rim Alex/Syncros AM44 eyelets Disc 32H black 26"
231142-0001204	Rim Syncros DT Swiss RR2.0 front 20H black/28"
231143-0001204	Rim Syncros DT Swiss RR2.0 rear 24H black/28"
231144-0001204	Rim Syncros DT Swiss RP 1.5 front 18H black/28"
231145-0001204	Rim Syncros DT Swiss RP 1.5 rear assym. 24H black/28"
231146-0055716	Rim Syncros DT Swiss RR1.5 Front 16H Team Issue '13
231147-0055716	Rim Syncros DT Swiss RR1.5 Rear 20H Team Issue '13
231148-0055716	Rim Syncros DT Swiss RR1.0 Front 16H carbon/700C
231149-0055716	Rim Syncros DT Swiss RR1.0 Rear 20H carbon/700C
231150-0055716	Rim Syncros DT Swiss RL1.0 Front 20H carbon/700C
231151-0055716	Rim Syncros DT Swiss RL1.0 Rear 24H carbon/700C
231154-0055194	Rim Syncros DT Swiss XR1.0 Carbon 28H carbon/26"
231154-0055715	Rim Syncros DT Swiss XR1.0 Carbon 28H OEM decals 29"
231155-0001194	Rim Syncros DT Swiss XR1.5 28H black/26"
231155-0001715	Rim Syncros DT Swiss XR1.5 28H black/29"
231156-0001194	Rim Syncros DT Swiss XR 2.0 28H black/26"
231156-0001715	Rim Syncros DT Swiss XR 2.0 28H black/29"
231157-0001194	Rim Syncros DT Swiss XR 2.5 28H black/26"
231157-0001715	Rim Syncros DT Swiss XR 2.5 28H black/29"
231159-0055715	Rim Syncros DT Swiss TR1.0 Carbon 28H carbon/29"
231160-0001714	Rim Syncros DT Swiss TR 2.0 28H black/27.5"
231160-0001715	Rim Syncros DT Swiss TR 2.0 28H black/29"
231161-0001194	Rim Syncros DT Swiss AM10 black/26"
231162-0001194	Rim Syncros DT Swiss AM20 black/26"

SPOKE

231163-0001	Spoke DT AERO COMP 266 T-HEAD S PAK-20 black
231164-0001	Spoke DT AERO COMP 267 T-HEAD S PAK-20 black
231165-0001	Spoke DT AERO COMP 272 T-HEAD S PAK-20 black
231166-3964	Spoke DT AERO COMP 274 SP M PAK-20 sandblasted
231167-3964	Spoke DT AERO COMP 275 SP M PAK-20 sandblasted
231168-3964	Spoke DT AERO COMP 285 SP M PAK-20 sandblasted
231169-3964	Spoke DT AERO COMP 286 SP M PAK-20 sandblasted
231170-3964	Spoke DT AERO COMP 303 SP M PAK-20 sandblasted
231171-3964	Spoke DT AERO COMP 304 SP M PAK-20 sandblasted
231172-3964	Spoke DT AERO COMP 305 SP M PAK-20 sandblasted
231173-0001	Spoke DT AEROLITE 273 T-HEAD S PAK-20 black
231174-0001	Spoke DT AEROLITE 276 T-HEAD S PAK-20 black
231176-0001	Spoke DT AEROLITE 281 T-HEAD S PAK-20 black
231177-0001	Spoke DT AEROLITE 284 T-HEAD S PAK-20 black
231178-0001	Spoke DT AEROLITE 285 T-HEAD S PAK-20 black
231179-0001	Spoke DT NEW AERO 265 T-HEAD S PAK-20 black
231180-0001	Spoke DT NEW AERO 270 T-HEAD S PAK-20 black
231181-0001	Spoke DT NEW AERO 277 T-HEAD S PAK-20 black

Article no.	Description
-------------	-------------

231182-3964	Spoke DT SUPER COMP 274 SP M PAK-20 sandblasted
231183-3964	Spoke DT SUPER COMP 275 SP M PAK-20 sandblasted
231184-3964	Spoke DT SUPER COMP 306 SP M PAK-20 sandblasted
231185-3964	Spoke DT SUPER COMP 307 SP M PAK-20 sandblasted
231186-0001	Spoke DT SUPER COMP 273 SP S PAK-20 black
231187-0001	Spoke DT SUPER COMP 274 SP S PAK-20 black
231188-0001	Spoke DT SUPER COMP 303 SP S PAK-20 black
231189-0001	Spoke DT SUPER COMP 305 SP S PAK-20 black
231190-0001	Spoke DT SUPER COMP 286 SP S PAK-20 black
231191-0001	Spoke DT SUPER COMP 284 SP S PAK-20 black
231192-0001	Spoke DT SUPER COMP 304 SP S PAK-20 black
231193-0002	Spoke DT AERO COMP 274 SP W PAK-20 white
231194-0002	Spoke DT AERO COMP 275 SP W PAK-20 white
231195-0002	Spoke DT AERO COMP 300 SP W PAK-20 white
231196-0002	Spoke DT AERO COMP 301 SP W PAK-20 white
231197-0002	Spoke DT AERO COMP 305 SP W PAK-20 white
231198-0002	Spoke DT AERO COMP 307 SP W PAK-20 white

PUMP

231040-0001	Syncros pump Reversible seals PACK-10
231041-0001	Syncros pump T-head seals PACK-10
231042-0001	Complete T-head w/hose f/FP1.0/2.0 MY13

24 SYNCROS ACCESSORIES

PUMP REPLACEMENT PARTS

Item	Name	Compatible with
SEALS		
231041	Syncros Pump T-Head Seals PACK-10	All Syncros Mini- and Floorpumps with T-Head
237616	Pump-Syncros Auto head seals	234816 Floorpump FP2.0 MY15/16
238622	Seals Presta/Schraeder Dual Head	238842 Floor pump FP3.0 MY15 - 250593 Mini-pump Syncros HV1.5 MY17
250605	Seal Presta/Schrader MY17 HV mini pumps	250592 Mini-pump Syncros HV1.0 MY17 - 250593 Mini-pump Syncros HV1.5 MY17 - 250594 Mini-pump Syncros 2HV1.0
250606	Seal Presta for MY17 HP mini pumps	250595 Mini-pump Syncros HP1.0 MY17 - 250596 Mini-pump Syncros HP1.5 MY17
263882	New Seal for Auto Head FP2.0 MY17	250598 Floor pump Syncros FP2.0 MY17

COMPLETE HEADS

231043	Complete Twin Head with Hose for FP3.0 MY14	234817 Floor pump FP2.5 MY14
238623	Dual Head with hose FP3.0/FP3.0HV MY15	238842 Floor pump FP3.0 MY15 - 238611 Floor pump FP3.0 HV MY15
244909	Complete Flip/Flop head+hose FP3.0 MY16	238842 Floor pump FP3.0 MY15/16 - 238611 Floor pump FP3.0 HV MY15/16
244412	New Flip/Flop head FP3.0 MY16	238842 Floor pump FP3.0 MY16 - 238611 Floor pump FP3.0 HV MY16 - 250597 Floor pump Syncros FP1.5 MY17
263881	New Complete Auto Head w/hose for FP2.0 2017	250598 Floor pump Syncros FP2.0 MY17

DROPPER POST MANUAL

INTRODUCTION

The Syncros Dropper Post – the adjustable seatpost ICR (Internal Cable Routing) Version – allows riders to freely and easily adjust the saddle height without tools. The remote lever and MICRO adjustment offer quick and safe seat positioning with reliable and robust technology – with virtually No Play! Unique, elegant and an easy to assemble head design. Please carefully read these instructions thoroughly before installing and operating the seatpost and keep this manual for future reference.

CONTENTS



- | | | | |
|---------------------|----------------|----------------------|----------------------------|
| 1. Dropper seatpost | 3. Cable | 5. Rotary ferrules | 7. Protectioncap(optional) |
| 2. Cable housing | 4. Clamp lever | 6. Nut and screw set | |

INSTALLATION

- Ensure the post outer diameter conforms to the inner diameter of the seat tube of your frame.
- Please plan the cable routing on the bike first to ensure the correct length of cable and cable housing you need.
- You need a suitable frame with an 8mm hole to allow the inner cable to run through.
- Install your saddle on the clamp head with a 5mm hex wrench to tighten at a torque of 8-10Nm.
- Insert the post into the frame and ensure the post's minimum length is inserted into the bike frame, tighten the seatclamp according to the manufacturer's recommended torque with a maximum torque of 7Nm.



Cable assembly process (Standard lever):



1. Insert the cable through hole at the lever.



2. Pull until the end of the cable stops inside the lever.




3. Assemble the rotary ferrules with the cable.



4. Insert the cable into the cable housing.



5. Pull through the cable until the rotary ferrules connect to the clamp lever.




6. Assemble the nut and screw set with the cable; measure the length of the cable 18-19mm from the cable cap to the end of cable, leave about 1mm end of cable, then screw the nut with a 2mm allen key.

⚠ WARNING

If there is a protection cap included with the post, please skip step 6 and continue to step 7 without the nut and screw installed to the cable, and then refer to Protection cap installation.

7. The dropper post uses internal cable routing and is designed to be compatible with bicycle frames that provide for such cable routing.




⚠ WARNING

DO NOT DRILL OR MODIFY YOUR FRAME IN ANY WAY.


Doing so will void the warranty. Modification of your frame in any way may result in frame failure which could result in injury or death.



8. Run the cable through the hole in your frame.



9. Fix the nut and screw set to the pull rod, as shown above.



10. Pull the rod and insert the cable through the gap, fix the cable housing at the bottom recess part.



11. Insert the post into the seat tube and adjust to the appropriate height, tighten the frame/seat collar to the recommended torque.




12. Use a 3mm hex allen key to fit the clamp lever to the handlebar.


Adjusting the return speed:

Syncros Dropper Posts are all preset with the suitable air pressure for optimal return speed, however air pressure checks and adjustments may be required from time to time.

Please note that you will need a high pressure pump to perform the following operations to adjust the air pressure:



1. Disassemble all of the clamps from the top head of the post.



2. Use a compatible shock pump and adjust to your desired pressure.


⚠ WARNING

Recommended operating pressure is 230-250psi. **DO NOT exceed 250psi.**

Protection cap installation (only when included):



1. Run the cable through the protection cap.



2. Assemble the nut and screw set with the cable; measure the length of the cable 18-19mm from the cable cap to the end of cable, leave about 1mm end of cable, then screw the nut with a 2mm allen key.



3. Fix the nut and screw set to the pull rod.



4. Fix the protection cap to the bottom of the post; then follow steps 11-12 to finish the assembly.

OPERATION

To lower seat post: Press and hold the lever, un-weight seat, then push down or sit on the saddle to the desired height, then release the lever immediately.

To raise seat post: Remove weight from the saddle, press and hold the lever until the desired height is achieved, then release the lever.

Notes:

If the seat post is lifted while in the lowered position, the inner tube will extend from the outer tube. This is normal and it will return to the proper position once weight is applied to the saddle. Picking up the bike by the saddle can also cause a temporary "spongy" feel.

MAINTENANCE

Routine maintenance of the post will provide years of trouble-free performance. Before every ride, clean the exposed part of the post with a cloth.

⚠ WARNING

- Incorrect seat post size can result in post slippage or failure causing serious personal injury or death.
- Pressing the lever downward when the post is in the down position will cause it to rise up quickly.
- Do not operate until the saddle is installed on the seat post and the post is installed in the bike. Always ensure nothing obstructs the post as it goes from the DOWN to the UP position. This can cause serious injury.
- Do not adjust the height of the post while riding as it may result in loss of control.
- Clean any mud, dirt, or water as soon as possible. When storing for extended periods, keep post in the UP position.
- Do not disassemble or cut the seat post. This could cause severe personal injury and void the warranty.
- Do not loosen the main cap. Ensure the main cap is fully tightened at all times.
- Always use the lower torque recommended by the manufacturer when installing this seat post.
- If you are not an experienced bicycle mechanic or do not have the correct tools for this installation, please take the seat post and instructions to your local bike shop for a professional installation.

WARRANTY


This seatpost is warranted for a period of 2 years from the date of manufacture against defects in workmanship. The warranty is expressly limited to the repair or replacement of the defective part at Syncros's option and is the sole remedy of the warranty. The warranty applies only to the original owner and is not transferrable. Proof of purchase is required to validate warranty eligibility. The warranty does not cover normal wear and tear, routine maintenance, improper installation or improper use of the seat post. Modification of the post in any manner shall void the warranty. Syncros shall not be responsible for incidental or individual costs incurred that are not covered by this warranty. The user assumes the risk of any personal injury or property damage, including damage to the seatpost and any other losses, if the seatpost is modified or improperly used at any time. This warranty gives the consumer specific legal rights which vary from country to country.

SYNCROS 2.0 DROPPER SEATPOST SERVICE MANUAL



DISASSEMBLY PROCEDURE

Step 1




Tools:




Wrench

JD-YSP12 Cartridge replacement - Disassembly procedure

Step 2




Tools:



2mm Allen Key


JD-YSP12 Cartridge replacement - Disassembly procedure

Step 3




JD-YSP12 Cartridge replacement - Disassembly procedure

Step 4




JD-YSP12 Cartridge replacement - Disassembly procedure

Step 5




Tools:




5 mm Allen Key

JD-YSP12 Cartridge replacement - Disassembly procedure

Step 6



Tools:



Wrench



10mm Allen Key Socket




Plier



Cloth

JD-YSP12 Cartridge replacement - Disassembly procedure

Step 7




- Done -

JD-YSP12 Cartridge replacement - Disassembly procedure


ASSEMBLY PROCEDURE

Step 1




JD-YSP12 Cartridge replacement - Assembly procedure

Step 2




Warning! Screw the nut until the end of the thread, **BUT DO NOT** fix it at this step.



Warning! DO NOT use plier at this step, grab the shaft with hand and fix the nut with torque 4N.M/40kgf-cm

Tools:



Torque wrench



10mm Allen Key Socket





Plier



Cloth


JD-YSP12 Cartridge replacement - Assembly procedure

Step 3




JD-YSP12 Cartridge replacement - Assembly procedure

Step 4




JD-YSP12 Cartridge replacement - Assembly procedure

Step 5




Tools:



2mm Allen Key

JD-YSP12 Cartridge replacement - Assembly procedure

Step 6




Tools:




JD-YSP12 Cartridge replacement - Assembly procedure

Step 7




JD-YSP12 Cartridge replacement - Assembly procedure

Step 8





Tools:




JD-YSP12 Cartridge replacement - Assembly procedure

Step 9




Tools:




JD-YSP12 Cartridge replacement - Assembly procedure

Step 10



JD-YSP12 Cartridge replacement - Assembly procedure

Step 11



- Done -


JD-YSP12 Cartridge replacement - Assembly procedure

SYNCROS 2.5 DROPPER SEATPOST SERVICE MANUAL



DISASSEMBLY PROCEDURE

Step 1




Tools:




Wrench

JD-YSP15 Cartridge replacement - Disassembly procedure

Step 2




Tools:



2mm Allen Key


JD-YSP15 Cartridge replacement - Disassembly procedure

Step 3




JD-YSP15 Cartridge replacement - Disassembly procedure

Step 4



JD-YSP15 Cartridge replacement - Disassembly procedure

Step 5




Tools:



5 mm Allen Key

JD-YSP15 Cartridge replacement - Disassembly procedure

Step 6




Tools:





3 mm Allen Key


JD-YSP15 Cartridge replacement - Disassembly procedure




ASSEMBLY PROCEDURE




Step 3




Step 4




Step 5



Step 6





8N.M/80kgf-cm




JD-YSP15 Cartridge replacement - Assembly procedure

Step 7





Tools:




5 mm Allen Key

JD-YSP15 Cartridge replacement - Assembly procedure

Step 8




Tools:



2 & 3 mm Allen Keys


JD-YSP15 Cartridge replacement - Assembly procedure

Step 9



JD-YSP15 Cartridge replacement - Assembly procedure

Step 10



- Done -

JD-YSP15 Cartridge replacement - Assembly procedure

25 SUSPENSION

SUSPENSION TECHNOLOGY

THANKS TO OUR CLOSE COLLABORATION WITH FOX, WE NOT ONLY CONNECT SHOCK AND FORK UNIQUELY BUT ALSO PROVIDE THE MOST ADVANCED SUSPENSION SYSTEM ON THE MARKET.


For over a decade SCOTT engineers have designed suspension systems that provide the rider with command of their bike's attitude on the trail. The first Traction Control (TC) systems offered a revolutionary three-mode system that controlled rear suspension and consequently geometry, or attitude, of the bicycle with a handlebar mounted switch. Continuing the legacy of allowing the rider to choose which mode was best for the current trail conditions, as opposed to "smart" suspension systems that are supposed to do that for you, we developed the TwinLoc system which paired the front and rear suspension and two unique travel modes with distinct geometry for each. TwinLoc once again offered total control of suspension via an easily accessible handlebar-mounted switch.

To distinguish our NUDE technology and to gain acceptance in the consumer market, we formed a strategic partnership with FOX to implement these unique SCOTT technologies into a proven damper.

For the latest iteration of suspension technology, we again partnered with FOX to develop the FOX NUDE DPS rear shock with Traction Control. Three modes, True Lockout, Traction Control and Descend, are all powered by a FOX damper to create the highest quality, most fully developed suspension system on the planet.

Regardless of what full-suspension platform you're riding the SCOTT range, you'll be blessed with the most advanced suspension available on the market.

TRUNNION MOUNT - SHORTER SHOCK PACKAGE




For the new generation of Sparks, our goal was to develop an extremely light suspension system without compromising suspension performance. We changed from a single pivot top link design to a rocker link layout, allowing us to achieve suspension characteristics that weren't possible with the previous design. It also allowed us to design a lighter frame as shock forces are now transferred into the already reinforced main pivot and bottom bracket area. The top tube no longer has to withstand shock loading so it can be lightened.

We have adopted the new Metric shock sizing standards, with a Trunnion mount. Trunnion allows us to build a very compact frame and shock package. Since the shock body extends between the two lower mounting bolts, our suspension partners have more design space. The shock has more stroke for the same eye to eye length. Stroke on the 165mm eye to eye shock has increased from 38mm to 40/45mm.

By turning the shock upside-down, we can fully integrate it into the frame which results in several benefits. Since the Trunnion mount is the same width as the down tube and main pivot, we have a very clean frame design in this critical area. The lack of tight transitions and small details allows for an efficient, continuous carbon structure. Material added to reinforce the shock mount also stiffens the connection between the down tube, main pivot and bottom bracket, a key stiffness path. The flipped shock also lowers the center of gravity helping to give a more planted feel when riding and our TwinLoc remote cable can be routed cleanly into the down tube. Unsprung mass is reduced since it is the shock piston, connected to the linkage, not the body which must move during an impact – the suspension system can react faster.

SPARK SUSPENSION CURVE - MORE SENSITIVE, MORE SUPPORT, BETTER END-PROGRESSION

The new layout offers better overall suspension performance. We can achieve a more consistent leverage ratio which transfers less force to the shock as the suspension compresses. This means the suspension is more sensitive at the beginning of travel, where small bump sensitivity is critical, but offers more support from sag point onwards, which is important for good pedaling and cornering response.



2-POSITION AIR VOLUME ADJUSTMENT 20% REDUCED WHEEL TRAVEL

Our 2-Position Air Volume Adjustment that allows us to attain two unique spring curves for TwinLoc equipped bikes. Either a single air chamber or a combination of the two chambers allows for two unique geometry and travel modes with TwinLoc. When a smaller, single chamber is used, there is less air volume leading to shorter travel, less sag, and a steeper, more agile geometry- ideal for climbing. When both chambers are employed, the air volume increases allowing the bike to sag into a slacker position with more negative travel and more available travel at an engineered spring curve specifically chosen for the full travel mode. Effectively, this technology gives you two bikes in one. No other system on the market provides this.



FOX NUDE DPS

The NUDE DPS, with its dual piston system is FOX's best XC/Trail shock to date. It has superior bump and rebound control and tunability, along with wide range lever adjust with a firmer climbing platform. Much like with the FIT4 Damper, the open mode is adjustable. We worked with FOX to make this not only the best XC/Trail shock to date, but to make it the best SCOTT optimized XC/Trail shock to date. What makes the NUDE DPS better than the Float DPS? The answer lies in our unique Traction Mode and Travel adjust which allows for on the fly travel and geometry adjustment.

The FOX NUDE DPS shock has three modes:

1. Descend = Full air volume, supple damping
2. Traction Control = Reduced volume, travel and geometry change, increased damping
3. Lockout = Reduced volume with locked out damping

FIT4 DAMPER

The FIT4 Damper is the result of 10 years of refinement from FOX. It was designed to be lighter than its predecessor, and to have increased flow for higher fidelity adjustments. Three modes, Open, Medium and Firm and a wide range low-speed compression adjuster in the open mode lead to unmatched versatility on the trail. Throw in superior rebound performance and you've got a damper that is in a league of it's own. We worked with FOX to build forks with damping that matched our shocks. All Spark, Genius, Genius LT and PLUS models offer mode sensitive damping that work with our TwinLoc lever, allowing you switch from mode to mode with a flick of the thumb.

FRONT SUSPENSION

We worked with our suspension partner FOX to build forks with damping that matched our rear shocks. All Spark, Genius and Genius LTs series bikes offer mode sensitive damping front and rear and work with our TwinLoc lever.

FOX EVOL AIR SLEEVE

An option for the NUDE DPS is the EVOL Air Sleeve. The new production EVOL features negative air volume to enhance your NUDE ride. EVOL significantly reduces the force to initiate travel, providing excellent small bump performance. The System is also more linear in its progression, offering improved mid-stroke support and better bottom out resistance. The EVOL Air Sleeve is featured on select Genius, Genius LT, Genius PLUS and Genius LT PLUS Models.



TWINLOC - 1 LEVER, 3 SETTINGS

THE ORIGINAL THREE POSITION HANDLEBAR MOUNTED CONTROL



SCOTT's patented TwinLoc is still the only system on the market that controls damping and air volume to offer three distinct ride settings. With a flick of the thumb, you can be in Traction Mode on both the fork and shock, then quickly back to Lockout for climbs or Descend for the downs. For 2017, we have a new TwinLoc lever that is accessed under the handlebar. This allows the lever to be placed on the left side, which allows more options for a dropper post and is great for the ever popular 1x drivetrain set up. This solution is safer, more versatile, and just as useful as ever.

THREE POSITIONS, ONE GOAL: BEST PERFORMANCE IN EVERY SITUATION

The FOX NUDE DPS shock has three positions, Lockout, Traction Control and Descend. Lockout mode uses the reduced air volume setting along with a closed damper circuit to provide a steeper geometry that is more efficient for climbing.

Traction Control mode uses the reduced air volume setting with platform damping to allow for an efficient sag position and traction while pedaling. The reduced spring volume of Traction Control mode gives shorter and more progressive suspension travel, reduced sag and a geometry adjustment.

The more progressive spring sits higher into the travel resulting in a high, efficient ride position. Descend mode makes use of the full air volume with the most supple damping and a lower sag position for confident descending.

1 LEVER



3 MODES

1 TWINLOC

LEVER CONTROLS FRONT & REAR

2 VERSIONS

TOP MOUNT, BOTTOM MOUNT

3 MODES

OFFERS THREE DIFFERENT GEOMETRY SETTINGS

FOX NUDE/DPS & SUSPENSION SETUP

For 2017 Spark, Genius and Genius LT including Plus bikes will carry the Fox DPS “Dual Piston System” Rear shocks (we also use X Fusion Nude on the entry level bikes).

SETTING YOUR SHOCK AND FORKS

- Visit the Fox website: www.ridefox.com and enter your fork/shock ID number to find useful setup tips for your exact fork and shock.



- SAG adjusters will be delivered with each high end suspension mountain bike to help our customer adjust their suspension easily. These SAG adjusters can be easily clipped on the shock body and Fork dust seal.
- For the best performance it is recommended you start with a SAG of 25-30% for shocks and 15-20% for forks (XC) (gravity may vary)
- Make sure before any adjustment is made that your shock and forks are in the “open” position.



DPS REAR SHOCK:

- With the air pump attached to the shock valve, slowly cycle your shock through 25% of its travel 10 times as you reach your desired pressure. This will equalize the positive and negative air chambers and will change the pressure on the pump gauge.

FORKS:

- Nothing new in the setup here, screw on your shock pump and inflate to desired pressure.
- Make sure to push the rubber ring against the shock body or the fork dust seal.
- Sit on your bike in your usual riding position while wearing your riding gear (if you carry a bag/Hydration-system put it on). Don't “bounce” the suspension while doing this.
- Use a wall or safe object for support if needed.
- Get off the bike gently and check the O-ring position on the shaft or the fork stanchion, with the SAG adjuster clipped on this makes it easy to see where your sag is set.



⚠ IMPORTANT

Do not sit on your bike with the shock pump attached to the bike!


Please pay particular attention if changing the shock to use the correct replacement, failure to do this may result in damage to the bike resulting in an accident, this would also invalidate any warranty.

SHOCK SPECIFICATIONS

Please note:

- E bikes run the same shock as non E bikes.
E-Spark is the same as the 120mm Spark
- Spark has two shock types. 100mm travel and 120mm travel bikes both use shocks that look the same and have the same dimensions but use a different internal. These are **NOT interchangeable** and the wheel size also has no relevance.

Spark 700/900




For the MY17 Spark both 120mm and 100mm bikes run a shock with the same external dimension.


Be aware that the stroke is altered internally this can only be seen with the shock in the open position, the air released and the shock compressed fully the “true” stroke of the shock is:

- 40mm (10.5mm) for Sparks with 100mm travel
- 45mm (6.5mm) for Sparks with 120mm travel


How to check the stroke of a MY17 Spark shock:




Genius 700/900




Genius Plus/LT Plus



Gambler 700



Voltage FR



⚠ IMPORTANT

*Shocks shown for illustration purposes only

Please pay particular attention if changing a shock to use the correct replacement, failure to do this may result in damage to the bike resulting in accident, this would also invalidate any warranty.

PRODUCT INFORMATION



2017 XF Scott Products

Genius: 02 Pro Nude RLX shock

Spark: 02 Pro Trunnion Nude RLX shock

Voltage: Metric R OEM fork

Genius: 02 Pro Nude RLX



02 Pro Nude RLX

Custom three-position adjustable shock

- Open: open compression/open air spring
- Middle: middle compression/open air spring
- Closed: firm compression/closed air spring

Uses Scott Twin Lock remote

Models Using 02 Pro Nude



Genius 750


E-Genius 920

E-Genius 730 Plus

Size Specifications

Model	Length/Stroke
• Genius 750	200X56
• Genius 950/Spark 760	190X50

All reducers use
8mm bolt by
22.2mm width





Shock Maintenance	Interval
Clean dirt and debris from shock body	Every Ride
Check air pressure and set sag	Every Ride
Check torque on mounting bolts	Every Ride
Lubricate shock body	5 hrs
Remove air canister, clean and lubricate	25 hrs
Clean or replace(recommended) remote cable and housing (remote lockout shocks only)	25 hrs
Air sleeve maintenance (replace seals)	50 hrs
Full damper system rebuild and oil change	100 hrs

02 Pro Nude RLX Service Parts

Scott Trunnion Nude Service Parts	Part Number	Description	Cost
Air Seal Kit	42-02PTNU-AIR-701	02 trunnion Nude Shock Air Seal Kit	\$4.00
Damper Seal Kit	42-02PTNU-DMP-701	02 trunnion Nude Shock Damper Seal Kit	\$5.00
Piston with Shim Kit	42-02PTNUPISTON-601	Complete Piston with Shims	\$6.00
Nude Eyelet Kit	42-02PTNUEYELET-701	Eyelet For All trunnion Nude Shock Sizes	\$30.00
165mm Air Sleeve	42-02PTNUSLEEVE-702	Air Sleeve for 165X45 trunnion Nude Shock	\$16.00
165mm Shaft and Needle Kit	42-02PTNUSHAFT-702	Shaft and Needle Kit for 165X45 Nude	\$8.00
165mm Body +IFP	42-02PTNUBODY-702	Body + IFP for 165X45 trunnion Nude Shock	\$8.00
Knob kits	42-02PTNUREMOTE-701	Lock-out and rebound knob assembly	\$8.00
Decal Kit Green	42-02PTNUDECAL-702	Set of 10	\$10.00

Spark: 02 Pro Trunnion Nude RLX



02 Pro Trunnion Nude RLX

Custom three-position adjustable shock with trunnion mounting and 165X45 metric sizing


- Open: open compression/open air spring
- Middle: middle compression/open air spring
- Closed: firm compression/closed air spring

- Uses Scott Twin Lock remote

Size Specifications

Model	Length/Stroke
• All Spark Models	165X45

All reducers use 10mm bolt by 22mm width



Models Using 02 Pro Trunnion Nude



Spark Contessa 730
 Spark 760
 Spark 960
 Spark 730
 E-Spark 720 Plus



Shock Maintenance	Interval
Clean dirt and debris from shock body	Every Ride
Check air pressure and set sag	Every Ride
Check torque on mounting bolts	Every Ride
Lubricate shock body	5 hrs
Remove air canister, clean and lubricate	25 hrs
Clean or replace(recommended) remote cable and housing (remote lockout shocks only)	25 hrs
Air sleeve maintenance (replace seals)	50 hrs
Full damper system rebuild and oil change	100 hrs

02 Pro Trunnion Nude RLX Service Parts

Scott Nude Service Parts	Part Number	Description	Cost
Air Seal Kit	42-02PTNU-AIR-701	02 Trunnion Nude Shock Air Seal Kit	\$4.00
Piston with Shim Kit	42-02PNUPISTON-601	Complete Piston with Shims	\$6.00
Nude Eyelet Kit	42-02PNUEYELET-601	Eyelet For All Nude Shock Sizes	\$13.00
165mm Air Sleeve	42-02PNUSLEEVE-601	Air Sleeve for 165X38 Nude Shock	\$16.00
190mm Air Sleeve	42-02PNUSLEEVE-602	Air Sleeve for 190X51 Nude Shock	\$16.00
200mm Air Sleeve	42-02PNUSLEEVE-603	Air Sleeve for 200X51 Nude Shock	\$16.00
165mm Shaft and Needle Kit	42-02PNUSHAFT-601	Shaft and Needle Kit for 165X38 Nude	\$5.00
190mm Shaft and Needle Kit	42-02PNUSHAFT-602	Shaft and Needle Kit for 190X51 Nude	\$5.00
200mm Shaft and Needle Kit	42-02PNUSHAFT-603	Shaft and Needle Kit for 200X51 Nude	\$5.00

Metric R OEM

Voltage FR 730



Metric R OEM Features

- 180mm travel, 36mm stanchion tubes
- Air spring and rebound adjustable
- Tapered steer and 20mm axle
- Custom decals for Scott

Fork Maintenance	Interval
Clean dirt and debris from stanchion tubes	Every Ride
Check air pressure and set sag (air forks only)	Every Ride
Inspect upper tubes for scratches and gouges	Every Ride
Check torque on X-Series Axle	Every Ride
Clean or replace(recommended) remote lockout cable and housing	25 hrs
Remove lowers, clean/inspect bushings and change oil bath if necessary	25 hrs
Clean and lubricate air spring assembly	50 hrs
Full damper system rebuild and oil change	100 hrs
Clean and lubricate coil spring assembly (coil forks only)	100 hrs



Metric R OEM Service Parts

Metric R Parts Kits	Part Number	Cost
Metric crown/steerer/assembly black tapered 27.5	42-SSFMTB0-CSU-503	\$90.00
Metric OEM Flat Black Lower 20mm	42-SSFMT00-LEG-501	\$86.67
Metric Air Spring Assembly	42-MTCSHAFT-401	\$18.00
36mm 180mm R Damper Cartridge	42-SSFDMTR0-180-501	\$100.00
36mm Lower Leg/Casting Seal Kit	42-SSFVG00-LEG-301	\$7.00
36mm Air spring Seal Kit	42-SSFBVGHLR-Air-101	\$10.00
36 R Knob Kit	42-SSFVGR0-KNOB-301	\$6.00
36mm R Damper Seal Kit	42-SSFVGR0-DMP-301	\$8.00
RV1&Metric Brake hose guide kit with screw	42-SSFRV00-GUIDE-401	\$4.00

References

International Service Centers


- <http://www.xfusionshox.com/distributors-service-centers>

Complete Product Drawings

- <http://www.xfusionshox.com/distributor-login>
- User: dist
- Password: xfdist

26 ECO TENT


ECO TENT SPARE PARTS



Item	Description	Image
241055	A1	
241056	B1	
241057	C1	

Item	Description	Image
241058	D1	
241059	E1	
241060	F1	

Item	Description	Image
241061	G1	
241062	H1	
241063	K1	
241065	UPPER CENTRAL POLE	
241064	BOTTOM CENTRAL POLE	
241068	X-BAR	

Item	Description	Image
241066	WHOLE LEG IN CORNER	  
241067	WHOLE LEG IN MIDDLE	  



2017 BIKE TECHBOOK

All rights reserved © 2016 SCOTT Sports SA
Specifications subject to change without notice

Products shown may not be available in all regions,
please check with your local SCOTT retailer for availability.

SCOTT SPORTS SA | CH-1762 GIVISIEZ
Phone: +41 26 460 16 16

SCOTT-SPORTS.COM

