
2018 BIKE
TECHBOOK
NO SHORTCUTS
STS
SCOTT TECHNICAL SERVICES
SCOTT

Dear Distributors and Colleagues,

Please take some time to familiarize yourself with our new Bike Techbook MY18 which will support you in your service work.

The SCOTT Group Quality Management Team: Patrick Bochud, Stuart Sanders, David Zen-Ruffinen, Gareth Clutton, Moritz Scheuplein, and I, will be working with you on warranty claims, quality problems, and technical support.

Distributors please use only EU.QM@scott-sports.com for all enquiries.

Subsidiaries please write to all of us as before using the below email addresses.

Patrick.Bochud@scott-sports.com

Stuart.Sanders@scott-sports.com

David.Zen-Ruffinen@scott-sports.com

Gareth.Clutton@scott-sports.com

Moritz.Scheuplein@scott-sports.com

Holger.Klinter@scott-sports.com

Please do not contact the Sales team for support on warranties and spare parts.

With the help of this Techbook, we aim to offer you a fast and efficient service system, which will be an adapted version of the B2B warranty, SAP-claim procedures and service we already run in the other divisions of SCOTT Sports SA.

By using the B2B warranty online program there is no longer a need to return defective parts back to you from the dealer or from you to SCOTT Sports. This saves time and transport costs, makes each step of the claim procedure traceable, and offers you a full overview of your claim's progress and related shipment of the replacement part.

For more information on our service, please kindly refer to the following chapters of this Bike Techbook MY18. It provides a guideline and information on warranty procedures and forms, technical information, spare parts article numbers and the details of our B2B system.

For further questions or comments please feel free to contact us at any time.

We look forward to working with you.

Best Regards,

Holger Klinter

Patrick Bochud

Stuart Sanders

David Zen-Ruffinen

Gareth Clutton

Moritz Scheuplein

2018 BIKE TECHBOOK

01 MOUNTAIN ... 003
Scale 900/700/ Contessa Scale/ Contessa 700 ... 004
Spark 900/700/ Contessa Spark ... 013
Genius 900/700/ Contessa Genius ... 022
Gambler 700 ... 040
Voltage FR 700 ... 043
Voltage ... 044
Aspect 900/700/600 ... 045
Big Jon ... 047

02 ROAD ... 049
Foil Disc/Foil ... 050
Addict RC/Addict/ Contessa Addict ... 054
Addict Gravel/Addict CX ... 059
Metrix ... 061
Speedster/ Contessa Speedster ... 062
Speedster Disc/ Contessa Speedster Disc ... 064
Speedster Gravel ... 066
Plasma 4/Plasma 5 ... 067

03 E-BIKE ... 069
E-Aspect/AT ... 070
E-Silence ... 070
E-SUB Tour ... 072
E-SUB Active ... 072
E-Scale/Contessa E-Scale ... 074
E-SUB Sport/E-SUB Cross ... 074
E-Spark/Contessa E-Spark ... 076
E-Genius/Contessa E-Genius ... 076

04 URBAN/TREKKING ... 087
Silence ... 088
SUB Cross/Sport/Comfort ... 089

05 JUNIOR ... 091
Junior ... 092

06 Technical Data & Geometries ... 095

07 Twinloc ... 129

08 Replaceable Drop Outs Since 1995 ... 133

09 Cable Guides ... 143

10 Maximum Rotor Size ... 145

11 Replacement Parts ... 147

12 Helmets ... 193

13 Bike Shoes ... 203

14 Syncros ... 209
Wheels ... 210
Seatpost ... 251
Handlebars & Stems ... 268
Accessories ... 269

15 Online Warranty Program for Bike Frames, Helmets, Shoes & Protection ... 281

16 Supplier Agreement: Direct Warranty Support to Dealers & National SCOTT Distributors ... 289

17 Workshop Tools ... 291

18 Carbon Repairs ... 303

19 Battery Storage, Safety & Transportation ... 305

20 Legal Information ... 311

01 MOUNTAIN


- SCALE 900/700/ CONTESSA SCALE/ CONTESSA 700
- SPARK 900/700/ CONTESSA SPARK
- GENIUS 900/700/ CONTESSA GENIUS
- GAMBLER 700
- VOLTAGE FR 700
- VOLTAGE
- ASPECT 900/700/600
- BIG JON

SCOTT **SCALE 900/700/ CONTESSA SCALE/ CONTESSA 700**



SCALE RC 900 SL

GEOMETRY/TECHNICAL DATA SCALE




SCALE 900 SERIES


Seatpost diameter	31.6mm
Seattube clamp	34.9
Headset	bearings: 51.9x40x8 45° x 45°/ 41.8x30.5x8 45° x 45°
Fork travel	100mm
BB Housing	BB PF92
Front derailleur	Shimano high direct mount side swing (non-RC models only) **Additional parts needed**
Chainring size	38T max
Max tire width	2.3/57mm **Please note:** **Tire sizes often vary from brand to brand. Ensure the tire clearance is adequate when replacing your tires!**

IMPORTANT

Only a bottle with 0.55L capacity will have the clearance to fit a small frame.



SCALE 900 SERIES



SCALE: 710, 720, 730

SCALE 900 RC: SL, WORLD CUP, PRO
SCALE: 910, 915, 920, 925, 930


		S		M		L		XL	
A	HEAD TUBE ANGLE	69.5 °		69.5 °		69.5 °		69.5 °	
B	HEAD TUBE LENGTH	95.0 mm	3.7 in	100.0 mm	3.9 in	115.0 mm	4.5 in	125.0 mm	4.9 in
C	TOP TUBE HORIZONTAL	575.0 mm	22.6 in	600.0 mm	23.6 in	625.0 mm	24.6 in	650.0 mm	25.6 in
D	STANDOVER HEIGHT	743.0 mm	29.3 in	774.0 mm	30.5 in	800.0 mm	31.5 in	835.1 mm	32.9 in
E	BB OFFSET	-58.0 mm	-2.3 in	-58.0 mm	-2.3 in	-58.0 mm	-2.3 in	-58.0 mm	-2.3 in
F	BB HEIGHT	312.0 mm	12.3 in	312.0 mm	12.3 in	312.0 mm	12.3 in	312.0 mm	12.3 in
G	WHEEL BASE	1,076.4 mm	42.4 in	1,101.8 mm	43.4 in	1,127.9 mm	44.4 in	1,153.7 mm	45.4 in
H	BB CENTER TO TOPTUBE CENTER	325.0 mm	12.8 in	375.0 mm	14.8 in	415.0 mm	16.3 in	465.0 mm	18.3 in
I	BB CENTER TO TOP OF SEATTUBE	390.0 mm	15.4 in	440.0 mm	17.3 in	480.0 mm	18.9 in	530.0 mm	20.9 in
J	SEAT ANGLE	73.6 °		73.6 °		73.6 °		73.6 °	
K	CHAINSTAY	425.0 mm	16.7 in	425.0 mm	16.7 in	425.0 mm	16.7 in	425.0 mm	16.7 in
L	REACH	398.7 mm	15.7 in	422.3 mm	16.6 in	443.2 mm	17.4 in	465.5 mm	18.3 in
M	STACK	599.0 mm	23.6 in	603.6 mm	23.8 in	617.7 mm	24.3 in	627.1 mm	24.7 in
N	STEM LENGTH	60.0 mm	2.4 in	70.0 mm	2.8 in	80.0 mm	3.1 in	90.0 mm	3.5 in
O	TRAIL	83.9 mm	3.3 in	83.9 mm	3.3 in	83.9 mm	3.3 in	83.9 mm	3.3 in

SCALE: 940, 950, 960, 970, 980, 990


		S		M		L		XL		XXL	
A	HEAD TUBE ANGLE	69.5 °		69.5 °		69.5 °		69.5 °		69.5 °	
B	HEAD TUBE LENGTH	105.0 mm	4.1 in	105.0 mm	4.1 in	115.0 mm	4.5 in	125.0 mm	4.9 in	135.0 mm	5.3 in
C	TOP TUBE HORIZONTAL	575.0 mm	22.6 in	600.0 mm	23.6 in	625.0 mm	24.6 in	650.0 mm	25.6 in	670.0 mm	26.4 in
D	STANDOVER HEIGHT	750.5 mm	29.5 in	779.4 mm	30.7 in	791.0 mm	31.1 in	824.8 mm	32.5 in	862.7 mm	34.0 in
E	BB OFFSET	-58.0 mm	-2.3 in	-58.0 mm	-2.3 in	-58.0 mm	-2.3 in	-58.0 mm	-2.3 in	-58.0 mm	-2.3 in
F	BB HEIGHT	315.5 mm	12.4 in	315.5 mm	12.4 in	315.5 mm	12.4 in	315.5 mm	12.4 in	315.5 mm	12.4 in
G	WHEEL BASE	1,090.8 mm	42.9 in	1,115.8 mm	43.9 in	1,141.5 mm	44.9 in	1,167.3 mm	46.0 in	1,188.0 mm	46.8 in
H	BB CENTER TO TOPTUBE CENTER	325.0 mm	12.8 in	375.0 mm	14.8 in	415.0 mm	16.3 in	465.0 mm	18.3 in	522.8 mm	20.6 in
I	BB CENTER TO TOP OF SEATTUBE	395.0 mm	15.6 in	440.0 mm	17.3 in	480.0 mm	18.9 in	530.0 mm	20.9 in	580.0 mm	22.8 in
J	SEAT ANGLE	73.6 °		73.6 °		73.6 °		73.6 °		73.6 °	
K	CHAINSTAY	438.0 mm	17.2 in	438.0 mm	17.2 in	438.0 mm	17.2 in	438.0 mm	17.2 in	438.0 mm	17.2 in
L	REACH	394.2 mm	15.5 in	419.2 mm	16.5 in	441.4 mm	17.4 in	463.7 mm	18.3 in	480.9 mm	18.9 in
M	STACK	591.0 mm	23.3 in	591.0 mm	23.3 in	600.4 mm	23.6 in	609.7 mm	24.0 in	619.1 mm	24.4 in
N	STEM LENGTH	60.0 mm	2.4 in	70.0 mm	2.8 in	80.0 mm	3.1 in	90.0 mm	3.5 in	100.0 mm	3.9 in
O	TRAIL	85.2 mm	3.4 in	85.2 mm	3.4 in	85.2 mm	3.4 in	85.2 mm	3.4 in	85.2 mm	3.4 in

SCALE: 710, 720, 730


		S		M		L		XL	
A	HEAD TUBE ANGLE	66.5 °		66.5 °		66.5 °		66.5 °	
B	HEAD TUBE LENGTH	100.0 mm	3.9 in	105.0 mm	4.1 in	115.0 mm	4.5 in	125.0 mm	4.9 in
C	TOP TUBE HORIZONTAL	577.0 mm	22.7 in	602.0 mm	23.7 in	627.0 mm	24.7 in	652.0 mm	25.7 in
D	STANDOVER HEIGHT	780.0 mm	30.7 in	806.0 mm	31.7 in	829.0 mm	32.6 in	857.0 mm	33.7 in
E	BB OFFSET	-55.0 mm	-2.2 in	-55.0 mm	-2.2 in	-55.0 mm	-2.2 in	-55.0 mm	-2.2 in
F	BB HEIGHT	310.0 mm	12.2 in	310.0 mm	12.2 in	310.0 mm	12.2 in	310.0 mm	12.2 in
G	WHEEL BASE	1'108.0 mm	43.6 in	1'133.4 mm	44.6 in	1'159.3 mm	45.6 in	1'185.2 mm	46.7 in
H	BB CENTER TO TOPTUBE CENTER	328.0 mm	12.9 in	383.0 mm	15.1 in	425.0 mm	16.7 in	477.0 mm	18.8 in
I	BB CENTER TO TOP OF SEATTUBE	390.0 mm	15.4 in	440.0 mm	17.3 in	480.0 mm	18.9 in	530.0 mm	20.9 in
J	SEAT ANGLE	72.8 °		72.8 °		72.8 °		72.8 °	
K	CHAINSTAY	439.0 mm	17.3 in	439.0 mm	17.3 in	439.0 mm	17.3 in	439.0 mm	17.3 in
L	REACH	389.0 mm	15.3 in	412.0 mm	16.2 in	435.0 mm	17.1 in	457.0 mm	18.0 in
M	STACK	607.0 mm	23.9 in	612.0 mm	24.1 in	621.0 mm	24.4 in	631.0 mm	24.8 in
N	STEM LENGTH	50.0 mm	2.0 in	60.0 mm	2.4 in	70.0 mm	2.8 in	80.0 mm	3.1 in



CONTESSA SCALE RC 900, 900



CONTESSA SCALE



CONTESSA

CONTESSA SCALE: RC 900, 900

		S		M		L	
A	HEAD TUBE ANGLE	69.5 °		69.5 °		69.5 °	
B	HEAD TUBE LENGTH	95.0 mm	3.7 in	100.0 mm	3.9 in	115.0 mm	4.5 in
C	TOP TUBE HORIZONTAL	575.0 mm	22.6 in	600.0 mm	23.6 in	625.0 mm	24.6 in
D	STANDOVER HEIGHT	743.0 mm	29.3 in	774.0 mm	30.5 in	800.0 mm	31.5 in
E	BB OFFSET	-58.0 mm	-2.3 in	-58.0 mm	-2.3 in	-58.0 mm	-2.3 in
F	BB HEIGHT	312.0 mm	12.3 in	312.0 mm	12.3 in	312.0 mm	12.3 in
G	WHEEL BASE	1,076.4 mm	42.4 in	1,101.8 mm	43.4 in	1,127.9 mm	44.4 in
H	BB CENTER TO TOPTUBE CENTER	325.0 mm	12.8 in	375.0 mm	14.8 in	415.0 mm	16.3 in
I	BB CENTER TO TOP OF SEATTUBE	390.0 mm	15.4 in	440.0 mm	17.3 in	480.0 mm	18.9 in
J	SEAT ANGLE	73.6 °		73.6 °		73.6 °	
K	CHAINSTAY	425.0 mm	16.7 in	425.0 mm	16.7 in	425.0 mm	16.7 in
L	REACH	398.7 mm	15.7 in	422.3 mm	16.6 in	443.2 mm	17.4 in
M	STACK	599.0 mm	23.6 in	603.6 mm	23.8 in	617.7 mm	24.3 in
N	STEM LENGTH	60.0 mm	2.4 in	70.0 mm	2.8 in	80.0 mm	3.1 in
0	TRAIL	83.9 mm	3.3 in	83.9 mm	3.3 in	83.9 mm	3.3 in

CONTESSA SCALE: 10, 20, 30, 40

		XS / 700		S / 700		M / 900		L / 900	
A	HEAD TUBE ANGLE	69.0 °		69.0 °		69.5 °		69.5 °	
B	HEAD TUBE LENGTH	100.0 mm	3.9 in	100.0 mm	3.9 in	115.0 mm	4.5 in	125.0 mm	4.9 in
C	TOP TUBE HORIZONTAL	545.0 mm	21.5 in	565.0 mm	22.2 in	574.0 mm	22.6 in	594.0 mm	22.6 in
D	STANDOVER HEIGHT	665.5 mm	26.2 in	676.5 mm	26.6 in	725.0 mm	28.5 in	760.0 mm	28.5 in
E	BB OFFSET	-44.0 mm	-1.7 in	-44.0 mm	-1.7 in	-61.0 mm	-2.4 in	-61.0 mm	-2.4 in
F	BB HEIGHT	312.5 mm	12.3 in	312.5 mm	12.3 in	315.0 mm	12.4 in	315.0 mm	12.4 in
G	WHEEL BASE	1,053.0 mm		1,063.0 mm	41.9 in	1,094.0 mm	43.1 in	1,114.0 mm	43.1 in
H	BB CENTER TO TOPTUBE CENTER	315.0 mm	12.4 in	320.0 mm	12.6 in	355.0 mm	14.0 in	405.0 mm	14.0 in
I	BB CENTER TO TOP OF SEATTUBE	340.0 mm	13.4 in	370.0 mm	14.6 in	410.0 mm	16.1 in	460.0 mm	16.1 in
J	SEAT ANGLE	73.0 °		73.0 °		72.5 °		72.5 °	
K	CHAINSTAY	435.0 mm	17.1 in	435.0 mm	17.1 in	458.0 mm	17.1 in	458.0 mm	18.0 in
L	REACH	368.1 mm	14.5 in	388.1 mm	15.3 in	388.1 mm	15.3 in	371.0 mm	14.6 in
M	STACK	411.5 mm	16.2 in	426.6 mm	16.8 in	426.6 mm	16.8 in	630.0 mm	24.8 in
N	STEM LENGTH	60.0 mm	2.4 in	60.0 mm	2.4 in	70.0 mm	2.8 in	80.0 mm	3.1 in

CONTESSA: 710, 720, 730, 740

		XS		S		M		L	
A	HEAD TUBE ANGLE	69.0 °		69.0 °		69.0 °		69.0 °	
B	HEAD TUBE LENGTH	100.0 mm	3.9 in	100.0 mm	3.9 in	100.0 mm	3.9 in	115.0 mm	4.5 in
C	TOP TUBE HORIZONTAL	545.0 mm	21.5 in	565.0 mm	22.2 in	580.0 mm	22.8 in	595.0 mm	23.4 in
D	STANDOVER HEIGHT	665.5 mm	26.2 in	676.5 mm	26.6 in	700.5 mm	27.6 in	730.0 mm	28.7 in
E	BB OFFSET	-44.0 mm	-1.7 in	-44.0 mm	-1.7 in	-44.0 mm	-1.7 in	-44.0 mm	-1.7 in
F	BB HEIGHT	311.0 mm	12.2 in	311.0 mm	12.2 in	311.0 mm	12.2 in	311.0 mm	12.2 in
G	WHEEL BASE	1,051.2 mm	41.4 in	1,071.0 mm	42.2 in	1,086.0 mm	42.8 in	1,102.0 mm	43.4 in
H	BB CENTER TO TOPTUBE CENTER	315.0 mm	12.4 in	320.0 mm	12.6 in	360.0 mm	14.2 in	410.0 mm	16.1 in
I	BB CENTER TO TOP OF SEATTUBE	340.0 mm	13.4 in	370.0 mm	14.6 in	410.0 mm	16.1 in	460.0 mm	18.1 in
J	SEAT ANGLE	73.0 °		73.0 °		73.0 °		73.0 °	
K	CHAINSTAY	435.0 mm	17.1 in	435.0 mm	17.1 in	435.0 mm	17.1 in	435.0 mm	17.1 in
L	REACH	368.1 mm	14.5 in	388.1 mm	15.3 in	403.1 mm	15.9 in	413.8 mm	16.3 in
M	STACK	411.5 mm	16.2 in	426.6 mm	16.8 in	448.5 mm	17.7 in	482.9 mm	19.0 in
N	STEM LENGTH	60.0 mm	2.4 in	60.0 mm	2.4 in	75.0 mm	3.0 in	90.0 mm	3.5 in

TECHNICAL DATA SCALE

Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)	Rear Shock (e2e)	Hardware Rear Shock in mm	Bearings (frame)
Scale RC 900 SL	PRESSFIT GXP BB FOR MTB(FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S, 175 M/L/XL	1FI401T043004, SYNCROS 1/8" - 1.5" TAPERED, DROP-IN SEALED CARTRIDGE & TIB BEARING, W/O AL HEADSETCUP, IS42/28.6 | IS52/40, W/O LOGO	60mm (S); 70mm (M); 80mm (L); 90mm (XL)	720	31.6X400mm	34.9mm	XRC 1200 Spline-29 F/R:28H	XRC 1200 Spline-29 F/R:28H	XRC 1200 Spline-29 F/R:28H			
Scale RC 900 World Cup	PRESSFIT GXP BB FOR MTB(FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S, 175 M/L/XL	1FI401T043004, SYNCROS 1/8" - 1.5" TAPERED, DROP-IN SEALED CARTRIDGE & TIB BEARING, W/O AL HEADSETCUP, IS42/28.6 | IS52/40, W/O LOGO	60mm (S); 70mm (M); 80mm (L); 90mm (XL)	720	31.6X400mm	34.9mm	X 1825 SPLINE 29"/ F/R:28H	X 1825 SPLINE 29"/ F/R:28H	X 1825 SPLINE 29"/ F/R:28H			
Scale RC 900 Pro	PRESSFIT GXP BB FOR MTB(FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S, 175 M/L/XL	1FI201T043002, DROPE IN PRO, SSC BEARING /1-1/8"- 1.5"/42-52MM, W/O HS TOPCUP & LOGO	60mm (S); 70mm (M); 80mm (L); 90mm (XL)	720	31.6X400mm	34.9mm	S20B02-00 SYNCROS XR2.0 29"X28H	S20B02-00 SYNCROS XR2.0 29"X28H	S20B02-00 SYNCROS XR2.0 29"X28H			
Scale 910	PRESSFIT GXP BB FOR MTB(FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S, 175 M/L	1FI201T043002, DROPE IN PRO, SSC BEARING /1-1/8"- 1.5"/42-52MM, W/O HS TOPCUP & LOGO	60mm (S); 70mm (M); 80mm (L); 90mm (XL)	720	31.6X400mm	34.9mm	S20C02-00 SYNCROS XR2.0 29"X28H	S20C02-00 SYNCROS XR2.0 29"X28H	S20C02-00 SYNCROS XR2.0 29"X28H			
Scale 915	ABBMT500PA, 89.5/92MM, PRESS FIT	KFDM8020D6/ DIRECT MOUNT	170mm (S) / 175mm (M/L/XL)	1-1/8"-1.5"X52X42mm	60mm (S)/ 70mm (M)/ 80mm (L)/ 90mm (XL)	720mm	31.6x400mm	34.9 mm	included in wheelset	included in wheelset	XERO S25C02-00, 28H			
Scale 920	BB-MT500-PA FOR MTB "W/O THREAD" R&L BEARING W/ INNER COVER	FD-M7020-D FOR 2X11 DIRECT MOUNT 66-69 34-38T SIDE SWING FRONT-PULL	170 S, 175 M/L	1FI201T043002, DROPE IN PRO, SSC BEARING /1-1/8"- 1.5"/42-52MM, W/O HS TOPCUP & LOGO	60mm (S); 70mm (M); 80mm (L); 90mm (XL)	720	31.6X400mm	34.9mm	292.5 / 293.5	292.5 / 294	X25S Disc 29"X32H W/O EYELET, DOUBLE WALL, ANOD.			
Scale 925	BB-PFGXP-A1, PRESSFIT FOR MTB	NIL	170mm (S) / 175mm (M/L/XL)	1-1/8"-1.5"X52X42mm	60mm (S)/ 70mm (M)/ 80mm (L)/ 90mm (XL)	720mm	31.6x400mm	34.9 mm	292.5 / 293.5	292.5 / 294	X-25 DISC, 32H			
Scale 930	PRESSFIT GXP BB FOR MTB(FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S, 175 M/L	1FI201T043002, DROPE IN PRO, SSC BEARING /1-1/8"- 1.5"/42-52MM, W/O HS TOPCUP & LOGO	60mm (S); 70mm (M); 80mm (L); 90mm (XL)	720	31.6X400mm	34.9mm	292.5 / 293.5	292.5 / 294	X25 Disc 29"X32H W/O EYELET, DOUBLE WALL, ANOD. BLK,			
Scale 940	BB-MT500-PA PRESS FIT TYPE RIGHT & LEFT ADAPTER (ABBMT500PA)	FD-M8025-E W/O PLATE	15.5M = 170 mm, 17.5M/ 19M/ 21M/ 23M = 175mm	VP-J203SER TAPERED 1-1/2 TO 1-1/8 H9.1 LOOSE BALL SEMI INTEGR STEEL BED	15.5M/60, 17.5M/70, 19M/80, 21M/90, 23M/100	720mm	31.6X400mmM	34.9mm	15GX291mm	15GX291mm	J26DB Syncros 29 32H			
Scale 950	(00.6418.002.000) BB GXP-A1 PRESSFIT (MTB: 89/ 91.5mm) MTB		15.5M = 170 mm, 17.5M/ 19M/ 21M/ 23M = 175mm	VP-J203SER TAPERED 1-1/2 TO 1-1/8 H9.1 LOOSE BALL SEMI INTEGR STEEL BED	15.5M/60, 17.5M/70, 19M/80, 21M/90, 23M/100	720mm	31.6X400mmM	34.9mm	15GX291mm	15GX291mm	J26DB Syncros 29 32H			
Scale 960	BB-MT500-PA PRESS FIT TYPE RIGHT & LEFT ADAPTER (ABBMT500PA)	FD-M7025-H 34.9	15.5M = 170 mm, 17.5M/ 19M/ 21M/ 23M = 175mm	VP-J203SER TAPERED 1-1/2 TO 1-1/8 H9.1 LOOSE BALL SEMI INTEGR STEEL BED	15.5M/60, 17.5M/70, 19M/80, 21M/90, 23M/100	720mm	31.6X400mmM	35mm	15GX291mm	15GX289.5mm	J19SE DISC 29X32H			
Scale 970	BB-MT500-PA PRESS FIT TYPE RIGHT & LEFT ADAPTER (ABBMT500PA)	FD-M6025-H 34.9	15.5M = 170 mm, 17.5M/ 19M/ 21M/ 23M = 175mm	VP-J203SER TAPERED 1-1/2 TO 1-1/8 H9.1 LOOSE BALL SEMI INTEGR STEEL BED	15.5M/60, 17.5M/70, 19M/80, 21M/90, 23M/100	720mm	31.6X400mmM	35mm	15GX291mm	15GX289.5mm	J19SE DISC 29X32H			
Scale 980	(00.6418.002.000) BB GXP-A1 PRESSFIT (MTB: 89/ 91.5mm) MTB		15.5M = 170 mm, 17.5M/ 19M/ 21M/ 23M = 175mm	VP-J203SER TAPERED 1-1/2 TO 1-1/8 H9.1 LOOSE BALL SEMI INTEGR STEEL BED	15.5M/60, 17.5M/70, 19M/80, 21M/90, 23M/100	720mm	31.6X400mmM	35mm	15GX291mm	15GX289.5mm	J19SE DISC 29X32H			
Scale 990	BB-MT500-PA PRESS FIT TYPE RIGHT & LEFT ADAPTER (ABBMT500PA)	FD-M6025-H 34.9	15.5M = 170 mm, 17.5M/ 19M/ 21M/ 23M = 175mm	VP-J203SER TAPERED 28.6 H9.1 LOOSE BALL SEMI INTEGR STEEL BED	15.5M/60, 17.5M/70, 19M/80, 21M/90, 23M/100	720mm	31.6X400mmM	35mm	15GX291mm	15GX289.5mm	J19SE DISC 29X32H			
Scale 710	PRESSFIT GXP BB FOR MTB (FOR 89/ 91.5MM) (00.6418.002.000)	NONE	170 S, 175 M/L/XL	1SI25115AL PRESSFIT PRO E2, 1-1/8"- 1.5",50-62MM, AL CUPS, SSC BEARING, W/ TOP CUP FOR INT. STEM, W/LASER SYCROS LOGO, S.B MATT BLK	50mm (S/M); 60mm (L/ XL)	740	31.6X412mm	34.9mm	273/274.5	272.5/271	X30S Disc 27.5"X32H W/O EYELET, DOUBLE WALL, ANOD.			

TECHNICAL DATA SCALE

Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)	Rear Shock (e2e)	Hardware Rear Shock in mm	Bearings (frame)
Scale 720	BB-MT500-PA FOR MTB "W/O THREAD" R&L BEARING W/ INNER COVER	FD-M6025-E FOR 2X10 W/O PLATE 66-69 TOP SWING DOWN-PULL	170 S, 175 M/L/XL	1SI218T043001 SYNCROS FL2.0 SCR-HS-004 28.7-44-55-39.8 H=11.6 W/SANDBLASTED BACK TOP CAP W/SYNCROS LG	50mm (S/M); 60mm (L/XL)	740	31.6X400mm	34.9mm	274.5/273	272.5/274	X30S Disc 27.5"X32H W/O EYELET, DOUBLE WALL, ANOD. B			
Scale 730	PRESSFIT GXP BB FOR MTB (FOR 89/ 91.5MM) (00.6418.002.000)	NONE	170 S, 175 M/L/XL	1SI110T043003 (1SI11015F30) SYNCROS HS OE 1-1/8"-1.5" 55-61MM H:8.2 BLK STEEL CUPS BALL BEARINGS	50mm (S/M); 60mm (L/XL)	740	31.6X400mm	34.9mm	273/274.5	272.5/274.5	X30S Disc 27.5"X32H W/O EYELET, DOUBLE WALL, ANOD. BLK,			
Contessa Scale RC 900	PRESSFIT GXP BB FOR MTB(FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S/M, 175 L	1FI201T043002, DROPE IN PRO, SSC BEARING /1-1/8"- 1.5"/42-52MM, W/O HS TOPCUP & LOGO	60MM(S) ; 70MM(M) ; 80MM(L)	700	31.6X350MM (S) ; 31.6X400MM (M/L)	34.9MM	S20B02-01 SYNCROS XR2.0 29"X28H	S20B02-01 SYNCROS XR2.0 29"X28H	S20B02-01 SYNCROS XR2.0 29"X28H			
Contessa Scale 900	PRESSFIT GXP BB FOR MTB(FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S/M, 175 L	1FI201T043002, DROPE IN PRO, SSC BEARING /1-1/8"- 1.5"/42-52MM, W/O HS TOPCUP & LOGO	50MM(S) ; 60MM(M) ; 70MM(L)	700	31.6X350MM (S) ; 31.6X400MM (M/L)	34.9MM	292.5 / 293.5	292.5 / 294	X25 Disc 29"X32H W/O EYELET, DOUBLE WALL, A			
Contessa Scale 10	SM-BB52/68MM	KFDM618HM6 / 31.8MM	170mm (XS/S/M)/ 175mm (L)	1-1/8"-1.5"X50X44mm/ 61X54.95mm	60mm (XS/S), 70mm (M)/ 80mm (L)	680MM	27.2x350mm	31.8mm	272/274 (XS&S); 292/294 (M&L)	272/274 (XS&S); 292/294 (M&L)	SD-20(X-20) , 32H			
Contessa Scale 20	SM-BB52/68MM	KFDM610M6 / 31.8mm	170mm (XS/S/M)/ 175mm (L)	1-1/8 X49.8X44MM	60mm (XS/S), 70mm (M)/ 80mm (L)	680MM	27.2x350mm	31.8mm	272/274 (XS&S); 292/294 (M&L)	272/274 (XS&S); 292/294 (M&L)	SD-20(X-20) , 32H			
Contessa Scale 30	SM-BB52/68MM	KFDM610M6 / 31.8mm	170mm (XS/S/M)/ 175mm (L)	1-1/8 X49.8X44MM	60mm (XS/S), 70mm (M)/ 80mm (L)	680MM	27.2x350mm	31.8mm	272/274 (XS&S); 292/294 (M&L)	272/274 (XS&S); 292/294 (M&L)	SD-20(X-20) , 32H			
Contessa Scale 40	ABBUN26B13X / LL113 /68MM	AFDM3000 TSM6 / 31.8mm	165mm (XS)/ 170mm (S/M)/ 175mm (L)	1-1/8 X49.8X44MM	60mm (XS/S), 70mm (M)/ 80mm (L)	680MM	27.2x350mm	31.8mm	272/274 (XS&S); 292/294 (M&L)	272/274 (XS&S); 292/294 (M&L)	SD-20(X-20) , 32H			24X15X T5
Contessa 710	ABBUN26B23X / 122.5MM (LL123)/ 68MM	AFDM3000 TSM6 / 31.8mm	165mm (XS/S) / 170mm (M/L)	1-1/8 X49.8X44MM	60mm (XS/S)/ 70mm (M/L)	640MM	27.2x350mm	31.8mm	272/274	272/274	SD-20(X-20) , 32H			24X15X T5
Contessa 720	ABBUN100B22B / 122.5MM (D-NL) / 68MM	AFDTY700 TSM6 / 31.8mm	165mm (XS/S) / 170mm (M/L)	1-1/8 X49.8X44MM	60mm (XS/S)/ 70mm (M/L)	640MM	27.2x350mm	31.8mm	272/274	272/274	SD-20(X-20) , 32H			24X15X T5
Contessa 730	ABBUN100B22B / 122.5MM (D-NL) / 68MM	AFDTY500 TSM6 / 31.8mm	165mm (XS/S) / 170mm (M/L)	1-1/8 X49.8X44MM	75mm (All Sizes)	640MM	27.2x350mm	31.8mm	270/272	270/272	SD-20(X-20) , 32H			24X15X T5
Contessa 740	ABBUN100B22B / 122.5MM (D-NL) / 68MM	AFDTY500 TSM6 / 31.8mm	165mm (XS/S) / 170mm (M/L)	1-1/8 X49.8X44MM	75mm (All Sizes)	640MM	27.2x350mm	31.8mm	270/272	270/272	SD-20(X-20) , 32H			

The platform of the MY18 Scale remains the same with only a few adjustments, if the information you need cannot be found below please refer to your MY17 workbook.

For MY18 the Scale 700 models are aluminium boost and plus compatible frames. No carbon is available in 27.5".

There is a mixture of boost and non-boost frames with different FD options and compatibilities.

* The table shows frame compatibility not what is spec'd on the bike.
* Additional parts may be required if changing the configuration of the bike.


Model	1x	2x		Boost
Scale RC 900 SL	✓			✓
Scale RC 900 World Cup	✓			✓
Scale RC 900 Pro	✓			✓
Scale 910/915/920/925/930	✓	✓	Mount needed SCOTT part 254088	✓
Scale 940/950	✓	✓	E-Tyoe FD no plate used	✓
Scale 960/970/980/990	✓	✓	Clamp type FD 34.9mm high mount	
Scale 710/720/730	✓	✓	E-Type FD no plate used	✓
Contessa Scale RC 900	✓			✓
Contessa Scale 900	✓	✓	Mount needed SCOTT part 254088	✓
Contessa Scale 10/20/30/40	✓	✓	Clamp type FD 31.8mm low mount	
Contessa 710/720/730/740	✓	✓	Clamp type FD 31.8mm low mount	

CABLE ROUTING

The MY18 headtube cable guides have changed, this design is now used on alloy and carbon Sparks.

Depending on what gear/seatpost options are being used, the head tube cable guides can be customised to the rider's preference.

For MY 18 the selection of the headtube cable guides is made a lot more user friendly, there are two types of covers, cabled and blank, for cables there is only one type and rubber inserts are used for the desired cable options.



⚠ IMPORTANT

The MY18 cables guides are not compatible with older frames and vice versa!

The kit consists of - x2 of /A/B/C/D/E x1 of HT-Blank

266587 SCO Cableguide set Sca/Spa/Gen H-tube 18



A: 1x Mechanical cable

B: 2x Mechanical cables

C: 2x Mechanical cables 1x hydraulic

D: 1x single cable and Di2



E: Single cable and Live valve


HT: Cover plate for all cable options


HT-Blank: This is the no cable option

⚠ IMPORTANT

Torque for cable guide bolts 0.75-1.0 NM!

Note the angle of the securing screws is straight in the frame and not like previously in MY17.





Cable guides coming soon

In MY18 there will be a new headtube cable guide set available for the MY17 Spark and Scale.

This part will directly replace the cable guides on these bikes with a more friendly unit; these parts can be changed if required but are not a warranty replacement part.

000000 SCO Cableguide set Sca/Spa revise 17



WARRANTY FRAMES

For MY18 pay attention to order the correct warranty replacement as there is a mixture of boost and non-boost frames.

MY18 and boost frames

Please use the following table.

* Ensure you use MY17 boost frames for MY17 bikes while available.

Wheel size 29”:	Use the below:
HMX frames	Sales frame or **266379** SCO Frame Scale RC 900 Pro 18 Wty (Boost)
HMF frames	Sales frame or **266380** SCO Frame Scale 910 18 Wty (Boost)
Alloy boost frames	**266381** SCO Frame Scale 940 18 Wty (Boost)
Alloy QR 135mm frames	**266382** SCO Frame Scale 960 18 Wty
HMX Contessa frames	**266390** SCO Frame Cont Scale RC 900 18 Wty (Boost)
HMF Contessa frames	**266391** SCO Frame Cont Scale 900 18 Wty (Boost)

Wheel size 27.5”:	Use the below:
Plus frames and MY18 700 frames	**266383** SCO Frame Scale 710 18 Wty (Boost/alloy/plus)
Contessa 700 alloy frames	**266394** SCO Frame Cont 710 18 Wty

Mixed wheel sizes:	Use the below:
Contessa Scale 10/20/20/40 frames **Note that for these bikes:** Size XS/S are 27.5” wheels Size M/L are 29” wheels	**266392** SCO Frame Cont Scale 10 18 Wty **266393** SCO Frame Cont Scale 20 18 Wty

Previous years and non-boost alloy and carbon frames

We will hold open the following parts:

IMPORTANT

Do not “upgrade” an older Scale 2 frame for a Scale 3 “boost” frame!

Wheel size 29”:	Use the below:
HMX-SL non-boost frames	**242212** SCO Frame Scale 900 SL 16 warranty
HMX non-boost frames	**242214** SCO Frame Scale 900 RC 16 warranty **242213** SCO Frame Scale 900 Premium 16 warranty
HMF non-boost frames	**242215** SCO Frame Scale 910 16 warranty
Alloy non-boost frames	**252208** SCO Frame Scale 940 17 warranty
MY17 Scale 930/935 non-boost	**252207** SCO Frame Scale 930 17 warranty

Wheel size 27.5”:	Use the below:
HMX-SL non-boost frames	**242208** SCO Frame Scale 700 SL 16 warranty
HMX non-boost frames	**242210** SCO Frame Scale 700 RC 16 warranty **242209** SCO Frame Scale 700 Premium 16 warranty
HMF non-boost frames	**242211** SCO Frame Scale 710 16 warranty
Alloy non-boost frames	**252203** SCO Frame Scale 740 17 warranty
MY17 Scale 730/735 non-boost	**252202** SCO Frame Scale 730 17 warranty

SPARE PARTS SCALE

ITEM	DESCRIPTION
262046	SCO Axle RWS Rear+lev.148x12 boost plug.
206375	Dropout+Screw all MTB since'97 5-PAK
219572	Dropout Set IDS 2 135/RWS 5
219575	Dropout Hanger right side IDS 2 135/ RWS5
219574	Dropout Set IDS 2 142/RWS 12
219577	Dropout Hang.right side IDS 2 142/ RWS12
235287	Dropout Set IDS 2 142/RWS 12 Dir. Mount
235288	Dropout Hanger right IDS 2 142/RWS 12 DM
254092	SCO Dropout hanger boost TA12 alloy 17
254090	SCO Dropout hanger boost TA12-SW carb 17
254091	SCO Dropout hang boost TA12-SWDM carb 17
254096	SCO Brake mount Scale/Spark 12/160mm 17
254095	SCO Brake mount Scale/Spark 12/180mm 17
254097	SCO Brake mount Scale/Spark QR/180mm 17
266587	SCO Cableguide set Sca/Spa/Gen H-tube 18
254099	SCO Chainguide Scale Large 30-40T 17
254098	SCO Chainguide Scale small 30-36T 17
254114	SCO Cableguide Spa/Sca17/Gen18 out
254088	SCO Front derailleur mount Scale 17
254089	SCO FD blank Spa/Sca17/Gen18
235931	SCO CSP Pre Shape Scale 700
235932	SCO CSP Pre Shape Scale 900
254574	SCO CSP Screw on Scale 900 Carbon 2017
254575	SCO CSP Screw on Scale RC 900 Carbon 17
235455	Fork Suntour XCR RL R 100mm Disc
228441	SYN Headset Pressfit 1-1/8- 1-1/2
250580	SYN Headset Drop-In Scale, Spark MY17
200718	Headset Ritchey sem.int.11/8
262082	SCO Headset spacers+cap Syncros 1.5 MTB
262083	SCO Headset spacers+cap Syncros 2.0 MTB
250563	SYN Stem XR1.5 -6°, 31.8mm
250565	SYN Stem FL1.5, 31.8mm
250566	SYN Stem FL2.0, 31.8mm
250561	SYN Computer Mount for MTB Stem XR
250562	SYN Computer Mount for MTB Stem FL
250541	SYN Handlebar FL1.0 Carbon SL, T-Bar
250544	SYN H.bar FL1.5, T-Bar
250545	SYN H.bar FL1.5, Mini Rise
250574	SYN Grips Pro, Lock-On
250575	SYN Grips Pro
239172	Rideloc lever integ clamp
242410	SCO Rideloc lever Integ clamp down
228950	Seatclamp 31.8mm QR Kalloy XC64
229733	Seatclamp 34.9mm QR Gambler
223309	Seatclamp 34.9mm CrMo bolt


ITEM	DESCRIPTION
223310	Seatclamp 34.9mm Titanium bolt
250570	SYN Seatpost FL1.0 CB SL 10mm Offset
250571	SYN Seatpost FL1.0 CB 10mm Offset
250572	SYN Seatpost FL1.5, 10mm Offset
234770	SYN Seatpost FL2.0, 10mm Offset
262070	SCO Seatpost-Remote syncros 2.0
262071	SCO Seatpost-Remote syncros 2.5
262074	SCO Seatpost-Service a/base Syncros 2.0
262072	SCO Seatpost-Serv.air Cartkit Sync. 2.0
262073	SCO Seatpost-Serv.air Cartkit Sync. 2.5
262069	SCO Seatpost Sync.drop 2.0 no lev. 31.6
250573	SYN Saddle XR1.0 Carbon SL
238583	SYN Saddle XR1.5
238584	SYN Saddle XR2.0
252403	SCO Hub-rep kit Form CT-1702 / 5x141mm
242437	SCO Hub-rep kit Syncros Formula CL811
242438	SCO Hub-rep kit Syncros Formula CL14811
242439	SCO Hub-rep kit Syncros Formula CL148S
264579	SCO Hub-rep kit Formula CL-51 front
266786	SCO Hub rep kit SY/Form XR2.0 F 18
266787	SCO Hub rep kit SY/Form XR2.0 R XD 18
266798	SCO Hub rep kit DT XRC/XMC 1200 F 18
266799	SCO Hub rep kit DT XRC/XMC 1200 XD R 18
266800	SCO Hub rep kit DT X/M 1825 F 18
266801	SCO Hub rep kit DT X 1825 XD R 18
266808	SCO Spoke SY/Form rep kit XR2.5 18
266810	SCO Spoke SY/Form rep kit XR2.0 18
252417	SCO Rim Syncros Alex X25 29 32H
262059	SCO Rim Syncros Alex SD20 (X20) 32H
266608	SCO Rim SY/X-30s D 32H 18
266613	SCO Rim SY/Form XR2.0 D 28H 18
266614	SCO Rim SY/Form XR2.5 D 28H 18
266817	SCO Rim DT XRC 1200 28H 18 WTY
266819	SCO Rim DT X 1825 28H 18 WTY
242454	SCO Rim tape Scale/Genius/Gen. LT+ 16
266383	SCO Frame Scale 710 18 Wty
266379	SCO Frame Scale RC 900 Pro 18 Wty
266380	SCO Frame Scale 910 18 Wty
266381	SCO Frame Scale 940 18 Wty
266382	SCO Frame Scale 960 18 Wty
266390	SCO Frame Cont Scale RC 900 18 Wty
266391	SCO Frame Cont Scale 900 18 Wty
266392	SCO Frame Cont Scale 10 18 Wty
266393	SCO Frame Cont Scale 20 18 Wty
206375	Dropout+Screw all MTB since 97' 5-PAK
235455	Fork Suntour XCR RL R 100mm Disc
200718	Headset Ritchey sem.int.11/8
228950	Seatclamp 31.8mm QR Kalloy XC64
242482	SCO Seatpost Syncros M3.0 27.2
262059	SCO Rim Syncros Alex SD20 (X20) 32H
266394	SCO Frame Cont 710 18 Wty

SCOTT **SPARK 900/700/ CONTESSA SPARK**




SPARK RC 900 SL

GEOMETRY/TECHNICAL DATA SPARK



SPARK

	Spark RC 29"	Spark 29"	Spark Plus
Travel	100mm/70mm/ Climb	120mm/85mm/ Climb	120mm/85mm/ Climb
Suspension ratio	2.50	2.67	2.67
Shock length	165mm	165mm	165mm
Shock stroke	40mm	45mm	45mm
Hardware mainframe	Trunnion	Trunnion	Trunnion
Hardware linkage	20x10mm	20x10mm	20x10mm
Seatpost diameter	31.6	31.6	31.6
Headset	bearings: 51.9x40x8 45° x 45°/ 41.8x30.5x8 45° x 45°		
Fork travel	110mm	120mm	130mm
Fork length	500.8mm	572.1mm	537.1mm
BB Housing	BB PF92	BB PF92	BB PF92
Chainring size	36T max	36T max	36T max
Max tire width	2.35/60mm	2.35/60mm	2.8/71mm
	Please note: Tire sizes often vary from brand to brand. Ensure the tire clearance is adequate when replacing your tires!		



SPARK

SPARK 900 RC: SL, WORLD CUP, PRO, TEAM, COMP


		S		M		L		XL	
A	HEAD TUBE ANGLE	68.5 °		68.5 °		68.5 °		68.5 °	
B	HEAD TUBE LENGTH	95.0 mm	3.7 in	95.0 mm	3.7 in	105.0 mm	4.1 in	115.0 mm	4.5 in
C	TOP TUBE HORIZONTAL	570.0 mm	22.4 in	600.0 mm	23.6 in	630.0 mm	24.8 in	650.0 mm	25.6 in
D	STANDOVER HEIGHT	739.0 mm	29.1 in	737.0 mm	29.0 in	756.0 mm	29.8 in	787.0 mm	31.0 in
E	BB OFFSET	-50.5 mm	-2.0 in	-50.5 mm	-2.0 in	-50.5 mm	-2.0 in	-50.5 mm	-2.0 in
F	BB HEIGHT	319.5 mm	12.6 in	319.5 mm	12.6 in	319.5 mm	12.6 in	319.5 mm	12.6 in
G	WHEEL BASE	1,097.7 mm	43.2 in	1,127.7 mm	44.4 in	1,158.6 mm	45.6 in	1,179.6 mm	46.4 in
H	BB CENTER TO TOPTUBE CENTER								
I	BB CENTER TO TOP OF SEATTUBE	410.0 mm	16.1 in	440.0 mm	17.3 in	490.0 mm	19.3 in	540.0 mm	21.3 in
J	SEAT ANGLE	73.8 °		73.8 °		73.8 °		73.8 °	
K	CHAINSTAY	435.0 mm	17.1 in	435.0 mm	17.1 in	435.0 mm	17.1 in	435.0 mm	17.1 in
L	REACH	399.5 mm	15.7 in	429.5 mm	16.9 in	456.8 mm	18.0 in	474.1 mm	18.7 in
M	STACK	586.9 mm	23.1 in	586.9 mm	23.1 in	596.2 mm	23.5 in	605.5 mm	23.8 in
N	STEM LENGTH	60.0 mm	2.4 in	70.0 mm	2.8 in	80.0 mm	3.1 in	90.0 mm	3.5 in
0	TRAIL	90.9 mm	3.6 in	90.9 mm	3.6 in	90.9 mm	3.6 in	90.9 mm	3.6 in

SPARK: 900 ULTIMATE, 900 PREMIUM, 900, 910, 920, 930, 940, 950, 960, 970

		S		M		L		XL	
A	HEAD TUBE ANGLE	67.2 °		67.2 °		67.2 °		67.2 °	
B	HEAD TUBE LENGTH	95.0 mm	3.7 in	95.0 mm	3.7 in	105.0 mm	4.1 in	115.0 mm	4.5 in
C	TOP TUBE HORIZONTAL	575.0 mm	22.6 in	605.0 mm	23.8 in	635.0 mm	25.0 in	655.0 mm	25.8 in
D	STANDOVER HEIGHT	738.0 mm	29.1 in	746.0 mm	29.4 in	760.0 mm	29.9 in	778.0 mm	30.6 in
E	BB OFFSET	-43.0 mm	-1.7 in	-43.0 mm	-1.7 in	-43.0 mm	-1.7 in	-43.0 mm	-1.7 in
F	BB HEIGHT	327.0 mm	12.9 in	327.0 mm	12.9 in	327.0 mm	12.9 in	327.0 mm	12.9 in
G	WHEEL BASE	1,121.6 mm	44.2 in	1,151.6 mm	45.3 in	1,182.8 mm	46.6 in	1,203.9 mm	47.4 in
H	BB CENTER TO TOPTUBE CENTER	345.0 mm	13.6 in	375.0 mm	14.8 in	425.0 mm	16.7 in	475.0 mm	18.7 in
I	BB CENTER TO TOP OF SEATTUBE	410.0 mm	16.1 in	440.0 mm	17.3 in	490.0 mm	19.3 in	540.0 mm	21.3 in
J	SEAT ANGLE	73.8 °		73.8 °		73.8 °		73.8 °	
K	CHAINSTAY	438.0 mm	17.2 in	438.0 mm	17.2 in	438.0 mm	17.2 in	438.0 mm	17.2 in
L	REACH	402.7 mm	15.9 in	432.7 mm	17.0 in	460.0 mm	18.1 in	477.3 mm	18.8 in
M	STACK	593.1 mm	23.4 in	593.1 mm	23.4 in	602.4 mm	23.7 in	611.6 mm	24.1 in
N	STEM LENGTH	50.0 mm	2.0 in	60.0 mm	2.4 in	70.0 mm	2.8 in	80.0 mm	3.1 in
0	TRAIL	100.2 mm	3.9 in	100.2 mm	3.9 in	100.2 mm	3.9 in	100.2 mm	3.9 in

SPARK: 700 ULTIMATE, 700 TUNED, 710, 720, 730, 740

		S		M		L		XL	
A	HEAD TUBE ANGLE	66.9 °		66.9 °		66.9 °		66.9 °	
B	HEAD TUBE LENGTH	95.0 mm	3.7 in	95.0 mm	3.7 in	105.0 mm	4.1 in	115.0 mm	4.5 in
C	TOP TUBE HORIZONTAL	576.9 mm	22.7 in	607.0 mm	23.9 in	637.0 mm	25.1 in	657.0 mm	25.9 in
D	STANDOVER HEIGHT	741.0 mm	29.2 in	748.0 mm	29.4 in	762.0 mm	30.0 in	780.0 mm	30.7 in
E	BB OFFSET	-36.0 mm	-1.4 in	-36.0 mm	-1.4 in	-36.0 mm	-1.4 in	-36.0 mm	-1.4 in
F	BB HEIGHT	329.0 mm	13.0 in	329.0 mm	13.0 in	329.0 mm	13.0 in	329.0 mm	13.0 in
G	WHEEL BASE	1,128.1 mm	44.4 in	1,158.1 mm	45.6 in	1,189.3 mm	46.8 in	1,210.5 mm	47.7 in
H	BB CENTER TO TOPTUBE CENTER								
I	BB CENTER TO TOP OF SEATTUBE	410.0 mm	16.1 in	440.0 mm	17.3 in	490.0 mm	19.3 in	540.0 mm	21.3 in
J	SEAT ANGLE	73.2 °		73.2 °		73.2 °		73.2 °	
K	CHAINSTAY	438.0 mm	17.2 in	438.0 mm	17.2 in	438.0 mm	17.2 in	438.0 mm	17.2 in
L	REACH	396.3 mm	15.6 in	426.4 mm	16.8 in	453.6 mm	17.9 in	470.9 mm	18.5 in
M	STACK	598.1 mm	23.5 in	598.1 mm	23.5 in	607.3 mm	23.9 in	616.5 mm	24.3 in
N	STEM LENGTH	50.0 mm	2.0 in	50.0 mm	2.0 in	60.0 mm	2.4 in	70.0 mm	2.8 in



CONTESSA SPARK

CONTESSA SPARK: RC 900

		S		M		L	
A	HEAD TUBE ANGLE	68.5 °		68.5 °		68.5 °	
B	HEAD TUBE LENGTH	95.0 mm	3.7 in	95.0 mm	3.7 in	105.0 mm	4.1 in
C	TOP TUBE HORIZONTAL	570.0 mm	22.4 in	600.0 mm	23.6 in	630.0 mm	24.8 in
D	STANDOVER HEIGHT	739.0 mm	29.1 in	737.0 mm	29.0 in	756.0 mm	29.8 in
E	BB OFFSET	-50.5 mm	-2.0 in	-50.5 mm	-2.0 in	-50.5 mm	-2.0 in
F	BB HEIGHT	319.5 mm	12.6 in	319.5 mm	12.6 in	319.5 mm	12.6 in
G	WHEEL BASE	1,097.7 mm	43.2 in	1,127.7 mm	44.4 in	1,158.6 mm	45.6 in
H	BB CENTER TO TOPTUBE CENTER						
I	BB CENTER TO TOP OF SEATTUBE	410.0 mm	16.1 in	440.0 mm	17.3 in	490.0 mm	19.3 in
J	SEAT ANGLE	73.8 °		73.8 °		73.8 °	
K	CHAINSTAY	435.0 mm	17.1 in	435.0 mm	17.1 in	435.0 mm	17.1 in
L	REACH	399.5 mm	15.7 in	429.5 mm	16.9 in	456.8 mm	18.0 in
M	STACK	586.9 mm	23.1 in	586.9 mm	23.1 in	596.2 mm	23.5 in
N	STEM LENGTH	60.0 mm	2.4 in	70.0 mm	2.8 in	80.0 mm	3.1 in
0	TRAIL	90.9 mm	3.6 in	90.9 mm	3.6 in	90.9 mm	3.6 in

CONTESSA SPARK: 910, 920, 930

		S		M		L	
A	HEAD TUBE ANGLE	67.2 °		67.2 °		67.2 °	
B	HEAD TUBE LENGTH	95.0 mm	3.7 in	95.0 mm	3.7 in	105.0 mm	4.1 in
C	TOP TUBE HORIZONTAL	575.0 mm	22.6 in	605.0 mm	23.8 in	635.0 mm	25.0 in
D	STANDOVER HEIGHT	738.0 mm	29.1 in	746.0 mm	29.4 in	760.0 mm	29.9 in
E	BB OFFSET	-43.0 mm	-1.7 in	-43.0 mm	-1.7 in	-43.0 mm	-1.7 in
F	BB HEIGHT	327.0 mm	12.9 in	327.0 mm	12.9 in	327.0 mm	12.9 in
G	WHEEL BASE	1,121.6 mm	44.2 in	1,151.6 mm	45.3 in	1,182.8 mm	46.6 in
H	BB CENTER TO TOPTUBE CENTER	345.0 mm	13.6 in	375.0 mm	14.8 in	425.0 mm	16.7 in
I	BB CENTER TO TOP OF SEATTUBE	410.0 mm	16.1 in	440.0 mm	17.3 in	490.0 mm	19.3 in
J	SEAT ANGLE	73.8 °		73.8 °		73.8 °	
K	CHAINSTAY	438.0 mm	17.2 in	438.0 mm	17.2 in	438.0 mm	17.2 in
L	REACH	402.7 mm	15.9 in	432.7 mm	17.0 in	460.0 mm	18.1 in
M	STACK	593.1 mm	23.4 in	593.1 mm	23.4 in	602.4 mm	23.7 in
N	STEM LENGTH	50.0 mm	2.0 in	60.0 mm	2.4 in	70.0 mm	2.8 in
0	TRAIL	100.2 mm	3.9 in	100.2 mm	3.9 in	100.2 mm	3.9 in

CONTESSA SPARK: 710

		S		M		L	
A	HEAD TUBE ANGLE	66.9 °		66.9 °		66.9 °	
B	HEAD TUBE LENGTH	95.0 mm	3.7 in	95.0 mm	3.7 in	105.0 mm	4.1 in
C	TOP TUBE HORIZONTAL	576.9 mm	22.7 in	607.0 mm	23.9 in	637.0 mm	25.1 in
D	STANDOVER HEIGHT	741.0 mm	29.2 in	748.0 mm	29.4 in	762.0 mm	30.0 in
E	BB OFFSET	-36.0 mm	-1.4 in	-36.0 mm	-1.4 in	-36.0 mm	-1.4 in
F	BB HEIGHT	329.0 mm	13.0 in	329.0 mm	13.0 in	329.0 mm	13.0 in
G	WHEEL BASE	1,128.1 mm	44.4 in	1,158.1 mm	45.6 in	1,189.3 mm	46.8 in
H	BB CENTER TO TOPTUBE CENTER						
I	BB CENTER TO TOP OF SEATTUBE	410.0 mm	16.1 in	440.0 mm	17.3 in	490.0 mm	19.3 in
J	SEAT ANGLE	73.2 °		73.2 °		73.2 °	
K	CHAINSTAY	438.0 mm	17.2 in	438.0 mm	17.2 in	438.0 mm	17.2 in
L	REACH	396.3 mm	15.6 in	426.4 mm	16.8 in	453.6 mm	17.9 in
M	STACK	598.1 mm	23.5 in	598.1 mm	23.5 in	607.3 mm	23.9 in
N	STEM LENGTH	50.0 mm	2.0 in	60.0 mm	2.4 in	70.0 mm	2.8 in

TECHNICAL DATA SPARK

Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/ dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)	Rear Shock (e2e)	Hardware Rear Shock in mm	Bearings (frame)
Spark RC 900 SL	PRESSFIT GXP BB FOR MTB (FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S, 175 M/L/XL	1FI401T043004, SYNCROS 1/8" - 1.5" TAPERED, DROP-IN SEALED CARTRIDGE & TIB BEARING, W/O AL HEADSETCUP, IS42/28.6 | IS52/40, W/O LOGO	60mm (S); 70mm (M); 80mm (L); 90mm (XL)	720	31.6X400mm	34.9mm	XRC 1200 Spline-29 F/R:28H	XRC 1200 Spline-29 F/R:28H	XRC 1200 Spline-29 F/R:28H	165 x40mm	20x10	24X15XT5
Spark RC 900 World Cup	PRESSFIT GXP BB FOR MTB (FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S, 175 M/L/XL	1FI401T043004, SYNCROS 1/8" - 1.5" TAPERED, DROP-IN SEALED CARTRIDGE & TIB BEARING, W/O AL HEADSETCUP, IS42/28.6 | IS52/40, W/O LOGO	60mm (S); 70mm (M); 80mm (L); 90mm (XL)	720	31.6X400mm	34.9mm	X 1825 SPLINE 29"/ F/R:28H	X 1825 SPLINE 29"/ F/R:28H	X 1825 SPLINE 29"/ F/R:28H	165 x40mm	20x10	24X15XT5
Spark RC 900 Pro	PRESSFIT GXP BB FOR MTB (FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S, 175 M/L/XL	1FI201T043002, DROPE IN PRO, SSC BEARING /1-1/8"- 1.5"/42-52MM, W/O HS TOPCUP & LOGO	60mm (S); 70mm (M); 80mm (L); 90mm (XL)	720	31.6X400mm	34.9mm	S20B02-00 SYNCROS XR2.0 29"X28H	S20B02-00 SYNCROS XR2.0 29"X28H	S20B02-00 SYNCROS XR2.0 29"X28H	165 x40mm	20x10	24X15XT5
Spark RC 900 Team	PRESSFIT GXP BB FOR MTB (FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S, 175 M/L/XL	1FI201T043002, DROPE IN PRO, SSC BEARING /1-1/8"- 1.5"/42-52MM, W/O HS TOPCUP & LOGO	60mm (S); 70mm (M); 80mm (L); 90mm (XL)	720	31.6X400mm	34.9mm	S25B02-00 SYNCROS XR2.5 29"X28H	S25B02-00 SYNCROS XR2.5 29"X28H	S25B02-00 SYNCROS XR2.5 29"X28H	165 x40mm	20x10	24X15XT5
Spark RC 900 Comp	PRESSFIT GXP BB FOR MTB (FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S, 175 M/L/XL	1SI25115AL PRESSFIT PRO E2, 1-1/8"- 1.5",50-62MM, AL CUPS, SSC BEARING, W/ TOP CUP FOR INT. STEM, W/ LASER SYCROS LOGO, S.B MATT BLK	60mm (S); 70mm (M); 80mm (L); 90mm (XL)	720	31.6X400mm	34.9mm	S25B02-01 SYNCROS XR2.5 29"X28H	S25B02-01 SYNCROS XR2.5 29"X28H	S25B02-01 SYNCROS XR2.5 29"X28H	165 x40mm	20x10	24X15XT5
Spark 900 Ultimate	PRESSFIT GXP BB FOR MTB (FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S, 175 M/L/XL	1FI401T043004, SYNCROS 1/8" - 1.5" TAPERED, DROP-IN SEALED CARTRIDGE & TIB BEARING, W/O AL HEADSETCUP, IS42/28.6 | IS52/40, W/O LOGO	50mm (S); 60mm (M); 70mm (L); 80mm (XL)	740	31.6X356mm (S); 31.6X406mm (M/L/XL)	34.9mm	XRC 1200 Spline-29 F/R:28H	XRC 1200 Spline-29 F/R:28H	XRC 1200 Spline-29 F/R:28H	165 x45mm	20x10	24X15XT5
Spark 900 Premium	SM-BB71-41A FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	FD-M8070 FOR FOR F:2S/R:11S 66-69 38/34T W/O SMFD905 ADAPTER	170 S, 175 M/L/XL	1FI401T043004, SYNCROS 1/8" - 1.5" TAPERED, DROP-IN SEALED CARTRIDGE & TIB BEARING, W/O AL HEADSETCUP, IS42/28.6 | IS52/40, W/O LOGO	50mm (S); 60mm (M); 70mm (L); 80mm (XL)	740	31.6X356mm (S); 31.6X406mm (M/L/XL)	34.9mm	X 1825 SPLINE 29"/ F/R:28H	X 1825 SPLINE 29"/ F/R:28H	X 1825 SPLINE 29"/ F/R:28H	165 x45mm	20x10	24X15XT5
Spark 900	PRESSFIT GXP BB FOR MTB (FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S, 175 M/L/XL	1FI201T043002, DROPE IN PRO, SSC BEARING /1-1/8"- 1.5"/42-52MM, W/O HS TOPCUP & LOGO	50mm (S); 60mm (M); 70mm (L); 80mm (XL)	740	31.6X356mm (S); 31.6X406mm (M/L/XL)	34.9mm	S15C01-00 SYNCROS XR1.5 29"X28H	S15C01-00 SYNCROS XR1.5 29"X28H	S15C01-00 SYNCROS XR1.5 29"X28H	165 x45mm	20x10	24X15XT5
Spark 910	SM-BB71-41A FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	FD-M8020-D DIRECT MOUNT 66-69 34/36/38T SIDE SWING FRONT-PULL FOR DOUBLE	170 S, 175 M/L/XL	1FI201T043002, DROPE IN PRO, SSC BEARING /1-1/8"- 1.5"/42-52MM, W/O HS TOPCUP & LOGO	50mm (S); 60mm (M); 70mm (L); 80mm (XL)	740	31.6X356mm (S); 31.6X406mm (M/L/XL)	34.9mm	S20C05-00 SYNCROS XR2.0 29"X28H	S20C05-00 SYNCROS XR2.0 29"X28H	S20C05-00 SYNCROS XR2.0 29"X28H	165 x45mm	20x10	24X15XT5
Spark 920	PRESSFIT GXP BB FOR MTB (FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S, 175 M/L/XL	1FI201T043002, DROPE IN PRO, SSC BEARING /1-1/8"- 1.5"/42-52MM, W/O HS TOPCUP & LOGO	50mm (S); 60mm (M); 70mm (L); 80mm (XL)	740	31.6X356mm (S); 31.6X406mm (M/L/XL)	34.9mm	S25C05-00 SYNCROS XR2.5 29"X28H	S25C05-00 SYNCROS XR2.5 29"X28H	S25C05-00 SYNCROS XR2.5 29"X28H	165 x45mm	20x10	24X15XT5
Spark 930	BB-MT500-PA FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	FD-M8020-D DIRECT MOUNT 66-69 34/36/38T SIDE SWING FRONT-PULL FOR DOUBLE	170 S, 175 M/L/XL	1SI25115AL PRESSFIT PRO E2, 1-1/8"- 1.5",50-62MM, AL CUPS, SSC BEARING, W/ TOP CUP FOR INT. STEM, W/ LASER SYCROS LOGO, S.B MATT BLK	50mm (S); 60mm (M); 70mm (L); 80mm (XL)	740	31.6X356mm (S); 31.6X406mm (M/L/XL)	34.9mm	S25C02-01 SYNCROS XR2.5 29"X28H	S25C02-01 SYNCROS XR2.5 29"X28H	S25C02-01 SYNCROS XR2.5 29"X28H	165 x45mm	20x10	24X15XT5
Spark 940	PRESSFIT GXP BB FOR MTB (FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S, 175 M/L/XL	1SI218T043001 SYNCROS FL2.0 SCR-HS-004 28.7-44-55-39.8 H=11.6 W/ SANDBLASTED BACK TOP CAP W/SYNCROS LG	50mm (S); 60mm (M); 70mm (L); 80mm (XL)	740	31.6X370mm (S); 31.6X412mm (M/L/XL)	34.9mm	292.5/294	291/292.5	X25S Disc 29"X32H W/O EYELET, DOUBLE WALL, ANOD.	165 x45mm	20x10	24X15XT5
Spark 950	BB-MT500-PA FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	FD-M6020-D FOR 2X10 DIRECT MOUNT 66-69 SIDE SWING FRONT-PULL	170 S, 175 M/L/XL	1SI218T043001 SYNCROS FL2.0 SCR-HS-004 28.7-44-55-39.8 H=11.6 W/ SANDBLASTED BACK TOP CAP W/SYNCROS LG	50mm (S); 60mm (M); 70mm (L); 80mm (XL)	740	31.6X370mm (S); 31.6X412mm (M/L/XL)	34.9mm	292/293.5	291.5/293	X25S Disc 29"X32H W/O EYELET, DOUBLE WALL, ANOD.	165 x45mm	20x10	24X15XT5
Spark 960	BB-MT500-PA FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	FD-M6020-D FOR 2X10 DIRECT MOUNT 66-69 SIDE SWING FRONT-PULL	170 S, 175 M/L/XL	1SI110T043003 (1SI111015F30) SYNCROS HS OE 1-1/8"-1.5" 55-61MM H:8.2 BLK STEEL CUPS BALL BEARINGS	50mm (S); 60mm (M); 70mm (L); 80mm (XL)	740	31.6X360mm (S); 31.6X400mm (M/L/XL)	34.9mm	292.5/294	292/294	X25 Disc 29"X32H W/O EYELET, DOUBLE WALL, ANOD. BLK,	165 x45mm	20x10	24X15XT5
Spark 970	BB-MT500-PA FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	FD-M6020-D FOR 2X10 DIRECT MOUNT 66-69 SIDE SWING FRONT-PULL	170 S, 175 M/L/XL	1SI110T043003 (1SI111015F30) SYNCROS HS OE 1-1/8"-1.5" 55-61MM H:8.2 BLK STEEL CUPS BALL BEARINGS	50mm (S); 60mm (M); 70mm (L); 80mm (XL)	740	31.6X400mm	34.9mm	292.5/294	292/294	X25 Disc 29"X32H W/O EYELET, DOUBLE WALL, ANOD.	165 x45mm	20x10	24X15XT5

TECHNICAL DATA SPARK

Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/ dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)	Rear Shock (e2e)	Hardware Rear Shock in mm	Bearings (frame)
Spark 700 Ultimate	PRESSFIT GXP BB FOR MTB (FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S, 175 M/L/XL	1FI401T043004, SYNCROS 1/8" - 1.5" TAPERED, DROP-IN SEALED CARTRIDGE & TIB BEARING, W/O AL HEADSETCUP, IS42/28.6 | IS52/40, W/O LOGO	50mm (S/M); 60mm (L); 70mm (XL)	760	31.6X356mm (S); 31.6X406mm (M/L/XL)	34.9mm	DT Swiss M 1825 SPLINE 27.5"	DT Swiss M 1825 SPLINE 27.5"	DT Swiss M 1825 SPLINE 27.5"	165 x45mm	20x10	24X15XT5
Spark 700 Tuned	PRESSFIT GXP BB FOR MTB (FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S, 175 M/L/XL	1FI401T043004, SYNCROS 1/8" - 1.5" TAPERED, DROP-IN SEALED CARTRIDGE & TIB BEARING, W/O AL HEADSETCUP, IS42/28.6 | IS52/40, W/O LOGO	50mm (S/M); 60mm (L); 70mm (XL)	760	31.6X356mm (S); 31.6X406mm (M/L/XL)	34.9mm	S15C02-00 SYNCROS TR1.5 27.5"X28H	S15C02-00 SYNCROS TR1.5 27.5"X28H	S15C02-00 SYNCROS TR1.5 27.5"X28H	165 x45mm	20x10	24X15XT5
Spark 710	SM-BB71-41A FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	FD-M8020-D DIRECT MOUNT 66-69 34/36/38T SIDE SWING FRONT-PULL FOR DOUBLE	170 S, 175 M/L/XL	1FI201T043002, DROPE IN PRO, SSC BEARING /1-1/8"- 1.5"/42-52MM, W/O HS TOPCUP & LOGO	50mm (S/M); 60mm (L); 70mm (XL)	760	31.6X356mm (S); 31.6X406mm (M/L/XL)	34.9mm	S20C03-00 SYNCROS TR2.0 27.5"X28H	S20C03-00 SYNCROS TR2.0 27.5"X28H	S20C03-00 SYNCROS TR2.0 27.5"X28H	165 x45mm	20x10	24X15XT5
Spark 720	PRESSFIT GXP BB FOR MTB (FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S, 175 M/L/XL	1SI25115AL PRESSFIT PRO E2, 1-1/8"- 1.5",50-62MM, AL CUPS, SSC BEARING, W/ TOP CUP FOR INT. STEM, W/ LASER SYCROS LOGO, S.B MATT BLK	50mm (S/M); 60mm (L); 70mm (XL)	760	31.6X356mm (S); 31.6X406mm (M/L/XL)	34.9mm	273/274.5	272.5/271	X30S Disc 27.5"X32H W/O EYELET, DOUBLE WALL, ANOD.	165 x45mm	20x10	24X15XT5
Spark 730	BB-MT500-PA FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	FD-M6020-D FOR 2X10 DIRECT MOUNT 66-69 SIDE SWING FRONT-PULL	170 S, 175 M/L/XL	1SI110T043003 (1SI111015F30) SYNCROS HS OE 1-1/8"-1.5" 55-61MM H:8.2 BLK STEEL CUPS BALL BEARINGS	50mm (S/M); 60mm (L); 70mm (XL)	760	31.6X360mm (S); 31.6X400mm (M/L/XL)	34.9mm	273/274.5	272.5/274	X30S Disc 27.5"X32H W/O EYELET, DOUBLE WALL, ANOD. BLK, 2	165 x45mm	20x10	24X15XT5
Spark 740	PRESSFIT GXP BB FOR MTB (FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S, 175 M/L/XL	1SI110T043003 (1SI111015F30) SYNCROS HS OE 1-1/8"-1.5" 55-61MM H:8.2 BLK STEEL CUPS BALL BEARINGS	50mm (S/M); 60mm (L); 70mm (XL)	760	31.6X400mm	34.9mm	273/274.5	272.5/274	X30S Disc 27.5"X32H W/O EYELET, DOUBLE WALL, ANOD.	165 x45mm	20x10	24X15XT5
Contessa Spark RC 900	PRESSFIT GXP BB FOR MTB(FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S/M, 175 L	1FI201T043002, DROPE IN PRO, SSC BEARING /1-1/8"- 1.5"/42-52MM, W/O HS TOPCUP & LOGO	60mm (S); 70mm (M); 80mm (L)	700	31.6X350mm (S); 31.6X400mm (M/L)	34.9mm	S15C01-01 SYNCROS XR1.5 29"X28H	S15C01-01 SYNCROS XR1.5 29"X28H	S15C01-01 SYNCROS XR1.5 29"X28H	165 x40mm	20x10	24X15XT5
Contessa Spark 910	PRESSFIT GXP BB FOR MTB(FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S/M, 175 L	1FI201T043002, DROPE IN PRO, SSC BEARING /1-1/8"- 1.5"/42-52MM, W/O HS TOPCUP & LOGO	50mm (S); 60mm (M); 70mm (L)	720	31.6X356mm (S); 31.6X406mm (M/L)	34.9mm	S25C05-02 SYNCROS XR2.5 29"X28H	S25C05-02 SYNCROS XR2.5 29"X28H	S25C05-02 SYNCROS XR2.5 29"X28H	165 x45mm	20x10	24X15XT5
Contessa Spark 920	BB-MT500-PA FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	FD-M6020-D FOR 2X10 DIRECT MOUNT 66-69 SIDE SWING FRONT-PULL	170 S/M, 175 L	1SI218T043001 SYNCROS FL2.0 SCR-HS-004 28.7-44-55-39.8 H=11.6 W/ SANDBLASTED BACK TOP CAP W/SYNCROS LG	50mm (S/M); 60mm (L)	720	31.6X370mm (S); 31.6X412mm (M/L)	34.9mm	292/293.5	291.5/293	X25 Disc 29"X32H W/O EYELET, DOUBLE WALL,	165 x45mm	20x10	24X15XT5
Contessa Spark 930	BB-MT500-PA FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	FD-M6020-D FOR 2X10 DIRECT MOUNT 66-69 SIDE SWING FRONT-PULL	170 S/M, 175 L	1SI110T043003 (1SI111015F30) SYNCROS HS OE 1-1/8"-1.5" 55-61MM H:8.2 BLK STEEL CUPS BALL BEARINGS	50mm (S/M); 60mm (L)	720	31.6X360mm (S); 31.6X400mm (M/L)	34.9mm	292.5/294	292/294	X25 Disc 29"X32H W/O EYELET, DOUBLE WALL, ANOD. BLK, 2 MATT STICKER X35CM, W/YS728 BLK+ YS941 DARK GREY + GREEN C PANTONE DECAL (18SU-CON SPARK 930)	165 x45mm	20x10	24X15XT5
Contessa Spark 710	PRESSFIT GXP BB FOR MTB(FOR 89/91.5MM) (00.6418.002.000)	NONE	170 S/M, 175 L	1SI110T043003 (1SI111015F30) SYNCROS HS OE 1-1/8"-1.5" 55-61MM H:8.2 BLK STEEL CUPS BALL BEARINGS	50mm (S); 60mm (M); 70mm (L)	740	31.6X356mm (S); 31.6X406mm (M/L)	34.9mm	273/274.5	272.5/271	X30S Disc 27.5"X32H W/O EYELET, DOUBLE WALL,	165 x45mm	20x10	24X15XT5

The platform of the MY18 Spark remains the same with only a few adjustments, if the information you need cannot be found below please refer to your MY17 workbook.

For MY18 the Spark models have two options for the front derailleur fitment.

* The table shows frame compatibility not what is spec'd on the bike.
* Additional parts may be required if changing the configuration of the bike.


Model	1x	2x
Spark RC 900 SL	✓	
Spark RC 900 World Cup	✓	
Spark RC 900 Pro	✓	
Spark RC 900 Team	✓	✓
Spark 900 Comp	✓	✓
Spark 900/700 Ultimate	✓	✓
Spark 900 Premium	✓	✓
Spark 700 Tuned	✓	✓
Spark 900/910/920/930/940/950/960/970/710/720/730/740	✓	✓
Contessa Spark RC 900	✓	
Contessa Spark 910/920/930	✓	✓

CABLE ROUTING

The MY18 headtube cable guides have changed, this design is now used on alloy and carbon Sparks.

Depending on what gear/seatpost options are being used, the head tube cable guides can be customised to the rider's preference.

For MY 18 the selection of the headtube cable guides is made a lot more user friendly, there are two types of covers, cabled and blank, for cables there is only one type and rubber inserts are used for the desired cable options.



⚠ IMPORTANT

The MY18 cables guides are not compatible with older frames and vice versa!

The kit consists of - x2 of /A/B/C/D/E x1 of HT-Blank

266587 SCO Cableguide set Sca/Spa/Gen H-tube 18



A: 1x Mechanical cable

B: 2x Mechanical cables

C: 2x Mechanical cables 1x hydraulic

D: 1x single cable and Di2



E: Single cable and Live valve


HT: Cover plate for all cable options


HT-Blank: This is the no cable option

⚠ IMPORTANT

Torque for cable guide bolts 0.75-1.0 NM!

Note the angle of the securing screws is straight in the frame and not like previously in MY17.





Cable guides coming soon

In MY18 there will be a new headtube cable guide set available for the MY17 Spark and Scale.

This part will directly replace the cable guides on these bikes with a more friendly unit; these parts can be changed if required but are not a warranty replacement part.

000000 SCO Cableguide set Sca/Spa revise 17



SUSPENSION PIVOTS/BEARINGS

IMPORTANT

Please note unless stated suspension parts are not interchangeable to E-Bikes.

For the SCOTT Spark there is a replacement full pivot kit as introduced in 2017 but also we have added some smaller options.

The full kit is available as:

262630	Swingarm rep kit Spark RC 100MM 2017
262039	Swingarm rep kit Spark 120mm 2017 These kits will **not** include the top shock bush; this is available from your local fox or X-Fusion service centre and is 20x10mm

If you do not have a local agent that can help with these kits they are also available from SCOTT:

266000	SCO Shock mount bush set FOX Spark 17 (E-spark compatible)
266001	SCO Shock mount bush set X-fu Spark 17 (E-spark compatible)

As addition the trunnion bush/bolts and top shock bolt are available:

262044	SCO Shock mount bolts/trunnion fix spark (E-spark compatible)

The IGUS bush set is available as a separate kit, this will just contain the Igus bush and alloy inserts with tuning shims for all pivots with IGUS and trunnion mount:

266573	SCO Igus bush set Spark/Genius/E- 18 (MY18 Genius/E- Genius, MY17 Spark/ E-spark compatible)

For MY18 we have introduced matching alloy linkages for most SCOTT Spark bikes, these can be selected via colour on your SAP/B2B system, please use the colour as a reference to match the correct linkage, for SAP users please check your purchasing text for more information:

267284	SCO Linkage bar Spark alloy 100mm 18 (E-spark compatible)
267285	SCO Linkage bar Spark alloy 120mm 18 (E-spark compatible)

For Carbon these are available in matt or gloss finish 100mm or 120mm:

267286	SCO Linkage bar Spark carbon 100mm 18 Black only matt/gloss
267287	SCO Linkage bar Spark carbon 120mm 18 Black only matt/gloss

WARNING!

While the frames are different between the Spark (120mm) Spark RC (100mm) and the suspension pivots they have are unique to these frames (not including IGUS) there is an exception to this rule;

Spark RC 900 Comp is essentially a 120mm frame with a 165x40mm shock fitted. The pivot/bearing kit kits for this bike are the same as the 120mm frame.

262039	Swingarm rep kit Spark 120mm 2017

This frame is also front derailleur compatible with the use of the correct FD mount:

254087	SCO Front derailleur mount Spa17/Gen18

There is a colour matching linkage for this bike:

268320	SCO Linkage bar Spark RC 900 Comp 18

SPARE PARTS SPARK

ITEM	DESCRIPTION
262046	SCO Axle RWS Rear+lev.148x12 boost plug.
254090	SCO Dropout hanger boost TA12-SW carb 17
254091	SCO Dropout hang boost TA12-SWDM carb 17
254092	SCO Dropout hanger boost TA12 alloy 17
254093	SCO Dropout hanger boost TA12DM alloy 17
254094	SCO Dropout hanger boost Q/R no DM 17
254096	SCO Brake mount Scale/Spark 12/160mm 17
254095	SCO Brake mount Scale/Spark 12/180mm 17
254097	SCO Brake mount Scale/Spark QR/180mm 17
266587	SCO Cableguide set Sca/Spa/Gen H-tube 18
254123	SCO Cableguide Spark alloy FD/ Dtube 17
254117	SCO Cableguide Spark D/T carb/alu out 17
254114	SCO Cableguide Spa/Sca17/Gen18 out
254115	SCO Cableguide Spa17/Gen18 C-stay rub
254101	SCO Chainguide set Spark 17
254100	SCO Chainguide set Spark RC 17
251854	SCO CSP Screw on Spark 700 Plus Carbon 2017
251855	SCO CSP Screw on Spark 700 Plus Alloy 2017
254576	SCO CSP Screw on Spark RC 900 Carbon 2017
254577	SCO CSP Screw on Spark 900 Carbon 2017
254578	SCO CSP Screw on Spark 900 Alloy 2017
254089	SCO FD blank Spa/Sca17/Gen18
254087	SCO Front derailleur mount Spa17/ Gen18
265596	SYN Trail fender
228441	SYN Headset Pressfit 1-1/8- 1-1/2
250580	SYN Headset Drop-In Scale, Spark MY17
262082	SCO Headset spacers+cap Syncros 1.5 MTB
262083	SCO Headset spacers+cap Syncros 2.0 MTB
250563	SYN Stem XR1.5 -6°, 31.8mm
250565	SYN Stem FL1.5, 31.8mm
250566	SYN Stem FL2.0, 31.8mm
250561	SYN Computer Mount for MTB Stem XR
250562	SYN Computer Mount for MTB Stem FL
250541	SYN Handlebar FL1.0 Carbon SL, T-Bar
250544	SYN H.bar FL1.5, T-Bar
250545	SYN H.bar FL1.5, Mini Rise
250574	SYN Grips Pro, Lock-On
262044	SCO Shock mount hardware Spark 17
267282	SCO Linkage bar Contessa Spark 100mm 18
267283	SCO Linkage bar Contessa Spark 120mm 18
267284	SCO Linkage bar Spark alloy 100mm 18
267285	SCO Linkage bar Spark alloy 120mm 18

ITEM	DESCRIPTION
267286	SCO Linkage bar Spark carbon 100mm 18
267287	SCO Linkage bar Spark carbon 120mm 18
268320	SCO Linkage bar Spark RC 900 Comp 18
254118	SCO Shock rubber Spa17/Gen18 Fox Nude
254119	SCO Shock rubber Spa17/Gen18 Fox Float
254120	SCO Shock rubber Spa17/Gen18 X-Fusion
254121	SCO Shock noodle Spa17/Gen18 nude
254122	SCO Shock noodle Spa17/Gen18 Float
252401	SCO Rear Shock Spark 120mm X-Fusion 17
263379	SCO Rear Shock Spark 120mm FoxFltPerf 17
267427	SCO Rear shock Spark 120mm Fox nude4 18
267428	SCO Rear shock Spark 120mm FoxNud4Ksh 18
267429	SCO Rear shock Spark 100mm FoxNud4Ksh 18
267430	SCO Rear shock Spark 100mm Fox nude4 18
262631	SCO Twinloc lever down clamp/ seatpost 17
239171	Twinloc lever Nude 3 integ clamp
242409	SCO Twinloc lever Nude3 integ.clamp down
262631	SCO Twinloc levier dessous/tige selle 17
223309	Seatclamp 34.9mm CrMo bolt
223310	Seatclamp 34.9mm Titanium bolt
250570	SYN Seatpost FL1.0 CB SL 10mm Offset
250571	SYN Seatpost FL1.0 CB 10mm Offset
250572	SYN Seatpost FL1.5, 10mm Offset
234770	SYN Seatpost FL2.0, 10mm Offset
262070	SCO Seatpost-Remote syncros 2.0
262074	SCO Seatpost-Service a/base Syncros 2.0
262072	SCO Seatpost-Serv.air Cartkit Sync. 2.0
262069	SCO Seatpost Sync.drop 2.0 no lev. 31.6
263443	SYN Seatpost Dropper 2.0, 120mm/31.6
267432	SCO Seatpost-serv.seal kit 2.5
262071	SCO Seatpost-Remote syncros 2.5
262073	SCO Seatpost-Serv.air Cartkit Sync. 2.5
250573	SYN Saddle XR1.0 Carbon SL
238583	SYN Saddle XR1.5
238584	SYN Saddle XR2.0
265571	SYN Saddle FL1.0 Carbon SL
241893	SYN Saddle FL2.0 Women
242437	SCO Hub-rep kit Syncros Formula CL811
242438	SCO Hub-rep kit Syncros Formula CL14811
252403	SCO Hub-rep kit Form CT-1702 / 5x141mm
266784	SCO Hub rep kit SY/Form XR2.5-TR-all F18
266786	SCO Hub rep kit SY/Form XR2.0 F 18
266787	SCO Hub rep kit SY/Form XR2.0 R XD 18
266788	SCO Hub rep kit SY/Form TR2.0 R SHIM 18


ITEM	DESCRIPTION
266798	SCO Hub rep kit DT XRC/XMC 1200 F 18
266799	SCO Hub rep kit DT XRC/XMC 1200 XD R 18
266800	SCO Hub rep kit DT X/M 1825 F 18
266801	SCO Hub rep kit DT X 1825 XD R 18
266808	SCO Spoke SY/Form rep kit XR2.5 18
266809	SCO Spoke SY/Form rep kit XR1.5 18
266810	SCO Spoke SY/Form rep kit XR2.0 18
266811	SCO Spoke SY/Form rep kit TR2.0 18
252417	SCO Rim Syncros Alex X25 29 32H
266608	SCO Rim SY/X-30s D 32H 18
266613	SCO Rim SY/Form XR2.0 D 28H 18
266614	SCO Rim SY/Form XR2.5 D 28H 18
266615	SCO Rim SY/Form TR1.5 D 28H 18
266616	SCO Rim SY/Form TR2.0 D 28H 18
266817	SCO Rim DT XRC 1200 28H 18 WTY
266819	SCO Rim DT X 1825 28H 18 WTY
266620	SCO Rim SY/Form XR1.5 D 28H 18
266820	SCO Rim DT X 1825 red 28H 18 WTY
266822	SCO Rim DT M 1825 grey 28H 18 WTY
242454	SCO Rim tape Scale/Genius/Gen. LT+ 16
262039	SCO Swingarm rep kit Spark 120mm 17
262630	SCO Swingarm rep kit Spark RC 100MM 17
266573	SCO Igus bush set Spark/Genius/E- 18
266321	SCO Tool set swingarm Spark 17 / Gen 18
266342	SCO Front triangle Spark 700 Ultimate 18
266343	SCO Front triangle Spark 700 Tuned 18
266344	SCO Front triangle Spark 710 18
266359	SCO Front triangle Cont Spark 710 18
266374	SCO Frame Spark 720 18 Wty
266337	SCO Front triangle Spark 900 Ultimate 18
266338	SCO Front triangle Spark 900 Premium 18
266339	SCO Front triangle Spark 900 18
266340	SCO Front triangle Spark 910 18
266341	SCO Front triangle Spark 920 18
266357	SCO Front triangle Cont Spark 910 18
266358	SCO Front triangle Cont Spark 920 18
266373	SCO Frame Spark 930 18 Wty
266375	SCO Frame Spark 960 18 Wty
266376	SCO Frame Cont Spark 930 18 Wty
266435	SCO Swingarm Spark 700 Ultimate 18
266436	SCO Swingarm Spark 700 Tuned 18
266437	SCO Swingarm Spark 710 18
266451	SCO Swingarm Cont Spark 710 18
266429	SCO Swingarm Spark 900 Ultimate 18
266430	SCO Swingarm Spark 900 Premium 18
266431	SCO Swingarm Spark 900 18
266432	SCO Swingarm Spark 910 18
266433	SCO Swingarm Spark 920/940 18
266449	SCO Swingarm Cont Spark 910 18
266450	SCO Swingarm Cont Spark 920 18

SCOTT **GENIUS 900/700/ CONTESSA GENIUS**




GENIUS 700 ULTIMATE

GEOMETRY/TECHNICAL DATA GENIUS




GENIUS

Seatpost diameter	31.6mm
Seattube clamp	34.9
Headset	Semi integrated cups 56mm bottom/44mm top
BB Housing	BB PF92
Front derailleur	Shimano high direct side swing (N/A on HMX frames) **Additional parts needed**
Chainring size	36T max
Shock Dimensions	185x55mm
Shock mount size	30x8mm
Max tire width	27.5 plus /2.8 tire (71mm) 29 / 2.6 tire (66mm) **Please note:** **Tire sizes often vary from brand to brand. Ensure the tire clearance is adequate when replacing your tires!**



GENIUS



CONTESSA GENIUS

GENIUS: 700 ULTIMATE, 700/900 TUNED, 710, 720/920, 730/930, 740/940, 750

		S / 900		S / 700		M / 900		M / 700		L / 900		L / 700		XL / 900		XL / 700	
		LOW BB Setting		HIGH BB Setting		LOW BB Setting		HIGH BB Setting		LOW BB Setting		HIGH BB Setting		LOW BB Setting		HIGH BB Setting	
A	HEAD TUBE ANGLE	65.0 °		65.6 °		65.0 °		65.6 °		65.0 °		65.6 °		65.0 °		65.6 °	
B	HEAD TUBE LENGTH	95.0 mm	3.7 in	95.0 mm	3.7 in	95.0 mm	3.7 in	95.0 mm	3.7 in	110.0 mm	4.3 in	110.0 mm	4.3 in	125.0 mm	4.9 in	125.0 mm	4.9 in
C	TOP TUBE HORIZONTAL	569.7 mm	22.4 in	568.2 mm	22.4 in	602.8 mm	23.7 in	601.2 mm	23.7 in	633.4 mm	24.9 in	631.8 mm	24.9 in	670.1 mm	26.4 in	668.4 mm	26.3 in
D	STANDOVER HEIGHT																
E	BB OFFSET	-27.4 mm	-1.1 in	-20.0 mm	-0.8 in	-27.5 mm	-1.1 in	-20.0 mm	-0.8 in	-27.6 mm	-1.1 in	-20.0 mm	-0.8 in	-27.8 mm	-1.1 in	-20.0 mm	-0.8 in
F	BB HEIGHT	346.1 mm	13.6 in	340.0 mm	13.4 in	346.0 mm	13.6 in	340.0 mm	13.4 in	345.9 mm	13.6 in	340.0 mm	13.4 in	345.7 mm	13.6 in	340.0 mm	13.4 in
G	WHEEL BASE	1,165.9 mm	45.9 in	1,164.6 mm	45.9 in	1,198.9 mm	47.2 in	1,197.6 mm	47.1 in	1,232.1 mm	48.5 in	1,230.8 mm	48.5 in	1,271.3 mm	50.1 in	1,270.0 mm	50.0 in
H	BB CENTER TO TOPTUBE CENTER																
I	BB CENTER TO TOP OF SEATTUBE	410.0 mm	16.1 in	410.0 mm	16.1 in	440.0 mm	17.3 in	440.0 mm	17.3 in	480.0 mm	18.9 in	480.0 mm	18.9 in	520.0 mm	20.5 in	520.0 mm	20.5 in
J	SEAT ANGLE	74.7 °		75.3 °		74.7 °		75.3 °		74.8 °		75.3 °		74.8 °		75.3 °	
K	CHAINSTAY	438.0 mm	17.2 in	436.0 mm	17.2 in	438.0 mm	17.2 in	436.0 mm	17.2 in	438.0 mm	17.2 in	436.0 mm	17.2 in	438.0 mm	17.2 in	436.0 mm	17.2 in
L	REACH	405.9 mm	16.0 in	412.0 mm	16.2 in	439.1 mm	17.3 in	445.0 mm	17.5 in	466.1 mm	18.4 in	472.0 mm	18.6 in	499.2 mm	19.7 in	505.0 mm	19.9 in
M	STACK	599.7 mm	23.6 in	595.5 mm	23.4 in	599.9 mm	23.6 in	595.5 mm	23.4 in	613.7 mm	24.2 in	609.2 mm	24.0 in	627.5 mm	24.7 in	622.8 mm	24.5 in
N	STEM LENGTH	40.0 mm	1.6 in	40.0 mm	1.6 in	50.0 mm	2.0 in	50.0 mm	2.0 in	50.0 mm	2.0 in	50.0 mm	2.0 in	50.0 mm	2.0 in	50.0 mm	2.0 in
0	TRAIL	117.7 mm	4.6 in	107.3 mm	4.2 in	117.6 mm	4.6 in	107.3 mm	4.2 in	117.5 mm	4.6 in	107.3 mm	4.2 in	117.4 mm	4.6 in	107.3 mm	4.2 in

CONTESSA GENIUS: 710, 720, 730


		S / 900		S / 700		M / 900		M / 700		L / 900		L / 700	
		LOW BB Setting		HIGH BB Setting		LOW BB Setting		HIGH BB Setting		LOW BB Setting		HIGH BB Setting	
A	HEAD TUBE ANGLE	65.0 °		65.6 °		65.0 °		65.6 °		65.0 °		65.6 °	
B	HEAD TUBE LENGTH	95.0 mm	3.7 in	95.0 mm	3.7 in	95.0 mm	3.7 in	95.0 mm	3.7 in	110.0 mm	4.3 in	110.0 mm	4.3 in
C	TOP TUBE HORIZONTAL	569.7 mm	22.4 in	568.2 mm	22.4 in	602.8 mm	23.7 in	601.2 mm	23.7 in	633.4 mm	24.9 in	631.8 mm	24.9 in
D	STANDOVER HEIGHT												
E	BB OFFSET	-27.4 mm	-1.1 in	-20.0 mm	-0.8 in	-27.5 mm	-1.1 in	-20.0 mm	-0.8 in	-27.6 mm	-1.1 in	-20.0 mm	-0.8 in
F	BB HEIGHT	346.1 mm	13.6 in	340.0 mm	13.4 in	346.0 mm	13.6 in	340.0 mm	13.4 in	345.9 mm	13.6 in	340.0 mm	13.4 in
G	WHEEL BASE	1,165.9 mm	45.9 in	1,164.6 mm	45.9 in	1,198.9 mm	47.2 in	1,197.6 mm	47.1 in	1,232.1 mm	48.5 in	1,230.8 mm	48.5 in
H	BB CENTER TO TOPTUBE CENTER												
I	BB CENTER TO TOP OF SEATTUBE	410.0 mm	16.1 in	410.0 mm	16.1 in	440.0 mm	17.3 in	440.0 mm	17.3 in	480.0 mm	18.9 in	480.0 mm	18.9 in
J	SEAT ANGLE	74.7 °		75.3 °		74.7 °		75.3 °		74.8 °		75.3 °	
K	CHAINSTAY	438.0 mm	17.2 in	436.0 mm	17.2 in	438.0 mm	17.2 in	436.0 mm	17.2 in	438.0 mm	17.2 in	436.0 mm	17.2 in
L	REACH	405.9 mm	16.0 in	412.0 mm	16.2 in	439.1 mm	17.3 in	445.0 mm	17.5 in	466.1 mm	18.4 in	472.0 mm	18.6 in
M	STACK	599.7 mm	23.6 in	595.5 mm	23.4 in	599.9 mm	23.6 in	595.5 mm	23.4 in	613.7 mm	24.2 in	609.2 mm	24.0 in
N	STEM LENGTH	40.0 mm	1.6 in	40.0 mm	1.6 in	50.0 mm	2.0 in	50.0 mm	2.0 in	50.0 mm	2.0 in	50.0 mm	2.0 in
0	TRAIL	117.7 mm	4.6 in	107.3 mm	4.2 in	117.6 mm	4.6 in	107.3 mm	4.2 in	117.5 mm	4.6 in	107.3 mm	4.2 in

TECHNICAL DATA GENIUS

Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/ dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)	Rear Shock (e2e)	Hardware Rear Shock in mm	Bearings (frame)
Genius 900 Tuned	PRESSFIT GXP BB FOR MTB(FOR 89/ 91.5mm)	NILL	170 S, 175 M/ L/ XL	PRESS FIT E2 1.5 PRESSFIT E2, 1-1/ 8"- 1.5",50-62mm, AL CUPS, TIB BEARING, W/ O TOP CUP FOR INT. STEM, W/ O LOGO	50mm	760mm	31.6X356mm-S; 31.6X406mm-M; 31.6x456mm-L/XL	34.9mm	WHEELSET S20C06-00 SYNCROS TR2.0 29"	WHEELSET S20C06-00 SYNCROS TR2.0 29"	WHEELSET S20C06-00 SYNCROS TR2.0 29"	185x55mm	30X8mm	24X15XT5
Genius 920	PRESSFIT GXP BB FOR MTB(FOR 89/ 91.5mm)	NILL	170 S, 175 M/ L/ XL	PRESS FIT E2 FL2.0 , 1-1/ 8"- 1.5",50-62mm, AL CUPS, ACB BEARING, W/ O TOP CUP FOR INT. STEM, W/ O LOGO	50mm	760mm	31.6X356mm-S; 31.6X406mm-M; 31.6x456mm-L/XL	34.9mm	WHEELSET S20C06-00 SYNCROS TR2.0 29"	WHEELSET S20C06-00 SYNCROS TR2.0 29"	WHEELSET S20C06-00 SYNCROS TR2.0 29"	185x55mm	30X8mm	24X15XT5
Genius 930	BB-MT500-PA FOR MTB "W/ O THREAD" R&L BEARING W/ INNER COVER	FD-M8020-D DIRECT MOUNT 66-69	170 S, 175 M/ L/ XL	PRESS FIT E2 FL2.0 , 1-1/ 8"- 1.5",50-62mm, AL CUPS, ACB BEARING, W/ O TOP CUP FOR INT. STEM, W/ O LOGO	50mm	760mm	31.6X356mm-S; 31.6X406mm-M; 31.6x456mm-L/XL	34.9mm	WHEELSET S25C07-00 SYNCROS TR2.5 29"	WHEELSET S25C07-00 SYNCROS TR2.5 29"	WHEELSET S25C07-00 SYNCROS TR2.5 29"	185x55mm	30X8mm	24X15XT5
Genius 940	PRESSFIT GXP BB FOR MTB(FOR 89/ 91.5mm)	NILL	170 S, 175 M/ L/ XL	1SI25115AL PRESSFIT PRO E2, 1-1/ 8"- 1.5",50-61mm, AL CUPS, SSC BEARING, W/ TOP CUP FOR INT. STEM, W/ LASER SYCROS LOGO, S.B MATT BLK	50mm	760mm	31.6X370mm-S; 31.6X412mm-M; 31.6X458mm-L/XL	34.9mm	15GX292.5/ 293.5	15GX292/ 293.5	X30 DISC 29"X32H	185x55mm	30X8mm	24X15XT5
Genius 700 Ultimate	PRESSFIT GXP BB FOR MTB(FOR 89/ 91.5mm)	NILL	170 S, 175 M/ L/ XL	PRESS FIT E2 1.5 PRESSFIT E2, 1-1/ 8"- 1.5",50-62mm, AL CUPS, TIB BEARING, W/ O TOP CUP FOR INT. STEM, W/ O LOGO	50mm	760mm	31.6X356mm-S; 31.6X406mm-M; 31.6x456mm-L/XL	34.9mm	WHEELSET XMC 1200 Spline-27.5	WHEELSET XMC 1200 Spline-27.5	WHEELSET XMC 1200 Spline-27.5	185x55mm	30X8mm	24X15XT5
Genius 700 Tuned	PRESSFIT GXP BB FOR MTB(FOR 89/ 91.5mm)	NILL	170 S, 175 M/ L/ XL	PRESS FIT E2 1.5 PRESSFIT E2, 1-1/ 8"- 1.5",50-62mm, AL CUPS, TIB BEARING, W/ O TOP CUP FOR INT. STEM, W/ O LOGO	50mm	760mm	31.6X356mm-S; 31.6X406mm-M; 31.6x456mm-L/XL	34.9mm	WHEELSET DT Swiss M 1825 SPLINE 27.5"	WHEELSET DT Swiss M 1825 SPLINE 27.5"	WHEELSET DT Swiss M 1825 SPLINE 27.5"	185x55mm	30X8mm	24X15XT5
Genius 710 (TW)	SM-BB71-41A FOR MTB "W/ O THREAD" R&L BEARING W/ INNER COVER	FD-M8020-D DIRECT MOUNT 66-69	170 S, 175 M/ L/ XL	PRESS FIT E2 FL2.0 , 1-1/ 8"- 1.5",50-62mm, AL CUPS, ACB BEARING, W/ O TOP CUP FOR INT. STEM, W/ O LOGO	50mm	760mm	31.6X356mm-S; 31.6X406mm-M; 31.6x456mm-L/XL	34.9mm	WHEELSET S20C03 SYNCROS TR2.0 27.5"	WHEELSET S20C03 SYNCROS TR2.0 27.5"	WHEELSET S20C03 SYNCROS TR2.0 27.5"	185x55mm	30X8mm	24X15XT5
Genius 720 (TW)	PRESSFIT GXP BB FOR MTB(FOR 89/ 91.5mm)	NILL	170 S, 175 M/ L/ XL	PRESS FIT E2 FL2.0 , 1-1/ 8"- 1.5",50-62mm, AL CUPS, ACB BEARING, W/ O TOP CUP FOR INT. STEM, W/ O LOGO	50mm	760mm	31.6X356mm-S; 31.6X406mm-M; 31.6x456mm-L/XL	34.9mm	WHEELSET S25C03-00 SYNCROS TR2.5 27.5"	WHEELSET S25C03-00 SYNCROS TR2.5 27.5"	WHEELSET S25C03-00 SYNCROS TR2.5 27.5"	185x55mm	30X8mm	24X15XT5
Genius 730	BB-MT500-PA FOR MTB "W/ O THREAD" R&L BEARING W/ INNER COVER	FD-M8020-D DIRECT MOUNT 66-69	170 S, 175 M/ L/ XL	PRESS FIT E2 FL2.0 , 1-1/ 8"- 1.5",50-62mm, AL CUPS, ACB BEARING, W/ O TOP CUP FOR INT. STEM, W/ O LOGO	50mm	760mm	31.6X356mm-S; 31.6X406mm-M; 31.6x456mm-L/XL	34.9mm	WHEELSET S25C06-00 SYNCROS TR2.5 27.5"	WHEELSET S25C06-00 SYNCROS TR2.5 27.5"	WHEELSET S25C06-00 SYNCROS TR2.5 27.5"	185x55mm	30X8mm	24X15XT5
Genius 740	PRESSFIT GXP BB FOR MTB(FOR 89/ 91.5mm)	NILL	170 S, 175 M/ L/ XL	1SI25115AL PRESSFIT PRO E2, 1-1/ 8"- 1.5",50-61mm, AL CUPS, SSC BEARING, W/ TOP CUP FOR INT. STEM, W/ LASER SYCROS LOGO, S.B MATT BLK	50mm	760mm	31.6X370mm-S; 31.6X412mm-M; 31.6X458mm-L/XL	34.9mm	15GX273.5/ 274.5	15GX273/ 274.5	X30 DISC 27.5"X32H	185x55mm	30X8mm	24X15XT5
Genius 750	BB-MT500-PA FOR MTB "W/ O THREAD" R&L BEARING W/ INNER COVER	FD-M6020-D FOR 2X10 DIRECT MOUNT 66-69	170 S, 175 M/ L/ XL	1SI110T043004 PRESS FIT E2 OE 1-1/ 8"-1.5" 50-62mm BALL BEARING, BLK	50mm	760mm	31.6X370mm-S; 31.6X412mm-M; 31.6X458mm-L/XL	34.9mm	15GX273.5/ 274.5	15GX273/ 274.5	X30 DISC 27.5"X32H	185x55mm	30X8mm	24X15XT5
Genius 710 (EU)	SM-BB71-41A FOR MTB "W/ O THREAD" R&L BEARING W/ INNER COVER	FD-M8025-E W/ O PLATE 66-69 34/ 36/ 38T TOP SWING DOWN-PULL FOR DOUBLE	170 S, 175 M/ L/ XL	PRESS FIT E2 FL2.0 , 1-1/ 8"- 1.5",50-62mm, AL CUPS, ACB BEARING, W/ O TOP CUP FOR INT. STEM, W/ O LOGO	50mm	760mm	31.6X356mm-S; 31.6X406mm-M; 31.6x456mm-L/XL	34.9mm	WHEELSET S20C03 SYNCROS TR2.0 27.5"	WHEELSET S20C03 SYNCROS TR2.0 27.5"	WHEELSET S20C03 SYNCROS TR2.0 27.5"	185x55mm	30X8mm	24X15XT5
Genius 720 (EU)	PRESSFIT GXP BB FOR MTB(FOR 89/ 91.5mm)	NONE	170 S, 175 M/ L/ XL	PRESS FIT E2 FL2.0 , 1-1/ 8"- 1.5",50-62mm, AL CUPS, ACB BEARING, W/ O TOP CUP FOR INT. STEM, W/ O LOGO	50mm	760mm	31.6X356mm-S; 31.6X406mm-M; 31.6x456mm-L/XL	34.9mm	WHEELSET S25C03-00 SYNCROS TR2.5 27.5"	WHEELSET S25C03-00 SYNCROS TR2.5 27.5"	WHEELSET S25C03-00 SYNCROS TR2.5 27.5"	185x55mm	30X8mm	24X15XT5
Contessa Genius 710	PRESSFIT GXP BB FOR MTB(FOR 89/91.5MM) (00.6418.002.000)	NILL	170 S/M, 175 L	PRESS FIT E2 FL2.0 , 1-1/8"- 1.5",50-62MM, AL CUPS, ACB BEARING, W/O TOP CUP FOR INT. STEM, W/O LOGO	40mm (S/M); 50mm (L)	740mm	31.6X356mm-S; 31.6X406mm-M; 31.6X456mm-L	34.9mm	WHEELSET S20C03 SYNCROS TR2.0 27.5"X28H	WHEELSET S20C03 SYNCROS TR2.0 27.5"X28H	WHEELSET S20C03 SYNCROS TR2.0 27.5"X28H	185x55mm	30X8mm	24X15XT5
Contessa Genius 720	BB-MT500-PA FOR MTB "W/O THREAD" R&L BEARING W/INNER COVER	NILL	170 S/M, 175 L	PRESS FIT E2 FL2.0 , 1-1/8"- 1.5",50-62MM, AL CUPS, ACB BEARING, W/O TOP CUP FOR INT. STEM, W/O LOGO	40mm (S/M); 50mm (L)	740mm	31.6X356mm-S; 31.6X406mm-M; 31.6X456mm-L	34.9mm	WHEELSET S25C06-01 SYNCROS TR2.5 27.5"X28H	WHEELSET S25C06-01 SYNCROS TR2.5 27.5"X28H	WHEELSET S25C06-01 SYNCROS TR2.5 27.5"X28H	185x55mm	30X8mm	24X15XT5
Contessa Genius 730	BB-MT500-PA FOR MTB "W/O THREAD" R&L	FD-M6020-D FOR 2X10 DIRECT MOUNT 66-69 SIDE SWING FRONT-PULL	170 S/M, 175 L	1SI110T043004 PRESS FIT E2 OE 1-1/8"-1.5" 50-62MM BALL BEARING, BLK	40mm (S/M); 50mm (L)	740mm	31.6X370mm-S; 31.6X412mm-M; 31/6X458mm-L	34.9mm	15GX293.5/ 292.5	15GX293.5/ 292.5	X30S DISC 27.5"X32H	185x55mm	30X8mm	24X15XT5

There are a lot of similarities between the MY 18 Genius and MY18/17 Spark.

Note: all MY18 Genius frames are designed around the "Boost standard" be aware of this when changing any components!



The MY18 Genius HMX frame only has the option to use X1 gear setup. The HMF and alloy frames have the option to use either X2 or X1 front ring setup.

* The table shows frame compatibility not what is spec'd on the bike.
* Additional parts may be required if changing the configuration of the bike.

Model	1x	2x
Genius 700 Ultimate	✓	
Genius 900/700 Tuned	✓	
Genius 710	✓	✓
Genius 920/720	✓	✓
Genius 930/730	✓	✓
Genius 940/740	✓	✓
Genius 750	✓	✓
Contessa Genius 710	✓	✓
Contessa Genius 720	✓	✓
Contessa Genius 730	✓	✓

HANGERS

With all the new frames designed around the boost platform the existing dropouts from MY17 Spark/Scale will fit the MY18 Genius.

Note: it is only possible to fit boost hubs on all frames!

CARBON SWINGARMS HAVE TWO OPTIONS:

DO17-HANGER-TA12-SW-DIRECT
Shimano direct mount derailleurs
SCOTT part number **254091**
Description: Dropout hang boost
TA12-SW DM carb MY17



DO17-HANGER-TA12-SW
All non-direct mount derailleurs
SCOTT part number **254090**
Description: Dropout hanger boost
TA12-SW carb MY17



ALLOY SWINGARMS HAVE TWO OPTIONS:

DO17-HANGER-TA12-DIRECT
Shimano direct mount derailleurs
SCOTT part number **251093**
Description: Dropout hanger boost
TA12 DM alloy MY17



DO17-HANGER-TA12
All non-direct mount derailleurs
SCOTT part number **254092**
Description: Dropout hanger boost
TA12 alloy MY17



Fitting of the hangers is straight forward; below is an example of fitting to a carbon swingarm. This is the same procedure as the spark.

1 Please pay attention to the two fixing bolts on the right hand hanger and the location of the positioning arrow. **Max torque 1.5 N/M!**


2 First make sure the area is clean before inserting the hanger.

3 Insert the endcap through the frame and into the hanger.


4 Ensure the location arrow is pointing to the lower bolt hole; insert the bolt. **Max torque 1.5 N/M!**

5 Insert the second bolt in the rear of the dropout. **Max torque 1.5 N/M!**


Shown is the fitting to a carbon frame, please use the same principles for alloy and never exceed maximum torque.



REAR BRAKE




Max rotor size 203 mm minimum is 180 mm direct.



The calliper mount is a standard post mount on the seatstay.


FRONT DERAILLEUR

On the HMF and alloy frames a front derailleur may be fitted with the use of an adaptor, this will allow the use of a Shimano high direct mount side swing derailleur only. This is the same mount as seen on the Spark.



254087 SCO Front derailleur mount Spa17/Gen18


If the bike has been converted to x1 gear a blank plate can be used to keep the threads clean, this is the same as the Spark.



254089 SCO FD blank Spa/Sca17/Gen18

There Is a new Chainguide for the Genius. This will replace the main pivot axel nut.


The maximum chainring size that is recommended on the MY18 Genius is 36T!



268473 - SCO Chainguide set Genius 18


BOTTOM BRACKETS

All Spark frames now use a PF 92mm BB, no spacer to be fitted!



HEADSET

The MY18 Genius uses traditional semi integrated cups in the frame to hold the headset bearings.



CABLE ROUTING


The MY18 Genius has fully internal cable routing, there are several options on how to do this depending on bike setup and equipment used, the outer cable is continues through the frame for front and rear gears from the shifter to the derailleurs/shock to TC lever.



It is recommended that the cables on the headtube cross to help reduce cable rub.

It is recommended that handlebar cables that come from the right hand side enter the frame on the left, and handlebar cables that come from the left hand side enter the frame on the right.

Please note that above is an example and that your bike's brakes need to be set up as per the law in your country.



Please be aware, to prevent damage to the frame and cables there should be a minimum cable clearance between the bottom of the bottom bracket and the cables.

The measurement should be a minimum of **40mm** taken in the centre line of the bottom bracket, as indicated in the below image.



On the carbon frames the cables/hoses and wires run under the BB shell to the chainstays through the DT protector.

This part is available as a kit as seen here.


266268 SCO Downtube Protector Genius 2018



If DI2 is being fitted to the carbon frames the internal battery should be cable tied to the DT protector, also to help prevent rattle and support the battery use a rubber tube (not a SCOTT part) over the battery before sliding into the seattube/bb area.




Fitting of the DT protector requires the removal of the hose and cables, below is an example of fitting; livewire and DI2 fitted in this example.



The MY18 headtube cable guides have changed, this design is used on alloy and carbon Genius.

Depending on what gear/seatpost options are being used, the head tube cable guides can be customised to the rider's preference.

For MY 18, there are two types of covers, cabled and blank, for cables there is only one type of cover and inserts are used for the desired cable options.



The kit consists of - x2 of /A/B/C/D/E x1 of HT-Blank

266587 SCO Cableguide set Sca/Spa/Gen H-tube 18



A:
1x Mechanical cable

B:
2x Mechanical cables

C:
2x Mechanical cables
1x hydraulic

D:
1x single cable and Di2



E:
Single cable and Live valve


HT:
Cover plate for all cable options


HT-Blank:
This is the no cable option

IMPORTANT

Torque for cable guide bolts 0.75-1.0 NM!

Note the angle of the securing screws is straight in the frame and not like previously in MY17.






For the FD cable out on carbon HMF frames there are 3 cable options, this is the same as the Scale/Spark MY17/18, these parts are available in a kit containing; 1xblank- 2xDI2- 2xmechanical.

This option is available on the HMF frames only.

Alloy frames will use a standard out with a rubber insert.

254123 - SCO Cableguide Spark alloy FD/Dtube 17

All Cable fixing screws to torque 0.75-1.0 N/M!



254114 - SCO Cableguide Spa/Sca17/Gen18 out

In addition to the main cable entry guides there are a few additions on the frames with carbon chainstays to keep the cables tight, these are the same as previously on the Spark.

This kit contains x2 chainstay brake in/out - x1 gear guide

254115 SCO Cableguide Spa17/Gen18 C-stay rub



Chainstay gear guide



Chainstay brake in/out

ASYMMETRIC

The front triangle on the MY18 Genius is asymmetric the same as the Spark; to keep the bottle centred one bike it has been moved to the right of the down tube, there is also 3 holes so the cage position can be high or low depending on preference,





SHOCKS AND SUSPENSION

The rear shock remote cable there is a rubber cap the helps prevent debris entering the frame in this area, there are 3 different variations of this part, the parts are clearly marked to identify what part is compatible with which shock:

Fox Nude - SCO Shock rubber Spa17/Gen18 Fox Nude



X- Fusion - **254120** SCO Shock rubber Spa17/Gen18 X-Fusion



Fox Float - **254119** SCO Shock rubber Spa17/Gen18 Fox Float



In addition to the cable entire for the shock rubber there are two types of “noodle” depending on the shock type, the Fox Float only has a ferrule on the end while the X-fusion and Nude have not.



254121 SCO Shock noodle Spa17/Gen18 nude



254122 SCO Shock noodle Spa17/Gen18 Float

The MY18 SCOTT Genius is equipped with a Geometry chip, this can be altered if you wish to adjust the geometry on your SCOTT Genius and this is the same principle as previous years.

The MY18 SCOTT Genius is suitable for both wheel sizes 27.5" and 29", please make sure the following maximum tire sizes are observed.

Note some tire manufactures may vary in size so please only use this as a guide always check clearance.

27.5"/plus	2.8 tire
29"	2.6 tire



If you are using the bike with 27.5" wheels this must be set to "High" mode only!

Please ensure the geo chip is in the same position on both the left and right sides, and the threadlock has the correct torque.

Failure to set the correct height for the 27.5" wheel may result in the pedal coming into contact with the ground when in use.

IMPORTANT

While the SCOTT Genius frame is compatible with different wheel sizes this does not mean the fork fitted and the components of the bike will be automatically compatible.



"Low mode" for 29" wheels only



"High mode" for 27.5" and 29" wheels

The MY18 Genius Adopts the trunnion shock standard the same as the Spark and also uses the same Trunnion mounting as the Spark, however the top shock bolt is different and uses geometry chip and bolt system.

Service for these shocks will be carried out by your local service agent but for special cases where you do not have a local agent and you need a replacement you may request one of the following:

- **266583** SCO Rear shock Genius Fox Nude 4 Ksh 18
- **266584** SCO Rear shock Genius Fox Nude 4 18
- **266585** SCO Rear shock Genius X/Fusion Nude 4 18



TRADITIONAL



TRUNNION


EXTERNAL DIMENSIONS/SHOCK IDENTIFICATION

Top shock bush is standard 20x8mm and available from your local agent in addition the Trunnion Bushing and spacer are available separately from SCOTT, same kit is used for all Genius bikes.

If you do not have a local agent that can help you these kits are also available from SCOTT:

266576 SCO Shock mount bush set X-Fus Genius 18 (E-Genius compatible)

266577 SCO Shock mount bush set Fox Genius 18 (E-Genius compatible)



For the SCOTT Genius we offer a full swingarm repair kit as well as some smaller parts.

The full kit is available as:

266574 SCO Swingarm rep kit Genius 18

This kit will not include the top shock bush; this is available from your local fox or X-Fusion service centre and is 30x8mm.



As addition the top shock bolts/geometry chip / trunnion bolts/shock IGUS bushes are available:

266575 SCO Shock mount hardware Genius 18 (E-Genius compatible)



The Igus bush set is available as a separate kit, this will just contain the Igus bush and alloy inserts only for all pivots and trunnion mount and this will fit all MY 18 Genius/E- Genius MY17 Spark E-Spark;

266573 SCO Igus bush set Spark/Genius/E- 18 **(MY18 Genius/E- Genius MY17 Spark E-Spark compatible)**



For MY 18 we have introduced matching linkages for most Genius bikes, these can be selected via color on your SAP/B2B system, please use the color as a reference to match the correct linkage, for SAP users please check your purchasing text for more information.

- **266578** SCO Linkage bar Genius alloy 18
- **266579** SCO Linkage bar Genius carbon 18
- **267281** SCO Linkage bar Contessa Genius 18

PIVOTS AND BEARINGS

The procedure for replacing the pivots and bearings on the MY18 Genius is very simple if done correctly. This procedure follows the MY17 Spark with the addition of a dropout pivot.


Remember to use threadloc/bearing fit and anti-seize where needed.

While this is a simple procedure care must be taken in all the steps for replacing any part on the SCOTT Genius.

BOLT/PIVOT LOCATION OVERVIEW

The Main pivot and lower shock pivot.


The parts of the main pivot may vary if a chainguide is to be used, use only the endcap or the chainguide not both.



For the upper and lower seatstay pivots please note the optional “tuning shims” the fitment of these vary from bike to bike, this is explained later in this chapter.


Top seatstay/linkage pivots (duplicated left and right)

Tuning shims may vary if applicable from bike to bike please see notes in the next section.



Lower seatstay/chainstay pivots (duplicated left and right)

Tuning shims may vary if applicable from bike to bike please see notes in the next section.




TUNING SHIMS

The below is the same procedure for Genius/E-Genius (not E-Genius 730) /E-Spark, it also covers the Spark excluding the dropout pivots.

After servicing of the rear swingarm pivots and bearings the addition of tuning shims may be needed. These can be added in the locations on the top and bottom seatstay pivots.

Do not use tuning shims to compensate for worn IGUS units!



The easiest way to tell if tuning shims are needed is simply to see if there is movement present, grab both sides of the pivot and rock up and down/side to side, if movement is felt add shims to suit.



If movement is detected remove the pivot bolts on the left and right with a Torx 30






Separate the relevant parts and remove the pivot spacers





Add the necessary tuning shims to the pivot spacers, this could be just one on one side, we recommend starting with x1 on each side of each pivot. (Assess left and right separately)



Place the tuning shims on the pivot spacers and refit the spacers to the IGUS bush.





To ensure the pivot spacers are not too tight causing premature ware in the IGUS bush they should make contact with each other in the centre rather than binding on the IGUS bush.

To check this is a simple process, carefully with a set of adjustable pliers gently press the alloy linkage spacers together, then rotate the spacers, if they are binding/ not rotating freely remove 1 tuning shim and repeat the process.

Do not over squeeze the frame and take great care only to make contact with the alloy pivot spacers and in equal pressure!





Reassemble the linkage using thread lock and correct torque.







SPARE PARTS GENIUS

ITEM	DESCRIPTION
262046	SCO Axle RWS Rear+lev.148x12 boost plug.
254090	SCO Dropout hanger boost TA12-SW carb 17
254091	SCO Dropout hang boost TA12-SWDM carb 17
254092	SCO Dropout hanger boost TA12 alloy 17
254093	SCO Dropout hanger boost TA12DM alloy 17
254094	SCO Dropout hanger boost Q/R no DM 17
266587	SCO Cableguide set Sca/Spa/Gen H-tube 18
254114	SCO Cableguide Spa/Sca17/Gen18 out
254115	SCO Cableguide Spa17/Gen18 C-stay rub
266268	SCO Downtube Protector Genius 2018
266266	SCO CSP Glue on Genius Carbon 2018
266267	SCO CSP Glue on Genius Alloy 2018
265596	SYN Trail fender
254089	SCO FD blank Spa/Sca17/Gen18
254087	SCO Front derailleur mount Spa17/Gen18
268473	SCO Chainguide set Genius 18
262082	SCO Headset spacers+cap Syncros 1.5 MTB
262083	SCO Headset spacers+cap Syncros 2.0 MTB
265586	SYN Headset Pressfit Genius MY18
250565	SYN Stem FL1.5, 31.8mm
250566	SYN Stem FL2.0, 31.8mm
250562	SYN Computer Mount for MTB Stem FL
250545	SYN H.bar FL1.5, Mini Rise
265558	SYN H.bar Hixon SL iC 760mm
250574	SYN Grips Pro, Lock-On
266575	SCO Shock mount hardware Genius 18
266576	SCO Shock mount bush set X-Fus Genius 18
266577	SCO Shock mount bush set Fox Genius 18
266578	SCO Linkage bar Genius alloy 18
266579	SCO Linkage bar Genius carbon 18
267281	SCO Linkage bar Contessa Genius 18
254118	SCO Shock rubber Spa17/Gen18 Fox Nude
254119	SCO Shock rubber Spa17/Gen18 Fox Float
254120	SCO Shock rubber Spa17/Gen18 X-Fusion
254121	SCO Shock noodle Spa17/Gen18 nude
254122	SCO Shock noodle Spa17/Gen18 Float
266583	SCO Rear shock Genius Fox Nude 4 Ksh 18
266584	SCO Rear shock Genius Fox Nude 4 18
266585	SCO Rear shock Genius X/Fusion Nude 4 18
239171	Twinloc lever Nude 3 integ clamp
262631	SCO Twinloc lever down clamp/ seatpost 17
223309	Seatclamp 34.9mm CrMo bolt


ITEM	DESCRIPTION
263443	SYN Seatpost Dropper 2.0, 120mm/31.6
265568	SYN Seatpost Dropper 2.0 150mm/31.6
262070	SCO Seatpost-Remote syncros 2.0
262074	SCO Seatpost-Service a/base Syncros 2.0
262072	SCO Seatpost-Serv.air Cartkit Sync. 2.0
262069	SCO Seatpost Sync.drop 2.0 no lev. 31.6
241892	SYN Saddle FL1.5 Women
241893	SYN Saddle FL2.0 Women
242437	SCO Hub-rep kit Syncros Formula CL811
242438	SCO Hub-rep kit Syncros Formula CL14811
266798	SCO Hub rep kit DT XRC/XMC 1200 F 18
266799	SCO Hub rep kit DT XRC/XMC 1200 XD R 18
266800	SCO Hub rep kit DT X/M 1825 F 18
266801	SCO Hub rep kit DT X 1825 XD R 18
266811	SCO Spoke SY/Form rep kit TR2.0 18
266608	SCO Rim SY/X-30s D 32H 18
266616	SCO Rim SY/Form TR2.0 D 28H 18
266818	SCO Rim DT XMC 1200 28H 18 WTY
266821	SCO Rim DT M 1825 28H 18 WTY
266574	SCO Swingarm rep kit Genius 18
266573	SCO Igus bush set Spark/Genius/E- 18
266321	SCO Tool set swingarm Spark 17 / Gen 18
266345	SCO Front triangle Genius 700 Ultimate18
266346	SCO Front triangle Genius 900 Tuned 18
266347	SCO Front triangle Genius 700 Tuned 18
266348	SCO Front triangle Genius 710 18
266349	SCO Front triangle Genius 720 18
266350	SCO Front triangle Genius 920 18
266360	SCO Front triangle Cont Genius 710 18
266361	SCO Front triangle Cont Genius 720 18
266362	SCO Front triangle Cont Genius 730 18
266377	SCO Frame Genius 730 18 Wty
266378	SCO Frame Genius 930 18 Wty
266438	SCO Chainstays Genius 700 Ultimate 18
266439	SCO Chainstays Genius 900 Tuned 18
266440	SCO Chainstays Genius 700 Tuned 18
266441	SCO Chainstays Genius 710 18
266442	SCO Chainstays Genius 720 18
266443	SCO Chainstays Genius 920 18
266452	SCO Chainstays Cont Genius 710 18
266453	SCO Chainstays Cont Genius 720 18
266454	SCO Chainstays Cont Genius 730 18
266466	SCO Seatstays Genius 700 Ultimate 18
266467	SCO Seatstays Genius 700 Tuned 18
266468	SCO Seatstays Genius 900 Tuned 18
266469	SCO Seatstays Genius 710 18
266470	SCO Seatstays Genius 920 18
266471	SCO Seatstays Genius 720 18
266474	SCO Seatstays Cont Genius 710 18
266475	SCO Seatstays Cont Genius 720 18
266476	SCO Seatstays Cont Genius 730 18

SCOTT **GAMBLER 700**



GAMBLER 710

GEOMETRY/TECHNICAL DATA GAMBLER




GAMBLER

All new geometry for 27.5" wheels and adjusted sizing.

NOTE:
Long Chainstay setting not shown – 440mm.

Sizes	S, M and L
Travel	210mm / 8.2"
Piston stroke	88.9mm / 3.5"
Shock length (e2e)	266.7mm / 10.5"
Fork travel	203mm
Fork length	586.1mm
Hardware mainframe	22.2 x 8mm
Hardware linkage	59.94 x 8mm
Seatpost diameter	31.6mm
Head tube	1.5" straight
Headset	Semi-integrated, OD 55mm
BB housing	83mm / BB PF 104
Front derailleur	No
Rear hub width	150mm
Dropouts option	+0mm / +15mm, all the same parts (flip chip), specific SCOTT wheel axle
Max tire width	64mm / 2.50"
Wheel size	27.5" (high and low chip position), 26" (high chip position only)
Bearings	6 x 6902 / 2x 61805
Chainguide	ISCG05
Chainring	Maximum 38 teeth



GAMBLER


GAMBLER: 710, 720, 730

		S		S		M		M		L		L	
		LOW BB SETTING		HIGH BB SETTING		LOW BB SETTING		HIGH BB SETTING		LOW BB SETTING		HIGH BB SETTING	
A	HEAD TUBE ANGLE	63.0 °		63.7 °		63.0 °		63.7 °		63.0 °		63.7 °	
B	HEAD TUBE LENGTH	115.0 mm	4.5 in	115.0 mm	4.5 in	115.0 mm	4.5 in	115.0 mm	4.5 in	115.0 mm	4.5 in	115.0 mm	4.5 in
C	TOP TUBE HORIZONTAL	549.7 mm	21.6 in	546.2 mm	21.5 in	595.4 mm	23.4 in	591.5 mm	23.3 in	633.6 mm	24.9 in	629.3 mm	24.8 in
D	STANDOVER HEIGHT	778.6 mm	30.7 in	783.6 mm	30.9 in	771.6 mm	30.4 in	777.1 mm	30.6 in	765.3 mm	30.1 in	771.3 mm	30.4 in
E	BB OFFSET	-13.0 mm	-0.5 in	-3.0 mm	-0.1 in	-13.0 mm	-0.5 in	-3.0 mm	-0.1 in	-13.0 mm	-0.5 in	-3.0 mm	-0.1 in
F	BB HEIGHT	343.0 mm	13.5 in	353.0 mm	13.9 in	343.0 mm	13.5 in	353.0 mm	13.9 in	343.0 mm	13.5 in	353.0 mm	13.9 in
G	WHEEL BASE	1,175.8 mm	46.3 in	1,172.5 mm	46.2 in	1,205.8 mm	47.5 in	1,202.5 mm	47.3 in	1,235.8 mm	48.7 in	1,232.5 mm	48.5 in
H	BB CENTER TO TOPTUBE CENTER	336.0 mm	13.2 in	336.0 mm	13.2 in	333.0 mm	13.1 in	333.0 mm	13.1 in	331.0 mm	13.0 in	331.0 mm	13.0 in
I	BB CENTER TO TOP OF SEATTUBE	406.0 mm	16.0 in	406.0 mm	16.0 in	404.0 mm	15.9 in	404.0 mm	15.9 in	403.0 mm	15.9 in	403.0 mm	15.9 in
J	SEAT ANGLE	75.1 °		75.9 °		73.7 °		74.6 °		73.0 °		73.9 °	
K	CHAINSTAY	425.0 mm	16.7 in	421.5 mm	16.6 in	425.0 mm	16.7 in	421.5 mm	16.6 in	425.0 mm	16.7 in	421.5 mm	16.6 in
L	REACH	385.0 mm	15.2 in	393.0 mm	15.5 in	415.0 mm	16.3 in	422.8 mm	16.6 in	445.0 mm	17.5 in	452.6 mm	17.8 in
M	STACK	616.7 mm	24.3 in	611.7 mm	24.1 in	616.7 mm	24.3 in	611.4 mm	24.1 in	616.7 mm	24.3 in	611.2 mm	24.1 in
N	STEM LENGTH	50.0 mm	2.0 in	50.0 mm	2.0 in	50.0 mm	2.0 in	50.0 mm	2.0 in	50.0 mm	2.0 in	50.0 mm	2.0 in

TECHNICAL DATA GAMBLER

Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/ dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)	Rear Shock (e2e)	Hardware Rear Shock in mm	Bearings (frame)
Gambler 710	SM-BB71-41C FOR MTB "W/O THREAD" R&L BEARING W/ INNER COVER FOR HANGER WIDTH 83MM	NILL	165mm	GAMBLER STRAIGHT VERSION 28.7-49.65-30 H=14.9 ANO.GREY W/ANO.BLK CON SPACER	45-50mm	800mm	31.6X350mm	34.9mm	WHEELSET FR2020, FR570 - 27.5	WHEELSET FR2020, FR570 - 27.5	WHEELSET FR2020, FR570 - 27.5	241	59.94x8/ 22.2x8	M8X1.25X70 M8X1.25X37
Gambler 720	BB PRESSFIT GXP MTB 104.5	NILL	165mm	GAMBLER STRAIGHT VERSION 28.7-49.65-30 H=14.9 ANO.GREY W/ANO.BLK CON SPACER	45-50mm	800mm	31.6X350mm	34.9mm	271/272	271/272	MD30 27.5"X32H	241	59.94x8/ 22.2x8	M8X1.25X70 M8X1.25X37
Gambler 730	BB-07-HW-TM-56CL/83 83-148 WO/M12 BOLT	NILL	165mm	GAMBLER STRAIGHT VERSION 28.7-49.65-30 H=14.9 ANO.GREY W/ANO.BLK CON SPACER	45-50mm	800mm	31.6X350mm	34.9mm	271/272	271/272	MD30 27.5"X32H	241	59.94x8/ 22.2x8	M8X1.25X70 M8X1.25X37

While the MY18 SCOTT Gambler uses the same platform as MY17, there is a slight difference in the suspension linkage/shock and frame. For all other information please refer to the previous year's tech book.



While the linkages and the frame look the same, the shape is slightly different to allow a more progressive feel to the bike, the main noticeable difference is the mounting of the shock is reversed.

This linkage or shock is not compatible with previous Gambler frames, previous frames should not be modified with the new shock/linkage or vice versa.




MY17 Shock position



MY18 Shock position

The shock is also different for previous models this now runs with the below specifications.

Depending on the size of the bike the spring fitted will be: S: 400 / M: 450 / L: 500



SPARE PARTS GAMBLER

ITEM	DESCRIPTION
230237	Axle 12mm 150mm Rear Gambler '13
229735	Dropout set Gambler'13/Voltage FR'15
239175	Dropout hanger DM Gambler`13/Volt FR '15
228442	Headset Syncros Pressfit DH adjustable
234768	SYN Stem DH1.5, 35.0mm
250549	SYN Handlebar DH1.5 25Rise, 35mm
241899	SYN Grips Pro DH, Dual Lock
239532	Fork bumper Gambler '15
228208	Downtube Protector Gambler 2013

ITEM	DESCRIPTION
238547	CS/SS Protector Sticky R.Gambler 700>15
240953	Geometrie chip Gambler 2015
229717	Shock Mount Bolt Gambler 2013
266582	SCO Linkage main link Gambler 18
266777	SCO Linkage floating link Gambler 18
266580	SCO Rear shock Gambler Fox X2 18
266581	SCO Rear shock Gambler Fox van RC 18
229733	Seatclamp Gambler 34.9 2013
216310	Hub rep set Formula DH 91/92 front

ITEM	DESCRIPTION
217236	Hub rep set Formula DHL-150 rear
266609	SCO Rim SY/Alex MD30 32H 18
229705	Bearing Set Gambler 2013
230989	Tool-Swingarm Gambler > 13
266351	SCO Front triangle Gambler 710 18
266352	SCO Front triangle Gambler 720 18
266353	SCO Front triangle Gambler 730 18
266444	SCO Swingarm Gambler 710 18
266445	SCO Swingarm Gambler 720 18
266455	SCO Swingarm Gambler 730 18

SCOTT **VOLTAGE FR 700**



VOLTAGE FR 710

TECHNICAL DATA VOLTAGE FR

Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)	Rear Shock (e2e)	Hardware Rear Shock in mm	Bearings (frame)
Voltage FR 710	BB-08-HW-XR-51CL 73-138	NILL	165mm	1SI318T043009 VOLTAGE 28.7-39.8-27.8 H=27.8	45mm	780mm	31.6X350mm	34.9mm	271/272	271/272	MD30 27.5"X32H	241	22.2X8/ 22.2X8	M8X1.25X32; M8X1.25X80
Voltage FR 720	BB-08-HW-XR-51CL 73-138	NILL	165mm	FSA 1-1(I/E) TAPERED 28.6-49.65-39.78 H=18.8	45mm	780mm	31.6X350mm	34.9mm	271/272	271/272	MD30 27.5"X32H	241	22.2X8/ 22.2X8	M8X1.25X32; M8X1.25X80

SPARE PARTS VOLTAGE FR

ITEM	DESCRIPTION
239174	Axle 12mm 135mm rear Voltage `15 black
206375	Dropout+Screw all MTB since'97 5-PAK
215998	Dropout IDS Single Speed
229735	Dropout set Gambler'13/Voltage FR'15
239176	Dropout set nutted Axle (STD135x10) Volt
239177	Dropout set Thru Axle Voltage FR 2015
223083	Fork Suntour XCM V3 Disc 100mm
239532	Fork bumper Gambler '15
200718	Headset Ritchey sem.int.11/8
238939	Headset FSA 1.5ext. lower cup f. tapered
244910	Headset Kit Voltage FR10 only
265586	SYN Headset Pressfit Genius MY18
216343	Stem Voltage 2010 10°

ITEM	DESCRIPTION
241899	SYN Grips Pro DH, Dual Lock
241872	SCO CS/SS Protector Sticky R.VoltageFR70
239168	Shock mount set Voltage FR 2015 black
229733	Seatclamp 34.9mm SR Gambler
212741	Seatpost Voltage Pivotal zero offset
223282	Saddle Voltage Pivotal Atmosfair direct
237438	Bb set Voltage mid BB-18H 19mm axle
237436	Crankset Voltage 0.1-2 / BMX 73/170 25T
239167	Linkage bar set Voltage FR MY 2015 black
239173	Swingarm repair kit Voltage FR 2015
216341	Tool set swingarm Voltage FR 2010
216309	Hub rep set Formula DC 42N

ITEM	DESCRIPTION
242120	Hub rep set Formula DC-25RQR
264579	SCO Hub-rep kit Formula CL-51 front
216310	Hub rep set Formula DH 91/92 front
219518	Hub rep set Formula DC 22N nuted
264047	SCO Hub-rep kit Formula DCL-360 rear
239310	Rim Syncros MD25 Disc 26 32H
266609	SCO Rim SY/Alex MD30 32H 18
266400	SCO Frame Voltage YZ0.1 Wty
266643	SCO Frame Voltage YZ 10 18 Wty
266354	SCO Front triangle Voltage FR 710 18
266355	SCO Front triangle Voltage FR 720 18
266446	SCO Chainstays Voltage FR 710 18
266447	SCO Chainstays Voltage FR 720 18
266472	SCO Seatstays Voltage FR 710 18
266473	SCO Seatstays Voltage FR 720 18

SCOTT **VOLTAGE**



VOLTAGE YZ 0.1

TECHNICAL DATA VOLTAGE

Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/ dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)	Rear Shock (e2e)	Hardware Rear Shock in mm	Bearings (frame)
Voltage YZ 0.1	BB-A14/ 92x155	NONE	170	28.6	45	780	31.6/350	34.9	257/259	258/259	F: 32H F/V/ R:32H F/V			
Voltage YZ 10	ABBUN100C23X / 122.5mm (LL123)/ 73mm	AFDTY700TSL6/ 34.9mm	170mm(XS/S) / 175mm(M/L)	1-1/8 X49.8X44mm	45mm (XS/S/M) / 60mm (L)	680mm	31.6x300mm	34.9 mm	261/263	261/263	SD-20 (X-20) , 32H			
Voltage YZ 20	ABBUN100C23X / 122.5mm (LL123)/ 73mm	AFDTY500TSL6/ 34.9mm	170mm(XS/S) / 175mm(M/L)	1-1/8 X49.8X44mm	45mm (XS/S/M) / 60mm (L)	680mm	31.6x300mm	34.9 mm	260/262	260/262	SD-20 (X-20) , 32H			

SPARE PARTS VOLTAGE

ITEM	DESCRIPTION
239174	Axle 12mm 135mm rear Voltage `15 black
206375	Dropout+Screw all MTB since'97 5-PAK
215998	Dropout IDS Single Speed
229735	Dropout set Gambler'13/Voltage FR'15
239176	Dropout set nutted Axle (STD135x10) Volt
239177	Dropout set Thru Axle Voltage FR 2015
223083	Fork Suntour XCM V3 Disc 100mm
239532	Fork bumper Gambler '15
200718	Headset Ritchey sem.int.11/8
238939	Headset FSA 1.5ext. lower cup f. tapered
244910	Headset Kit Voltage FR10 only
265586	SYN Headset Pressfit Genius MY18
216343	Stem Voltage 2010 10°

ITEM	DESCRIPTION
241899	SYN Grips Pro DH, Dual Lock
241872	SCO CS/SS Protector Sticky R.VoltageFR70
239168	Shock mount set Voltage FR 2015 black
229733	Seatclamp 34.9mm SR Gambler
212741	Seatpost Voltage Pivotal zero offset
223282	Saddle Voltage Pivotal Atmosfair direct
237438	Bb set Voltage mid BB-18H 19mm axle
237436	Crankset Voltage 0.1-2 / BMX 73/170 25T
239167	Linkage bar set Voltage FR MY 2015 black
239173	Swingarm repair kit Voltage FR 2015
216341	Tool set swingarm Voltage FR 2010
216309	Hub rep set Formula DC 42N

ITEM	DESCRIPTION
242120	Hub rep set Formula DC-25RQR
264579	SCO Hub-rep kit Formula CL-51 front
216310	Hub rep set Formula DH 91/92 front
219518	Hub rep set Formula DC 22N nuted
264047	SCO Hub-rep kit Formula DCL-360 rear
239310	Rim Syncros MD25 Disc 26 32H
266609	SCO Rim SY/Alex MD30 32H 18
266400	SCO Frame Voltage YZ0.1 Wty
266643	SCO Frame Voltage YZ 10 18 Wty
266354	SCO Front triangle Voltage FR 710 18
266355	SCO Front triangle Voltage FR 720 18
266446	SCO Chainstays Voltage FR 710 18
266447	SCO Chainstays Voltage FR 720 18
266472	SCO Seatstays Voltage FR 710 18
266473	SCO Seatstays Voltage FR 720 18

SCOTT **ASPECT 900/700/600**



ASPECT 900

TECHNICAL DATA ASPECT

Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/ dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)	Rear Shock (e2e)	Hardware Rear Shock in mm	Bearings (frame)
Aspect 900	SM-BB52/ 68MM	KFDM6025HM6/ 34.9mm (W/ 31.8MM ADAPTER)	170mm (S) / 175mm (M/L/XL/XXL)	1-1/8"-1.5"X50 X 44mm/ 61X54.95mm	70mm (S)/ 80mm (M)/ 90mm (L)/ 100mm (XL/XXL)	720	27.2x350mm	31.8 mm	292/ 294	292/ 294	SD-20 (X-20), 32H			
Aspect 910	SM-BB52/ 68MM	KFDM610M6/ 31.8mm	170mm (S) / 175mm (M/L/XL/XXL)	1-1/8 X49.8X44MM	70mm (S)/ 80mm (M)/ 90mm (L)/ 100mm (XL/XXL)	720	27.2x350mm	31.8 mm	292/ 294	292/ 294	SD-20 (X-20), 32H			
Aspect 920	SM-BB52/ 68MM	KFDM610M6/ 31.8mm	170mm (S) / 175mm (M/L/XL/XXL)	1-1/8 X49.8X44MM	70mm (S)/ 80mm (M)/ 90mm (L)/ 100mm (XL/XXL)	720	27.2x350mm	31.8 mm	292/ 294	292/ 294	SD-20 (X-20), 32H			
Aspect 930	ABBUN26B13X / LL113 / 68MM	AFDM3000TSM6/ 31.8mm	170mm (S) / 175mm (M/L/XL/XXL)	1-1/8 X49.8X44MM	70mm (S)/ 80mm (M)/ 90mm (L)/ 100mm (XL/XXL)	720	27.2x350mm	31.8 mm	292/ 294	292/ 294	SD-20 (X-20), 32H			
Aspect 940	ABBUN26B23X / 122.5MM (LL123)/ 68MM	AFDM3000TSM6/ 31.8mm	170mm (S) / 175mm (M/L/XL/XXL)	1-1/8 X49.8X44MM	70mm (S)/ 80mm (M)/ 90mm (L)/ 100mm (XL/XXL)	720	27.2x350mm	31.8 mm	292/ 294	292/ 294	SD-20 (X-20), 32H			
Aspect 950	ABBUN100B22B / 122.5MM (D-NL) / 68MM	AFDTY700TSM6/ 31.8mm	170mm (S) / 175mm (M/L/XL/XXL)	1-1/8 X49.8X44MM	70mm (S)/ 80mm (M)/ 90mm (L)/ 100mm (XL/XXL)	720	27.2x350mm	31.8 mm	292/ 294	292/ 294	SD-20 (X-20), 32H			
Aspect 960	ABBUN100B22B / 122.5MM (D-NL) / 68MM	AFDTY500TSM6/ 31.8mm	170mm (S) / 175mm (M/L/XL/XXL)	1-1/8 X49.8X44MM	75mm (S/M), 90mm (L/XL), 105mm (XXL)	720	27.2x350mm	31.8 mm	290/ 292	290/ 292	SD-20 (X-20), 32H			
Aspect 970	ABBUN100B22B / 122.5MM (D-NL) / 68MM	AFDTY500TSM6/ 31.8mm	170mm (S) / 175mm (M/L/XL/XXL)	1-1/8 X49.8X44MM	75mm (S/M), 90mm (L/XL), 105mm (XXL)	720	27.2x350mm	31.8 mm	290/ 292	290/ 292	SD-20 (X-20), 32H			
Aspect 980	ABBUN100B22B / 122.5MM (D-NL) / 68MM	AFDTY500TSM6/ 31.8mm	170mm (S) / 175mm (M/L/XL/XXL)	1-1/8 X49.8X44MM	75mm (S/M), 90mm (L/XL), 105mm (XXL)	720	27.2x350mm	31.8 mm	297	293/ 295	MT-25, 32H			
Aspect 710	SM-BB52/ 68MM	KFDM610M6/ 31.8mm	170mm (XS/S) / 175mm (M/L/XL)	1-1/8 X49.8X44MM	60mm (XS)/ 70mm (S)/ 80mm (M)/ 90mm (L)/ 100mm (XL)	720	27.2x350mm	31.8 mm	272/ 274	272/ 274	SD-20 (X-20), 32H			
Aspect 720	SM-BB52/ 68MM	KFDM610M6/ 31.8mm	170mm (XS/S) / 175mm (M/L/XL)	1-1/8 X49.8X44MM	60mm (XS)/ 70mm (S)/ 80mm (M)/ 90mm (L)/ 100mm (XL)	720	27.2x350mm	31.8 mm	272/ 274	272/ 274	SD-20 (X-20), 32H			
Aspect 730	ABBUN26B13X / LL113 / 68MM	AFDM3000TSM6/ 31.8mm	170mm (XS/S) / 175mm (M/L/XL)	1-1/8 X49.8X44MM	60mm (XS)/ 70mm (S)/ 80mm (M)/ 90mm (L)/ 100mm (XL)	720	27.2x350mm	31.8 mm	272/ 274	272/ 274	SD-20 (X-20), 32H			
Aspect 740	ABBUN26B23X / 122.5MM (LL123)/ 68MM	AFDM3000TSM6/ 31.8mm	170mm (XS/S) / 175mm (M/L/XL)	1-1/8 X49.8X44MM	60mm (XS)/ 70mm (S)/ 80mm (M)/ 90mm (L)/ 100mm (XL)	720	27.2x350mm	31.8 mm	272/ 274	272/ 274	SD-20 (X-20), 32H			
Aspect 750	ABBUN100B22B / 122.5MM (D-NL) / 68MM	AFDTY700TSM6/ 31.8mm	170mm (XS/S) / 175mm (M/L/XL)	1-1/8 X49.8X44MM	60mm (XS)/ 70mm (S)/ 80mm (M)/ 90mm (L)/ 100mm (XL)	720	27.2x350mm	31.8 mm	272/ 274	272/ 274	SD-20 (X-20), 32H			
Aspect 760	ABBUN100B22B / 122.5MM (D-NL) / 68MM	AFDTY500TSM6/ 31.8mm	170mm (XS/S) / 175mm (M/L/XL)	1-1/8 X49.8X44MM	75mm (XS/S/M)/90mm (L/XL)	720	27.2x350mm	31.8 mm	270/ 272	270/ 272	SD-20 (X-20), 32H			
Aspect 770	ABBUN100B22B / 122.5MM (D-NL) / 68MM	AFDTY500TSM6/ 31.8mm	170mm (XS/S) / 175mm (M/L/XL)	1-1/8 X49.8X44MM	75mm (XS/S/M)/90mm (L/XL)	720	27.2x350mm	31.8 mm	270/ 272	270/ 272	SD-20 (X-20), 32H			
Aspect 780	ABBUN100B22B / 122.5MM (D-NL) / 68MM	AFDTY500TSM6/ 31.8mm	170mm (XS/S) / 175mm (M/L/XL)	1-1/8 X49.8X44MM	75mm (XS/S/M)/90mm (L/XL)	720	27.2x350mm	31.8 mm	278	274/ 276	MT-25, 32H			

TECHNICAL DATA ASPECT

Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/ dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)	Rear Shock (e2e)	Hardware Rear Shock in mm	Bearings (frame)
Aspect 670	ABBUN100B22B / 122.5MM (D-NL) / 68MM	AFDTY500TSL6/ 34.9mm	170mm (XS/S) / 175mm (M/L/XL)	1-1/8 X49.8X44MM	75mm (XS/S/M)/90mm (L/XL)	660	31.6x350mm	34.9mm	260/ 262	260/ 262	MT-25, 32H			
Aspect 680	ABBUN100B22B / 122.5MM (D-NL) / 68MM	AFDTY500TSL6/ 34.9mm	170mm (XS/S) / 175mm (M/L/XL)	1-1/8 X49.8X44MM	75mm (XS/S/M)/90mm (L/XL)	660	31.6x350mm	34.9mm	267	263/ 265	MT-25, 32H			

SPARE PARTS ASPECT

ITEM	DESCRIPTION
206375	Dropout+Screw all MTB since'97 5-PAK
242436	SCO BB cableguide integ Aspect 900
235455	Fork Suntour XCR RL R 100mm Disc
200718	Headset Ritchey sem.int.11/8
228441	SYN Headset Pressfit 1-1/8- 1-1/2
250575	SYN Grips Pro
250576	SYN Grips Comfort, Lock-On
239172	Rideloc lever integ clamp

ITEM	DESCRIPTION
228950	Seatclamp 31.8mm QR Kalloy XC64
229733	Seatclamp 34.9mm SR Gambler
242482	SCO Seatpost Syncros M3.0 27.2
264579	SCO Hub-rep kit Formula CL-51 front
252418	SCO Rim Syncros J19S disc 27.5 32H
252419	SCO Rim Syncros J19S disc 29 32H
262059	SCO Rim Syncros Alex SD20 (X20) 32H
266386	SCO Frame Aspect 710 18 Wty

ITEM	DESCRIPTION
266389	SCO Frame Aspect 780 V/brake 18 Wty
266385	SCO Frame Aspect 900 18 Wty
266387	SCO Frame Aspect 910 18 Wty
266388	SCO Frame Aspect 980 V/brake 18 Wty
265542	SCO Frame Aspect 600Ltd Disc/V-brake

SCOTT **BIG JON**



BIG JON

TECHNICAL DATA BIG JON

Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/ dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)	Rear Shock (e2e)	Hardware Rear Shock in mm	Bearings (frame)
Big Jon	OCK18RXC1902X2E, W/BB BSA 100	KFDM618D6/ DIRECT MOUNT	170mm (S) / 175mm (M/L/XL)	1-1/8"-1.5"X50X44mm/ 61X54.95mm	60mm (S/M), 70mm (L/XL)	740mm	31.6x400mm	34.9 mm	260/261	260/262	SB-80, 32H			

SPARE PARTS BIG JON

ITEM	DESCRIPTION
242573	SCO Axle Big Jon alu thru 150mm / Ø15mm
242545	SCO Axle Big Jon alu thru 197mm / Ø12mm
242546	SCO Dropout hanger 012MM Big Jon
245450	SCO FD mount clamp Big John 16
266521	SCO Fork Big Jon 18
228441	SYN Headset Pressfit 1-1/8- 1-1/2

ITEM	DESCRIPTION
229733	Seatclamp 34.9mm QR Gambler
242472	SCO Crankset RFRXC db 36*22 Big Jon 16
242473	SCO BB set Big Jon Race Face 16
242440	SCO Hub-rep kit Syncros Formula CT150
242441	SCO Hub-rep kit Syncros Formula CT197

ITEM	DESCRIPTION
239309	Rim Syncros FAT 26" 32H black 26"
242456	SCO Rim tape Big Ed 26*4.8/80mm orang
242452	SCO Tire Schwalbe Jumbo Jim EVO 26*4.8
242458	SCO Tube 26 x 4.8 Big Ed
266384	SCO Frame Big Jon 18 Wty

02 ROAD


- FOIL DISC/FOIL
- ADDICT RC/ADDICT/
  CONTESSA ADDICT
- ADDICT GRAVEL/ADDICT CX
- METRIX
- SPEEDSTER/CONTESSA SPEEDSTER
- SPEEDSTER DISC/
  CONTESSA SPEEDSTER DISC
- SPEEDSTER GRAVEL
- PLASMA 4/PLASMA 5

SCOTT **FOIL DISC/FOIL**



FOIL PREMIUM DISC


GEOMETRY/TECHNICAL DATA FOIL



FOIL

FOIL DISC: PREMIUM, 10, 20

		XXS/47		XS/49		S/52		M/54		L/56		XL/58		XXL/61	
A	HEAD TUBE ANGLE	70.5 °		71.0 °		72.0 °		72.5 °		73.0 °		73.3 °		73.3 °	
B	HEAD TUBE LENGTH	110.0 mm	4.3 in	115.0 mm	4.5 in	130.0 mm	5.1 in	150.0 mm	5.9 in	170.0 mm	6.7 in	190.0 mm	7.5 in	210.0 mm	8.3 in
C	TOP TUBE HORIZONTAL	510.0 mm	20.1 in	520.0 mm	20.5 in	535.0 mm	21.1 in	550.0 mm	21.7 in	565.0 mm	22.2 in	580.0 mm	22.8 in	595.0 mm	23.4 in
D	STANDOVER HEIGHT	715.9 mm	28.2 in	729.4 mm	28.7 in	753.6 mm	29.7 in	773.5 mm	30.5 in	798.8 mm	31.4 in	812.9 mm	32.0 in	837.3 mm	33.0 in
E	BB OFFSET	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in
F	BB HEIGHT	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in
G	WHEEL BASE	980.0 mm	38.6 in	986.0 mm	38.8 in	988.0 mm	38.9 in	995.0 mm	39.2 in	1,004.2 mm	39.5 in	1,010.9 mm	39.8 in	1,020.0 mm	40.2 in
H	BB CENTER TO TOPTUBE CENTER	400.0 mm	15.7 in	420.0 mm	16.5 in	450.0 mm	17.7 in	470.0 mm	18.5 in	490.0 mm	19.3 in	510.0 mm	20.1 in	540.0 mm	21.3 in
I	BB CENTER TO TOP OF SEATTUBE	410.0 mm	16.1 in	430.0 mm	16.9 in	460.0 mm	18.1 in	480.0 mm	18.9 in	500.0 mm	19.7 in	520.0 mm	20.5 in	550.0 mm	21.7 in
J	SEAT ANGLE	74.5 °		74.5 °		74.0 °		73.6 °		73.3 °		73.0 °		72.5 °	
K	CHAINSTAY	410.0 mm	16.1 in	410.0 mm	16.1 in	410.0 mm	16.1 in	410.0 mm	16.1 in	410.0 mm	16.1 in	410.0 mm	16.1 in	410.0 mm	16.1 in
L	REACH	370.6 mm	14.6 in	378.8 mm	14.9 in	384.0 mm	15.1 in	388.9 mm	15.3 in	394.5 mm	15.5 in	400.0 mm	15.7 in	403.4 mm	15.9 in
M	STACK	502.6 mm	19.8 in	509.0 mm	20.0 in	526.7 mm	20.7 in	547.5 mm	21.6 in	568.3 mm	22.4 in	588.5 mm	23.2 in	607.7 mm	23.9 in
N	STEM LENGTH	80.0 mm	3.1 in	90.0 mm	3.5 in	100.0 mm	3.9 in	110.0 mm	4.3 in	110.0 mm	4.3 in	120.0 mm	4.7 in	120.0 mm	4.7 in



FOIL

FOIL: RC, 10, 20, 30

		XXS/47		XS/49		S/52		M/54		L/56		XL/58		XXL/61	
A	HEAD TUBE ANGLE	70.5 °		71.0 °		72.0 °		72.5 °		73.0 °		73.3 °		73.3 °	
B	HEAD TUBE LENGTH	110.0 mm	4.3 in	115.0 mm	4.5 in	130.0 mm	5.1 in	150.0 mm	5.9 in	170.0 mm	6.7 in	190.0 mm	7.5 in	210.0 mm	8.3 in
C	TOP TUBE HORIZONTAL	510.0 mm	20.1 in	520.0 mm	20.5 in	535.0 mm	21.1 in	550.0 mm	21.7 in	565.0 mm	22.2 in	580.0 mm	22.8 in	595.0 mm	23.4 in
D	STANDOVER HEIGHT	715.9 mm	28.2 in	729.4 mm	28.7 in	753.6 mm	29.7 in	773.5 mm	30.5 in	798.8 mm	31.4 in	812.9 mm	32.0 in	837.3 mm	33.0 in
E	BB OFFSET	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in
F	BB HEIGHT	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in
G	WHEEL BASE	972.0 mm	38.3 in	978.0 mm	38.5 in	980.0 mm	38.6 in	987.0 mm	38.9 in	994.2 mm	39.1 in	1'002.9 mm	39.5 in	1'012.0 mm	39.8 in
H	BB CENTER TO TOPTUBE CENTER	400.0 mm	15.7 in	420.0 mm	16.5 in	450.0 mm	17.7 in	470.0 mm	18.5 in	490.0 mm	19.3 in	510.0 mm	20.1 in	540.0 mm	21.3 in
I	BB CENTER TO TOP OF SEATTUBE	410.0 mm	16.1 in	430.0 mm	16.9 in	460.0 mm	18.1 in	480.0 mm	18.9 in	500.0 mm	19.7 in	520.0 mm	20.5 in	550.0 mm	21.7 in
J	SEAT ANGLE	74.5 °		74.5 °		74.0 °		73.6 °		73.3 °		73.0 °		72.5 °	
K	CHAINSTAY	405.0 mm	15.9 in	405.0 mm	15.9 in	405.0 mm	15.9 in	405.0 mm	15.9 in	405.0 mm	15.9 in	405.0 mm	15.9 in	405.0 mm	15.9 in
L	REACH	370.6 mm	14.6 in	378.8 mm	14.9 in	384.0 mm	15.1 in	388.9 mm	15.3 in	394.5 mm	15.5 in	400.0 mm	15.7 in	403.4 mm	15.9 in
M	STACK	502.6 mm	19.8 in	509.0 mm	20.0 in	526.7 mm	20.7 in	547.5 mm	21.6 in	568.3 mm	22.4 in	588.5 mm	23.2 in	607.7 mm	23.9 in
N	STEM LENGTH	100.0 mm	3.9 in	100.0 mm	3.9 in	100.0 mm	3.9 in	110.0 mm	4.3 in	110.0 mm	4.3 in	120.0 mm	4.7 in	120.0 mm	4.7 in


TECHNICAL DATA FOIL

Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/ dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)
Foil Premium disc	SM-BB92-41B FOR ROAD "W/O THREAD" R&L BEARING W/ INNER COVER	FD-R9150-F 11S FOR DOUBLE	175mm (58-61) 172.5mm (54-56) 170mm (47-52)	1BAT043040 SYNCROS F02 1 1/4" INC W/ COMPERSION RING and TIB bearing, NO LOGO	120mm (58-61) 110mm (54-56) 100mm (52) 90mm (49) 80mm (47)	440mm (61) 420mm (52-58) 400mm (49) 380mm (47)	27.2x 300mm	W/ SPOST	303 CARBON FRONT CLINCHER TUBELESS DISC BRAKE 700 V1 77D 24 SPOKES QR ?DECAL FOR CENTERLOCK	303 CARBON REAR CARBON CLINCHER TUBELESS DISC BRAKE V1 177D 24 SPOKES 10/11S SRAM CASSETTE QR ?DECAL CENTERLOCK	NIL
Foil RC	SM-BB92-41B FOR ROAD "W/O THREAD" R&L BEARING W/ INNER COVER	FD-R9100-F 11S FOR DOUBLE	175mm (58-61) 172.5mm (54-56) 170mm (47-52)	1BAT043040 SYNCROS F02 1 1/4" INC W/ COMPERSION RING and TIB bearing, NO LOGO	120mm (58-61) 110mm (54-56) 100mm (52) 90mm (49) 80mm (47)	440mm (61) 420mm (52-58) 400mm (49) 380mm (47)	27.2x 300mm	W/ SPOST	30 COURSE CLINCHER 700CX18H W/YELLOW DECAL (18SU-FOIL RC) (00.1918.216.004)	30 COURSE CLINCHER 700CX24H 10/11 SRAM CASSETTE BODY W/ YELLOW DECAL (18SU-FOIL RC) (00.1918.217.005)	NIL
Foil 10 disc	SM-BB71-41B FOR ROAD "W/O THREAD" R&L BEARING W/ INNER COVER	FD-R8050-F 11S FOR DOUBLE Di2	175mm (58-61) 172.5mm (54-56) 170mm (47-52)	1BAT043041 SYNCROS F02 1 1/4" INC W/ COMPERSION RING and ACB bearing, NO LOGO	120mm (58-61) 110mm (54-56) 100mm (52) 90mm (49) 80mm (47)	440mm (61) 420mm (52-58) 400mm (49) 380mm (47)	27.2x 300mm	W/ SPOST	S52C02-00 SYNCROS R.R 2.0 DISC 700CX28H, 12X100MM, C.LOCK, BLK S.B HUB, XRD-827 RIM, W/YS728 BLK+ YS941 GREY+ YS715 RED+ YS706 RED DECAL XL-682/ LG705U (18SU-FOIL 10 D/ FOIL 20 D)	S52C02-00 SYNCROS R.R 2.0 DISC 700CX28H, SMN BODY, 12X142MM, C.LOCK, BLK S.B HUB, XRD-827 RIM, W/YS728 BLK+YS941 GREY+YS715 RED+YS706 RED DECAL XL-682/ LG705U (18SU-FOIL 10 D/FOIL 20 D)	NIL
Foil 10	SM-BB71-41B FOR ROAD "W/O THREAD" R&L BEARING W/ INNER COVER	FD-R8050-F 11S FOR DOUBLE Di2	175mm (58-61) 172.5mm (54-56) 170mm (47-52)	1BAT043041 SYNCROS F02 1 1/4" INC W/ COMPERSION RING and ACB bearing, NO LOGO	120mm (58-61) 110mm (54-56) 100mm (52) 90mm (49) 80mm (47)	440mm (61) 420mm (52-58) 400mm (49) 380mm (47)	27.2x 300mm	W/ SPOST	S60R01-00 SYNCROS R.R 2.0 700CX18H, M5X130MM, BLK S.B HUB, XR-272 RIM, W/YS728 BLK+ YS941 GREY+ YS715 RED+ YS706 RED DECAL XL-681A/ LG705U (18SU-FOIL 10/ FOIL 20)	S60R01-00 SYNCROS R.R 2.0 700CX24H, SMN BODY, M5X100MM, BLK S.B HUB, XR-272 RIM, W/ YS728 BLK+YS941 GREY+YS715 RED+YS706 RED DECAL XL-681A/ LG705U (18SU-FOIL 10/FOIL 20)	NIL
Foil 20 disc	SM-BB71-41B FOR ROAD "W/O THREAD" R&L BEARING W/ INNER COVER	FD-R8000-F 11S BRAZE-ON FOR DOUBLE	175mm (58-61) 172.5mm (54-56) 170mm (47-52)	1BAT043041 SYNCROS F02 1 1/4" INC W/ COMPERSION RING and ACB bearing, NO LOGO	120mm (58-61) 110mm (54-56) 100mm (52) 90mm (49) 80mm (47)	440mm (61) 420mm (52-58) 400mm (49) 380mm (47)	27.2x 300mm	W/ SPOST	S52C02-00 SYNCROS R.R 2.0 DISC 700CX28H, 12X100MM, C.LOCK, BLK S.B HUB, XRD-827 RIM, W/YS728 BLK+ YS941 GREY+ YS715 RED+ YS706 RED DECAL XL-682/ LG705U (18SU-FOIL 10 D/ FOIL 20 D)	S52C02-00 SYNCROS R.R 2.0 DISC 700CX28H, SMN BODY, 12X142MM, C.LOCK, BLK S.B HUB, XRD-827 RIM, W/YS728 BLK+YS941 GREY+YS715 RED+YS706 RED DECAL XL-682/ LG705U (18SU-FOIL 10 D/FOIL 20 D)	NIL
Foil 20	SM-BB71-41B FOR ROAD "W/O THREAD" R&L BEARING W/ INNER COVER	FD-R8000-F 11S BRAZE-ON FOR DOUBLE	175mm (58-61) 172.5mm (54-56) 170mm (47-52)	1BAT043041 SYNCROS F02 1 1/4" INC W/ COMPERSION RING and ACB bearing, NO LOGO	120mm (58-61) 110mm (54-56) 100mm (52) 90mm (49) 80mm (47)	440mm (61) 420mm (52-58) 400mm (49) 380mm (47)	27.2x 300mm	W/ SPOST	S60R01-00 SYNCROS R.R 2.0 700CX18H, M5X130MM, BLK S.B HUB, XR-272 RIM, W/YS728 BLK+ YS941 GREY+ YS715 RED+ YS706 RED DECAL XL-681A/ LG705U (18SU-FOIL 10/ FOIL 20)	S60R01-00 SYNCROS R.R 2.0 700CX24H, SMN BODY, M5X100MM, BLK S.B HUB, XR-272 RIM, W/ YS728 BLK+YS941 GREY+YS715 RED+YS706 RED DECAL XL-681A/ LG705U (18SU-FOIL 10/FOIL 20)	NIL
Foil 30	BB-RS500-PB FOR ROAD "W/O THREAD" R&L BEARING W/ INNER COVER	FD-5801-F BLK 11S BRAZE-ON FOR DOUBLE	175mm (58-61) 172.5mm (54-56) 170mm (47-52)	1BAT043041 SYNCROS F02 1 1/4" INC W/ COMPERSION RING and ACB bearing, NO LOGO	120mm (58-61) 110mm (54-56) 100mm (52) 90mm (49) 80mm (47)	440mm (61) 420mm (52-58) 400mm (49) 380mm (47)	27.2x 300mm	W/ SPOST	S60R01-00 SYNCROS R.R 2.0 700CX18H, M5X130MM, BLK S.B HUB, XR-272 RIM, W/YS728 BLK+ YS941 GREY+ YS7445 YELLOW+ YS701 WHT DECAL XL-681B/ LG705N (18SU-FOIL 30)	S60R01-00 SYNCROS R.R 2.0 700CX24H, SMN BODY, M5X100MM, BLK S.B HUB, XR-272 RIM, W/ YS728 BLK+YS941 GREY+YS7445 YELLOW+YS701 WHT DECAL XL-681B/LG705N (18SU-FOIL 30)	NIL

The Foil will stay the same as MY17 without change.

The Foil Disc MY18 will have almost all the same small parts from the Foil, plus Dropouts, Axles etc from the Addict Disc.

There will be a new cable guide kit for the Foil Disc which will include all the parts from both mechanical and Di2 shifting.



The new downtube cable guide will use the below two sandwich guides designed for a mechanical set up.

These two guides will work ok for Di2 as well. (A Di2 specific lower section only maybe available in the future).

266586 SCO Cableguide set Foil D mec/Di2 18




A new Direct Mount Dropout will/can be used on Foil Disc, Addict RC Disc, Addict Disc and Addict Gravel models + Metrix 10.

264483 SCO Dropout hanger 142x12 DM Addict D 17



⚠ WARNING

If you need to adjust the Di2 cable, please loosen the downtube clamp bolt as shown before adjusting, re-tighten to **max 1NM**



SPARE PARTS FOIL

ITEM	DESCRIPTION
235286	Dropout hang. Add/Sola.14*Foil 16*Pack-2
239530	Dropout hanger Solace Disc '15<
242434	SCO Cableguide set Foil mec/Di2 16
266586	SCO Cableguide set Foil D mec/ Di2 18
242465	SCO Chainsuck protector Foil 16
221654	FD Mount Adapter Plate Foil 2011
266530	SCO Fork Foil Premium Disc Di2 18
266531	SCO Fork Foil RC 18
266532	SCO Fork Foil 10 Disc Di2 18
266533	SCO Fork Foil 10 Di2 18
266534	SCO Fork Foil 20 Disc 18
266535	SCO Fork Foil 20 18
266536	SCO Fork Foil 30 18
241900	SYN Headset Drop-In 1-1/4 - 1-1/2

ITEM	DESCRIPTION
245452	SCO Headset Bearing kit Foil 16
242487	SCO Headset Spacers kit Foil 16
242489	SCO Headset Compression kit 1 1/4
250550	SYN Bar/Stem RR1.0 Carbon Aero 400
250551	SYN Bar/Stem RR1.0 Carbon Aero 420
250552	SYN Bar/Stem RR1.0 Carbon Aero 440
265563	SYN H.bar Creston1.5 Compact
241888	SYN Stem Aero Foil, 31.8mm
250560	SYN Comp. Mount Bar/Stem RR1.0 MY17
265566	SYN Comp. Mount for Stem Foil
242476	SCO Seatclamp Foil 16
266621	SCO Seatpost Foil PR Wty 18


ITEM	DESCRIPTION
238585	SYN Saddle RR1.0 Carbon
238587	SYN Saddle RR2.0
235290	DI2 Int.Bat.holder. 31.6 DIS-23 Foil
262049	SCO Hub rep kit Form RR/RP2.0 F+R
262050	SCO Hub rep kit Form RR/RP2.0 D F+R
266592	SCO Spoke Sy/Form rep kit RR2.0 Disc 18
266593	SCO Spoke Sy/Form rep kit RR2.0 R 18
266594	SCO Spoke Sy/Form rep kit RR2.0 F 18
266814	SCO Rim SY/Form RR2.0 D 28H 18
266815	SCO Rim SY/Form RR2.0 18H 18
266816	SCO Rim SY/Form RR2.0 24H 18
266512	SCO Frameset Foil 10 18 Wty

SCOTT **ADDICT RC/ADDICT/ CONTESSA ADDICT**



ADDICT RC ULTIMATE DISC


GEOMETRY/TECHNICAL DATA ADDICT




ADDICT RC DISC

ADDICT RC DISC: ULTIMATE, PREMIUM, 15, 20

		XXS/47		XS/49		S/52		M/54		L/56		XL/58		XXL/61	
A	HEAD TUBE ANGLE	70.5 °		71.0 °		72.0 °		72.5 °		73.0 °		73.3 °		73.3 °	
B	HEAD TUBE LENGTH	100.0 mm	3.9 in	105.0 mm	4.1 in	120.0 mm	4.7 in	140.0 mm	5.5 in	160.0 mm	6.3 in	180.0 mm	7.1 in	200.0 mm	7.9 in
C	TOP TUBE HORIZONTAL	510.0 mm	20.1 in	520.0 mm	20.5 in	535.0 mm	21.1 in	550.0 mm	21.7 in	565.0 mm	22.2 in	580.0 mm	22.8 in	595.0 mm	23.4 in
D	STANDOVER HEIGHT	721.8 mm	28.4 in	734.7 mm	28.9 in	757.4 mm	29.8 in	777.0 mm	30.6 in	796.6 mm	31.4 in	815.9 mm	32.1 in	839.1 mm	33.0 in
E	BB OFFSET	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in
F	BB HEIGHT	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in
G	WHEEL BASE	977.1 mm	38.5 in	983.1 mm	38.7 in	985.1 mm	38.8 in	992.0 mm	39.1 in	999.3 mm	39.3 in	1,008.0 mm	39.7 in	1,017.1 mm	40.0 in
H	BB CENTER TO TOPTUBE CENTER	410.0 mm	16.1 in	430.0 mm	16.9 in	460.0 mm	18.1 in	480.0 mm	18.9 in	500.0 mm	19.7 in	520.0 mm	20.5 in	550.0 mm	21.7 in
I	BB CENTER TO TOP OF SEATTUBE	455.0 mm	17.9 in	475.0 mm	18.7 in	505.0 mm	19.9 in	525.0 mm	20.7 in	545.0 mm	21.5 in	565.0 mm	22.2 in	596.0 mm	23.5 in
J	SEAT ANGLE	74.5 °		74.5 °		74.0 °		73.6 °		73.3 °		73.0 °		72.5 °	
K	CHAINSTAY	410.0 mm	16.1 in	410.0 mm	16.1 in	410.0 mm	16.1 in	410.0 mm	16.1 in	410.0 mm	16.1 in	410.0 mm	16.1 in	410.0 mm	16.1 in
L	REACH	370.6 mm	14.6 in	378.8 mm	14.9 in	384.0 mm	15.1 in	388.9 mm	15.3 in	394.5 mm	15.5 in	400.1 mm	15.8 in	403.4 mm	15.9 in
M	STACK	502.6 mm	19.8 in	509.0 mm	20.0 in	526.7 mm	20.7 in	547.5 mm	21.6 in	568.3 mm	22.4 in	588.5 mm	23.2 in	607.7 mm	23.9 in
N	STEM LENGTH	80.0 mm	3.1 in	90.0 mm	3.5 in	100.0 mm	3.9 in	110.0 mm	4.3 in	110.0 mm	4.3 in	120.0 mm	4.7 in	120.0 mm	4.7 in
O	TRAIL	72.3 mm	2.8 in	69.1 mm	2.7 in	62.8 mm	2.5 in	59.7 mm	2.4 in	56.6 mm	2.2 in	54.7 mm	2.2 in	54.7 mm	2.2 in



ADDICT RC



ADDICT & ADDICT DISC

ADDICT RC: PRO, 10, 20

		XXS/47		XS/49		S/52		M/54		L/56		XL/58		XXL/61	
A	HEAD TUBE ANGLE	70.5 °		71.0 °		72.0 °		72.5 °		73.0 °		73.3 °		73.3 °	
B	HEAD TUBE LENGTH	100.0 mm	3.9 in	105.0 mm	4.1 in	120.0 mm	4.7 in	140.0 mm	5.5 in	160.0 mm	6.3 in	180.0 mm	7.1 in	200.0 mm	7.9 in
C	TOP TUBE HORIZONTAL	510.0 mm	20.1 in	520.0 mm	20.5 in	535.0 mm	21.1 in	550.0 mm	21.7 in	565.0 mm	22.2 in	580.0 mm	22.8 in	595.0 mm	23.4 in
D	STANDOVER HEIGHT	721.8 mm	28.4 in	734.7 mm	28.9 in	757.4 mm	29.8 in	777.0 mm	30.6 in	796.6 mm	31.4 in	815.9 mm	32.1 in	839.1 mm	33.0 in
E	BB OFFSET	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in
F	BB HEIGHT	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in
G	WHEEL BASE	972.0 mm	38.3 in	978.0 mm	38.5 in	980.1 mm	38.6 in	987.0 mm	38.9 in	994.2 mm	39.1 in	1'002.9 mm	39.5 in	1'012.0 mm	39.8 in
H	BB CENTER TO TOPTUBE CENTER	410.0 mm	16.1 in	430.0 mm	16.9 in	460.0 mm	18.1 in	480.0 mm	18.9 in	500.0 mm	19.7 in	520.0 mm	20.5 in	550.0 mm	21.7 in
I	BB CENTER TO TOP OF SEATTUBE	455.0 mm	17.9 in	475.0 mm	18.7 in	505.0 mm	19.9 in	525.0 mm	20.7 in	545.0 mm	21.5 in	565.0 mm	22.2 in	596.0 mm	23.5 in
J	SEAT ANGLE	74.5 °		74.5 °		74.0 °		73.6 °		73.3 °		73.0 °		72.5 °	
K	CHAINSTAY	405.0 mm	15.9 in	405.0 mm	15.9 in	405.0 mm	15.9 in	405.0 mm	15.9 in	405.0 mm	15.9 in	405.0 mm	15.9 in	405.0 mm	15.9 in
L	REACH	370.6 mm	14.6 in	378.8 mm	14.9 in	384.0 mm	15.1 in	388.9 mm	15.3 in	394.5 mm	15.5 in	400.1 mm	15.8 in	403.4 mm	15.9 in
M	STACK	502.6 mm	19.8 in	509.0 mm	20.0 in	526.7 mm	20.7 in	547.5 mm	21.6 in	568.3 mm	22.4 in	588.5 mm	23.2 in	607.7 mm	23.9 in
N	STEM LENGTH	80.0 mm	3.1 in	90.0 mm	3.5 in	100.0 mm	3.9 in	110.0 mm	4.3 in	110.0 mm	4.3 in	120.0 mm	4.7 in	120.0 mm	4.7 in

ADDICT DISC: 10, 20, 30

		XXS/47		XS/49		S/52		M/54		L/56		XL/58		XXL/61	
A	HEAD TUBE ANGLE	70.5 °		71.0 °		72.0 °		72.5 °		73.0 °		73.3 °		73.3 °	
B	HEAD TUBE LENGTH	115.0 mm	4.5 in	125.0 mm	4.9 in	145.0 mm	5.7 in	165.0 mm	6.5 in	185.0 mm	7.3 in	205.0 mm	8.1 in	225.0 mm	8.9 in
C	TOP TUBE HORIZONTAL	505.0 mm	19.9 in	515.0 mm	20.3 in	530.0 mm	20.9 in	545.0 mm	21.5 in	560.0 mm	22.0 in	575.0 mm	22.6 in	590.0 mm	23.2 in
D	STANDOVER HEIGHT	725.3 mm	28.6 in	741.1 mm	29.2 in	767.5 mm	30.2 in	787.5 mm	31.0 in	807.5 mm	31.8 in	827.1 mm	32.6 in	851.4 mm	33.5 in
E	BB OFFSET	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in
F	BB HEIGHT	280.2 mm	11.0 in	280.2 mm	11.0 in	280.2 mm	11.0 in	280.2 mm	11.0 in	280.2 mm	11.0 in	280.2 mm	11.0 in	280.2 mm	11.0 in
G	WHEEL BASE	973.1 mm	38.3 in	979.4 mm	38.6 in	981.2 mm	38.6 in	986.8 mm	38.9 in	991.6 mm	39.0 in	999.0 mm	39.3 in	1'012.7 mm	39.9 in
H	BB CENTER TO TOPTUBE CENTER	410.0 mm	16.1 in	430.0 mm	16.9 in	460.0 mm	18.1 in	480.0 mm	18.9 in	500.0 mm	19.7 in	520.0 mm	20.5 in	550.0 mm	21.7 in
I	BB CENTER TO TOP OF SEATTUBE	470.0 mm	18.5 in	490.0 mm	19.3 in	520.0 mm	20.5 in	540.0 mm	21.3 in	560.0 mm	22.0 in	580.0 mm	22.8 in	610.0 mm	24.0 in
J	SEAT ANGLE	75.0 °		75.0 °		74.5 °		74.0 °		73.5 °		73.1 °		73.0 °	
K	CHAINSTAY	415.0 mm	16.3 in	415.0 mm	16.3 in	415.0 mm	16.3 in	415.0 mm	16.3 in	415.0 mm	16.3 in	415.0 mm	16.3 in	415.0 mm	16.3 in
L	REACH	366.6 mm	14.4 in	373.5 mm	14.7 in	377.3 mm	14.9 in	381.2 mm	15.0 in	384.6 mm	15.1 in	389.0 mm	15.3 in	397.0 mm	15.6 in
M	STACK	516.7 mm	20.3 in	527.9 mm	20.8 in	550.5 mm	21.7 in	571.3 mm	22.5 in	592.3 mm	23.3 in	612.5 mm	24.1 in	613.6 mm	24.2 in
N	STEM LENGTH														

ADDICT: 10, 20, 30

		XXS/47		XS/49		S/52		M/54		L/56		XL/58		XXL/61	
A	HEAD TUBE ANGLE	70.5 °		71.0 °		72.0 °		72.5 °		73.0 °		73.3 °		73.3 °	
B	HEAD TUBE LENGTH	115.0 mm	4.5 in	125.0 mm	4.9 in	145.0 mm	5.7 in	165.0 mm	6.5 in	185.0 mm	7.3 in	205.0 mm	8.1 in	225.0 mm	8.9 in
C	TOP TUBE HORIZONTAL	505.0 mm	19.9 in	515.0 mm	20.3 in	530.0 mm	20.9 in	545.0 mm	21.5 in	560.0 mm	22.0 in	575.0 mm	22.6 in	590.0 mm	23.2 in
D	STANDOVER HEIGHT	725.3 mm	28.6 in	741.1 mm	29.2 in	767.5 mm	30.2 in	787.5 mm	31.0 in	807.5 mm	31.8 in	827.1 mm	32.6 in	851.4 mm	33.5 in
E	BB OFFSET	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in
F	BB HEIGHT	280.2 mm	11.0 in	280.2 mm	11.0 in	280.2 mm	11.0 in	280.2 mm	11.0 in	280.2 mm	11.0 in	280.2 mm	11.0 in	280.2 mm	11.0 in
G	WHEEL BASE	973.1 mm	38.3 in	979.4 mm	38.6 in	981.2 mm	38.6 in	986.8 mm	38.9 in	991.6 mm	39.0 in	999.0 mm	39.3 in	1'012.7 mm	39.9 in
H	BB CENTER TO TOPTUBE CENTER	410.0 mm	16.1 in	430.0 mm	16.9 in	460.0 mm	18.1 in	480.0 mm	18.9 in	500.0 mm	19.7 in	520.0 mm	20.5 in	550.0 mm	21.7 in
I	BB CENTER TO TOP OF SEATTUBE	470.0 mm	18.5 in	490.0 mm	19.3 in	520.0 mm	20.5 in	540.0 mm	21.3 in	560.0 mm	22.0 in	580.0 mm	22.8 in	610.0 mm	24.0 in
J	SEAT ANGLE	75.0 °		75.0 °		74.5 °		74.0 °		73.5 °		73.1 °		73.0 °	
K	CHAINSTAY	410.0 mm	16.1 in	410.0 mm	16.1 in	410.0 mm	16.1 in	410.0 mm	16.1 in	410.0 mm	16.1 in	410.0 mm	16.1 in	410.0 mm	16.1 in
L	REACH	366.6 mm	14.4 in	373.5 mm	14.7 in	377.3 mm	14.9 in	381.2 mm	15.0 in	384.6 mm	15.1 in	389.0 mm	15.3 in	397.0 mm	15.6 in
M	STACK	516.7 mm	20.3 in	527.9 mm	20.8 in	550.5 mm	21.7 in	571.3 mm	22.5 in	592.3 mm	23.3 in	612.5 mm	24.1 in	613.6 mm	24.2 in
N	STEM LENGTH														

TECHNICAL DATA ADDICT

Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/ dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)
Addict RC Ultimate disc	PRESSFIT GXP BB FOR ROAD (FOR 86.5/91.5MM) (00.6418.007.000)	RED ETAP 2x11S YAW BRAZE-ON II, BLK (00.7618.155.030)	175mm (58-61); 172.5mm (54-56); 170mm (47-52)	1FI418T043002 SYNCROS 1-1/8"-1-1/4", 45 /45 ° SEAL CARTIDGE & TIB BEARING, W/O AL HEADSETCUP, IS41/28.6 - IS46, W/O LOGO	120mm (58-61); 110mm (54-56); 100mm (52); 90mm (47-49)	440mm (61); 420mm (52-58); 400mm (49); 380mm (47)	27.2X 350MM	ID:30.2mm/ 28.2mm	PRC 1100 Dicut db 35mm carbon wheelset, 240 lite hubs , ??? RIM , Black Spokes/RIM & F/R Thru Axel RWS BLACK DECAL(ADDICT RC ULT DISC)	PRC 1100 Dicut db 35mm carbon wheelset, 240 lite hubs , ??? RIM , Black Spokes/RIM & F/R Thru Axel RWS BLACK DECAL(ADDICT RC ULT DISC)	NIL
Addict RC Premium disc	SM-BB92-41B FOR ROAD "W/O THREAD" R&L BEARING W/ INNER COVER	FD-R9150-F 11S FOR DOUBLE	175mm (58-61); 172.5mm (54-56); 170mm (47-52)	1FI418T043002 SYNCROS 1-1/8"-1-1/4", 45 /45 ° SEAL CARTIDGE & TIB BEARING, W/O AL HEADSETCUP, IS41/28.6 - IS46, W/O LOGO	120mm (58-61); 110mm (54-56); 100mm (52); 90mm (49); 80mm (47)	440mm (61); 420mm (52-58); 400mm (49); 380mm (47)	27.2X 350MM	ID:30.2mm/ 28.2mm	PRC 1400 db 35mm carbon wheelset , 240 hubs , ??? RIM , Black Spokes/RIM & F/R Thru Axel RWS Black Decal(ADDICT RC PRE DISC)	PRC 1400 db 35mm carbon wheelset , 240 hubs , ??? RIM , Black Spokes/RIM & F/R Thru Axel RWS Black Decal(ADDICT RC PRE DISC)	NIL
Addict RC Pro	SM-BB92-41B FOR ROAD "W/O THREAD" R&L BEARING W/ INNER COVER	FD-R9150-F 11S FOR DOUBLE	175mm (58-61); 172.5mm (54-56); 170mm (47-52)	1FI418T043002 SYNCROS 1-1/8"-1-1/4", 45 /45 ° SEAL CARTIDGE & TIB BEARING, W/O AL HEADSETCUP, IS41/28.6 - IS46, W/O LOGO	120mm (58-61); 110mm (54-56); 100mm (52); 90mm (49); 80mm (47)	440mm (61); 420mm (52-58); 400mm (49); 380mm (47)	27.2X 350MM	ID:30.2mm/ 28.2mm	WH-R9100-C24-CL 11S F:21MM &R:24MM 163QR WO/BAG W/RIM TAPE	WH-R9100-C24-CL 11S F:21MM &R:24MM 163QR WO/BAG W/RIM TAPE	NIL
Addict RC 10 (TW)	SM-BB92-41B FOR ROAD "W/O THREAD" R&L BEARING W/ INNER COVER	FD-R9100-F 11S FOR DOUBLE	175mm (58-61); 172.5mm (54-56); 170mm (47-52)	1FI318T043002, SYNCROS 1-1/8"-1-1/4", 45 /45 ° SEAL CARTRIDGE & ACB BEARING, W/O AL FEADSETCUP, IS41/28.6 - IS46, W/O LOGO	120mm (58-61); 110mm (54-56); 100mm (52); 90mm (49); 80mm (47)	440mm (61); 420mm (52-58); 400mm (49); 380mm (47)	27.2X 350MM	ID:30.2mm/ 28.2mm	PR 1600 Spline Alloy wheelset, 350 hubs, sleeved rim,Black Spokes Red&Gray Dacel (Addict RC 10)	PR 1600 Spline Alloy wheelset, 350 hubs, sleeved rim,Black Spokes Red&Gray Dacel (Addict RC 10)	NIL
Addict RC 15 disc (TW)	SM-BB71-41B FOR ROAD "W/O THREAD" R&L BEARING W/ INNER COVER	FD-R8050-F 11S FOR DOUBLE Di2	175mm (58-61); 172.5mm (54-56); 170mm (47-52)	1FI318T043002, SYNCROS 1-1/8"-1-1/4", 45 /45 ° SEAL CARTRIDGE & ACB BEARING, W/O AL FEADSETCUP, IS41/28.6 - IS46, W/O LOGO	120mm (58-61); 110mm (54-56); 100mm (52); 90mm (49); 80mm (47)	440mm (61); 420mm (52-58); 400mm (49); 380mm (47)	27.2X 350MM	ID:30.2mm/ 28.2mm	S53C03-06 SYNCROS R.P 2.0 DISC 700CX28H, 12X100MM, C.LOCK, BLK S.B HUB, XRD-824 RIM, W/YS728 BLK+YS941 GREY+1077C SIL DECAL XL-679A/LG705X (18SU-ADDICT RC 15 Di2 D)	S53C03-06 SYNCROS R.P 2.0 DISC 700CX28H, SMN BODY, 12X142MM, C.LOCK, BLK S.B HUB, XRD-824 RIM, W/YS728 BLK+YS941 GREY+1077C SIL DECAL XL-679A/ LG705X (18SU-ADDICT RC 15 Di2 D)	NIL
Addict RC 20 disc (TW)	SM-BB71-41B FOR ROAD "W/O THREAD" R&L BEARING W/ INNER COVER	FD-R8000-F 11S BRAZE-ON FOR DOUBLE	175mm (58-61); 172.5mm (54-56); 170mm (47-52)	1FI318T043002, SYNCROS 1-1/8"-1-1/4", 45 /45 ° SEAL CARTRIDGE & ACB BEARING, W/O AL FEADSETCUP, IS41/28.6 - IS46, W/O LOGO	120mm (58-61); 110mm (54-56); 100mm (52); 90mm (49); 80mm (47)	440mm (61); 420mm (52-58); 400mm (49); 380mm (47)	27.2X 350MM	ID:30.2mm/ 28.2mm	S53C03-07 SYNCROS R.P 2.0 DISC 700CX28H, 12X100MM, C.LOCK, BLK S.B HUB, XRD-824 RIM, W/YS728 BLK+YS941 GREY+YS715 RED DECAL XL-679B/ LG705U (18SU-ADDICT RC 20 DISC)	S53C03-07 SYNCROS R.P 2.0 DISC 700CX28H, SMN BODY, 12X142MM, C.LOCK, BLK S.B HUB, XRD-824 RIM, W/YS728 BLK+YS941 GREY+YS715 RED DECAL XL-679B/ LG705U (18SU-ADDICT RC 20 DISC)	NIL
Addict RC 20 (TW)	SM-BB71-41B FOR ROAD "W/O THREAD" R&L BEARING W/ INNER COVER	FD-R8000-F 11S BRAZE-ON FOR DOUBLE	175mm (58-61); 172.5mm (54-56); 170mm (47-52)	1FI318T043002, SYNCROS 1-1/8"-1-1/4", 45 /45 ° SEAL CARTRIDGE & ACB BEARING, W/O AL FEADSETCUP, IS41/28.6 - IS46, W/O LOGO	120mm (58-61); 110mm (54-56); 100mm (52); 90mm (49); 80mm (47)	440mm (61); 420mm (52-58); 400mm (49); 380mm (47)	27.2X 350MM	ID:30.2mm/ 28.2mm	S52C02-04 SYNCROS R.P 2.0 700CX18H, M5X130MM, BLK S.B HUB, XR-201 RIM, W/ YS728 BLK+YS941 GREY+YS715 RED DECAL XL-677A/ LG705U (18SU-ADDICT RC 20)	S52C02-04 SYNCROS R.P 2.0 700CX24H, SMN BODY, M5X100MM, BLK S.B HUB, XR-201 RIM, W/YS728 BLK+YS941 GREY+YS715 RED DECAL XL-677A/ LG705U (18SU-ADDICT RC 20)	NIL
Addict RC 10 (EU)	SM-BB92-41B FOR ROAD "W/O THREAD" R&L BEARING W/ INNER COVER	FD-R9100-F 11S FOR DOUBLE	175mm (58-61); 172.5mm (54-56); 170mm (47-52)	1FI318T043002, SYNCROS 1-1/8"-1-1/4", 45 /45 ° SEAL CARTRIDGE & ACB BEARING, W/O AL FEADSETCUP, IS41/28.6 - IS46, W/O LOGO	120mm (58-61); 110mm (54-56); 100mm (52); 90mm (49); 80mm (47)	440mm (61); 420mm (52-58); 400mm (49); 380mm (47)	27.2X 350MM	ID:30.2mm/ 28.2mm	PR 1600 Spline Alloy wheelset, 350 hubs, sleeved rim,Black Spokes Red&Gray Dacel (Addict RC 10)	PR 1600 Spline Alloy wheelset, 350 hubs, sleeved rim,Black Spokes Red&Gray Dacel (Addict RC 10)	NIL
Addict RC 15 disc (EU)	SM-BB71-41B FOR ROAD "W/O THREAD" R&L BEARING W/ INNER COVER	FD-R8050-F 11S FOR DOUBLE Di2	175mm (58-61); 172.5mm (54-56); 170mm (47-52)	1FI318T043002, SYNCROS 1-1/8"-1-1/4", 45 /45 ° SEAL CARTRIDGE & ACB BEARING, W/O AL FEADSETCUP, IS41/28.6 - IS46, W/O LOGO	120mm (58-61); 110mm (54-56); 100mm (52); 90mm (49); 80mm (47)	440mm (61); 420mm (52-58); 400mm (49); 380mm (47)	27.2X 350MM	ID:30.2mm/ 28.2mm	S53C03-06 SYNCROS R.P 2.0 DISC 700CX28H, 12X100MM, C.LOCK, BLK S.B HUB, XRD-824 RIM, W/YS728 BLK+YS941 GREY+1077C SIL DECAL XL-679A/LG705X (18SU-ADDICT RC 15 Di2 D)	S53C03-06 SYNCROS R.P 2.0 DISC 700CX28H, SMN BODY, 12X142MM, C.LOCK, BLK S.B HUB, XRD-824 RIM, W/YS728 BLK+YS941 GREY+1077C SIL DECAL XL-679A/ LG705X (18SU-ADDICT RC 15 Di2 D)	NIL
Addict RC 20 disc (EU)	SM-BB71-41B FOR ROAD "W/O THREAD" R&L BEARING W/ INNER COVER	FD-R8000-F 11S BRAZE-ON FOR DOUBLE	175mm (58-61); 172.5mm (54-56); 170mm (47-52)	1FI318T043002, SYNCROS 1-1/8"-1-1/4", 45 /45 ° SEAL CARTRIDGE & ACB BEARING, W/O AL FEADSETCUP, IS41/28.6 - IS46, W/O LOGO	120mm (58-61); 110mm (54-56); 100mm (52); 90mm (49); 80mm (47)	440mm (61); 420mm (52-58); 400mm (49); 380mm (47)	27.2X 350MM	ID:30.2mm/ 28.2mm	S53C03-07 SYNCROS R.P 2.0 DISC 700CX28H, 12X100MM, C.LOCK, BLK S.B HUB, XRD-824 RIM, W/YS728 BLK+YS941 GREY+YS715 RED DECAL XL-679B/ LG705U (18SU-ADDICT RC 20 DISC)	S53C03-07 SYNCROS R.P 2.0 DISC 700CX28H, SMN BODY, 12X142MM, C.LOCK, BLK S.B HUB, XRD-824 RIM, W/YS728 BLK+YS941 GREY+YS715 RED DECAL XL-679B/ LG705U (18SU-ADDICT RC 20 DISC)	NIL
Addict RC 20 (EU)	SM-BB71-41B FOR ROAD "W/O THREAD" R&L BEARING W/ INNER COVER	FD-R8000-F 11S BRAZE-ON FOR DOUBLE	175mm (58-61); 172.5mm (54-56); 170mm (47-52)	1FI318T043002, SYNCROS 1-1/8"-1-1/4", 45 /45 ° SEAL CARTRIDGE & ACB BEARING, W/O AL FEADSETCUP, IS41/28.6 - IS46, W/O LOGO	120mm (58-61); 110mm (54-56); 100mm (52); 90mm (49); 80mm (47)	440mm (61); 420mm (52-58); 400mm (49); 380mm (47)	27.2X 350MM	ID:30.2mm/ 28.2mm	S52C02-04 SYNCROS R.P 2.0 700CX18H, M5X130MM, BLK S.B HUB, XR-201 RIM, W/ YS728 BLK+YS941 GREY+YS715 RED DECAL XL-677A/ LG705U (18SU-ADDICT RC 20)	S52C02-04 SYNCROS R.P 2.0 700CX24H, SMN BODY, M5X100MM, BLK S.B HUB, XR-201 RIM, W/YS728 BLK+YS941 GREY+YS715 RED DECAL XL-677A/ LG705U (18SU-ADDICT RC 20)	NIL
Addict 10 disc (EU)	KSMBB7241B/ 86.5MM	KFDR8000F; KFD6800F (samples)	170mm (XXS/XS); 172.5mm (S/M/L); 175mm (XL/XXL)	1-1/8"x1-1/4" X41X46mm	80mm (XXS), 90mm (XS), 100mm (S), 110mm (M/L), 120mm (XL/ XXL)	380mm (XXS); 400mm (XS); 420mm (S/M/L/XL); 440mm (XXL)	27.2x 350mm	31.2mm	included in wheelset	included in wheelset	XERO Disc S53C03-08; (Syncros 2.0 Disc), 28H
Addict 10 (EU)	KSMBB7241B/ 86.5MM	KFDR8000F; KFD6800F (samples)	170mm (XXS/XS); 172.5mm (S/M/L); 175mm (XL/XXL)	1-1/8"x1-1/4" X41X46mm	80mm (XXS), 90mm (XS), 100mm (S), 110mm (M/L), 120mm (XL/ XXL)	380mm (XXS); 400mm (XS); 420mm (S/M/L/XL); 440mm (XXL)	27.2x 350mm	31.2mm	included in wheelset	included in wheelset	XERO S52C02-05; (Syncros 2.0), ; F: 20H / R: 24H

TECHNICAL DATA ADDICT

Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/ dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)
Addict 20 disc (EU)	ABBRS500PB/ 86.5MM	KFD5801FL; KFD5800FL (samples)	170mm (XXS/XS); 172.5mm (S/M/L); 175mm (XL/XXL)	1-1/8"x1-1/4" X41X46mm	80mm (XXS), 90mm (XS), 100mm (S), 110mm (M/L), 120mm (XL/ XXL)	380mm (XXS); 400mm (XS); 420mm (S/M/L/XL); 440mm (XXL)	27.2x 350mm	31.2mm	included in wheelset	included in wheelset	XERO Disc S53C03-07; (Syncros 2.0 Disc), 28H
Addict 20 (EU)	ABBRS500PB/ 86.5MM	KFD5801FL; KFD5800FL (samples)	170mm (XXS/XS); 172.5mm (S/M/L); 175mm (XL/XXL)	1-1/8"x1-1/4" X41X46mm	80mm (XXS), 90mm (XS), 100mm (S), 110mm (M/L), 120mm (XL/ XXL)	380mm (XXS); 400mm (XS); 420mm (S/M/L/XL); 440mm (XXL)	27.2x 350mm	31.2mm	included in wheelset	included in wheelset	XERO S52C02-04; (Syncros 2.0); F: 20H / R: 24H
Addict 30 disc (EU)	ABBRS500PB/ 86.5MM	KFD4700F	170mm (XXS/XS); 172.5mm (S/M/L); 175mm (XL/XXL)	1-1/8"x1-1/4" X41X46mm	80mm (XXS), 90mm (XS), 100mm (S), 110mm (M/L), 120mm (XL/ XXL)	380mm (XXS); 400mm (XS); 420mm (S/M/L/XL); 440mm (XXL)	27.2x 350mm	31.2mm	292/293	290/292	RACE 24 DISC, 28H
Addict 30 (EU)	ABBRS500PB/ 86.5MM	KFD4700F	170mm (XXS/XS); 172.5mm (S/M/L); 175mm (XL/XXL)	1-1/8"x1-1/4" X41X46mm	80mm (XXS), 90mm (XS), 100mm (S), 110mm (M/L), 120mm (XL/ XXL)	380mm (XXS); 400mm (XS); 420mm (S/M/L/XL); 440mm (XXL)	27.2x 350mm	31.2mm	278	292/294	Race 24V, F:24H / R:28H
Contessa Addict 15 disc	KSMBB7241B / 86.5MM	KFDR8000F; KFD6800F (samples)	165mm (XXS/XS); 170mm (S/M); 172.5mm (L)	1-1/8"x1-1/4" X41X46mm	80mm (XXS/ XS), 90mm (S), 100mm (M), 110mm (L)	380mm (XXS/ XS/S); 400mm (M/L)	27.2x 350mm	31.2mm	included in wheelset	included in wheelset	XERO Disc S53C03-11; (Syncros 2.0 Disc), 28H
Contessa Addict 25 disc	ABBRS500PB/ 86.5MM	KFD5801FL; KFD5800FL (samples)	165mm (XXS/XS); 170mm (S/M); 172.5mm (L)	1-1/8"x1-1/4" X41X46mm	80mm (XXS/ XS), 90mm (S), 100mm (M), 110mm (L)	380mm (XXS/ XS/S); 400mm (M/L)	27.2x 350mm	31.2mm	included in wheelset	included in wheelset	XERO Disc S53C03-12; (Syncros 2.0 Disc), 28H
Contessa Addict 35	ABBRS500PB/ 86.5MM	KFD4700F	165mm (XXS/XS); 170mm (S/M); 172.5mm (L)	1-1/8"x1-1/4" X41X46mm	80mm (XXS/ XS), 90mm (S), 100mm (M), 110mm (L)	380mm (XXS/ XS/S); 400mm (M/L)	27.2x 350mm	31.2mm	278	290/292	Race 24V, F:24H / R:28H

For MY18 we have two different Addict styles.

1 **Addict RC (HMX/HMF) range** will carry over the Addict from MY17 for both Rim and disc models

(The Addict RC Ultimate Disc and Addict RC Premium Disc have eTAP and Di2 specific frames)

All the spare parts from MY17 will carry over for this model.


2 **Addict (MF) range** will have a new frame with an endurance based geometry, a kind to the Solace. Both rim and disc models.

The MF disc frame will use the same axles as the RC but with a new specific Cableguide Set which will cover both Disc and Rim frames in one set (no Di2 option). Dropouts will be the same on both frames Addict RC (disc/rim) & Addict (disc/rim).


268626 SCO Cableguide set Addict/ Metrix10MF18

Contessa Addict range will follow the Addict (MF) range.

Addict (MF) Disc Version



Addict (MF) Rim Version



SPARE PARTS ADDICT

ITEM	DESCRIPTION
262045	SCO Axle RWS10 Rd D 100x12mm F plugin
262629	SCO Axle RWS10 Rd D 142x12mm R plugin
239530	Dropout hanger Solace Disc '15<
264483	SCO Dropout hanger 142x12 DM Addict D 17
235286	Dropout hanger Addict Solace 2014 Pack-2
235431	Chainsuck protector Addict MY14
235282	Cableguide set Addict Mechanic MY14
235283	Cableguide set Addict DI2 MY14
263999	SCO Cableguide set Addict D Mec/ DI2 17
268626	SCO Cableguide set Addict/ Metrix10MF18
221654	FD Mount Adapter Plate Foil 2011
266537	SCO Fork Addict RC Ultimate Disc 18
266538	SCO Fork Addict RC Premium Disc DI2 18
266539	SCO Fork Addict RC PRO DI2 18
266541	SCO Fork Addict RC 15 Disc DI2 18
266542	SCO Fork Addict RC 20 Disc 18
266540	SCO Fork Addict RC 10 18
266543	SCO Fork Addict RC 20 18
266545	SCO Fork Addict 10 18
266547	SCO Fork Addict 20 18

ITEM	DESCRIPTION
266549	SCO Fork Addict 30 18
266544	SCO Fork Addict 10 Disc 18
266546	SCO Fork Addict 20 Disc 18
266548	SCO Fork Addict 30 Disc 18
268313	SCO Fork Contessa Addict 15D 18
268314	SCO Fork Contessa Addict 25D 18
268315	SCO Fork Contessa Addict 35 18
234811	SYN Headset Drop-In 1-1/8 - 1-1/4
242488	SCO Headset Compression kit 1 1/8
264026	SCO Headset spacers+cap Sync. RR1.5/2.0
250567	SYN Stem RR1.5, 31.8mm
250568	SYN Stem RR2.0, 31.8mm
250560	SYN Comp. Mount Bar/Stem RR1.0 MY17
265567	SYN Comp. Mount for Stem RR
250553	SYN Bar/Stem RR1.0 Carbon SL 400
250554	SYN Bar/Stem RR1.0 Carbon SL 420
250555	SYN Bar/Stem RR1.0 Carbon SL 402
265561	SYN H.bar Creston SL Compact
235429	Seatclamp 30.2mm bolt Addict MY14
250569	SYN Seatpost FL1.0 CB SL 25mm Offset
250570	SYN Seatpost FL1.0 CB SL 10mm Offset
238585	SYN Saddle RR1.0 Carbon
238587	SYN Saddle RR2.0

ITEM	DESCRIPTION
238590	SYN Saddle FL2.0
241893	SYN Saddle FL2.0 Women
235289	DI2 Int.Bat. hold.27.2 DIS-22 Sol/Add'14
242445	SCO Hub-rep kit SyForm Rd Team Disc Ø12
262049	SCO Hub rep kit Form RR/RP2.0 F+R
262050	SCO Hub rep kit Form RR/RP2.0 D F+R
266591	SCO Spoke Sy/Form rep kit RP2.0 Disc 18
266589	SCO Spoke Sy/Form rep kit RP2.0 F 18
266590	SCO Spoke Sy/Form rep kit RP2.0 R 18
266813	SCO Rim SY/Alex Race 24 D (28H) 18
266617	SCO Rim SY/Form RP2.0 D 28H 18
266618	SCO Rim SY/Form RP2.0 18H 18
266619	SCO Rim SY/Form RP2.0 24H 18
262061	SCO Rim Syncros Alex Race 22 24H
264050	SCO Rim Syncros Alex Race 22 28H
266491	SCO Frameset Addict 10 18 Wty
266488	SCO Frameset Addict RC Ulti Disc 18 Wty
266489	SCO Frameset Addict RC 15 Disc 18 Wty
266490	SCO Frameset Addict 10 Disc 18 Wty
266498	SCO Frameset Cont Addict 15 Disc 18 Wty

SCOTT **ADDICT GRAVEL/ADDICT CX**



ADDICT GRAVEL 10 DISC

TECHNICAL DATA ADDICT GRAVEL/CX

Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/ dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)
Addict Gravel 10 disc	PRESSFIT GXP BB FOR ROAD(FOR 86.5/91.5MM) (00.6418.007.000)	NILL	170MM: 49; 175MM: 58; 172.5MM: 52-56	1FI401T043004, SYNCROS 1/8" - 1.5" TAPERED, DROP-IN SEALED CARTRIDGE & TIB BEARING, W/O AL HEADSETCUP, IS42/28.6 | IS52/40, W/O LOGO	120mm-58; 110mm-54-56; 100mm-52; 90mm-49;	420mm-52-58; 400mm-49	27.2X350MM	ID:30.2mm/ 28.2mm	CRC 1400 SPLINE db 24F:24 / R:24, RT1.0 700C CARBON CHINCHER, BLK ROAD HUB, BLK ANOD. RIM, BLK SPOKE/ NIPPLE W/RIM TAPE & F/R RWS W/O LOCK RING Black Decal(ADDICT GRAVEL 10 D)	CRC 1400 SPLINE db 24F:24 / R:24, RT1.0 700C CARBON CHINCHER, BLK ROAD HUB, BLK ANOD. RIM, BLK SPOKE/ NIPPLE W/RIM TAPE & F/R RWS W/O LOCK RING Black Decal(ADDICT GRAVEL 10 D)	NIL
Addict Gravel 20 disc	SM-BB71-41B FOR ROAD "W/O THREAD" R&L BEARING W/ INNER COVER	FD-R8000-F 11S BRAZE-ON FOR DOUBLE	172.5MM: 52-56; 170MM: 49; 175MM: 58	1FI301T043006, DROP IN FL 2.0, ACB BEARING/1-1/8"-1.5"/42-52MM, W/O HS TOPCUP & LOGO	120mm-58; 110mm-54-56; 100mm-52; 90mm-49;	420mm-52-58; 400mm-49	27.2X350MM	ID:30.2mm/ 28.2mm	S53C03-10 SYNCROS R.P 2.0 DISC 700CX28H, 12X100MM, C.LOCK, BLK S.B HUB, XRD-824 RIM, W/YS728 BLK+YS941 GREY+5615C DARK IVY DECAL XL-678B/LG705Z (18SU-ADDICT GRAVEL 20 D)	S53C03-10 SYNCROS R.P 2.0 DISC 700CX28H, 12X142MM, SMN BODY, C.LOCK, BLK S.B HUB, XRD-824 RIM, W/YS728 BLK+YS941 GREY+5615C DARK IVY DECAL XL-678B/LG705Z (18SU-ADDICT GRAVEL 20 D)	NIL
Addict Gravel 30 disc	BB-RS500-PB FOR ROAD "W/O THREAD" R&L BEARING W/ INNER COVER	FD-5801-F BLK 11S BRAZE-ON FOR DOUBLE	170MM: 49; 175MM: 58; 172.5MM: 52-56	1FI301T043006, DROP IN FL 2.0, ACB BEARING/1-1/8"-1.5"/42-52MM, W/O HS TOPCUP & LOGO	120mm-58; 110mm-54-56; 100mm-52; 90mm-49;	420mm-52-58; 400mm-49	27.2X350MM	ID:30.2mm/ 28.2mm	S53C03-09 SYNCROS R.P 2.0 DISC 700CX28H, 12X100MM, C.LOCK, BLK S.B HUB, XRD-824 RIM, W/432C PANTONE+430C PANTONE DECAL XL-678A/LG705Y (18SU-ADDICT GRAVEL 30 D)	S53C03-09 SYNCROS R.P 2.0 DISC 700CX28H, 12X142MM, SMN BODY, C.LOCK, BLK S.B HUB, XRD-824 RIM, W/432C PANTONE+430C PANTONE DECAL XL-678A/LG705Y (18SU-ADDICT GRAVEL 30 D)	NIL
Addict CX RC disc	PRESSFIT GXP BB FOR ROAD(FOR 86.5/91.5MM) (00.6418.007.000)	NILL	175MM: 58; 170MM: 49; 172.5MM: 52-56	1FI301T043006, DROP IN FL 2.0, ACB BEARING/1-1/8"-1.5"/42-52MM, W/O HS TOPCUP & LOGO	120mm-58; 110mm-54-56; 100mm-52; 90mm-49;	420mm-52-58; 400mm-49	27.2X350MM	ID:30.2mm/ 28.2mm	S53C03-05 SYNCROS R.P 2.0 DISC 700CX28H, 12X100MM, C.LOCK, BLK S.B HUB, XRD-824 RIM, W/YS728 BLK+YS941 GREY+YS7445 YELLOW DECAL XL-678/LG705N (18SU-ADDICT CX RC DISC)	S53C03-05 SYNCROS R.P 2.0 DISC 700CX28H, 12X142MM, SMN BODY, C.LOCK, BLK S.B HUB, XRD-824 RIM, W/YS728 BLK+YS941 GREY+YS7445 YELLOW DECAL XL-678/LG705N (18SU-ADDICT CX RC DISC)	NIL

SPARE PARTS ADDICT GRAVEL/CX

ITEM	DESCRIPTION
262045	SCO Axle RWS10 Rd D 100x12mm F plugin
262629	SCO Axle RWS10 Rd D 142x12mm R plugin
239530	Dropout hanger Solace Disc '15<
266778	SCO Dropout Hanger Speedster 18
235431	Chainsuck protector Addict MY14
221653	Chainguide System Foil '15< Add CX '16
242433	SCO Cableguide set Addict CX disc 16
221654	FD Mount Adapter Plate Foil 2011
242435	SCO Chainguide set Addict CX 16
266561	SCO Fork Addict Gravel 10 Disc 18
266562	SCO Fork Addict Gravel 20 Disc 18
266563	SCO Fork Addict Gravel 30 Disc 18
266564	SCO Fork Speedster Gravel 10 Disc 18

ITEM	DESCRIPTION
266565	SCO Fork Speedster Gravel 20 Disc 18
266566	SCO Fork Addict CX RC Disc 18
234810	SYN Headset Pressfit 1-1/8 - 1-1/4
241901	SYN Headset Drop-In 1-1/8 - 1-1/2
242488	SCO Headset Compression kit 1 1/8
250567	SYN Stem RR1.5, 31.8mm
250568	SYN Stem RR2.0, 31.8mm
265567	SYN Comp. Mount for Stem RR
265561	SYN H.bar Creston SL Compact
235429	Seatclamp 30.2mm bolt Addict MY14
250569	SYN Seatpost FL1.0 CB SL 25mm Offset
250570	SYN Seatpost FL1.0 CB SL 10mm Offset
238590	SYN Saddle FL2.0

ITEM	DESCRIPTION
242445	SCO Hub-rep kit SyForm Rd Team Disc Ø12
262048	SCO Hub-rep kit Sync. Form CL-25/ CL2611
262050	SCO Hub rep kit Form RR/RP2.0 D F+R
266591	SCO Spoke Sy/Form rep kit RP2.0 Disc 18
266813	SCO Rim SY/Alex Race 24 D (28H) 18
266617	SCO Rim SY/Form RP2.0 D 28H 18
266496	SCO Frameset Addict Gravel 10 D 18 Wty
266497	SCO Frameset Speedster Grav 10 D 18 Wty

SCOTT **METRIX**



METRIX 10 DISC

TECHNICAL DATA METRIX

Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)
Metrix 10 disc	ABBRS500PB/ 86.5MM	KFD5801FL; KFD5800FL (samples)	170mm (XXS/XS) / 172.5mm (S/M/L) / 175mm (XL/XXL)	1-1/8"x1-1/4" X41X46mm	80mm (XXS/XS), 90mm (S), 100mm (M/L), 110mm (XL/XXL)	580MM	27.2x350mm	31.2mm	290/292	290/292	RACE 24 DISC, 28H
Metrix 20 disc	ABBRS500PB/ 86.5MM	KFD4700F	170mm (XXS/XS/S) / 172.5mm (M/L) / 175mm (XL/XXL)	1 1/8"x1-1/4" X44X49.7mm	80mm (XXS/XS), 90mm (S), 100mm (M/L), 110mm (XL/XXL)	580MM	27.2x350mm	31.8mm	292/294	292/294	RACE 22 DISC, 28H
Metrix 30 disc	ABBUN26B10B/ 110MM / 68MM	AFDR2000BM / 31.8MM	170mm (XXS/XS/S/M) / 175mm (L/XL/XXL)	1 1/8"x44X50X30mm	80mm (XXS/XS), 90mm (S), 100mm (M/L), 110mm (XL/XXL)	580MM	27.2x350mm	31.8mm	292/294	292/294	RACE 22 DISC, 28H

Metrix 20 will have a tapered Headtube 1-1/8 to 1-1/4

SPARE PARTS METRIX

ITEM	DESCRIPTION
262045	SCO Axle RWS10 Rd D 100x12mm F plugin
262629	SCO Axle RWS10 Rd D 142x12mm R plugin
239530	Dropout hanger Solace Disc '15<
235431	Chainsuck protector Addict MY14
242435	SCO Chainguide set Addict CX 16
268626	SCO Cableguide set Addict/ Metrix10MF18
266558	SCO Fork Metrix 10 Disc 18

ITEM	DESCRIPTION
266559	SCO Fork Metrix 20 Disc 18
266560	SCO Fork Metrix 30 Disc 18
200718	Headset Ritchey sem.int.11/8
234810	SYN Headset Pressfit 1-1/8 - 1-1/4
234811	SYN Headset Drop-In 1-1/8 - 1-1/4
242488	SCO Headset Compression kit 1 1/8
250568	SYN Stem RR2.0, 31.8mm
265567	SYN Comp. Mount for Stem RR
235429	Seatclamp 30.2mm bolt Addict MY14

ITEM	DESCRIPTION
242445	SCO Hub-rep kit SyForm Rd Team Disc Ø12
262048	SCO Hub-rep kit Sync. Form CL-25/ CL2611
262062	SCO Rim Syncros Alex Race 22 disc 28H
266813	SCO Rim SY/Alex Race 24 D (28H) 18
266494	SCO Frameset Metrix 10 Disc 18 Wty
266495	SCO Frameset Metrix 20 Disc 18 Wty
268312	SCO Frameset Metrix 30 Disc 18 Wty

SCOTT **SPEEDSTER/ CONTESSA SPEEDSTER**



SPEEDSTER SE



CONTESSA SPEEDSTER 15

TECHNICAL DATA SPEEDSTER

Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/ dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)
Speedster SE	ABBRS500PB / 86.5MM	KFD6800F	170mm (XXS/XS/S) / 172.5mm (M/L) / 175mm (XL/XXL)	1 1/8"x1-1/4" X44X49.7mm	80mm (XXS), 90mm (XS), 100mm (S), 110mm (M/L), 120mm (XL/XXL)	380mm (XXS) / 400mm (XS) / 420mm (S/M/L/XL) / 440mm (XXL)	27.2x350mm	31.8mm	280	292/294	RACE 22, F:24H / R:28H
Speedster 10	ABBRS500PB / 86.5MM	KFD5801FL; KFD5800FL (samples)	170mm (XXS/XS/S) / 172.5mm (M/L) / 175mm (XL/XXL)	1 1/8"x1-1/4" X44X49.7mm	80mm (XXS), 90mm (XS), 100mm (S), 110mm (M/L), 120mm (XL/XXL)	380mm (XXS) / 400mm (XS) / 420mm (S/M/L/XL) / 440mm (XXL)	27.2x350mm	31.8mm	280	292/294	RACE 22, F:24H / R:28H
Speedster 20	ABBRS500PB	KFD4700F	170mm (XXS/XS/S) / 172.5mm (M/L) / 175mm (XL/XXL)	1 1/8"x1-1/4" X44X49.7mm	80mm (XXS), 90mm (XS), 100mm (S), 110mm (M/L), 120mm (XL/XXL)	380mm (XXS) / 400mm (XS) / 420mm (S/M/L/XL) / 440mm (XXL)	27.2x350mm	31.8mm	280	292/294	RACE 22, F:24H / R:28H
Speedster 30	ABBES300B13 / 113MM / 68MM	AFDR3000BM / 31.8MM	170mm (XXS/XS/S/M) / 175mm (L/XL/XXL)	1-1/8"X44X30mm	80mm (XXS), 90mm (XS), 100mm (S), 110mm (M/L), 120mm (XL/XXL)	380mm (XXS) / 400mm (XS) / 420mm (S/M/L/XL) / 440(XXL)	27.2x350mm	31.8mm	279	292/294	RACE 22, F:24H / R:28H
Speedster 40	ABBUN26B10B / 110MM / 68MM	AFDR2000BM / 31.8MM	170mm (XXS/XS/S/M) / 175mm (L/XL/XXL)	1-1/8"X44X30mm	80mm (XXS), 90mm (XS), 100mm (S), 110mm (M/L), 120mm (XL/XXL)	380mm (XXS) / 400mm (XS) / 420mm (S/M/L/XL) / 440(XXL)	27.2x350mm	31.8mm	279	292/294	RACE 22, F:24H / R:28H
Speedster 50	ABBUN26B10B / 110MM / 68MM	AFDA070AM	170mm (XXS/XS/S/M) / 175mm (L/XL/XXL)	1-1/8"X44X30mm	80mm (XXS), 90mm (XS), 100mm (S), 110mm (M/L), 120mm (XL/XXL)	380mm (XXS) / 400mm (XS) / 420mm (S/M/L/XL) / 440mm (XXL)	27.2x350mm	31.8mm	279	292/294	RACE 22, F:24H / R:28H
Contessa Speedster 15	ABBRS500PB / 86.5MM	KFD5801FL; KFD5800FL (samples)	165mm (XXS/XS) / 170mm (S/M) / 172.5mm (L)	1 1/8"x1-1/4" X44X49.7mm	80mm (XXS/XS), 90mm (S), 100mm (M), 110mm (L)	360mm (XXS) / 380mm (XS/S) / 400mm (M/L)	27.2x350mm	31.8mm	280	292/294	RACE 22, F:24H / R:28H
Contessa Speedster 25	ABBES300B13 / 113MM / 68MM	AFDR3000BM / 31.8MM	170mm (XXS/XS/S/M) / 175mm (L)	1-1/8"X44X30mm	80mm (XXS/XS/S), 90mm (M), 100mm (L)	360mm (XXS) / 380mm (XS/S) / 400mm (M/L)	27.2x350mm	31.8mm	279	292/294	RACE 22, F:24H / R:28H
Contessa Speedster 35	ABBUN26B10B / 110MM / 68MM	AFDR2000BM / 31.8MM	165mm (XXS/XS) / 170mm (S/M) / 175mm (L)	1-1/8"X44X30mm	80mm (XXS/XS/S), 90mm (M), 100mm (L)	360mm (XXS) / 380mm (XS/S) / 400mm (M/L)	27.2x350mm	31.8mm	279	292/294	RACE 22, F:24H / R:28H

Carbon fork on:
Speedster SE, 10, 20, 30
Contessa Speedster 15, 25

Tapered Headtube 1-1/8 to 1-1/4 on:
Speedster: SE, 10, 20, 30
Contessa Speedster 15

SPARE PARTS SPEEDSTER

ITEM	DESCRIPTION
233930	Dropout Speedster 10-50 2013
266778	SCO Dropout Hanger Speedster 18
208362	Antichainsuck clamp 34.9
266550	SCO Fork Speedster SE 18
266552	SCO Fork Speedster 10 18
266554	SCO Fork Speedster 20 18
266555	SCO Fork Speedster 30 18
266556	SCO Fork Speedster 40 18
266557	SCO Fork Speedster 50 18

ITEM	DESCRIPTION
268317	SCO Fork Contessa Speedster 15 18
268318	SCO Fork Contessa Speedster 25 18
268319	SCO Fork Contessa Speedster 35 18
200718	Headset Ritchey sem.int.11/8
234810	SYN Headset Pressfit 1-1/8 - 1-1/4
250568	SYN Stem RR2.0, 31.8mm
235429	Seatclamp 30.2mm bolt Addict MY14
228949	Seatclamp 31.8mm bolt Kalloy SC202

ITEM	DESCRIPTION
242443	SCO Hub-rep kit Sync Formula Road Comp
262048	SCO Hub-rep kit Sync. Form CL-25/ CL2611
262061	SCO Rim Syncros Alex Race 22 24H
264050	SCO Rim Syncros Alex Race 22 28H
266492	SCO Frameset Speedster SE 18 Wty
266500	SCO Frameset Cont Speedster 15 18 Wty

SCOTT **SPEEDSTER DISC/ CONTESSA SPEEDSTER DISC**



SPEEDSTER 10 DISC



CONTESSA SPEEDSTER 15 DISC

TECHNICAL DATA SPEEDSTER DISC

Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/ dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)
Speedster 10 disc	ABBRS500PB / 86.5MM	KFD5801FL; KFD5800FL (samples)	170mm (XXS/XS/S) / 172.5mm (M/L) / 175mm (XL/XXL)	1 1/8"x1-1/4" X44X49.7mm	80mm (XXS), 90mm (XS), 100mm (S), 110mm (M/L), 120mm (XL/XXL)	380mm (XXS) / 400mm (XS) / 420mm (S/M/L/XL) / 440mm (XXL)	27.2x350mm	31.8mm	292/294	292/294	RACE 22 DISC , 28H
Speedster 20 disc	ABBRS500PB / 86.5MM	KFD4700F	170mm (XXS/XS/S) / 172.5mm (M/L) / 175mm (XL/XXL)	1 1/8"x1-1/4" X44X49.7mm	80mm (XXS), 90mm (XS), 100mm (S), 110mm (M/L), 120mm (XL/XXL)	380mm (XXS) / 400mm (XS) / 420mm (S/M/L/XL) / 440mm (XXL)	27.2x350mm	31.8mm	292/294	292/294	RACE 22 DISC, 28H
Contessa Speedster 15 disc	ABBRS500PB / 86.5MM	KFD5801FL; KFD5800FL (samples)	165mm (XXS/XS) / 170mm (S/M) / 172.5mm (L)	1 1/8"x1-1/4" X44X49.7mm	80mm (XXS/XS), 90mm (S), 100mm (M), 110mm (L)	360mm (XXS) / 380mm (XS/S) / 400mm (M/L)	27.2x350mm	31.8mm	292/294	292/294	RACE 22 DISC , 28H

Carbon fork on:
all Disc models

Tapered Headtube 1-1/8 to 1-1/4 on:
Speedster Disc: 10 Disc, 20 Disc
Contessa Speedster 15 Disc

SPARE PARTS SPEEDSTER DISC

ITEM	DESCRIPTION
266778	SCO Dropout Hanger Speedster 18
208362	Antichainsuck clamp 34.9
266551	SCO Fork Speedster 10 Disc 18
266553	SCO Fork Speedster 20 Disc 18
268316	SCO Fork Contessa Speedster 15D 18
200718	Headset Ritchey sem.int.11/8

ITEM	DESCRIPTION
234810	SYN Headset Pressfit 1-1/8 - 1-1/4
250568	SYN Stem RR2.0, 31.8mm
235429	Seatclamp 30.2mm bolt Addict MY14
242445	SCO Hub-rep kit SyForm Rd Team Disc Ø12
262062	SCO Rim Syncros Alex Race 22 disc 28H

ITEM	DESCRIPTION
266493	SCO Frameset Speedster 10 Disc 18 Wty
266497	SCO Frameset Speedster Grav 10 D 18 Wty
266499	SCO Frameset Cont Speedster 15 D 18 Wty

SCOTT **SPEEDSTER GRAVEL**



SPEEDSTER GRAVEL 10 DISC

TECHNICAL DATA SPEEDSTER GRAVEL

Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/ dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)
Speedster Gravel 10 disc	ABBRS500PB / 86.5MM	KFD5800FL	170mm (XXS/XS/S) / 172.5mm (M/L) / 175mm (XL/XXL)	1 1/8"x1-1/4" X44X49.7mm	80mm (XXS/XS), 90mm (S), 100mm (M/L), 110mm (XL), 120mm (XXL)	400mm (XXS/XS) / 420mm (S/M/L) / 440mm (XL/XXL)	27.2x350mm	31.8mm	290/292	290/292	RACE 24 DISC, 28H
Speedster Gravel 20 disc	ABBRS500PB / 86.5MM	KFD4700F	170mm (XXS/XS/S) / 172.5mm (M/L) / 175mm (XL/XXL)	1 1/8"x1-1/4" X44X49.7mm	80mm (XXS/XS), 90mm (S), 100mm (M/L), 110mm (XL), 120mm (XXL)	400mm (XXS/XS) / 420mm (S/M/L) / 440mm (XL/XXL)	27.2x350mm	31.8mm	290/292	290/292	RACE 24 DISC, 28H

SPARE PARTS SPEEDSTER GRAVEL

ITEM	DESCRIPTION
262045	SCO Axle RWS10 Rd D 100x12mm F plugin
262629	SCO Axle RWS10 Rd D 142x12mm R plugin
239530	Dropout hanger Solace Disc '15<
266778	SCO Dropout Hanger Speedster 18
235431	Chainsuck protector Addict MY14
221653	Chainguide System Foil '15< Add CX '16
242433	SCO Cableguide set Addict CX disc 16
221654	FD Mount Adapter Plate Foil 2011
242435	SCO Chainguide set Addict CX 16
266561	SCO Fork Addict Gravel 10 Disc 18
266562	SCO Fork Addict Gravel 20 Disc 18
266563	SCO Fork Addict Gravel 30 Disc 18

ITEM	DESCRIPTION
266564	SCO Fork Speedster Gravel 10 Disc 18
266565	SCO Fork Speedster Gravel 20 Disc 18
266566	SCO Fork Addict CX RC Disc 18
234810	SYN Headset Pressfit 1-1/8 - 1-1/4
241901	SYN Headset Drop-In 1-1/8 - 1-1/2
242488	SCO Headset Compression kit 1 1/8
250567	SYN Stem RR1.5, 31.8mm
250568	SYN Stem RR2.0, 31.8mm
265567	SYN Comp. Mount for Stem RR
265561	SYN H.bar Creston SL Compact
235429	Seatclamp 30.2mm bolt Addict MY14
250569	SYN Seatpost FL1.0 CB SL 25mm Offset
250570	SYN Seatpost FL1.0 CB SL 10mm Offset

ITEM	DESCRIPTION
238590	SYN Saddle FL2.0
242445	SCO Hub-rep kit SyForm Rd Team Disc Ø12
262048	SCO Hub-rep kit Sync. Form CL-25/ CL2611
262050	SCO Hub rep kit Form RR/RP2.0 D F+R
266591	SCO Spoke Sy/Form rep kit RP2.0 Disc 18
266813	SCO Rim SY/Alex Race 24 D (28H) 18
266617	SCO Rim SY/Form RP2.0 D 28H 18
266496	SCO Frameset Addict Gravel 10 D 18 Wty
266497	SCO Frameset Speedster Grav 10 D 18 Wty

SCOTT **PLASMA 4/PLASMA 5**



PLASMA PREMIUM

TECHNICAL DATA PLASMA

Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/ dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)
Plasma Premium	SM-BB92-41B FOR ROAD "W/O THREAD" R&L BEARING W/ INNER COVER	FD-R9150-F 11S FOR DOUBLE	170mm: 51; 172.5mm: 54-57; 175mm: 60	Syncros Plasma5 1FI301T043003 headset 1"-1 1/8" with loctited cap bolt	85mm	420mm	18SU-PLASMA PRE DI2	RITCHEY UPPER CLAMPS 55MM BOLT FOR USE WITH 7X9.6MM CARBON SADDLE RAILS,DF MARKED	ZIPP 404 F 700CX18H CARBON CLINCHER BLK W/BLK DECALS W/QR (109.71-113.21MM)/RIM TAPE/VALVE EXTENSION (00.1918.241.003)	ZIPP 808 R 700C CARBON CLINCHER V3 11S BLK W/BLK DECALS W/QR (142-146MM)/ RIM TAPE/VALVE EXTENSION/ SPOKE PROTECTOR/10S ADAPTOR (00.1918.248.003)	NIL
Plasma RC	SM-BB71-41B FOR ROAD "W/O THREAD" R&L BEARING W/ INNER COVER	FD-R8050-F 11S FOR DOUBLE Di2	170mm: 51; 172.5mm: 54-57; 175mm: 60	Syncros Plasma5 1FI301T043003 headset 1"-1 1/8" with loctited cap bolt	85mm	420mm	18SU-PLASMA RC DI2	W/SPOST	292.5/294	292.5/294	RACE 22
Plasma 10	SM-BB71-41B FOR ROAD "W/O THREAD" R&L BEARING W/ INNER COVER	FD-R8000-F 11S BRAZE-ON FOR DOUBLE	170mm: 49-51; 172.5mm: 54-57; 175mm: 60	Syncros Plasma4 1FI301T043001 headset 1 1/8" 45/45 seal catreidge bearings	70mm (52) ; 80mm (54) ; 90mm (56) ; 100mm (58)	40mm (52); 420mm (54)/(56)/ (58)	18SU-PLASMA 10 STP04B1-10	W/SPOST	292.5/294	292.5/294	RACE 22
Plasma 20	BB-RS500-PB FOR ROAD "W/O THREAD" R&L BEARING W/ INNER COVER	FD-5801-F BLK 11S BRAZE-ON FOR DOUBLE	170mm: 49-51; 172.5mm: 54-57; 175mm: 60	Syncros Plasma4 1FI301T043001 headset 1 1/8" 45/45 seal catreidge bearings	70mm (52) ; 80mm (54) ; 90mm (56) ; 100mm (58)	40mm (52); 420mm (54)/(56)/ (58)	18SU-PLASMA 20	W/SPOST	292.5/294	292.5/294	RACE 22

SPARE PARTS PLASMA

ITEM	DESCRIPTION
239178	Dropouthanger Plasma 4 + 5
239181	BB cableguide Set Plasma 5 DI2 + Mechani
239179	BB cableguide Set Plasma 4 DI2 + Mechani
266528	SCO Fork Plasma 10 18
266529	SCO Fork Plasma 20 18
266526	SCO Fork Plasma Premium 18
266527	SCO Fork Plasma RC 18
238600	SYN Headset Drop-In 1-1/8
238601	SYN Headset Drop-In 1- 1-1/8
242486	SCO Headset Compression kit Plasma 5

ITEM	DESCRIPTION
242488	SCO Headset Compression kit 1 1/8
238931	SCO Plasma 5 Handlebar Aeria Negative ri
238932	SCO Plasma 5 Aeria Handlebar 0° rise
238933	SCO Plasma 5 Aeria Handlebar Positive ri
238934	SCO Plasma 5 MY15 TT Stem 85mm/0°
238935	SCO Plasma 5 MY15 Tri Stem 85mm/30°
238938	SCO Plasma 5 aero spacers + covers + bol
242123	SCO Plasma 5 TT bracket

ITEM	DESCRIPTION
239182	Brake Cover Plasma 5 front brake black
239183	Brake Cover Plasma 5 rear brake black
239545	Brake front Plasma 5 2015 TKB136
239544	Seatclamp Plasma 4+5
239318	Seatpost Plasma 4 / 5
238936	SCO Plasma 5 MY15 storage box
238937	SCO Plasma 5 MY15 Aero Drink
262061	SCO Rim Syncros Alex Race 22 24H
264050	SCO Rim Syncros Alex Race 22 28H
266487	SCO Frameset Plasma Premium 18 Wty

03 E-BIKE

- E-ASPECT/AT
- E-SILENCE
- E-SUB TOUR
- E-SUB ACTIVE
- E-SCALE/CONTESSA E-SCALE
- E-SUB SPORT/E-SUB CROSS
- E-SPARK/CONTESSA E-SPARK
- E-GENIUS/CONTESSA E-GENIUS

SCOTT **E-ASPECT/AT**
SCOTT **E-SILENCE**



E-ASPECT AT

TECHNICAL DATA E-ASPECT/AT & E-SILENCE

Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)	Rear Shock (e2e)	Hardware Rear Shock in mm	Bearings (frame)
E-Aspect AT	None (Brose engine)	NONE	170mm (S); 175mm (M/L/XL)	1SI31815M+15mm CUP, 1-1/8" TAPPERED, S.B BLK 15 CONICALSPACER CUP FOR E-SILENCE	70mm (S); 80mm (M); 90mm (L); 100mm (XL)	720mm	31.6X400mm	34.9mm	27.5" 274/276 29" 292/294	27.5 272/274 29 290/292	27'X 32H-S; 29'X 32H-M/L/XL			
E-Aspect 10	None (Brose engine)	NONE	170mm (S); 175mm (M/L/XL)	1SI25115AL PRESSFIT PRO E2, 1-1/8"- 1.5",50-62mm, AL CUPS, SSC BEARING, W/ TOP CUP FOR INT. STEM, W/LASER SYCROS LOGO, S.B MATT BLK	70mm (S); 80mm (M); 90mm (L); 100mm (XL)	720mm	31.6X400mm	34.9mm	27.5": 274/276 29" 292/294	27.5": 274/276 29" 292/294	27'X 32H-S; 29'X 32H-M/L/XL			
E-Aspect 20	None (Brose engine)	NONE	170mm (S); 175mm (M/L/XL)	1SI110T043003 (1SI11015F30) SYNCROS HS OE 1-1/8"-1.5" 55-61mm H:8.2 BLK STEEL CUPS BALL BEARINGS	70mm (S); 80mm (M); 90mm (L); 100mm (XL)	720mm	31.6X400mm	34.9mm	27.5": 274/276 29" 292/294	27.5": 274/276 29" 292/294	27'X 32H-S; 29'X 32H-M/L/XL			
E-Contessa Aspect 20	None (Brose engine)	NONE	170mm (S); 175mm (M/L)	1SI110T043003 (1SI11015F30) SYNCROS HS OE 1-1/8"-1.5" 55-61mm H:8.2 BLK STEEL CUPS BALL BEARINGS	70mm (S) ; 80mm (M) ; 90mm (L)	720mm	31.6X400mm	34.9mm	27.5": 274/276 29" 292/294	27.5": 274/276 29" 292/294	27'X 32H-S; 29'X 32H-M/L			
E-Silence 10 Men	None (Brose engine)	NONE	170mm (S); 175mm (M/L/XL)	1SI31815M+15mm CUP, 1-1/8" TAPPERED, S.B BLK 15 CONICALSPACER CUP FOR E-SILENCE	90mm	680mm	31.6X350mm	34.9mm	292/294	292/294	29' X 32H			
E-Silence 10 Lady	None (Brose engine)	NONE	170mm (S); 175mm (M/L)	1SI31815M+15mm CUP, 1-1/8" TAPPERED, S.B BLK 15 CONICALSPACER CUP FOR E-SILENCE	90mm	680mm	31.6X350mm	34.9mm	292/294	292/294	622X23 32H			
E-Silence 20 Men	None (Brose engine)	NONE	170mm (S); 175mm (M/L/XL)	1SI31815M+15mm CUP, 1-1/8" TAPPERED, S.B BLK 15 CONICALSPACER CUP FOR E-SILENCE	90mm	680mm	31.6X350mm	34.9mm	292/294	292/294	29' X 32H			
E-Silence 20 Lady	None (Brose engine)	NONE	170mm (S); 175mm (M/L)	1SI31815M+15mm CUP, 1-1/8" TAPPERED, S.B BLK 15 CONICALSPACER CUP FOR E-SILENCE	90mm	680mm	31.6X350mm	34.9mm	292/294	292/294	29' X 32H			

SPARE PARTS E-ASPECT/AT

ITEM	DESCRIPTION
236153	Axle RWS 10 Alu thru 142MM / Ø12MM
267638	SCO Axle RWS E-Aspect AT 142x12 Plugin
219572	Dropout Set IDS 2 135/RWS 5
219575	Dropout Hanger right side IDS 2 135/ RWS5
235287	Dropout Set IDS 2 142/RWS 12 Dir. Mount
235288	Dropout Hanger right IDS 2 142/RWS 12 DM
262623	SCO Cableguide set E-Silenc/E-Aspec 17
262047	SCO E-bike Chainguide E-Aspect 17
266807	SCO Fork E-Aspect/Suntour Mobi 18

ITEM	DESCRIPTION
228441	SYN Headset Pressfit 1-1/8- 1-1/2
252442	SCO Stem Silence fix w/o light 90mm 17
250574	SYN Grips Pro, Lock-On
239172	Rideloc lever integ clamp
263874	SCO E-bike Bumper fork E-Aspect 17
263875	SCO E-bike CST Protector E-Aspect 17
252409	SCO E-bike Chainring+spid.36T Brose/Aspe
252406	SCO E-bike Crankset FSA Isis 170mm/Brose
229733	Seatclamp 34.9mm QR Gambler
252413	SCO E-bike Light rear E-Silence 17

ITEM	DESCRIPTION
252414	SCO E-bike Light front E-Silence EVO 17
266877	SCO E-bike fender set E-Aspect AT 18
267892	SCO E-bike rack E-Aspect AT 18
250604	SYN Kickstand 2 bolts Direct Mount
242514	SCO Hub rep kit Syncros Formula CL71
264579	SCO Hub-rep kit Formula CL-51 front
252416	SCO Rim Syncros Alex X25 27.5 32H
252417	SCO Rim Syncros Alex X25 29 32H
266598	SCO E-bike motor cover Brose Asp/ Sile 18
266409	SCO Frame E-Aspect 10 18 Wty
266410	SCO Frame Cont E-Aspect 20 18 Wty
266876	SCO Frame E-Aspect AT 18 Wty

SPARE PARTS E-SILENCE

ITEM	DESCRIPTION
206375	Dropout+Screw all MTB since'97 5-PAK
262623	SCO Cableguide set E-Silenc/E-Aspec 17
228441	SYN Headset Pressfit 1-1/8- 1-1/2
252441	SCO E-bike Stem Silence adj. 90mm 17
250576	SYN Grips Comfort, Lock-On
250579	SYN Grips Women Comfort, Lock-On
252408	SCO E-bike Chainring + guard 44T Silence
262066	SCO E-bike Chainguard E-Silence 17

ITEM	DESCRIPTION
252406	SCO E-bike Crankset FSA Isis 170mm/Brose
223309	Seatclamp 34.9mm CrMo bolt
252420	SCO E-bike Seatpost E-Silence
262077	SCO E-bike Fender set Silence F+R 17
262078	SCO E-bike Fender set Silen. F+R susp.17
265526	SCO Rear rack Silence Men Snap-it
265527	SCO Rear rack Silence Lady Snap-it
262075	SCO E-bike Lockholder set Silence 17
262076	SCO E-bike lock blankingcover Silence 17

ITEM	DESCRIPTION
262326	SCO Abus Bordo lock holder silence
265597	SYN KickstandFully E-MTB 2 bolts
252412	SCO E-bike Light front E-Silence 17
252413	SCO E-bike Light rear E-Silence 17
264579	SCO Hub-rep kit Formula CL-51 front
252417	SCO Rim Syncros Alex X25 29 32H
266598	SCO E-bike motor cover Brose Asp/ Sile 18
266412	SCO Frame E-Silence 10 Men 18 Wty
266413	SCO Frame E-Silence 10 Lady 18 Wty

SCOTT **E-SUB TOUR**
SCOTT **E-SUB ACTIVE**



E-SUB TOUR MEN

TECHNICAL DATA E-SUB TOUR & E-SUB ACTIVE

Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/ dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)	Rear Shock (e2e)	Hardware Rear Shock in mm	Bearings (frame)
E-Sub Tour Men	none	none	170	28.6	110	640	31.6 / 350	35	290 / 292	290 / 292	F: 32H F/V / R:32H F/V			
E-Sub Tour Lady	none	none	170	28.6	110	640	31.6 / 350	35	290 / 292	290 / 292	F: 32H F/V / R:32H F/V			
E-Sub Tour Unisex	none	none	170	28.6	110	640	31.6 / 350	35	290 / 292	290 / 292	F: 32H F/V / R:32H F/V			
E-Sub Tour Men (belt)	none	none	170	28.6	110	640	31.6 / 350	35	290 / 292	283	F: 32H F/V / R:32H F/V			
E-Sub Tour Unisex (belt)	none	none	170	28.6	110	640	31.6 / 350	35	290 / 292	283	F: 32H F/V / R:32H F/V			
E-Sub Active Men	none	none	170	28.6	110	640	31.6 / 350	35	290 / 292	290 / 292	F: 32H F/V / R:32H F/V			
E-Sub Active Lady	none	none	170	28.6	110	640	31.6 / 350	35	290 / 292	290 / 292	F: 32H F/V / R:32H F/V			
E-Sub Active Unisex	none	none	170	28.6	110	640	31.6 / 350	35	290 / 292	290 / 292	F: 32H F/V / R:32H F/V			
E-Sub Active Unisex (rack type)	none	none	170	28.6	110	640	31.6 / 350	35	290 / 292	290 / 292	F: 32H F/V / R:32H F/V			

SPARE PARTS E-SUB TOUR & E-SUB ACTIVE

ITEM	DESCRIPTION
206375	Dropout+Screw all MTB since 97' 5-PAK
220693	Speed Sensor Mount Kit E-SUB/ Sportster
242448	SCO E-bike Integ bat. socket Unisex 16
242449	SCO E-bike Integ bat.socket SportTour 16
267292	SCO E-bike battery cover inter Sub 18
267294	SCO E-bike charge plug cover Sub sport18
235740	Chainguard Hesling E-Bike Bosch 2014
267295	SCO E-bike sprocket Conti Shim 18
252441	SCO E-bike Stem Silence adj. 90mm 17
250576	SYN Grips Comfort, Lock-On

ITEM	DESCRIPTION
250579	SYN Grips Comfort, Lock-On
223309	Seatclamp 34.9mm CrMo bolt
229733	Seatclamp Gambler 34.9 2013
241896	SYN Saddle Men's Urban Commuter 2.5
241897	SYN Saddle W's Urban Commuter 2.5
266606	SCO E-bike fenderset E-Sub/Sub Metasol18
264484	SCO E-bike Carrier Sub Tubus 17
250604	SYN Kickstand 2 bolts Direct Mount
267296	SCO E-bike light front Blueline 18 Wty
264049	SCO Rim Rodi disc 32H
266416	SCO Frame E-SUB Active Men 18 Wty

ITEM	DESCRIPTION
266417	SCO Frame E-SUB Active Lady 18 Wty
266418	SCO Frame E-SUB Tour Men Belt 18 Wty
266419	SCO Frame E-SUB Tour Uni Belt 18 Wty
266420	SCO Frame E-SUB Active Uni 18 Wty
266421	SCO Frame E-SUB Active Uni rack type 18
266422	SCO Frame E-SUB Cross 20 Men 18 Wty
266423	SCO Frame E-SUB Cross 20 Lady 18 Wty
267279	SCO Frame E-Sub Sport 10 Men 18
267280	SCO Frame E-Sub Sport 10 Lady 18

SCOTT **E-SCALE/CONTESSA E-SCALE**
SCOTT **E-SUB SPORT/E-SUB CROSS**



E-SCALE 910

TECHNICAL DATA E-SCALE/CONTESSA E-SCALE

Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)	Rear Shock (e2e)	Hardware Rear Shock in mm	Bearings (frame)
E-Scale 910	None (Bosch engine)	NONE	170mm (S); 175mm (M/L/XL)	PRESS FIT E2 FL2.0 , 1-1/8"- 1.5",50-62mm, AL CUPS, ACB BEARING, W/O TOP CUP FOR INT. STEM, W/O LOGO	70mm (S); 80mm (M); 90mm (L); 100mm (XL)	740	31.6X350mm (S); 31.6X400mm (M/L/XL)	34.9	292/294	290/292	29' X 32H			
E-Scale 920	None (Bosch engine)	NONE	170mm (S); 175mm (M/L/XL)	PRESS FIT E2 FL2.0 , 1-1/8"- 1.5",50-62mm, AL CUPS, ACB BEARING, W/O TOP CUP FOR INT. STEM, W/O LOGO	70mm (S); 80mm (M); 90mm (L); 100mm (XL)	740	31.6X350mm (S); 31.6X400mm (M/L/XL)	34.9	292/294	292/294	29' X 32H			
E-Scale 930	None (Bosch engine)	NONE	170mm (S); 175mm (M/L/XL)	1SI110T043003 (1SI11015F30) SYNCROS HS OE 1-1/8"-1.5" 55-61mm H:8.2 BLK STEEL CUPS BALL BEARINGS	70mm (S); 80mm (M); 90mm (L); 100mm (XL)	740	31.6X350mm (S); 31.6X400mm (M/L/XL)	34.9	292/294	292/294	29' X 32H			
E-Scale 710	None (Bosch engine)	NONE	170mm (S); 175mm (M/L/XL)	PRESS FIT E2 FL2.0 , 1-1/8"- 1.5",50-62mm, AL CUPS, ACB BEARING, W/O TOP CUP FOR INT. STEM, W/O LOGO	50mm (S/M); 60mm (L); 70mm (XL)	740	31.6X350mm (S); 31.6X400mm (M/L/XL)	34.9	274/276	272/274	27.5+' X 32H			
E-Scale 720	None (Bosch engine)	NONE	170mm (S); 175mm (M/L/XL)	PRESS FIT E2 FL2.0 , 1-1/8"- 1.5",50-62mm, AL CUPS, ACB BEARING, W/O TOP CUP FOR INT. STEM, W/O LOGO	50mm (S/M); 60mm (L); 70mm (XL)	740	31.6X350mm (S); 31.6X400mm (M/L/XL)	34.9	274/276	274/276	27.5+' X 32H			
E-Scale 730	None (Bosch engine)	NONE	170mm (S); 175mm (M/L/XL)	1SI110T043003 (1SI11015F30) SYNCROS HS OE 1-1/8"-1.5" 55-61mm H:8.2 BLK STEEL CUPS BALL BEARINGS	50mm (S/M); 60mm (L); 70mm (XL)	740	31.6X350mm (S); 31.6X400mm (M/L/XL)	34.9	274/276	274/276	27.5+' X 32H			
E-Contessa Scale 730	None (Bosch engine)	NONE	170mm (S); 175mm (M/L)	1SI110T043003 (1SI11015F30) SYNCROS HS OE 1-1/8"-1.5" 55-61mm H:8.2 BLK STEEL CUPS BALL BEARINGS	50mm (S/M); 60mm (L)	720	31.6X350mm (S); 31.6X400mm (M/L)	34.9	274/276	274/276	27.5+' X 32H			

TECHNICAL DATA E-SUB SPORT & E-SUB CROSS

Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/ dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)	Rear Shock (e2e)	Hardware Rear Shock in mm	Bearings (frame)
E-Sub Sport 10 Men	none	none	170	43,5*49,8	90	640	31.6 / 350	35	290 / 292	290 / 292	F: 32H F/V / R:32H F/V			
E-Sub Sport 10 Lady	none	none	170	43,5*49,8	90	640	31.6 / 350	35	290 / 292	290 / 292	F: 32H F/V / R:32H F/V			
E-Sub Sport 20 Men	none	none	170	43,5*49,9	90	640	31.6 / 350	35	290 / 292	290 / 292	F: 32H F/V / R:32H F/V			
E-Sub Sport 20 Lady	none	none	170	43,5*49,13	90	640	31.6 / 350	35	290 / 292	290 / 292	F: 32H F/V / R:32H F/V			
E-Sub Cross 10 Men	none	none	170	43,5*49,8	90	640	31.6 / 350	35	290 / 292	290 / 292	F: 32H F/V / R:32H F/V			
E-Sub Cross 10 Lady	none	none	170	43,5*49,8	90	640	31.6 / 350	35	290 / 292	290 / 292	F: 32H F/V / R:32H F/V			
E-Sub Cross 20 Men	none	none	170	28.6	110	640	31.6 / 350	35	290 / 292	290 / 292	F: 32H F/V / R:32H F/V			
E-Sub Cross 20 Lady	none	none	170	28.6	110	640	31.6 / 350	35	290 / 292	290 / 292	F: 32H F/V / R:32H F/V			

SPARE PARTS E-SCALE/CONTESSA E-SCALE

ITEM	DESCRIPTION
262046	SCO Axle RWS Rear+lev.148x12 boost plug.
219572	Dropout Set IDS 2 135/RWS 5
219575	Dropout Hanger right side IDS 2 135/ RWS5
219574	Dropout Set IDS 2 142/RWS 12
219577	Dropout Hang.right side IDS 2 142/ RWS12
235287	Dropout Set IDS 2 142/RWS 12 Dir. Mount
235288	Dropout Hanger right IDS 2 142/RWS 12 DM
265586	SYN Headset Pressfit Genius MY18
228441	SYN Headset Pressfit 1-1/8- 1-1/2
250565	SYN Stem FL1.5, 31.8mm
250566	SYN Stem FL2.0, 31.8mm
250562	SYN Computer Mount for MTB Stem FL
250574	SYN Grips Pro, Lock-On
250545	SYN H.bar FL1.5, Mini Rise

ITEM	DESCRIPTION
239172	Rideloc lever integ clamp
237510	Crankset E-SUB / MTB 2014 175
237511	Crankset E-SUB / MTB 2014 170
242446	SCO E-bike Crankset Miranda Delta Boost
262638	SCO E-bike Sprocket Miranda Delta 15T
262640	SCO E-bike Sprocket Mira.Delt 8.65mm 15T
220693	Speed Sensor Mount Kit E-SUB/ Sportster
229733	Seatclamp 34.9mm QR Gambler
223309	Seatclamp 34.9mm CrMo bolt
242449	SCO E-bike Integ bat.socket SportTour 16
267290	SCO E-bike battery inter cover Scale 18
263869	SCO E-bike frame coverGr1 E-Gen/E-Sca 17
263870	SCO E-bike frame coverGr2 E-Gen/E-Sca 17
267432	SCO Seatpost-serv.seal kit 2.5

ITEM	DESCRIPTION
262071	SCO Seatpost-Remote syncros 2.5
262073	SCO Seatpost-Serv.air Cartkit Sync. 2.5
252403	SCO Hub-rep kit Form CT-1702 / 5x141mm
242437	SCO Hub-rep kit Syncros Formula CL811
242439	SCO Hub-rep kit Syncros Formula CL148S
252417	SCO Rim Syncros Alex X25 29 32H
266608	SCO Rim SY/X-30s D 32H 18
242454	SCO Rim tape Scale/Genius/Gen. LT+ 16
266597	SCO E-bike motor cover Bosch Sca/ Gen 18
266404	SCO Frame E-Scale 710 18 Wty
266405	SCO Frame E-Scale 910 18 Wty
266406	SCO Frame E-Scale 730 18 Wty
266407	SCO Frame E-Scale 930 18 Wty
266408	SCO Frame Cont E-Scale 730 18 Wty

SPARE PARTS E-SUB SPORT & E-SUB CROSS

ITEM	DESCRIPTION
206375	Dropout+Screw all MTB since 97' 5-PAK
220693	Speed Sensor Mount Kit E-SUB/ Sportster
242448	SCO E-bike Integ bat. socket Unisex 16
242449	SCO E-bike Integ bat.socket SportTour 16
267292	SCO E-bike battery cover inter Sub 18
267294	SCO E-bike charge plug cover Sub sport18
235740	Chainguard Hesling E-Bike Bosch 2014
267295	SCO E-bike sprocket Conti Shim 18
252441	SCO E-bike Stem Silence adj. 90mm 17
250576	SYN Grips Comfort, Lock-On

ITEM	DESCRIPTION
250579	SYN Grips Comfort, Lock-On
223309	Seatclamp 34.9mm CrMo bolt
229733	Seatclamp Gambler 34.9 2013
241896	SYN Saddle Men's Urban Commuter 2.5
241897	SYN Saddle W's Urban Commuter 2.5
266606	SCO E-bike fenderset E-Sub/Sub Metasol18
264484	SCO E-bike Carrier Sub Tubus 17
250604	SYN Kickstand 2 bolts Direct Mount
267296	SCO E-bike light front Blueline 18 Wty
264049	SCO Rim Rodi disc 32H
266416	SCO Frame E-SUB Active Men 18 Wty

ITEM	DESCRIPTION
266417	SCO Frame E-SUB Active Lady 18 Wty
266418	SCO Frame E-SUB Tour Men Belt 18 Wty
266419	SCO Frame E-SUB Tour Uni Belt 18 Wty
266420	SCO Frame E-SUB Active Uni 18 Wty
266421	SCO Frame E-SUB Active Uni rack type 18
266422	SCO Frame E-SUB Cross 20 Men 18 Wty
266423	SCO Frame E-SUB Cross 20 Lady 18 Wty
267279	SCO Frame E-Sub Sport 10 Men 18
267280	SCO Frame E-Sub Sport 10 Lady 18

SCOTT **E-SPARK/CONTESSA E-SPARK**
SCOTT **E-GENIUS/CONTESSA E-GENIUS**



E-GENIUS 700 TUNED

TECHNICAL DATA E-SPARK/CONTESSA E-SPARK

Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/ dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)	Rear Shock (e2e)	Hardware Rear Shock in mm	Bearings (frame)
E-Spark 700 Tuned	None (Shimano engine)	NONE	170mm (S); 175mm (M/L/XL)	PRESS FIT E2 1.5 PRESSFIT E2, 1-1/8"-1.5",50-62mm, AL CUPS, TIB BEARING, W/O TOP CUP FOR INT. STEM, W/O LOGO	50mm(S/M); 60mm(L); 70mm(XL)	740	31.6X356mm (S); 31.6X406mm (M); 31.6X456mm (L/XL)	34.9	H1825 PLUS 27.5 F:28H F:110X15 BLK SPOKE/ NIPPLE	H1825 PLUS 27.5 R:28H R:148X12mm BLK SPOKE/ NIPPLE	H1825 PLUS 27.5 F/R:28H, F:110X15/R:148X12mm, CL HUB, RIM, BLK SPOKE/NIPPLE W/ TL READY RIM TAPE/ VALVE & RAER RWS W/O CT ADAPTER W/O LOCK RING (18SU E-SPARK 700 TD / 18SU-E-GENIUS 700 TD)	165	22.2X8/ 22.2X8	24X15 XT5
E-Spark 710	None (Shimano engine)	NONE	170mm (S); 175mm (M/L/XL)	)PRESS FIT E2 FL2.0 , 1-1/8"- 1.5",50-62mm, AL CUPS, ACB BEARING, W/O TOP CUP FOR INT. STEM, W/O LOGO	50mm(S/M); 60mm(L); 70mm(XL)	740	31.6X356mm (S); 31.6X406mm (M); 31.6X456mm (L/XL)	34.9	274/276	272/274	27.5+' X 32H	165	22.2X8/ 22.2X8	24X15 XT5
E-Spark 720	None (Shimano engine)	NONE	170mm (S); 175mm (M/L/XL)	PRESS FIT E2 FL2.0 , 1-1/8"- 1.5",50-62mm, AL CUPS, ACB BEARING, W/O TOP CUP FOR INT. STEM, W/O LOGO	50mm(S/M); 60mm(L); 70mm(XL)	740	31.6X356mm (S); 31.6X406mm (M); 31.6X456mm (L/XL)	34.9	274/276	274/276	27.5+' X 32H	165	22.2X8/ 22.2X8	24X15 XT5
E-Spark 730	None (Shimano engine)	NONE	170mm (S); 175mm (M/L/XL)	1SI110T043004 PRESS FIT E2 OE 1-1/8"-1.5" 50-62mm BALL BEARING, BLK	50mm(S/M); 60mm(L); 70mm(XL)	740	31.6X356mm (S); 31.6X406mm (M); 31.6X456mm (L/XL)	34.9	274/276	274/276	27.5+' X 32H	165	22.2X8/ 22.2X8	24X15 XT5
E-Contessa Spark 710	None (Shimano engine)	NONE	170mm (S); 175mm (M/L)	PRESS FIT E2 FL2.0 , 1-1/8"- 1.5",50-62mm, AL CUPS, ACB BEARING, W/O TOP CUP FOR INT. STEM, W/O LOGO	50mm(S/M); 60mm(L)	740	31.6X356mm (S); 31.6X406mm (M); 31.6X456mm (L)	34.9	272/274	274/276	27.5+' X 32H	165	22.2X8/ 22.2X8	24X15 XT5

TECHNICAL DATA E-GENIUS/CONTESSA E-GENIUS

Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/ dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)	Rear Shock (e2e)	Hardware Rear Shock in mm	Bearings (frame)
E-Genius 920	None (Shimano engine)	NONE	170mm (S); 175mm (M/L/ XL)	PRESS FIT E2 FL2.0 , 1-1/8"- 1.5",50-62mm, AL CUPS, ACB BEARING, W/O TOP CUP FOR INT. STEM, W/O LOGO	50mm(S/M); 60mm(L); 70mm(XL)	760	31.6X360mm (S); 31.6X400mm (M/L/XL)	34.9	274/276	274/276	29' X 32H	185mm	22.2X8/ 22.2X8	24X15 XT5
E-Genius 700 Tuned	None (Shimano engine)	NONE	170mm (S); 175mm (M/L/ XL)	PRESS FIT E2 1.5 PRESSFIT E2, 1-1/8"- 1.5",50-62mm, AL CUPS, TIB BEARING, W/O TOP CUP FOR INT. STEM, W/O LOGO	50mm(S/M); 60mm(L); 70mm(XL)	760	31.6X356mm (S); 31.6X406mm (M); 31.6X456mm (L/XL)	34.9	H1825 PLUS 27.5 F:28H F:110X15 BLK SPOKE/ NIPPLE	H1825 PLUS 27.5 R:28H R:148X12mm BLK SPOKE/ NIPPLE	H1825 PLUS 27.5 F/R:28H, F:110X15/R:148X12mm, CL HUB, RIM, BLK SPOKE/ NIPPLE W/TL READY RIM TAPE/VALVE & RAER RWS W/O CT ADAPTER W/O LOCK RING (18SU E-SPARK 700 TD / 18SU-E-GENIUS 700 TD)	185mm	22.2X8/ 22.2X8	24X15 XT5
E-Genius 710	None (Shimano engine)	NONE	170mm (S); 175mm (M/L/ XL)	PRESS FIT E2 FL2.0 , 1-1/8"- 1.5",50-62mm, AL CUPS, ACB BEARING, W/O TOP CUP FOR INT. STEM, W/O LOGO	50mm(S/M); 60mm(L); 70mm(XL)	760	31.6X356mm (S); 31.6X406mm (M); 31.6X456mm (L/XL)	34.9	274/276	272/274	27.5+' X 32H	185mm	22.2X8/ 22.2X8	24X15 XT5
E-Genius 720	None (Shimano engine)	NONE	170mm (S); 175mm (M/L/ XL)	PRESS FIT E2 FL2.0 , 1-1/8"- 1.5",50-62mm, AL CUPS, ACB BEARING, W/O TOP CUP FOR INT. STEM, W/O LOGO	50mm(S/M); 60mm(L); 70mm(XL)	760	31.6X360mm (S); 31.6X400mm (M/L/XL)	34.9	274/276	274/276	27.5+' X 32H	185mm	22.2X8/ 22.2X8	24X15 XT5
E-Genius 730	None (Bosch engine)	NONE	170mm (S); 175mm (M/L/ XL)	1SI110T043003 (1SI11015F30) SYNCROS HS OE 1-1/8"-1.5" 55-61mm H:8.2 BLK STEEL CUPS BALL BEARINGS	50mm(S/M); 60mm(L); 70mm(XL)	760	31.6X360mm (S); 31.6X400mm (M/L/XL)	34.9	274/276	274/276	27.5+' X 32H	190mm	22.2X8/ 22.2X8	24X15 XT5
E-Contessa Genius 720	None (Shimano engine)	NONE	170mm (S); 175mm (M/L)	PRESS FIT E2 FL2.0 , 1-1/8"- 1.5",50-62mm, AL CUPS, ACB BEARING, W/O TOP CUP FOR INT. STEM, W/O LOGO	50mm(S/M); 60mm(L)	740	31.6X360mm (S); 31.6X400mm (M/L)	34.9	274/276	274/276	27.5+' X 32H	185mm	22.2X8/ 22.2X8	24X15 XT5

SPARE PARTS E-SPARK/CONTESSA E-SPARK

ITEM	DESCRIPTION
262046	SCO Axle RWS Rear+lev.148x12 boost plug.
254093	SCO Dropout hanger boost TA12DM alloy 17
266601	SCO E-bike Chainguide Spark 18
266603	SCO E-bike Chainstay protector Sp/ Gen 18
266604	SCO E-bike DT bumper Spark/Genius 18
266605	SCO E-bike batt fitting kit Spa/Gen 18
267293	SCO E-bike battery cover Shim Spa/ Gen 18
228441	SYN Headset Pressfit 1-1/8- 1-1/2
262082	SCO Headset spacers+cap Syncros 1.5 MTB
266595	SCO E-bike Comp magnet Spark/ Genius 18
250565	SYN Stem FL1.5, 31.8mm
250566	SYN Stem FL2.0, 31.8mm
250562	SYN Computer Mount for MTB Stem FL
250545	SYN H.bar FL1.5, Mini Rise
250574	SYN Grips Pro, Lock-On

ITEM	DESCRIPTION
266600	SCO E-bike Shock cableguide Sp/Gen 18
262040	SCO Linkage bar Spark alloy 120mm 17
262044	SCO Shock mount hardware Spark 17
252401	SCO Rear Shock Spark 120mm X-Fusion 17
267427	SCO Rear shock Spark 120mm Fox nude4 18
267428	SCO Rear shock Spark 120mm FoxNud4Ksh 18
239171	Twinloc lever Nude 3 integ clamp
223309	Seatclamp 34.9mm CrMo bolt
229733	Seatclamp 34.9mm QR Gambler
234770	SYN Seatpost FL2.0, 10mm Offset
267432	SCO Seatpost-serv.seal kit 2.5
262071	SCO Seatpost-Remote syncros 2.5
262073	SCO Seatpost-Serv.air Cartkit Sync. 2.5
241893	SYN Saddle FL2.0 Women
242437	SCO Hub-rep kit Syncros Formula CL811
242439	SCO Hub-rep kit Syncros Formula CL148S
266608	SCO Rim SY/X-30s D 32H 18
242454	SCO Rim tape Scale/Genius/Gen. LT+ 16

ITEM	DESCRIPTION
264924	SCO E-bike Swingarm rep kit E-Spark 17
266573	SCO Igus bush set Spark/Genius/E- 18
266321	SCO Tool set swingarm Spark 17 /Gen 18
266596	SCO E-bike motor cover Shim Spa/ Gen 18
266363	SCO Front triangle E-Spark 700 TND 18
266364	SCO Front triangle E-Spark 710 18
266365	SCO Front triangle E-Spark 720 18
266366	SCO Front triangle E-Spark 730 18
266371	SCO Front triangle Cont E-Spark 710 18
266456	SCO Chainstays E-Spark 700 Tuned 18
266457	SCO Chainstays E-Spark 710 18
266458	SCO Chainstays E-Spark 720 18
266459	SCO Chainstays E-Spark 730 18
266464	SCO Chainstays Cont E-Spark 710 18
266477	SCO Seatstays E-Spark 700 Tuned 18
266478	SCO Seatstays E-Spark 710 18
266479	SCO Seatstays E-Spark 720 18
266480	SCO Seatstays E-Spark 730 18
266485	SCO Seatstays Cont E-Spark 710 18

SPARE PARTS E-GENIUS/CONTESSA E-GENIUS

ITEM	DESCRIPTION
242432	SCO Axle RWS Alu thru 150mm x 12mm
262046	SCO Axle RWS Rear+lev.148x12 boost plug.
219573	Dropout Set IDS 2 135/RWS 12
219576	Dropout Hang.right side IDS 2 135/ RWS12
254092	SCO Dropout hanger boost TA12 alloy 17
254093	SCO Dropout hanger boost TA12DM alloy 17
245451	SCO Chainsuck protector E-Genius+ 16
266602	SCO E-bike Chainguide Genius 18
266603	SCO E-bike Chainstay protector Sp/ Gen 18
266604	SCO E-bike DT bumper Spark/Genius 18
266605	SCO E-bike batt fitting kit Spa/Gen 18
267293	SCO E-bike battery cover Shim Spa/ Gen 18
228441	SYN Headset Pressfit 1-1/8- 1-1/2
265586	SYN Headset Pressfit Genius MY18
262082	SCO Headset spacers+cap Syncros 1.5 MTB
250565	SYN Stem FL1.5, 31.8mm
250566	SYN Stem FL2.0, 31.8mm
250562	SYN Computer Mount for MTB Stem FL
250545	SYN H.bar FL1.5, Mini Rise
250574	SYN Grips Pro, Lock-On
242446	SCO E-bike Crankset Miranda Delta Boost
262640	SCO E-bike Pignon Miran.Delta 8.65mm 15d
220693	Speed Sensor Mount Kit E-SUB/Sportster

ITEM	DESCRIPTION
266595	SCO E-bike Comp magnet Spark/ Genius 18
242449	SCO E-bike Integ bat.socket SportTour 16
263869	SCO E-bike frame coverGr1 E-Gen/E-Sca 17
263870	SCO E-bike frame coverGr2 E-Gen/E-Sca 17
235272	Geometry chip Spark Genius All 14
235710	Shock Mount/Bush.set Spark Genius/ LT 14>
229716	Shock Mount Bolt Genius 2013
266576	SCO Shock mount bush set X-Fus Genius 18
266577	SCO Shock mount bush set Fox Genius 18
266575	SCO Shock mount hardware Genius 18
266600	SCO E-bike Shock cableguide Sp/Gen 18
235267	Linkage bar set Genius 900 2014
266578	SCO Linkage bar Genius alloy 18
242419	SCO Rear shock Xfusion NUDE 190*50
266583	SCO Rear shock Genius Fox Nude 4 Ksh 18
266584	SCO Rear shock Genius Fox Nude 4 18
266585	SCO Rear shock Genius X/Fusion Nude 4 18
239171	Twinloc lever Nude 3 integ clamp
223309	Seatclamp 34.9mm CrMo bolt
267432	SCO Seatpost-serv.seal kit 2.5
262071	SCO Seatpost-Remote syncros 2.5
262073	SCO Seatpost-Serv.air Cartkit Sync. 2.5
242437	SCO Hub-rep kit Syncros Formula CL811
242439	SCO Hub-rep kit Syncros Formula CL148S

ITEM	DESCRIPTION
266608	SCO Rim SY/X-30s D 32H 18
242454	SCO Rim tape Scale/Genius/Gen. LT+ 16
223301	Swingarm Repair Kit Spark>12 Genius>13
223302	Igus Bushing Set Spark>12 Genius>13 CS
223303	Ind. Bearing Set Spark 2012 CST/ SST w/ax
266573	SCO Igus bush set Spark/Genius/E- 18
266574	SCO Swingarm rep kit Genius 18
266607	SCO E-bike Swingarm rep kit E-Genius 18
223289	Tool set swingarm Spark>12 Genius>13
266321	SCO Tool set swingarm Spark 17 /Gen 18
266596	SCO E-bike motor cover Shim Spa/Gen 18
266597	SCO E-bike motor cover Bosch Sca/ Gen 18
266367	SCO Front triangle E-Genius 700 TND 18
266368	SCO Front triangle E-Genius 710 18
266369	SCO Front triangle E-Genius 720/920 18
266370	SCO Front triangle E-Genius 730 18
266372	SCO Front triangle Cont E-Genius 720 18
266460	SCO Chainstays E-Genius 700 Tuned 18
266461	SCO Chainstays E-Genius 710 18
266462	SCO Chainstays E-Genius 720/920 18
266463	SCO Chainstays E-Genius 730 18
266465	SCO Chainstays Cont E-Genius 720 18
266481	SCO Seatstays E-Genius 700 Tuned 18
266482	SCO Seatstays E-Genius 710 18
266483	SCO Seatstays E-Genius 720/920 18
266484	SCO Seatstays E-Genius 730 18
266486	SCO Seatstays Cont E-Genius 720 18

CABLE ROUTING AND BATTERY FITTING ON E-SPARK AND E-GENIUS MY18<

(E-Genius 730 not included in this process, Bosch System)

This manual will give you a quick overview of how to route the cables in the downtube of E-Spark and E-Genius Bikes with a Shimano Steps E-8080 system. This is necessary if you have received a new front triangle, if you want to change the rear brake, rear shock or dropper post cables.

Tool List:

- TX10, TX15, TX25
- PH2 Screwdriver
- 2.5mm, 4mm, 5mm Allen Key
- Shimano Tools: TL-EW02, TL-FC38, TL-FC36, TL-FC16
- Torque wrench up to 10 Nm



TL-EW02



TL-FC38



TL-FC36



TL-FC16

1 For an easier procedure you should remove both wheels of the bike.



2 Dismount the battery from the downtube. Turn the key 90°; push it to release the battery while supporting it with one hand to prevent it from falling out. When the green area of the sticker attached to the battery lines up with the edge of the downtube, push the end of the battery facing the engine upwards and then pull the battery forwards.



3 Dismounted Battery from Downtube; (A) key unit, (B) battery contacts



Cable layout (top to bottom): E-Tube – Twinlock (Shock) – Dropper Post – Rear Brake



Entries on the left cable port: Dropper Post – Rear Brake



Entries on the right cable port: Twinlock (Shock) - E-Tube

4 Remove with a Torx 15 the plastic cover of the key unit.

When refitting torque them up to 0.6 Nm.



5 Remove the key unit cover with a PH2 Screwdriver (you have to align the screwdriver with an angel of 45° to catch the screws) to get access to the key unit.

When refitting torque them up to 0.6 Nm.



6 Remove the key unit through removing the two 5 mm Allen bolts left and right next to the key cylinder with a 5mm Allen key.

When refitting tighten tem to 10Nm.




7 Remove the downtube key unit holding plate cover with a 2.5 mm Allen key.

When refitting tighten the bolt up to 1.5 Nm.



8 Remove the key unit base plate from the downtube with a 4 mm Allen key. Protect the top tube while doing so. The drilling holes of the base plate are slightly angled to prevent that, nonetheless protect the top tube. Finished key unit disassembly.

When refitting, tighten the bolts up to 4 Nm and use thread lock.



9 Before the next step please dismount the right crank arm and the spider ring incl. the chain ring. Therefore use the following Shimano specific tools: TL-FC38 - TL-FC36 – TL-FC16

You can't access the screws to dismount the cover of the engine on the drive side without it. Remove all engine covers.

When refitting, torque them up to 0.6 Nm.









10 Fully exposed engine: electrical connection – display – speed - shifting cable, remove all the cables with the correct Shimano TL-EW02 tool. Push the engine cable as far into the frame as possible, this will help with the next step.





11 Remove the last cover underneath the engine cover. Two TX 15 screws secure the battery connecting unit.

When refitting torque them up to 0.6 Nm.



12 Remove the two plastic cover bolts with a PH2 screwdriver. While refitting torque them up to 0.6 Nm.

Carefully lift the plastic cover and use 5mm Allen key to dismount the battery connecting unit. You can't lift the plastic cover without the engine cable being pushed in the frame as explained in work step Nr. 10.

When refitting the battery connecting unit tighten the bolts up to 10 Nm.





13 Remove the six engine bolts (three each side) with a 5mm Allen key and lower the engine.

When refitting (full torque to the right side first, then full torque to the left side) torque them up to 8 Nm and use thread lock.




14 Description of the cable routing:

1 Power cable engine
2 E-Tube display cable
3 Rear shock
4 Rear derailleur
5 Rear brake
6 Speed sensor
7 Dropper post

Now you can reroute or replace your desired component. End of disassembly process.






15 While reassembly the components execute the work steps in reverse. When it comes to adjust the fit of the battery mount adjust the position of the key unit so that the distance between section (A) of the key unit and section (B) of the battery connection unit is 347.2 mm and then fully tighten the key unit fixing bolts (circles).

For an easier installation you should consider buying the TL-BME03 gauge.

Before refitting the key unit cover check the fit of the battery and for an easy installation process.





16 Check the clearance of every gap of the plastic covers. Job done.







LIGHT OVERVIEW

BIKE	FRONT LIGHT	REAR LIGHT	SEATPOST LIGHT
265418 E-Aspect AT	252412 SCO E-bike Light front E-Silence 17	252413 SCO E-bike Light rear E-Silence 17	252411 SCO E-bike Light rear E-Silence EVO 17
265430 E-Silence 10 men	252412 SCO E-bike Light front E-Silence 17	252413 SCO E-bike Light rear E-Silence 17	252411 SCO E-bike Light rear E-Silence EVO 17
265431 E-Silence 10 lady	252412 SCO E-bike Light front E-Silence 17	252413 SCO E-bike Light rear E-Silence 17	252411 SCO E-bike Light rear E-Silence EVO 17
265432 E-Silence 20 men	252412 SCO E-bike Light front E-Silence 17	252413 SCO E-bike Light rear E-Silence 17	252411 SCO E-bike Light rear E-Silence EVO 17
265433 E-Silence 20 lady	252412 SCO E-bike Light front E-Silence 17	252413 SCO E-bike Light rear E-Silence 17	252411 SCO E-bike Light rear E-Silence EVO 17
265434 E-Sub sport 10 men	267296 AXA BLUE LINE 30 LUX E-BIKE 6V * 911110 + BRACKET 900770	B&M TOPLIGHT 2C DC, Part-No. 326/5ASDC6211	
265435 E-Sub sport 10 lady	267296 AXA BLUE LINE 30 LUX E-BIKE 6V * 911110 + BRACKET 900770	B&M TOPLIGHT 2C DC, Part-No. 326/5ASDC6211	
265436 E-Sub sport 20 men	267296 AXA BLUE LINE 30 LUX E-BIKE 6V * 911110 + BRACKET 900770	B&M TOPLIGHT 2C DC, Part-No. 326/5ASDC6211	
265437 E-Sub sport 20 lady	267296 AXA BLUE LINE 30 LUX E-BIKE 6V * 911110 + BRACKET 900770	B&M TOPLIGHT 2C DC, Part-No. 326/5ASDC6211	
265438 E-Sub tour men	267296 AXA BLUE LINE 30 LUX E-BIKE 12V * 911117 + BRACKET 900770	B&M TOPLIGHT 2C DC, Part-No. 326/5ASDC6211	
265439 E-Sub tour men belt	267296 AXA BLUE LINE 30 LUX E-BIKE 12V * 911117 + BRACKET 900770	B&M TOPLIGHT 2C DC, Part-No. 326/5ASDC6211	
265440 E-Sub tour lady	267296 AXA BLUE LINE 30 LUX E-BIKE 12V * 911117 + BRACKET 900770	B&M TOPLIGHT 2C DC, Part-No. 326/5ASDC6211	
265441 E-Sub tour unisex	267296 AXA BLUE LINE 30 LUX E-BIKE 12V * 911117 + BRACKET 900770	B&M TOPLIGHT 2C DC, Part-No. 326/5ASDC6211	
265442 E-sub tour unisex belt	267296 AXA BLUE LINE 30 LUX E-BIKE 12V * 911117 + BRACKET 900770	B&M TOPLIGHT 2C DC, Part-No. 326/5ASDC6211	
265443 E-Sub active men	267296 AXA BLUE LINE 30 LUX E-BIKE 12V * 911117 + BRACKET 900770	B&M TOPLIGHT 2C DC, Part-No. 326/5ASDC6211	
265444 E-Sub active lady	267296 AXA BLUE LINE 30 LUX E-BIKE 12V * 911117 + BRACKET 900770	B&M TOPLIGHT 2C DC, Part-No. 326/5ASDC6211	
265445 E-Sub tour active unisex	267296 AXA BLUE LINE 30 LUX E-BIKE 12V * 911117 + BRACKET 900770	B&M TOPLIGHT 2C DC, Part-No. 326/5ASDC6211	
265446 E-Sub active unisex rack type	267296 AXA BLUE LINE 30 LUX E-BIKE 12V * 911117 + BRACKET 900770	B&M TOPLIGHT 2C DC, Part-No. 326/5ASDC6211	

04 URBAN/ TREKKING

- SILENCE
- SUB CROSS/SPORT/COMFORT

SCOTT **SILENCE**



SILENCE EVO

TECHNICAL DATA SILENCE

Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/ dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)
Silence Evo	VP-BC73C / 68x118	NONE	170	43,5°49,8	90	640	31.6 / 350	34.9	278	283	F: 32H F/V / R:32H F/V
Silence 10 Men	KBBMT800B	KFDT8000LM6 / 31.8	175	43,5°49,8	90	640	31.6 / 350	34.9	283	285/287	F: 32H F/V / R:32H F/V
Silence 10 Lady	KBBMT800B	KFDT8000LM6 / 31.8	175	43,5°49,8	90	640	31.6 / 350	34.9	283	285/287	F: 32H F/V / R:32H F/V
Silence 20 Men	included in chainwheel	KFDT6000L6ML / 31.8	175	43,5°49,8	90	640	31.6 / 350	34.9	280	285/287	F: 32H F/V / R:32H F/V
Silence 20 Lady	included in chainwheel	KFDT6000L6ML / 31.8	175	43,5°49,8	90	640	31.6 / 350	34.9	280	285/287	F: 32H F/V / R:32H F/V
Silence 30 Men	VP-BC73C / 68x122.5	AFDTY710TSM3 / 31.8	175	43,5°49,8	90	640	31.6 / 350	34.9	280	285/287	F: 32H F/V / R:32H F/V
Silence 30 Lady	VP-BC73C / 68x122.5	AFDTY710TSM3 / 31.8	175	43,5°49,8	90	640	31.6 / 350	34.9	280	285/287	F: 32H F/V / R:32H F/V

SPARE PARTS SILENCE

ITEM	DESCRIPTION
206375	Dropout+Screw all MTB since'97 5-PAK
266567	SCO Fork Silence EVO 18
266568	SCO Fork Silence 10 Disc 18
266569	SCO Fork Silence 20 Disc 18
266570	SCO Fork Silence 30 Disc 18
228441	SYN Headset Pressfit 1-1/8- 1-1/2
267295	SCO E-bike sprocket Conti Shim 18
250576	SYN Grips Comfort, Lock-On

ITEM	DESCRIPTION
250579	SYN Grips Comfort, Lock-On
252441	SCO E-bike Stem Silence adj. 90mm 17
229733	Seatclamp 34.9mm QR Gambler
250604	SYN Kickstand 2 bolts Direct Mount
262079	SCO Fender set Silence F+R 17
265526	SCO Rear rack Silence Men Snap-it
265527	SCO Rear rack Silence Lady Snap-it
262075	SCO E-bike Lockholder set Silence 17

ITEM	DESCRIPTION
262076	SCO E-bike lock blankingcover Silence 17
252439	SCO Light Silence front stem mount 17
252440	SCO Light Silence rear post mount 17
264048	SCO Rim X15 disc 32H
266501	SCO Frameset Silence EVO 18 Wty
266502	SCO Frameset Silence 10 Men 18 Wty
266503	SCO Frameset Silence 10 Lady 18 Wty

SCOTT **SUB CROSS/SPORT/COMFORT**



SUB SPORT 10 MEN

TECHNICAL DATA SUB CROSS/SPORT/COMFORT

Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/ dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)
Sub Cross 10 Men	KBBMT800B / 68MM	KFDT610L6/ 34.9MM	170mm (S) / 175mm (M/L/XL/XXL)	1-1/8"X44X 50X30mm	80mm (S), 90mm (M/L), 100mm (XL/XXL)	660	31.6x350	34.9	No data yet	No data yet	SD-20(X-20), 32H
Sub Cross 10 Lady	KBBMT800B / 68MM	KFDT610L6/ 34.9MM	170mm (S) / 175mm (M/L/XL)	1-1/8"X44X 50X30mm	70mm (S), 80mm (M), 90mm (L), 100mm (XL)	660	31.6x350	34.9	No data yet	No data yet	SD-20(X-20), 32H
Sub Cross 20 Men	SM-BB52/68MM	KFDT610L6/ 34.9MM	170mm (S) / 175mm (M/L/XL/XXL)	1-1/8"X44X 50X30mm	80mm (S), 90mm (M/L), 100mm (XL/XXL)	660	31.6x350	34.9	No data yet	No data yet	SD-20(X-20), 32H
Sub Cross 20 Lady	SM-BB52/68MM	KFDT610L6/ 34.9MM	170mm (S) / 175mm (M/L/XL)	1-1/8"X44X 50X30mm	70mm (S), 80mm (M), 90mm (L), 100mm (XL)	660	31.6x350	34.9	No data yet	No data yet	SD-20(X-20), 32H
Sub Cross 30 Men	ABBES300B26 / 126MM(D-NL) / 68M	AFDM370L6/ 34.9MM	170mm (S) / 175mm (M/L/XL/XXL)	1-1/8"X44X 50X30mm	80mm (S), 90mm (M/L), 100mm (XL/XXL)	660	31.6x350	34.9	No data yet	No data yet	SD-20(X-20), 32H
Sub Cross 30 Lady	ABBES300B26 / 126MM(D-NL) / 68M	AFDM370L6/ 34.9MM	170mm (S) / 175mm (M/L/XL)	1-1/8"X44X 50X30mm	70mm (S), 80mm (M), 90mm (L), 100mm (XL)	660	31.6x350	34.9	No data yet	No data yet	SD-20(X-20), 32H
Sub Cross 40 Men	ABBUN100B22X / 122.5MM(D-NL) / 68MM	AFDTY710TSL6/ 34.9MM	170mm (S) / 175mm (M/L/XL/XXL)	1-1/8"X44X 50X30mm	80mm (S), 90mm (M/L), 100mm (XL/XXL)	660	31.6x350	34.9	No data yet	No data yet	SD-20(X-20), 32H
Sub Cross 40 Lady	ABBUN100B22X / 122.5MM(D-NL) / 68MM	AFDTY710TSL6/ 34.9MM	170mm (S) / 175mm (M/L/XL)	1-1/8"X44X 50X30mm	70mm (S), 80mm (M), 90mm (L), 100mm (XL)	660	31.6x350	34.9	No data yet	No data yet	SD-20(X-20), 32H
Sub Sport 10 Men	included in chainwheel	KFDT6000L6ML/ 31.8	175	28.6	110	640	31.6 / 350	35	280	285/287	F: 32H F/V / R:32H F/V
Sub Sport 10 Lady	included in chainwheel	KFDT6000L6ML/ 31.8	175	28.6	110	640	31.6 / 350	35	280	285/287	F: 32H F/V / R:32H F/V
Sub Sport 20 Men	VP-BC73C / 68x122.5	AFDT3000TSM6/ 31.8	170	28.6	110	640	31.6 / 350	35	280	285/287	F: 32H F/V / R:32H F/V
Sub Sport 20 Lady	VP-BC73C / 68x122.5	AFDM371M6/ 31.8	170	28.6	110	640	31.6 / 350	35	280	285/287	F: 32H F/V / R:32H F/V
Sub Sport 30 Men	VP-BC73C / 68x122.5	AFDTY510TSM6/ 31.8	175	28.6	110	640	31.6 / 350	35	283	288/290	F: 36H F/V / R:36H F/V
Sub Sport 30 Lady	VP-BC73C / 68x122.5	AFDTY510TSM6/ 31.8	175	28.6	110	640	31.6 / 350	35	283	288/290	F: 36H F/V / R:36H F/V
Sub Comfort 10 Men	VP-BC73C / 68x122.5	AFDTY710TSM3/ 31.8	175	28.6	110	610	31.6 / 350	35	283	288/290	F: 36H F/V / R:36H F/V
Sub Comfort 10 Unisex	VP-BC73C / 68x122.5	AFDTY710TSM3/ 31.8	175	28.6	110	610	31.6 / 350	35	283	288/290	F: 36H F/V / R:36H F/V
Sub Comfort 20 Men	VP-BC73C / 68x122.5	AFDTY510TSM6/ 31.8	175	28.6	90	610	31.6 / 350	35	283	288/290	F: 36H F/V / R:36H F/V
Sub Comfort 20 Unisex S	VP-BC73C / 68x122.5	AFDTY510TSM6/ 31.8	175	28.6	90	610	31.6 / 350	35	283	288/290	F: 36H F/V / R:36H F/V

SPARE PARTS SUB CROSS

ITEM	DESCRIPTION
206375	Dropout+Screw all MTB since'97 5-PAK
239319	Fork Suntour NEX HLO w/ Lockout PM
200718	Headset Ritchey sem.int.11/8
250576	SYN Grips Comfort, Lock-On
250579	SYN Grips Comfort, Lock-On
223309	Seatclamp 34.9mm CrMo bolt
242120	Hub rep kit Formula DC-25RQR
264579	SCO Hub-rep kit Formula CL-51 front
262059	SCO Rim Syncros Alex SD20 (X20) 32H
266510	SCO Frame SUB Cross 10 disc Men 18 Wty
266511	SCO Frame SUB Cross 10 disc Lady 18 Wty

SPARE PARTS SUB SPORT

ITEM	DESCRIPTION
206375	Dropout+Screw all MTB since'97 5-PAK
250576	SYN Grips Comfort, Lock-On
250579	SYN Grips Comfort, Lock-On
229733	Seatclamp 34.9mm SR Gambler
241896	SYN Saddle Men's Urban Commuter 2.5
241897	SYN Saddle W's Urban Commuter 2.5
267288	SCO Light front Blueline Dynamo 18 Wty
266606	SCO E-bike fenderset E-Sub/Sub Metasol18
264484	SCO E-bike Carrier Sub Tubus 17
250604	SYN Kickstand 2 bolts Direct Mount
242460	SCO Rim Cross X12 32H
264048	SCO Rim X15 disc 32H
266504	SCO Frame Sub Sport 10 Disc Men 18 Wty
266505	SCO Frame Sub Sport 10 Disc Lady 18 Wty
266506	SCO Frame Sub Sport 30 v brake Men18 Wty
266507	SCO Frame Sub Sport 30 v brake Lady18Wty

SPARE PARTS SUB COMFORT

ITEM	DESCRIPTION
206375	Dropout+Screw all MTB since'97 5-PAK
267289	SCO Chainguard SKS chainblade Sub 18
229733	Seatclamp 34.9mm SR Gambler
234798	SYN Saddle Urban COMFORT 1.5 Gel Men
234800	SYN Saddle Urban COMFORT 1.5 Gel Women
268639	SCO rack Sub Comfort Wty 18
266606	SCO E-bike fenderset E-Sub/Sub Metasol18
250604	Kickstand Syncros 2 bolts Direct Mount
235448	Rim Cross X2 19 Eyelets 32H
266508	SCO Frame SUB Comfort 10 v brakeMen18Wty
266509	SCO Frame SUB Comfort 10 vbrake unisex18

LIGHT OVERVIEW

BIKE	FRONT LIGHT	REAR LIGHT
265451 silence evo	252439 SCO Light Silence front stem mount 17	252440 SCO Light Silence rear post mount 17
265452 silence 10 men	252439 SCO Light Silence front stem mount 17	252440 SCO Light Silence rear post mount 17
265453 silence 10 lady	252439 SCO Light Silence front stem mount 17	252440 SCO Light Silence rear post mount 17
265454 silence 20 men	252439 SCO Light Silence front stem mount 17	252440 SCO Light Silence rear post mount 17
265455 silence 20 lady	252439 SCO Light Silence front stem mount 17	252440 SCO Light Silence rear post mount 17
265456 silence 30 men	252439 SCO Light Silence front stem mount 17	252440 SCO Light Silence rear post mount 17
265457 silence 30 lady	252439 SCO Light Silence front stem mount 17	252440 SCO Light Silence rear post mount 17
265458 Sub sport 10 men	267288 SCO Light front Blueline Dynamo 18 Wty	AXA BLUELINE STEADY 50 * 931200
265459 Sub sport 10 lady	267288 SCO Light front Blueline Dynamo 18 Wty	AXA BLUELINE STEADY 50 * 931200
265460 sub sport 20 men	267288 SCO Light front Blueline Dynamo 18 Wty	AXA BLUELINE STEADY 50 * 931200
265461 sub sport 20 lady	267288 SCO Light front Blueline Dynamo 18 Wty	AXA BLUELINE STEADY 50 * 931200
265462 sub sport 30 men	AXA ECOLINE 2.4W * 926410	AXA BLUELINE STEADY 50 * 931200
265463 sub sport 30 lady	AXA ECOLINE 2.4W * 926410	AXA BLUELINE STEADY 50 * 931200
265464 sub comfort 10 men	AXA ECOLINE 2.4W * 926410	AXA BLUELINE STEADY 50 * 931200
265465 sub comfort 10 unisex	AXA ECOLINE 2.4W * 926410	AXA BLUELINE STEADY 50 * 931200
265466 sub comfort 20 men	AXA ECOLINE 2.4W * 926410	AXA BLUELINE STEADY 50 * 931200
265467 sub comfort 20 unisex	AXA ECOLINE 2.4W * 926410	AXA BLUELINE STEADY 50 * 931200

05 JUNIOR

SCOTT **JUNIOR**



SCALE JR 26

TECHNICAL DATA JUNIOR

Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/ dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)
Speedster JR 24	VP-BC 73/ 68x103	AFD2400BM / 31.8	145	28.6	60	380	27.2/250	31.8	237	230/232	F: 20H F/V / R:24H F/V
Volt-X 10	BB-16M/ 73x138	NONE	175	28.6	50	695	25.4/200	28.6	188	184	F: 36H A/V / R:36H A/V
Volt-X 20	BB-16M/ 73x138	NONE	175	28.6	50	690	25.4/200	28.6	188	184	F: 36H A/V / R:36H A/V
Volt-X 30	VP-B35	NONE	160	28.6	50	605	25.4/230	28.6	186	186	F: 36H A/V / R:36H A/V
Voltage Walker	NIL	NIL	NIL	VP-H733/22.2*30*27	110	400	25.4*200	28.6	85	85	HLQ-10 16H
Contessa Walker	NIL	NIL	NIL	VP-H733/22.2*30*27	110	400	25.4*200	28.6	85	85	HLQ-10 16H
Scale JR 26	ABBUN100B22X / 122.5mm (D-NL) / 68mm	AFDTY700TSL6 / 34.9mm	170	1-1/8 X49.8X44mm	70	640	31.6x350	35	261/263	261/263	SD-20(X-20), 32H
Voltage JR 26	ABBUN100C23X / 122.5mm (LL123)/ 73mm	AFDTY500TSL6 / 34.9mm	170	1-1/8 X49.8X44mm	45	640	31.6x300	35	267	263/265	MT-25, 32H
Contessa JR 26	ABBUN100B22B / 122.5mm (D-NL) /68mm	AFDTY500TSL6 / 34.9mm	170	1-1/8 X49.8X44mm	60	640	31.6x300	35	267	263/265	MT-25, 32H
Scale RC JR 24 disc	Sram BB-GXP-A1 / 68mm	NIL	155	1-1/8 X49.8X44mm	90	620	26.8x350	31.8	236/238	233/232	SD-20(X-20) 24" Disc, F:20H/ R:24H
Scale JR 24 disc (KH)	B906BK / 122.5mm / 68mm	AFDTY500TSM6 / 31.8mm	152	1-1/8 X49.8X44mm	50	560	26.8X300	31.8	235/237	235/237	C1000, 32H
Scale JR 24 (KH)	B906BK / 122.5mm / 68mm	AFDTY500TSM6 / 31.8mm	152	1-1/8 X49.8X44mm	50	560	26.8X300	31.8	240	237/239	C1000, 32H
Scale JR 24 rigid fork (KH)	B906BK / 122.5mm / 68mm	AFDTY500TSM6 / 31.8mm	152	1-1/8 X49.8X44mm	50	560	26.8X300	31.8	240	237/239	C1000, 32H
Scale JR 24 Plus	B906BK / 122.5mm / 68mm	NIL	152	1-1/8 X49.8X44mm	50	580	26.8X300	31.8	235/237	235/237	MP-32, 32H
Voltage JR 24 disc (KH)	B906BK / 122.5mm / 68mm	AFDTY500TSM6 / 31.8mm	152	1-1/8 X34X30mm	50	560	26.8X300	31.8	235/237	235/237	C1000, 32H
Voltage JR 24 (KH)	B906BK / 122.5mm / 68mm	AFDTY500TSM6 / 31.8mm	152	1-1/8 X34X30mm	50	560	26.8X300	31.8	239	237/239	C1000, 32H
Contessa JR 24 (KH)	B906BK / 120.5mm / 68mm	AFDTY500TSM6 / 31.8mm	152	1-1/8 X34X30mm	50	560	26.8X300	31.8	239	237/239	C1000, 32H
Contessa JR 24 rigid fork	B906BK / 122.5mm / 68mm	AFDTY500TSM6 / 31.8mm	152	1-1/8 X49.8X44mm	50	560	26.8X300	31.8	240	237/239	C1000, 32H
Scale JR 20 (KH)	FP-B906SCT / 118mm / 68mm	NIL	127	1-1/8 X49.8X44mm	50	540	26.8X200	31.8	190	187/189	V-6NS, 32H

TECHNICAL DATA JUNIOR

Bike	BB-spec/ axle length/ shell width	Front Derailleur spec/ diameter	Crankarm Length in mm	Headset spec/ dimension	Stem Length in mm	Bar Width in mm	Seatpost diameter in mm/ length in mm	Seatpost Clamp Diameter in mm	Front spoke length in mm	Rear spoke length in mm	Rim spec. (model, holes)
Scale JR 20 rigid fork (KH)	FP-B906SCT / 118mm / 68mm	NIL	127	1-1/8 X49.8X44mm	50	540	26.8X200	31.8	190	187/189	V-6NS, 32H
Scale JR 20 Plus	FP-B906SCT / 118mm / 68mm	NIL	127	1-1/8 X49.8X44mm	50	560	26.8X200	31.8	185/187	185/187	MP-32, 32H
Voltage JR 20 (KH)	FP-B906SCT / 122.5mm / 68mm	NIL	127	1-1/8 X34X30mm	50	540	26.8X200	31.8	190	187/189	V-6NS, 32H
Contessa JR 20 (KH)	FP-B906SCT / 117.5mm / 68mm	NIL	127	1-1/8 X34X30mm	50	540	26.8X200	31.8	190	187/189	V-6NS, 32H
Contessa JR 20 rigid fork	FP-B906SCT / 117.5mm / 68mm	NIL	127	1-1/8 X49.8X44mm	50	540	26.8X200	31.8	190	187/189	V-6NS, 32H
Voltage JR 16 (KH)	SS905 / 68mm	NIL	4"	21.1x32.5x26.5 mm	30	520	26.8X200	31.8	142	132	V-6NS, F:20H / R:28H
Contessa JR 16 (KH)	SS905 / 68mm	NIL	4"	21.1x32.5x26.5 mm	30	520	26.8X200	31.8	142	132	V-6NS, F:20H / R:28H
Voltage JR 12 (KH)	SS905 / 65mm	NIL	3-1/2"	22.2x32.5x26.5mm	40	460	26.8X200	31.8	83	71	V-6NS, 16H
Contessa JR 12 (KH)	SS905 / 65mm	NIL	3-1/2"	22.2x32.5x26.5mm	40	460	26.8X200	31.8	83	71	V-6NS, 16H


SPARE PARTS JUNIOR

ITEM	DESCRIPTION
219515	Axle Pegs Set Volt-X
206376	Dropout+Screw AFD 98->02 2-PAK
206375	Dropout+Screw all MTB since 97' 5-PAK
233961	Dropout Cont 660-650 ScalJr 20-24 PAK-2
229544	Fork SR Suntour XCT-JR-MLO 20 / 40 mm
223082	Fork Suntour XCM H-LO 100mm
266513	SCO Fork Scale RC JR 24 rigid Disc 18
266514	SCO Fork Scale JR 24 susp Disc 18
266515	SCO Fork Scale JR 24 rigid V-brake 18
266516	SCO Fork Scale JR 24+ rigid Disc 18
266517	SCO Fork Voltage JR 24 susp Disc 18
266518	SCO Fork Voltage JR 24 V-brake 18
266519	SCO Fork Voltage JR 26 V-brake 18
266520	SCO Fork Contessa JR 24 rigid V-brake 18
266522	SCO Fork Scale JR 20+ rigid Disc 18
266523	SCO Fork Volt-X 10 18
266524	SCO Fork Volt-X 20 18
266525	SCO Fork Volt-X 30 18
200718	Headset Ritchey sem.int.11/8

ITEM	DESCRIPTION
228884	Headset VP-51A 11/8 AHD w/SCOTT logo
219510	Headset Volt-X 10
219511	Headset Rotor set Volt-X
219554	Stem Volt-X black
228408	Grips Syncros BMX
237437	Bb set BMX mid BB-16M
228834	Crankset RuChi+BB set 28T Radical 120
219523	Crankset Samox CW-160 incl. US BB
262068	SCO Crankset Scale JR 20+ 36T 140mm 17
262067	SCO Crankset Scale JR 24+ 32T 152mm 17
228913	Pedal VP-560 Kids BMX Syle
228914	Pedal VP-570 Kids Medium Size BMX
228915	Pedal VP-580 Radical 160 1/2
228950	Seatclamp 31.8mm QR Kalloy XC64
229733	Seatclamp 34.9mm SR Gambler
262085	SCO Saddle Scale JR 20/24 17
262084	SCO Saddle Scale RC/Speedster JR 17
242120	Hub rep kit Formula DC-25RQR
239542	Hub rear Volt X Joy Tech 14mm 36H

ITEM	DESCRIPTION
216325	Rim Alex C-1000 32H 24"
236892	Rim Alex/Sync Race Jr 28 20H
236893	Rim Alex/Sync Race Jr 28 24H
239543	Rim Alex C-1000 32H 20"
223269	Tire Kenda Speedster JR 24 black
266260	SCO Tire Scale JR+ 24
266261	SCO Tire Scale JR+ 20
229021	Wheels Training for Fox 160
229022	Wheels Training for Radical 120 black
262052	SCO Front wheel Scale JR 20+ disc 17
262053	SCO Rear wheel Scale JR 20 Plus disc 17
262054	SCO Front wheel Scale JR 24+ disc 17
262055	SCO Rear wheel Scale JR 24 Plus disc 17
266395	SCO Frame Scale JR 26 18
266396	SCO Frame Voltage JR 26 V/Disc brake 18
266397	SCO Frame Scale RC JR 24 Disc brake 18
266398	SCO Frame Scale JR 24+ 18
266401	SCO Frame Scale JR 20 V brake 18
266402	SCO Frame Scale JR 20+ 18
267583	SCO Frame Scale JR 24 rigid V brake 18
266643	SCO Frame Voltage YZ 10 18 Wty

06 TECHNICAL DATA & GEOMETRIES




SCALE 900 SERIES

SCALE 900 RC: SL, WORLD CUP, PRO
SCALE: 910, 915, 920, 925, 930


		S		M		L		XL	
A	HEAD TUBE ANGLE	69.5 °		69.5 °		69.5 °		69.5 °	
B	HEAD TUBE LENGTH	95.0 mm	3.7 in	100.0 mm	3.9 in	115.0 mm	4.5 in	125.0 mm	4.9 in
C	TOP TUBE HORIZONTAL	575.0 mm	22.6 in	600.0 mm	23.6 in	625.0 mm	24.6 in	650.0 mm	25.6 in
D	STANDOVER HEIGHT	743.0 mm	29.3 in	774.0 mm	30.5 in	800.0 mm	31.5 in	835.1 mm	32.9 in
E	BB OFFSET	-58.0 mm	-2.3 in	-58.0 mm	-2.3 in	-58.0 mm	-2.3 in	-58.0 mm	-2.3 in
F	BB HEIGHT	312.0 mm	12.3 in	312.0 mm	12.3 in	312.0 mm	12.3 in	312.0 mm	12.3 in
G	WHEEL BASE	1,076.4 mm	42.4 in	1,101.8 mm	43.4 in	1,127.9 mm	44.4 in	1,153.7 mm	45.4 in
H	BB CENTER TO TOPTUBE CENTER	325.0 mm	12.8 in	375.0 mm	14.8 in	415.0 mm	16.3 in	465.0 mm	18.3 in
I	BB CENTER TO TOP OF SEATTUBE	390.0 mm	15.4 in	440.0 mm	17.3 in	480.0 mm	18.9 in	530.0 mm	20.9 in
J	SEAT ANGLE	73.6 °		73.6 °		73.6 °		73.6 °	
K	CHAINSTAY	425.0 mm	16.7 in	425.0 mm	16.7 in	425.0 mm	16.7 in	425.0 mm	16.7 in
L	REACH	398.7 mm	15.7 in	422.3 mm	16.6 in	443.2 mm	17.4 in	465.5 mm	18.3 in
M	STACK	599.0 mm	23.6 in	603.6 mm	23.8 in	617.7 mm	24.3 in	627.1 mm	24.7 in
N	STEM LENGTH	60.0 mm	2.4 in	70.0 mm	2.8 in	80.0 mm	3.1 in	90.0 mm	3.5 in
0	TRAIL	83.9 mm	3.3 in	83.9 mm	3.3 in	83.9 mm	3.3 in	83.9 mm	3.3 in

SCALE: 940, 950, 960, 970, 980, 990

		S		M		L		XL		XXL	
A	HEAD TUBE ANGLE	69.5 °		69.5 °		69.5 °		69.5 °		69.5 °	
B	HEAD TUBE LENGTH	105.0 mm	4.1 in	105.0 mm	4.1 in	115.0 mm	4.5 in	125.0 mm	4.9 in	135.0 mm	5.3 in
C	TOP TUBE HORIZONTAL	575.0 mm	22.6 in	600.0 mm	23.6 in	625.0 mm	24.6 in	650.0 mm	25.6 in	670.0 mm	26.4 in
D	STANDOVER HEIGHT	750.5 mm	29.5 in	779.4 mm	30.7 in	791.0 mm	31.1 in	824.8 mm	32.5 in	862.7 mm	34.0 in
E	BB OFFSET	-58.0 mm	-2.3 in	-58.0 mm	-2.3 in	-58.0 mm	-2.3 in	-58.0 mm	-2.3 in	-58.0 mm	-2.3 in
F	BB HEIGHT	315.5 mm	12.4 in	315.5 mm	12.4 in	315.5 mm	12.4 in	315.5 mm	12.4 in	315.5 mm	12.4 in
G	WHEEL BASE	1,090.8 mm	42.9 in	1,115.8 mm	43.9 in	1,141.5 mm	44.9 in	1,167.3 mm	46.0 in	1,188.0 mm	46.8 in
H	BB CENTER TO TOPTUBE CENTER	325.0 mm	12.8 in	375.0 mm	14.8 in	415.0 mm	16.3 in	465.0 mm	18.3 in	522.8 mm	20.6 in
I	BB CENTER TO TOP OF SEATTUBE	395.0 mm	15.6 in	440.0 mm	17.3 in	480.0 mm	18.9 in	530.0 mm	20.9 in	580.0 mm	22.8 in
J	SEAT ANGLE	73.6 °		73.6 °		73.6 °		73.6 °		73.6 °	
K	CHAINSTAY	438.0 mm	17.2 in	438.0 mm	17.2 in	438.0 mm	17.2 in	438.0 mm	17.2 in	438.0 mm	17.2 in
L	REACH	394.2 mm	15.5 in	419.2 mm	16.5 in	441.4 mm	17.4 in	463.7 mm	18.3 in	480.9 mm	18.9 in
M	STACK	591.0 mm	23.3 in	591.0 mm	23.3 in	600.4 mm	23.6 in	609.7 mm	24.0 in	619.1 mm	24.4 in
N	STEM LENGTH	60.0 mm	2.4 in	70.0 mm	2.8 in	80.0 mm	3.1 in	90.0 mm	3.5 in	100.0 mm	3.9 in
0	TRAIL	85.2 mm	3.4 in	85.2 mm	3.4 in	85.2 mm	3.4 in	85.2 mm	3.4 in	85.2 mm	3.4 in



SCALE: 710, 720, 730




BIG JON

SCALE: 710, 720, 730

		S		M		L		XL	
A	HEAD TUBE ANGLE	66.5 °		66.5 °		66.5 °		66.5 °	
B	HEAD TUBE LENGTH	100.0 mm	3.9 in	105.0 mm	4.1 in	115.0 mm	4.5 in	125.0 mm	4.9 in
C	TOP TUBE HORIZONTAL	577.0 mm	22.7 in	602.0 mm	23.7 in	627.0 mm	24.7 in	652.0 mm	25.7 in
D	STANDOVER HEIGHT	780.0 mm	30.7 in	806.0 mm	31.7 in	829.0 mm	32.6 in	857.0 mm	33.7 in
E	BB OFFSET	-55.0 mm	-2.2 in	-55.0 mm	-2.2 in	-55.0 mm	-2.2 in	-55.0 mm	-2.2 in
F	BB HEIGHT	310.0 mm	12.2 in	310.0 mm	12.2 in	310.0 mm	12.2 in	310.0 mm	12.2 in
G	WHEEL BASE	1'108.0 mm	43.6 in	1'133.4 mm	44.6 in	1'159.3 mm	45.6 in	1'185.2 mm	46.7 in
H	BB CENTER TO TOPTUBE CENTER	328.0 mm	12.9 in	383.0 mm	15.1 in	425.0 mm	16.7 in	477.0 mm	18.8 in
I	BB CENTER TO TOP OF SEATTUBE	390.0 mm	15.4 in	440.0 mm	17.3 in	480.0 mm	18.9 in	530.0 mm	20.9 in
J	SEAT ANGLE	72.8 °		72.8 °		72.8 °		72.8 °	
K	CHAINSTAY	439.0 mm	17.3 in	439.0 mm	17.3 in	439.0 mm	17.3 in	439.0 mm	17.3 in
L	REACH	389.0 mm	15.3 in	412.0 mm	16.2 in	435.0 mm	17.1 in	457.0 mm	18.0 in
M	STACK	607.0 mm	23.9 in	612.0 mm	24.1 in	621.0 mm	24.4 in	631.0 mm	24.8 in
N	STEM LENGTH	50.0 mm	2.0 in	60.0 mm	2.4 in	70.0 mm	2.8 in	80.0 mm	3.1 in

BIG JON

		S		M		L		XL	
A	HEAD TUBE ANGLE	69.0 °		69.0 °		69.0 °		69.0 °	
B	HEAD TUBE LENGTH	105.0 mm	4.1 in	105.0 mm	4.1 in	115.0 mm	4.5 in	125.0 mm	4.9 in
C	TOP TUBE HORIZONTAL	575.0 mm	22.6 in	600.0 mm	23.6 in	625.0 mm	24.6 in	650.0 mm	25.6 in
D	STANDOVER HEIGHT	787.0 mm	31.0 in	811.0 mm	31.9 in	835.0 mm	32.9 in	863.0 mm	34.0 in
E	BB OFFSET	-60.0 mm	-2.4 in	-60.0 mm	-2.4 in	-60.0 mm	-2.4 in	-60.0 mm	-2.4 in
F	BB HEIGHT	320.0 mm	12.6 in	320.0 mm	12.6 in	320.0 mm	12.6 in	320.0 mm	12.6 in
G	WHEEL BASE	1,106.0 mm	43.5 in	1,131.0 mm	44.5 in	1,157.0 mm	45.6 in	1,183.0 mm	46.6 in
H	BB CENTER TO TOPTUBE CENTER	320.0 mm	12.6 in	372.0 mm	14.6 in	414.0 mm	16.3 in	465.0 mm	18.3 in
I	BB CENTER TO TOP OF SEATTUBE	390.0 mm	15.4 in	440.0 mm	17.3 in	480.0 mm	18.9 in	530.0 mm	20.9 in
J	SEAT ANGLE	73.0 °		73.0 °		73.0 °		73.0 °	
K	CHAINSTAY	465.0 mm	18.3 in	465.0 mm	18.3 in	465.0 mm	18.3 in	465.0 mm	18.3 in
L	REACH	385.0 mm	15.2 in	410.0 mm	16.1 in	432.0 mm	17.0 in	454.0 mm	17.9 in
M	STACK	619.0 mm	24.4 in	619.0 mm	24.4 in	629.0 mm	24.8 in	638.0 mm	25.1 in
N	STEM LENGTH	60.0 mm	2.4 in	60.0 mm	2.4 in	70.0 mm	2.8 in	70.0 mm	2.8 in



SPARK

SPARK 900 RC: SL, WORLD CUP, PRO, TEAM, COMP


		S		M		L		XL	
A	HEAD TUBE ANGLE	68.5 °		68.5 °		68.5 °		68.5 °	
B	HEAD TUBE LENGTH	95.0 mm	3.7 in	95.0 mm	3.7 in	105.0 mm	4.1 in	115.0 mm	4.5 in
C	TOP TUBE HORIZONTAL	570.0 mm	22.4 in	600.0 mm	23.6 in	630.0 mm	24.8 in	650.0 mm	25.6 in
D	STANDOVER HEIGHT	739.0 mm	29.1 in	737.0 mm	29.0 in	756.0 mm	29.8 in	787.0 mm	31.0 in
E	BB OFFSET	-50.5 mm	-2.0 in	-50.5 mm	-2.0 in	-50.5 mm	-2.0 in	-50.5 mm	-2.0 in
F	BB HEIGHT	319.5 mm	12.6 in	319.5 mm	12.6 in	319.5 mm	12.6 in	319.5 mm	12.6 in
G	WHEEL BASE	1,097.7 mm	43.2 in	1,127.7 mm	44.4 in	1,158.6 mm	45.6 in	1,179.6 mm	46.4 in
H	BB CENTER TO TOPTUBE CENTER								
I	BB CENTER TO TOP OF SEATTUBE	410.0 mm	16.1 in	440.0 mm	17.3 in	490.0 mm	19.3 in	540.0 mm	21.3 in
J	SEAT ANGLE	73.8 °		73.8 °		73.8 °		73.8 °	
K	CHAINSTAY	435.0 mm	17.1 in	435.0 mm	17.1 in	435.0 mm	17.1 in	435.0 mm	17.1 in
L	REACH	399.5 mm	15.7 in	429.5 mm	16.9 in	456.8 mm	18.0 in	474.1 mm	18.7 in
M	STACK	586.9 mm	23.1 in	586.9 mm	23.1 in	596.2 mm	23.5 in	605.5 mm	23.8 in
N	STEM LENGTH	60.0 mm	2.4 in	70.0 mm	2.8 in	80.0 mm	3.1 in	90.0 mm	3.5 in
0	TRAIL	90.9 mm	3.6 in	90.9 mm	3.6 in	90.9 mm	3.6 in	90.9 mm	3.6 in

SPARK: 900 ULTIMATE, 900 PREMIUM, 900, 910, 920, 930, 940, 950, 960, 970


		S		M		L		XL	
A	HEAD TUBE ANGLE	67.2 °		67.2 °		67.2 °		67.2 °	
B	HEAD TUBE LENGTH	95.0 mm	3.7 in	95.0 mm	3.7 in	105.0 mm	4.1 in	115.0 mm	4.5 in
C	TOP TUBE HORIZONTAL	575.0 mm	22.6 in	605.0 mm	23.8 in	635.0 mm	25.0 in	655.0 mm	25.8 in
D	STANDOVER HEIGHT	738.0 mm	29.1 in	746.0 mm	29.4 in	760.0 mm	29.9 in	778.0 mm	30.6 in
E	BB OFFSET	-43.0 mm	-1.7 in	-43.0 mm	-1.7 in	-43.0 mm	-1.7 in	-43.0 mm	-1.7 in
F	BB HEIGHT	327.0 mm	12.9 in	327.0 mm	12.9 in	327.0 mm	12.9 in	327.0 mm	12.9 in
G	WHEEL BASE	1,121.6 mm	44.2 in	1,151.6 mm	45.3 in	1,182.8 mm	46.6 in	1,203.9 mm	47.4 in
H	BB CENTER TO TOPTUBE CENTER	345.0 mm	13.6 in	375.0 mm	14.8 in	425.0 mm	16.7 in	475.0 mm	18.7 in
I	BB CENTER TO TOP OF SEATTUBE	410.0 mm	16.1 in	440.0 mm	17.3 in	490.0 mm	19.3 in	540.0 mm	21.3 in
J	SEAT ANGLE	73.8 °		73.8 °		73.8 °		73.8 °	
K	CHAINSTAY	438.0 mm	17.2 in	438.0 mm	17.2 in	438.0 mm	17.2 in	438.0 mm	17.2 in
L	REACH	402.7 mm	15.9 in	432.7 mm	17.0 in	460.0 mm	18.1 in	477.3 mm	18.8 in
M	STACK	593.1 mm	23.4 in	593.1 mm	23.4 in	602.4 mm	23.7 in	611.6 mm	24.1 in
N	STEM LENGTH	50.0 mm	2.0 in	60.0 mm	2.4 in	70.0 mm	2.8 in	80.0 mm	3.1 in
0	TRAIL	100.2 mm	3.9 in	100.2 mm	3.9 in	100.2 mm	3.9 in	100.2 mm	3.9 in

SPARK: 700 ULTIMATE, 700 TUNED, 710, 720, 730, 740

		S		M		L		XL	
A	HEAD TUBE ANGLE	66.9 °		66.9 °		66.9 °		66.9 °	
B	HEAD TUBE LENGTH	95.0 mm	3.7 in	95.0 mm	3.7 in	105.0 mm	4.1 in	115.0 mm	4.5 in
C	TOP TUBE HORIZONTAL	576.9 mm	22.7 in	607.0 mm	23.9 in	637.0 mm	25.1 in	657.0 mm	25.9 in
D	STANDOVER HEIGHT	741.0 mm	29.2 in	748.0 mm	29.4 in	762.0 mm	30.0 in	780.0 mm	30.7 in
E	BB OFFSET	-36.0 mm	-1.4 in	-36.0 mm	-1.4 in	-36.0 mm	-1.4 in	-36.0 mm	-1.4 in
F	BB HEIGHT	329.0 mm	13.0 in	329.0 mm	13.0 in	329.0 mm	13.0 in	329.0 mm	13.0 in
G	WHEEL BASE	1,128.1 mm	44.4 in	1,158.1 mm	45.6 in	1,189.3 mm	46.8 in	1,210.5 mm	47.7 in
H	BB CENTER TO TOPTUBE CENTER								
I	BB CENTER TO TOP OF SEATTUBE	410.0 mm	16.1 in	440.0 mm	17.3 in	490.0 mm	19.3 in	540.0 mm	21.3 in
J	SEAT ANGLE	73.2 °		73.2 °		73.2 °		73.2 °	
K	CHAINSTAY	438.0 mm	17.2 in	438.0 mm	17.2 in	438.0 mm	17.2 in	438.0 mm	17.2 in
L	REACH	396.3 mm	15.6 in	426.4 mm	16.8 in	453.6 mm	17.9 in	470.9 mm	18.5 in
M	STACK	598.1 mm	23.5 in	598.1 mm	23.5 in	607.3 mm	23.9 in	616.5 mm	24.3 in
N	STEM LENGTH	50.0 mm	2.0 in	50.0 mm	2.0 in	60.0 mm	2.4 in	70.0 mm	2.8 in



GENIUS




GAMBLER

GENIUS: 700 ULTIMATE, 700/900 TUNED, 710, 720/920, 730/930, 740/940, 750


		S / 900		S / 700		M / 900		M / 700		L / 900		L / 700		XL / 900		XL / 700	
		LOW BB Setting		HIGH BB Setting		LOW BB Setting		HIGH BB Setting		LOW BB Setting		HIGH BB Setting		LOW BB Setting		HIGH BB Setting	
A	HEAD TUBE ANGLE	65.0 °		65.6 °		65.0 °		65.6 °		65.0 °		65.6 °		65.0 °		65.6 °	
B	HEAD TUBE LENGTH	95.0 mm	3.7 in	95.0 mm	3.7 in	95.0 mm	3.7 in	95.0 mm	3.7 in	110.0 mm	4.3 in	110.0 mm	4.3 in	125.0 mm	4.9 in	125.0 mm	4.9 in
C	TOP TUBE HORIZONTAL	569.7 mm	22.4 in	568.2 mm	22.4 in	602.8 mm	23.7 in	601.2 mm	23.7 in	633.4 mm	24.9 in	631.8 mm	24.9 in	670.1 mm	26.4 in	668.4 mm	26.3 in
D	STANDOVER HEIGHT																
E	BB OFFSET	-27.4 mm	-1.1 in	-20.0 mm	-0.8 in	-27.5 mm	-1.1 in	-20.0 mm	-0.8 in	-27.6 mm	-1.1 in	-20.0 mm	-0.8 in	-27.8 mm	-1.1 in	-20.0 mm	-0.8 in
F	BB HEIGHT	346.1 mm	13.6 in	340.0 mm	13.4 in	346.0 mm	13.6 in	340.0 mm	13.4 in	345.9 mm	13.6 in	340.0 mm	13.4 in	345.7 mm	13.6 in	340.0 mm	13.4 in
G	WHEEL BASE	1,165.9 mm	45.9 in	1,164.6 mm	45.9 in	1,198.9 mm	47.2 in	1,197.6 mm	47.1 in	1,232.1 mm	48.5 in	1,230.8 mm	48.5 in	1,271.3 mm	50.1 in	1,270.0 mm	50.0 in
H	BB CENTER TO TOPTUBE CENTER																
I	BB CENTER TO TOP OF SEATTUBE	410.0 mm	16.1 in	410.0 mm	16.1 in	440.0 mm	17.3 in	440.0 mm	17.3 in	480.0 mm	18.9 in	480.0 mm	18.9 in	520.0 mm	20.5 in	520.0 mm	20.5 in
J	SEAT ANGLE	74.7 °		75.3 °		74.7 °		75.3 °		74.8 °		75.3 °		74.8 °		75.3 °	
K	CHAINSTAY	438.0 mm	17.2 in	436.0 mm	17.2 in	438.0 mm	17.2 in	436.0 mm	17.2 in	438.0 mm	17.2 in	436.0 mm	17.2 in	438.0 mm	17.2 in	436.0 mm	17.2 in
L	REACH	405.9 mm	16.0 in	412.0 mm	16.2 in	439.1 mm	17.3 in	445.0 mm	17.5 in	466.1 mm	18.4 in	472.0 mm	18.6 in	499.2 mm	19.7 in	505.0 mm	19.9 in
M	STACK	599.7 mm	23.6 in	595.5 mm	23.4 in	599.9 mm	23.6 in	595.5 mm	23.4 in	613.7 mm	24.2 in	609.2 mm	24.0 in	627.5 mm	24.7 in	622.8 mm	24.5 in
N	STEM LENGTH	40.0 mm	1.6 in	40.0 mm	1.6 in	50.0 mm	2.0 in	50.0 mm	2.0 in	50.0 mm	2.0 in	50.0 mm	2.0 in	50.0 mm	2.0 in	50.0 mm	2.0 in
0	TRAIL	117.7 mm	4.6 in	107.3 mm	4.2 in	117.6 mm	4.6 in	107.3 mm	4.2 in	117.5 mm	4.6 in	107.3 mm	4.2 in	117.4 mm	4.6 in	107.3 mm	4.2 in

GAMBLER: 710, 720, 730


		S		S		M		M		L		L	
		LOW BB SETTING		HIGH BB SETTING		LOW BB SETTING		HIGH BB SETTING		LOW BB SETTING		HIGH BB SETTING	
A	HEAD TUBE ANGLE	63.0 °		63.7 °		63.0 °		63.7 °		63.0 °		63.7 °	
B	HEAD TUBE LENGTH	115.0 mm	4.5 in	115.0 mm	4.5 in	115.0 mm	4.5 in	115.0 mm	4.5 in	115.0 mm	4.5 in	115.0 mm	4.5 in
C	TOP TUBE HORIZONTAL	549.7 mm	21.6 in	546.2 mm	21.5 in	595.4 mm	23.4 in	591.5 mm	23.3 in	633.6 mm	24.9 in	629.3 mm	24.8 in
D	STANDOVER HEIGHT	778.6 mm	30.7 in	783.6 mm	30.9 in	771.6 mm	30.4 in	777.1 mm	30.6 in	765.3 mm	30.1 in	771.3 mm	30.4 in
E	BB OFFSET	-13.0 mm	-0.5 in	-3.0 mm	-0.1 in	-13.0 mm	-0.5 in	-3.0 mm	-0.1 in	-13.0 mm	-0.5 in	-3.0 mm	-0.1 in
F	BB HEIGHT	343.0 mm	13.5 in	353.0 mm	13.9 in	343.0 mm	13.5 in	353.0 mm	13.9 in	343.0 mm	13.5 in	353.0 mm	13.9 in
G	WHEEL BASE	1,175.8 mm	46.3 in	1,172.5 mm	46.2 in	1,205.8 mm	47.5 in	1,202.5 mm	47.3 in	1,235.8 mm	48.7 in	1,232.5 mm	48.5 in
H	BB CENTER TO TOPTUBE CENTER	336.0 mm	13.2 in	336.0 mm	13.2 in	333.0 mm	13.1 in	333.0 mm	13.1 in	331.0 mm	13.0 in	331.0 mm	13.0 in
I	BB CENTER TO TOP OF SEATTUBE	406.0 mm	16.0 in	406.0 mm	16.0 in	404.0 mm	15.9 in	404.0 mm	15.9 in	403.0 mm	15.9 in	403.0 mm	15.9 in
J	SEAT ANGLE	75.1 °		75.9 °		73.7 °		74.6 °		73.0 °		73.9 °	
K	CHAINSTAY	425.0 mm	16.7 in	421.5 mm	16.6 in	425.0 mm	16.7 in	421.5 mm	16.6 in	425.0 mm	16.7 in	421.5 mm	16.6 in
L	REACH	385.0 mm	15.2 in	393.0 mm	15.5 in	415.0 mm	16.3 in	422.8 mm	16.6 in	445.0 mm	17.5 in	452.6 mm	17.8 in
M	STACK	616.7 mm	24.3 in	611.7 mm	24.1 in	616.7 mm	24.3 in	611.4 mm	24.1 in	616.7 mm	24.3 in	611.2 mm	24.1 in
N	STEM LENGTH	50.0 mm	2.0 in	50.0 mm	2.0 in	50.0 mm	2.0 in	50.0 mm	2.0 in	50.0 mm	2.0 in	50.0 mm	2.0 in



VOLTAGE FR



VOLTAGE YZ



VOLTAGE

VOLTAGE FR: 710, 720


		S LOW BB SETTING		M LOW BB SETTING		L LOW BB SETTING	
A	HEAD TUBE ANGLE	64.0 °		64.0 °		64.0 °	
B	HEAD TUBE LENGTH	115.0 mm	4.5 in	115.0 mm	4.5 in	115.0 mm	4.5 in
C	TOP TUBE HORIZONTAL	569.6 mm	22.4 in	604.6 mm	23.8 in	629.6 mm	24.8 in
D	STANDOVER HEIGHT	776.6 mm	30.6 in	770.6 mm	30.3 in	770.3 mm	30.3 in
E	BB OFFSET	-13.0 mm	-0.5 in	-13.0 mm	-0.5 in	-13.0 mm	-0.5 in
F	BB HEIGHT	345.0 mm	13.6 in	345.0 mm	13.6 in	345.0 mm	13.6 in
G	WHEEL BASE	1'165.2 mm	45.9 in	1'200.2 mm	47.3 in	1'225.2 mm	48.2 in
H	BB CENTER TO TOPTUBE CENTER						
I	BB CENTER TO TOP OF SEATTUBE	368.8 mm	14.5 in	368.8 mm	14.5 in	368.8 mm	14.5 in
J	SEAT ANGLE	73.5 °		73.5 °		73.5 °	
K	CHAINSTAY	425.0 mm	16.7 in	425.0 mm	16.7 in	425.0 mm	16.7 in
L	REACH	385.0 mm	15.2 in	420.0 mm	16.5 in	445.0 mm	17.5 in
M	STACK	623.1 mm	24.5 in	623.1 mm	24.5 in	623.1 mm	24.5 in
N	STEM LENGTH	50.0 mm	2.0 in	50.0 mm	2.0 in	50.0 mm	2.0 in

VOLTAGE YZ: 0.1

		M	
A	HEAD TUBE ANGLE	68.5 °	
B	HEAD TUBE LENGTH	120.0 mm	4.7 in
C	TOP TUBE HORIZONTAL	600.0 mm	23.6 in
D	STANDOVER HEIGHT	702.0 mm	27.6 in
E	BB OFFSET	-15.0 mm	-0.6 in
F	BB HEIGHT	324.0 mm	12.8 in
G	WHEEL BASE	1'047.0 mm	41.2 in
H	BB CENTER TO TOPTUBE CENTER	261.1 mm	10.3 in
I	BB CENTER TO TOP OF SEATTUBE	315.0 mm	12.4 in
J	SEAT ANGLE	71.0 °	
K	CHAINSTAY	380.0 mm	15.0 in
L	REACH	403.4 mm	15.9 in
M	STACK	570.9 mm	22.5 in
N	STEM LENGTH	40.0 mm	1.6 in

VOLTAGE: 10, 20

		XS		S		M		L		XL	
A	HEAD TUBE ANGLE	68.5 °		69.0 °		69.0 °		69.5 °		69.5 °	
B	HEAD TUBE LENGTH	100.0 mm	3.9 in	110.0 mm	4.3 in	120.0 mm	4.7 in	135.0 mm	5.3 in	150.0 mm	5.9 in
C	TOP TUBE HORIZONTAL	540.0 mm	21.3 in	550.0 mm	21.7 in	560.0 mm	22.0 in	570.0 mm	22.4 in	585.0 mm	23.0 in
D	STANDOVER HEIGHT	684.0 mm	26.9 in	715.0 mm	28.1 in	746.0 mm	29.4 in	786.0 mm	30.9 in	823.0 mm	32.4 in
E	BB OFFSET	-32.0 mm	-1.3 in	-32.0 mm	-1.3 in	-32.0 mm	-1.3 in	-32.0 mm	-1.3 in	-32.0 mm	-1.3 in
F	BB HEIGHT	307.0 mm	12.1 in	307.0 mm	12.1 in	307.0 mm	12.1 in	307.0 mm	12.1 in	307.0 mm	12.1 in
G	WHEEL BASE	1'052.0 mm	41.4 in	1'052.0 mm	41.4 in	1'058.0 mm	41.7 in	1'063.0 mm	41.9 in	1'079.0 mm	42.5 in
H	BB CENTER TO TOPTUBE CENTER	280.0 mm	11.0 in	320.0 mm	12.6 in	360.0 mm	14.2 in	410.0 mm	16.1 in	460.0 mm	18.1 in
I	BB CENTER TO TOP OF SEATTUBE	330.0 mm	13.0 in	370.0 mm	14.6 in	410.0 mm	16.1 in	460.0 mm	18.1 in	510.0 mm	20.1 in
J	SEAT ANGLE	74.0 °		73.5 °		73.0 °		73.0 °		73.0 °	
K	CHAINSTAY	420.0 mm	16.5 in	420.0 mm	16.5 in	420.0 mm	16.5 in	420.0 mm	16.5 in	420.0 mm	16.5 in
L	REACH	377.0 mm	14.8 in	378.0 mm	14.9 in	380.0 mm	15.0 in	385.0 mm	15.2 in	396.0 mm	15.6 in
M	STACK	568.0 mm	22.4 in	580.0 mm	22.8 in	589.0 mm	23.2 in	606.0 mm	23.9 in	620.0 mm	24.4 in
N	STEM LENGTH	60.0 mm	2.4 in	60.0 mm	2.4 in	60.0 mm	2.4 in	80.0 mm	3.1 in	80.0 mm	3.1 in



ASPECT

ASPECT: 900, 910, 920, 930, 940, 950, 960, 970, 980


		S		M		L		XL		XXL	
A	HEAD TUBE ANGLE	69.5 °		69.5 °		69.5 °		69.5 °		69.5 °	
B	HEAD TUBE LENGTH	105.0 mm	4.1 in	115.0 mm	4.5 in	125.0 mm	4.9 in	140.0 mm	5.5 in	155.0 mm	6.1 in
C	TOP TUBE HORIZONTAL	575.0 mm	22.6 in	585.0 mm	23.0 in	605.0 mm	23.8 in	625.0 mm	24.6 in	645.0 mm	25.4 in
D	STANDOVER HEIGHT	786.0 mm	30.9 in	817.0 mm	32.2 in	842.0 mm	33.1 in	875.0 mm	34.4 in	881.4 mm	34.7 in
E	BB OFFSET	-60.0 mm	-2.4 in	-60.0 mm	-2.4 in	-60.0 mm	-2.4 in	-60.0 mm	-2.4 in	-60.0 mm	-2.4 in
F	BB HEIGHT	316.0 mm	12.4 in	316.0 mm	12.4 in	316.0 mm	12.4 in	316.0 mm	12.4 in	316.0 mm	12.4 in
G	WHEEL BASE	1,083.0 mm	42.6 in	1'094.0 mm	43.1 in	1,114.0 mm	43.9 in	1'136.0 mm	44.7 in	1,156.0 mm	45.5 in
H	BB CENTER TO TOPTUBE CENTER	340.0 mm	13.4 in	385.0 mm	15.2 in	425.0 mm	16.7 in	475.0 mm	18.7 in	542.2 mm	21.3 in
I	BB CENTER TO TOP OF SEATTUBE	395.0 mm	15.6 in	440.0 mm	17.3 in	480.0 mm	18.9 in	530.0 mm	20.9 in	580.0 mm	22.8 in
J	SEAT ANGLE	72.5 °		72.5 °		72.5 °		72.5 °		72.5 °	
K	CHAINSTAY	458.0 mm	18.0 in	458.0 mm	18.0 in	458.0 mm	18.0 in	458.0 mm	18.0 in	458.0 mm	18.0 in
L	REACH	381.0 mm	15.0 in	388.0 mm	15.3 in	405.0 mm	15.9 in	420.0 mm	16.5 in	436.0 mm	17.2 in
M	STACK	451.1 mm	17.8 in	481.7 mm	19.0 in	506.8 mm	20.0 in	539.9 mm	21.3 in	573.4 mm	22.6 in
N	STEM LENGTH	70.0 mm	2.8 in	80.0 mm	3.1 in	90.0 mm	3.5 in	100.0 mm	3.9 in	100.0 mm	3.9 in

ASPECT: 710, 720, 730, 740, 750, 760, 770, 780


		XS		S		M		L		XL	
A	HEAD TUBE ANGLE	69.0 °		69.0 °		69.0 °		69.0 °		69.0 °	
B	HEAD TUBE LENGTH	100.0 mm	3.9 in	100.0 mm	3.9 in	110.0 mm	4.3 in	125.0 mm	4.9 in	140.0 mm	5.5 in
C	TOP TUBE HORIZONTAL	555.0 mm	21.9 in	575.0 mm	22.6 in	585.0 mm	23.0 in	610.0 mm	24.0 in	635.0 mm	25.0 in
D	STANDOVER HEIGHT	720.5 mm	28.4 in	742.1 mm	29.2 in	769.5 mm	30.3 in	797.1 mm	31.4 in	829.2 mm	32.6 in
E	BB OFFSET	-44.0 mm	-1.7 in	-44.0 mm	-1.7 in	-44.0 mm	-1.7 in	-44.0 mm	-1.7 in	-44.0 mm	-1.7 in
F	BB HEIGHT	312.5 mm	12.3 in	312.5 mm	12.3 in	312.5 mm	12.3 in	312.5 mm	12.3 in	312.5 mm	12.3 in
G	WHEEL BASE	1,063.0 mm	41.9 in	1,083.0 mm	42.6 in	1,094.0 mm	43.1 in	1,120.0 mm	44.1 in	1,146.0 mm	45.1 in
H	BB CENTER TO TOPTUBE CENTER										
I	BB CENTER TO TOP OF SEATTUBE	355.0 mm	14.0 in	395.0 mm	15.6 in	440.0 mm	17.3 in	480.0 mm	18.9 in	530.0 mm	20.9 in
J	SEAT ANGLE	73.0 °		73.0 °		73.0 °		73.0 °		73.0 °	
K	CHAINSTAY	435.0 mm	17.1 in	435.0 mm	17.1 in	435.0 mm	17.1 in	435.0 mm	17.1 in	435.0 mm	17.1 in
L	REACH	378.1 mm	14.9 in	398.0 mm	15.7 in	405.3 mm	16.0 in	426.0 mm	16.8 in	446.7 mm	17.6 in
M	STACK	578.6 mm	22.8 in	578.6 mm	22.8 in	587.9 mm	23.1 in	601.9 mm	23.7 in	615.9 mm	24.2 in
N	STEM LENGTH	60.0 mm	2.4 in	70.0 mm	2.8 in	80.0 mm	3.1 in	90.0 mm	3.5 in	100.0 mm	3.9 in

ASPECT: 670, 680

		XS		S		M		L		XL	
A	HEAD TUBE ANGLE	69.5 °		70.0 °		70.5 °		70.5 °		71.0 °	
B	HEAD TUBE LENGTH	105.0 mm	4.1 in	115.0 mm	4.5 in	130.0 mm	5.1 in	145.0 mm	5.7 in	160.0 mm	6.3 in
C	TOP TUBE HORIZONTAL	545.0 mm	21.5 in	555.0 mm	21.9 in	570.0 mm	22.4 in	585.0 mm	23.0 in	600.0 mm	23.6 in
D	STANDOVER HEIGHT	708.7 mm	27.9 in	738.7 mm	29.1 in	775.5 mm	30.5 in	815.3 mm	32.1 in	861.4 mm	33.9 in
E	BB OFFSET	-32.0 mm	-1.3 in	-32.0 mm	-1.3 in	-32.0 mm	-1.3 in	-32.0 mm	-1.3 in	-32.0 mm	-1.3 in
F	BB HEIGHT	307.0 mm	12.1 in	307.0 mm	12.1 in	307.0 mm	12.1 in	307.0 mm	12.1 in	307.0 mm	12.1 in
G	WHEEL BASE	1'055.0 mm	41.5 in	1'055.0 mm	41.5 in	1'061.0 mm	41.8 in	1'076.0 mm	42.4 in	1'081.0 mm	42.6 in
H	BB CENTER TO TOPTUBE CENTER	296.0 mm	11.7 in	336.0 mm	13.2 in	386.0 mm	15.2 in	446.0 mm	17.6 in	516.0 mm	20.3 in
I	BB CENTER TO TOP OF SEATTUBE	350.0 mm	13.8 in	390.0 mm	15.4 in	440.0 mm	17.3 in	500.0 mm	19.7 in	570.0 mm	22.4 in
J	SEAT ANGLE	74.5 °		74.0 °		73.5 °		73.5 °		73.0 °	
K	CHAINSTAY	427.0 mm	16.8 in	427.0 mm	16.8 in	427.0 mm	16.8 in	427.0 mm	16.8 in	427.0 mm	16.8 in
L	REACH	389.9 mm	15.4 in	391.3 mm	15.4 in	396.1 mm	15.6 in	406.9 mm	16.0 in	411.2 mm	16.2 in
M	STACK	559.4 mm	22.0 in	570.9 mm	22.5 in	587.1 mm	23.1 in	601.2 mm	23.7 in	617.5 mm	24.3 in
N	STEM LENGTH	70.0 mm	2.8 in	80.0 mm	3.1 in	90.0 mm	3.5 in	100.0 mm	3.9 in	110.0 mm	4.3 in



PLASMA: PREMIUM, RC




PLASMA: 10, 20

PLASMA: PREMIUM, RC

		S/51		M/54		L/57		XL/60	
A	HEAD TUBE ANGLE	72.0 °		73.0 °		73.0 °		73.5 °	
B	HEAD TUBE LENGTH	110.0 mm	4.3 in	138.0 mm	5.4 in	170.0 mm	6.7 in	199.0 mm	7.8 in
C	TOP TUBE HORIZONTAL	524.0 mm	20.6 in	544.0 mm	21.4 in	564.0 mm	22.2 in	583.0 mm	23.0 in
D	STANDOVER HEIGHT	779.0 mm	30.7 in	809.0 mm	31.9 in	839.0 mm	33.0 in	869.0 mm	34.2 in
E	BB OFFSET	-65.0 mm	-2.6 in	-65.0 mm	-2.6 in	-65.0 mm	-2.6 in	-65.0 mm	-2.6 in
F	BB HEIGHT	269.0 mm	10.6 in	269.0 mm	10.6 in	269.0 mm	10.6 in	269.0 mm	10.6 in
G	WHEEL BASE	965.0 mm	38.0 in	983.0 mm	38.7 in	1,009.0 mm	39.7 in	1,029.0 mm	40.5 in
H	BB CENTER TO TOPTUBE CENTER	514.8 mm	20.3 in	544.6 mm	21.4 in	574.4 mm	22.6 in	604.2 mm	23.8 in
I	BB CENTER TO TOP OF SEATTUBE	529.8 mm	20.9 in	559.6 mm	22.0 in	589.4 mm	23.2 in	619.2 mm	24.4 in
J	SEAT ANGLE	74.0 °		75.0 °		75.0 °		76.0 °	
K	CHAINSTAY	403.0 mm	15.9 in	403.0 mm	15.9 in	403.0 mm	15.9 in	403.0 mm	15.9 in
L	REACH	380.0 mm	15.0 in	397.0 mm	15.6 in	414.0 mm	16.3 in	430.0 mm	16.9 in
M	STACK	510.0 mm	20.1 in	540.0 mm	21.3 in	570.0 mm	22.4 in	600.0 mm	23.6 in
N	STEM LENGTH	85.0 mm	3.3 in	85.0 mm	3.3 in	85.0 mm	3.3 in	85.0 mm	3.3 in

PLASMA: 10, 20

		XS/49		S/51		M/54		L/57		XL/60	
A	HEAD TUBE ANGLE	71.5 °		72.0 °		73.0 °		73.0 °		73.5 °	
B	HEAD TUBE LENGTH	85.0 mm	3.3 in	100.0 mm	3.9 in	128.0 mm	5.0 in	159.0 mm	6.3 in	199.0 mm	7.8 in
C	TOP TUBE HORIZONTAL	519.5 mm	20.5 in	526.0 mm	20.7 in	546.0 mm	21.5 in	566.0 mm	22.3 in	583.0 mm	23.0 in
D	STANDOVER HEIGHT	742.0 mm	29.2 in	769.0 mm	30.3 in	799.0 mm	31.5 in	829.0 mm	32.6 in	869.0 mm	34.2 in
E	BB OFFSET	-65.0 mm	-2.6 in	-65.0 mm	-2.6 in	-65.0 mm	-2.6 in	-65.0 mm	-2.6 in	-65.0 mm	-2.6 in
F	BB HEIGHT	269.0 mm	10.6 in	269.0 mm	10.6 in	269.0 mm	10.6 in	269.0 mm	10.6 in	269.0 mm	10.6 in
G	WHEEL BASE	959.8 mm	37.8 in	965.0 mm	38.0 in	983.0 mm	38.7 in	1,009.0 mm	39.7 in	1,029.0 mm	40.5 in
H	BB CENTER TO TOPTUBE CENTER	465.0 mm	18.3 in	504.9 mm	19.9 in	534.7 mm	21.0 in	564.4 mm	22.2 in	604.2 mm	23.8 in
I	BB CENTER TO TOP OF SEATTUBE	480.0 mm	18.9 in	519.9 mm	20.5 in	549.7 mm	21.6 in	579.4 mm	22.8 in	619.2 mm	24.4 in
J	SEAT ANGLE	74.0 °		74.0 °		75.0 °		75.0 °		76.0 °	
K	CHAINSTAY	403.0 mm	15.9 in	403.0 mm	15.9 in	403.0 mm	15.9 in	403.0 mm	15.9 in	403.0 mm	15.9 in
L	REACH	375.0 mm	14.8 in	383.0 mm	15.1 in	400.0 mm	15.7 in	417.0 mm	16.4 in	430.0 mm	16.9 in
M	STACK	485.0 mm	19.1 in	500.0 mm	19.7 in	530.0 mm	20.9 in	560.0 mm	22.0 in	600.0 mm	23.6 in
N	STEM LENGTH										




FOIL

FOIL DISC: PREMIUM, 10, 20


		XXS/47		XS/49		S/52		M/54		L/56		XL/58		XXL/61	
A	HEAD TUBE ANGLE	70.5 °		71.0 °		72.0 °		72.5 °		73.0 °		73.3 °		73.3 °	
B	HEAD TUBE LENGTH	110.0 mm	4.3 in	115.0 mm	4.5 in	130.0 mm	5.1 in	150.0 mm	5.9 in	170.0 mm	6.7 in	190.0 mm	7.5 in	210.0 mm	8.3 in
C	TOP TUBE HORIZONTAL	510.0 mm	20.1 in	520.0 mm	20.5 in	535.0 mm	21.1 in	550.0 mm	21.7 in	565.0 mm	22.2 in	580.0 mm	22.8 in	595.0 mm	23.4 in
D	STANDOVER HEIGHT	715.9 mm	28.2 in	729.4 mm	28.7 in	753.6 mm	29.7 in	773.5 mm	30.5 in	798.8 mm	31.4 in	812.9 mm	32.0 in	837.3 mm	33.0 in
E	BB OFFSET	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in
F	BB HEIGHT	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in
G	WHEEL BASE	980.0 mm	38.6 in	986.0 mm	38.8 in	988.0 mm	38.9 in	995.0 mm	39.2 in	1,004.2 mm	39.5 in	1,010.9 mm	39.8 in	1,020.0 mm	40.2 in
H	BB CENTER TO TOPTUBE CENTER	400.0 mm	15.7 in	420.0 mm	16.5 in	450.0 mm	17.7 in	470.0 mm	18.5 in	490.0 mm	19.3 in	510.0 mm	20.1 in	540.0 mm	21.3 in
I	BB CENTER TO TOP OF SEATTUBE	410.0 mm	16.1 in	430.0 mm	16.9 in	460.0 mm	18.1 in	480.0 mm	18.9 in	500.0 mm	19.7 in	520.0 mm	20.5 in	550.0 mm	21.7 in
J	SEAT ANGLE	74.5 °		74.5 °		74.0 °		73.6 °		73.3 °		73.0 °		72.5 °	
K	CHAINSTAY	410.0 mm	16.1 in	410.0 mm	16.1 in	410.0 mm	16.1 in	410.0 mm	16.1 in	410.0 mm	16.1 in	410.0 mm	16.1 in	410.0 mm	16.1 in
L	REACH	370.6 mm	14.6 in	378.8 mm	14.9 in	384.0 mm	15.1 in	388.9 mm	15.3 in	394.5 mm	15.5 in	400.0 mm	15.7 in	403.4 mm	15.9 in
M	STACK	502.6 mm	19.8 in	509.0 mm	20.0 in	526.7 mm	20.7 in	547.5 mm	21.6 in	568.3 mm	22.4 in	588.5 mm	23.2 in	607.7 mm	23.9 in
N	STEM LENGTH	80.0 mm	3.1 in	90.0 mm	3.5 in	100.0 mm	3.9 in	110.0 mm	4.3 in	110.0 mm	4.3 in	120.0 mm	4.7 in	120.0 mm	4.7 in

FOIL: RC, 10, 20, 30


		XXS/47		XS/49		S/52		M/54		L/56		XL/58		XXL/61	
A	HEAD TUBE ANGLE	70.5 °		71.0 °		72.0 °		72.5 °		73.0 °		73.3 °		73.3 °	
B	HEAD TUBE LENGTH	110.0 mm	4.3 in	115.0 mm	4.5 in	130.0 mm	5.1 in	150.0 mm	5.9 in	170.0 mm	6.7 in	190.0 mm	7.5 in	210.0 mm	8.3 in
C	TOP TUBE HORIZONTAL	510.0 mm	20.1 in	520.0 mm	20.5 in	535.0 mm	21.1 in	550.0 mm	21.7 in	565.0 mm	22.2 in	580.0 mm	22.8 in	595.0 mm	23.4 in
D	STANDOVER HEIGHT	715.9 mm	28.2 in	729.4 mm	28.7 in	753.6 mm	29.7 in	773.5 mm	30.5 in	798.8 mm	31.4 in	812.9 mm	32.0 in	837.3 mm	33.0 in
E	BB OFFSET	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in
F	BB HEIGHT	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in
G	WHEEL BASE	972.0 mm	38.3 in	978.0 mm	38.5 in	980.0 mm	38.6 in	987.0 mm	38.9 in	994.2 mm	39.1 in	1'002.9 mm	39.5 in	1'012.0 mm	39.8 in
H	BB CENTER TO TOPTUBE CENTER	400.0 mm	15.7 in	420.0 mm	16.5 in	450.0 mm	17.7 in	470.0 mm	18.5 in	490.0 mm	19.3 in	510.0 mm	20.1 in	540.0 mm	21.3 in
I	BB CENTER TO TOP OF SEATTUBE	410.0 mm	16.1 in	430.0 mm	16.9 in	460.0 mm	18.1 in	480.0 mm	18.9 in	500.0 mm	19.7 in	520.0 mm	20.5 in	550.0 mm	21.7 in
J	SEAT ANGLE	74.5 °		74.5 °		74.0 °		73.6 °		73.3 °		73.0 °		72.5 °	
K	CHAINSTAY	405.0 mm	15.9 in	405.0 mm	15.9 in	405.0 mm	15.9 in	405.0 mm	15.9 in	405.0 mm	15.9 in	405.0 mm	15.9 in	405.0 mm	15.9 in
L	REACH	370.6 mm	14.6 in	378.8 mm	14.9 in	384.0 mm	15.1 in	388.9 mm	15.3 in	394.5 mm	15.5 in	400.0 mm	15.7 in	403.4 mm	15.9 in
M	STACK	502.6 mm	19.8 in	509.0 mm	20.0 in	526.7 mm	20.7 in	547.5 mm	21.6 in	568.3 mm	22.4 in	588.5 mm	23.2 in	607.7 mm	23.9 in
N	STEM LENGTH	100.0 mm	3.9 in	100.0 mm	3.9 in	100.0 mm	3.9 in	110.0 mm	4.3 in	110.0 mm	4.3 in	120.0 mm	4.7 in	120.0 mm	4.7 in



ADDICT RC DISC



ADDICT RC



ADDICT & ADDICT DISC

ADDICT RC DISC: ULTIMATE, PREMIUM, 15, 20


		XXS/47		XS/49		S/52		M/54		L/56		XL/58		XXL/61	
A	HEAD TUBE ANGLE	70.5 °		71.0 °		72.0 °		72.5 °		73.0 °		73.3 °		73.3 °	
B	HEAD TUBE LENGTH	100.0 mm	3.9 in	105.0 mm	4.1 in	120.0 mm	4.7 in	140.0 mm	5.5 in	160.0 mm	6.3 in	180.0 mm	7.1 in	200.0 mm	7.9 in
C	TOP TUBE HORIZONTAL	510.0 mm	20.1 in	520.0 mm	20.5 in	535.0 mm	21.1 in	550.0 mm	21.7 in	565.0 mm	22.2 in	580.0 mm	22.8 in	595.0 mm	23.4 in
D	STANDOVER HEIGHT	721.8 mm	28.4 in	734.7 mm	28.9 in	757.4 mm	29.8 in	777.0 mm	30.6 in	796.6 mm	31.4 in	815.9 mm	32.1 in	839.1 mm	33.0 in
E	BB OFFSET	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in
F	BB HEIGHT	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in
G	WHEEL BASE	977.1 mm	38.5 in	983.1 mm	38.7 in	985.1 mm	38.8 in	992.0 mm	39.1 in	999.3 mm	39.3 in	1,008.0 mm	39.7 in	1,017.1 mm	40.0 in
H	BB CENTER TO TOPTUBE CENTER	410.0 mm	16.1 in	430.0 mm	16.9 in	460.0 mm	18.1 in	480.0 mm	18.9 in	500.0 mm	19.7 in	520.0 mm	20.5 in	550.0 mm	21.7 in
I	BB CENTER TO TOP OF SEATTUBE	455.0 mm	17.9 in	475.0 mm	18.7 in	505.0 mm	19.9 in	525.0 mm	20.7 in	545.0 mm	21.5 in	565.0 mm	22.2 in	596.0 mm	23.5 in
J	SEAT ANGLE	74.5 °		74.5 °		74.0 °		73.6 °		73.3 °		73.0 °		72.5 °	
K	CHAINSTAY	410.0 mm	16.1 in	410.0 mm	16.1 in	410.0 mm	16.1 in	410.0 mm	16.1 in	410.0 mm	16.1 in	410.0 mm	16.1 in	410.0 mm	16.1 in
L	REACH	370.6 mm	14.6 in	378.8 mm	14.9 in	384.0 mm	15.1 in	388.9 mm	15.3 in	394.5 mm	15.5 in	400.1 mm	15.8 in	403.4 mm	15.9 in
M	STACK	502.6 mm	19.8 in	509.0 mm	20.0 in	526.7 mm	20.7 in	547.5 mm	21.6 in	568.3 mm	22.4 in	588.5 mm	23.2 in	607.7 mm	23.9 in
N	STEM LENGTH	80.0 mm	3.1 in	90.0 mm	3.5 in	100.0 mm	3.9 in	110.0 mm	4.3 in	110.0 mm	4.3 in	120.0 mm	4.7 in	120.0 mm	4.7 in
0	TRAIL	72.3 mm	2.8 in	69.1 mm	2.7 in	62.8 mm	2.5 in	59.7 mm	2.4 in	56.6 mm	2.2 in	54.7 mm	2.2 in	54.7 mm	2.2 in

ADDICT RC: PRO, 10, 20


		XXS/47		XS/49		S/52		M/54		L/56		XL/58		XXL/61	
A	HEAD TUBE ANGLE	70.5 °		71.0 °		72.0 °		72.5 °		73.0 °		73.3 °		73.3 °	
B	HEAD TUBE LENGTH	100.0 mm	3.9 in	105.0 mm	4.1 in	120.0 mm	4.7 in	140.0 mm	5.5 in	160.0 mm	6.3 in	180.0 mm	7.1 in	200.0 mm	7.9 in
C	TOP TUBE HORIZONTAL	510.0 mm	20.1 in	520.0 mm	20.5 in	535.0 mm	21.1 in	550.0 mm	21.7 in	565.0 mm	22.2 in	580.0 mm	22.8 in	595.0 mm	23.4 in
D	STANDOVER HEIGHT	721.8 mm	28.4 in	734.7 mm	28.9 in	757.4 mm	29.8 in	777.0 mm	30.6 in	796.6 mm	31.4 in	815.9 mm	32.1 in	839.1 mm	33.0 in
E	BB OFFSET	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in
F	BB HEIGHT	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in
G	WHEEL BASE	972.0 mm	38.3 in	978.0 mm	38.5 in	980.1 mm	38.6 in	987.0 mm	38.9 in	994.2 mm	39.1 in	1'002.9 mm	39.5 in	1'012.0 mm	39.8 in
H	BB CENTER TO TOPTUBE CENTER	410.0 mm	16.1 in	430.0 mm	16.9 in	460.0 mm	18.1 in	480.0 mm	18.9 in	500.0 mm	19.7 in	520.0 mm	20.5 in	550.0 mm	21.7 in
I	BB CENTER TO TOP OF SEATTUBE	455.0 mm	17.9 in	475.0 mm	18.7 in	505.0 mm	19.9 in	525.0 mm	20.7 in	545.0 mm	21.5 in	565.0 mm	22.2 in	596.0 mm	23.5 in
J	SEAT ANGLE	74.5 °		74.5 °		74.0 °		73.6 °		73.3 °		73.0 °		72.5 °	
K	CHAINSTAY	405.0 mm	15.9 in	405.0 mm	15.9 in	405.0 mm	15.9 in	405.0 mm	15.9 in	405.0 mm	15.9 in	405.0 mm	15.9 in	405.0 mm	15.9 in
L	REACH	370.6 mm	14.6 in	378.8 mm	14.9 in	384.0 mm	15.1 in	388.9 mm	15.3 in	394.5 mm	15.5 in	400.1 mm	15.8 in	403.4 mm	15.9 in
M	STACK	502.6 mm	19.8 in	509.0 mm	20.0 in	526.7 mm	20.7 in	547.5 mm	21.6 in	568.3 mm	22.4 in	588.5 mm	23.2 in	607.7 mm	23.9 in
N	STEM LENGTH	80.0 mm	3.1 in	90.0 mm	3.5 in	100.0 mm	3.9 in	110.0 mm	4.3 in	110.0 mm	4.3 in	120.0 mm	4.7 in	120.0 mm	4.7 in

ADDICT DISC: 10, 20, 30


		XXS/47		XS/49		S/52		M/54		L/56		XL/58		XXL/61	
A	HEAD TUBE ANGLE	70.5 °		71.0 °		72.0 °		72.5 °		73.0 °		73.3 °		73.3 °	
B	HEAD TUBE LENGTH	115.0 mm	4.5 in	125.0 mm	4.9 in	145.0 mm	5.7 in	165.0 mm	6.5 in	185.0 mm	7.3 in	205.0 mm	8.1 in	225.0 mm	8.9 in
C	TOP TUBE HORIZONTAL	505.0 mm	19.9 in	515.0 mm	20.3 in	530.0 mm	20.9 in	545.0 mm	21.5 in	560.0 mm	22.0 in	575.0 mm	22.6 in	590.0 mm	23.2 in
D	STANDOVER HEIGHT	725.3 mm	28.6 in	741.1 mm	29.2 in	767.5 mm	30.2 in	787.5 mm	31.0 in	807.5 mm	31.8 in	827.1 mm	32.6 in	851.4 mm	33.5 in
E	BB OFFSET	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in
F	BB HEIGHT	280.2 mm	11.0 in	280.2 mm	11.0 in	280.2 mm	11.0 in	280.2 mm	11.0 in	280.2 mm	11.0 in	280.2 mm	11.0 in	280.2 mm	11.0 in
G	WHEEL BASE	973.1 mm	38.3 in	979.4 mm	38.6 in	981.2 mm	38.6 in	986.8 mm	38.9 in	991.6 mm	39.0 in	999.0 mm	39.3 in	1'012.7 mm	39.9 in
H	BB CENTER TO TOPTUBE CENTER	410.0 mm	16.1 in	430.0 mm	16.9 in	460.0 mm	18.1 in	480.0 mm	18.9 in	500.0 mm	19.7 in	520.0 mm	20.5 in	550.0 mm	21.7 in
I	BB CENTER TO TOP OF SEATTUBE	470.0 mm	18.5 in	490.0 mm	19.3 in	520.0 mm	20.5 in	540.0 mm	21.3 in	560.0 mm	22.0 in	580.0 mm	22.8 in	610.0 mm	24.0 in
J	SEAT ANGLE	75.0 °		75.0 °		74.5 °		74.0 °		73.5 °		73.1 °		73.0 °	
K	CHAINSTAY	415.0 mm	16.3 in	415.0 mm	16.3 in	415.0 mm	16.3 in	415.0 mm	16.3 in	415.0 mm	16.3 in	415.0 mm	16.3 in	415.0 mm	16.3 in
L	REACH	366.6 mm	14.4 in	373.5 mm	14.7 in	377.3 mm	14.9 in	381.2 mm	15.0 in	384.6 mm	15.1 in	389.0 mm	15.3 in	397.0 mm	15.6 in
M	STACK	516.7 mm	20.3 in	527.9 mm	20.8 in	550.5 mm	21.7 in	571.3 mm	22.5 in	592.3 mm	23.3 in	612.5 mm	24.1 in	613.6 mm	24.2 in
N	STEM LENGTH														



ADDICT & ADDICT DISC



SPEEDSTER



SPEEDSTER DISC

ADDICT: 10, 20, 30


		XXS/47		XS/49		S/52		M/54		L/56		XL/58		XXL/61	
A	HEAD TUBE ANGLE	70.5 °		71.0 °		72.0 °		72.5 °		73.0 °		73.3 °		73.3 °	
B	HEAD TUBE LENGTH	115.0 mm	4.5 in	125.0 mm	4.9 in	145.0 mm	5.7 in	165.0 mm	6.5 in	185.0 mm	7.3 in	205.0 mm	8.1 in	225.0 mm	8.9 in
C	TOP TUBE HORIZONTAL	505.0 mm	19.9 in	515.0 mm	20.3 in	530.0 mm	20.9 in	545.0 mm	21.5 in	560.0 mm	22.0 in	575.0 mm	22.6 in	590.0 mm	23.2 in
D	STANDOVER HEIGHT	725.3 mm	28.6 in	741.1 mm	29.2 in	767.5 mm	30.2 in	787.5 mm	31.0 in	807.5 mm	31.8 in	827.1 mm	32.6 in	851.4 mm	33.5 in
E	BB OFFSET	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in
F	BB HEIGHT	280.2 mm	11.0 in	280.2 mm	11.0 in	280.2 mm	11.0 in	280.2 mm	11.0 in	280.2 mm	11.0 in	280.2 mm	11.0 in	280.2 mm	11.0 in
G	WHEEL BASE	973.1 mm	38.3 in	979.4 mm	38.6 in	981.2 mm	38.6 in	986.8 mm	38.9 in	991.6 mm	39.0 in	999.0 mm	39.3 in	1'012.7 mm	39.9 in
H	BB CENTER TO TOPTUBE CENTER	410.0 mm	16.1 in	430.0 mm	16.9 in	460.0 mm	18.1 in	480.0 mm	18.9 in	500.0 mm	19.7 in	520.0 mm	20.5 in	550.0 mm	21.7 in
I	BB CENTER TO TOP OF SEATTUBE	470.0 mm	18.5 in	490.0 mm	19.3 in	520.0 mm	20.5 in	540.0 mm	21.3 in	560.0 mm	22.0 in	580.0 mm	22.8 in	610.0 mm	24.0 in
J	SEAT ANGLE	75.0 °		75.0 °		74.5 °		74.0 °		73.5 °		73.1 °		73.0 °	
K	CHAINSTAY	410.0 mm	16.1 in	410.0 mm	16.1 in	410.0 mm	16.1 in	410.0 mm	16.1 in	410.0 mm	16.1 in	410.0 mm	16.1 in	410.0 mm	16.1 in
L	REACH	366.6 mm	14.4 in	373.5 mm	14.7 in	377.3 mm	14.9 in	381.2 mm	15.0 in	384.6 mm	15.1 in	389.0 mm	15.3 in	397.0 mm	15.6 in
M	STACK	516.7 mm	20.3 in	527.9 mm	20.8 in	550.5 mm	21.7 in	571.3 mm	22.5 in	592.3 mm	23.3 in	612.5 mm	24.1 in	613.6 mm	24.2 in
N	STEM LENGTH														

SPEEDSTER: SE, 10, 20, 30, 40, 50


		XXS/47		XS/49		S/52		M/54		L/56		XL/58		XXL/61	
A	HEAD TUBE ANGLE	70.5 °		71.0 °		72.0 °		72.5 °		73.0 °		73.3 °		73.3 °	
B	HEAD TUBE LENGTH	111.0 mm	4.4 in	121.0 mm	4.8 in	141.0 mm	5.6 in	161.0 mm	6.3 in	181.0 mm	7.1 in	201.0 mm	7.9 in	221.0 mm	8.7 in
C	TOP TUBE HORIZONTAL	505.0 mm	19.9 in	515.0 mm	20.3 in	530.0 mm	20.9 in	545.0 mm	21.5 in	560.0 mm	22.0 in	575.0 mm	22.6 in	590.0 mm	23.2 in
D	STANDOVER HEIGHT	725.3 mm	28.6 in	741.1 mm	29.2 in	767.5 mm	30.2 in	787.5 mm	31.0 in	807.5 mm	31.8 in	827.1 mm	32.6 in	851.4 mm	33.5 in
E	BB OFFSET	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in
F	BB HEIGHT	282.0 mm	11.1 in	282.0 mm	11.1 in	282.0 mm	11.1 in	282.0 mm	11.1 in	282.0 mm	11.1 in	282.0 mm	11.1 in	282.0 mm	11.1 in
G	WHEEL BASE	973.1 mm	38.3 in	979.4 mm	38.6 in	981.2 mm	38.6 in	986.8 mm	38.9 in	991.6 mm	39.0 in	999.0 mm	39.3 in	1'012.7 mm	39.9 in
H	BB CENTER TO TOPTUBE CENTER	410.0 mm	16.1 in	430.0 mm	16.9 in	460.0 mm	18.1 in	480.0 mm	18.9 in	500.0 mm	19.7 in	520.0 mm	20.5 in	550.0 mm	21.7 in
I	BB CENTER TO TOP OF SEATTUBE	470.0 mm	18.5 in	490.0 mm	19.3 in	520.0 mm	20.5 in	540.0 mm	21.3 in	560.0 mm	22.0 in	580.0 mm	22.8 in	610.0 mm	24.0 in
J	SEAT ANGLE	75.0 °		75.0 °		74.5 °		74.0 °		73.5 °		73.1 °		73.0 °	
K	CHAINSTAY	415.0 mm	16.3 in	415.0 mm	16.3 in	415.0 mm	16.3 in	415.0 mm	16.3 in	415.0 mm	16.3 in	415.0 mm	16.3 in	415.0 mm	16.3 in
L	REACH	366.6 mm	14.4 in	373.5 mm	14.7 in	377.3 mm	14.9 in	381.2 mm	15.0 in	384.6 mm	15.1 in	389.0 mm	15.3 in	397.0 mm	15.6 in
M	STACK	516.7 mm	20.3 in	527.9 mm	20.8 in	550.5 mm	21.7 in	571.3 mm	22.5 in	592.3 mm	23.3 in	612.5 mm	24.1 in	613.6 mm	24.2 in
N	STEM LENGTH														

SPEEDSTER DISC: 10, 20


		XXS/47		XS/49		S/52		M/54		L/56		XL/58		XXL/61	
A	HEAD TUBE ANGLE	70.5 °		71.0 °		72.0 °		72.5 °		73.0 °		73.3 °		73.3 °	
B	HEAD TUBE LENGTH	111.0 mm	4.4 in	121.0 mm	4.8 in	141.0 mm	5.6 in	161.0 mm	6.3 in	181.0 mm	7.1 in	201.0 mm	7.9 in	221.0 mm	8.7 in
C	TOP TUBE HORIZONTAL	505.0 mm	19.9 in	515.0 mm	20.3 in	530.0 mm	20.9 in	545.0 mm	21.5 in	560.0 mm	22.0 in	575.0 mm	22.6 in	590.0 mm	23.2 in
D	STANDOVER HEIGHT	725.3 mm	28.6 in	741.1 mm	29.2 in	767.5 mm	30.2 in	787.5 mm	31.0 in	807.5 mm	31.8 in	827.1 mm	32.6 in	851.4 mm	33.5 in
E	BB OFFSET	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in
F	BB HEIGHT	282.0 mm	11.1 in	282.0 mm	11.1 in	282.0 mm	11.1 in	282.0 mm	11.1 in	282.0 mm	11.1 in	282.0 mm	11.1 in	282.0 mm	11.1 in
G	WHEEL BASE	973.1 mm	38.3 in	979.4 mm	38.6 in	981.2 mm	38.6 in	986.8 mm	38.9 in	991.6 mm	39.0 in	999.0 mm	39.3 in	1'012.7 mm	39.9 in
H	BB CENTER TO TOPTUBE CENTER	410.0 mm	16.1 in	430.0 mm	16.9 in	460.0 mm	18.1 in	480.0 mm	18.9 in	500.0 mm	19.7 in	520.0 mm	20.5 in	550.0 mm	21.7 in
I	BB CENTER TO TOP OF SEATTUBE	470.0 mm	18.5 in	490.0 mm	19.3 in	520.0 mm	20.5 in	540.0 mm	21.3 in	560.0 mm	22.0 in	580.0 mm	22.8 in	610.0 mm	24.0 in
J	SEAT ANGLE	75.0 °		75.0 °		74.5 °		74.0 °		73.5 °		73.1 °		73.0 °	
K	CHAINSTAY	415.0 mm	16.3 in	415.0 mm	16.3 in	415.0 mm	16.3 in	415.0 mm	16.3 in	415.0 mm	16.3 in	415.0 mm	16.3 in	415.0 mm	16.3 in
L	REACH	366.6 mm	14.4 in	373.5 mm	14.7 in	377.3 mm	14.9 in	381.2 mm	15.0 in	384.6 mm	15.1 in	389.0 mm	15.3 in	397.0 mm	15.6 in
M	STACK	516.7 mm	20.3 in	527.9 mm	20.8 in	550.5 mm	21.7 in	571.3 mm	22.5 in	592.3 mm	23.3 in	612.5 mm	24.1 in	613.6 mm	24.2 in
N	STEM LENGTH														



METRIX



ADDICT GRAVEL



SPEEDSTER GRAVEL

METRIX DISC: 10, 20, 30


		XXS/47		XS/49		S/52		M/54		L/56		XL/58		XXL/61	
A	HEAD TUBE ANGLE	70.5 °		71.0 °		72.0 °		72.5 °		73.0 °		73.3 °		73.3 °	
B	HEAD TUBE LENGTH	111.0 mm	4.4 in	121.0 mm	4.8 in	141.0 mm	5.6 in	161.0 mm	6.3 in	181.0 mm	7.1 in	201.0 mm	7.9 in	221.0 mm	8.7 in
C	TOP TUBE HORIZONTAL	505.0 mm	19.9 in	515.0 mm	20.3 in	530.0 mm	20.9 in	545.0 mm	21.5 in	560.0 mm	22.0 in	575.0 mm	22.6 in	590.0 mm	23.2 in
D	STANDOVER HEIGHT	725.3 mm	28.6 in	741.1 mm	29.2 in	767.5 mm	30.2 in	787.5 mm	31.0 in	807.5 mm	31.8 in	827.1 mm	32.6 in	851.4 mm	33.5 in
E	BB OFFSET	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in
F	BB HEIGHT	282.0 mm	11.1 in	282.0 mm	11.1 in	282.0 mm	11.1 in	282.0 mm	11.1 in	282.0 mm	11.1 in	282.0 mm	11.1 in	282.0 mm	11.1 in
G	WHEEL BASE	973.1 mm	38.3 in	979.4 mm	38.6 in	981.2 mm	38.6 in	986.8 mm	38.9 in	991.6 mm	39.0 in	999.0 mm	39.3 in	1'012.7 mm	39.9 in
H	BB CENTER TO TOPTUBE CENTER	410.0 mm	16.1 in	430.0 mm	16.9 in	460.0 mm	18.1 in	480.0 mm	18.9 in	500.0 mm	19.7 in	520.0 mm	20.5 in	550.0 mm	21.7 in
I	BB CENTER TO TOP OF SEATTUBE	470.0 mm	18.5 in	490.0 mm	19.3 in	520.0 mm	20.5 in	540.0 mm	21.3 in	560.0 mm	22.0 in	580.0 mm	22.8 in	610.0 mm	24.0 in
J	SEAT ANGLE	75.0 °		75.0 °		74.5 °		74.0 °		73.5 °		73.1 °		73.0 °	
K	CHAINSTAY	415.0 mm	16.3 in	415.0 mm	16.3 in	415.0 mm	16.3 in	415.0 mm	16.3 in	415.0 mm	16.3 in	415.0 mm	16.3 in	415.0 mm	16.3 in
L	REACH	366.6 mm	14.4 in	373.5 mm	14.7 in	377.3 mm	14.9 in	381.2 mm	15.0 in	384.6 mm	15.1 in	389.0 mm	15.3 in	397.0 mm	15.6 in
M	STACK	516.7 mm	20.3 in	527.9 mm	20.8 in	550.5 mm	21.7 in	571.3 mm	22.5 in	592.3 mm	23.3 in	612.5 mm	24.1 in	613.6 mm	24.2 in
N	STEM LENGTH														

ADDICT GRAVEL DISC: 10, 20, 30

		XS/49		S/52		M/54		L/56		XL/58	
A	HEAD TUBE ANGLE	70.0 °		70.0 °		71.0 °		71.0 °		71.0 °	
B	HEAD TUBE LENGTH	95.0 mm	3.7 in	120.0 mm	4.7 in	140.0 mm	5.5 in	160.0 mm	6.3 in	180.0 mm	7.1 in
C	TOP TUBE HORIZONTAL	505.0 mm	19.9 in	525.0 mm	20.7 in	545.0 mm	21.5 in	568.0 mm	22.4 in	590.0 mm	23.2 in
D	STANDOVER HEIGHT	749.8 mm	29.5 in	775.7 mm	30.5 in	796.2 mm	31.3 in	814.1 mm	32.1 in	832.0 mm	32.8 in
E	BB OFFSET	-68.0 mm	-2.7 in	-68.0 mm	-2.7 in	-68.0 mm	-2.7 in	-68.0 mm	-2.7 in	-68.0 mm	-2.7 in
F	BB HEIGHT	281.0 mm	11.1 in	281.0 mm	11.1 in	281.0 mm	11.1 in	281.0 mm	11.1 in	281.0 mm	11.1 in
G	WHEEL BASE	984.0 mm	38.7 in	1'002.0 mm	39.4 in	1'017.0 mm	40.0 in	1'043.0 mm	41.1 in	1'056.0 mm	41.6 in
H	BB CENTER TO TOPTUBE CENTER	431.5 mm	17.0 in	462.7 mm	18.2 in	483.0 mm	19.0 in	503.2 mm	19.8 in	523.3 mm	20.6 in
I	BB CENTER TO TOP OF SEATTUBE	490.0 mm	19.3 in	520.0 mm	20.5 in	540.0 mm	21.3 in	560.0 mm	22.0 in	580.0 mm	22.8 in
J	SEAT ANGLE	74.5 °		74.0 °		73.5 °		73.0 °		73.0 °	
K	CHAINSTAY	422.0 mm	16.6 in	422.0 mm	16.6 in	422.0 mm	16.6 in	422.0 mm	16.6 in	422.0 mm	16.6 in
L	REACH	360.0 mm	14.2 in	369.0 mm	14.5 in	378.0 mm	14.9 in	390.0 mm	15.4 in	405.0 mm	15.9 in
M	STACK	521.8 mm	20.5 in	545.5 mm	21.5 in	564.4 mm	22.2 in	583.3 mm	23.0 in	602.2 mm	23.7 in
N	STEM LENGTH	90.0 mm	3.5 in	100.0 mm	3.9 in	110.0 mm	4.3 in	120.0 mm	4.7 in	120.0 mm	4.7 in
0	TRAIL										

SPEEDSTER GRAVEL DISC: 10, 20


		XXS/47		XS/49		S/52		M/54		L/56		XL/58		XXL/61	
A	HEAD TUBE ANGLE	70.5 °		71.0 °		72.0 °		72.5 °		73.0 °		73.3 °		73.3 °	
B	HEAD TUBE LENGTH	111.0 mm	4.4 in	121.0 mm	4.8 in	141.0 mm	5.6 in	161.0 mm	6.3 in	181.0 mm	7.1 in	201.0 mm	7.9 in	221.0 mm	8.7 in
C	TOP TUBE HORIZONTAL	505.0 mm	19.9 in	515.0 mm	20.3 in	530.0 mm	20.9 in	545.0 mm	21.5 in	560.0 mm	22.0 in	575.0 mm	22.6 in	590.0 mm	23.2 in
D	STANDOVER HEIGHT	725.3 mm	28.6 in	741.1 mm	29.2 in	767.5 mm	30.2 in	787.5 mm	31.0 in	807.5 mm	31.8 in	827.1 mm	32.6 in	851.4 mm	33.5 in
E	BB OFFSET	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in
F	BB HEIGHT	282.0 mm	11.1 in	282.0 mm	11.1 in	282.0 mm	11.1 in	282.0 mm	11.1 in	282.0 mm	11.1 in	282.0 mm	11.1 in	282.0 mm	11.1 in
G	WHEEL BASE	973.1 mm	38.3 in	979.4 mm	38.6 in	981.2 mm	38.6 in	986.8 mm	38.9 in	991.6 mm	39.0 in	999.0 mm	39.3 in	1'012.7 mm	39.9 in
H	BB CENTER TO TOPTUBE CENTER	410.0 mm	16.1 in	430.0 mm	16.9 in	460.0 mm	18.1 in	480.0 mm	18.9 in	500.0 mm	19.7 in	520.0 mm	20.5 in	550.0 mm	21.7 in
I	BB CENTER TO TOP OF SEATTUBE	470.0 mm	18.5 in	490.0 mm	19.3 in	520.0 mm	20.5 in	540.0 mm	21.3 in	560.0 mm	22.0 in	580.0 mm	22.8 in	610.0 mm	24.0 in
J	SEAT ANGLE	75.0 °		75.0 °		74.5 °		74.0 °		73.5 °		73.1 °		73.0 °	
K	CHAINSTAY	422.0 mm	16.6 in	422.0 mm	16.6 in	422.0 mm	16.6 in	422.0 mm	16.6 in	422.0 mm	16.6 in	422.0 mm	16.6 in	422.0 mm	16.6 in
L	REACH	366.6 mm	14.4 in	373.5 mm	14.7 in	377.3 mm	14.9 in	381.2 mm	15.0 in	384.6 mm	15.1 in	389.0 mm	15.3 in	397.0 mm	15.6 in
M	STACK	516.7 mm	20.3 in	527.9 mm	20.8 in	550.5 mm	21.7 in	571.3 mm	22.5 in	592.3 mm	23.3 in	612.5 mm	24.1 in	613.6 mm	24.2 in
N	STEM LENGTH														




ADDICT CX

ADDICT CX: RC DISC

		XS/49		S/52		M/54		L/56		XL/58	
A	HEAD TUBE ANGLE	70.0 °		70.0 °		71.0 °		71.0 °		71.0 °	
B	HEAD TUBE LENGTH	95.0 mm	3.7 in	120.0 mm	4.7 in	140.0 mm	5.5 in	160.0 mm	6.3 in	180.0 mm	7.1 in
C	TOP TUBE HORIZONTAL	505.0 mm	19.9 in	525.0 mm	20.7 in	545.0 mm	21.5 in	568.0 mm	22.4 in	590.0 mm	23.2 in
D	STANDOVER HEIGHT	749.8 mm	29.5 in	775.7 mm	30.5 in	796.2 mm	31.3 in	814.1 mm	32.1 in	832.0 mm	32.8 in
E	BB OFFSET	-68.0 mm	-2.7 in	-68.0 mm	-2.7 in	-68.0 mm	-2.7 in	-68.0 mm	-2.7 in	-68.0 mm	-2.7 in
F	BB HEIGHT	281.0 mm	11.1 in	281.0 mm	11.1 in	281.0 mm	11.1 in	281.0 mm	11.1 in	281.0 mm	11.1 in
G	WHEEL BASE	984.0 mm	38.7 in	1'002.0 mm	39.4 in	1'017.0 mm	40.0 in	1'043.0 mm	41.1 in	1'056.0 mm	41.6 in
H	BB CENTER TO TOPTUBE CENTER	431.5 mm	17.0 in	462.7 mm	18.2 in	483.0 mm	19.0 in	503.2 mm	19.8 in	523.3 mm	20.6 in
I	BB CENTER TO TOP OF SEATTUBE	490.0 mm	19.3 in	520.0 mm	20.5 in	540.0 mm	21.3 in	560.0 mm	22.0 in	580.0 mm	22.8 in
J	SEAT ANGLE	74.5 °		74.0 °		73.5 °		73.0 °		73.0 °	
K	CHAINSTAY	422.0 mm	16.6 in	422.0 mm	16.6 in	422.0 mm	16.6 in	422.0 mm	16.6 in	422.0 mm	16.6 in
L	REACH	360.0 mm	14.2 in	369.0 mm	14.5 in	378.0 mm	14.9 in	390.0 mm	15.4 in	405.0 mm	15.9 in
M	STACK	521.8 mm	20.5 in	545.5 mm	21.5 in	564.4 mm	22.2 in	583.3 mm	23.0 in	602.2 mm	23.7 in
N	STEM LENGTH	90.0 mm	3.5 in	100.0 mm	3.9 in	110.0 mm	4.3 in	120.0 mm	4.7 in	120.0 mm	4.7 in
0	TRAIL										



CONTESSA SCALE RC 900, 900




CONTESSA SCALE

CONTESSA SCALE: RC 900, 900

		S		M		L	
A	HEAD TUBE ANGLE	69.5 °		69.5 °		69.5 °	
B	HEAD TUBE LENGTH	95.0 mm	3.7 in	100.0 mm	3.9 in	115.0 mm	4.5 in
C	TOP TUBE HORIZONTAL	575.0 mm	22.6 in	600.0 mm	23.6 in	625.0 mm	24.6 in
D	STANDOVER HEIGHT	743.0 mm	29.3 in	774.0 mm	30.5 in	800.0 mm	31.5 in
E	BB OFFSET	-58.0 mm	-2.3 in	-58.0 mm	-2.3 in	-58.0 mm	-2.3 in
F	BB HEIGHT	312.0 mm	12.3 in	312.0 mm	12.3 in	312.0 mm	12.3 in
G	WHEEL BASE	1,076.4 mm	42.4 in	1,101.8 mm	43.4 in	1,127.9 mm	44.4 in
H	BB CENTER TO TOPTUBE CENTER	325.0 mm	12.8 in	375.0 mm	14.8 in	415.0 mm	16.3 in
I	BB CENTER TO TOP OF SEATTUBE	390.0 mm	15.4 in	440.0 mm	17.3 in	480.0 mm	18.9 in
J	SEAT ANGLE	73.6 °		73.6 °		73.6 °	
K	CHAINSTAY	425.0 mm	16.7 in	425.0 mm	16.7 in	425.0 mm	16.7 in
L	REACH	398.7 mm	15.7 in	422.3 mm	16.6 in	443.2 mm	17.4 in
M	STACK	599.0 mm	23.6 in	603.6 mm	23.8 in	617.7 mm	24.3 in
N	STEM LENGTH	60.0 mm	2.4 in	70.0 mm	2.8 in	80.0 mm	3.1 in
0	TRAIL	83.9 mm	3.3 in	83.9 mm	3.3 in	83.9 mm	3.3 in

CONTESSA SCALE: 10, 20, 30, 40

		XS / 700		S / 700		M / 900		L / 900	
A	HEAD TUBE ANGLE	69.0 °		69.0 °		69.5 °		69.5 °	
B	HEAD TUBE LENGTH	100.0 mm	3.9 in	100.0 mm	3.9 in	115.0 mm	4.5 in	125.0 mm	4.9 in
C	TOP TUBE HORIZONTAL	545.0 mm	21.5 in	565.0 mm	22.2 in	574.0 mm	22.6 in	594.0 mm	22.6 in
D	STANDOVER HEIGHT	665.5 mm	26.2 in	676.5 mm	26.6 in	725.0 mm	28.5 in	760.0 mm	28.5 in
E	BB OFFSET	-44.0 mm	-1.7 in	-44.0 mm	-1.7 in	-61.0 mm	-2.4 in	-61.0 mm	-2.4 in
F	BB HEIGHT	312.5 mm	12.3 in	312.5 mm	12.3 in	315.0 mm	12.4 in	315.0 mm	12.4 in
G	WHEEL BASE	1,053.0 mm		1,063.0 mm	41.9 in	1,094.0 mm	43.1 in	1,114.0 mm	43.1 in
H	BB CENTER TO TOPTUBE CENTER	315.0 mm	12.4 in	320.0 mm	12.6 in	355.0 mm	14.0 in	405.0 mm	14.0 in
I	BB CENTER TO TOP OF SEATTUBE	340.0 mm	13.4 in	370.0 mm	14.6 in	410.0 mm	16.1 in	460.0 mm	16.1 in
J	SEAT ANGLE	73.0 °		73.0 °		72.5 °		72.5 °	
K	CHAINSTAY	435.0 mm	17.1 in	435.0 mm	17.1 in	458.0 mm	17.1 in	458.0 mm	18.0 in
L	REACH	368.1 mm	14.5 in	388.1 mm	15.3 in	388.1 mm	15.3 in	371.0 mm	14.6 in
M	STACK	411.5 mm	16.2 in	426.6 mm	16.8 in	426.6 mm	16.8 in	630.0 mm	24.8 in
N	STEM LENGTH	60.0 mm	2.4 in	60.0 mm	2.4 in	70.0 mm	2.8 in	80.0 mm	3.1 in



CONTESSA SPARK

CONTESSA SPARK: RC 900


		S		M		L	
A	HEAD TUBE ANGLE	68.5 °		68.5 °		68.5 °	
B	HEAD TUBE LENGTH	95.0 mm	3.7 in	95.0 mm	3.7 in	105.0 mm	4.1 in
C	TOP TUBE HORIZONTAL	570.0 mm	22.4 in	600.0 mm	23.6 in	630.0 mm	24.8 in
D	STANDOVER HEIGHT	739.0 mm	29.1 in	737.0 mm	29.0 in	756.0 mm	29.8 in
E	BB OFFSET	-50.5 mm	-2.0 in	-50.5 mm	-2.0 in	-50.5 mm	-2.0 in
F	BB HEIGHT	319.5 mm	12.6 in	319.5 mm	12.6 in	319.5 mm	12.6 in
G	WHEEL BASE	1,097.7 mm	43.2 in	1,127.7 mm	44.4 in	1,158.6 mm	45.6 in
H	BB CENTER TO TOPTUBE CENTER						
I	BB CENTER TO TOP OF SEATTUBE	410.0 mm	16.1 in	440.0 mm	17.3 in	490.0 mm	19.3 in
J	SEAT ANGLE	73.8 °		73.8 °		73.8 °	
K	CHAINSTAY	435.0 mm	17.1 in	435.0 mm	17.1 in	435.0 mm	17.1 in
L	REACH	399.5 mm	15.7 in	429.5 mm	16.9 in	456.8 mm	18.0 in
M	STACK	586.9 mm	23.1 in	586.9 mm	23.1 in	596.2 mm	23.5 in
N	STEM LENGTH	60.0 mm	2.4 in	70.0 mm	2.8 in	80.0 mm	3.1 in
0	TRAIL	90.9 mm	3.6 in	90.9 mm	3.6 in	90.9 mm	3.6 in

CONTESSA SPARK: 910, 920, 930


		S		M		L	
A	HEAD TUBE ANGLE	67.2 °		67.2 °		67.2 °	
B	HEAD TUBE LENGTH	95.0 mm	3.7 in	95.0 mm	3.7 in	105.0 mm	4.1 in
C	TOP TUBE HORIZONTAL	575.0 mm	22.6 in	605.0 mm	23.8 in	635.0 mm	25.0 in
D	STANDOVER HEIGHT	738.0 mm	29.1 in	746.0 mm	29.4 in	760.0 mm	29.9 in
E	BB OFFSET	-43.0 mm	-1.7 in	-43.0 mm	-1.7 in	-43.0 mm	-1.7 in
F	BB HEIGHT	327.0 mm	12.9 in	327.0 mm	12.9 in	327.0 mm	12.9 in
G	WHEEL BASE	1,121.6 mm	44.2 in	1,151.6 mm	45.3 in	1,182.8 mm	46.6 in
H	BB CENTER TO TOPTUBE CENTER	345.0 mm	13.6 in	375.0 mm	14.8 in	425.0 mm	16.7 in
I	BB CENTER TO TOP OF SEATTUBE	410.0 mm	16.1 in	440.0 mm	17.3 in	490.0 mm	19.3 in
J	SEAT ANGLE	73.8 °		73.8 °		73.8 °	
K	CHAINSTAY	438.0 mm	17.2 in	438.0 mm	17.2 in	438.0 mm	17.2 in
L	REACH	402.7 mm	15.9 in	432.7 mm	17.0 in	460.0 mm	18.1 in
M	STACK	593.1 mm	23.4 in	593.1 mm	23.4 in	602.4 mm	23.7 in
N	STEM LENGTH	50.0 mm	2.0 in	60.0 mm	2.4 in	70.0 mm	2.8 in
0	TRAIL	100.2 mm	3.9 in	100.2 mm	3.9 in	100.2 mm	3.9 in

CONTESSA SPARK: 710


		S		M		L	
A	HEAD TUBE ANGLE	66.9 °		66.9 °		66.9 °	
B	HEAD TUBE LENGTH	95.0 mm	3.7 in	95.0 mm	3.7 in	105.0 mm	4.1 in
C	TOP TUBE HORIZONTAL	576.9 mm	22.7 in	607.0 mm	23.9 in	637.0 mm	25.1 in
D	STANDOVER HEIGHT	741.0 mm	29.2 in	748.0 mm	29.4 in	762.0 mm	30.0 in
E	BB OFFSET	-36.0 mm	-1.4 in	-36.0 mm	-1.4 in	-36.0 mm	-1.4 in
F	BB HEIGHT	329.0 mm	13.0 in	329.0 mm	13.0 in	329.0 mm	13.0 in
G	WHEEL BASE	1,128.1 mm	44.4 in	1,158.1 mm	45.6 in	1,189.3 mm	46.8 in
H	BB CENTER TO TOPTUBE CENTER						
I	BB CENTER TO TOP OF SEATTUBE	410.0 mm	16.1 in	440.0 mm	17.3 in	490.0 mm	19.3 in
J	SEAT ANGLE	73.2 °		73.2 °		73.2 °	
K	CHAINSTAY	438.0 mm	17.2 in	438.0 mm	17.2 in	438.0 mm	17.2 in
L	REACH	396.3 mm	15.6 in	426.4 mm	16.8 in	453.6 mm	17.9 in
M	STACK	598.1 mm	23.5 in	598.1 mm	23.5 in	607.3 mm	23.9 in
N	STEM LENGTH	50.0 mm	2.0 in	60.0 mm	2.4 in	70.0 mm	2.8 in



CONTESSA GENIUS



CONTESSA



CONTESSA ADDICT DISC

CONTESSA GENIUS: 710, 720, 730


		S / 900 LOW BB Setting		S / 700 HIGH BB Setting		M / 900 LOW BB Setting		M / 700 HIGH BB Setting		L / 900 LOW BB Setting		L / 700 HIGH BB Setting	
A	HEAD TUBE ANGLE	65.0 °		65.6 °		65.0 °		65.6 °		65.0 °		65.6 °	
B	HEAD TUBE LENGTH	95.0 mm	3.7 in	95.0 mm	3.7 in	95.0 mm	3.7 in	95.0 mm	3.7 in	110.0 mm	4.3 in	110.0 mm	4.3 in
C	TOP TUBE HORIZONTAL	569.7 mm	22.4 in	568.2 mm	22.4 in	602.8 mm	23.7 in	601.2 mm	23.7 in	633.4 mm	24.9 in	631.8 mm	24.9 in
D	STANDOVER HEIGHT												
E	BB OFFSET	-27.4 mm	-1.1 in	-20.0 mm	-0.8 in	-27.5 mm	-1.1 in	-20.0 mm	-0.8 in	-27.6 mm	-1.1 in	-20.0 mm	-0.8 in
F	BB HEIGHT	346.1 mm	13.6 in	340.0 mm	13.4 in	346.0 mm	13.6 in	340.0 mm	13.4 in	345.9 mm	13.6 in	340.0 mm	13.4 in
G	WHEEL BASE	1,165.9 mm	45.9 in	1,164.6 mm	45.9 in	1,198.9 mm	47.2 in	1,197.6 mm	47.1 in	1,232.1 mm	48.5 in	1,230.8 mm	48.5 in
H	BB CENTER TO TOPTUBE CENTER												
I	BB CENTER TO TOP OF SEATTUBE	410.0 mm	16.1 in	410.0 mm	16.1 in	440.0 mm	17.3 in	440.0 mm	17.3 in	480.0 mm	18.9 in	480.0 mm	18.9 in
J	SEAT ANGLE	74.7 °		75.3 °		74.7 °		75.3 °		74.8 °		75.3 °	
K	CHAINSTAY	438.0 mm	17.2 in	436.0 mm	17.2 in	438.0 mm	17.2 in	436.0 mm	17.2 in	438.0 mm	17.2 in	436.0 mm	17.2 in
L	REACH	405.9 mm	16.0 in	412.0 mm	16.2 in	439.1 mm	17.3 in	445.0 mm	17.5 in	466.1 mm	18.4 in	472.0 mm	18.6 in
M	STACK	599.7 mm	23.6 in	595.5 mm	23.4 in	599.9 mm	23.6 in	595.5 mm	23.4 in	613.7 mm	24.2 in	609.2 mm	24.0 in
N	STEM LENGTH	40.0 mm	1.6 in	40.0 mm	1.6 in	50.0 mm	2.0 in	50.0 mm	2.0 in	50.0 mm	2.0 in	50.0 mm	2.0 in
0	TRAIL	117.7 mm	4.6 in	107.3 mm	4.2 in	117.6 mm	4.6 in	107.3 mm	4.2 in	117.5 mm	4.6 in	107.3 mm	4.2 in

CONTESSA: 710, 720, 730, 740


		XS		S		M		L	
A	HEAD TUBE ANGLE	69.0 °		69.0 °		69.0 °		69.0 °	
B	HEAD TUBE LENGTH	100.0 mm	3.9 in	100.0 mm	3.9 in	100.0 mm	3.9 in	115.0 mm	4.5 in
C	TOP TUBE HORIZONTAL	545.0 mm	21.5 in	565.0 mm	22.2 in	580.0 mm	22.8 in	595.0 mm	23.4 in
D	STANDOVER HEIGHT	665.5 mm	26.2 in	676.5 mm	26.6 in	700.5 mm	27.6 in	730.0 mm	28.7 in
E	BB OFFSET	-44.0 mm	-1.7 in	-44.0 mm	-1.7 in	-44.0 mm	-1.7 in	-44.0 mm	-1.7 in
F	BB HEIGHT	311.0 mm	12.2 in	311.0 mm	12.2 in	311.0 mm	12.2 in	311.0 mm	12.2 in
G	WHEEL BASE	1,051.2 mm	41.4 in	1,071.0 mm	42.2 in	1,086.0 mm	42.8 in	1,102.0 mm	43.4 in
H	BB CENTER TO TOPTUBE CENTER	315.0 mm	12.4 in	320.0 mm	12.6 in	360.0 mm	14.2 in	410.0 mm	16.1 in
I	BB CENTER TO TOP OF SEATTUBE	340.0 mm	13.4 in	370.0 mm	14.6 in	410.0 mm	16.1 in	460.0 mm	18.1 in
J	SEAT ANGLE	73.0 °		73.0 °		73.0 °		73.0 °	
K	CHAINSTAY	435.0 mm	17.1 in	435.0 mm	17.1 in	435.0 mm	17.1 in	435.0 mm	17.1 in
L	REACH	368.1 mm	14.5 in	388.1 mm	15.3 in	403.1 mm	15.9 in	413.8 mm	16.3 in
M	STACK	411.5 mm	16.2 in	426.6 mm	16.8 in	448.5 mm	17.7 in	482.9 mm	19.0 in
N	STEM LENGTH	60.0 mm	2.4 in	60.0 mm	2.4 in	75.0 mm	3.0 in	90.0 mm	3.5 in

CONTESSA ADDICT DISC: 15, 25

		XXS/47		XS/49		S/52		M/54		L/56	
A	HEAD TUBE ANGLE	70.5 °		71.0 °		72.0 °		72.5 °		73.0 °	
B	HEAD TUBE LENGTH	100.0 mm	3.9 in	105.0 mm	4.1 in	120.0 mm	4.7 in	140.0 mm	5.5 in	160.0 mm	6.3 in
C	TOP TUBE HORIZONTAL	510.0 mm	20.1 in	520.0 mm	20.5 in	535.0 mm	21.1 in	550.0 mm	21.7 in	565.0 mm	22.2 in
D	STANDOVER HEIGHT	721.8 mm	28.4 in	734.7 mm	28.9 in	757.4 mm	29.8 in	777.0 mm	30.6 in	796.6 mm	31.4 in
E	BB OFFSET	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in
F	BB HEIGHT	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in
G	WHEEL BASE	977.1 mm	38.5 in	983.1 mm	38.7 in	985.1 mm	38.8 in	992.0 mm	39.1 in	999.3 mm	39.3 in
H	BB CENTER TO TOPTUBE CENTER	410.0 mm	16.1 in	430.0 mm	16.9 in	460.0 mm	18.1 in	480.0 mm	18.9 in	500.0 mm	19.7 in
I	BB CENTER TO TOP OF SEATTUBE	455.0 mm	17.9 in	475.0 mm	18.7 in	505.0 mm	19.9 in	525.0 mm	20.7 in	545.0 mm	21.5 in
J	SEAT ANGLE	74.5 °		74.5 °		74.0 °		73.6 °		73.3 °	
K	CHAINSTAY	410.0 mm	16.1 in	410.0 mm	16.1 in	410.0 mm	16.1 in	410.0 mm	16.1 in	410.0 mm	16.1 in
L	REACH	370.6 mm	14.6 in	378.8 mm	14.9 in	384.0 mm	15.1 in	388.9 mm	15.3 in	394.5 mm	15.5 in
M	STACK	502.6 mm	19.8 in	509.0 mm	20.0 in	526.7 mm	20.7 in	547.5 mm	21.6 in	568.3 mm	22.4 in
N	STEM LENGTH	80.0 mm	3.1 in	80.0 mm	3.1 in	90.0 mm	3.5 in	100.0 mm	3.9 in	110.0 mm	4.3 in
0	TRAIL	72.3 mm	2.8 in	69.1 mm	2.7 in	62.8 mm	2.5 in	59.7 mm	2.4 in	56.6 mm	2.2 in



CONTESSA ADDICT



CONTESSA SPEEDSTER

CONTESSA ADDICT: 35


		XXS/47		XS/49		S/52		M/54		L/56	
A	HEAD TUBE ANGLE	70.5 °		71.0 °		72.0 °		72.5 °		73.0 °	
B	HEAD TUBE LENGTH	100.0 mm	3.9 in	105.0 mm	4.1 in	120.0 mm	4.7 in	140.0 mm	5.5 in	160.0 mm	6.3 in
C	TOP TUBE HORIZONTAL	510.0 mm	20.1 in	520.0 mm	20.5 in	535.0 mm	21.1 in	550.0 mm	21.7 in	565.0 mm	22.2 in
D	STANDOVER HEIGHT	721.8 mm	28.4 in	734.7 mm	28.9 in	757.4 mm	29.8 in	777.0 mm	30.6 in	796.6 mm	31.4 in
E	BB OFFSET	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in
F	BB HEIGHT	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in	272.0 mm	10.7 in
G	WHEEL BASE	972.0 mm	38.3 in	978.0 mm	38.5 in	980.1 mm	38.6 in	987.0 mm	38.9 in	994.2 mm	39.1 in
H	BB CENTER TO TOPTUBE CENTER	410.0 mm	16.1 in	430.0 mm	16.9 in	460.0 mm	18.1 in	480.0 mm	18.9 in	500.0 mm	19.7 in
I	BB CENTER TO TOP OF SEATTUBE	455.0 mm	17.9 in	475.0 mm	18.7 in	505.0 mm	19.9 in	525.0 mm	20.7 in	545.0 mm	21.5 in
J	SEAT ANGLE	74.5 °		74.5 °		74.0 °		73.6 °		73.3 °	
K	CHAINSTAY	405.0 mm	15.9 in	405.0 mm	15.9 in	405.0 mm	15.9 in	405.0 mm	15.9 in	405.0 mm	15.9 in
L	REACH	370.6 mm	14.6 in	378.8 mm	14.9 in	384.0 mm	15.1 in	388.9 mm	15.3 in	394.5 mm	15.5 in
M	STACK	502.6 mm	19.8 in	509.0 mm	20.0 in	526.7 mm	20.7 in	547.5 mm	21.6 in	568.3 mm	22.4 in
N	STEM LENGTH	80.0 mm	3.1 in	90.0 mm	3.5 in	100.0 mm	3.9 in	110.0 mm	4.3 in	110.0 mm	4.3 in

CONTESSA SPEEDSTER: 15 DISC


		XXS/47		XS/49		S/52		M/54		L/56	
A	HEAD TUBE ANGLE	70.5 °		71.0 °		72.0 °		72.5 °		73.0 °	
B	HEAD TUBE LENGTH	111.0 mm	4.4 in	121.0 mm	4.8 in	141.0 mm	5.6 in	161.0 mm	6.3 in	181.0 mm	7.1 in
C	TOP TUBE HORIZONTAL	505.0 mm	19.9 in	515.0 mm	20.3 in	530.0 mm	20.9 in	545.0 mm	21.5 in	560.0 mm	22.0 in
D	STANDOVER HEIGHT	725.3 mm	28.6 in	741.1 mm	29.2 in	767.5 mm	30.2 in	787.5 mm	31.0 in	807.5 mm	31.8 in
E	BB OFFSET	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in
F	BB HEIGHT	282.0 mm	11.1 in	282.0 mm	11.1 in	282.0 mm	11.1 in	282.0 mm	11.1 in	282.0 mm	11.1 in
G	WHEEL BASE	973.1 mm	38.3 in	979.4 mm	38.6 in	981.2 mm	38.6 in	986.8 mm	38.9 in	991.6 mm	39.0 in
H	BB CENTER TO TOPTUBE CENTER	410.0 mm	16.1 in	430.0 mm	16.9 in	460.0 mm	18.1 in	480.0 mm	18.9 in	500.0 mm	19.7 in
I	BB CENTER TO TOP OF SEATTUBE	470.0 mm	18.5 in	490.0 mm	19.3 in	520.0 mm	20.5 in	540.0 mm	21.3 in	560.0 mm	22.0 in
J	SEAT ANGLE	75.0 °		75.0 °		74.5 °		74.0 °		73.5 °	
K	CHAINSTAY	415.0 mm	16.3 in	415.0 mm	16.3 in	415.0 mm	16.3 in	415.0 mm	16.3 in	415.0 mm	16.3 in
L	REACH	366.6 mm	14.4 in	373.5 mm	14.7 in	377.3 mm	14.9 in	381.2 mm	15.0 in	384.6 mm	15.1 in
M	STACK	516.7 mm	20.3 in	527.9 mm	20.8 in	550.5 mm	21.7 in	571.3 mm	22.5 in	592.3 mm	23.3 in
N	STEM LENGTH										

CONTESSA SPEEDSTER: 15, 25, 35


		XXS/47		XS/49		S/52		M/54		L/56	
A	HEAD TUBE ANGLE	70.5 °		71.0 °		72.0 °		72.5 °		73.0 °	
B	HEAD TUBE LENGTH	111.0 mm	4.4 in	121.0 mm	4.8 in	141.0 mm	5.6 in	161.0 mm	6.3 in	181.0 mm	7.1 in
C	TOP TUBE HORIZONTAL	505.0 mm	19.9 in	515.0 mm	20.3 in	530.0 mm	20.9 in	545.0 mm	21.5 in	560.0 mm	22.0 in
D	STANDOVER HEIGHT	725.3 mm	28.6 in	741.1 mm	29.2 in	767.5 mm	30.2 in	787.5 mm	31.0 in	807.5 mm	31.8 in
E	BB OFFSET	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in	-67.0 mm	-2.6 in
F	BB HEIGHT	282.0 mm	11.1 in	282.0 mm	11.1 in	282.0 mm	11.1 in	282.0 mm	11.1 in	282.0 mm	11.1 in
G	WHEEL BASE	973.1 mm	38.3 in	979.4 mm	38.6 in	981.2 mm	38.6 in	986.8 mm	38.9 in	991.6 mm	39.0 in
H	BB CENTER TO TOPTUBE CENTER	410.0 mm	16.1 in	430.0 mm	16.9 in	460.0 mm	18.1 in	480.0 mm	18.9 in	500.0 mm	19.7 in
I	BB CENTER TO TOP OF SEATTUBE	470.0 mm	18.5 in	490.0 mm	19.3 in	520.0 mm	20.5 in	540.0 mm	21.3 in	560.0 mm	22.0 in
J	SEAT ANGLE	75.0 °		75.0 °		74.5 °		74.0 °		73.5 °	
K	CHAINSTAY	415.0 mm	16.3 in	415.0 mm	16.3 in	415.0 mm	16.3 in	415.0 mm	16.3 in	415.0 mm	16.3 in
L	REACH	366.6 mm	14.4 in	373.5 mm	14.7 in	377.3 mm	14.9 in	381.2 mm	15.0 in	384.6 mm	15.1 in
M	STACK	516.7 mm	20.3 in	527.9 mm	20.8 in	550.5 mm	21.7 in	571.3 mm	22.5 in	592.3 mm	23.3 in
N	STEM LENGTH										



E-SPARK



E-GENIUS



E-SCALE

E-SPARK: 700 TUNED, 710, 720, 730


		S		M		L		XL	
A	HEAD TUBE ANGLE	67.0 °		67.0 °		67.0 °		67.0 °	
B	HEAD TUBE LENGTH	120.0 mm	4.7 in	125.0 mm	4.9 in	135.0 mm	5.3 in	145.0 mm	5.7 in
C	TOP TUBE HORIZONTAL	580.0 mm	22.8 in	610.0 mm	24.0 in	640.0 mm	25.2 in	660.0 mm	26.0 in
D	STANDOVER HEIGHT	724.6 mm	28.5 in	738.5 mm	29.1 in	758.2 mm	29.9 in	783.5 mm	30.8 in
E	BB OFFSET	-18.0 mm	-0.7 in	-18.0 mm	-0.7 in	-18.0 mm	-0.7 in	-18.0 mm	-0.7 in
F	BB HEIGHT	342.0 mm	13.5 in	342.0 mm	13.5 in	342.0 mm	13.5 in	342.0 mm	13.5 in
G	WHEEL BASE	1'158.8 mm	45.6 in	1'189.5 mm	46.8 in	1'220.7 mm	48.1 in	1'242.0 mm	48.9 in
H	BB CENTER TO TOPTUBE CENTER								
I	BB CENTER TO TOP OF SEATTUBE	410.0 mm	16.1 in	440.0 mm	17.3 in	490.0 mm	19.3 in	540.0 mm	21.3 in
J	SEAT ANGLE	74.0 °		74.0 °		74.0 °		74.0 °	
K	CHAINSTAY	448.0 mm	17.6 in	448.0 mm	17.6 in	448.0 mm	17.6 in	448.0 mm	17.6 in
L	REACH	406.3 mm	16.0 in	435.0 mm	17.1 in	462.4 mm	18.2 in	479.7 mm	18.9 in
M	STACK	605.7 mm	23.8 in	610.3 mm	24.0 in	619.5 mm	24.4 in	628.7 mm	24.8 in
N	STEM LENGTH	50.0 mm	2.0 in	50.0 mm	2.0 in	60.0 mm	2.4 in	70.0 mm	2.8 in
0	TRAIL	97.4 mm	3.8 in	97.4 mm	3.8 in	97.4 mm	3.8 in	97.4 mm	3.8 in

E-GENIUS: 700 TUNED, 710, 720/920, 730

		S / 900		S / 700		M / 900		M / 700		L / 900		L / 700		XL / 900		XL / 700	
		LOW BB Setting		HIGH BB Setting		LOW BB Setting		HIGH BB Setting		LOW BB Setting		HIGH BB Setting		LOW BB Setting		HIGH BB Setting	
A	HEAD TUBE ANGLE	64.8 °		65.3 °		64.8 °		65.3 °		65.1 °		65.6 °		65.1 °		65.6 °	
B	HEAD TUBE LENGTH	120.0 mm	4.7 in	120.0 mm	4.7 in	125.0 mm	4.9 in	125.0 mm	4.9 in	135.0 mm	5.3 in	135.0 mm	5.3 in	145.0 mm	5.7 in	145.0 mm	5.7 in
C	TOP TUBE HORIZONTAL	586.5 mm	23.1 in	585.0 mm	23.0 in	606.6 mm	23.9 in	605.0 mm	23.8 in	636.7 mm	25.1 in	635.0 mm	25.0 in	666.7 mm	26.2 in	665.0 mm	26.2 in
D	STANDOVER HEIGHT	738.6 mm	29.1 in	736.0 mm	29.0 in	744.5 mm	29.3 in	742.0 mm	29.2 in	769.2 mm	30.3 in	766.7 mm	30.2 in	780.2 mm	30.7 in	777.8 mm	30.6 in
E	BB OFFSET	-30.9 mm	-1.2 in	-23.5 mm	-0.9 in	-31.0 mm	-1.2 in	-23.5 mm	-0.9 in	-31.1 mm	-1.2 in	-23.5 mm	-0.9 in	-31.2 mm	-1.2 in	-23.5 mm	-0.9 in
F	BB HEIGHT	342.6 mm	13.5 in	340.0 mm	13.4 in	342.5 mm	13.5 in	340.0 mm	13.4 in	342.5 mm	13.5 in	340.0 mm	13.4 in	342.4 mm	13.5 in	340.0 mm	13.4 in
G	WHEEL BASE	1'215.8 mm	47.9 in	1'214.6 mm	47.8 in	1'236.7 mm	48.7 in	1'235.5 mm	48.6 in	1'259.0 mm	49.6 in	1'257.7 mm	49.5 in	1'290.7 mm	50.8 in	1'289.4 mm	50.8 in
H	BB CENTER TO TOPTUBE CENTER																
I	BB CENTER TO TOP OF SEATTUBE	410.0 mm	16.1 in	410.0 mm	16.1 in	440.0 mm	17.3 in	440.0 mm	17.3 in	490.0 mm	19.3 in	490.0 mm	19.3 in	540.0 mm	21.3 in	540.0 mm	21.3 in
J	SEAT ANGLE	75.0 °		75.5 °		75.0 °		75.5 °		74.5 °		75.0 °		74.5 °		75.0 °	
K	CHAINSTAY	462.0 mm	18.2 in	460.0 mm	18.1 in	462.0 mm	18.2 in	460.0 mm	18.1 in	462.0 mm	18.2 in	460.0 mm	18.1 in	462.0 mm	18.2 in	460.0 mm	18.1 in
L	REACH	418.6 mm	16.5 in	424.6 mm	16.7 in	437.4 mm	17.2 in	443.5 mm	17.5 in	458.7 mm	18.1 in	464.7 mm	18.3 in	486.3 mm	19.1 in	492.3 mm	19.4 in
M	STACK	624.2 mm	24.6 in	620.1 mm	24.4 in	628.9 mm	24.8 in	624.6 mm	24.6 in	639.8 mm	25.2 in	635.5 mm	25.0 in	649.1 mm	25.6 in	644.6 mm	25.4 in
N	STEM LENGTH	50.0 mm	2.0 in	50.0 mm	2.0 in	50.0 mm	2.0 in	50.0 mm	2.0 in	60.0 mm	2.4 in	60.0 mm	2.4 in	70.0 mm	2.8 in	70.0 mm	2.8 in
0	TRAIL	119.9 mm	4.7 in	111.1 mm	4.4 in	119.8 mm	4.7 in	111.1 mm	4.4 in	117.5 mm	4.6 in	108.9 mm	4.3 in	117.4 mm	4.6 in	108.9 mm	4.3 in

E-SCALE: 710, 720

		S		M		L		XL	
A	HEAD TUBE ANGLE	67.5 °		67.5 °		67.5 °		67.5 °	
B	HEAD TUBE LENGTH	110.0 mm	4.3 in	120.0 mm	4.7 in	125.0 mm	4.9 in	135.0 mm	5.3 in
C	TOP TUBE HORIZONTAL	585.0 mm	23.0 in	600.0 mm	23.6 in	625.0 mm	24.6 in	650.0 mm	25.6 in
D	STANDOVER HEIGHT	771.3 mm	30.4 in	791.8 mm	31.2 in	813.3 mm	32.0 in	842.4 mm	33.2 in
E	BB OFFSET	-48.0 mm	-1.9 in	-48.0 mm	-1.9 in	-48.0 mm	-1.9 in	-48.0 mm	-1.9 in
F	BB HEIGHT	317.0 mm	12.5 in	317.0 mm	12.5 in	317.0 mm	12.5 in	317.0 mm	12.5 in
G	WHEEL BASE	1'169.6 mm	46.0 in	1'185.7 mm	46.7 in	1'211.3 mm	47.7 in	1'237.4 mm	48.7 in
H	BB CENTER TO TOPTUBE CENTER								
I	BB CENTER TO TOP OF SEATTUBE	400.0 mm	15.7 in	440.0 mm	17.3 in	480.0 mm	18.9 in	530.0 mm	20.9 in
J	SEAT ANGLE	73.6 °		73.6 °		73.6 °		73.6 °	
K	CHAINSTAY	478.0 mm	18.8 in	478.0 mm	18.8 in	478.0 mm	18.8 in	478.0 mm	18.8 in
L	REACH	404.0 mm	15.9 in	416.3 mm	16.4 in	439.9 mm	17.3 in	462.2 mm	18.2 in
M	STACK	615.0 mm	24.2 in	624.2 mm	24.6 in	628.8 mm	24.8 in	638.1 mm	25.1 in
N	STEM LENGTH	50.0 mm	2.0 in	50.0 mm	2.0 in	60.0 mm	2.4 in	70.0 mm	2.8 in
0	TRAIL								



E-SCALE

E-SCALE: 910, 920


		S		M		L		XL	
A	HEAD TUBE ANGLE	67.5 °		67.5 °		67.5 °		67.5 °	
B	HEAD TUBE LENGTH	110.0 mm	4.3 in	120.0 mm	4.7 in	125.0 mm	4.9 in	135.0 mm	5.3 in
C	TOP TUBE HORIZONTAL	585.0 mm	23.0 in	600.0 mm	23.6 in	625.0 mm	24.6 in	650.0 mm	25.6 in
D	STANDOVER HEIGHT	769.7 mm	30.3 in	790.3 mm	31.1 in	811.5 mm	32.0 in	841.0 mm	33.1 in
E	BB OFFSET	-58.0 mm	-2.3 in	-58.0 mm	-2.3 in	-58.0 mm	-2.3 in	-58.0 mm	-2.3 in
F	BB HEIGHT	319.0 mm	12.6 in	319.0 mm	12.6 in	319.0 mm	12.6 in	319.0 mm	12.6 in
G	WHEEL BASE	1'175.4 mm	46.3 in	1'191.6 mm	46.9 in	1'217.1 mm	47.9 in	1'243.2 mm	48.9 in
H	BB CENTER TO TOPTUBE CENTER								
I	BB CENTER TO TOP OF SEATTUBE	400.0 mm	15.7 in	440.0 mm	17.3 in	480.0 mm	18.9 in	530.0 mm	20.9 in
J	SEAT ANGLE	73.6 °		73.6 °		73.6 °		73.6 °	
K	CHAINSTAY	490.0 mm	19.3 in	490.0 mm	19.3 in	490.0 mm	19.3 in	490.0 mm	19.3 in
L	REACH	406.5 mm	16.0 in	418.8 mm	16.5 in	442.4 mm	17.4 in	464.7 mm	18.3 in
M	STACK	606.5 mm	23.9 in	615.7 mm	24.2 in	620.3 mm	24.4 in	629.6 mm	24.8 in
N	STEM LENGTH								
0	TRAIL								

E-SCALE: 730


		S		M		L	
A	HEAD TUBE ANGLE	67.5 °		67.5 °		67.5 °	
B	HEAD TUBE LENGTH	110.0 mm	4.3 in	115.0 mm	4.5 in	120.0 mm	4.7 in
C	TOP TUBE HORIZONTAL	570.0 mm	22.4 in	600.0 mm	23.6 in	625.0 mm	24.6 in
D	STANDOVER HEIGHT	758.3 mm	29.9 in	781.0 mm	30.7 in	811.1 mm	31.9 in
E	BB OFFSET	-39.0 mm	-1.5 in	-39.0 mm	-1.5 in	-39.0 mm	-1.5 in
F	BB HEIGHT	317.5 mm	12.5 in	317.5 mm	12.5 in	317.5 mm	12.5 in
G	WHEEL BASE	1,132.3 mm	44.6 in	1,162.8 mm	45.8 in	1,188.3 mm	46.8 in
H	BB CENTER TO TOPTUBE CENTER						
I	BB CENTER TO TOP OF SEATTUBE	400.0 mm	15.7 in	440.0 mm	17.3 in	490.0 mm	19.3 in
J	SEAT ANGLE	72.8 °		72.8 °		72.8 °	
K	CHAINSTAY	470.0 mm	18.5 in	470.0 mm	18.5 in	470.0 mm	18.5 in
L	REACH	391.6 mm	15.4 in	420.2 mm	16.5 in	443.7 mm	17.5 in
M	STACK	576.4 mm	22.7 in	581.0 mm	22.9 in	585.6 mm	23.1 in
N	STEM LENGTH	50.0 mm	2.0 in	60.0 mm	2.4 in	70.0 mm	2.8 in
0	TRAIL						

E-SCALE: 930


		S		M		L		XL	
A	HEAD TUBE ANGLE	67.5 °		67.5 °		67.5 °		67.5 °	
B	HEAD TUBE LENGTH	110.0 mm	4.3 in	115.0 mm	4.5 in	120.0 mm	4.7 in	130.0 mm	5.1 in
C	TOP TUBE HORIZONTAL	570.0 mm	22.4 in	600.0 mm	23.6 in	625.0 mm	24.6 in	650.0 mm	25.6 in
D	STANDOVER HEIGHT	772.5 mm	30.4 in	794.5 mm	31.3 in	824.2 mm	32.4 in	856.1 mm	33.7 in
E	BB OFFSET	-58.5 mm	-2.3 in	-58.5 mm	-2.3 in	-58.5 mm	-2.3 in	-58.5 mm	-2.3 in
F	BB HEIGHT	317.5 mm	12.5 in	317.5 mm	12.5 in	317.5 mm	12.5 in	317.5 mm	12.5 in
G	WHEEL BASE	1,150.9 mm	45.3 in	1,181.4 mm	46.5 in	1,206.9 mm	47.5 in	1,232.8 mm	48.5 in
H	BB CENTER TO TOPTUBE CENTER								
I	BB CENTER TO TOP OF SEATTUBE	400.0 mm	15.7 in	440.0 mm	17.3 in	490.0 mm	19.3 in	540.0 mm	21.3 in
J	SEAT ANGLE	72.8 °		72.8 °		72.8 °		72.8 °	
K	CHAINSTAY	490.0 mm	19.3 in	490.0 mm	19.3 in	490.0 mm	19.3 in	490.0 mm	19.3 in
L	REACH	382.4 mm	15.1 in	411.0 mm	16.2 in	434.5 mm	17.1 in	456.7 mm	18.0 in
M	STACK	606.1 mm	23.9 in	610.7 mm	24.0 in	615.3 mm	24.2 in	624.5 mm	24.6 in
N	STEM LENGTH	50.0 mm	2.0 in	50.0 mm	2.0 in	60.0 mm	2.4 in	70.0 mm	2.8 in
0	TRAIL								



E-ASPECT



E-CONTESSA SPARK



E-CONTESSA GENIUS

E-ASPECT: 10 (S: 710, M/L/XL: 910), 20 (S: 720, M/L/XL: 920)


		S / 700		M / 900		L / 900		XL / 900	
A	HEAD TUBE ANGLE	68.5 °		68.5 °		68.5 °		68.5 °	
B	HEAD TUBE LENGTH	140.0 mm	5.5 in	145.0 mm	5.7 in	155.0 mm	6.1 in	160.0 mm	6.3 in
C	TOP TUBE HORIZONTAL	580.0 mm	22.8 in	600.0 mm	23.6 in	620.0 mm	24.4 in	640.0 mm	25.2 in
D	STANDOVER HEIGHT	766.3 mm	30.2 in	808.3 mm	31.8 in	840.6 mm	33.1 in	870.5 mm	34.3 in
E	BB OFFSET	-50.0 mm	-2.0 in	-60.0 mm	-2.4 in	-60.0 mm	-2.4 in	-60.0 mm	-2.4 in
F	BB HEIGHT	307.5 mm	12.1 in	316.0 mm	12.4 in	316.0 mm	12.4 in	316.0 mm	12.4 in
G	WHEEL BASE	1,111.5 mm	43.8 in	1,156.2 mm	45.5 in	1,177.0 mm	46.3 in	1,197.4 mm	47.1 in
H	BB CENTER TO TOPTUBE CENTER								
I	BB CENTER TO TOP OF SEATTUBE	400.0 mm	15.7 in	440.0 mm	17.3 in	490.0 mm	19.3 in	540.0 mm	21.3 in
J	SEAT ANGLE	73.0 °		73.0 °		73.0 °		73.0 °	
K	CHAINSTAY	452.0 mm	17.8 in	472.0 mm	18.6 in	472.0 mm	18.6 in	472.0 mm	18.6 in
L	REACH	390.6 mm	15.4 in	403.0 mm	15.9 in	420.1 mm	16.5 in	438.7 mm	17.3 in
M	STACK	619.6 mm	24.4 in	644.5 mm	25.4 in	653.8 mm	25.7 in	658.5 mm	25.9 in
N	STEM LENGTH								
0	TRAIL								

E-CONTESSA SPARK: 710


		S		M		L	
A	HEAD TUBE ANGLE	67.0 °		67.0 °		67.0 °	
B	HEAD TUBE LENGTH	120.0 mm	4.7 in	125.0 mm	4.9 in	135.0 mm	5.3 in
C	TOP TUBE HORIZONTAL	580.0 mm	22.8 in	610.0 mm	24.0 in	640.0 mm	25.2 in
D	STANDOVER HEIGHT	724.6 mm	28.5 in	738.5 mm	29.1 in	758.2 mm	29.9 in
E	BB OFFSET	-18.0 mm	-0.7 in	-18.0 mm	-0.7 in	-18.0 mm	-0.7 in
F	BB HEIGHT	342.0 mm	13.5 in	342.0 mm	13.5 in	342.0 mm	13.5 in
G	WHEEL BASE	1'158.8 mm	45.6 in	1'189.5 mm	46.8 in	1'220.7 mm	48.1 in
H	BB CENTER TO TOPTUBE CENTER						
I	BB CENTER TO TOP OF SEATTUBE	410.0 mm	16.1 in	440.0 mm	17.3 in	490.0 mm	19.3 in
J	SEAT ANGLE	74.0 °		74.0 °		74.0 °	
K	CHAINSTAY	448.0 mm	17.6 in	448.0 mm	17.6 in	448.0 mm	17.6 in
L	REACH	406.3 mm	16.0 in	435.0 mm	17.1 in	462.4 mm	18.2 in
M	STACK	605.7 mm	23.8 in	610.3 mm	24.0 in	619.5 mm	24.4 in
N	STEM LENGTH	50.0 mm	2.0 in	50.0 mm	2.0 in	60.0 mm	2.4 in
0	TRAIL	97.4 mm	3.8 in	97.4 mm	3.8 in	97.4 mm	3.8 in

E-CONTESSA GENIUS: 720


		S / 900 LOW BB Setting		S / 700 HIGH BB Setting		M / 900 LOW BB Setting		M / 700 HIGH BB Setting		L / 900 LOW BB Setting		L / 700 HIGH BB Setting	
A	HEAD TUBE ANGLE	64.8 °		65.3 °		64.8 °		65.3 °		65.1 °		65.6 °	
B	HEAD TUBE LENGTH	120.0 mm	4.7 in	120.0 mm	4.7 in	125.0 mm	4.9 in	125.0 mm	4.9 in	135.0 mm	5.3 in	135.0 mm	5.3 in
C	TOP TUBE HORIZONTAL	586.5 mm	23.1 in	585.0 mm	23.0 in	606.6 mm	23.9 in	605.0 mm	23.8 in	636.7 mm	25.1 in	635.0 mm	25.0 in
D	STANDOVER HEIGHT	738.6 mm	29.1 in	736.0 mm	29.0 in	744.5 mm	29.3 in	742.0 mm	29.2 in	769.2 mm	30.3 in	766.7 mm	30.2 in
E	BB OFFSET	-30.9 mm	-1.2 in	-23.5 mm	-0.9 in	-31.0 mm	-1.2 in	-23.5 mm	-0.9 in	-31.1 mm	-1.2 in	-23.5 mm	-0.9 in
F	BB HEIGHT	342.6 mm	13.5 in	340.0 mm	13.4 in	342.5 mm	13.5 in	340.0 mm	13.4 in	342.5 mm	13.5 in	340.0 mm	13.4 in
G	WHEEL BASE	1'215.8 mm	47.9 in	1'214.6 mm	47.8 in	1'236.7 mm	48.7 in	1'235.5 mm	48.6 in	1'259.0 mm	49.6 in	1'257.7 mm	49.5 in
H	BB CENTER TO TOPTUBE CENTER												
I	BB CENTER TO TOP OF SEATTUBE	410.0 mm	16.1 in	410.0 mm	16.1 in	440.0 mm	17.3 in	440.0 mm	17.3 in	490.0 mm	19.3 in	490.0 mm	19.3 in
J	SEAT ANGLE	75.0 °		75.5 °		75.0 °		75.5 °		74.5 °		75.0 °	
K	CHAINSTAY	462.0 mm	18.2 in	460.0 mm	18.1 in	462.0 mm	18.2 in	460.0 mm	18.1 in	462.0 mm	18.2 in	460.0 mm	18.1 in
L	REACH	418.6 mm	16.5 in	424.6 mm	16.7 in	437.4 mm	17.2 in	443.5 mm	17.5 in	458.7 mm	18.1 in	464.7 mm	18.3 in
M	STACK	624.2 mm	24.6 in	620.1 mm	24.4 in	628.9 mm	24.8 in	624.6 mm	24.6 in	639.8 mm	25.2 in	635.5 mm	25.0 in
N	STEM LENGTH	50.0 mm	2.0 in	50.0 mm	2.0 in	50.0 mm	2.0 in	50.0 mm	2.0 in	60.0 mm	2.4 in	60.0 mm	2.4 in
0	TRAIL	119.9 mm	4.7 in	111.1 mm	4.4 in	119.8 mm	4.7 in	111.1 mm	4.4 in	117.5 mm	4.6 in	108.9 mm	4.3 in



E-CONTESSA ASPECT



E-CONTESSA SCALE



E-ASPECT AT

E-CONTESSA ASPECT: 20 (S: 720), (M/L: 920)


		S / 700		M / 900		L / 900		XL / 900	
A	HEAD TUBE ANGLE	68.5 °		68.5 °		68.5 °		68.5 °	
B	HEAD TUBE LENGTH	140.0 mm	5.5 in	145.0 mm	5.7 in	155.0 mm	6.1 in	160.0 mm	6.3 in
C	TOP TUBE HORIZONTAL	580.0 mm	22.8 in	600.0 mm	23.6 in	620.0 mm	24.4 in	640.0 mm	25.2 in
D	STANDOVER HEIGHT	766.3 mm	30.2 in	808.3 mm	31.8 in	840.6 mm	33.1 in	870.5 mm	34.3 in
E	BB OFFSET	-50.0 mm	-2.0 in	-60.0 mm	-2.4 in	-60.0 mm	-2.4 in	-60.0 mm	-2.4 in
F	BB HEIGHT	307.5 mm	12.1 in	316.0 mm	12.4 in	316.0 mm	12.4 in	316.0 mm	12.4 in
G	WHEEL BASE	1,111.5 mm	43.8 in	1,156.2 mm	45.5 in	1,177.0 mm	46.3 in	1,197.4 mm	47.1 in
H	BB CENTER TO TOPTUBE CENTER								
I	BB CENTER TO TOP OF SEATTUBE	400.0 mm	15.7 in	440.0 mm	17.3 in	490.0 mm	19.3 in	540.0 mm	21.3 in
J	SEAT ANGLE	73.0 °		73.0 °		73.0 °		73.0 °	
K	CHAINSTAY	452.0 mm	17.8 in	472.0 mm	18.6 in	472.0 mm	18.6 in	472.0 mm	18.6 in
L	REACH	390.6 mm	15.4 in	403.0 mm	15.9 in	420.1 mm	16.5 in	438.7 mm	17.3 in
M	STACK	619.6 mm	24.4 in	644.5 mm	25.4 in	653.8 mm	25.7 in	658.5 mm	25.9 in
N	STEM LENGTH								
0	TRAIL								

E-CONTESSA SCALE: 730


		S		M		L	
A	HEAD TUBE ANGLE	67.5 °		67.5 °		67.5 °	
B	HEAD TUBE LENGTH	110.0 mm	4.3 in	115.0 mm	4.5 in	120.0 mm	4.7 in
C	TOP TUBE HORIZONTAL	570.0 mm	22.4 in	600.0 mm	23.6 in	625.0 mm	24.6 in
D	STANDOVER HEIGHT	758.3 mm	29.9 in	781.0 mm	30.7 in	811.1 mm	31.9 in
E	BB OFFSET	-39.0 mm	-1.5 in	-39.0 mm	-1.5 in	-39.0 mm	-1.5 in
F	BB HEIGHT	317.5 mm	12.5 in	317.5 mm	12.5 in	317.5 mm	12.5 in
G	WHEEL BASE	1,132.3 mm	44.6 in	1,162.8 mm	45.8 in	1,188.3 mm	46.8 in
H	BB CENTER TO TOPTUBE CENTER						
I	BB CENTER TO TOP OF SEATTUBE	400.0 mm	15.7 in	440.0 mm	17.3 in	490.0 mm	19.3 in
J	SEAT ANGLE	72.8 °		72.8 °		72.8 °	
K	CHAINSTAY	470.0 mm	18.5 in	470.0 mm	18.5 in	470.0 mm	18.5 in
L	REACH	391.6 mm	15.4 in	420.2 mm	16.5 in	443.7 mm	17.5 in
M	STACK	576.4 mm	22.7 in	581.0 mm	22.9 in	585.6 mm	23.1 in
N	STEM LENGTH	50.0 mm	2.0 in	60.0 mm	2.4 in	70.0 mm	2.8 in
0	TRAIL						

E-ASPECT: AT

		S / 700		M / 900		L / 900		XL / 900	
A	HEAD TUBE ANGLE	68.5 °		68.5 °		68.5 °		68.5 °	
B	HEAD TUBE LENGTH	140.0 mm	5.5 in	145.0 mm	5.7 in	155.0 mm	6.1 in	160.0 mm	6.3 in
C	TOP TUBE HORIZONTAL	580.0 mm	22.8 in	600.0 mm	23.6 in	620.0 mm	24.4 in	640.0 mm	25.2 in
D	STANDOVER HEIGHT	766.3 mm	30.2 in	808.3 mm	31.8 in	840.6 mm	33.1 in	870.5 mm	34.3 in
E	BB OFFSET	-50.0 mm	-2.0 in	-60.0 mm	-2.4 in	-60.0 mm	-2.4 in	-60.0 mm	-2.4 in
F	BB HEIGHT	307.5 mm	12.1 in	316.0 mm	12.4 in	316.0 mm	12.4 in	316.0 mm	12.4 in
G	WHEEL BASE	1,111.5 mm	43.8 in	1,156.2 mm	45.5 in	1,177.0 mm	46.3 in	1,197.4 mm	47.1 in
H	BB CENTER TO TOPTUBE CENTER								
I	BB CENTER TO TOP OF SEATTUBE	400.0 mm	15.7 in	440.0 mm	17.3 in	490.0 mm	19.3 in	540.0 mm	21.3 in
J	SEAT ANGLE	73.0 °		73.0 °		73.0 °		73.0 °	
K	CHAINSTAY	452.0 mm	17.8 in	472.0 mm	18.6 in	472.0 mm	18.6 in	472.0 mm	18.6 in
L	REACH	390.6 mm	15.4 in	403.0 mm	15.9 in	420.1 mm	16.5 in	438.7 mm	17.3 in
M	STACK	619.6 mm	24.4 in	644.5 mm	25.4 in	653.8 mm	25.7 in	658.5 mm	25.9 in
N	STEM LENGTH								
0	TRAIL								



E-SILENCE EVO &
E-SILENCE SPEED 10



E-SILENCE SPEED 20
E-SILENCE

E-SILENCE: EVO
E-SILENCE SPEED MEN: 10 (45KM/H)


		S		M		L		XL	
A	HEAD TUBE ANGLE	70.5 °		70.5 °		71.5 °		71.5 °	
B	HEAD TUBE LENGTH	145.0 mm	5.7 in	160.0 mm	6.3 in	185.0 mm	7.3 in	210.0 mm	8.3 in
C	TOP TUBE HORIZONTAL	578.5 mm	22.8 in	598.5 mm	23.6 in	618.5 mm	24.4 in	638.5 mm	25.1 in
D	STANDOVER HEIGHT	781.4 mm	30.8 in	810.8 mm	31.9 in	845.2 mm	33.3 in	884.2 mm	34.8 in
E	BB OFFSET	-59.9 mm	-2.4 in	-59.9 mm	-2.4 in	-59.9 mm	-2.4 in	-59.8 mm	-2.4 in
F	BB HEIGHT	298.6 mm	11.8 in	298.6 mm	11.8 in	298.6 mm	11.8 in	298.7 mm	11.8 in
G	WHEEL BASE	1,098.0 mm	43.2 in	1,112.7 mm	43.8 in	1,122.0 mm	44.2 in	1,136.1 mm	44.7 in
H	BB CENTER TO TOPTUBE CENTER	385.0 mm	15.2 in	425.0 mm	16.7 in	465.0 mm	18.3 in	515.0 mm	20.3 in
I	BB CENTER TO TOP OF SEATTUBE	440.0 mm	17.3 in	480.0 mm	18.9 in	520.0 mm	20.5 in	570.0 mm	22.4 in
J	SEAT ANGLE	73.5 °		73.0 °		73.0 °		72.5 °	
K	CHAINSTAY	460.0 mm	18.1 in	460.0 mm	18.1 in	460.0 mm	18.1 in	460.0 mm	18.1 in
L	REACH	390.2 mm	15.4 in	404.8 mm	15.9 in	416.2 mm	16.4 in	422.2 mm	16.6 in
M	STACK	632.7 mm	24.9 in	632.6 mm	24.9 in	660.6 mm	26.0 in	684.3 mm	26.9 in
N	STEM LENGTH	90.0 mm	3.5 in	90.0 mm	3.5 in	90.0 mm	3.5 in	90.0 mm	3.5 in
0	TRAIL								

E-SILENCE SPEED LADY: 10 (45KM/H)


		S		M		L	
A	HEAD TUBE ANGLE	70.5 °		70.5 °		71.5 °	
B	HEAD TUBE LENGTH	145.0 mm	5.7 in	160.0 mm	6.3 in	185.0 mm	7.3 in
C	TOP TUBE HORIZONTAL	578.5 mm	22.8 in	598.5 mm	23.6 in	618.5 mm	24.4 in
D	STANDOVER HEIGHT	781.4 mm	30.8 in	810.8 mm	31.9 in	845.2 mm	33.3 in
E	BB OFFSET	-59.9 mm	-2.4 in	-59.9 mm	-2.4 in	-59.9 mm	-2.4 in
F	BB HEIGHT	298.6 mm	11.8 in	298.6 mm	11.8 in	298.6 mm	11.8 in
G	WHEEL BASE	1,098.0 mm	43.2 in	1,112.7 mm	43.8 in	1,122.0 mm	44.2 in
H	BB CENTER TO TOPTUBE CENTER	385.0 mm	15.2 in	425.0 mm	16.7 in	465.0 mm	18.3 in
I	BB CENTER TO TOP OF SEATTUBE	440.0 mm	17.3 in	480.0 mm	18.9 in	520.0 mm	20.5 in
J	SEAT ANGLE	73.5 °		73.0 °		73.0 °	
K	CHAINSTAY	460.0 mm	18.1 in	460.0 mm	18.1 in	460.0 mm	18.1 in
L	REACH	390.2 mm	15.4 in	404.8 mm	15.9 in	416.2 mm	16.4 in
M	STACK	632.7 mm	24.9 in	632.6 mm	24.9 in	660.6 mm	26.0 in
N	STEM LENGTH	90.0 mm	3.5 in	90.0 mm	3.5 in	90.0 mm	3.5 in
0	TRAIL						

E-SILENCE SPEED MEN: 20 (45KM/H)
E-SILENCE MEN: 10, 20


		S		M		L		XL	
A	HEAD TUBE ANGLE	70.0 °		70.0 °		71.0 °		71.0 °	
B	HEAD TUBE LENGTH	145.0 mm	5.7 in	160.0 mm	6.3 in	185.0 mm	7.3 in	210.0 mm	8.3 in
C	TOP TUBE HORIZONTAL	580.0 mm	22.8 in	600.0 mm	23.6 in	620.0 mm	24.4 in	640.0 mm	25.2 in
D	STANDOVER HEIGHT	787.8 mm	31.0 in	816.8 mm	32.2 in	851.2 mm	33.5 in	889.9 mm	35.0 in
E	BB OFFSET	-56.0 mm	-2.2 in	-56.0 mm	-2.2 in	-56.0 mm	-2.2 in	-56.0 mm	-2.2 in
F	BB HEIGHT	302.5 mm	11.9 in	302.5 mm	11.9 in	302.5 mm	11.9 in	302.5 mm	11.9 in
G	WHEEL BASE	1,101.4 mm	43.4 in	1,116.1 mm	43.9 in	1,125.2 mm	44.3 in	1,139.3 mm	44.9 in
H	BB CENTER TO TOPTUBE CENTER	385.0 mm	15.2 in	425.0 mm	16.7 in	465.0 mm	18.3 in	515.0 mm	20.3 in
I	BB CENTER TO TOP OF SEATTUBE	440.0 mm	17.3 in	480.0 mm	18.9 in	520.0 mm	20.5 in	570.0 mm	22.4 in
J	SEAT ANGLE	73.0 °		72.5 °		72.5 °		72.0 °	
K	CHAINSTAY	460.0 mm	18.1 in	460.0 mm	18.1 in	460.0 mm	18.1 in	460.0 mm	18.1 in
L	REACH	389.9 mm	15.4 in	399.5 mm	15.7 in	410.6 mm	16.2 in	416.5 mm	16.4 in
M	STACK	622.0 mm	24.5 in	636.0 mm	25.0 in	664.1 mm	26.1 in	687.8 mm	27.1 in
N	STEM LENGTH	90.0 mm	3.5 in	90.0 mm	3.5 in	90.0 mm	3.5 in	90.0 mm	3.5 in
0	TRAIL								



E-SILENCE SPEED 20
E-SILENCE



E-SUB SPORT MEN



E-SUB SPORT LADY

E-SILENCE SPEED LADY: 20 (45KM/H)
E-SILENCE LADY: 10, 20


		S		M		L	
A	HEAD TUBE ANGLE	70.0 °		70.0 °		71.0 °	
B	HEAD TUBE LENGTH	145.0 mm	5.7 in	160.0 mm	6.3 in	185.0 mm	7.3 in
C	TOP TUBE HORIZONTAL	580.0 mm	22.8 in	600.0 mm	23.6 in	620.0 mm	24.4 in
D	STANDOVER HEIGHT	787.8 mm	31.0 in	816.8 mm	32.2 in	851.2 mm	33.5 in
E	BB OFFSET	-56.0 mm	-2.2 in	-56.0 mm	-2.2 in	-56.0 mm	-2.2 in
F	BB HEIGHT	302.5 mm	11.9 in	302.5 mm	11.9 in	302.5 mm	11.9 in
G	WHEEL BASE	1,101.4 mm	43.4 in	1,116.1 mm	43.9 in	1,125.2 mm	44.3 in
H	BB CENTER TO TOPTUBE CENTER	385.0 mm	15.2 in	425.0 mm	16.7 in	465.0 mm	18.3 in
I	BB CENTER TO TOP OF SEATTUBE	440.0 mm	17.3 in	480.0 mm	18.9 in	520.0 mm	20.5 in
J	SEAT ANGLE	73.0 °		72.5 °		72.5 °	
K	CHAINSTAY	460.0 mm	18.1 in	460.0 mm	18.1 in	460.0 mm	18.1 in
L	REACH	389.9 mm	15.4 in	399.5 mm	15.7 in	410.6 mm	16.2 in
M	STACK	622.0 mm	24.5 in	636.0 mm	25.0 in	664.1 mm	26.1 in
N	STEM LENGTH	90.0 mm	3.5 in	90.0 mm	3.5 in	90.0 mm	3.5 in
0	TRAIL						

E-SUB SPORT MEN: 10, 20


		S		M		L		XL	
A	HEAD TUBE ANGLE	69.0 °		69.5 °		70.5 °		70.5 °	
B	HEAD TUBE LENGTH	155.0 mm	6.1 in	160.0 mm	6.3 in	185.0 mm	7.3 in	210.0 mm	8.3 in
C	TOP TUBE HORIZONTAL	580.0 mm	22.8 in	600.0 mm	23.6 in	620.0 mm	24.4 in	640.0 mm	25.2 in
D	STANDOVER HEIGHT	801.5 mm	31.6 in	821.6 mm	32.3 in	853.1 mm	33.6 in	889.4 mm	35.0 in
E	BB OFFSET	-56.0 mm	-2.2 in	-56.0 mm	-2.2 in	-56.0 mm	-2.2 in	-56.0 mm	-2.2 in
F	BB HEIGHT	309.5 mm	12.2 in	309.5 mm	12.2 in	309.5 mm	12.2 in	309.5 mm	12.2 in
G	WHEEL BASE	1,142.8 mm	45.0 in	1,151.4 mm	45.3 in	1,160.9 mm	45.7 in	1,175.4 mm	46.3 in
H	BB CENTER TO TOPTUBE CENTER								
I	BB CENTER TO TOP OF SEATTUBE	440.0 mm	17.3 in	480.0 mm	18.9 in	520.0 mm	20.5 in	570.0 mm	22.4 in
J	SEAT ANGLE	73.5 °		73.0 °		73.0 °		72.5 °	
K	CHAINSTAY	485.0 mm	19.1 in	485.0 mm	19.1 in	485.0 mm	19.1 in	485.0 mm	19.1 in
L	REACH	392.8 mm	15.5 in	404.6 mm	15.9 in	416.0 mm	16.4 in	422.2 mm	16.6 in
M	STACK	632.1 mm	24.9 in	639.1 mm	25.2 in	667.2 mm	26.3 in	690.8 mm	27.2 in
N	STEM LENGTH	90.0 mm	3.5 in	90.0 mm	3.5 in	90.0 mm	3.5 in	90.0 mm	3.5 in
0	TRAIL								

E-SUB SPORT LADY: 10, 20


		S		M		L	
A	HEAD TUBE ANGLE	69.0 °		69.5 °		70.5 °	
B	HEAD TUBE LENGTH	155.0 mm	6.1 in	160.0 mm	6.3 in	185.0 mm	7.3 in
C	TOP TUBE HORIZONTAL	580.0 mm	22.8 in	600.0 mm	23.6 in	620.0 mm	24.4 in
D	STANDOVER HEIGHT	686.2 mm	27.0 in	684.3 mm	26.9 in	691.6 mm	27.2 in
E	BB OFFSET	-56.0 mm	-2.2 in	-56.0 mm	-2.2 in	-56.0 mm	-2.2 in
F	BB HEIGHT	309.5 mm	12.2 in	309.5 mm	12.2 in	309.5 mm	12.2 in
G	WHEEL BASE	1,142.8 mm	45.0 in	1,151.4 mm	45.3 in	1,160.9 mm	45.7 in
H	BB CENTER TO TOPTUBE CENTER						
I	BB CENTER TO TOP OF SEATTUBE	440.0 mm	17.3 in	480.0 mm	18.9 in	520.0 mm	20.5 in
J	SEAT ANGLE	73.5 °		73.0 °		73.0 °	
K	CHAINSTAY	485.0 mm	19.1 in	485.0 mm	19.1 in	485.0 mm	19.1 in
L	REACH	392.8 mm	15.5 in	404.6 mm	15.9 in	416.0 mm	16.4 in
M	STACK	632.1 mm	24.9 in	639.1 mm	25.2 in	667.2 mm	26.3 in
N	STEM LENGTH	90.0 mm	3.5 in	90.0 mm	3.5 in	90.0 mm	3.5 in
0	TRAIL						



E-SUB TOUR MEN



E-SUB TOUR LADY



E-SUB TOUR UNISEX

E-SUB TOUR: MEN, MEN (BELT)


		S		M		L		XL	
A	HEAD TUBE ANGLE	71.0 °		71.5 °		72.0 °		72.5 °	
B	HEAD TUBE LENGTH	135.0 mm	5.3 in	155.0 mm	6.1 in	175.0 mm	6.9 in	195.0 mm	7.7 in
C	TOP TUBE HORIZONTAL	567.0 mm	22.3 in	577.0 mm	22.7 in	592.0 mm	23.3 in	608.0 mm	23.9 in
D	STANDOVER HEIGHT	783.5 mm	30.8 in	810.1 mm	31.9 in	835.5 mm	32.9 in	867.5 mm	34.2 in
E	BB OFFSET	-56.0 mm	-2.2 in	-56.0 mm	-2.2 in	-56.0 mm	-2.2 in	-56.0 mm	-2.2 in
F	BB HEIGHT	298.5 mm	11.8 in	298.5 mm	11.8 in	298.5 mm	11.8 in	298.5 mm	11.8 in
G	WHEEL BASE	1,089.4 mm	42.9 in	1,088.3 mm	42.8 in	1,097.8 mm	43.2 in	1,101.3 mm	43.4 in
H	BB CENTER TO TOPTUBE CENTER	405.0 mm	15.9 in	432.0 mm	17.0 in	462.0 mm	18.2 in	500.0 mm	19.7 in
I	BB CENTER TO TOP OF SEATTUBE	450.0 mm	17.7 in	480.0 mm	18.9 in	510.0 mm	20.1 in	550.0 mm	21.7 in
J	SEAT ANGLE	66.0 °		66.0 °		66.0 °		66.0 °	
K	CHAINSTAY	491.0 mm	19.3 in	491.0 mm	19.3 in	491.0 mm	19.3 in	491.0 mm	19.3 in
L	REACH	378.4 mm	14.9 in	375.8 mm	14.8 in	384.2 mm	15.1 in	387.0 mm	15.2 in
M	STACK	617.0 mm	24.3 in	638.0 mm	25.1 in	659.1 mm	25.9 in	680.2 mm	26.8 in
N	STEM LENGTH	110.0 mm	4.3 in	110.0 mm	4.3 in	110.0 mm	4.3 in	110.0 mm	4.3 in
0	TRAIL								

E-SUB TOUR: LADY


		S		M		L	
A	HEAD TUBE ANGLE	70.3 °		71.0 °		71.3 °	
B	HEAD TUBE LENGTH	190.0 mm	7.5 in	190.0 mm	7.5 in	190.0 mm	7.5 in
C	TOP TUBE HORIZONTAL	550.0 mm	21.7 in	565.0 mm	22.2 in	575.0 mm	22.6 in
D	STANDOVER HEIGHT	542.6 mm	21.4 in	556.1 mm	21.9 in	599.9 mm	23.6 in
E	BB OFFSET	-56.0 mm	-2.2 in	-56.0 mm	-2.2 in	-56.0 mm	-2.2 in
F	BB HEIGHT	298.5 mm	11.8 in	298.5 mm	11.8 in	298.5 mm	11.8 in
G	WHEEL BASE	1,086.8 mm	42.8 in	1,089.4 mm	42.9 in	1,086.9 mm	42.8 in
H	BB CENTER TO TOPTUBE CENTER	247.0 mm	9.7 in	240.0 mm	9.4 in	239.0 mm	9.4 in
I	BB CENTER TO TOP OF SEATTUBE	420.0 mm	16.5 in	460.0 mm	18.1 in	500.0 mm	19.7 in
J	SEAT ANGLE	66.5 °		66.5 °		66.5 °	
K	CHAINSTAY	491.0 mm	19.3 in	491.0 mm	19.3 in	491.0 mm	19.3 in
L	REACH	352.5 mm	13.9 in	360.5 mm	14.2 in	363.4 mm	14.3 in
M	STACK	666.7 mm	26.2 in	669.0 mm	26.3 in	671.2 mm	26.4 in
N	STEM LENGTH	110.0 mm	4.3 in	110.0 mm	4.3 in	110.0 mm	4.3 in
0	TRAIL						

E-SUB TOUR: UNISEX, UNISEX (BELT)


		S		M		L	
A	HEAD TUBE ANGLE	69.5 °		69.5 °		69.5 °	
B	HEAD TUBE LENGTH	170.0 mm	6.7 in	170.0 mm	6.7 in	175.0 mm	6.9 in
C	TOP TUBE HORIZONTAL	619.3 mm	24.4 in	627.4 mm	24.7 in	637.3 mm	25.1 in
D	STANDOVER HEIGHT	440.0 mm	17.3 in	440.0 mm	17.3 in	440.0 mm	17.3 in
E	BB OFFSET	-56.0 mm	-2.2 in	-56.0 mm	-2.2 in	-56.0 mm	-2.2 in
F	BB HEIGHT	310.0 mm	12.2 in	310.0 mm	12.2 in	310.0 mm	12.2 in
G	WHEEL BASE	1,169.6 mm	46.0 in	1,177.6 mm	46.4 in	1,188.1 mm	46.8 in
H	BB CENTER TO TOPTUBE CENTER						
I	BB CENTER TO TOP OF SEATTUBE	485.0 mm	19.1 in	520.0 mm	20.5 in	560.0 mm	22.0 in
J	SEAT ANGLE	75.5 °		75.5 °		75.5 °	
K	CHAINSTAY	495.0 mm	19.5 in	495.0 mm	19.5 in	495.0 mm	19.5 in
L	REACH	413.4 mm	16.3 in	421.4 mm	16.6 in	430.1 mm	16.9 in
M	STACK	643.3 mm	25.3 in	643.3 mm	25.3 in	648.0 mm	25.5 in
N	STEM LENGTH	110.0 mm	4.3 in	110.0 mm	4.3 in	110.0 mm	4.3 in
0	TRAIL						



E-SUB ACTIVE MEN



E-SUB ACTIVE LADY



E-SUB ACTIVE UNISEX

E-SUB ACTIVE: MEN


		S		M		L		XL	
A	HEAD TUBE ANGLE	71.0 °		71.5 °		72.0 °		72.5 °	
B	HEAD TUBE LENGTH	135.0 mm	5.3 in	155.0 mm	6.1 in	175.0 mm	6.9 in	195.0 mm	7.7 in
C	TOP TUBE HORIZONTAL	567.0 mm	22.3 in	577.0 mm	22.7 in	592.0 mm	23.3 in	608.0 mm	23.9 in
D	STANDOVER HEIGHT	783.5 mm	30.8 in	810.1 mm	31.9 in	835.5 mm	32.9 in	867.5 mm	34.2 in
E	BB OFFSET	-56.0 mm	-2.2 in	-56.0 mm	-2.2 in	-56.0 mm	-2.2 in	-56.0 mm	-2.2 in
F	BB HEIGHT	298.5 mm	11.8 in	298.5 mm	11.8 in	298.5 mm	11.8 in	298.5 mm	11.8 in
G	WHEEL BASE	1,089.4 mm	42.9 in	1,088.3 mm	42.8 in	1,097.8 mm	43.2 in	1,101.3 mm	43.4 in
H	BB CENTER TO TOPTUBE CENTER	405.0 mm	15.9 in	432.0 mm	17.0 in	462.0 mm	18.2 in	500.0 mm	19.7 in
I	BB CENTER TO TOP OF SEATTUBE	450.0 mm	17.7 in	480.0 mm	18.9 in	510.0 mm	20.1 in	550.0 mm	21.7 in
J	SEAT ANGLE	66.0 °		66.0 °		66.0 °		66.0 °	
K	CHAINSTAY	491.0 mm	19.3 in	491.0 mm	19.3 in	491.0 mm	19.3 in	491.0 mm	19.3 in
L	REACH	378.4 mm	14.9 in	375.8 mm	14.8 in	384.2 mm	15.1 in	387.0 mm	15.2 in
M	STACK	617.0 mm	24.3 in	638.0 mm	25.1 in	659.1 mm	25.9 in	680.2 mm	26.8 in
N	STEM LENGTH	110.0 mm	4.3 in	110.0 mm	4.3 in	110.0 mm	4.3 in	110.0 mm	4.3 in
0	TRAIL								

E-SUB ACTIVE: LADY


		S		M		L	
A	HEAD TUBE ANGLE	70.3 °		71.0 °		71.3 °	
B	HEAD TUBE LENGTH	190.0 mm	7.5 in	190.0 mm	7.5 in	190.0 mm	7.5 in
C	TOP TUBE HORIZONTAL	550.0 mm	21.7 in	565.0 mm	22.2 in	575.0 mm	22.6 in
D	STANDOVER HEIGHT	542.6 mm	21.4 in	556.1 mm	21.9 in	599.9 mm	23.6 in
E	BB OFFSET	-56.0 mm	-2.2 in	-56.0 mm	-2.2 in	-56.0 mm	-2.2 in
F	BB HEIGHT	298.5 mm	11.8 in	298.5 mm	11.8 in	298.5 mm	11.8 in
G	WHEEL BASE	1,086.8 mm	42.8 in	1,089.4 mm	42.9 in	1,086.9 mm	42.8 in
H	BB CENTER TO TOPTUBE CENTER	247.0 mm	9.7 in	240.0 mm	9.4 in	239.0 mm	9.4 in
I	BB CENTER TO TOP OF SEATTUBE	420.0 mm	16.5 in	460.0 mm	18.1 in	500.0 mm	19.7 in
J	SEAT ANGLE	66.5 °		66.5 °		66.5 °	
K	CHAINSTAY	491.0 mm	19.3 in	491.0 mm	19.3 in	491.0 mm	19.3 in
L	REACH	352.5 mm	13.9 in	360.5 mm	14.2 in	363.4 mm	14.3 in
M	STACK	666.7 mm	26.2 in	669.0 mm	26.3 in	671.2 mm	26.4 in
N	STEM LENGTH	110.0 mm	4.3 in	110.0 mm	4.3 in	110.0 mm	4.3 in
0	TRAIL						

E-SUB ACTIVE: UNISEX


		S		M		L	
A	HEAD TUBE ANGLE	69.5 °		69.5 °		69.5 °	
B	HEAD TUBE LENGTH	170.0 mm	6.7 in	170.0 mm	6.7 in	175.0 mm	6.9 in
C	TOP TUBE HORIZONTAL	619.3 mm	24.4 in	627.4 mm	24.7 in	637.3 mm	25.1 in
D	STANDOVER HEIGHT	440.0 mm	17.3 in	440.0 mm	17.3 in	440.0 mm	17.3 in
E	BB OFFSET	-56.0 mm	-2.2 in	-56.0 mm	-2.2 in	-56.0 mm	-2.2 in
F	BB HEIGHT	310.0 mm	12.2 in	310.0 mm	12.2 in	310.0 mm	12.2 in
G	WHEEL BASE	1,169.6 mm	46.0 in	1,177.6 mm	46.4 in	1,188.1 mm	46.8 in
H	BB CENTER TO TOPTUBE CENTER						
I	BB CENTER TO TOP OF SEATTUBE	485.0 mm	19.1 in	520.0 mm	20.5 in	560.0 mm	22.0 in
J	SEAT ANGLE	75.5 °		75.5 °		75.5 °	
K	CHAINSTAY	495.0 mm	19.5 in	495.0 mm	19.5 in	495.0 mm	19.5 in
L	REACH	413.4 mm	16.3 in	421.4 mm	16.6 in	430.1 mm	16.9 in
M	STACK	643.3 mm	25.3 in	643.3 mm	25.3 in	648.0 mm	25.5 in
N	STEM LENGTH	110.0 mm	4.3 in	110.0 mm	4.3 in	110.0 mm	4.3 in
0	TRAIL						



E-SUB ACTIVE UNISEX (RACK TYPE)



E-SUB CROSS MEN



E-SUB CROSS LADY

E-SUB ACTIVE: UNISEX (RACK TYPE)


		S		M		L	
A	HEAD TUBE ANGLE	70.0 °		70.0 °		70.0 °	
B	HEAD TUBE LENGTH	185.0 mm	7.3 in	185.0 mm	7.3 in	185.0 mm	7.3 in
C	TOP TUBE HORIZONTAL	555.0 mm	21.9 in	570.0 mm	22.4 in	595.0 mm	23.4 in
D	STANDOVER HEIGHT	446.1 mm	17.6 in	450.3 mm	17.7 in	456.9 mm	18.0 in
E	BB OFFSET	-65.0 mm	-2.6 in	-65.0 mm	-2.6 in	-65.0 mm	-2.6 in
F	BB HEIGHT	289.5 mm	11.4 in	289.5 mm	11.4 in	289.5 mm	11.4 in
G	WHEEL BASE	1,123.0 mm	44.2 in	1,123.0 mm	44.2 in	1,148.0 mm	45.2 in
H	BB CENTER TO TOPTUBE CENTER						
I	BB CENTER TO TOP OF SEATTUBE	440.0 mm	17.3 in	480.0 mm	18.9 in	520.0 mm	20.5 in
J	SEAT ANGLE	73.0 °		73.0 °		73.0 °	
K	CHAINSTAY	480.0 mm	18.9 in	480.0 mm	18.9 in	480.0 mm	18.9 in
L	REACH	360.7 mm	14.2 in	375.7 mm	14.8 in	400.7 mm	15.8 in
M	STACK	635.5 mm	25.0 in	635.5 mm	25.0 in	635.5 mm	25.0 in
N	STEM LENGTH	110.0 mm	4.3 in	110.0 mm	4.3 in	110.0 mm	4.3 in
0	TRAIL						

E-SUB CROSS MEN: 10, 20


		S		M		L		XL	
A	HEAD TUBE ANGLE	71.0 °		71.5 °		72.0 °		72.5 °	
B	HEAD TUBE LENGTH	135.0 mm	5.3 in	155.0 mm	6.1 in	175.0 mm	6.9 in	195.0 mm	7.7 in
C	TOP TUBE HORIZONTAL	567.0 mm	22.3 in	577.0 mm	22.7 in	592.0 mm	23.3 in	608.0 mm	23.9 in
D	STANDOVER HEIGHT	783.5 mm	30.8 in	810.1 mm	31.9 in	835.5 mm	32.9 in	867.5 mm	34.2 in
E	BB OFFSET	-56.0 mm	-2.2 in	-56.0 mm	-2.2 in	-56.0 mm	-2.2 in	-56.0 mm	-2.2 in
F	BB HEIGHT	298.5 mm	11.8 in	298.5 mm	11.8 in	298.5 mm	11.8 in	298.5 mm	11.8 in
G	WHEEL BASE	1,089.4 mm	42.9 in	1,088.3 mm	42.8 in	1,097.8 mm	43.2 in	1,101.3 mm	43.4 in
H	BB CENTER TO TOPTUBE CENTER	405.0 mm	15.9 in	432.0 mm	17.0 in	462.0 mm	18.2 in	500.0 mm	19.7 in
I	BB CENTER TO TOP OF SEATTUBE	450.0 mm	17.7 in	480.0 mm	18.9 in	510.0 mm	20.1 in	550.0 mm	21.7 in
J	SEAT ANGLE	66.0 °		66.0 °		66.0 °		66.0 °	
K	CHAINSTAY	491.0 mm	19.3 in	491.0 mm	19.3 in	491.0 mm	19.3 in	491.0 mm	19.3 in
L	REACH	378.4 mm	14.9 in	375.8 mm	14.8 in	384.2 mm	15.1 in	387.0 mm	15.2 in
M	STACK	617.0 mm	24.3 in	638.0 mm	25.1 in	659.1 mm	25.9 in	680.2 mm	26.8 in
N	STEM LENGTH	110.0 mm	4.3 in	110.0 mm	4.3 in	110.0 mm	4.3 in	110.0 mm	4.3 in
0	TRAIL								

E-SUB CROSS LADY: 10, 20


		S		M		L	
A	HEAD TUBE ANGLE	70.3 °		71.0 °		71.3 °	
B	HEAD TUBE LENGTH	190.0 mm	7.5 in	190.0 mm	7.5 in	190.0 mm	7.5 in
C	TOP TUBE HORIZONTAL	550.0 mm	21.7 in	565.0 mm	22.2 in	575.0 mm	22.6 in
D	STANDOVER HEIGHT	542.6 mm	21.4 in	556.1 mm	21.9 in	599.9 mm	23.6 in
E	BB OFFSET	-56.0 mm	-2.2 in	-56.0 mm	-2.2 in	-56.0 mm	-2.2 in
F	BB HEIGHT	298.5 mm	11.8 in	298.5 mm	11.8 in	298.5 mm	11.8 in
G	WHEEL BASE	1,086.8 mm	42.8 in	1,089.4 mm	42.9 in	1,086.9 mm	42.8 in
H	BB CENTER TO TOPTUBE CENTER	247.0 mm	9.7 in	240.0 mm	9.4 in	239.0 mm	9.4 in
I	BB CENTER TO TOP OF SEATTUBE	420.0 mm	16.5 in	460.0 mm	18.1 in	500.0 mm	19.7 in
J	SEAT ANGLE	66.5 °		66.5 °		66.5 °	
K	CHAINSTAY	491.0 mm	19.3 in	491.0 mm	19.3 in	491.0 mm	19.3 in
L	REACH	352.5 mm	13.9 in	360.5 mm	14.2 in	363.4 mm	14.3 in
M	STACK	666.7 mm	26.2 in	669.0 mm	26.3 in	671.2 mm	26.4 in
N	STEM LENGTH	110.0 mm	4.3 in	110.0 mm	4.3 in	110.0 mm	4.3 in
0	TRAIL						



SILENCE: EVO & SILENCE MEN & SILENECE SPEED MEN



SILENCE LADY



SUB SPORT MEN

SILENCE: EVO, **SILENCE MEN:** 10, 20, 30


		S		M		L		XL	
A	HEAD TUBE ANGLE	70,0 °		70,0 °		70,0 °		70,0 °	
B	HEAD TUBE LENGTH	145,0 mm	5,7 in	160,0 mm	6,3 in	185,0 mm	7,3 in	210,0 mm	8,3 in
C	TOP TUBE HORIZONTAL	570,0 mm	22,4 in	585,0 mm	23,0 in	600,0 mm	23,6 in	620,0 mm	24,4 in
D	STANDOVER HEIGHT	766,4 mm	30,2 in	795,4 mm	31,3 in	826,9 mm	32,6 in	864,0 mm	34,0 in
E	BB OFFSET	-60,0 mm	-2,4 in	-60,0 mm	-2,4 in	-60,0 mm	-2,4 in	-60,0 mm	-2,4 in
F	BB HEIGHT	294.5 mm	11.6 in	294.5 mm	11.6 in	294.5 mm	11.6 in	294.5 mm	11.6 in
G	WHEEL BASE	1.083,0 mm	42,6 in	1.098,8 mm	43,3 in	1.115,2 mm	43,9 in	1.136,6 mm	44,7 in
H	BB CENTER TO TOPTUBE CENTER	389,0 mm	15,3 in	429,0 mm	16,9 in	469,0 mm	18,5 in	519,0 mm	20,4 in
I	BB CENTER TO TOP OF SEATTUBE	440,0 mm	17,3 in	480,0 mm	18,9 in	520,0 mm	20,5 in	570,0 mm	22,4 in
J	SEAT ANGLE	73,0 °		73,0 °		73,0 °		73,0 °	
K	CHAINSTAY	455,0 mm	17,9 in	455,0 mm	17,9 in	455,0 mm	17,9 in	455,0 mm	17,9 in
L	REACH	387,0 mm	15,2 in	397,7 mm	15,7 in	405,5 mm	16,0 in	418,3 mm	16,5 in
M	STACK	598,7 mm	23,6 in	612,8 mm	24,1 in	636,3 mm	25,1 in	659,8 mm	26,0 in
N	STEM LENGTH	90,0 mm	3,5 in	90,0 mm	3,5 in	90,0 mm	3,5 in	90,0 mm	3,5 in
0	TRAIL								

SILENCE LADY: 10, 20, 30


		S		M		L	
A	HEAD TUBE ANGLE	70,0 °		70,0 °		70,0 °	
B	HEAD TUBE LENGTH	190,0 mm	7,5 in	190,0 mm	7,5 in	190,0 mm	7,5 in
C	TOP TUBE HORIZONTAL	550,0 mm	21,7 in	565,0 mm	22,2 in	575,0 mm	22,6 in
D	STANDOVER HEIGHT	686,9 mm	27,0 in	687,3 mm	27,1 in	687,6 mm	27,1 in
E	BB OFFSET	-65,0 mm	-2,6 in	-65,0 mm	-2,6 in	-65,0 mm	-2,6 in
F	BB HEIGHT	289.5 mm	11.4 in	289.5 mm	11.4 in	289.5 mm	11.4 in
G	WHEEL BASE	1.063,3 mm	41,9 in	1.078,3 mm	42,5 in	1.088,3 mm	42,8 in
H	BB CENTER TO TOPTUBE CENTER	210,0 mm	8,3 in	210,0 mm	8,3 in	210,0 mm	8,3 in
I	BB CENTER TO TOP OF SEATTUBE	420,0 mm	16,5 in	460,0 mm	18,1 in	500,0 mm	19,7 in
J	SEAT ANGLE	73,0 °		73,0 °		73,0 °	
K	CHAINSTAY	455,0 mm	17,9 in	455,0 mm	17,9 in	455,0 mm	17,9 in
L	REACH	352,5 mm	13,9 in	367,5 mm	14,5 in	387,0 mm	15,2 in
M	STACK	646,0 mm	25,4 in	646,0 mm	25,4 in	598,7 mm	23,6 in
N	STEM LENGTH	90,0 mm	3,5 in	90,0 mm	3,5 in	90,0 mm	3,5 in
0	TRAIL						

SUB SPORT MEN: 10, 20, 30


		S		M		L		XL	
A	HEAD TUBE ANGLE	70,0 °		70,0 °		70,0 °		70,0 °	
B	HEAD TUBE LENGTH	185,0 mm	7,3 in	185,0 mm	7,3 in	185,0 mm	7,3 in	185,0 mm	7,3 in
C	TOP TUBE HORIZONTAL	567,0 mm	22,3 in	580,0 mm	22,8 in	595,0 mm	23,4 in	605,0 mm	23,8 in
D	STANDOVER HEIGHT	785,3 mm	30,9 in	801,3 mm	31,5 in	823,2 mm	32,4 in	843,7 mm	33,2 in
E	BB OFFSET	-60,0 mm	-2,4 in	-60,0 mm	-2,4 in	-60,0 mm	-2,4 in	-60,0 mm	-2,4 in
F	BB HEIGHT	294.5 mm	11.6 in	294.5 mm	11.6 in	294.5 mm	11.6 in	294.5 mm	11.6 in
G	WHEEL BASE	1.088,0 mm	42,8 in	1.101,2 mm	43,4 in	1.116,2 mm	43,9 in	1.126,2 mm	44,3 in
H	BB CENTER TO TOPTUBE CENTER	392,0 mm	15,4 in	422,0 mm	16,6 in	462,0 mm	18,2 in	502,0 mm	19,8 in
I	BB CENTER TO TOP OF SEATTUBE	450,0 mm	17,7 in	480,0 mm	18,9 in	520,0 mm	20,5 in	560,0 mm	22,0 in
J	SEAT ANGLE	73,5 °		73,5 °		73,5 °		73,5 °	
K	CHAINSTAY	455,0 mm	17,9 in	455,0 mm	17,9 in	455,0 mm	17,9 in	455,0 mm	17,9 in
L	REACH	374,3 mm	14,7 in	387,3 mm	15,2 in	402,3 mm	15,8 in	412,3 mm	16,2 in
M	STACK	650,7 mm	25,6 in	650,7 mm	25,6 in	650,7 mm	25,6 in	650,7 mm	25,6 in
N	STEM LENGTH	90,0 mm	3,5 in	90,0 mm	3,5 in	90,0 mm	3,5 in	90,0 mm	3,5 in
0	TRAIL								



SUB SPORT LADY



SUB COMFORT MEN



SUB COMFORT UNISEX

SUB SPORT LADY: 10, 20, 30


		S		M		L	
A	HEAD TUBE ANGLE	70,0 °		70,0 °		70,0 °	
B	HEAD TUBE LENGTH	185,0 mm	7,3 in	185,0 mm	7,3 in	185,0 mm	7,3 in
C	TOP TUBE HORIZONTAL	555,0 mm	21,9 in	570,0 mm	22,4 in	595,0 mm	23,4 in
D	STANDOVER HEIGHT	681,1 mm	26,8 in	678,3 mm	26,7 in	680,6 mm	26,8 in
E	BB OFFSET	-65,0 mm	-2,6 in	-65,0 mm	-2,6 in	-65,0 mm	-2,6 in
F	BB HEIGHT	289.5 mm	11.4 in	289.5 mm	11.4 in	289.5 mm	11.4 in
G	WHEEL BASE	1.078,6 mm	42,5 in	1.093,6 mm	43,1 in	1.118,6 mm	44,0 in
H	BB CENTER TO TOPTUBE CENTER	252,0 mm	9,9 in	292,0 mm	11,5 in	332,0 mm	13,1 in
I	BB CENTER TO TOP OF SEATTUBE	440,0 mm	17,3 in	480,0 mm	18,9 in	520,0 mm	20,5 in
J	SEAT ANGLE	73,5 °		73,5 °		73,5 °	
K	CHAINSTAY	455,0 mm	17,9 in	455,0 mm	17,9 in	455,0 mm	17,9 in
L	REACH	364,1 mm	14,3 in	379,1 mm	14,9 in	404,1 mm	15,9 in
M	STACK	644,6 mm	25,4 in	644,6 mm	25,4 in	664,6 mm	26,2 in
N	STEM LENGTH	90,0 mm	3,5 in	90,0 mm	3,5 in	90,0 mm	3,5 in
0	TRAIL						

SUB COMFORT MEN: 10, 20


		S		M		L		XL	
A	HEAD TUBE ANGLE	70,0 °		70,0 °		70,0 °		70,0 °	
B	HEAD TUBE LENGTH	185,0 mm	7,3 in	185,0 mm	7,3 in	185,0 mm	7,3 in	185,0 mm	7,3 in
C	TOP TUBE HORIZONTAL	567,0 mm	22,3 in	580,0 mm	22,8 in	595,0 mm	23,4 in	605,0 mm	23,8 in
D	STANDOVER HEIGHT	785,3 mm	30,9 in	801,3 mm	31,5 in	823,2 mm	32,4 in	843,7 mm	33,2 in
E	BB OFFSET	-60,0 mm	-2,4 in	-60,0 mm	-2,4 in	-60,0 mm	-2,4 in	-60,0 mm	-2,4 in
F	BB HEIGHT								
G	WHEEL BASE	1.088,0 mm	42,8 in	1.101,2 mm	43,4 in	1.116,2 mm	43,9 in	1.126,2 mm	44,3 in
H	BB CENTER TO TOPTUBE CENTER	392,0 mm	15,4 in	422,0 mm	16,6 in	462,0 mm	18,2 in	502,0 mm	19,8 in
I	BB CENTER TO TOP OF SEATTUBE	450,0 mm	17,7 in	480,0 mm	18,9 in	520,0 mm	20,5 in	560,0 mm	22,0 in
J	SEAT ANGLE	73,5 °		73,5 °		73,5 °		73,5 °	
K	CHAINSTAY	455,0 mm	17,9 in	455,0 mm	17,9 in	455,0 mm	17,9 in	455,0 mm	17,9 in
L	REACH	374,3 mm	14,7 in	387,3 mm	15,2 in	402,3 mm	15,8 in	412,3 mm	16,2 in
M	STACK	650,7 mm	25,6 in	650,7 mm	25,6 in	650,7 mm	25,6 in	650,7 mm	25,6 in
N	STEM LENGTH	90,0 mm	3,5 in	90,0 mm	3,5 in	90,0 mm	3,5 in	90,0 mm	3,5 in
0	TRAIL								

SUB COMFORT UNISEX: 10, 20

		S		M		L	
A	HEAD TUBE ANGLE	70,0 °		70,0 °		70,0 °	
B	HEAD TUBE LENGTH	160,0 mm	6,3 in	170,0 mm	6,7 in	180,0 mm	7,1 in
C	TOP TUBE HORIZONTAL	545,0 mm	21,5 in	565,0 mm	22,2 in	585,0 mm	23,0 in
D	STANDOVER HEIGHT						
E	BB OFFSET	-65,0 mm	-2,6 in	-65,0 mm	-2,6 in	-65,0 mm	-2,6 in
F	BB HEIGHT	285,0 mm	11,2 in	285,0 mm	11,2 in	285,0 mm	11,2 in
G	WHEEL BASE	1.059,9 mm	41,7 in	1.080,4 mm	42,5 in	1.101,1 mm	43,4 in
H	BB CENTER TO TOPTUBE CENTER	426,8 mm	16,8 in	406,8 mm	16,0 in	446,8 mm	17,6 in
I	BB CENTER TO TOP OF SEATTUBE	420,0 mm	16,5 in	460,0 mm	18,1 in	500,0 mm	19,7 in
J	SEAT ANGLE	73,0 °		73,0 °		73,0 °	
K	CHAINSTAY	460,0 mm	18,1 in	460,0 mm	18,1 in	460,0 mm	18,1 in
L	REACH						
M	STACK						
N	STEM LENGTH	110,0 mm	4,3 in	110,0 mm	4,3 in	110,0 mm	4,3 in



SUB CROSS &
SUB CROSS MEN




SUB CROSS LADY

SUB CROSS MEN: 10, 20, 30, 40

		S		M		L		XL		XXL	
A	HEAD TUBE ANGLE	70.0 °		70.0 °		70.0 °		70.0 °		70.0 °	
B	HEAD TUBE LENGTH	105.0 mm	4.1 in	125.0 mm	4.9 in	145.0 mm	5.7 in	165.0 mm	6.5 in	185.0 mm	7.3 in
C	TOP TUBE HORIZONTAL	567.0 mm	22.3 in	577.0 mm	22.7 in	592.0 mm	23.3 in	608.0 mm	23.9 in	620.0 mm	24.4 in
D	STANDOVER HEIGHT	767.0 mm	30.2 in	793.0 mm	31.2 in	817.0 mm	32.2 in	847.0 mm	33.3 in	876.0 mm	34.5 in
E	BB OFFSET	56.0 mm	2.2 in	56.0 mm	2.2 in	56.0 mm	2.2 in	56.0 mm	2.2 in	56.0 mm	2.2 in
F	BB HEIGHT	406.0 mm	16.0 in	406.0 mm	16.0 in	406.0 mm	16.0 in	406.0 mm	16.0 in	406.0 mm	16.0 in
G	WHEEL BASE	1,078.0 mm	42.4 in	1,084.0 mm	42.7 in	1,097.0 mm	43.2 in	1,110.0 mm	43.7 in	1,123.0 mm	44.2 in
H	BB CENTER TO TOPTUBE CENTER										
I	BB CENTER TO TOP OF SEATTUBE	450.0 mm	17.7 in	480.0 mm	18.9 in	510.0 mm	20.1 in	550.0 mm	21.7 in	590.0 mm	23.2 in
J	SEAT ANGLE	73.0 °		72.5 °		72.3 °		72.0 °		72.0 °	
K	CHAINSTAY	456.0 mm	18.0 in	456.0 mm	18.0 in	456.0 mm	18.0 in	456.0 mm	18.0 in	456.0 mm	18.0 in
L	REACH	388.3 mm	15.3 in	386.8 mm	15.2 in	393.5 mm	15.5 in	399.8 mm	15.7 in	405.6 mm	16.0 in
M	STACK										
N	STEM LENGTH	80.0 mm	3.1 in	90.0 mm	3.5 in	90.0 mm	3.5 in	100.0 mm	3.9 in	100.0 mm	3.9 in
0	TRAIL										

SUB CROSS LADY: 10, 20, 30, 40

		S		M		L		XL	
A	HEAD TUBE ANGLE	70.0 °		70.0 °		70.0 °		70.0 °	
B	HEAD TUBE LENGTH	115.0 mm	4.5 in	130.0 mm	5.1 in	155.0 mm	6.1 in	180.0 mm	7.1 in
C	TOP TUBE HORIZONTAL	550.0 mm	21.7 in	565.0 mm	22.2 in	575.0 mm	22.6 in	590.0 mm	23.2 in
D	STANDOVER HEIGHT	679.5 mm	26.8 in	684.1 mm	26.9 in	695.8 mm	27.4 in	702.6 mm	27.7 in
E	BB OFFSET	56.0 mm	2.2 in	56.0 mm	2.2 in	56.0 mm	2.2 in	56.0 mm	2.2 in
F	BB HEIGHT	406.0 mm	16.0 in	406.0 mm	16.0 in	406.0 mm	16.0 in	406.0 mm	16.0 in
G	WHEEL BASE	1,067.0 mm	42.0 in	1,078.0 mm	42.4 in	1,083.0 mm	42.6 in	1,099.0 mm	43.3 in
H	BB CENTER TO TOPTUBE CENTER								
I	BB CENTER TO TOP OF SEATTUBE	420.0 mm	16.5 in	460.0 mm	18.1 in	500.0 mm	19.7 in	540.0 mm	21.3 in
J	SEAT ANGLE	73.5 °		73.0 °		72.3 °		72.0 °	
K	CHAINSTAY	456.0 mm	18.0 in	456.0 mm	18.0 in	456.0 mm	18.0 in	456.0 mm	18.0 in
L	REACH	374.0 mm	14.7 in	379.0 mm	14.9 in	375.9 mm	14.8 in	383.5 mm	15.1 in
M	STACK								
N	STEM LENGTH	70.0 mm	2.8 in	80.0 mm	3.1 in	90.0 mm	3.5 in	100.0 mm	3.9 in
0	TRAIL								



JUNIOR BIKES

SCALE JR: 26

		26"	
A	HEAD TUBE ANGLE	69.5 °	
B	HEAD TUBE LENGTH	110.0 mm	4.3 in
C	TOP TUBE HORIZONTAL	545.0 mm	21.5 in
D	STANDOVER HEIGHT	700.4 mm	27.6 in
E	BB OFFSET		
F	BB HEIGHT	0.0 mm	0.0 in
G	WHEEL BASE	1'053.6 mm	41.5 in
H	BB CENTER TO TOPTUBE CENTER		
I	BB CENTER TO TOP OF SEATTUBE	370.0 mm	14.6 in
J	SEAT ANGLE	73.5 °	
K	CHAINSTAY	430.0 mm	16.9 in
L	REACH		
M	STACK		
N	STEM LENGTH	70.0 mm	2.8 in
0	TRAIL		

SCALE JR: 24 RC, 24 RIGID FORK

		24"	
A	HEAD TUBE ANGLE	69.0 °	
B	HEAD TUBE LENGTH	120.0 mm	4.7 in
C	TOP TUBE HORIZONTAL	500.0 mm	19.7 in
D	STANDOVER HEIGHT	575.0 mm	22.6 in
E	BB OFFSET		
F	BB HEIGHT	0.0 mm	0.0 in
G	WHEEL BASE	988.5 mm	38.9 in
H	BB CENTER TO TOPTUBE CENTER		
I	BB CENTER TO TOP OF SEATTUBE	310.0 mm	12.2 in
J	SEAT ANGLE	68.0 °	
K	CHAINSTAY	415.0 mm	16.3 in
L	REACH		
M	STACK		
N	STEM LENGTH	50.0 mm	2.0 in
0	TRAIL		

SCALE JR: 24 DISC, 24

		24"	
A	HEAD TUBE ANGLE	69.0 °	
B	HEAD TUBE LENGTH	100.0 mm	3.9 in
C	TOP TUBE HORIZONTAL	500.0 mm	19.7 in
D	STANDOVER HEIGHT	584.8 mm	23.0 in
E	BB OFFSET		
F	BB HEIGHT	0.0 mm	0.0 in
G	WHEEL BASE	985.0 mm	38.8 in
H	BB CENTER TO TOPTUBE CENTER		
I	BB CENTER TO TOP OF SEATTUBE	310.0 mm	12.2 in
J	SEAT ANGLE	68.0 °	
K	CHAINSTAY	415.0 mm	16.3 in
L	REACH		
M	STACK		
N	STEM LENGTH	50.0 mm	2.0 in
0	TRAIL		

SCALE JR: 24 PLUS


		24"	
A	HEAD TUBE ANGLE	69.0 °	
B	HEAD TUBE LENGTH	100.0 mm	3.9 in
C	TOP TUBE HORIZONTAL	500.0 mm	19.7 in
D	STANDOVER HEIGHT	578.2 mm	22.8 in
E	BB OFFSET		
F	BB HEIGHT	0.0 mm	0.0 in
G	WHEEL BASE	983.0 mm	38.7 in
H	BB CENTER TO TOPTUBE CENTER		
I	BB CENTER TO TOP OF SEATTUBE	310.0 mm	12.2 in
J	SEAT ANGLE	65.7 °	
K	CHAINSTAY	420.0 mm	16.5 in
L	REACH		
M	STACK		
N	STEM LENGTH	50.0 mm	2.0 in
0	TRAIL		

SCALE JR: 20

		20"	
A	HEAD TUBE ANGLE	69.0 °	
B	HEAD TUBE LENGTH	100.0 mm	3.9 in
C	TOP TUBE HORIZONTAL	450.0 mm	17.7 in
D	STANDOVER HEIGHT	509.9 mm	20.1 in
E	BB OFFSET		
F	BB HEIGHT	0.0 mm	0.0 in
G	WHEEL BASE	892.1 mm	35.1 in
H	BB CENTER TO TOPTUBE CENTER		
I	BB CENTER TO TOP OF SEATTUBE	280.0 mm	11.0 in
J	SEAT ANGLE	70.4 °	
K	CHAINSTAY	370.0 mm	14.6 in
L	REACH		
M	STACK		
N	STEM LENGTH	50.0 mm	2.0 in
0	TRAIL		

SCALE JR: 20 RIGID FORK

		20"	
A	HEAD TUBE ANGLE	69.0 °	
B	HEAD TUBE LENGTH	110.0 mm	4.3 in
C	TOP TUBE HORIZONTAL	450.0 mm	17.7 in
D	STANDOVER HEIGHT	469.9 mm	18.5 in
E	BB OFFSET		
F	BB HEIGHT	0.0 mm	0.0 in
G	WHEEL BASE	884.8 mm	34.8 in
H	BB CENTER TO TOPTUBE CENTER		
I	BB CENTER TO TOP OF SEATTUBE	280.0 mm	11.0 in
J	SEAT ANGLE	70.4 °	
K	CHAINSTAY	370.0 mm	14.6 in
L	REACH		
M	STACK		
N	STEM LENGTH	50.0 mm	2.0 in
0	TRAIL		



JUNIOR BIKES

SCALE JR: 20 PLUS

		20"	
A	HEAD TUBE ANGLE	69.0 °	
B	HEAD TUBE LENGTH	110.0 mm	4.3 in
C	TOP TUBE HORIZONTAL	465.0 mm	18.3 in
D	STANDOVER HEIGHT	510.9 mm	20.1 in
E	BB OFFSET		
F	BB HEIGHT	0.0 mm	0.0 in
G	WHEEL BASE	889.6 mm	35.0 in
H	BB CENTER TO TOPTUBE CENTER		
I	BB CENTER TO TOP OF SEATTUBE	280.0 mm	11.0 in
J	SEAT ANGLE	66.7 °	
K	CHAINSTAY	370.0 mm	14.6 in
L	REACH		
M	STACK		
N	STEM LENGTH	50.0 mm	2.0 in
0	TRAIL		

VOLTAGE JR: 26

		26"	
A	HEAD TUBE ANGLE	69.0 °	
B	HEAD TUBE LENGTH	110.0 mm	4.3 in
C	TOP TUBE HORIZONTAL	550.0 mm	21.7 in
D	STANDOVER HEIGHT	720.0 mm	28.3 in
E	BB OFFSET		
F	BB HEIGHT	0.0 mm	0.0 in
G	WHEEL BASE	1'052.3 mm	41.4 in
H	BB CENTER TO TOPTUBE CENTER		
I	BB CENTER TO TOP OF SEATTUBE	370.0 mm	14.6 in
J	SEAT ANGLE	73.5 °	
K	CHAINSTAY	420.0 mm	16.5 in
L	REACH		
M	STACK		
N	STEM LENGTH	45.0 mm	1.8 in
0	TRAIL		

VOLTAGE JR: 24 DISC, 24

		24"	
A	HEAD TUBE ANGLE	68.5 °	
B	HEAD TUBE LENGTH	100.0 mm	3.9 in
C	TOP TUBE HORIZONTAL	490.0 mm	19.3 in
D	STANDOVER HEIGHT	610.0 mm	24.0 in
E	BB OFFSET		
F	BB HEIGHT	0.0 mm	0.0 in
G	WHEEL BASE	983.1 mm	38.7 in
H	BB CENTER TO TOPTUBE CENTER		
I	BB CENTER TO TOP OF SEATTUBE	280.0 mm	11.0 in
J	SEAT ANGLE	68.6 °	
K	CHAINSTAY	415.0 mm	16.3 in
L	REACH		
M	STACK		
N	STEM LENGTH	50.0 mm	2.0 in
0	TRAIL		

VOLTAGE JR: 20


		20"	
A	HEAD TUBE ANGLE	68.5 °	
B	HEAD TUBE LENGTH	100.0 mm	3.9 in
C	TOP TUBE HORIZONTAL	435.0 mm	17.1 in
D	STANDOVER HEIGHT	538.0 mm	21.2 in
E	BB OFFSET		
F	BB HEIGHT	0.0 mm	0.0 in
G	WHEEL BASE	862.0 mm	33.9 in
H	BB CENTER TO TOPTUBE CENTER		
I	BB CENTER TO TOP OF SEATTUBE	245.0 mm	9.6 in
J	SEAT ANGLE	68.6 °	
K	CHAINSTAY	367.0 mm	14.4 in
L	REACH		
M	STACK		
N	STEM LENGTH	50.0 mm	2.0 in
0	TRAIL		

VOLTAGE JR: 16

		16"	
A	HEAD TUBE ANGLE	70.0 °	
B	HEAD TUBE LENGTH	90.0 mm	3.5 in
C	TOP TUBE HORIZONTAL	396.0 mm	15.6 in
D	STANDOVER HEIGHT	450.0 mm	17.7 in
E	BB OFFSET		
F	BB HEIGHT	0.0 mm	0.0 in
G	WHEEL BASE	729.3 mm	28.7 in
H	BB CENTER TO TOPTUBE CENTER		
I	BB CENTER TO TOP OF SEATTUBE	225.0 mm	8.9 in
J	SEAT ANGLE	68.7 °	
K	CHAINSTAY	309.0 mm	12.2 in
L	REACH		
M	STACK		
N	STEM LENGTH	30.0 mm	1.2 in
0	TRAIL		

VOLTAGE JR: 12

		12"	
A	HEAD TUBE ANGLE	70.0 °	
B	HEAD TUBE LENGTH	75.0 mm	3.0 in
C	TOP TUBE HORIZONTAL	330.0 mm	13.0 in
D	STANDOVER HEIGHT	380.0 mm	15.0 in
E	BB OFFSET		
F	BB HEIGHT	0.0 mm	0.0 in
G	WHEEL BASE	627.8 mm	24.7 in
H	BB CENTER TO TOPTUBE CENTER		
I	BB CENTER TO TOP OF SEATTUBE	190.0 mm	7.5 in
J	SEAT ANGLE	79.8 °	
K	CHAINSTAY	253.0 mm	10.0 in
L	REACH		
M	STACK		
N	STEM LENGTH	40.0 mm	1.6 in
0	TRAIL		



JUNIOR BIKES

VOLTAGE JR: WALKER

		12"	
A	HEAD TUBE ANGLE	70.0 °	
B	HEAD TUBE LENGTH	80.0 mm	3.1 in
C	TOP TUBE HORIZONTAL	326.5 mm	12.9 in
D	STANDOVER HEIGHT	283.0 mm	11.1 in
E	BB OFFSET	17.7 mm	0.7 in
F	BB HEIGHT	17.7 mm	0.7 in
G	WHEEL BASE	588.8 mm	23.2 in
H	BB CENTER TO TOPTUBE CENTER		
I	BB CENTER TO TOP OF SEATTUBE	160.0 mm	6.3 in
J	SEAT ANGLE	71.0 °	
K	CHAINSTAY	242.0 mm	9.5 in
L	REACH		
M	STACK		
N	STEM LENGTH	30.0 mm	1.2 in
0	TRAIL		

CONTESSA JR: 26

		26"	
A	HEAD TUBE ANGLE	69.5 °	
B	HEAD TUBE LENGTH	110.0 mm	4.3 in
C	TOP TUBE HORIZONTAL	545.0 mm	21.5 in
D	STANDOVER HEIGHT	657.1 mm	25.9 in
E	BB OFFSET		
F	BB HEIGHT	0.0 mm	0.0 in
G	WHEEL BASE	1'053.6 mm	41.5 in
H	BB CENTER TO TOPTUBE CENTER		
I	BB CENTER TO TOP OF SEATTUBE	370.0 mm	14.6 in
J	SEAT ANGLE	73.5 °	
K	CHAINSTAY	430.0 mm	16.9 in
L	REACH		
M	STACK		
N	STEM LENGTH	60.0 mm	2.4 in
0	TRAIL		

CONTESSA JR: 24

		24"	
A	HEAD TUBE ANGLE	68.5 °	
B	HEAD TUBE LENGTH	100.0 mm	3.9 in
C	TOP TUBE HORIZONTAL	490.7 mm	19.3 in
D	STANDOVER HEIGHT	583.0 mm	23.0 in
E	BB OFFSET		
F	BB HEIGHT	0.0 mm	0.0 in
G	WHEEL BASE	983.8 mm	38.7 in
H	BB CENTER TO TOPTUBE CENTER		
I	BB CENTER TO TOP OF SEATTUBE	260.0 mm	10.2 in
J	SEAT ANGLE	72.0 °	
K	CHAINSTAY	415.0 mm	16.3 in
L	REACH		
M	STACK		
N	STEM LENGTH	50.0 mm	2.0 in
0	TRAIL		

CONTESSA JR: 24 RIGID FORK


		24"	
A	HEAD TUBE ANGLE	68.5 °	
B	HEAD TUBE LENGTH	100.0 mm	3.9 in
C	TOP TUBE HORIZONTAL	490.0 mm	19.3 in
D	STANDOVER HEIGHT	566.4 mm	22.3 in
E	BB OFFSET		
F	BB HEIGHT	0.0 mm	0.0 in
G	WHEEL BASE	975.8 mm	38.4 in
H	BB CENTER TO TOPTUBE CENTER		
I	BB CENTER TO TOP OF SEATTUBE	260.0 mm	10.2 in
J	SEAT ANGLE	72.0 °	
K	CHAINSTAY	415.0 mm	16.3 in
L	REACH		
M	STACK		
N	STEM LENGTH	50.0 mm	2.0 in
0	TRAIL		

CONTESSA JR: 20

		20"	
A	HEAD TUBE ANGLE	68.5 °	
B	HEAD TUBE LENGTH	100.0 mm	3.9 in
C	TOP TUBE HORIZONTAL	435.0 mm	17.1 in
D	STANDOVER HEIGHT	505.8 mm	19.9 in
E	BB OFFSET		
F	BB HEIGHT	0.0 mm	0.0 in
G	WHEEL BASE	862.0 mm	33.9 in
H	BB CENTER TO TOPTUBE CENTER		
I	BB CENTER TO TOP OF SEATTUBE	225.0 mm	8.9 in
J	SEAT ANGLE	71.0 °	
K	CHAINSTAY	367.0 mm	14.4 in
L	REACH		
M	STACK		
N	STEM LENGTH	50.0 mm	2.0 in
0	TRAIL		

CONTESSA JR: 20 RIGID FORK

		20"	
A	HEAD TUBE ANGLE	68.5 °	
B	HEAD TUBE LENGTH	100.0 mm	3.9 in
C	TOP TUBE HORIZONTAL	435.0 mm	17.1 in
D	STANDOVER HEIGHT	485.7 mm	19.1 in
E	BB OFFSET		
F	BB HEIGHT	0.0 mm	0.0 in
G	WHEEL BASE	865.1 mm	34.1 in
H	BB CENTER TO TOPTUBE CENTER		
I	BB CENTER TO TOP OF SEATTUBE	225.0 mm	8.9 in
J	SEAT ANGLE	71.0 °	
K	CHAINSTAY	367.0 mm	14.4 in
L	REACH		
M	STACK		
N	STEM LENGTH	50.0 mm	2.0 in
0	TRAIL		



JUNIOR BIKES

CONTESSA JR: 16

		16"	
A	HEAD TUBE ANGLE	72.7 °	
B	HEAD TUBE LENGTH	90.0 mm	3.5 in
C	TOP TUBE HORIZONTAL	396.0 mm	15.6 in
D	STANDOVER HEIGHT	448.0 mm	17.6 in
E	BB OFFSET		
F	BB HEIGHT	0.0 mm	0.0 in
G	WHEEL BASE	714.4 mm	28.1 in
H	BB CENTER TO TOPTUBE CENTER		
I	BB CENTER TO TOP OF SEATTUBE	225.0 mm	8.9 in
J	SEAT ANGLE	68.7 °	
K	CHAINSTAY	312.0 mm	12.3 in
L	REACH		
M	STACK		
N	STEM LENGTH	30.0 mm	1.2 in
0	TRAIL		

CONTESSA JR: 12

		12"	
A	HEAD TUBE ANGLE	73.0 °	
B	HEAD TUBE LENGTH	75.0 mm	3.0 in
C	TOP TUBE HORIZONTAL	298.5 mm	11.8 in
D	STANDOVER HEIGHT	383.0 mm	15.1 in
E	BB OFFSET		
F	BB HEIGHT	0.0 mm	0.0 in
G	WHEEL BASE	579.8 mm	22.8 in
H	BB CENTER TO TOPTUBE CENTER		
I	BB CENTER TO TOP OF SEATTUBE	190.0 mm	7.5 in
J	SEAT ANGLE	79.8 °	
K	CHAINSTAY	253.0 mm	10.0 in
L	REACH		
M	STACK		
N	STEM LENGTH	40.0 mm	1.6 in
0	TRAIL		

CONTESSA JR: WALKER

		12"	
A	HEAD TUBE ANGLE	70.0 °	
B	HEAD TUBE LENGTH	80.0 mm	3.1 in
C	TOP TUBE HORIZONTAL	326.5 mm	12.9 in
D	STANDOVER HEIGHT	283.0 mm	11.1 in
E	BB OFFSET	17.7 mm	0.7 in
F	BB HEIGHT	17.7 mm	0.7 in
G	WHEEL BASE	588.8 mm	23.2 in
H	BB CENTER TO TOPTUBE CENTER		
I	BB CENTER TO TOP OF SEATTUBE	160.0 mm	6.3 in
J	SEAT ANGLE	71.0 °	
K	CHAINSTAY	242.0 mm	9.5 in
L	REACH		
M	STACK		
N	STEM LENGTH	30.0 mm	1.2 in
0	TRAIL		

SPEEDSTER JR: 24

		24"	
A	HEAD TUBE ANGLE	71.0 °	
B	HEAD TUBE LENGTH	100.0 mm	3.9 in
C	TOP TUBE HORIZONTAL	450.0 mm	17.7 in
D	STANDOVER HEIGHT		
E	BB OFFSET		
F	BB HEIGHT	0.0 mm	0.0 in
G	WHEEL BASE	885.3 mm	34.9 in
H	BB CENTER TO TOPTUBE CENTER		
I	BB CENTER TO TOP OF SEATTUBE	345.0 mm	13.6 in
J	SEAT ANGLE	73.5 °	
K	CHAINSTAY	385.0 mm	15.2 in
L	REACH		
M	STACK		
N	STEM LENGTH	60.0 mm	2.4 in
0	TRAIL		

SIZE CHARTS

Body Height	< 165 cm	165 - 175 cm	175 - 185 cm	185 - 195 cm	> 195 cm
SPARK E-SPARK CONTESSA SPARK E-CONTESSA SPARK	S	S M	L	L XL	XL
GENIUS E-GENIUS CONTESSA GENIUS E-CONTESSA GENIUS	S	S M	L	L XL	XL
GAMBLER VOLTAGE FR	S	S M	L	L	L
SCALE E-SCALE CONTESSA SCALE E-CONTESSA SCALE BIG JON	XS S	M S	L	XL L	XL XXL
VOLTAGE YZ 10-20	XS S	M S	L	L	L
ASPECT E-ASPECT	XS S	M S	L	XL L	XXL
FOIL ADDICT CONTESSA ADDICT METRIX SPEEDSTER/SPEEDSTER GRAVEL CONTESSA SPEEDSTER ADDICT CX/GRAVEL/ SPEEDSTER GRAVEL	XXS XS	S M	L	L XL	XXL
SILENCE E-SILENCE SUB E-SUB	S	S M	L	L XL	XL
PLASMA	S	S M	L	L XL	XL
CONTESSA ACTIVE CONTESSA SCALE ALLOY	XS S	M S	L	L	L

JUNIOR

Body Height Approximate Age	85-100 cm 2-4	95-125 cm 4-6	120-135 cm 6-9	130-145 cm 9-11	> 140 cm 11-12+
VOLT-X			Wheel 20”	Wheel 20”	Wheel 20”
SPEEDSTER JR				Wheel 24”	
SCALE			Wheel 20”	Wheel 24”	Wheel 26”
VOLTAGE	Wheel 12”	Wheel 16”	Wheel 20”	Wheel 24”	Wheel 26”
CONTESSA JR	Wheel 12”	Wheel 16”	Wheel 20”	Wheel 24”	Wheel 26”
WALKER	Wheel 12”				

07 TWINLOC

TWINLOC

For MY18 we have a lever which can be mounted under the bar on the LH side, perfect for 1x setups. The Syncros dropper post lever is also integrated into the same bracket to keep your bars clean.





For x2 and non Syncros dropper seatposts the levers remain the same as previous years. Please refer to “TWINLOCs over the years” for compatibility

You can only assemble the “standard” TWINLOC remote lever in “left side upward position” on the handlebar & the under bar TWINLOC remote lever in “left side downward.” (non-seatpost options available).

⚠ IMPORTANT

You can only assemble the “standard” TWINLOC remote lever in “left side upward position” on the handlebar & the new under bar TWINLOC remote lever in “left side downward.”





You have 3 positions of the TWINLOC remote lever.

1 **CLIMB MODE:**
The shock is nearly locked; climbing on asphalt roads is now possible without any power loss. Simultaneous a blow-off system prevents the shock being damaged in case the rider did not open the system while crossing obstacles.

2 **TRACTION/RIDE MODE:**
For Traction: by reducing the internal chamber volume inside the shock the travel of the shock will be reduced to around 80% the characteristic of the air spring gets harder, the SAG is shorter and the geometry steeper. This results in climbing without “bobbing” and offers still optimum traction of the rear wheel.
For Ride: by adding a platform on the compression damping system the shock will not bounce while standing on the pedals.

3 **DESCENT MODE:**
Full travel

TWINLOCS OVER THE YEARS: COMPATIBILITY CHART

Part Number	Description	Picture	DT M210	DT Nude TC	DT Nude 2	Equalizer 2	Equalizer 3	Fox Nude CTD	Fox Float CTD	Fox E-Nude	Nude 4/ Trunnion
	*Twinloc lever downclamp/ seatpost 17			✓	✓			✓	✓		✓
242409	Twinloc Nude 3 Integ clamp down			✓	✓			✓	✓		✓
230097	Twinloc XLremote lever for Nude 2/3			✓	✓			✓	✓		✓
230098	Twinloc XL remote lever for DT M3		✓								
239171	Twinloc lever Nude 3 integ clamp			✓	✓			✓	✓		✓
239170	Twinloc lever FOX iNude									✓	
223298	Twinloc Lever for Nude/2-RS DNA3 Spark 2			✓	✓			✓	✓		✓
216351	Twinloc Lever for Nude TC/ Nude 2			✓	✓			✓	✓		✓
219562	Twinloc Lever for Equalizer 3					✓	✓				
216350	Twinloc Lever for Equalizer 2					✓	✓				
216352	Twinloc Lever for DT M 210		✓								

08 REPLACEABLE DROP OUTS

SINCE 1995

REPLACEABLE DROP OUTS

Item	Product Name	Image
228845	MY 1995 Vantage 3.0 Pro Only, Dual Pro	
228844	MY 1995 Pro Only Tandem, Vantage 1.0, Vantage 2.0, AFD 903	
228841	MY 1995 Dual Pro	
228837	MY 1996 Vertigo LSD, Vertigo LSD Pro	
228840	MY 1997 all AFD	
228839	MY 1996 Vantage M 15-55, Elite Racing, Team Racing, Elite Racing JR, Comp Racing CST, AFD 606, AFD 906	
228843	Dropout for Waimea/Kailua 97'	
228846	MY 1996 Vertigo LSD DH, Vantage M 15-55, Elite Racing, Team Racing, Elite Racing JR, Dual Pro, Expression, Waimea, Waimea Pro	

Item	Product Name	Image
228842	Dropout for Comp/ Expert 97'/ Vantage.3.0/ Scale Jr 24''	
228838	Dropout + screws Urban&Outdoor 2000' Sonoma	
204648	Dropout Repair set Scale Carbon 05/06	
236414	Dropout SCOTT Scale Carbon 07'-10'	
206375	Dropout+Screw all MTB since 97'	
206376	Dropout+Screw AFD/Speedster since 98'	
206472	Dropout SCOTT Addict 07'-11'/ CR1 10'≥	
206473	Dropout Spark/ Genius'09 Scale'11	

Item	Product Name	Image
213487	Dropout replacement Plasma 2/3	
200520	Dropout IDS QRelease	
202779	Dropout Right IDS std axle	
200521	Dropout IDS 12mm Standard 0mm No axle	
202780	Dropout Right IDS 12mm thr.axle	
206819	Dropout Right IDS for Maxle	
210004	Dropout IDS 12mm Long +10mm No axle	
215998	Dropout IDS Single Speed	
215999	Dropout IDS 12mm Short -10mm No axle	

Item	Product Name	Image
219572	Dropout Set IDS 2 135/RWS 5	
219573	Dropout Set IDS 2 135/RWS12 Compatible with 150 x 12	
219574	Dropout Set IDS 2 142/RWS12 Compatible with 148 x 12 & 197 x 12	
219575	D.out Hanger right IDS2 135/RWS5	
219576	D.out Hanger.right IDS2 135/RWS12 Compatible with 150 x 12	
219577	Dropout Hanger right IDS 2 142/ RWS12 Compatible with 148 x 12 & 197 x 12	
219583	Dropout Hanger Foil 2011'	
229735	Dropout set Gambler 2013'	
233930	Dropout Speedster 10-50 2013'	

REPLACEABLE DROP OUTS continued

Item	Product Name	Image
233961	Dropout Cont660-650 ScalJr 20-24 2-PAK	
235286	Dropout hanger Addict Solace 2014'	
235287	Dropout Set IDS 2 142/RWS 12 DM Compatible with 148 x 12 & 197 x 12	
235288	D.out hanger right IDS 2 142/ RWS12DM Compatible with 148 x 12 & 197 x 12	
239175	D.out hanger DM Gambler`13/Volt FR '15	
239176	D.pout set nut. axle Std135x10 Volt.FR	
239177	Dropout set Thru Axle Voltage FR 2015	
239178	Dropout hanger Plasma 4+5 2015	

Item	Product Name	Image
239530	Dropout hanger Solace Disc '15<	
242546	Dropout hanger Ø12MM Big Jon	
244755	Dropout hanger Speedster Disc/ CX '16	
219566	FD-Mount Plate Set Genius LT 2011'	
254090	Dropout hanger boost TA12-SW carb (None direct mount.)	
254091	Dropout hang boost TA12-SW DM carb MY17. (Direct mount only)	
254093	Dropout hanger boost TA12 DM alloy MY17. (Direct mount only)	
254092	Dropout hanger boost TA12 alloy MY17. (None direct mount)	

Item	Product Name	Image
254094	Dropout hanger boost Q/R not direct MY17.	
223304	FD-Mount Plate Set Spark 2012’	
229728	FD-Mount Genius 700-650B 2013’	
229729	FD-Mount Genius 900-29 2013’	
235276	FD-Mount plate Set Spark 700 14’	
235277	FD-Mount plate Set Genius LT 700 14’	
235278	FD-Mount plate Set Spark 900 14’	
239285	FD mount clamp Big Ed 2015	
245450	FD-Mount clamp Big Jon 2016	

Item	Product Name	Image
254096	Brake mount Scale/Spark 12/160mm MY17	
254095	Brake mount Scale/Spark 12/180mm MY17	
254097	Brake mount Scale/Spark QR/180mm MY17	
254088	Front derailleur mount Scale MY17. (compatable only with Scale 3 none RC fames)	
254087	Front derailleur mount Spark MY17 (None RC frames only) Genius MY18 non HMX	
254098	Chainguide Scale small 30T-36T MY17 (Scale 3 only)	
254099	Chainguide Scale Large 30T-40T MY17 (Scale 3 only)	
254100	Chainguide set Spark RC MY17 (36T max)	
254101	Chainguide set Spark MY17 (120mm spark only 36T max)	

REPLACEABLE DROP OUTS continued

Item	Product Name	Image
268473	New Chainguide set Genius 700/900 MY18	
264483	New DM hanger for Shimano, Foil Addict	
266778	New Speedster hanger MY18	
	New Addict CX/ Gravel FD-mount for new Shimano FD generation, backwards compatible (no new part number)	
266601	New Chainguide base plate for E-Spark	
266602	New Chainguide base plate for E-Genius	

AXLES

Item	Product Name	Image
202781	Voltage 135 mm	
239174	Voltage FR MY15	
202782	Gambler 150 mm x 12 mm	
230237	Gambler MY13 150 mm x 12 mm	
242545	Big John 197 mm x12 mm	
242573	Big John 150 mm x 15 mm	
239286	Bid Ed MY15 QR 5 mm	
242429	171.5 mm x 12 mm BOOST	

Item	Product Name	Image
242430	197 mm x 12 mm RWS	
262046	171.5 mm x 12 mm BOOST plugin	
242432	150 mm x 12 mm RWS	
236153	142 mm x 12 mm RWS	
242431	100 m x 12 mm RWS MY>16 front road Disc	
262629	142 mm x 12 mm RWS Road Disc	
262045	100 mm x 12 mm RWS Road Disc plugin	
239528	142 mm x 12 mm Solace Disc MY15 rear	

Item	Product Name	Image
239529	100 mm x 15 mm Solace Disc MY15 front	

2018 REPLACEABLE DERAILLEUR HANGERS

BIKE	HANGER	ALTERNATIVE HANGERS	FD MOUNT	CHAINGUIDE	
MOUNTAIN					
SCALE 700/900					
Scale RC 900 SL	254090	254091		254099	254098
Scale RC 900 World Cup	254090	254091		254099	254098
Scale RC 900 Pro	254090	254091		254099	254098
Scale 910	254090	254091	254088	254099	254098
Scale 710	219577	235288		254099	254098
Scale 915	254091	254090	254088	254099	254098
Scale 920	254091	254090	254088	254099	254098
Scale 720	235288	219577		254099	254098
Scale 925	254090	254091	254088	254099	254098
Scale 930	254090	254091	254088	254099	254098
Scale 935	254090	254091	254088	254099	254098
Scale 730	219577	235288		254099	254098
Scale 935	254090	254091	254088	254099	254098
Scale 940	254093	254092			
Scale 950	254092	254093			
Scale 960	206375				
Scale 970	206375				
Scale 980	206375				
Scale 990	206375				
Contessa Scale RC 900	254090	254091		254098	254099
Contessa Scale 900	254090	254091	254088	254098	254099
Contessa Scale 10	206375				
Contessa Scale 20	206375				
Contessa Scale 30	206375				
Contessa Scale 40	206375				
Contessa 710	206375				
Contessa 720	206375				
Contessa 730	206375				
Contessa 740	206375				
FAT BIKE					
Big Jon	242546		245450		
SPARK 700/900					
Spark RC 900 SL	254090	254091		254100	
Spark RC 900 World Cup	254090	254091		254100	
Spark RC 900 Pro	254090	254091		254100	
Spark RC 900 Team	254090	254091		254100	
Spark RC 900 Comp	254092	254093		254101	
Spark 700/900 Ultimate	254090	254091	254087	254101	
Spark 900 Premium	254091	254090	254087	254101	
Spark 700 Tuned	254090	254091	254087	254101	
Spark 900	254092	254093	254087	254101	
Spark 710/910	254093	254092	254087	254101	
Spark 720/920	254092	254093	254087	254101	
Spark 730/930	254093	254092	254087	254101	
Spark 740/940	254092	254093	254087	254101	
Spark 950	254093	254092	254087	254101	
Spark 960	254094		254087	254101	
Spark 970	254094		254087	254101	
Contessa Spark RC 900	254090	254091		254100	
Contessa Spark 910	254092	254093	254087	254101	
Contessa Spark 920	254092	254093	254087	254101	
Contessa Spark 930	254093	254092	254087	254101	
Contessa Spark 710	254092	254093	254087	254101	
GENIUS 700					
Genius 700 Ultimate	254090	254091		268473	
Genius 700 Tuned	254090	254091		268473	
Genius 710	254093	254092	254087	268473	
Genius 720	254092	254093	254087	268473	
Genius 730	254093	254092	254087	268473	
Genius 740	254092	254093	254087	268473	
Genius 750	254093	254092	254087	268473	
Contessa Genius 710	254093	254092	254087	268473	
Contessa Genius 720	254093	254092	254087	268473	
Contessa Genius 730	254092	254093	254087	268473	
GENIUS 900					
Genius 900 Tuned	254090	254091		268473	
Genius 920	254092	254093	254087	268473	

BIKE	HANGER	ALTERNATIVE HANGERS	FD MOUNT	CHAINGUIDE	
Genius 930	254093	254092	254087	268473	
Genius 940	254092	254093	254087	268473	
PROGRESSIVE					
Gambler 710	239175	229735			
Gambler 720	229735	239175			
Gambler 730	229735	239175			
VOLTAGE					
Voltage FR 710	229735	239177			
Voltage FR 720	239176	239177			
Voltage YZ 0.1	215998				
Voltage YZ 10	206375				
Voltage YZ 20	206375				
ASPECT 600/700/900					
Aspect 900	206375				
Aspect 710/910	206375				
Aspect 720/920	206375				
Aspect 730/930	206375				
Aspect 740/940	206375				
Aspect 750/950	206375				
Aspect 760/960	206375				
Aspect 670/770/970	206375				
Aspect 680/780/980	206375				
ROAD					
FOIL 2 Disc Brake					
Foil Premium Disc	264483	239530			
Foil 10 Disc	239530	264483			
Foil 20 Disc	239530	264483			
FOIL 2 Rim Brake					
Foil RC	235286				
Foil 10	235286				
Foil 20	235286				
Foil 30	235286				
ADDICT RC Disc Brake					
Addict RC Ultimate Disc	239530	264483			
Addict RC Premium Disc	264483	239530			
Addict RC 15 Disc	239530	264483			
Addict RC 20	239530	264483			
ADDICT RC Rim Brake					
Addict RC Pro	235286				
Addict RC 10	235286				
Addict RC 20	235286				
ADDICT Disc Brake					
Addict 10 Disc	239530	264483			
Addict 20 Disc	239530	264483			
Addict 30 Disc	239530	264483			
Contessa Addict 15 Disc	239530	264483			
Contessa Addict 25 Disc	239530	264483			
ADDICT Rim Brake					
Addict 10	235286				
Addict 20	235286				
Addict 30	235286				
Contessa Addict 35	235286				
SPEEDSTER Disc Brake					
Speedster 10 Disc	266778				
Speedster 20 Disc	266778				
Contessa Speedster 15 Disc	266778				
SPEEDSTER Rim Brake					
Speedster SE	266778				
Speedster 10	266778				
Speedster 20	266778				
Speedster 30	266778				
Speedster 40	266778				
Speedster 50	233930				
Contessa Speedster 15	266778				
Contessa Speedster 25	266778				
Contessa Speedster 35	266778				
METRIX Disc					
Metrix 10 Disc	239530	264483			

2018 REPLACEABLE DERAILLEUR HANGERS

BIKE	HANGER	ALTERNATIVE HANGERS	FD MOUNT	CHAINGUIDE	
Metrix 20 Disc	266778				
Metrix 30 Disc	266778				
GRAVEL					
Addict Gravel 10 Disc	239530	264483		242435	219578
Addict Gravel 20 Disc	239530	264483		242435	219578
Addict Gravel 30 Disc	239530	264483		242435	219578
Speedster Gravel 10 Disc	266778				
Speedster Gravel 20 Disc	266778				
CX					
Addict CX RC Disc	239530			242435	219578
PLASMA					
Plasma Premium	239178				
Plasma RC	239178				
Plasma 10	239178				
Plasma 20	239178				
E-BIKE					
E-SPARK					
E-Spark 700 Tuned	254093	254092		266601	
E-Spark 710	254093	254092		266601	
E-Spark 720	254092	254093		266601	
E-Spark 730	254092	254093		266601	
E-Contessa Spark 710	254093	254092		266601	
E-GENIUS					
E-Genius 700 Tuned	254093	254092		266602	
E-Genius 710	254093	254092		266602	
E-Genius 920/720	254092	254093		266602	
E-Genius 730	219573	219574		266602	
E-Contessa Genius 720	254092	254093		266602	
E-SCALE					
E-Scale 910/710	235287	235288			
E-Scale 920/720	219574	219577			
E-Scale 930/730	219572	219575, 219574			
E-Contessa Scale 730	219572	219575			
E-ASPECT					
E-Aspect AT	219574	219577		262047	
E-Aspect 10	235287	235288		262047	
E-Aspect 20	219572	219575		262047	
E-Contessa Aspect 20	219572	219575		262047	
E-SILENCE					
E-Silence Evo	N/A				
E-Silence Speed 10 Men/Lady	N/A				
E-Silence Speed 20 Men/Lady	206375				
E-Silence 10 Men/Lady	206375				
E-Silence 20 Men/Lady	206375				
E-SUB					
E-SUB Sport 10 Men/Lady	206375				
E-SUB Sport 20 Men/Lady	206375				
E-SUB Tour Men/Lady	206375				
E-SUB Sport 20 Lady	206375				
E-SUB Tour Men	206375				
E-SUB Tour Men/Unisex Belt	N/A				
E-SUB Tour Lady/Unisex	206375				
E-SUB Active Men/Lady/Unisex	206375				
E-SUB Active Unisex Rack Type	206375				
E-SUB Cross 10 Men/Lady	206375				
E-SUB Cross 20 Men/Lady	206375				
TREKKING					
SILENCE					
Silence EVO	N/A				
Silence 10 Men/Lady	206375				
Silence 20 Men/Lady	206375				

BIKE	HANGER	ALTERNATIVE HANGERS	FD MOUNT	CHAINGUIDE	
Silence 30 Men/Lady	206375				
URBAN					
SUB EQUIPPED					
SUB Sport 10 Men/Lady	206375				
SUB Sport 20 Men/Lady	206375				
SUB Sport 30 Men/Lady	206375				
SUB Comfort 10 Men/Unisex	206375				
SUB Comfort 20 Men/Unisex	206375				
SUB CROSS					
SUB Cross 10 Men/Lady	206375				
SUB Cross 20 Men/Lady	206375				
SUB Cross 30 Men/Lady	206375				
SUB Cross 40 Men/Lady	206375				
JUNIOR					
Scale JR 26	206375				
Voltage JR 26	206375				
Scale RC JR 24 Disc	233961				
Scale JR 24 Disc	233961				
Scale JR 24	233961				
Scale JR 24 rigid fork	233961				
Scale JR 24 Plus	233961				
Scale JR 20	233961				
Scale JR 20 rigid fork	233961				
Scale JR 20 Plus	233961				
Speedster JR 24	206376				
Contessa JR 26	206375				
Contessa JR 24	N/A				
Contessa JR 24 Rigid Fork	233961				
Contessa JR 20	N/A				
Contessa JR 20 Rigid Fork	233961				

09 CABLE GUIDES

NON SAP BB CABLE GUIDES 2018

Product Name	Image
SCOTT Scale Plus	
SCOTT CR1	
SCOTT Scale Alloy (not Plus)	
SCOTT Sub Evo, SCOTT Sub Sport, SCOTT Sub Comfort	
SCOTT Speedster (external cables)	
Speedster disc/Metrix/ Speedster gravel	
SCOTT Sub Cross, Aspect (internal cable)	
1st generation Addict	

10 MAXIMUM ROTOR SIZE

DISC BRAKE MAXIMUM ROTOR SIZE PER MODEL LINE

The chart shows the maximum disc brake rotor size on the rear wheel.

IMPORTANT

Please note that for the front fork the maximum rotor size needs to be checked individually in the related fork manufacturer's manual.

Bike	Maximum Rotor Size
Addict Disc/Gravel/CX/Foil Disc	160 Flat Mount Front & Rear 140mm
Speedster Disc/CX/Gravel/Metrix	160 Flat Mount Front & Rear 140mm
Gambler	203
Voltage FR	203
Big John	180
Aspect	180
Scale Alloy 900	180
Scale 700	180
Scale Carbon 900	180
Spark 900	180
Spark 700	180
E-Genius 900/E-Genius 700	203
E-Spark 700	180
E-Scale 700/900	180
E-Aspect/AT	180
E-Contessa Spark 710	180
E-Contessa Genius 720	203
E-Contessa Scale 730/Aspect 20	180
Genius 700/900	203
Voltage A Frame	180
Voltage C Frame	180
Contessa Scale 700/900	180
Contessa Spark 900	180
Contessa Spark 710	180
Contessa Genius 700	203
Contessa 700	180

11 REPLACEMENT PARTS

The following pages list all new articles for 2018.

Also included are parts numbers for MY17 to MY12.

For parts numbers from **2011 or older,** use the specific techbook from that year.


If you cannot find an article in those lists please feel free to contact QM Team.

In addition, we have a direct view on spare parts linked to each bike on our B2B homepage.

Please follow the instructions below on how to find parts belonging to specific bikes.

ORDER PROCESS

1 Go to:
shop.scott-sports.com
Log in using your user name and password.




2 Select 'Replacement Parts' from the catalog list.

Select the appropriate category.

The availability and details of the related products will display:


Green = available now
Yellow = will be in stock soon
Red = sold out




3 To place an order you have to click on the picture or the button ‘Details’.

The detail view of the replacement part shows:

- the date of the next delivery to our stock if the product is not currently available;
- the price; and
- allows you to enter your desired order quantity.



4 Clicking the ‘Add to cart’ button will store the product in the shopping cart where you are able to finalize your order.



SPARE PARTS 2018

Article no.	Description
266332-1236006	SCO Front triangle Spark RC 900 SL 18 black/gold S
266332-1236007	SCO Front triangle Spark RC 900 SL 18 black/gold M
266332-1236008	SCO Front triangle Spark RC 900 SL 18 black/gold L
266332-1236009	SCO Front triangle Spark RC 900 SL 18 black/gold XL
266333-5024006	SCO Front triangle Spark RC 900 W/C 18 blck/sul yel S
266333-5024007	SCO Front triangle Spark RC 900 W/C 18 blck/sul yel M
266333-5024008	SCO Front triangle Spark RC 900 W/C 18 blck/sul yel L
266333-5024009	SCO Front triangle Spark RC 900 W/C 18 blck/sul yel XL
266334-5024006	SCO Front triangle Spark RC 900 Pro 18 blck/sul yel S
266334-5024007	SCO Front triangle Spark RC 900 Pro 18 blck/sul yel M
266334-5024008	SCO Front triangle Spark RC 900 Pro 18 blck/sul yel L
266334-5024009	SCO Front triangle Spark RC 900 Pro 18 blck/sul yel XL
266335-5847006	SCO Front triangle Spark RC 900 Team 18 blk/rall red S
266335-5847007	SCO Front triangle Spark RC 900 Team 18 blk/rall red M
266335-5847008	SCO Front triangle Spark RC 900 Team 18 blk/rall red L
266335-5847009	SCO Front triangle Spark RC 900 Team 18 blk/rall red XL
266336-5850006	SCO Front triangle Spark RC 900 Comp 18 blk/squ oran S
266336-5850007	SCO Front triangle Spark RC 900 Comp 18 blk/squ oran M
266336-5850008	SCO Front triangle Spark RC 900 Comp 18 blk/squ oran L
266336-5850009	SCO Front triangle Spark RC 900 Comp 18 blk/squ oran XL
266337-1236006	SCO Front triangle Spark 900 Ultimate 18 black/gold S
266337-1236007	SCO Front triangle Spark 900 Ultimate 18 black/gold M
266337-1236008	SCO Front triangle Spark 900 Ultimate 18 black/gold L
266337-1236009	SCO Front triangle Spark 900 Ultimate 18 black/gold XL
266338-3045006	SCO Front triangle Spark 900 Premium 18 carbon/ grey S
266338-3045007	SCO Front triangle Spark 900 Premium 18 carbon/ grey M
266338-3045008	SCO Front triangle Spark 900 Premium 18 carbon/ grey L
266338-3045009	SCO Front triangle Spark 900 Premium 18 carbon/ grey XL
266339-5847006	SCO Front triangle Spark 900 18 blk/rall red S
266339-5847007	SCO Front triangle Spark 900 18 blk/rall red M
266339-5847008	SCO Front triangle Spark 900 18 blk/rall red L
266339-5847009	SCO Front triangle Spark 900 18 blk/rall red XL
266340-1294006	SCO Front triangle Spark 910 18 grey/orange S
266340-1294007	SCO Front triangle Spark 910 18 grey/orange M
266340-1294008	SCO Front triangle Spark 910 18 grey/orange L
266340-1294009	SCO Front triangle Spark 910 18 grey/orange XL
266341-5024006	SCO Front triangle Spark 920 18 blck/sul yel S
266341-5024007	SCO Front triangle Spark 920 18 blck/sul yel M
266341-5024008	SCO Front triangle Spark 920 18 blck/sul yel L
266341-5024009	SCO Front triangle Spark 920 18 blck/sul yel XL
266342-0001006	SCO Front triangle Spark 700 Ultimate 18 black S
266342-0001007	SCO Front triangle Spark 700 Ultimate 18 black M
266342-0001008	SCO Front triangle Spark 700 Ultimate 18 black L
266342-0001009	SCO Front triangle Spark 700 Ultimate 18 black XL
266343-5850006	SCO Front triangle Spark 700 Tuned 18 blk/squ oran S
266343-5850007	SCO Front triangle Spark 700 Tuned 18 blk/squ oran M
266343-5850008	SCO Front triangle Spark 700 Tuned 18 blk/squ oran L
266343-5850009	SCO Front triangle Spark 700 Tuned 18 blk/squ oran XL
266344-1454006	SCO Front triangle Spark 710 18 blue/orange S
266344-1454007	SCO Front triangle Spark 710 18 blue/orange M
266344-1454008	SCO Front triangle Spark 710 18 blue/orange L
266344-1454009	SCO Front triangle Spark 710 18 blue/orange XL
266345-0001006	SCO Front triangle Genius 700 Ultimate18 black S
266345-0001007	SCO Front triangle Genius 700 Ultimate18 black M
266345-0001008	SCO Front triangle Genius 700 Ultimate18 black L
266345-0001009	SCO Front triangle Genius 700 Ultimate18 black XL
266346-5850006	SCO Front triangle Genius 900 Tuned 18 blk/squ oran S
266346-5850007	SCO Front triangle Genius 900 Tuned 18 blk/squ oran M
266346-5850008	SCO Front triangle Genius 900 Tuned 18 blk/squ oran L
266346-5850009	SCO Front triangle Genius 900 Tuned 18 blk/squ oran XL
266347-5850006	SCO Front triangle Genius 700 Tuned 18 blk/squ oran S
266347-5850007	SCO Front triangle Genius 700 Tuned 18 blk/squ oran M
266347-5850008	SCO Front triangle Genius 700 Tuned 18 blk/squ oran L
266347-5850009	SCO Front triangle Genius 700 Tuned 18 blk/squ oran XL
266348-5806006	SCO Front triangle Genius 710 18 sul yw/dk gn S
266348-5806007	SCO Front triangle Genius 710 18 sul yw/dk gn M
266348-5806008	SCO Front triangle Genius 710 18 sul yw/dk gn L
266348-5806009	SCO Front triangle Genius 710 18 sul yw/dk gn XL
266349-1457006	SCO Front triangle Genius 720 18 grey/green S
266349-1457007	SCO Front triangle Genius 720 18 grey/green M
266349-1457008	SCO Front triangle Genius 720 18 grey/green L
266349-1457009	SCO Front triangle Genius 720 18 grey/green XL
266350-1457006	SCO Front triangle Genius 920 18 grey/green S
266350-1457007	SCO Front triangle Genius 920 18 grey/green M
266350-1457008	SCO Front triangle Genius 920 18 grey/green L
266350-1457009	SCO Front triangle Genius 920 18 grey/green XL
266351-1415006	SCO Front triangle Gambler 710 18 oran/blue S
266351-1415007	SCO Front triangle Gambler 710 18 oran/blue M
266351-1415008	SCO Front triangle Gambler 710 18 oran/blue L
266352-1294006	SCO Front triangle Gambler 720 18 grey/orange S
266352-1294007	SCO Front triangle Gambler 720 18 grey/orange M
266352-1294008	SCO Front triangle Gambler 720 18 grey/orange L
266353-1648006	SCO Front triangle Gambler 730 18 red/yellow S
266353-1648007	SCO Front triangle Gambler 730 18 red/yellow M
266353-1648008	SCO Front triangle Gambler 730 18 red/yellow L
266354-5547006	SCO Front triangle Voltage FR 710 18 mt bk/silver S
266354-5547007	SCO Front triangle Voltage FR 710 18 mt bk/silver M
266354-5547008	SCO Front triangle Voltage FR 710 18 mt bk/silver L
266355-1172006	SCO Front triangle Voltage FR 720 18 green/orange S
266355-1172007	SCO Front triangle Voltage FR 720 18 green/orange M
266355-1172008	SCO Front triangle Voltage FR 720 18 green/orange L
266356-4610006	SCO Front triangle Cont Spark RC 900 18 blk/turq blu S
266356-4610007	SCO Front triangle Cont Spark RC 900 18 blk/turq blu M
266356-4610008	SCO Front triangle Cont Spark RC 900 18 blk/turq blu L
266357-5863006	SCO Front triangle Cont Spark 910 18 dar grey/pin S
266357-5863007	SCO Front triangle Cont Spark 910 18 dar grey/pin M
266357-5863008	SCO Front triangle Cont Spark 910 18 dar grey/pin L
266358-0003006	SCO Front triangle Cont Spark 920 18 blue S
266358-0003007	SCO Front triangle Cont Spark 920 18 blue M
266358-0003008	SCO Front triangle Cont Spark 920 18 blue L
266359-4060006	SCO Front triangle Cont Spark 710 18 pink/orange S
266359-4060007	SCO Front triangle Cont Spark 710 18 pink/orange M
266359-4060008	SCO Front triangle Cont Spark 710 18 pink/orange L
266360-1100006	SCO Front triangle Cont Genius 710 18 grey/blue S
266360-1100007	SCO Front triangle Cont Genius 710 18 grey/blue M
266360-1100008	SCO Front triangle Cont Genius 710 18 grey/blue L
266361-5863006	SCO Front triangle Cont Genius 720 18 dar grey/pin S
266361-5863007	SCO Front triangle Cont Genius 720 18 dar grey/pin M
266361-5863008	SCO Front triangle Cont Genius 720 18 dar grey/pin L
266362-2454006	SCO Front triangle Cont Genius 730 18 blue/lime S
266362-2454007	SCO Front triangle Cont Genius 730 18 blue/lime M
266362-2454008	SCO Front triangle Cont Genius 730 18 blue/lime L
266363-5850006	SCO Front triangle E-Spark 700 TND 18 blk/squ oran S
266363-5850007	SCO Front triangle E-Spark 700 TND 18 blk/squ oran M
266363-5850008	SCO Front triangle E-Spark 700 TND 18 blk/squ oran L
266363-5850009	SCO Front triangle E-Spark 700 TND 18 blk/squ oran XL
266364-3694006	SCO Front triangle E-Spark 710 18 blk matt/gry S
266364-3694007	SCO Front triangle E-Spark 710 18 blk matt/gry M
266364-3694008	SCO Front triangle E-Spark 710 18 blk matt/gry L

SPARE PARTS 2018

Article no.	Description
266364-3694009	SCO Front triangle E-Spark 710 18 blk matt/gry XL
266365-5524006	SCO Front triangle E-Spark 720 18 gry matt gre S
266365-5524007	SCO Front triangle E-Spark 720 18 gry matt gre M
266365-5524008	SCO Front triangle E-Spark 720 18 gry matt gre L
266365-5524009	SCO Front triangle E-Spark 720 18 gry matt gre XL
266366-5850006	SCO Front triangle E-Spark 730 18 blk/squ oran S
266366-5850007	SCO Front triangle E-Spark 730 18 blk/squ oran M
266366-5850008	SCO Front triangle E-Spark 730 18 blk/squ oran L
266366-5850009	SCO Front triangle E-Spark 730 18 blk/squ oran XL
266367-5850006	SCO Front triangle E-Genius 700 TND 18 blk/squ oran S
266367-5850007	SCO Front triangle E-Genius 700 TND 18 blk/squ oran M
266367-5850008	SCO Front triangle E-Genius 700 TND 18 blk/squ oran L
266367-5850009	SCO Front triangle E-Genius 700 TND 18 blk/squ oran XL
266368-3694006	SCO Front triangle E-Genius 710 18 blk matt/gry S
266368-3694007	SCO Front triangle E-Genius 710 18 blk matt/gry M
266368-3694008	SCO Front triangle E-Genius 710 18 blk matt/gry L
266368-3694009	SCO Front triangle E-Genius 710 18 blk matt/gry XL
266369-1294006	SCO Front triangle E-Genius 720/920 18 grey/ orange S
266369-1294007	SCO Front triangle E-Genius 720/920 18 grey/ orange M
266369-1294008	SCO Front triangle E-Genius 720/920 18 grey/ orange L
266369-1294009	SCO Front triangle E-Genius 720/920 18 grey/ orange XL
266370-3694006	SCO Front triangle E-Genius 730 18 blk matt/gry S
266370-3694007	SCO Front triangle E-Genius 730 18 blk matt/gry M
266370-3694008	SCO Front triangle E-Genius 730 18 blk matt/gry L
266370-3694009	SCO Front triangle E-Genius 730 18 blk matt/gry XL
266371-1050006	SCO Front triangle Cont E-Spark 710 18 white/green S
266371-1050007	SCO Front triangle Cont E-Spark 710 18 white/green M
266371-1050008	SCO Front triangle Cont E-Spark 710 18 white/green L
266372-2785006	SCO Front triangle Cont E-Genius 720 18 dk grey/blue S
266372-2785007	SCO Front triangle Cont E-Genius 720 18 dk grey/blue M
266372-2785008	SCO Front triangle Cont E-Genius 720 18 dk grey/blue L
266373-4731006	SCO Frame Spark 930 18 Wty blac glo/red S
266373-4731007	SCO Frame Spark 930 18 Wty blac glo/red M
266373-4731008	SCO Frame Spark 930 18 Wty blac glo/red L
266373-4731009	SCO Frame Spark 930 18 Wty blac glo/red XL
266374-1049006	SCO Frame Spark 720 18 Wty grey/red S
266374-1049007	SCO Frame Spark 720 18 Wty grey/red M
266374-1049008	SCO Frame Spark 720 18 Wty grey/red L
266374-1049009	SCO Frame Spark 720 18 Wty grey/red XL
266375-5850006	SCO Frame Spark 960 18 Wty blk/squ oran S
266375-5850007	SCO Frame Spark 960 18 Wty blk/squ oran M
266375-5850008	SCO Frame Spark 960 18 Wty blk/squ oran L
266375-5850009	SCO Frame Spark 960 18 Wty blk/squ oran XL
266376-1043006	SCO Frame Cont Spark 930 18 Wty black/green S
266376-1043007	SCO Frame Cont Spark 930 18 Wty black/green M
266376-1043008	SCO Frame Cont Spark 930 18 Wty black/green L
266377-5850006	SCO Frame Genius 730 18 Wty blk/squ oran S
266377-5850007	SCO Frame Genius 730 18 Wty blk/squ oran M
266377-5850008	SCO Frame Genius 730 18 Wty blk/squ oran L
266377-5850009	SCO Frame Genius 730 18 Wty blk/squ oran XL
266378-5850006	SCO Frame Genius 930 18 Wty blk/squ oran S
266378-5850007	SCO Frame Genius 930 18 Wty blk/squ oran M
266378-5850008	SCO Frame Genius 930 18 Wty blk/squ oran L
266378-5850009	SCO Frame Genius 930 18 Wty blk/squ oran XL
266379-5024006	SCO Frame Scale RC 900 Pro 18 Wty blck/sul yel S
266379-5024007	SCO Frame Scale RC 900 Pro 18 Wty blck/sul yel M
266379-5024008	SCO Frame Scale RC 900 Pro 18 Wty blck/sul yel L
266379-5024009	SCO Frame Scale RC 900 Pro 18 Wty blck/sul yel XL
266380-1294006	SCO Frame Scale 910 18 Wty grey/orange S
266380-1294007	SCO Frame Scale 910 18 Wty grey/orange M
266380-1294008	SCO Frame Scale 910 18 Wty grey/orange L
266380-1294009	SCO Frame Scale 910 18 Wty grey/orange XL
266381-4731006	SCO Frame Scale 940 18 Wty blac glo/red S
266381-4731007	SCO Frame Scale 940 18 Wty blac glo/red M
266381-4731008	SCO Frame Scale 940 18 Wty blac glo/red L
266381-4731009	SCO Frame Scale 940 18 Wty blac glo/red XL
266381-4731010	SCO Frame Scale 940 18 Wty blac glo/red XXL
266382-1457006	SCO Frame Scale 960 18 Wty grey/green S
266382-1457007	SCO Frame Scale 960 18 Wty grey/green M
266382-1457008	SCO Frame Scale 960 18 Wty grey/green L
266382-1457009	SCO Frame Scale 960 18 Wty grey/green XL
266382-1457010	SCO Frame Scale 960 18 Wty grey/green XXL
266383-1049006	SCO Frame Scale 710 18 Wty grey/red S
266383-1049007	SCO Frame Scale 710 18 Wty grey/red M
266383-1049008	SCO Frame Scale 710 18 Wty grey/red L
266383-1049009	SCO Frame Scale 710 18 Wty grey/red XL
266384-1454006	SCO Frame Big Jon 18 Wty blue/orange S
266384-1454007	SCO Frame Big Jon 18 Wty blue/orange M
266384-1454008	SCO Frame Big Jon 18 Wty blue/orange L
266384-1454009	SCO Frame Big Jon 18 Wty blue/orange XL
266385-3694006	SCO Frame Aspect 900 18 Wty blk matt/gry S
266385-3694007	SCO Frame Aspect 900 18 Wty blk matt/gry M
266385-3694008	SCO Frame Aspect 900 18 Wty blk matt/gry L
266385-3694009	SCO Frame Aspect 900 18 Wty blk matt/gry XL
266385-3694010	SCO Frame Aspect 900 18 Wty blk matt/gry XXL
266386-1049005	SCO Frame Aspect 710 18 Wty grey/red XS
266386-1049006	SCO Frame Aspect 710 18 Wty grey/red S
266386-1049007	SCO Frame Aspect 710 18 Wty grey/red M
266386-1049008	SCO Frame Aspect 710 18 Wty grey/red L
266386-1049009	SCO Frame Aspect 710 18 Wty grey/red XL
266387-1049006	SCO Frame Aspect 910 18 Wty grey/red S
266387-1049007	SCO Frame Aspect 910 18 Wty grey/red M
266387-1049008	SCO Frame Aspect 910 18 Wty grey/red L
266387-1049009	SCO Frame Aspect 910 18 Wty grey/red XL
266387-1049010	SCO Frame Aspect 910 18 Wty grey/red XXL
266388-5889006	SCO Frame Aspect 980 V/brake 18 Wty ma bl/su yel S
266388-5889007	SCO Frame Aspect 980 V/brake 18 Wty ma bl/su yel M
266388-5889008	SCO Frame Aspect 980 V/brake 18 Wty ma bl/su yel L
266388-5889009	SCO Frame Aspect 980 V/brake 18 Wty ma bl/su yel XL
266388-5889010	SCO Frame Aspect 980 V/brake 18 Wty ma bl/su yel XXL
266389-5889005	SCO Frame Aspect 780 V/brake 18 Wty ma bl/su yel XS
266389-5889006	SCO Frame Aspect 780 V/brake 18 Wty ma bl/su yel S
266389-5889007	SCO Frame Aspect 780 V/brake 18 Wty ma bl/su yel M
266389-5889008	SCO Frame Aspect 780 V/brake 18 Wty ma bl/su yel L
266389-5889009	SCO Frame Aspect 780 V/brake 18 Wty ma bl/su yel XL
266390-4610006	SCO Frame Cont Scale RC 900 18 Wty blk/turq blu S
266390-4610007	SCO Frame Cont Scale RC 900 18 Wty blk/turq blu M
266390-4610008	SCO Frame Cont Scale RC 900 18 Wty blk/turq blu L
266391-1100006	SCO Frame Cont Scale 900 18 Wty grey/blue S
266391-1100007	SCO Frame Cont Scale 900 18 Wty grey/blue M
266391-1100008	SCO Frame Cont Scale 900 18 Wty grey/blue L
266392-5863879	SCO Frame Cont Scale 10 18 Wty dar grey/pin S7
266392-5863881	SCO Frame Cont Scale 10 18 Wty dar grey/pin M9
266392-5863882	SCO Frame Cont Scale 10 18 Wty dar grey/pin L9
266392-5863888	SCO Frame Cont Scale 10 18 Wty dar grey/pin XS7
266393-1100879	SCO Frame Cont Scale 20 18 Wty grey/blue S7
266393-1100881	SCO Frame Cont Scale 20 18 Wty grey/blue M9
266393-1100882	SCO Frame Cont Scale 20 18 Wty grey/blue L9
266393-1100888	SCO Frame Cont Scale 20 18 Wty grey/blue XS7
266394-1043005	SCO Frame Cont 710 18 Wty black/green XS
266394-1043006	SCO Frame Cont 710 18 Wty black/green S
266394-1043007	SCO Frame Cont 710 18 Wty black/green M

SPARE PARTS 2018

Article no.	Description
266394-1043008	SCO Frame Cont 710 18 Wty black/green L
266395-5818222	SCO Frame Scale JR 26 18 dk gr/sul yl 1size
266396-1172222	SCO Frame Voltage JR 26 V/Disc brake 18 green/ orange 1size
266397-1049222	SCO Frame Scale RC JR 24 Disc brake 18 grey/red 1size
266398-5021222	SCO Frame Scale JR 24+ 18 sea bl/su ye 1size
266400-0006222	SCO Frame Voltage YZ0.1 Wty green 1size
266401-1649222	SCO Frame Scale JR 20 V brake 18 or/yellow 1size
266402-5021222	SCO Frame Scale JR 20+ 18 sea bl/su ye 1size
266403-1018222	SCO Frame Volt-X 10 18 Wty red/black 1size
266404-1001006	SCO Frame E-Scale 710 18 Wty black/grey S
266404-1001007	SCO Frame E-Scale 710 18 Wty black/grey M
266404-1001008	SCO Frame E-Scale 710 18 Wty black/grey L
266404-1001009	SCO Frame E-Scale 710 18 Wty black/grey XL
266405-1001006	SCO Frame E-Scale 910 18 Wty black/grey S
266405-1001007	SCO Frame E-Scale 910 18 Wty black/grey M
266405-1001008	SCO Frame E-Scale 910 18 Wty black/grey L
266405-1001009	SCO Frame E-Scale 910 18 Wty black/grey XL
266406-5847006	SCO Frame E-Scale 730 18 Wty blk/rall red S
266406-5847007	SCO Frame E-Scale 730 18 Wty blk/rall red M
266406-5847008	SCO Frame E-Scale 730 18 Wty blk/rall red L
266406-5847009	SCO Frame E-Scale 730 18 Wty blk/rall red XL
266407-5847006	SCO Frame E-Scale 930 18 Wty blk/rall red S
266407-5847007	SCO Frame E-Scale 930 18 Wty blk/rall red M
266407-5847008	SCO Frame E-Scale 930 18 Wty blk/rall red L
266407-5847009	SCO Frame E-Scale 930 18 Wty blk/rall red XL
266408-4060006	SCO Frame Cont E-Scale 730 18 Wty pink/orange S
266408-4060007	SCO Frame Cont E-Scale 730 18 Wty pink/orange M
266408-4060008	SCO Frame Cont E-Scale 730 18 Wty pink/orange L
266409-1043879	SCO Frame E-Aspect 10 18 Wty black/green S7
266409-1043881	SCO Frame E-Aspect 10 18 Wty black/green M9
266409-1043882	SCO Frame E-Aspect 10 18 Wty black/green L9
266409-1043883	SCO Frame E-Aspect 10 18 Wty black/green XL9
266410-1004879	SCO Frame Cont E-Aspect 20 18 Wty black/blue S7
266410-1004881	SCO Frame Cont E-Aspect 20 18 Wty black/blue M9
266410-1004882	SCO Frame Cont E-Aspect 20 18 Wty black/blue L9
266410-1004883	SCO Frame Cont E-Aspect 20 18 Wty black/blue XL9
266412-5850006	SCO Frame E-Silence 10 Men 18 Wty blk/squ oran S
266412-5850007	SCO Frame E-Silence 10 Men 18 Wty blk/squ oran M
266412-5850008	SCO Frame E-Silence 10 Men 18 Wty blk/squ oran L
266412-5850009	SCO Frame E-Silence 10 Men 18 Wty blk/squ oran XL
266413-1236006	SCO Frame E-Silence 10 Lady 18 Wty black/gold S
266413-1236007	SCO Frame E-Silence 10 Lady 18 Wty black/gold M
266413-1236008	SCO Frame E-Silence 10 Lady 18 Wty black/gold L
266416-1338006	SCO Frame E-SUB Active Men 18 Wty blk mat/orng S
266416-1338007	SCO Frame E-SUB Active Men 18 Wty blk mat/orng M
266416-1338008	SCO Frame E-SUB Active Men 18 Wty blk mat/orng L
266416-1338009	SCO Frame E-SUB Active Men 18 Wty blk mat/orng XL
266417-1338006	SCO Frame E-SUB Active Lady 18 Wty blk mat/orng S
266417-1338007	SCO Frame E-SUB Active Lady 18 Wty blk mat/orng M
266417-1338008	SCO Frame E-SUB Active Lady 18 Wty blk mat/orng L
266418-4878006	SCO Frame E-SUB Tour Men Belt 18 Wty titanio/oran S
266418-4878007	SCO Frame E-SUB Tour Men Belt 18 Wty titanio/oran M
266418-4878008	SCO Frame E-SUB Tour Men Belt 18 Wty titanio/oran L
266418-4878009	SCO Frame E-SUB Tour Men Belt 18 Wty titanio/oran XL
266419-4878006	SCO Frame E-SUB Tour Uni Belt 18 Wty titanio/oran S
266419-4878007	SCO Frame E-SUB Tour Uni Belt 18 Wty titanio/oran M
266419-4878008	SCO Frame E-SUB Tour Uni Belt 18 Wty titanio/oran L
266420-1338006	SCO Frame E-SUB Active Uni 18 Wty blk mat/orng S
266420-1338007	SCO Frame E-SUB Active Uni 18 Wty blk mat/orng M
266420-1338008	SCO Frame E-SUB Active Uni 18 Wty blk mat/orng L
266421-1618006	SCO Frame E-SUB Active Uni rack type 18 black/ cream S
266421-1618007	SCO Frame E-SUB Active Uni rack type 18 black/ cream M
266421-1618008	SCO Frame E-SUB Active Uni rack type 18 black/ cream L
266422-4876006	SCO Frame E-SUB Cross 20 Men 18 Wty titanio/ red S
266422-4876007	SCO Frame E-SUB Cross 20 Men 18 Wty titanio/ red M
266422-4876008	SCO Frame E-SUB Cross 20 Men 18 Wty titanio/red L
266422-4876009	SCO Frame E-SUB Cross 20 Men 18 Wty titanio/red XL
266423-4880006	SCO Frame E-SUB Cross 20 Lady 18 Wty titanio/grn S
266423-4880007	SCO Frame E-SUB Cross 20 Lady 18 Wty titanio/grn M
266423-4880008	SCO Frame E-SUB Cross 20 Lady 18 Wty titanio/grn L
266424-1236222	SCO Swingarm Spark RC 900 SL 18 black/gold 1size
266425-5024222	SCO Swingarm Spark RC 900 W/C 18 blck/sul yel 1size
266426-5024222	SCO Swingarm Spark RC 900 Pro 18 blck/sul yel 1size
266427-5847222	SCO Swingarm Spark RC 900 Team 18 blk/rall red 1size
266428-5850222	SCO Swingarm Spark RC 900 Comp 18 blk/squ oran 1size
266429-1236222	SCO Swingarm Spark 900 Ultimate 18 black/gold 1size
266430-3045222	SCO Swingarm Spark 900 Premium 18 carbon/grey 1size
266431-4731222	SCO Swingarm Spark 900 18 blac glo/red 1size
266432-1294222	SCO Swingarm Spark 910 18 grey/orange 1size
266433-5024222	SCO Swingarm Spark 920/940 18 blck/sul yel 1size
266435-0001222	SCO Swingarm Spark 700 Ultimate 18 black 1size
266436-5850222	SCO Swingarm Spark 700 Tuned 18 blk/squ oran 1size
266437-0003222	SCO Swingarm Spark 710 18 blue 1size
266438-0001222	SCO Chainstays Genius 700 Ultimate 18 black 1size
266439-5850222	SCO Chainstays Genius 900 Tuned 18 blk/squ oran 1size
266440-5850222	SCO Chainstays Genius 700 Tuned 18 blk/squ oran 1size
266441-5808222	SCO Chainstays Genius 710 18 dk ivy green 1size
266442-0011222	SCO Chainstays Genius 720 18 grey 1size
266443-0011222	SCO Chainstays Genius 920 18 grey 1size
266444-1415222	SCO Swingarm Gambler 710 18 oran/blue 1size
266445-1294222	SCO Swingarm Gambler 720 18 grey/orange 1size
266446-5547222	SCO Chainstays Voltage FR 710 18 mt bk/silver 1size
266447-1172222	SCO Chainstays Voltage FR 720 18 green/orange 1size
266448-4610222	SCO Swingarm Cont Spark RC 900 18 blk/turq blu 1size
266449-5863222	SCO Swingarm Cont Spark 910 18 dar grey/pin 1size
266450-0003222	SCO Swingarm Cont Spark 920 18 blue 1size
266451-4060222	SCO Swingarm Cont Spark 710 18 pink/orange 1size
266452-0011222	SCO Chainstays Cont Genius 710 18 grey 1size
266453-0091222	SCO Chainstays Cont Genius 720 18 dark grey 1size
266454-2454222	SCO Chainstays Cont Genius 730 18 blue/lime 1size
266455-1648222	SCO Swingarm Gambler 730 18 red/yellow 1size
266456-5850222	SCO Chainstays E-Spark 700 Tuned 18 blk/squ oran 1size
266457-3694222	SCO Chainstays E-Spark 710 18 blk matt/gry 1size
266458-0011222	SCO Chainstays E-Spark 720 18 grey 1size
266459-0001222	SCO Chainstays E-Spark 730 18 black 1size
266460-5850222	SCO Chainstays E-Genius 700 Tuned 18 blk/squ oran 1size
266461-0001222	SCO Chainstays E-Genius 710 18 black 1size
266462-0011222	SCO Chainstays E-Genius 720/920 18 grey 1size
266463-0091222	SCO Chainstays E-Genius 730 18 dark grey 1size
266464-1050222	SCO Chainstays Cont E-Spark 710 18 white/green 1size
266465-0091222	SCO Chainstays Cont E-Genius 720 18 dark grey 1size
266466-0001222	SCO Seatstays Genius 700 Ultimate 18 black 1size

SPARE PARTS 2018

Article no.	Description
266467-1004222	SCO Seatstays Genius 700 Tuned 18 black/blue 1size
266468-1004222	SCO Seatstays Genius 900 Tuned 18 black/blue 1size
266469-1089222	SCO Seatstays Genius 710 18 green/black 1size
266470-1457222	SCO Seatstays Genius 920 18 grey/green 1size
266471-1457222	SCO Seatstays Genius 720 18 grey/green 1size
266472-0001222	SCO Seatstays Voltage FR 710 18 black 1size
266473-1172222	SCO Seatstays Voltage FR 720 18 green/orange 1size
266474-3701222	SCO Seatstays Cont Genius 710 18 gry mat/blue 1size
266475-5863222	SCO Seatstays Cont Genius 720 18 dar grey/pin 1size
266476-2454222	SCO Seatstays Cont Genius 730 18 blue/lime 1size
266477-0001222	SCO Seatstays E-Spark 700 Tuned 18 black 1size
266478-3694222	SCO Seatstays E-Spark 710 18 blk matt/gry 1size
266479-5524222	SCO Seatstays E-Spark 720 18 gry matt gre 1size
266480-0001222	SCO Seatstays E-Spark 730 18 black 1size
266481-5850222	SCO Seatstays E-Genius 700 Tuned 18 blk/squ oran 1size
266482-3694222	SCO Seatstays E-Genius 710 18 blk matt/gry 1size
266483-1294222	SCO Seatstays E-Genius 720/920 18 grey/orange 1size
266484-3694222	SCO Seatstays E-Genius 730 18 blk matt/gry 1size
266485-1039222	SCO Seatstays Cont E-Spark 710 18 white/grey 1size
266486-2785222	SCO Seatstays Cont E-Genius 720 18 dk grey/blue 1size
266487-5024022	SCO Frameset Plasma Premium 18 Wty blck/sul yel M54
266487-5024885	SCO Frameset Plasma Premium 18 Wty blck/sul yel S51
266487-5024886	SCO Frameset Plasma Premium 18 Wty blck/sul yel L57
266487-5024887	SCO Frameset Plasma Premium 18 Wty blck/sul yel XL60
266488-0001019	SCO Frameset Addict RC Ulti Disc 18 Wty black XXS47
266488-0001020	SCO Frameset Addict RC Ulti Disc 18 Wty black XS49
266488-0001021	SCO Frameset Addict RC Ulti Disc 18 Wty black S52
266488-0001022	SCO Frameset Addict RC Ulti Disc 18 Wty black M54
266488-0001023	SCO Frameset Addict RC Ulti Disc 18 Wty black L56
266488-0001024	SCO Frameset Addict RC Ulti Disc 18 Wty black XL58
266488-0001025	SCO Frameset Addict RC Ulti Disc 18 Wty black 2XL61
266489-1000019	SCO Frameset Addict RC 15 Disc 18 Wty black/silver XXS47
266489-1000020	SCO Frameset Addict RC 15 Disc 18 Wty black/silver XS49
266489-1000021	SCO Frameset Addict RC 15 Disc 18 Wty black/silver S52
266489-1000022	SCO Frameset Addict RC 15 Disc 18 Wty black/silver M54
266489-1000023	SCO Frameset Addict RC 15 Disc 18 Wty black/silver L56
266489-1000024	SCO Frameset Addict RC 15 Disc 18 Wty black/silver XL58
266489-1000025	SCO Frameset Addict RC 15 Disc 18 Wty black/silver 2XL61
266490-1000019	SCO Frameset Addict 10 Disc 18 Wty black/silver XXS47
266490-1000020	SCO Frameset Addict 10 Disc 18 Wty black/silver XS49
266490-1000021	SCO Frameset Addict 10 Disc 18 Wty black/silver S52
266490-1000022	SCO Frameset Addict 10 Disc 18 Wty black/silver M54
266490-1000023	SCO Frameset Addict 10 Disc 18 Wty black/silver L56
266490-1000024	SCO Frameset Addict 10 Disc 18 Wty black/silver XL58
266490-1000025	SCO Frameset Addict 10 Disc 18 Wty black/silver 2XL61
266491-1000019	SCO Frameset Addict 10 18 Wty black/silver XXS47
266491-1000020	SCO Frameset Addict 10 18 Wty black/silver XS49
266491-1000021	SCO Frameset Addict 10 18 Wty black/silver S52
266491-1000022	SCO Frameset Addict 10 18 Wty black/silver M54
266491-1000023	SCO Frameset Addict 10 18 Wty black/silver L56
266491-1000024	SCO Frameset Addict 10 18 Wty black/silver XL58
266491-1000025	SCO Frameset Addict 10 18 Wty black/silver 2XL61
266492-5547019	SCO Frameset Speedster SE 18 Wty mt bk/silver XXS47
266492-5547020	SCO Frameset Speedster SE 18 Wty mt bk/silver XS49
266492-5547021	SCO Frameset Speedster SE 18 Wty mt bk/silver S52
266492-5547022	SCO Frameset Speedster SE 18 Wty mt bk/silver M54
266492-5547023	SCO Frameset Speedster SE 18 Wty mt bk/silver L56
266492-5547024	SCO Frameset Speedster SE 18 Wty mt bk/silver XL58
266492-5547025	SCO Frameset Speedster SE 18 Wty mt bk/silver 2XL61
266493-1049019	SCO Frameset Speedster 10 Disc 18 Wty grey/red XXS47
266493-1049020	SCO Frameset Speedster 10 Disc 18 Wty grey/red XS49
266493-1049021	SCO Frameset Speedster 10 Disc 18 Wty grey/red S52
266493-1049022	SCO Frameset Speedster 10 Disc 18 Wty grey/red M54
266493-1049023	SCO Frameset Speedster 10 Disc 18 Wty grey/red L56
266493-1049024	SCO Frameset Speedster 10 Disc 18 Wty grey/red XL58
266493-1049025	SCO Frameset Speedster 10 Disc 18 Wty grey/red 2XL61
266494-1054019	SCO Frameset Metrix 10 Disc 18 Wty blue/yellow XXS47
266494-1054020	SCO Frameset Metrix 10 Disc 18 Wty blue/yellow XS49
266494-1054021	SCO Frameset Metrix 10 Disc 18 Wty blue/yellow S52
266494-1054022	SCO Frameset Metrix 10 Disc 18 Wty blue/yellow M54
266494-1054023	SCO Frameset Metrix 10 Disc 18 Wty blue/yellow L56
266494-1054024	SCO Frameset Metrix 10 Disc 18 Wty blue/yellow XL58
266494-1054025	SCO Frameset Metrix 10 Disc 18 Wty blue/yellow 2XL61
266495-1338019	SCO Frameset Metrix 20 Disc 18 Wty blk mat/orng XXS47
266495-1338020	SCO Frameset Metrix 20 Disc 18 Wty blk mat/orng XS49
266495-1338021	SCO Frameset Metrix 20 Disc 18 Wty blk mat/orng S52
266495-1338022	SCO Frameset Metrix 20 Disc 18 Wty blk mat/orng M54
266495-1338023	SCO Frameset Metrix 20 Disc 18 Wty blk mat/orng L56
266495-1338024	SCO Frameset Metrix 20 Disc 18 Wty blk mat/orng XL58
266495-1338025	SCO Frameset Metrix 20 Disc 18 Wty blk mat/orng 2XL61
266496-5850020	SCO Frameset Addict Gravel 10 D 18 Wty blk/squ oran XS49
266496-5850021	SCO Frameset Addict Gravel 10 D 18 Wty blk/squ oran S52
266496-5850022	SCO Frameset Addict Gravel 10 D 18 Wty blk/squ oran M54
266496-5850023	SCO Frameset Addict Gravel 10 D 18 Wty blk/squ oran L56
266496-5850024	SCO Frameset Addict Gravel 10 D 18 Wty blk/squ oran XL58
266497-1049019	SCO Frameset Speedster Grav 10 D 18 Wty grey/red XXS47
266497-1049020	SCO Frameset Speedster Grav 10 D 18 Wty grey/red XS49
266497-1049021	SCO Frameset Speedster Grav 10 D 18 Wty grey/red S52
266497-1049022	SCO Frameset Speedster Grav 10 D 18 Wty grey/red M54
266497-1049023	SCO Frameset Speedster Grav 10 D 18 Wty grey/red L56
266497-1049024	SCO Frameset Speedster Grav 10 D 18 Wty grey/red XL58
266497-1049025	SCO Frameset Speedster Grav 10 D 18 Wty grey/red 2XL61
266498-4261019	SCO Frameset Cont Addict 15 Disc 18 Wty wh/petrol gn XXS47
266498-4261020	SCO Frameset Cont Addict 15 Disc 18 Wty wh/petrol gn XS49
266498-4261021	SCO Frameset Cont Addict 15 Disc 18 Wty wh/petrol gn S52
266498-4261022	SCO Frameset Cont Addict 15 Disc 18 Wty wh/petrol gn M54
266498-4261023	SCO Frameset Cont Addict 15 Disc 18 Wty wh/petrol gn L56
266499-4261019	SCO Frameset Cont Speedster 15 D 18 Wty wh/petrol gn XXS47
266499-4261020	SCO Frameset Cont Speedster 15 D 18 Wty wh/petrol gn XS49
266499-4261021	SCO Frameset Cont Speedster 15 D 18 Wty wh/petrol gn S52

SPARE PARTS 2018

Article no.	Description
266499-4261022	SCO Frameset Cont Speedster 15 D 18 Wty wh/ petrol gn M54
266499-4261023	SCO Frameset Cont Speedster 15 D 18 Wty wh/ petrol gn L56
266499-4261024	SCO Frameset Cont Speedster 15 D 18 Wty wh/ petrol gn XL58
266499-4261025	SCO Frameset Cont Speedster 15 D 18 Wty wh/ petrol gn 2XL61
266500-4261019	SCO Frameset Cont Speedster 15 18 Wty wh/petrol gn XXS47
266500-4261020	SCO Frameset Cont Speedster 15 18 Wty wh/petrol gn XS49
266500-4261021	SCO Frameset Cont Speedster 15 18 Wty wh/petrol gn S52
266500-4261022	SCO Frameset Cont Speedster 15 18 Wty wh/petrol gn M54
266500-4261023	SCO Frameset Cont Speedster 15 18 Wty wh/petrol gn L56
266500-4261024	SCO Frameset Cont Speedster 15 18 Wty wh/petrol gn XL58
266500-4261025	SCO Frameset Cont Speedster 15 18 Wty wh/petrol gn 2XL61
266501-1049006	SCO Frameset Silence EVO 18 Wty grey/red S
266501-1049007	SCO Frameset Silence EVO 18 Wty grey/red M
266501-1049008	SCO Frameset Silence EVO 18 Wty grey/red L
266501-1049009	SCO Frameset Silence EVO 18 Wty grey/red XL
266502-4063006	SCO Frameset Silence 10 Men 18 Wty blk/dk green S
266502-4063007	SCO Frameset Silence 10 Men 18 Wty blk/dk green M
266502-4063008	SCO Frameset Silence 10 Men 18 Wty blk/dk green L
266502-4063009	SCO Frameset Silence 10 Men 18 Wty blk/dk green XL
266503-4063006	SCO Frameset Silence 10 Lady 18 Wty blk/dk green S
266503-4063007	SCO Frameset Silence 10 Lady 18 Wty blk/dk green M
266503-4063008	SCO Frameset Silence 10 Lady 18 Wty blk/dk green L
266504-4063006	SCO Frame Sub Sport 10 Disc Men 18 Wty blk/dk green S
266504-4063007	SCO Frame Sub Sport 10 Disc Men 18 Wty blk/dk green M
266504-4063008	SCO Frame Sub Sport 10 Disc Men 18 Wty blk/dk green L
266504-4063009	SCO Frame Sub Sport 10 Disc Men 18 Wty blk/dk green XL
266505-4198006	SCO Frame Sub Sport 10 Disc Lady 18 Wty whit/ emerald S
266505-4198007	SCO Frame Sub Sport 10 Disc Lady 18 Wty whit/ emerald M
266505-4198008	SCO Frame Sub Sport 10 Disc Lady 18 Wty whit/ emerald L
266506-4879006	SCO Frame Sub Sport 30 v brake Men18 Wty titanio/ gold S
266506-4879007	SCO Frame Sub Sport 30 v brake Men18 Wty titanio/ gold M
266506-4879008	SCO Frame Sub Sport 30 v brake Men18 Wty titanio/ gold L
266506-4879009	SCO Frame Sub Sport 30 v brake Men18 Wty titanio/ gold XL
266507-4879006	SCO Frame Sub Sport 30 v brake Lady18Wty titanio/ gold S
266507-4879007	SCO Frame Sub Sport 30 v brake Lady18Wty titanio/ gold M
266507-4879008	SCO Frame Sub Sport 30 v brake Lady18Wty titanio/ gold L
266508-1338006	SCO Frame SUB Comfort 10 v brakeMen18Wty blk mat/orng S
266508-1338007	SCO Frame SUB Comfort 10 v brakeMen18Wty blk mat/orng M
266508-1338008	SCO Frame SUB Comfort 10 v brakeMen18Wty blk mat/orng L
266508-1338009	SCO Frame SUB Comfort 10 v brakeMen18Wty blk mat/orng XL
266509-1338006	SCO Frame SUB Comfort 10 vbrake unisex18 blk mat/orng S
266509-1338007	SCO Frame SUB Comfort 10 vbrake unisex18 blk mat/orng M
266509-1338008	SCO Frame SUB Comfort 10 vbrake unisex18 blk mat/orng L

Article no.	Description
266510-5547006	SCO Frame SUB Cross 10 disc Men 18 Wty mt bk/ silver S
266510-5547007	SCO Frame SUB Cross 10 disc Men 18 Wty mt bk/ silver M
266510-5547008	SCO Frame SUB Cross 10 disc Men 18 Wty mt bk/ silver L
266510-5547009	SCO Frame SUB Cross 10 disc Men 18 Wty mt bk/ silver XL
266510-5547010	SCO Frame SUB Cross 10 disc Men 18 Wty mt bk/ silver XXL
266511-5547006	SCO Frame SUB Cross 10 disc Lady 18 Wty mt bk/ silver S
266511-5547007	SCO Frame SUB Cross 10 disc Lady 18 Wty mt bk/ silver M
266511-5547008	SCO Frame SUB Cross 10 disc Lady 18 Wty mt bk/ silver L
266511-5547009	SCO Frame SUB Cross 10 disc Lady 18 Wty mt bk/ silver XL
266512-5847019	SCO Frameset Foil 10 18 Wty blk/rall red XXS47
266512-5847020	SCO Frameset Foil 10 18 Wty blk/rall red XS49
266512-5847021	SCO Frameset Foil 10 18 Wty blk/rall red S52
266512-5847022	SCO Frameset Foil 10 18 Wty blk/rall red M54
266512-5847023	SCO Frameset Foil 10 18 Wty blk/rall red L56
266512-5847024	SCO Frameset Foil 10 18 Wty blk/rall red XL58
266512-5847025	SCO Frameset Foil 10 18 Wty blk/rall red 2XL61
266513-5024222	SCO Fork Scale RC JR 24 rigid Disc 18 blck/sul yel 1size
266514-1010222	SCO Fork Scale JR 24 susp Disc 18 red/grey 1size
266515-1750222	SCO Fork Scale JR 24 rigid V-brake 18 sn orag/orag 1size
266516-1054222	SCO Fork Scale JR 24+ rigid Disc 18 blue/yellow 1size
266517-1338222	SCO Fork Voltage JR 24 susp Disc 18 blk mat/orng 1size
266518-1040222	SCO Fork Voltage JR 24 V-brake 18 black/yellow 1size
266519-1338222	SCO Fork Voltage JR 26 V-brake 18 blk mat/orng 1size
266520-0003222	SCO Fork Contessa JR 24 rigid V-brake 18 blue 1size
266521-1454222	SCO Fork Big Jon 18 blue/orange 1size
266522-1054222	SCO Fork Scale JR 20+ rigid Disc 18 blue/yellow 1size
266523-2978222	SCO Fork Volt-X 10 18 black gloss 1size
266524-0328222	SCO Fork Volt-X 20 18 blue matt 1size
266525-0005222	SCO Fork Volt-X 30 18 yellow 1size
266526-5024022	SCO Fork Plasma Premium 18 blck/sul yel M54
266526-5024885	SCO Fork Plasma Premium 18 blck/sul yel S51
266526-5024886	SCO Fork Plasma Premium 18 blck/sul yel L57
266526-5024887	SCO Fork Plasma Premium 18 blck/sul yel XL60
266527-5024022	SCO Fork Plasma RC 18 blck/sul yel M54
266527-5024885	SCO Fork Plasma RC 18 blck/sul yel S51
266527-5024886	SCO Fork Plasma RC 18 blck/sul yel L57
266527-5024887	SCO Fork Plasma RC 18 blck/sul yel XL60
266528-1306222	SCO Fork Plasma 10 18 blk matt/red 1size
266529-5024222	SCO Fork Plasma 20 18 blck/sul yel 1size
266530-5818222	SCO Fork Foil Premium Disc Di2 18 dk gr/sul yl 1size
266531-5024222	SCO Fork Foil RC 18 blck/sul yel 1size
266532-5847222	SCO Fork Foil 10 Disc Di2 18 blk/rall red 1size
266533-5847222	SCO Fork Foil 10 Di2 18 blk/rall red 1size
266534-1105222	SCO Fork Foil 20 Disc 18 blue/red 1size
266535-1105222	SCO Fork Foil 20 18 blue/red 1size
266536-3165222	SCO Fork Foil 30 18 sul yl/br wt 1size
266537-0001222	SCO Fork Addict RC Ultimate Disc 18 black 1size
266538-5024222	SCO Fork Addict RC Premium Disc DI2 18 blck/sul yel 1size
266539-5024222	SCO Fork Addict RC PRO DI2 18 blck/sul yel 1size
266540-1105222	SCO Fork Addict RC 10 18 blue/red 1size
266541-1000222	SCO Fork Addict RC 15 Disc DI2 18 black/silver 1size
266542-5847222	SCO Fork Addict RC 20 Disc 18 blk/rall red 1size
266543-5847222	SCO Fork Addict RC 20 18 blk/rall red 1size
266544-1000222	SCO Fork Addict 10 Disc 18 black/silver 1size

SPARE PARTS 2018

Article no.	Description
266545-1000222	SCO Fork Addict 10 18 black/silver 1size
266546-1049222	SCO Fork Addict 20 Disc 18 grey/red 1size
266547-1049222	SCO Fork Addict 20 18 grey/red 1size
266548-5818222	SCO Fork Addict 30 Disc 18 dk gr/sul yl 1size
266549-5818222	SCO Fork Addict 30 18 dk gr/sul yl 1size
266550-1000222	SCO Fork Speedster SE 18 black/silver 1size
266551-1049222	SCO Fork Speedster 10 Disc 18 grey/red 1size
266552-1049222	SCO Fork Speedster 10 18 grey/red 1size
266553-5889222	SCO Fork Speedster 20 Disc 18 ma bl/su yel 1size
266554-5889222	SCO Fork Speedster 20 18 ma bl/su yel 1size
266555-1043222	SCO Fork Speedster 30 18 black/green 1size
266556-1030222	SCO Fork Speedster 40 18 white/red 1size
266557-5847222	SCO Fork Speedster 50 18 blk/rall red 1size
266558-1054222	SCO Fork Metrix 10 Disc 18 blue/yellow 1size
266559-1338222	SCO Fork Metrix 20 Disc 18 blk mat/orng 1size
266560-1100222	SCO Fork Metrix 30 Disc 18 grey/blue 1size
266561-5850222	SCO Fork Addict Gravel 10 Disc 18 blk/squ oran 1size
266562-4063222	SCO Fork Addict Gravel 20 Disc 18 blk/dk green 1size
266563-2987222	SCO Fork Addict Gravel 30 Disc 18 dk gry/yello 1size
266564-1049222	SCO Fork Speedster Gravel 10 Disc 18 grey/red 1size
266565-4063222	SCO Fork Speedster Gravel 20 Disc 18 blk/dk green 1size
266566-5024222	SCO Fork Addict CX RC Disc 18 blck/sul yel 1size
266567-1049222	SCO Fork Silence EVO 18 grey/red 1size
266568-4063222	SCO Fork Silence 10 Disc 18 blk/dk green 1size
266569-5547222	SCO Fork Silence 20 Disc 18 mt bk/silver 1size
266570-5850222	SCO Fork Silence 30 Disc 18 blk/squ oran 1size
266573-9999222	SCO Igus bush set Spark/Genius/E- 18 no color 1size
266574-9999222	SCO Swingarm rep kit Genius 18 no color 1size
266575-9999222	SCO Shock mount hardware Genius 18 no color 1size
266576-9999222	SCO Shock mount bush set X-Fus Genius 18 no color 1size
266577-9999222	SCO Shock mount bush set Fox Genius 18 no color 1size
266578-1228222	SCO Linkage bar Genius alloy 18 red/blue 1size
266578-1457222	SCO Linkage bar Genius alloy 18 grey/green 1size
266578-2006222	SCO Linkage bar Genius alloy 18 dk grey/blck 1size
266578-5508222	SCO Linkage bar Genius alloy 18 blac/teal bl 1size
266578-5576222	SCO Linkage bar Genius alloy 18 matt black 1size
266578-5808222	SCO Linkage bar Genius alloy 18 dk ivy green 1size
266579-5508222	SCO Linkage bar Genius carbon 18 blac/teal bl 1size
266580-9999222	SCO Rear shock Gambler Fox X2 18 no color 1size
266581-9999222	SCO Rear shock Gambler Fox van RC 18 no color 1size
266582-5576222	SCO Linkage main link Gambler 18 matt black 1size
266583-9999222	SCO Rear shock Genius Fox Nude 4 Ksh 18 no color 1size
266584-9999222	SCO Rear shock Genius Fox Nude 4 18 no color 1size
266585-9999222	SCO Rear shock Genius X/Fusion Nude 4 18 no color 1size
266586-9999222	SCO Cableguide set Foil D mec/Di2 18 no color 1size
266587-9999222	SCO Cableguide set Sca/Spa/Gen H-tube 18 no color 1size
266589-9999222	SCO Spoke Sy/Form rep kit RP2.0 F 18 no color 1size
266590-9999222	SCO Spoke Sy/Form rep kit RP2.0 R 18 no color 1size
266591-9999222	SCO Spoke Sy/Form rep kit RP2.0 Disc 18 no color 1size
266592-9999222	SCO Spoke Sy/Form rep kit RR2.0 Disc 18 no color 1size
266593-9999222	SCO Spoke Sy/Form rep kit RR2.0 R 18 no color 1size
266594-9999222	SCO Spoke Sy/Form rep kit RR2.0 F 18 no color 1size
266595-9999222	SCO E-bike Comp magnet Spark/Genius 18 no color 1size
266596-0001222	SCO E-bike motor cover Shim Spa/Gen 18 black 1size
266596-1019222	SCO E-bike motor cover Shim Spa/Gen 18 grey/black 1size
266596-5850222	SCO E-bike motor cover Shim Spa/Gen 18 blk/squ oran 1size

Article no.	Description
266597-1001222	SCO E-bike motor cover Bosch Sca/Gen 18 black/grey 1size
266597-1042222	SCO E-bike motor cover Bosch Sca/Gen 18 black/red 1size
266597-1043222	SCO E-bike motor cover Bosch Sca/Gen 18 black/green 1size
266597-1254222	SCO E-bike motor cover Bosch Sca/Gen 18 black/pink 1size
266598-5575222	SCO E-bike motor cover Brose Asp/Sile 18 matt grey 1size
266598-5576222	SCO E-bike motor cover Brose Asp/Sile 18 matt black 1size
266598-5849222	SCO E-bike motor cover Brose Asp/Sile 18 rally red 1size
266598-5912222	SCO E-bike motor cover Brose Asp/Sile 18 Light m/grey 1size
266600-9999222	SCO E-bike Shock cableguide Sp/Gen 18 no color 1size
266601-9999222	SCO E-bike Chainguide Spark 18 no color 1size
266602-9999222	SCO E-bike Chainguide Genius 18 no color 1size
266603-9999222	SCO E-bike Chainstay protector Sp/Gen 18 no color 1size
266604-9999015	SCO E-bike DT bumper Spark/Genius 18 no color S/M
266604-9999016	SCO E-bike DT bumper Spark/Genius 18 no color L/XL
266605-9999222	SCO E-bike batt fitting kit Spa/Gen 18 no color 1size
266606-0001366	SCO E-bike fenderset E-Sub/Sub Metasol18 black 50mm
266606-0001899	SCO E-bike fenderset E-Sub/Sub Metasol18 black 55mm
266606-0011366	SCO E-bike fenderset E-Sub/Sub Metasol18 grey 50mm
266606-0011899	SCO E-bike fenderset E-Sub/Sub Metasol18 grey 55mm
266607-9999222	SCO E-bike Swingarm rep kit E-Genius 18 no color 1size
266608-0001714	SCO Rim SY/X-30s D 32H 18 black 27.5"
266608-0001715	SCO Rim SY/X-30s D 32H 18 black 29"
266609-0001714	SCO Rim SY/Alex MD30 32H 18 black 27.5"
266610-0001195	SCO Wheelset Syn/Alex Race 22 11sp black 700C
266611-0001195	SCO Wheelset Syn/Alex Race 22 D 11sp black 700C
266612-0001715	SCO Rim SY/ J26DB 32H black 29"
266613-0001715	SCO Rim SY/Form XR2.0 D 28H 18 black 29"
266614-0001715	SCO Rim SY/Form XR2.5 D 28H 18 black 29"
266615-0001714	SCO Rim SY/Form TR1.5 D 28H 18 black 27.5"
266616-0001714	SCO Rim SY/Form TR2.0 D 28H 18 black 27.5"
266616-0001715	SCO Rim SY/Form TR2.0 D 28H 18 black 29"
266617-0001195	SCO Rim SY/Form RP2.0 D 28H 18 black 700C
266618-0001195	SCO Rim SY/Form RP2.0 18H 18 black 700C
266619-0001195	SCO Rim SY/Form RP2.0 24H 18 black 700C
266620-0001715	SCO Rim SY/Form XR1.5 D 28H 18 black 29"
266621-5576294	SCO Seatpost Foil PR Wty 18 matt black 5
266621-5576309	SCO Seatpost Foil PR Wty 18 matt black 20
266643-5808005	SCO Frame Voltage YZ 10 18 Wty dk ivy green XS
266643-5808006	SCO Frame Voltage YZ 10 18 Wty dk ivy green S
266643-5808007	SCO Frame Voltage YZ 10 18 Wty dk ivy green M
266643-5808008	SCO Frame Voltage YZ 10 18 Wty dk ivy green L
266777-5576222	SCO Linkage floating link Gambler 18 matt black 1size
266778-9999222	SCO Dropout Hanger Speedster 18 no color 1size
266784-9999222	SCO Hub rep kit SY/Form XR2.5-TR-all F18 no color 1size
266785-9999222	SCO Hub rep kit SY/Form XR/TR1.5 XD R 18 no color 1size
266786-9999222	SCO Hub rep kit SY/Form XR2.0 F 18 no color 1size
266787-9999222	SCO Hub rep kit SY/Form XR2.0 R XD 18 no color 1size
266788-9999222	SCO Hub rep kit SY/Form TR2.0 R SHIM 18 no color 1size
266798-9999222	SCO Hub rep kit DT XRC/XMC 1200 F 18 no color 1size

SPARE PARTS 2018

Article no.	Description
266799-9999222	SCO Hub rep kit DT XRC/XMC 1200 XD R 18 no color 1size
266800-9999222	SCO Hub rep kit DT X/M 1825 F 18 no color 1size
266801-9999222	SCO Hub rep kit DT X 1825 XD R 18 no color 1size
266802-9999222	SCO Hub rep kit DT X 1825 SHIM R 18 no color 1size
266807-0001714	SCO Fork E-Aspect/Suntour Mobi 18 black 27.5"
266807-0001715	SCO Fork E-Aspect/Suntour Mobi 18 black 29"
266808-9999715	SCO Spoke SY/Form rep kit XR2.5 18 no color 29"
266809-9999715	SCO Spoke SY/Form rep kit XR1.5 18 no color 29"
266810-9999715	SCO Spoke SY/Form rep kit XR2.0 18 no color 29"
266811-9999714	SCO Spoke SY/Form rep kit TR2.0 18 no color 27.5"
266812-9999714	SCO Spoke SY/Form rep kit TR1.5 18 no color 27.5"
266813-0001195	SCO Rim SY/Alex Race 24 D (28H) 18 black 700C
266814-0001195	SCO Rim SY/Form RR2.0 D 28H 18 black 700C
266815-0001195	SCO Rim SY/Form RR2.0 18H 18 black 700C
266816-0001195	SCO Rim SY/Form RR2.0 24H 18 black 700C
266817-9999715	SCO Rim DT XRC 1200 28H 18 WTY no color 29"
266818-9999714	SCO Rim DT XMC 1200 28H 18 WTY no color 27.5"
266819-9999715	SCO Rim DT X 1825 28H 18 WTY no color 29"
266820-9999715	SCO Rim DT X 1825 red 28H 18 WTY no color 29"
266821-9999714	SCO Rim DT M 1825 28H 18 WTY no color 27.5"
266821-9999715	SCO Rim DT M 1825 28H 18 WTY no color 29"
266822-9999714	SCO Rim DT M 1825 grey 28H 18 WTY no color 27.5"
266876-1697879	SCO Frame E-Aspect AT 18 Wty ivy/black S7
266876-1697881	SCO Frame E-Aspect AT 18 Wty ivy/black M9
266876-1697882	SCO Frame E-Aspect AT 18 Wty ivy/black L9
266876-1697883	SCO Frame E-Aspect AT 18 Wty ivy/black XL9
266877-0001714	SCO E-bike fender set E-Aspect AT 18 black 27.5"
266877-0001715	SCO E-bike fender set E-Aspect AT 18 black 29"
267279-0001006	SCO Frame E-Sub Sport 10 Men 18 black S
267279-0001007	SCO Frame E-Sub Sport 10 Men 18 black M
267279-0001008	SCO Frame E-Sub Sport 10 Men 18 black L
267279-0001009	SCO Frame E-Sub Sport 10 Men 18 black XL
267280-0001006	SCO Frame E-Sub Sport 10 Lady 18 black S
267280-0001007	SCO Frame E-Sub Sport 10 Lady 18 black M
267280-0001008	SCO Frame E-Sub Sport 10 Lady 18 black L
267281-1294222	SCO Linkage bar Contessa Genius 18 grey/orange 1size
267281-1413222	SCO Linkage bar Contessa Genius 18 blue/green 1size
267281-5344222	SCO Linkage bar Contessa Genius 18 blac/gry/pin 1size
267282-1043222	SCO Linkage bar Contessa Spark 100mm 18 black/green 1size
267283-0003222	SCO Linkage bar Contessa Spark 120mm 18 blue 1size
267283-0026222	SCO Linkage bar Contessa Spark 120mm 18 pink 1size
267283-1043222	SCO Linkage bar Contessa Spark 120mm 18 black/green 1size
267283-5863222	SCO Linkage bar Contessa Spark 120mm 18 dar grey/pin 1size
267284-0288222	SCO Linkage bar Spark alloy 100mm 18 gloss black 1size
267284-1001222	SCO Linkage bar Spark alloy 100mm 18 black/grey 1size
267284-1042222	SCO Linkage bar Spark alloy 100mm 18 black/red 1size
267285-1008222	SCO Linkage bar Spark alloy 120mm 18 orange/black 1size
267285-1009222	SCO Linkage bar Spark alloy 120mm 18 black/orange 1size
267285-1018222	SCO Linkage bar Spark alloy 120mm 18 red/black 1size
267285-1019222	SCO Linkage bar Spark alloy 120mm 18 grey/black 1size
267285-1034222	SCO Linkage bar Spark alloy 120mm 18 blue/black 1size
267285-1040222	SCO Linkage bar Spark alloy 120mm 18 black/yellow 1size
267285-1042222	SCO Linkage bar Spark alloy 120mm 18 black/red 1size
267285-1089222	SCO Linkage bar Spark alloy 120mm 18 green/black 1size
267285-5535222	SCO Linkage bar Spark alloy 120mm 18 mt bk/gls gr 1size
267286-5910222	SCO Linkage bar Spark carbon 100mm 18 carbon gloss 1size
267286-5911222	SCO Linkage bar Spark carbon 100mm 18 carbon matt 1size
267287-5910222	SCO Linkage bar Spark carbon 120mm 18 carbon gloss 1size
267287-5911222	SCO Linkage bar Spark carbon 120mm 18 carbon matt 1size
267288-9999222	SCO Light front Blueline Dynamo 18 Wty no color 1size
267289-0001334	SCO Chainguard SKS chainblade Sub 18 black 48
267292-0001222	SCO E-bike battery cover inter Sub 18 black 1size
267292-0011222	SCO E-bike battery cover inter Sub 18 grey 1size
267293-0001222	SCO E-bike battery cover Shim Spa/Gen 18 black 1size
267294-0001222	SCO E-bike charge plug cover Sub sport18 black 1size
267295-9999310	SCO E-bike sprocket Conti Shim 18 no color 21
267296-9999295	SCO E-bike light front Blueline 18 Wty no color 6
267296-9999301	SCO E-bike light front Blueline 18 Wty no color 12
267427-9999222	SCO Rear shock Spark 120mm Fox nude4 18 no color 1size
267428-9999222	SCO Rear shock Spark 120mm FoxNud4Ksh 18 no color 1size
267429-9999222	SCO Rear shock Spark 100mm FoxNud4Ksh 18 no color 1size
267430-9999222	SCO Rear shock Spark 100mm Fox nude4 18 no color 1size
267431-9999372	SCO Seatpost-serv.seal kit 2.0 no color 120mm
267431-9999901	SCO Seatpost-serv.seal kit 2.0 no color 150mm
267432-9999372	SCO Seatpost-serv.seal kit 2.5 no color 120mm
267583-1045222	SCO Frame Scale JR 24 rigid V brake 18 red/orange 1size
267638-9999222	SCO Axle RWS E-Aspect AT 142x12 Plugin no color 1size
267892-0001222	SCO E-bike rack E-Aspect AT 18 black 1size
268312-0011019	SCO Frameset Metrix 30 Disc 18 Wty grey XXS47
268312-0011020	SCO Frameset Metrix 30 Disc 18 Wty grey XS49
268312-0011021	SCO Frameset Metrix 30 Disc 18 Wty grey S52
268312-0011022	SCO Frameset Metrix 30 Disc 18 Wty grey M54
268312-0011023	SCO Frameset Metrix 30 Disc 18 Wty grey L56
268312-0011024	SCO Frameset Metrix 30 Disc 18 Wty grey XL58
268312-0011025	SCO Frameset Metrix 30 Disc 18 Wty grey 2XL61
268313-1050222	SCO Fork Contessa Addict 15D 18 white/green 1size
268314-1001222	SCO Fork Contessa Addict 25D 18 black/grey 1size
268315-1244222	SCO Fork Contessa Addict 35 18 pink/white 1size
268316-1050222	SCO Fork Contessa Speedster 15D 18 white/green 1size
268317-1050222	SCO Fork Contessa Speedster 15 18 white/green 1size
268318-1244222	SCO Fork Contessa Speedster 25 18 pink/white 1size
268319-1001222	SCO Fork Contessa Speedster 35 18 black/grey 1size
268320-1001222	SCO Linkage bar Spark RC 900 Comp 18 black/grey 1size
268410-9999222	SCO Tool hub/gear ring Form 21T MTB no color 1size
268411-9999222	SCO Tool hub/gear ring Form 15T road no color 1size
268412-9999222	SCO Hub rep gear ring Form 21T MTB no color 1size
268413-9999222	SCO Hub rep gear ring Form 15T road no color 1size
268473-0001222	SCO Chainguide set Genius 18 black 1size
268626-9999222	SCO Cableguide set Addict/Metrix10MF18 no color 1size
268639-9999222	SCO rack Sub Comfort Wty 18 no color 1size

SPARE PARTS 2017

Article no.	Description
252128-006	Front triangle Spark RC 700 SL 2017 S
252128-007	Front triangle Spark RC 700 SL 2017 M
252128-008	Front triangle Spark RC 700 SL 2017 L
252129-006	Front triangle Spark RC 700 Ultim 2017 S
252129-007	Front triangle Spark RC 700 Ultim 2017 M
252129-008	Front triangle Spark RC 700 Ultim 2017 L
252130-006	Front triangle Spark RC 700 W/C 2017 S
252130-007	Front triangle Spark RC 700 W/C 2017 M
252130-008	Front triangle Spark RC 700 W/C 2017 L
252131-006	Front triangle Spark RC 700 Pro 2017 S
252131-007	Front triangle Spark RC 700 Pro 2017 M
252131-008	Front triangle Spark RC 700 Pro 2017 L
252132-006	Front triangle Spark 700 Ultimate 2017 S
252132-007	Front triangle Spark 700 Ultimate 2017 M
252132-008	Front triangle Spark 700 Ultimate 2017 L
252133-006	Front triangle Spark 700 Premium 2017 S
252133-007	Front triangle Spark 700 Premium 2017 M
252133-008	Front triangle Spark 700 Premium 2017 L
252134-006	Front triangle Spark 700 2017 S
252134-007	Front triangle Spark 700 2017 M
252134-008	Front triangle Spark 700 2017 L
252135-006	Front triangle Spark 710 2017 S
252135-007	Front triangle Spark 710 2017 M
252135-008	Front triangle Spark 710 2017 L
252136-006	Front triangle Spark 720 2017 S
252136-007	Front triangle Spark 720 2017 M
252136-008	Front triangle Spark 720 2017 L
252137-006	Front triangle Spark 730 2017 S
252137-007	Front triangle Spark 730 2017 M
252137-008	Front triangle Spark 730 2017 L
252138-006	Front triangle Spark RC 900 SL 2017 S
252138-007	Front triangle Spark RC 900 SL 2017 M
252138-008	Front triangle Spark RC 900 SL 2017 L
252138-009	Front triangle Spark RC 900 SL 2017 XL
252139-006	Front triangle Spark RC 900 Ultim 2017 S
252139-007	Front triangle Spark RC 900 Ultim 2017 M
252139-008	Front triangle Spark RC 900 Ultim 2017 L
252139-009	Front triangle Spark RC 900 Ultim 2017 XL
252140-006	Front triangle Spark RC 900 W/C 2017 S
252140-007	Front triangle Spark RC 900 W/C 2017 M
252140-008	Front triangle Spark RC 900 W/C 2017 L
252140-009	Front triangle Spark RC 900 W/C 2017 XL
252141-006	Front triangle Spark RC 900 Pro 2017 S
252141-007	Front triangle Spark RC 900 Pro 2017 M
252141-008	Front triangle Spark RC 900 Pro 2017 L
252141-009	Front triangle Spark RC 900 Pro 2017 XL
252142-006	Front triangle Spark 900 Ultimate 2017 S
252142-007	Front triangle Spark 900 Ultimate 2017 M
252142-008	Front triangle Spark 900 Ultimate 2017 L
252142-009	Front triangle Spark 900 Ultimate 2017 XL
252143-006	Front triangle Spark 900 Premium 2017 S
252143-007	Front triangle Spark 900 Premium 2017 M
252143-008	Front triangle Spark 900 Premium 2017 L
252143-009	Front triangle Spark 900 Premium 2017 XL
252144-006	Front triangle Spark 900 2017 S
252144-007	Front triangle Spark 900 2017 M
252144-008	Front triangle Spark 900 2017 L
252144-009	Front triangle Spark 900 2017 XL
252145-006	Front triangle Spark 910 2017 S
252145-007	Front triangle Spark 910 2017 M
252145-008	Front triangle Spark 910 2017 L
252145-009	Front triangle Spark 910 2017 XL
252146-006	Front triangle Spark 920 2017 S

Article no.	Description
252146-007	Front triangle Spark 920 2017 M
252146-008	Front triangle Spark 920 2017 L
252146-009	Front triangle Spark 920 2017 XL
252147-006	Front triangle Spark 930 2017 S
252147-007	Front triangle Spark 930 2017 M
252147-008	Front triangle Spark 930 2017 L
252147-009	Front triangle Spark 930 2017 XL
252148-006	Front triangle Spark 700 + Tuned 2017 S
252148-007	Front triangle Spark 700 + Tuned 2017 M
252148-008	Front triangle Spark 700 + Tuned 2017 L
252148-009	Front triangle Spark 700 + Tuned 2017 XL
252149-006	Front triangle Spark 710 PLUS 2017 S
252149-007	Front triangle Spark 710 PLUS 2017 M
252149-008	Front triangle Spark 710 PLUS 2017 L
252149-009	Front triangle Spark 710 PLUS 2017 XL
252150-006	Front triangle Spark 720 PLUS 2017 S
252150-007	Front triangle Spark 720 PLUS 2017 M
252150-008	Front triangle Spark 720 PLUS 2017 L
252150-009	Front triangle Spark 720 PLUS 2017 XL
252151-006	Front triangle Spark 730 PLUS 2017 S
252151-007	Front triangle Spark 730 PLUS 2017 M
252151-008	Front triangle Spark 730 PLUS 2017 L
252151-009	Front triangle Spark 730 PLUS 2017 XL
252152-006	Front triangle Genius 700 Premium 2017 S
252152-007	Front triangle Genius 700 Premium 2017 M
252152-008	Front triangle Genius 700 Premium 2017 L
252152-009	Front triangle Genius 700 Premium 2017 XL
252153-006	Front triangle Genius 710 2017 S
252153-007	Front triangle Genius 710 2017 M
252153-008	Front triangle Genius 710 2017 L
252153-009	Front triangle Genius 710 2017 XL
252154-006	Front triangle Genius 720 2017 S
252154-007	Front triangle Genius 720 2017 M
252154-008	Front triangle Genius 720 2017 L
252154-009	Front triangle Genius 720 2017 XL
252155-006	Front triangle Genius 920 2017 S
252155-007	Front triangle Genius 920 2017 M
252155-008	Front triangle Genius 920 2017 L
252155-009	Front triangle Genius 920 2017 XL
252156-006	Front triangle Genius 940 2017 S
252156-007	Front triangle Genius 940 2017 M
252156-008	Front triangle Genius 940 2017 L
252156-009	Front triangle Genius 940 2017 XL
252157-006	Front triangle Genius 700 + Tuned 2017 S
252157-007	Front triangle Genius 700 + Tuned 2017 M
252157-008	Front triangle Genius 700 + Tuned 2017 L
252157-009	Front triangle Genius 700 + Tuned 2017 XL
252158-006	Front triangle Genius 710 PLUS 2017 S
252158-007	Front triangle Genius 710 PLUS 2017 M
252158-008	Front triangle Genius 710 PLUS 2017 L
252158-009	Front triangle Genius 710 PLUS 2017 XL
252159-006	Front triangle Genius 720 PLUS 2017 S
252159-007	Front triangle Genius 720 PLUS 2017 M
252159-008	Front triangle Genius 720 PLUS 2017 L
252159-009	Front triangle Genius 720 PLUS 2017 XL
252160-006	Front triangle Genius LT700+ Tuned 2017 S
252160-007	Front triangle Genius LT700+ Tuned 2017 M
252160-008	Front triangle Genius LT700+ Tuned 2017 L
252161-006	Front triangle Genius LT 710 PLUS 2017 S
252161-007	Front triangle Genius LT 710 PLUS 2017 M
252161-008	Front triangle Genius LT 710 PLUS 2017 L
252162-006	Front triangle Genius LT 720 PLUS 2017 S
252162-007	Front triangle Genius LT 720 PLUS 2017 M

SPARE PARTS 2017

Article no.	Description
252162-008	Front triangle Genius LT 720 PLUS 2017 L
252163-006	Front triangle Gambler 710 2017 S
252163-007	Front triangle Gambler 710 2017 M
252163-008	Front triangle Gambler 710 2017 L
252164-006	Front triangle Gambler 720 2017 S
252164-007	Front triangle Gambler 720 2017 M
252164-008	Front triangle Gambler 720 2017 L
252165-006	Front triangle Gambler 730 2017 S
252165-007	Front triangle Gambler 730 2017 M
252165-008	Front triangle Gambler 730 2017 L
252166-006	Front triangle Voltage FR 710 2017 S
252166-007	Front triangle Voltage FR 710 2017 M
252166-008	Front triangle Voltage FR 710 2017 L
252167-006	Front triangle Voltage FR 720 2017 S
252167-007	Front triangle Voltage FR 720 2017 M
252167-008	Front triangle Voltage FR 720 2017 L
252168-006	Front triangle Voltage FR 730 2017 S
252168-007	Front triangle Voltage FR 730 2017 M
252168-008	Front triangle Voltage FR 730 2017 L
252169-006	Front triangle Contessa Spark RC700 17 S
252169-007	Front triangle Contessa Spark RC700 17 M
252169-008	Front triangle Contessa Spark RC700 17 L
252170-006	Front triangle Contessa Spark 700 2017 S
252170-007	Front triangle Contessa Spark 700 2017 M
252170-008	Front triangle Contessa Spark 700 2017 L
252171-006	Front triangle Contessa Spark 710 2017 S
252171-007	Front triangle Contessa Spark 710 2017 M
252171-008	Front triangle Contessa Spark 710 2017 L
252172-006	Front triangle Contessa Spark 710+ 2017 S
252172-007	Front triangle Contessa Spark 710+ 2017 M
252172-008	Front triangle Contessa Spark 710+ 2017 L
252173-006	Front triangle Contessa Spark 720+ 2017 S
252173-007	Front triangle Contessa Spark 720+ 2017 M
252173-008	Front triangle Contessa Spark 720+ 2017 L
252174-006	Front triangle Contessa Genius 700 2017 S
252174-007	Front triangle Contessa Genius 700 2017 M
252174-008	Front triangle Contessa Genius 700 2017 L
252175-006	Front triangle Contessa Genius 710 2017 S
252175-007	Front triangle Contessa Genius 710 2017 M
252175-008	Front triangle Contessa Genius 710 2017 L
252176-006	Front triangle Contessa Genius 710+ 2017 S
252176-007	Front triangle Contessa Genius 710+ 2017 M
252176-008	Front triangle Contessa Genius 710+ 2017 L
252177-006	Front triangle E-Genius 910 BO 2017 S
252177-007	Front triangle E-Genius 910 BO 2017 M
252177-008	Front triangle E-Genius 910 BO 2017 L
252177-009	Front triangle E-Genius 910 BO 2017 XL
252178-006	Front triangle E-Genius 920 BO 2017 S
252178-007	Front triangle E-Genius 920 BO 2017 M
252178-008	Front triangle E-Genius 920 BO 2017 L
252178-009	Front triangle E-Genius 920 BO 2017 XL
252179-006	Front triangle E-Genius 700 Tuned+ BO 17 S
252179-007	Front triangle E-Genius 700 Tuned+ BO 17 M
252179-008	Front triangle E-Genius 700 Tuned+ BO 17 L
252179-009	Front triangle E-Genius 700 Tuned+ BO 17 XL
252180-006	Front triangle E-Genius 710+ BO 2017 S
252180-007	Front triangle E-Genius 710+ BO 2017 M
252180-008	Front triangle E-Genius 710+ BO 2017 L
252180-009	Front triangle E-Genius 710+ BO 2017 XL
252181-006	Front triangle E-Genius 720+ BO 2017 S
252181-007	Front triangle E-Genius 720+ BO 2017 M
252181-008	Front triangle E-Genius 720+ BO 2017 L
252181-009	Front triangle E-Genius 720+ BO 2017 XL

Article no.	Description
252182-006	Front triangle E-Genius Cont 720+ BO '17 S
252182-007	Front triangle E-Genius Cont 720+ BO '17 M
252182-008	Front triangle E-Genius Cont 720+ BO '17 L
252183-006	Front triangle E-Spark 700+ tuned SH '17 S
252183-007	Front triangle E-Spark 700+ tuned SH '17 M
252183-008	Front triangle E-Spark 700+ tuned SH '17 L
252184-006	Front triangle E-Spark 710+ 2017 SH S
252184-007	Front triangle E-Spark 710+ 2017 SH M
252184-008	Front triangle E-Spark 710+ 2017 SH L
252186-006	Front triangle E-cont spark 710+ SH 2017 S
252186-007	Front triangle E-cont spark 710+ SH 2017 M
252186-008	Front triangle E-cont spark 710+ SH 2017 L
252187-005	Frame Aspect 700 2017 warr XS
252187-006	Frame Aspect 700 2017 warr S
252187-007	Frame Aspect 700 2017 warr M
252187-008	Frame Aspect 700 2017 warr L
252187-009	Frame Aspect 700 2017 warr XL
252188-005	Frame Aspect 780 V/Disc brake 17 Warr XS
252188-006	Frame Aspect 780 V/Disc brake 17 Warr S
252188-007	Frame Aspect 780 V/Disc brake 17 Warr M
252188-008	Frame Aspect 780 V/Disc brake 17 Warr L
252188-009	Frame Aspect 780 V/Disc brake 17 Warr XL
252189-006	Frame Aspect 900 2017 warr S
252189-007	Frame Aspect 900 2017 warr M
252189-008	Frame Aspect 900 2017 warr L
252189-009	Frame Aspect 900 2017 warr XL
252189-010	Frame Aspect 900 2017 warr XXL
252190-006	Frame Aspect 980 V/Disc brake 17 warr S
252190-007	Frame Aspect 980 V/Disc brake 17 warr M
252190-008	Frame Aspect 980 V/Disc brake 17 warr L
252190-009	Frame Aspect 980 V/Disc brake 17 warr XL
252190-010	Frame Aspect 980 V/Disc brake 17 warr XXL
252191-005	Frame Aspect 670 V/Disc 2017 warr XS
252191-006	Frame Aspect 670 V/Disc 2017 warr S
252191-007	Frame Aspect 670 V/Disc 2017 warr M
252191-008	Frame Aspect 670 V/Disc 2017 warr L
252191-009	Frame Aspect 670 V/Disc 2017 warr XL
252192-006	Frame Contessa Scale RC 700 17 warr S
252192-007	Frame Contessa Scale RC 700 17 warr M
252192-008	Frame Contessa Scale RC 700 17 warr L
252193-006	Frame Contessa Scale 700 17 warranty S
252193-007	Frame Contessa Scale 700 17 warranty M
252193-008	Frame Contessa Scale 700 17 warranty L
252194-005	Frame Contessa Scale 710 17 warranty XS
252194-006	Frame Contessa Scale 710 17 warranty S
252194-007	Frame Contessa Scale 710 17 warranty M
252194-008	Frame Contessa Scale 710 17 warranty L
252195-005	Frame Contessa Scale 720 17 warranty XS
252195-006	Frame Contessa Scale 720 17 warranty S
252195-007	Frame Contessa Scale 720 17 warranty M
252195-008	Frame Contessa Scale 720 17 warranty L
252196-006	Frame Contessa Scale 900 17 warranty S
252196-007	Frame Contessa Scale 900 17 warranty M
252196-008	Frame Contessa Scale 900 17 warranty L
252197-006	Frame Contessa Scale 910 17 warranty S
252197-007	Frame Contessa Scale 910 17 warranty M
252197-008	Frame Contessa Scale 910 17 warranty L
252198-006	Frame Contessa Scale 710+ 17 warranty S
252198-007	Frame Contessa Scale 710+ 17 warranty M
252198-008	Frame Contessa Scale 710+ 17 warranty L
252199-006	Frame Scale 700 RC Ultimate 17 warranty S
252199-007	Frame Scale 700 RC Ultimate 17 warranty M
252199-008	Frame Scale 700 RC Ultimate 17 warranty L

SPARE PARTS 2017

Article no.	Description
252200-006	Frame Scale 700 RC pro 17 warranty S
252200-007	Frame Scale 700 RC pro 17 warranty M
252200-008	Frame Scale 700 RC pro 17 warranty L
252201-006	Frame Scale 700 2017 warranty S
252201-007	Frame Scale 700 2017 warranty M
252201-008	Frame Scale 700 2017 warranty L
252202-006	Frame Scale 730 2017 warranty S
252202-007	Frame Scale 730 2017 warranty M
252202-008	Frame Scale 730 2017 warranty L
252203-005	Frame Scale 740 2017 warranty XS
252203-006	Frame Scale 740 2017 warranty S
252203-007	Frame Scale 740 2017 warranty M
252203-008	Frame Scale 740 2017 warranty L
252203-009	Frame Scale 740 2017 warranty XL
252204-006	Frame Scale 900 RC Ultimate 17 warranty S
252204-007	Frame Scale 900 RC Ultimate 17 warranty M
252204-008	Frame Scale 900 RC Ultimate 17 warranty L
252204-009	Frame Scale 900 RC Ultimate 17 warranty XL
252205-006	Frame Scale 900 RC pro 17 warranty S
252205-007	Frame Scale 900 RC pro 17 warranty M
252205-008	Frame Scale 900 RC pro 17 warranty L
252205-009	Frame Scale 900 RC pro 17 warranty XL
252206-006	Frame Scale 900 2017 warranty S
252206-007	Frame Scale 900 2017 warranty M
252206-008	Frame Scale 900 2017 warranty L
252206-009	Frame Scale 900 2017 warranty XL
252207-006	Frame Scale 930 2017 warranty S
252207-007	Frame Scale 930 2017 warranty M
252207-008	Frame Scale 930 2017 warranty L
252207-009	Frame Scale 930 2017 warranty XL
252208-006	Frame Scale 940 2017 warranty S
252208-007	Frame Scale 940 2017 warranty M
252208-008	Frame Scale 940 2017 warranty L
252208-009	Frame Scale 940 2017 warranty XL
252208-010	Frame Scale 940 2017 warranty XXL
252209-006	Frame Scale 710 plus 2017 warranty S
252209-007	Frame Scale 710 plus 2017 warranty M
252209-008	Frame Scale 710 plus 2017 warranty L
252209-009	Frame Scale 710 plus 2017 warranty XL
252210-006	Frame Big Jon 2017 warranty S
252210-007	Frame Big Jon 2017 warranty M
252210-008	Frame Big Jon 2017 warranty L
252210-009	Frame Big Jon 2017 warranty XL
252211-006	Frame Spark 740 2017 warranty S
252211-007	Frame Spark 740 2017 warranty M
252211-008	Frame Spark 740 2017 warranty L
252212-006	Frame Spark 940 2017 warranty S
252212-007	Frame Spark 940 2017 warranty M
252212-008	Frame Spark 940 2017 warranty L
252212-009	Frame Spark 940 2017 warranty XL
252213-006	Frame Genius 730 2017 warranty S
252213-007	Frame Genius 730 2017 warranty M
252213-008	Frame Genius 730 2017 warranty L
252213-009	Frame Genius 730 2017 warranty XL
252214-222	Frame Voltage YZ 0.1 2017 warr 1size
252215-005	Frame Voltage YZ 10 2017 warr XS
252215-006	Frame Voltage YZ 10 2017 warr S
252215-007	Frame Voltage YZ 10 2017 warr M
252215-008	Frame Voltage YZ 10 2017 warr L
252216-005	Frame Contessa 710 2017 warr XS
252216-006	Frame Contessa 710 2017 warr S
252216-007	Frame Contessa 710 2017 warr M
252216-008	Frame Contessa 710 2017 warr L

Article no.	Description
252217-006	Frame E-Scale 910 BO 2017 warr S
252217-007	Frame E-Scale 910 BO 2017 warr M
252217-008	Frame E-Scale 910 BO 2017 warr L
252217-009	Frame E-Scale 910 BO 2017 warr XL
252218-006	Frame E-Scale 710 BO 2017 warr S
252218-007	Frame E-Scale 710 BO 2017 warr M
252218-008	Frame E-Scale 710 BO 2017 warr L
252219-006	Frame E-Scale 700+ ult BO 2017 warr S
252219-007	Frame E-Scale 700+ ult BO 2017 warr M
252219-008	Frame E-Scale 700+ ult BO 2017 warr L
252219-009	Frame E-Scale 700+ ult BO 2017 warr XL
252220-006	Frame E-Contessa Scale 720+ BO 17 warr S
252220-007	Frame E-Contessa Scale 720+ BO 17 warr M
252220-008	Frame E-Contessa Scale 720+ BO 17 warr L
252221-006	Frame E-Contessa Scale 730 BO 17 warr S
252221-007	Frame E-Contessa Scale 730 BO 17 warr M
252221-008	Frame E-Contessa Scale 730 BO 17 warr L
252222-006	Frame E-Aspect 710 BR 2017 warr S
252222-007	Frame E-Aspect 710 BR 2017 warr M
252222-008	Frame E-Aspect 710 BR 2017 warr L
252223-007	Frame E-Aspect 910 BR 2017 warr M
252223-008	Frame E-Aspect 910 BR 2017 warr L
252223-009	Frame E-Aspect 910 BR 2017 warr XL
252224-222	Frame Scale JR 26 2017 warr 1size
252225-222	Frame Contessa JR 26 2017 warr 1size
252226-222	Swingarm Spark RC 700 SL 2017 1size
252227-222	Swingarm Spark RC 700 Ultim 2017 1size
252228-222	Swingarm Spark RC 700 W/C 2017 1size
252229-222	Swingarm Spark RC 700 Pro 2017 1size
252230-222	Swingarm Spark 700 Ultimate 2017 1size
252231-222	Swingarm Spark 700 Premium 2017 1size
252232-222	Swingarm Spark 700 2017 1size
252233-222	Swingarm Spark 710 2017 1size
252234-222	Swingarm Spark 720/750 2017 1size
252235-222	Swingarm Spark 730 2017 1size
252236-222	Swingarm Spark RC 900 SL 2017 1size
252237-222	Swingarm Spark RC 900 Ultim 2017 1size
252238-222	Swingarm Spark RC 900 W/C 2017 1size
252239-222	Swingarm Spark RC 900 Pro 2017 1size
252240-222	Swingarm Spark 900 Ultimate 2017 1size
252241-222	Swingarm Spark 900 Premium 2017 1size
252242-222	Swingarm Spark 900 2017 1size
252243-222	Swingarm Spark 910 2017 1size
252244-222	Swingarm Spark 920/950 2017 1size
252245-222	Swingarm Spark 930 2017 1size
252246-222	Swingarm Spark 700 PLUS Tuned 2017 1size
252247-222	Swingarm Spark 710 PLUS 2017 1size
252248-222	Swingarm Spark 720 PLUS 2017 1size
252249-222	Swingarm Spark 730 PLUS 2017 1size
252250-222	Chainstays Genius 700 Premium 2017 1size
252251-222	Chainstays Genius 710 2017 1size
252252-222	Chainstays Genius 720 2017 1size
252253-222	Chainstays Genius 920 2017 1size
252254-222	Chainstays Genius 940 2017 1size
252255-222	Chainstays Genius 700 PLUS Tuned 2017 1size
252256-222	Chainstays Genius 710 PLUS 2017 1size
252257-222	Chainstays Genius 720 PLUS 2017 1size
252258-222	Chainstays Genius LT 700 + Tuned 2017 1size
252259-222	Chainstays Genius LT 710 PLUS 2017 1size
252260-222	Chainstays Genius LT 720 PLUS 2017 1size
252261-222	Swingarm Gambler 710 2017 1size
252262-222	Swingarm Gambler 720 2017 1size
252263-222	Swingarm Gambler 730 2017 1size

SPARE PARTS 2017

Article no.	Description
252264-222	Chainstays Voltage FR 710 2017 1size
252265-222	Chainstays Voltage FR 720 2017 1size
252266-222	Chainstays Voltage FR 730 2017 1size
252267-222	Chainstays Contessa Genius 700 2017 1size
252268-222	Chainstays Contessa Genius 710 2017 1size
252269-222	Chainstays Contessa Genius 710 + 2017 1size
252270-222	Chainstays E-Genius 910 2017 1size
252271-222	Chainstays E-Genius 920 2017 1size
252272-222	Chainstays E-Genius 700 TND+ 2017 1size
252273-222	Chainstays E-Genius 710+ 2017 1size
252274-222	Chainstays E-Genius 720+ 2017 1size
252275-222	Chainstays E-Genius Cont 720+ 2017 1size
252276-222	Swingarm E-Spark 700+ tuned 2017 1size
252277-222	Swingarm E-Spark 710+ 2017 1size
252278-222	Chainstays E-Cont Spark 710+ 2017
252279-082	Seatstays Genius 700 Premium 2017 S/M
252279-083	Seatstays Genius 700 Premium 2017 L/XL
252280-082	Seatstays Genius 710 2017 S/M
252280-083	Seatstays Genius 710 2017 L/XL
252281-082	Seatstays Genius 720 2017 S/M
252281-083	Seatstays Genius 720 2017 L/XL
252282-082	Seatstays Genius 920 2017 S/M
252282-083	Seatstays Genius 920 2017 L/XL
252283-082	Seatstays Genius 940 2017 S/M
252283-083	Seatstays Genius 940 2017 L/XL
252284-082	Seatstays Genius 700 PLUS Tuned 2017 S/M
252284-083	Seatstays Genius 700 PLUS Tuned 2017 L/XL
252285-082	Seatstays Genius 710 PLUS 2017 S/M
252285-083	Seatstays Genius 710 PLUS 2017 L/XL
252286-082	Seatstays Genius 720 PLUS 2017 S/M
252286-083	Seatstays Genius 720 PLUS 2017 L/XL
252287-222	Seatstays Genius LT 700 + Tuned 2017 1size
252288-222	Seatstays Genius LT 710 PLUS 2017 1size
252289-222	Seatstays Genius LT 720 PLUS 2017 1size
252290-082	Seatstasy Contessa Genius 700 2017 S/M
252290-083	Seatstasy Contessa Genius 700 2017 L/XL
252291-082	Seatstays Contessa Genius 710 2017 S/M
252291-083	Seatstays Contessa Genius 710 2017 L/XL
252292-222	Seatstays Contessa Genius 710 + 2017 1size
252293-222	Seatstays Voltage FR 710 2017 1size
252294-222	Seatstays Voltage FR 720 2017 1size
252295-222	Seatstays Voltage FR 730 2017 1size
252296-222	Seatstays E-Genius 910 2017 1size
252297-222	Seatstays E-Genius 920 2017 1size
252298-222	Seatstays E-Genius 700 Tuned+ 2017 1size
252299-222	Seatstays E-Genius 710+ 2017 1size
252300-222	Seatstays E-Genius 720+ 2017 1size
252301-222	Seatstays E-Genius Cont 720+ 2017 1size
252302-006	Frame SUB Cross 10 Man 2017 S
252302-007	Frame SUB Cross 10 Man 2017 M
252302-008	Frame SUB Cross 10 Man 2017 L
252302-009	Frame SUB Cross 10 Man 2017 XL
252302-010	Frame SUB Cross 10 Man 2017 XXL
252303-006	Frame SUB Cross 20 Lady 2017 S
252303-007	Frame SUB Cross 20 Lady 2017 M
252303-008	Frame SUB Cross 20 Lady 2017 L
252303-009	Frame SUB Cross 20 Lady 2017 XL
252304-006	Frame SUB Sport 10 Man 2017 S
252304-007	Frame SUB Sport 10 Man 2017 M
252304-008	Frame SUB Sport 10 Man 2017 L
252304-009	Frame SUB Sport 10 Man 2017 XL
252305-006	Frame SUB Sport 10 Lady 2017 S
252305-007	Frame SUB Sport 10 Lady 2017 M
252305-008	Frame SUB Sport 10 Lady 2017 L
252306-006	Frame SUB Comfort 10 Man 2017 S
252306-007	Frame SUB Comfort 10 Man 2017 M
252306-008	Frame SUB Comfort 10 Man 2017 L
252306-009	Frame SUB Comfort 10 Man 2017 XL
252307-006	Frame SUB Comfort 10 Unisex 2017 S
252307-007	Frame SUB Comfort 10 Unisex 2017 M
252307-008	Frame SUB Comfort 10 Unisex 2017 L
252308-006	Frame E-SUB 10 Sport Man 2017 S
252308-007	Frame E-SUB 10 Sport Man 2017 M
252308-008	Frame E-SUB 10 Sport Man 2017 L
252308-009	Frame E-SUB 10 Sport Man 2017 XL
252309-006	Frame E-SUB 10 Sport Lady 2017 S
252309-007	Frame E-SUB 10 Sport Lady 2017 M
252309-008	Frame E-SUB 10 Sport Lady 2017 L
252310-006	Frame E-SUB Tour Unisex 2017 S
252310-007	Frame E-SUB Tour Unisex 2017 M
252310-008	Frame E-SUB Tour Unisex 2017 L
252311-006	Frame E-SUB Active S
252311-007	Frame E-SUB Active M
252311-008	Frame E-SUB Active L
252312-006	Frameset E-Silence EVO 2017 warr S
252312-007	Frameset E-Silence EVO 2017 warr M
252312-008	Frameset E-Silence EVO 2017 warr L
252312-009	Frameset E-Silence EVO 2017 warr XL
252313-006	Frame E-Silence 10 2017 S
252313-007	Frame E-Silence 10 2017 M
252313-008	Frame E-Silence 10 2017 L
252313-009	Frame E-Silence 10 2017 XL
252314-006	Frameset Silence EVO 2017 warr S
252314-007	Frameset Silence EVO 2017 warr M
252314-008	Frameset Silence EVO 2017 warr L
252314-009	Frameset Silence EVO 2017 warr XL
252315-006	Frameset Silence 10 Man 2017 warr S
252315-007	Frameset Silence 10 Man 2017 warr M
252315-008	Frameset Silence 10 Man 2017 warr L
252315-009	Frameset Silence 10 Man 2017 warr XL
252316-006	Frameset Silence 10 Lady 2017 warr S
252316-007	Frameset Silence 10 Lady 2017 warr M
252316-008	Frameset Silence 10 Lady 2017 warr L
252317-020	Frameset speedster CX10 Disc 2017 warr XS49
252317-021	Frameset speedster CX10 Disc 2017 warr S52
252317-022	Frameset speedster CX10 Disc 2017 warr M54
252317-023	Frameset speedster CX10 Disc 2017 warr L56
252317-024	Frameset speedster CX10 Disc 2017 warr XL58
252318-020	Frameset Speedster Gravel 10 2017 warr XS49
252318-021	Frameset Speedster Gravel 10 2017 warr S52
252318-022	Frameset Speedster Gravel 10 2017 warr M54
252318-023	Frameset Speedster Gravel 10 2017 warr L56
252318-024	Frameset Speedster Gravel 10 2017 warr XL58
252319-019	Frameset speedster 10 2017 warr XXS47
252319-020	Frameset speedster 10 2017 warr XS49
252319-021	Frameset speedster 10 2017 warr S52
252319-022	Frameset speedster 10 2017 warr M54
252319-023	Frameset speedster 10 2017 warr L56
252319-024	Frameset speedster 10 2017 warr XL58
252319-025	Frameset speedster 10 2017 warr 2XL61
252320-020	Frameset speedster 10 Disc 2017 warr XS49
252320-021	Frameset speedster 10 Disc 2017 warr S52
252320-022	Frameset speedster 10 Disc 2017 warr M54
252320-023	Frameset speedster 10 Disc 2017 warr L56
252320-024	Frameset speedster 10 Disc 2017 warr XL58
252321-014	Frameset Contessa Speedster 15 17 warr XXS46

SPARE PARTS 2017

Article no.	Description
252321-015	Frameset Contessa Speedster 15 17 warr XS48
252321-016	Frameset Contessa Speedster 15 17 warr S51
252321-017	Frameset Contessa Speedster 15 17 warr M53
252321-018	Frameset Contessa Speedster 15 17 warr L55
252322-016	Frameset Plasma Premium 2017 warr S51
252322-022	Frameset Plasma Premium 2017 warr M54
252322-027	Frameset Plasma Premium 2017 warr L57
252322-028	Frameset Plasma Premium 2017 warr XL60
252323-016	Frameset Plasma 10 2017 warranty S51
252323-022	Frameset Plasma 10 2017 warranty M54
252323-027	Frameset Plasma 10 2017 warranty L57
252323-028	Frameset Plasma 10 2017 warranty XL60
252324-019	Frameset Addict - SL HMX-SL 2017 warr XXS47
252324-020	Frameset Addict - SL HMX-SL 2017 warr XS49
252324-021	Frameset Addict - SL HMX-SL 2017 warr S52
252324-022	Frameset Addict - SL HMX-SL 2017 warr M54
252324-023	Frameset Addict - SL HMX-SL 2017 warr L56
252324-024	Frameset Addict - SL HMX-SL 2017 warr XL58
252324-025	Frameset Addict - SL HMX-SL 2017 warr 2XL61
252325-020	Frameset Addict Gravel 10 Disc 2017 warr XS49
252325-021	Frameset Addict Gravel 10 Disc 2017 warr S52
252325-022	Frameset Addict Gravel 10 Disc 2017 warr M54
252325-023	Frameset Addict Gravel 10 Disc 2017 warr L56
252325-024	Frameset Addict Gravel 10 Disc 2017 warr XL58
252326-019	Frameset Solace Premium Disc 2017 warr XXS47
252326-020	Frameset Solace Premium Disc 2017 warr XS49
252326-021	Frameset Solace Premium Disc 2017 warr S52
252326-022	Frameset Solace Premium Disc 2017 warr M54
252326-023	Frameset Solace Premium Disc 2017 warr L56
252326-024	Frameset Solace Premium Disc 2017 warr XL58
252326-025	Frameset Solace Premium Disc 2017 warr 2XL61
252327-019	Frameset Solace 10 Disc 2017 warr XXS47
252327-020	Frameset Solace 10 Disc 2017 warr XS49
252327-021	Frameset Solace 10 Disc 2017 warr S52
252327-022	Frameset Solace 10 Disc 2017 warr M54
252327-023	Frameset Solace 10 Disc 2017 warr L56
252327-024	Frameset Solace 10 Disc 2017 warr XL58
252327-025	Frameset Solace 10 Disc 2017 warr 2XL61
252328-019	Frameset Solace 10 2017 warr XXS47
252328-020	Frameset Solace 10 2017 warr XS49
252328-021	Frameset Solace 10 2017 warr S52
252328-022	Frameset Solace 10 2017 warr M54
252328-023	Frameset Solace 10 2017 warr L56
252328-024	Frameset Solace 10 2017 warr XL58
252328-025	Frameset Solace 10 2017 warr 2XL61
252329-019	Frameset CR1 10 2017 warr XXS47
252329-020	Frameset CR1 10 2017 warr XS49
252329-021	Frameset CR1 10 2017 warr S52
252329-022	Frameset CR1 10 2017 warr M54
252329-023	Frameset CR1 10 2017 warr L56
252329-024	Frameset CR1 10 2017 warr XL58
252329-025	Frameset CR1 10 2017 warr 2XL61
252330-020	Frameset Addict CX 20 Disc 17 warr XS49
252330-021	Frameset Addict CX 20 Disc 17 warr S52
252330-022	Frameset Addict CX 20 Disc 17 warr M54
252330-023	Frameset Addict CX 20 Disc 17 warr L56
252330-024	Frameset Addict CX 20 Disc 17 warr XL58
252331-014	Frameset Contessa SOLACE 15 DISC 17 warr XXS46
252331-015	Frameset Contessa SOLACE 15 DISC 17 warr XS48
252331-016	Frameset Contessa SOLACE 15 DISC 17 warr S51
252331-017	Frameset Contessa SOLACE 15 DISC 17 warr M53
252331-018	Frameset Contessa SOLACE 15 DISC 17 warr L55
252332-014	Frameset Contessa SOLACE 35 2017 warr XXS46

Article no.	Description
252332-015	Frameset Contessa SOLACE 35 2017 warr XS48
252332-016	Frameset Contessa SOLACE 35 2017 warr S51
252332-017	Frameset Contessa SOLACE 35 2017 warr M53
252332-018	Frameset Contessa SOLACE 35 2017 warr L55
252333-019	Frameset Addict 15 DI2 2017 warr XXS47
252333-020	Frameset Addict 15 DI2 2017 warr XS49
252333-021	Frameset Addict 15 DI2 2017 warr S52
252333-022	Frameset Addict 15 DI2 2017 warr M54
252333-023	Frameset Addict 15 DI2 2017 warr L56
252333-024	Frameset Addict 15 DI2 2017 warr XL58
252333-025	Frameset Addict 15 DI2 2017 warr 2XL61
252334-019	Frameset Foil premium 2017 Warranty XXS47
252334-020	Frameset Foil premium 2017 Warranty XS49
252334-021	Frameset Foil premium 2017 Warranty S52
252334-022	Frameset Foil premium 2017 Warranty M54
252334-023	Frameset Foil premium 2017 Warranty L56
252334-024	Frameset Foil premium 2017 Warranty XL58
252334-025	Frameset Foil premium 2017 Warranty 2XL61
252335-019	Frameset Foil RC 2017 Warranty BK/GRN XXS47
252335-020	Frameset Foil RC 2017 Warranty BK/GRN XS49
252335-021	Frameset Foil RC 2017 Warranty BK/GRN S52
252335-022	Frameset Foil RC 2017 Warranty BK/GRN M54
252335-023	Frameset Foil RC 2017 Warranty BK/GRN L56
252335-024	Frameset Foil RC 2017 Warranty BK/GRN XL58
252335-025	Frameset Foil RC 2017 Warranty BK/GRN 2XL61
252336-019	Frameset Foil 10 2017 warranty XXS47
252336-020	Frameset Foil 10 2017 warranty XS49
252336-021	Frameset Foil 10 2017 warranty S52
252336-022	Frameset Foil 10 2017 warranty M54
252336-023	Frameset Foil 10 2017 warranty L56
252336-024	Frameset Foil 10 2017 warranty XL58
252336-025	Frameset Foil 10 2017 warranty 2XL61
252338-222	Fork Speedster CX 10 Disc 2017 1size
252339-222	Fork Speedster CX 20 Disc 2017 1size
252340-222	Fork Speedster gravel 10 2017 1size
252341-222	Fork Speedster gravel 20 2017 1size
252342-222	Fork Speedster 10 2017 1size
252343-222	Fork Speedster 20 2017 1size
252344-222	Fork Speedster 30 2017 1size
252345-222	Fork Speedster 40 2017 1size
252346-222	Fork Speedster 50 2017 1size
252347-222	Fork Speedster 10 disc 2017 1size
252348-222	Fork Speedster 20 disc 2017 1size
252349-222	Fork Speedster 10 FB 2017 1size
252350-222	Fork Contessa Speedster 15 2017 1size
252351-222	Fork Contessa Speedster 25 2017 1size
252352-222	Fork Contessa Speedster 35 2017 1size
252353-222	Fork Contessa Speedster 45 2017 1size
252354-016	Fork Plasma Premium 2017 S51
252354-022	Fork Plasma Premium 2017 M54
252354-027	Fork Plasma Premium 2017 L57
252354-028	Fork Plasma Premium 2017 XL60
252355-016	Fork Plasma RC 2017 S51
252355-022	Fork Plasma RC 2017 M54
252355-027	Fork Plasma RC 2017 L57
252355-028	Fork Plasma RC 2017 XL60
252356-222	Fork Plasma 10 2017 1size
252357-222	Fork Plasma 20 2017 1size
252358-222	Fork Foil Premium 2017 1size
252359-222	Fork Foil RC 2017 BK/GRN 1size
252360-222	Fork Foil 10 2017 1size
252361-222	Fork Foil 20 2017 1size
252362-222	Fork Foil 30 2017 1size

SPARE PARTS 2017

Article no.	Description
252363-222	Fork Addict - SL 2017 1size
252364-222	Fork Addict Premium Disc DI2 2017 1size
252365-222	Fork Addict RC DI2 2017 BK/GRN 1size
252366-222	Fork Addict 10 2017 1size
252367-222	Fork Addict 15 DI2 2017 1size
252368-222	Fork Addict 20 Disc 2017 1size
252369-222	Fork Addict 20 2017 1size
252370-222	Fork Addict 30 Disc 2017 1size
252371-222	Fork Addict 30 2017 1size
252372-222	Fork Addict Gravel 10 Disc 2017 1size
252373-222	Fork Addict Gravel 20 Disc 2017 1size
252374-222	Fork Solace Premium DI2 Disc 2017 1size
252375-222	Fork Solace 10 Disc 2017 1size
252376-245	Fork Solace 10 2017 47-54/56-61
252376-246	Fork Solace 10 2017 56-61
252377-222	Fork Solace 20 Disc 2017 1size
252378-245	Fork Solace 20 2017 47-54/56-61
252378-246	Fork Solace 20 2017 56-61
252379-245	Fork Solace 30 2017 47-54/56-61
252379-246	Fork Solace 30 2017 56-61
252380-222	Fork Solace 30 FB Disc 2017 1size
252381-222	Fork CR1 10 2017 1size
252382-222	Fork CR1 20 2017 1size
252383-222	Fork CR1 30 2017 1size
252384-222	Fork Addict CX 10 Disc 2017 1size
252385-222	Fork Addict CX 20 Disc 2017 1size
252386-222	Fork Contessa SOLACE 15 DISC 2017 1size
252387-222	Fork Contessa SOLACE 25 DISC 2017 1size
252388-222	Fork Contessa SOLACE 35 2017 1size
252389-222	Fork E-Silence EVO 2017 1size
252390-222	Fork Silence EVO 2017 1size
252391-222	Fork E-Silence SPEED 10 2017 1size
252392-222	Fork E-Silence SPEED 20 2017 1size
252393-222	Fork Silence 10 MEN 2017 1size
252394-222	Fork Silence 10 LADY 2017 1size
252395-222	Fork Silence 20 MEN 2017 1size
252396-222	Fork Silence 20 LADY 2017 1size
252397-222	Fork Silence 30 MEN 2017 1size
252398-222	Fork Silence 30 LADY 2017 1size
252399-222	Fork Silence SPEED 10 2017 1size
252400-222	Fork Silence SPEED 20 2017 1size
252401-222	Rear Shock Spark 120mm 17 X-fusion165x45 1size
252402-222	Hub rep kit Form TC-14811 / 12x148mm
252403-222	Hub rep kit Form CT-1702 / 5x141mm 1size
252404-222	Hub rep kit Form CT-142 / 12x142mm 1size
252406-0001240	E-bike crankset FSA isis 170mm /brose black 170mm
252408-222	E-bike/Silence chainring 44T +bashguard 1size
252409-222	E-bike chainring+spider 36T Brose/Aspect 1size
252410-222	E-bike Brose motor cover 1size
252411-222	E-bike light E-Silence EVO rear 2017 1size
252412-222	E-bike light E-Silence front 1size
252413-222	E-bike light E-Silence rear 2017 1size
252414-222	E-bike light E-Silence EVO front 2017 1size
252415-0001047	Rim Alex X-35 27.5 plus 32H black 27.5"
252416-0001047	Rim Alex X-25 27.5 32H black 27.5"
252417-0001049	Rim Alex X-25 29 32H black 29"
252418-0001047	Rim Syncros J19S disc 27.5 32H black 27.5"
252419-0001049	Rim Syncros J19S disc 29 32H black 29"
252420-141	Seatpost E-Silence 316
252421-154	Seatpost Foil 10 warranty only 2017 5mm
252421-156	Seatpost Foil 10 warranty only 2017 20mm
252422-154	Seatpost Foil premium Warranty 2017 5mm
252422-156	Seatpost Foil premium Warranty 2017 20mm

Article no.	Description
252423-154	Seatpost Foil RC Warranty 2017 5mm
252423-156	Seatpost Foil RC Warranty 2017 20mm
252424-154	Seatpost Foil 20 Warranty 2017 5mm
252424-156	Seatpost Foil 20 Warranty 2017 20mm
252425-154	Seatpost Foil 30 Warranty 2017 5mm
252425-156	Seatpost Foil 30 Warranty 2017 20mm
252439-222	Light Silence front stem mount 2017 1size
252440-222	Light Silence rear post mount 2017 1size
252441-255	Stem E/Silence adj. w/o light 2017 brwn met flk
252442-255	Stem Silence fix w/o light 2017 brwn met flk
252467-0001006	Front triangle E-Spark 720 + SH 2017 black S
252467-0001007	Front triangle E-Spark 720 + SH 2017 black M
252467-0001008	Front triangle E-Spark 720 + SH 2017 black L
252468-006	Front triangle E-Genius 730 + BO 2017 S
252468-007	Front triangle E-Genius 730 + BO 2017 M
252468-008	Front triangle E-Genius 730 + BO 2017 L
252469-005	Frame Aspect 710 green 2017 warranty XS
252469-006	Frame Aspect 710 green 2017 warranty S
252469-007	Frame Aspect 710 green 2017 warranty M
252469-008	Frame Aspect 710 green 2017 warranty L
252469-009	Frame Aspect 710 green 2017 warranty XL
252470-006	Frame Aspect 910 green 2017 warranty S
252470-007	Frame Aspect 910 green 2017 warranty M
252470-008	Frame Aspect 910 green 2017 warranty L
252470-009	Frame Aspect 910 green 2017 warranty XL
252470-010	Frame Aspect 910 green 2017 warranty XXL
252471-006	Frame Contessa Scale 920 17 warr S
252471-007	Frame Contessa Scale 920 17 warr M
252471-008	Frame Contessa Scale 920 17 warr L
252472-222	Frame Scale JR RC 24 disc 17 warr 1size
252473-222	Frame Scale JR + 24 2017 warr 1size
252474-222	Swingarm E-Spark 720 + 2017 1size
252475-0001222	Chainstays E-Genius 730 + 2017 black 1size
252476-0001222	Seatstays E-Genius 730 + 2017 black 1size
252477-019	Frameset Addict 10 2017 Warranty XXS47
252477-020	Frameset Addict 10 2017 Warranty XS49
252477-021	Frameset Addict 10 2017 Warranty S52
252477-022	Frameset Addict 10 2017 Warranty M54
252477-023	Frameset Addict 10 2017 Warranty L56
252477-024	Frameset Addict 10 2017 Warranty XL58
252477-025	Frameset Addict 10 2017 Warranty 2XL61
252478-019	Frameset CR1 30 thrd BB 2017 Warranty XXS47
252478-020	Frameset CR1 30 thrd BB 2017 Warranty XS49
252478-021	Frameset CR1 30 thrd BB 2017 Warranty S52
252478-022	Frameset CR1 30 thrd BB 2017 Warranty M54
252478-023	Frameset CR1 30 thrd BB 2017 Warranty L56
252478-024	Frameset CR1 30 thrd BB 2017 Warranty XL58
252478-025	Frameset CR1 30 thrd BB 2017 Warranty 2XL61
252479-0001006	Frameset E-Silence speed 10 2017 warr black S
252479-0001007	Frameset E-Silence speed 10 2017 warr black M
252479-0001008	Frameset E-Silence speed 10 2017 warr black L
252479-0001009	Frameset E-Silence speed 10 2017 warr black XL
252480-0001006	Frame Sub sport 30 men 17 black S
252480-0001007	Frame Sub sport 30 men 17 black M
252480-0001008	Frame Sub sport 30 men 17 black L
252480-0001009	Frame Sub sport 30 men 17 black XL
252481-0001006	Frame Sub sport 30 lady 17 black S
252481-0001007	Frame Sub sport 30 lady 17 black M
252481-0001008	Frame Sub sport 30 lady 17 black L
252482-222	Frameset Scale JR 24 2017 warr 1size
252483-0001222	Fork Volt-X 10 2017 black 1size
252484-222	Fork Volt-X 20 2017 1size
252485-222	Fork Volt-X 30 2017 1size

SPARE PARTS 2017

Article no.	Description
254084-005	Frame Aspect 710 orange 2017 warranty XS
254084-006	Frame Aspect 710 orange 2017 warranty S
254084-007	Frame Aspect 710 orange 2017 warranty M
254084-008	Frame Aspect 710 orange 2017 warranty L
254084-009	Frame Aspect 710 orange 2017 warranty XL
254085-006	Frame Aspect 910 orange 2017 warranty S
254085-007	Frame Aspect 910 orange 2017 warranty M
254085-008	Frame Aspect 910 orange 2017 warranty L
254085-009	Frame Aspect 910 orange 2017 warranty XL
254085-010	Frame Aspect 910 orange 2017 warranty XXL
254086-019	Frameset Addict RCDi2 HMX BK/GRN 17 warr XXS47
254086-020	Frameset Addict RCDi2 HMX BK/GRN 17 warr XS49
254086-021	Frameset Addict RCDi2 HMX BK/GRN 17 warr S52
254086-022	Frameset Addict RCDi2 HMX BK/GRN 17 warr M54
254086-023	Frameset Addict RCDi2 HMX BK/GRN 17 warr L56
254086-024	Frameset Addict RCDi2 HMX BK/GRN 17 warr XL58
254086-025	Frameset Addict RCDi2 HMX BK/GRN 17 warr 2XL61
254087-222	SCO Front derailleur mount Spa17/Gen18
254088-222	Front derailleur mount Scale MY17 1size
254089-222	SCO FD blank Spa/Sca17/Gen18
254090-222	Dropout hanger boost TA12-SW carb MY17 1size
254091-222	Dropout hang boost TA12-SW DM carb MY17 1size
254092-222	Dropout hanger boost TA12 alloy MY17 1size
254093-222	Dropout hanger boost TA12 DM alloy MY17 1size
254094-222	Dropout hanger boost Q/R not direct MY17 1size
254095-222	Brake mount Scale/Spark 12/180mm MY17 1size
254096-222	Brake mount Scale/Spark 12/160mm MY17 1size
254097-222	Brake mount Scale/Spark QR/180mm MY17 1size
254098-222	Chainguide Scale small 30T-36T MY17 1size
254099-222	Chainguide Scale Large 30T-40T MY17 1size
254100-222	Chainguide set Spark RC MY17 1size
254101-222	Chainguide set Spark MY17 1size
254102-222	Cableguide Scale/Spark H-tube blnk MY17 1size
254103-222	Cableguide Scale/Spark H-tube 4 MY17 1size
254104-222	Cableguide Scale/Spark H-tube 5 MY17 1size
254105-222	Cableguide Scale/Spark H-tube 4-4 MY17 1size
254106-222	Cableguide Scale/Spark H-tube 4-5 MY17 1size
254107-222	Cableguide Scale/Spark H-tube 5-5 MY17 1size
254108-222	Cableguide Scale/Spark H-tube 4-5-5 MY17 1size
254109-222	Cableguide Scale/Spark H-tube 4-4-5 MY17 1size
254110-222	Cableguide Scale/Spark H-tube DI2 MY17 1size
254111-222	Cableguide Scale/Spark H-tube 4-DI2 MY17 1size
254112-222	Cableguide Scale/Spark H-tube 5-DI2 MY17 1size
254113-222	Cableguide Scale/Spark H-tube 4-5-DI2 17 1size
254114-222	SCO Cableguide Spa/Sca17/Gen18 out
254115-222	SCO Cableguide Spa17/Gen18 C-stay rub
254116-222	Cableguide Scale C-stay rubber MY17 1size
254117-222	Cableguide Spark D/T carb/alloy out MY17 1size
254118-222	SCO Shock rubber Spa17/Gen18 Fox Nude
254119-222	SCO Shock rubber Spa17/Gen18 Fox Float
254120-222	SCO Shock rubber Spa17/Gen18 X-Fusion
254121-222	SCO Shock noodle Spa17/Gen18 nude
254122-222	SCO Shock noodle Spa17/Gen18 Float
254123-222	Cableguide Spark Alloy FD/downtube MY17 1size
262035-222	Rear Shock Spark 120mm Fox Nude 2017 1size
262036-222	Rear Shock Spark 120mm Fox Nude 2017 Ksh 1size
262037-222	Rear Shock Spark 100mm Fox Nude 2017 1size
262038-222	Rear Shock Spark 100mm Fox Nude 2017 Ksh 1size
262039-222	Swingarm rep kit Spark 120mm 2017 1size
262040-222	Linkage bar Spark alloy 120mm 2017 1size
262041-222	Linkage bar Spark Carbon 120mm 2017 1size
262042-222	Linkage bar Spark alloy 100mm 2017 1size
262043-222	Linkage bar Spark Carbon 100mm 2017 1size

Article no.	Description
262044-222	Shock mount hardware Spark 2017 1size
262045-222	Axle RWS10 Road disc 100/12mm F. plugin 1size
262046-222	Axle RWS Rear+lever 148x12 boost plugin 1size
262047-222	Chainguide E-Aspect MY17 1size
262048-222	Hub rep kit Syncros Form CL-25/CL2611 1size
262049-222	Hub rep kit Syncros RP 2.0 Form F+R 1size
262050-222	Hub rep kit Syncros RP 2.0 Disc Form F+R 1size
262051-222	Hub rep Kit syncros Formula RXC-142 1size
262052-039	Front wheel Scale JR 20 Plus disc 2017 20"
262053-039	Rear wheel Scale JR 20 Plus disc 2017 20"
262054-043	Front wheel Scale JR 24 Plus disc 2017 24"
262055-043	Rear wheel Scale JR 24 Plus disc 2017 24"
262056-262	E-bike drive belt Conti e-silence 2017 1344
262057-222	E-bike chainring+spider 39T Conti/brose 1size
262059-0001047	Rim Syncros Alex X20 32H black 27.5"
262059-0001049	Rim Syncros Alex X20 32H black 29"
262059-0001158	Rim Syncros Alex X20 32H black 700C
262061-0001158	Rim Syncros Alex Race 22 24H black 700C
262062-0001158	Rim Syncros Alex Race 22 disc 28H black 700C
262063-158	Rim Syncros RP 2.0 disc Form 28H XRD-824 700C
262064-158	Rim Syncros RP 2.0 Formula 18H XR-201 700C
262065-158	Rim Syncros RP 2.0 Formula 24H XR-201 700C
262066-222	Chaingaurd E-silence MY17 1size
262067-222	Crankset Scale JR 24 + 2017 32T 152mm 1size
262068-222	Crankset Scale JR 20 + 2017 36T 140mm 1size
262069-257	Seatpost Syncros drop 2.0 W/O lever 31.6 100mm
262069-261	Seatpost Syncros drop 2.0 W/O lever 31.6 120mm
262070-222	Seatpost remote syncros 2.0 1size
262071-222	Seatpost remote syncros 2.5 1size
262072-257	Seatpost service air Cart kit Syncros2.0 100mm
262072-261	Seatpost service air Cart kit Syncros2.0 120mm
262073-257	Seatpost service air Cart kit Syncros2.5 100mm
262073-261	Seatpost service air Cart kit Syncros2.5 120mm
262074-222	Seatpost service a/base Syncros 2.0 1size
262075-222	E-silence Lockholder/rubber strap MY17 1size
262076-222	E-Silence lock blanking cover MY17 1size
262077-0135222	Fender set E-Silence F+R 2017 black matt 1size
262078-0135222	Fender set E-Silence F+R suspension 2017 black matt 1size
262079-0135222	Fender set Silence F+R 2017 black matt 1size
262079-2970222	Fender set Silence F+R 2017 toffee 1size
262079-2978222	Fender set Silence F+R 2017 black gloss 1size
262081-0271222	Carrier silence/E-silence warranty men cool grey 1size
262082-222	Headset spacer kit/topcap Syncros1.5 MTB 1size
262083-222	Headset spacer kit/topcap Syncros2.0 MTB 1size
262084-1040222	Saddle Scale RC/Speedster JR 2017 black/yellow 1size
262085-1004222	Saddle Scale JR 20/24 2017 black/blue 1size
262085-1043222	Saddle Scale JR 20/24 2017 black/green 1size
262085-1454222	Saddle Scale JR 20/24 2017 blue/orange 1size
262086-2278222	Saddle Voltage JR 20/24 2017 green/blue 1size
262086-4594222	Saddle Voltage JR 20/24 2017 green/grey 1size
262087-1009222	Saddle Voltage JR 16 2017 black/orange 1size
262088-1009222	Saddle Voltage JR 12 intg/post 2107 black/orange 1size
262210-006	Frame Contessa Spark 720 2017 warranty S
262210-007	Frame Contessa Spark 720 2017 warranty M
262210-008	Frame Contessa Spark 720 2017 warranty L
262211-222	Frame Voltage 24 disc/V brake 2017 warr 1size
262212-222	Frame volt X10 2017 warranty 1size
262213-222	Swingarm Contessa Spark RC700 2017 1size
262214-222	Swingarm Contessa Spark 700 2017 1size
262215-222	Swingarm Contessa Spark 710 1size
262216-222	Swingarm Contessa Spark 710+ 2017 1size

SPARE PARTS 2017

Article no.	Description
262217-222	Swingarm Contessa Spark 720+ 2017 1size
262218-222	Fork Scale JR 24+ 2017 1size
262219-222	Fork Scale RC JR 24 Disc 2017 1size
262220-222	Fork Scale JR 24 rigid V-brake 2017 1size
262386-222	Fork Foil RC 2017 BK/YEL 1size
262387-222	Fork Addict RC DI2 2017 BK/YEL 1size
262388-019	Frameset Foil RC 2017 Warranty BK/YEL XXS47
262388-020	Frameset Foil RC 2017 Warranty BK/YEL XS49
262388-021	Frameset Foil RC 2017 Warranty BK/YEL S52
262388-022	Frameset Foil RC 2017 Warranty BK/YEL M54
262388-023	Frameset Foil RC 2017 Warranty BK/YEL L56
262388-024	Frameset Foil RC 2017 Warranty BK/YEL XL58
262388-025	Frameset Foil RC 2017 Warranty BK/YEL 2XL61
262390-019	Frameset Addict RCDi2 HMX BK/YEL 17 warr XXS47
262390-020	Frameset Addict RCDi2 HMX BK/YEL 17 warr XS49
262390-021	Frameset Addict RCDi2 HMX BK/YEL 17 warr S52
262390-022	Frameset Addict RCDi2 HMX BK/YEL 17 warr M54
262390-023	Frameset Addict RCDi2 HMX BK/YEL 17 warr L56
262390-024	Frameset Addict RCDi2 HMX BK/YEL 17 warr XL58
262390-025	Frameset Addict RCDi2 HMX BK/YEL 17 warr 2XL61
262392-019	Frameset Addict RC HMX BK/YEL 17 warr XXS47
262392-020	Frameset Addict RC HMX BK/YEL 17 warr XS49
262392-021	Frameset Addict RC HMX BK/YEL 17 warr S52
262392-022	Frameset Addict RC HMX BK/YEL 17 warr M54
262392-023	Frameset Addict RC HMX BK/YEL 17 warr L56
262392-024	Frameset Addict RC HMX BK/YEL 17 warr XL58
262392-025	Frameset Addict RC HMX BK/YEL 17 warr 2XL61
262393-019	Frameset Addict RC HMX BK/GRN 17 warr XXS47
262393-020	Frameset Addict RC HMX BK/GRN 17 warr XS49
262393-021	Frameset Addict RC HMX BK/GRN 17 warr S52
262393-022	Frameset Addict RC HMX BK/GRN 17 warr M54
262393-023	Frameset Addict RC HMX BK/GRN 17 warr L56
262393-024	Frameset Addict RC HMX BK/GRN 17 warr XL58
262393-025	Frameset Addict RC HMX BK/GRN 17 warr 2XL61
262623-222	Cableguide set E-silence/E-aspect MY17 1size
262624-047	Rim Syncros Alex MD27 disc 32H 27.5"
262625-006	Frame contessa Spark 730 2017 warranty S
262625-007	Frame contessa Spark 730 2017 warranty M
262625-008	Frame contessa Spark 730 2017 warranty L
262626-006	Frame Spark 760 2017 warranty S
262626-007	Frame Spark 760 2017 warranty M
262626-008	Frame Spark 760 2017 warranty L
262627-006	Frame Spark 960 2017 warranty S
262627-007	Frame Spark 960 2017 warranty M
262627-008	Frame Spark 960 2017 warranty L
262627-009	Frame Spark 960 2017 warranty XL
262628-222	Fork Big John 2017 1size
262629-222	Axle RWS10 Road disc 142/12mm R. plugin 1size
262630-222	Swingarm rep kit Spark RC 100MM 2017 1size
262631-222	Twinloc lever downclamp/seatpost MY17 1size
262638-222	E-bike sprocket Miranda Delta 15T 1size
262639-222	E-bike sprocket Miranda D.Boost 3mm 15T 1size
262640-222	E-bike sprocket Miranda Delta 8.65mm 15T 1size
263078-222	Seatpost Syncros service toolbox 2.0 1size
263079-222	Seatpost Syncros service toolbox 2.5 1size
263379-222	Rear Shock Spark 120mm Fox Float Perf 17 1size
263468-0036049	Rim Sync/DT XR1.0 28H 17 SC/SP RC 900 SL orange 29"
263469-0003049	Rim Sync/DT XR1.5 28H 17 SC/SP RC 900 Ul blue 29"
263470-0005049	Rim Sync/DT XR RC 28H 17 SC/SP RC 900 WC yellow 29"
263471-0002049	Rim Sync/DT XR2.0 28H 17 SC/SP RC 900 PR white 29"
263472-0036047	Rim Sync/DT XR1.0 28H 17 SC/SP RC 700 SL orange 27.5"
263473-0003047	Rim Sync/DT XR1.5 28H 17 SC/SP RC 700 Ul blue 27.5"
263474-0005047	Rim Sync/DT XR RC 28H 17 SC/SP RC 700 WC yellow 27.5"
263475-0002047	Rim Sync/DT XR2.0 28H 17 SC/SP RC 700 RP white 27.5"
263476-0003049	Rim Sync/DT XR1.0 28H '17 Spark 900 Ult blue 29"
263477-0001049	Rim Sync/DT XR1.5 28H '17 Spark 900 Prem black 29"
263478-0003047	Rim Sync/DT XR1.0 28H '17 Spark 700 Ult blue 27.5"
263479-0001047	Rim Sync/DT XR1.5 28H '17 Spark 700 Prem black 27.5"
263480-0006049	Rim Sync/DT XR2.0 28H '17 SC/SP 900 green 29"
263481-0036049	Rim Sync/DT XR2.0 28H '17 SC/SP 910 orange 29"
263482-0002049	Rim Sync/DT XR2.5 28H '17 SC/SP 920 white 29"
263483-0006047	Rim Sync/DT XR2.0 28H '17 SC/SP 700 green 27.5"
263484-0036047	Rim Sync/DT XR2.0 28H '17 SC/SP 710 orange 27.5"
263485-0002047	Rim Sync/DT XR2.5 28H '17 SC/SP 720 white 27.5"
263486-0036047	Rim Sync/DT TR1.5 Plus 28H '17 Spark 700 orange 27.5"
263487-2278047	Rim Sync/DT TR2.0 Plus 28H '17 SP/GE 710 green/ blue 27.5"
263488-1049047	Rim Sync/DT TR1.5 28H '17 Genius 700 PR grey/red 27.5"
263489-1294047	Rim Sync/DT TR2.0 28H '17 Genius 710 grey/orange 27.5"
263490-0006049	Rim Sync/DT TR2.5 28H '17 Genius 920 green 29"
263491-0005047	Rim Sync/DT TR2.5 28H '17 Genius 720 yellow 27.5"
263492-0036047	Rim Sync/DT TR1.5 Plus 28H '17 GE 700 orange 27.5"
263493-0036047	Rim Sync/DT TR1.5 Plus 28H '17 GE LT 700 orange 27.5"
263494-0036047	Rim Sync/DT DH 1.5 32H '17 Gambler 710 orange 27.5"
263495-0005047	Rim Sync/DT E TR 1.5 28H '17 E-SC/SP 700 yellow 27.5"
263496-0036047	Rim Sync/DT E TR 1.5 28H 17 E-GE 700 TND orange 27.5"
263497-0005158	Rim Sync/DT RR2.0 20H front '17 Foil 10 yellow 700C
263498-0005158	Rim Sync/DT RR2.0 24H rear '17 Foil 10 yellow 700C
263499-0004158	Rim Sync/DT RR2.0 20H front '17 Foil 20 red 700C
263500-0004158	Rim Sync/DT RR2.0 24H rear '17 Foil 20 red 700C
263501-0001158	Rim Sync/DT RP1.0 24H f/r 17 Addict PR D black 700C
263502-0011158	Rim Sync/DT RP1.5 20H front 17 Addict 10 grey 700C
263503-0011158	Rim Sync/DT RP1.5 24H rear '17 Addict 10 grey 700C
263504-1043158	Rim Sync/DT RP1.0 CarbDisc 24H f/r So'17 black/ green 700C
263505-1042158	Rim Sync/DT RT1.0 CarbDisc 24H f/r'17 black/red 700C
263506-0005158	Rim Sync/DT RP1.0 CarbDisc 24H f/r Ad'17 yellow 700C
263507-0036158	Rim Sync/DT RP2.0 Disc 28H f/r '17 CX20 orange 700C
263508-0003047	Rim Sync/DT XR RC 28H 17 Cnt SC/SP RC700 blue 27.5"
263509-0011049	Rim Sync/DT XR2.0 28H '17 Cnt Scale 900 grey 29"
263510-0011047	Rim Sync/DT XR2.0 28H '17 Cnt SC/SP 700 grey 27.5"
263511-1100047	Rim Sync/DT XR2.5 28H '17 Spark 710 grey/blue 27.5"
263512-2489047	Rim Sync/DT XR2.0 Plus 28H '17 SP 710 yellow/green 27.5"
263513-0005047	Rim Sync/DT TR2.0 28H '17 Genius 700 yellow 27.5"
263868-0001222	E-bike Bosch dsp adapter E-SUB Sport '17 black 1size
263869-0001222	E-bike frame coverGr1 E-GeniusE-Scale'17 black 1size
263870-0001222	E-bike frame coverGr2 E-GeniusE-Scale'17 black 1size
263874-0001222	E-bike fork bumper E-Aspect MY17 black 1size
263875-0001222	E-bike CST Protector E-Aspect MY17 black 1size
263877-0001222	Fork Scale JR 24 susp. Disc 2017 black 1size
263878-0001222	Fork Scale JR 24 susp. V-brake 2017 black 1size
263999-222	Cableguide set Addict disc Mec/DI2 2017 1size
264026-222	Headset spacer kit/topcap Sync RR1.5/2.0
264047-222	Hub rep kit Formula DCL-360 rear
264048-0001158	Rim X15 disc 32H
264049-0001158	Rim Rodi disc 32H
264050-0001158	Rim Syncros Alex Race 22 28H
264483-222	Dropout hanger 142x12 DM Addict disc 17 1size
264484-0001222	Carrier E-Sub Tubus MY17 black 1size
264540-222	Seatstay E-Spark 700+ tuned 2017 1size
264541-222	Seatstay E-Spark 710+ 2017 1size
264542-222	Seatstay E-cont Spark 710+ 2017 1size

SPARE PARTS 2017

Article no.	Description
264543-222	Seatstay E-Spark 720 + 2017 1size
264579-222	Hub rep kit Formula CL-51 front 1size
264737-222	E-bike sprocket Conti Nuvinci 20T 1size
264924-9999222	E-bike swingarm rep kit E-Spark 2017 no color 1size
265542-005	Frame Aspect 600Ltd Disc/V-brake XS
265542-006	Frame Aspect 600Ltd Disc/V-brake S
265542-007	Frame Aspect 600Ltd Disc/V-brake M
265542-008	Frame Aspect 600Ltd Disc/V-brake L
265542-009	Frame Aspect 600Ltd Disc/V-brake XL
265548-222	Chain SRAM XO1 Eagle 114 Links Warr only 1size
265757-0001866	SCO Spoke Xero Gr. StradaW/NipplesPAK-20 black 287mm
265757-0001867	SCO Spoke Xero Gr. StradaW/NipplesPAK-20 black 297mm
265757-0001868	SCO Spoke Xero Gr. StradaW/NipplesPAK-20 black 302mm
265758-0001869	SCO Spoke Xero Forza W/Nipples PAK-20 black 385mm
265758-0001870	SCO Spoke Xero Forza W/Nipples PAK-20 black 286mm
265758-0001871	SCO Spoke Xero Forza W/Nipples PAK-20 black 305mm
265758-0001873	SCO Spoke Xero Forza W/Nipples PAK-20 black 303mm
266000-9999874	SCO Shock mount bush set FOX Spark 17 no color 10x20mm
266001-9999874	SCO Shock mount bush set X-fu Spark 17 no color 10x20mm
266002-9999222	SCO E-Bike Battery Emergency Sand Bin no color 1size
266003-9999222	SCO E-Bike Battery Charging Shelf no color 1size
266260-9999875	SCO Tire Scale JR+ 24
266261-9999876	SCO Tire Scale JR+ 20
266321-222	SCO Tool set swingarm Spark 17 /Gen 18 1size
266768-9999195	SCO wheelset Sy/Form RP2.0 17 WTY no color 700C
266970-9999195	SCO wheelset Sy/Form RP2.0 disc 17 WTY no color 700C
267967-1017020	SCO Frame Foil Rio 17 war yellow/black XS49
267967-1017021	SCO Frame Foil Rio 17 war yellow/black S52
267967-1017022	SCO Frame Foil Rio 17 war yellow/black M54
267967-1017023	SCO Frame Foil Rio 17 war yellow/black L56
267967-1017024	SCO Frame Foil Rio 17 war yellow/black XL58
267968-1017222	SCO Fork Foil Rio 17 war yellow/black 1size
267969-1017006	SCO Front triangle Spark Glorious 11 war yellow/ black S
267969-1017007	SCO Front triangle Spark Glorious 17 war yellow/ black M
267969-1017008	SCO Front triangle Spark Glorious 17 war yellow/ black L
267969-1017009	SCO Front triangle Spark Glorious 17 war yellow/ black XL
267970-1017222	SCO Swingarm Spark Glorious 17 war yellow/black 1size

SPARE PARTS 2016

242167-006	Front triangle Spark 700 Ultimate 2016 S
242167-007	Front triangle Spark 700 Ultimate 2016 M
242167-008	Front triangle Spark 700 Ultimate 2016 L
242167-009	Front triangle Spark 700 Ultimate 2016 XL
242168-006	Front triangle Spark 700 Premium 2016 S
242168-007	Front triangle Spark 700 Premium 2016 M
242168-008	Front triangle Spark 700 Premium 2016 L
242168-009	Front triangle Spark 700 Premium 2016 XL
242169-006	Front triangle Spark 700 RC 2016 S
242169-007	Front triangle Spark 700 RC 2016 M
242169-008	Front triangle Spark 700 RC 2016 L
242169-009	Front triangle Spark 700 RC 2016 XL
242170-006	Front triangle Spark 710 2016 S
242170-007	Front triangle Spark 710 2016 M
242170-008	Front triangle Spark 710 2016 L
242170-009	Front triangle Spark 710 2016 XL
242171-006	Front triangle Spark 720 2016 S
242171-007	Front triangle Spark 720 2016 M
242171-008	Front triangle Spark 720 2016 L
242171-009	Front triangle Spark 720 2016 XL
242172-006	Front triangle Spark 730 2016 S
242172-007	Front triangle Spark 730 2016 M
242172-008	Front triangle Spark 730 2016 L
242172-009	Front triangle Spark 730 2016 XL
242173-006	Front triangle Spark 900 Premium 2016 S
242173-007	Front triangle Spark 900 Premium 2016 M
242173-008	Front triangle Spark 900 Premium 2016 L
242173-009	Front triangle Spark 900 Premium 2016 XL
242174-006	Front triangle Spark 900 RC 2016 S
242174-007	Front triangle Spark 900 RC 2016 M
242174-008	Front triangle Spark 900 RC 2016 L
242174-009	Front triangle Spark 900 RC 2016 XL
242175-006	Front triangle Spark 910 2016 S
242175-007	Front triangle Spark 910 2016 M
242175-008	Front triangle Spark 910 2016 L
242175-009	Front triangle Spark 910 2016 XL
242176-006	Front triangle Spark 920 2016 S
242176-007	Front triangle Spark 920 2016 M
242176-008	Front triangle Spark 920 2016 L
242176-009	Front triangle Spark 920 2016 XL
242177-006	Front triangle Spark 930 2016 S
242177-007	Front triangle Spark 930 2016 M
242177-008	Front triangle Spark 930 2016 L
242177-009	Front triangle Spark 930 2016 XL
242178-006	Front triangle Genius 700 Premium 2016 S
242178-007	Front triangle Genius 700 Premium 2016 M
242178-008	Front triangle Genius 700 Premium 2016 L
242178-009	Front triangle Genius 700 Premium 2016 XL
242179-006	Front triangle Genius 710 2016 S
242179-007	Front triangle Genius 710 2016 M
242179-008	Front triangle Genius 710 2016 L
242179-009	Front triangle Genius 710 2016 XL
242180-006	Front triangle Genius 720 2016 S
242180-007	Front triangle Genius 720 2016 M
242180-008	Front triangle Genius 720 2016 L
242180-009	Front triangle Genius 720 2016 XL
242181-006	Front triangle Genius 900 Tuned 2016 S
242181-007	Front triangle Genius 900 Tuned 2016 M
242181-008	Front triangle Genius 900 Tuned 2016 L
242181-009	Front triangle Genius 900 Tuned 2016 XL
242182-006	Front triangle Genius 910 2016 S
242182-007	Front triangle Genius 910 2016 M
242182-008	Front triangle Genius 910 2016 L

SPARE PARTS 2016

242182-009	Front triangle Genius 910 2016 XL
242183-006	Front triangle Genius 920 2016 S
242183-007	Front triangle Genius 920 2016 M
242183-008	Front triangle Genius 920 2016 L
242183-009	Front triangle Genius 920 2016 XL
242184-006	Front triangle Genius 700+ Tuned 2016 S
242184-007	Front triangle Genius 700+ Tuned 2016 M
242184-008	Front triangle Genius 700+ Tuned 2016 L
242184-009	Front triangle Genius 700+ Tuned 2016 XL
242185-006	Front triangle Genius 710+ 2016 S
242185-007	Front triangle Genius 710+ 2016 M
242185-008	Front triangle Genius 710+ 2016 L
242185-009	Front triangle Genius 710+ 2016 XL
242186-006	Front triangle Genius 720+ 2016 S
242186-007	Front triangle Genius 720+ 2016 M
242186-008	Front triangle Genius 720+ 2016 L
242186-009	Front triangle Genius 720+ 2016 XL
242187-006	Front triangle Genius LT 700 Tuned 2016 S
242187-007	Front triangle Genius LT 700 Tuned 2016 M
242187-008	Front triangle Genius LT 700 Tuned 2016 L
242188-006	Front triangle Genius LT 710 2016 S
242188-007	Front triangle Genius LT 710 2016 M
242188-008	Front triangle Genius LT 710 2016 L
242189-006	Front triangle Genius LT 720 2016 S
242189-007	Front triangle Genius LT 720 2016 M
242189-008	Front triangle Genius LT 720 2016 L
242190-006	Front triangle Genius LT 700+ Tuned 2016 S
242190-007	Front triangle Genius LT 700+ Tuned 2016 M
242190-008	Front triangle Genius LT 700+ Tuned 2016 L
242191-006	Front triangle Genius LT 710+ 2016 S
242191-007	Front triangle Genius LT 710+ 2016 M
242191-008	Front triangle Genius LT 710+ 2016 L
242192-006	Front triangle Genius LT 720+ 2016 S
242192-007	Front triangle Genius LT 720+ 2016 M
242192-008	Front triangle Genius LT 720+ 2016 L
242193-006	Front triangle Gambler 710 2016 S
242193-007	Front triangle Gambler 710 2016 M
242193-008	Front triangle Gambler 710 2016 L
242194-006	Front triangle Gambler 720 2016 S
242194-007	Front triangle Gambler 720 2016 M
242194-008	Front triangle Gambler 720 2016 L
242195-006	Front triangle Gambler 730 2016 S
242195-007	Front triangle Gambler 730 2016 M
242195-008	Front triangle Gambler 730 2016 L
242196-006	Front triangle Voltage FR 710 2016 S
242196-007	Front triangle Voltage FR 710 2016 M
242196-008	Front triangle Voltage FR 710 2016 L
242197-006	Front triangle Voltage FR 720 2016 S
242197-007	Front triangle Voltage FR 720 2016 M
242197-008	Front triangle Voltage FR 720 2016 L
242198-006	Front triangle Voltage FR 730 2016 S
242198-007	Front triangle Voltage FR 730 2016 M
242198-008	Front triangle Voltage FR 730 2016 L
242199-006	Front triangle Cont Spark 700 RC 2016 S
242199-007	Front triangle Cont Spark 700 RC 2016 M
242199-008	Front triangle Cont Spark 700 RC 2016 L
242200-006	Front triangle Cont Genius 700 2016 S
242200-007	Front triangle Cont Genius 700 2016 M
242200-008	Front triangle Cont Genius 700 2016 L
242201-006	Front triangle E-Spark 710 2016 S
242201-007	Front triangle E-Spark 710 2016 M
242201-008	Front triangle E-Spark 710 2016 L
242202-006	Front triangle E-Spark 720 2016 S
242202-007	Front triangle E-Spark 720 2016 M
242202-008	Front triangle E-Spark 720 2016 L
242203-006	Front triangle E-Genius 910 2016 S
242203-007	Front triangle E-Genius 910 2016 M
242203-008	Front triangle E-Genius 910 2016 L
242203-009	Front triangle E-Genius 910 2016 XL
242204-006	Front triangle E-Genius 920 2016 S
242204-007	Front triangle E-Genius 920 2016 M
242204-008	Front triangle E-Genius 920 2016 L
242204-009	Front triangle E-Genius 920 2016 XL
242205-006	Front triangle E-Genius 710+ 2016 S
242205-007	Front triangle E-Genius 710+ 2016 M
242205-008	Front triangle E-Genius 710+ 2016 L
242205-009	Front triangle E-Genius 710+ 2016 XL
242206-006	Front triangle E-Genius 720+ 2016 S
242206-007	Front triangle E-Genius 720+ 2016 M
242206-008	Front triangle E-Genius 720+ 2016 L
242206-009	Front triangle E-Genius 720+ 2016 XL
242207-006	Front triangle E-Genius Cont 720+ 2016 S
242207-007	Front triangle E-Genius Cont 720+ 2016 M
242207-008	Front triangle E-Genius Cont 720+ 2016 L
242208-006	Frame Scale 700 SL 2016 Warr. only S
242208-007	Frame Scale 700 SL 2016 Warr. only M
242208-008	Frame Scale 700 SL 2016 Warr. only L
242208-009	Frame Scale 700 SL 2016 Warr. only XL
242209-006	Frame Scale 700 Premium 2016 Warr. only S
242209-007	Frame Scale 700 Premium 2016 Warr. only M
242209-008	Frame Scale 700 Premium 2016 Warr. only L
242209-009	Frame Scale 700 Premium 2016 Warr. only XL
242210-006	Frame Scale 700 RC 2016 Warr. only S
242210-007	Frame Scale 700 RC 2016 Warr. only M
242210-008	Frame Scale 700 RC 2016 Warr. only L
242210-009	Frame Scale 700 RC 2016 Warr. only XL
242211-006	Frame Scale 710 2016 Warr. only S
242211-007	Frame Scale 710 2016 Warr. only M
242211-008	Frame Scale 710 2016 Warr. only L
242211-009	Frame Scale 710 2016 Warr. only XL
242212-006	Frame Scale 900 SL 2016 Warr. only S
242212-007	Frame Scale 900 SL 2016 Warr. only M
242212-008	Frame Scale 900 SL 2016 Warr. only L
242212-009	Frame Scale 900 SL 2016 Warr. only XL
242213-006	Frame Scale 900 Premium 2016 Warr. only S
242213-007	Frame Scale 900 Premium 2016 Warr. only M
242213-008	Frame Scale 900 Premium 2016 Warr. only L
242213-009	Frame Scale 900 Premium 2016 Warr. only XL
242214-006	Frame Scale 900 RC 2016 Warr. only S
242214-007	Frame Scale 900 RC 2016 Warr. only M
242214-008	Frame Scale 900 RC 2016 Warr. only L
242214-009	Frame Scale 900 RC 2016 Warr. only XL
242215-006	Frame Scale 910 2016 Warr. only S
242215-007	Frame Scale 910 2016 Warr. only M
242215-008	Frame Scale 910 2016 Warr. only L
242215-009	Frame Scale 910 2016 Warr. only XL
242216-006	Frame Scale 740 2016 Warr. only S
242216-007	Frame Scale 740 2016 Warr. only M
242216-008	Frame Scale 740 2016 Warr. only L
242216-009	Frame Scale 740 2016 Warr. only XL
242217-006	Frame Scale 940 2016 Warr.y only S
242217-007	Frame Scale 940 2016 Warr.y only M
242217-008	Frame Scale 940 2016 Warr.y only L
242217-009	Frame Scale 940 2016 Warr.y only XL
242218-006	Frame Scale 760 2016 Warr. only S
242218-007	Frame Scale 760 2016 Warr. only M

SPARE PARTS 2016

242218-008	Frame Scale 760 2016 Warr. only L
242218-009	Frame Scale 760 2016 Warr. only XL
242219-006	Frame Scale 960 2016 Warr. only S
242219-007	Frame Scale 960 2016 Warr. only M
242219-008	Frame Scale 960 2016 Warr. only L
242219-009	Frame Scale 960 2016 Warr. only XL
242219-010	Frame Scale 960 2016 Warr. only XXL
242220-006	Frame Scale 710+ 2016 Warr. only S
242220-007	Frame Scale 710+ 2016 Warr. only M
242220-008	Frame Scale 710+ 2016 Warr. only L
242220-009	Frame Scale 710+ 2016 Warr. only XL
242221-006	Frame Big Ed 2016 Warr. only S
242221-007	Frame Big Ed 2016 Warr. only M
242221-008	Frame Big Ed 2016 Warr. only L
242221-009	Frame Big Ed 2016 Warr. only XL
242222-006	Frame Big Jon 2016 Warr. only S
242222-007	Frame Big Jon 2016 Warr. only M
242222-008	Frame Big Jon 2016 Warr. only L
242222-009	Frame Big Jon 2016 Warr. only XL
242223-006	Frame Aspect 710 2016 Warr. only S
242223-007	Frame Aspect 710 2016 Warr. only M
242223-008	Frame Aspect 710 2016 Warr. only L
242223-009	Frame Aspect 710 2016 Warr. only XL
242224-006	Frame Aspect 910 2016 Warr. only S
242224-007	Frame Aspect 910 2016 Warr. only M
242224-008	Frame Aspect 910 2016 Warr. only L
242224-009	Frame Aspect 910 2016 Warr. only XL
242225-006	Frame Aspect 660 D+VB 2016 Warr. only S
242225-007	Frame Aspect 660 D+VB 2016 Warr. only M
242225-008	Frame Aspect 660 D+VB 2016 Warr. only L
242225-009	Frame Aspect 660 D+VB 2016 Warr. only XL
242226-222	Frame Voltage 0.1 2016 Warr.only 1size
242227-005	Frame Voltage 10 2016 Warr. only XS
242227-006	Frame Voltage 10 2016 Warr. only S
242227-007	Frame Voltage 10 2016 Warr. only M
242227-008	Frame Voltage 10 2016 Warr. only L
242227-009	Frame Voltage 10 2016 Warr. only XL
242228-006	Frame Spark 740 2016 Warr. only S
242228-007	Frame Spark 740 2016 Warr. only M
242228-008	Frame Spark 740 2016 Warr. only L
242228-009	Frame Spark 740 2016 Warr. only XL
242229-006	Frame Spark 940 2016 Warr. only S
242229-007	Frame Spark 940 2016 Warr. only M
242229-008	Frame Spark 940 2016 Warr. only L
242229-009	Frame Spark 940 2016 Warr. only XL
242230-006	Frame Genius 730 2016 Warr. only S
242230-007	Frame Genius 730 2016 Warr. only M
242230-008	Frame Genius 730 2016 Warr. only L
242230-009	Frame Genius 730 2016 Warr. only XL
242231-006	Frame Genius 930 2016 Warr. only S
242231-007	Frame Genius 930 2016 Warr. only M
242231-008	Frame Genius 930 2016 Warr. only L
242231-009	Frame Genius 930 2016 Warr. only XL
242232-006	Frame Cont Spark 700 2016 Warr. only S
242232-007	Frame Cont Spark 700 2016 Warr. only M
242232-008	Frame Cont Spark 700 2016 Warr. only L
242233-006	Frame Cont Genius 710 2016 Warr. only S
242233-007	Frame Cont Genius 710 2016 Warr. only M
242233-008	Frame Cont Genius 710 2016 Warr. only L
242234-006	Frame Cont Scale 700 RC 2016 Warr. only S
242234-007	Frame Cont Scale 700 RC 2016 Warr. only M
242234-008	Frame Cont Scale 700 RC 2016 Warr. only L
242235-005	Frame Cont Scale 700 2016 Warr. only XS
242235-006	Frame Cont Scale 700 2016 Warr. only S
242235-007	Frame Cont Scale 700 2016 Warr. only M
242235-008	Frame Cont Scale 700 2016 Warr. only L
242236-006	Frame Cont Scale 900 2016 Warr. only S
242236-007	Frame Cont Scale 900 2016 Warr. only M
242236-008	Frame Cont Scale 900 2016 Warr. only L
242237-005	Frame Contessa 710 2016 Warr. only XS
242237-006	Frame Contessa 710 2016 Warr. only S
242237-007	Frame Contessa 710 2016 Warr. only M
242237-008	Frame Contessa 710 2016 Warr. only L
242237-009	Frame Contessa 710 2016 Warr. only XL
242238-006	Frame E-Aspect 710 2016 Warr. only S
242238-007	Frame E-Aspect 710 2016 Warr. only M
242238-008	Frame E-Aspect 710 2016 Warr. only L
242238-009	Frame E-Aspect 710 2016 Warr. only XL
242239-007	Frame E-Aspect 910 2016 Warr. only M
242239-008	Frame E-Aspect 910 2016 Warr. only L
242239-009	Frame E-Aspect 910 2016 Warr. only XL
242240-045	Frame Scale JR 26 2016 Warr. only 26"
242241-045	Frame Voltage JR 26 2016 Warr. only 26"
242242-045	Frame Contessa JR 26 Warr. only 26"
242243-039	Frame Volt-X 10 2016 Warr. only 20"
242244-222	Chainstays Spark 700 Ultimate 2016 1size
242245-222	Chainstays Spark 700 Premium 2016 1size
242246-222	Chainstays Spark 700 RC 2016 1size
242247-222	Chainstays Spark 710 2016 1size
242248-222	Chainstays Spark 720 2016 1size
242249-222	Chainstays Spark 730 2016 1size
242250-222	Chainstays Spark 900 Premium 2016 1size
242251-222	Chainstays Spark 900 RC 2016 1size
242252-222	Chainstays Spark 910 2016 1size
242253-222	Chainstays Spark 920 2016 1size
242254-222	Chainstays Spark 930 2016 1size
242255-222	Chainstays Genius 700 Premium 2016 1size
242256-222	Chainstays Genius 710 2016 gloss 1size
242257-222	Chainstays Genius 720/30/cont 2016 matt 1size
242258-222	Chainstays Genius 900 Tuned 2016 1size
242259-222	Chainstays Genius 910 2016 gloss 1size
242260-222	Chainstays Genius 920/930 2016 matt 1size
242261-222	Chainstays Genius 700+ Tuned 2016 1size
242262-222	Chainstays Genius 710+ 2016 1size
242263-222	Chainstays Genius 720+ 2016 1size
242264-222	Chainstays Genius LT 700 Tuned 2016 1size
242265-222	Chainstays Genius LT 710 2016 1size
242266-222	Chainstays Genius LT 720 2016 1size
242267-222	Chainstays Genius LT 700+ Tuned 2016 1size
242268-222	Chainstays Genius LT 710+ 2016 1size
242269-222	Chainstays Genius LT 720+ 2016 1size
242270-222	Swingarm Gambler 710 2016 1size
242271-222	Swingarm Gambler 720 2016 1size
242272-222	Swingarm Gambler 730 2016 1size
242273-222	Chainstays Voltage FR 710 2016 1size
242274-222	Chainstays Voltage FR 720 2016 1size
242275-222	Chainstays Voltage FR 730 2016 1size
242276-222	Chainstays Contessa Spark 700 RC 2016 1size
242277-222	Chainstays Contessa Genius 700 2016 1size
242278-222	Chainstays E-Spark 710 2016 1size
242279-222	Chainstays E-Spark 720 2016 1size
242280-222	Chainstays E-Genius 910/920 2016 1size
242281-222	Chainstays E-Genius 710+/cont 720+ 2016 1size
242282-222	Chainstays E-Genius 720+ 2016 1size
242283-082	Seatstays Spark 700 Ultimate 2016 S/M
242283-083	Seatstays Spark 700 Ultimate 2016 L/XL

SPARE PARTS 2016

242284-082	Seatstays Spark 700 Premium 2016 S/M
242284-083	Seatstays Spark 700 Premium 2016 L/XL
242285-082	Seatstays Spark 700 RC 2016 S/M
242285-083	Seatstays Spark 700 RC 2016 L/XL
242286-082	Seatstays Spark 710 2016 S/M
242286-083	Seatstays Spark 710 2016 L/XL
242287-082	Seatstays Spark 720 2016 S/M
242287-083	Seatstays Spark 720 2016 L/XL
242288-082	Seatstays Spark 730 2016 S/M
242288-083	Seatstays Spark 730 2016 L/XL
242289-006	Seatstays Spark 900 Premium 2016 S
242289-007	Seatstays Spark 900 Premium 2016 M
242289-008	Seatstays Spark 900 Premium 2016 L
242289-009	Seatstays Spark 900 Premium 2016 XL
242290-006	Seatstays Spark 900 RC 2016 S
242290-007	Seatstays Spark 900 RC 2016 M
242290-008	Seatstays Spark 900 RC 2016 L
242290-009	Seatstays Spark 900 RC 2016 XL
242291-006	Seatstays Spark 910 2016 S
242291-007	Seatstays Spark 910 2016 M
242291-008	Seatstays Spark 910 2016 L
242291-009	Seatstays Spark 910 2016 XL
242292-006	Seatstays Spark 920 2016 S
242292-007	Seatstays Spark 920 2016 M
242292-008	Seatstays Spark 920 2016 L
242292-009	Seatstays Spark 920 2016 XL
242293-006	Seatstays Spark 930 2016 S
242293-007	Seatstays Spark 930 2016 M
242293-008	Seatstays Spark 930 2016 L
242293-009	Seatstays Spark 930 2016 XL
242294-082	Seatstays Genius 700 Premium 2016 S/M
242294-083	Seatstays Genius 700 Premium 2016 L/XL
242295-082	Seatstays Genius 710 2016 S/M
242295-083	Seatstays Genius 710 2016 L/XL
242296-082	Seatstays Genius 720 2016 S/M
242296-083	Seatstays Genius 720 2016 L/XL
242297-082	Seatstays Genius 900 tuned 2016 S/M
242297-083	Seatstays Genius 900 tuned 2016 L/XL
242298-082	Seatstays Genius 910 2016 S/M
242298-083	Seatstays Genius 910 2016 L/XL
242299-082	Seatstays Genius 920 2016 S/M
242299-083	Seatstays Genius 920 2016 L/XL
242300-082	Seatstays Genius 700+ Tuned 2016 S/M
242300-083	Seatstays Genius 700+ Tuned 2016 L/XL
242301-082	Seatstays Genius 710+ 2016 S/M
242301-083	Seatstays Genius 710+ 2016 L/XL
242302-082	Seatstays Genius 720+ 2016 S/M
242302-083	Seatstays Genius 720+ 2016 L/XL
242303-222	Seatstays Genius LT 700 Tuned 2016 1size
242304-222	Seatstays Genius LT 710 2016 1size
242305-222	Seatstays Genius LT 720 2016 1size
242306-222	Seatstays Genius LT 700+ Tuned 2016 1size
242307-222	Seatstays Genius LT 710+ 2016 1size
242308-222	Seatstays Genius LT 720+ 2016 1size
242309-222	Seatstays Voltage FR 710 2016 1size
242310-222	Seatstays Voltage FR 720 2016 1size
242311-222	Seatstays Voltage FR 730 2016 1size
242312-008	Seatstays Contessa Spark 700 RC 2016 L
242312-082	Seatstays Contessa Spark 700 RC 2016 S/M
242313-008	Seatstays Contessa Genius 700 2016 L
242313-082	Seatstays Contessa Genius 700 2016 S/M
242314-222	Seatstays E-Spark 710 2016 1size
242315-222	Seatstays E-Spark 720 2016 1size
242316-222	Seatstays E-Genius 910 2016 1size
242317-222	Seatstays E-Genius 920 2016 1size
242318-222	Seatstays E-Genius 710+ 2016 1size
242319-222	Seatstays E-Genius 720+ 2016 1size
242320-222	Seatstays E-Genius Contessa 720+ 2016 1size
242321-006	Frame Sub Cross 10 2016 S
242321-007	Frame Sub Cross 10 2016 M
242321-008	Frame Sub Cross 10 2016 L
242321-009	Frame Sub Cross 10 2016 XL
242321-010	Frame Sub Cross 10 2016 XXL
242322-006	Frame Sub Cross 30 Solution 2016 S
242322-007	Frame Sub Cross 30 Solution 2016 M
242322-008	Frame Sub Cross 30 Solution 2016 L
242322-009	Frame Sub Cross 30 Solution 2016 XL
242323-006	Frame Sub Cross 40 Lady 2016 S
242323-007	Frame Sub Cross 40 Lady 2016 M
242323-008	Frame Sub Cross 40 Lady 2016 L
242323-009	Frame Sub Cross 40 Lady 2016 XL
242324-006	Frame Sub Sport 10 Men 2016 S
242324-007	Frame Sub Sport 10 Men 2016 M
242324-008	Frame Sub Sport 10 Men 2016 L
242324-009	Frame Sub Sport 10 Men 2016 XL
242325-006	Frame Sub Sport 10 Lady 2016 S
242325-007	Frame Sub Sport 10 Lady 2016 M
242325-008	Frame Sub Sport 10 Lady 2016 L
242326-006	Frame Sub Comfort 10 Uni 2016 S
242326-007	Frame Sub Comfort 10 Uni 2016 M
242326-008	Frame Sub Comfort 10 Uni 2016 L
242327-006	Frame Sub Comfort 10 Men 2016 S
242327-007	Frame Sub Comfort 10 Men 2016 M
242327-008	Frame Sub Comfort 10 Men 2016 L
242327-009	Frame Sub Comfort 10 Men 2016 XL
242328-006	Frame Sub Comfort 10 Lady 2016 S
242328-007	Frame Sub Comfort 10 Lady 2016 M
242328-008	Frame Sub Comfort 10 Lady 2016 L
242329-006	Frame E-Sub Sport Men 2016 S
242329-007	Frame E-Sub Sport Men 2016 M
242329-008	Frame E-Sub Sport Men 2016 L
242329-009	Frame E-Sub Sport Men 2016 XL
242330-006	Frame E-Sub Sport Lady 2016 S
242330-007	Frame E-Sub Sport Lady 2016 M
242330-008	Frame E-Sub Sport Lady 2016 L
242331-006	Frame E-Sub Tour Uni 2016 S
242331-007	Frame E-Sub Tour Uni 2016 M
242331-008	Frame E-Sub Tour Uni 2016 L
242332-006	Frame E-Sub Comfort Men 2016 S
242332-007	Frame E-Sub Comfort Men 2016 M
242332-008	Frame E-Sub Comfort Men 2016 L
242332-009	Frame E-Sub Comfort Men 2016 XL
242333-006	Frame E-Sub Comfort Uni 2016 S
242333-007	Frame E-Sub Comfort Uni 2016 M
242333-008	Frame E-Sub Comfort Uni 2016 L
242334-019	Frameset CR1 10 2016 int BB XXS47
242334-020	Frameset CR1 10 2016 int BB XS49
242334-021	Frameset CR1 10 2016 int BB S52
242334-022	Frameset CR1 10 2016 int BB M54
242334-023	Frameset CR1 10 2016 int BB L56
242334-024	Frameset CR1 10 2016 int BB XL58
242334-025	Frameset CR1 10 2016 int BB 2XL61
242335-019	Frameset CR1 30 2016 Stand BB XXS47
242335-020	Frameset CR1 30 2016 Stand BB XS49
242335-021	Frameset CR1 30 2016 Stand BB S52
242335-022	Frameset CR1 30 2016 Stand BB M54

SPARE PARTS 2016

242335-023	Frameset CR1 30 2016 Stand BB L56
242335-024	Frameset CR1 30 2016 Stand BB XL58
242335-025	Frameset CR1 30 2016 Stand BB 2XL61
242336-019	Frameset Speedster 10 2016 XXS47
242336-020	Frameset Speedster 10 2016 XS49
242336-021	Frameset Speedster 10 2016 S52
242336-022	Frameset Speedster 10 2016 M54
242336-023	Frameset Speedster 10 2016 L56
242336-024	Frameset Speedster 10 2016 XL58
242336-025	Frameset Speedster 10 2016 2XL61
242337-019	Frameset Speedster 20 disc 2016 XXS47
242337-020	Frameset Speedster 20 disc 2016 XS49
242337-021	Frameset Speedster 20 disc 2016 S52
242337-022	Frameset Speedster 20 disc 2016 M54
242337-023	Frameset Speedster 20 disc 2016 L56
242337-024	Frameset Speedster 20 disc 2016 XL58
242337-025	Frameset Speedster 20 disc 2016 2XL61
242338-019	Frameset Speedster 20 FB 2016 XXS47
242338-020	Frameset Speedster 20 FB 2016 XS49
242338-021	Frameset Speedster 20 FB 2016 S52
242338-022	Frameset Speedster 20 FB 2016 M54
242338-023	Frameset Speedster 20 FB 2016 L56
242338-024	Frameset Speedster 20 FB 2016 XL58
242338-025	Frameset Speedster 20 FB 2016 2XL61
242339-005	Frameset Speedster CX 10 disc 2016 XS
242339-006	Frameset Speedster CX 10 disc 2016 S
242339-007	Frameset Speedster CX 10 disc 2016 M
242339-008	Frameset Speedster CX 10 disc 2016 L
242339-009	Frameset Speedster CX 10 disc 2016 XL
242339-020	Frameset Speedster CX 10 disc 2016 XS49
242339-021	Frameset Speedster CX 10 disc 2016 S52
242339-022	Frameset Speedster CX 10 disc 2016 M54
242339-023	Frameset Speedster CX 10 disc 2016 L56
242339-024	Frameset Speedster CX 10 disc 2016 XL58
242340-014	Frameset Con Solace 15 2016 XXS46
242340-015	Frameset Con Solace 15 2016 XS48
242340-016	Frameset Con Solace 15 2016 S51
242340-017	Frameset Con Solace 15 2016 M53
242340-018	Frameset Con Solace 15 2016 L55
242341-014	Frameset Con Speedster 15 2016 XXS46
242341-015	Frameset Con Speedster 15 2016 XS48
242341-016	Frameset Con Speedster 15 2016 S51
242341-017	Frameset Con Speedster 15 2016 M53
242341-018	Frameset Con Speedster 15 2016 L55
242342-006	Frameset E-Sub EVO 2016 S
242342-007	Frameset E-Sub EVO 2016 M
242342-008	Frameset E-Sub EVO 2016 L
242342-009	Frameset E-Sub EVO 2016 XL
242343-005	Frameset Sub Speed 10 2016 XS
242343-006	Frameset Sub Speed 10 2016 S
242343-007	Frameset Sub Speed 10 2016 M
242343-008	Frameset Sub Speed 10 2016 L
242343-009	Frameset Sub Speed 10 2016 XL
242344-005	Frameset Sub Speed 20 2016 XS
242344-006	Frameset Sub Speed 20 2016 S
242344-007	Frameset Sub Speed 20 2016 M
242344-008	Frameset Sub Speed 20 2016 L
242344-009	Frameset Sub Speed 20 2016 XL
242345-005	Frameset Sub Speed 30 2016 XS
242345-006	Frameset Sub Speed 30 2016 S
242345-007	Frameset Sub Speed 30 2016 M
242345-008	Frameset Sub Speed 30 2016 L
242345-009	Frameset Sub Speed 30 2016 XL

242346-006	Frameset Sub EVO 10 2016 S
242346-007	Frameset Sub EVO 10 2016 M
242346-008	Frameset Sub EVO 10 2016 L
242346-009	Frameset Sub EVO 10 2016 XL
242347-006	Frameset Sub EVO 20 Men 2016 S
242347-007	Frameset Sub EVO 20 Men 2016 M
242347-008	Frameset Sub EVO 20 Men 2016 L
242347-009	Frameset Sub EVO 20 Men 2016 XL
242348-006	Frameset Sub EVO 20 Lady 2016 S
242348-007	Frameset Sub EVO 20 Lady 2016 M
242348-008	Frameset Sub EVO 20 Lady 2016 L
242349-222	Fork Big Jon 2016 1size
242350-006	Fork Plasma Team issue 2016 S
242350-007	Fork Plasma Team issue 2016 M
242350-008	Fork Plasma Team issue 2016 L
242350-009	Fork Plasma Team issue 2016 XL
242351-006	Fork Plasma Premium 2016 S
242351-007	Fork Plasma Premium 2016 M
242351-008	Fork Plasma Premium 2016 L
242351-009	Fork Plasma Premium 2016 XL
242352-222	Fork Plasma 10 2016 1size
242353-222	Fork Plasma 20 2016 1size
242354-222	Fork Foil team Issue 2016 1size
242355-222	Fork Foil Premium 2016 1size
242356-222	Fork Foil 10 2016 1size
242357-222	Fork Foil 20 2016 1size
242358-222	Fork Foil 30 2016 1size
242359-222	Fork Addict SL 2016 1size
242360-222	Fork Addict Team Issue 2016 1size
242361-222	Fork Addict 10 2016 1size
242362-222	Fork Addict 15 2016 1size
242363-222	Fork Addict 20 2016 1size
242364-222	Fork Addict 30 2016 1size
242365-222	Fork Solace Premium Disc 2016 1size
242366-222	Fork Solace 10 Disc 2016 1size
242367-222	Fork Solace 10 2016 1size
242368-222	Fork Solace 20 Disc 2016 1size
242369-222	Fork Solace 20 2016 1size
242370-222	Fork Solace 30 FB Disc 2016 1size
242371-222	Fork CR1 10 2016 1size
242372-222	Fork CR1 20 2016 1size
242373-222	Fork CR1 30 2016 1size
242374-222	Fork Speedster 10 2016 1size
242375-222	Fork Speedster 20 2016 1size
242376-222	Fork Speedster 20 Disc 2016 1size
242377-222	Fork Speedster 30 2016 1size
242378-222	Fork Speedster 30 Disc 2016 1size
242379-222	Fork Speedster 40 2016 1size
242380-222	Fork Speedster 50 2016 1size
242381-222	Fork Speedster 50 FB 2016 1size
242382-222	Fork Speedster 60 2016 1size
242383-222	Fork Addict CX 10 Disc 2016 1size
242384-222	Fork Addict CX 20 Disc 2016 1size
242385-222	Fork Speedster CX 10 Disc 2016 1size
242386-222	Fork Speedster CX 20 Disc 2016 1size
242387-222	Fork Contessa Solace 15 2016 1size
242388-222	Fork Contessa Solace 25 2016 1size
242389-222	Fork Contessa Solace 35 2016 1size
242390-222	Fork Contessa Speedster 15 2016 1size
242391-222	Fork Contessa Speedster 25 2016 1size
242392-222	Fork Contessa Speedster 35 2016 1size
242393-222	Fork Contessa Speedster 45 2016 1size
242394-222	Fork E-Sub EVO 2016 1size

SPARE PARTS 2016

242395-222	Fork Sub Speed 10 2016 1size
242396-222	Fork Sub Speed 20 2016 1size
242397-222	Fork Sub Speed 30 2016 1size
242398-222	Fork Sub EVO 10 2016 1size
242399-222	Fork Sub EVO 20 Men 2016 1size
242400-222	Fork Sub EVO 20 Lady 2016 1size
242401-222	Fork Sub EVO 30 Men 2016 1size
242402-222	Fork Sub EVO 30 Lady 2016 1size
242403-222	Fork Scale RC JR 24 2016 1size
242404-222	Fork Scale JR 24 Rigid 2016 1size
242405-222	Fork Volt-X 10 2016 1size
242406-222	Fork Volt-X 20 2016 1size
242407-222	Fork Volt-X 30 2016 1size
242408-0001047	Fork Suntour Raidon RL-R boost black 27.5
242409-222	Twinloc lever Nude 3 integ clamp down 1size
242410-222	Rideloc lever Integ clamp down 1size
242411-222	Rear shock FOX NUD3 DPS Kash 190*50 1size
242412-222	Rear shock FOX NUD3 DPS Kash 165*38 1size
242413-222	Rear shock FOX NUD3 DPS 190*50 1size
242414-222	Rear shock FOX NUD3 DPS 165*38 1size
242415-222	Rear shock FOX NUD3 DPS EVOL Kash 200*57 1size
242416-222	Rear shock FOX NUD3 DPS EVOL Kash 190*50 1size
242417-222	Rear shock FOX NUD3 DPS EVOL 200*57 1size
242418-222	Rear shock FOX NUD3 DPS EVOL 190*50 1size
242419-222	Rear shock Xfusion NUDE 190*50 1size
242420-222	Rear shock Xfusion NUDE 200*57 1size
242421-222	Rear shock Xfusion NUDE 165*38 1size
242422-222	Rear shock Genius FOX Float DPS 190*50 1size
242423-222	Rear shock FOX Float DPS 165*38 1size
242424-222	Rear shock FOX Float DPS 200*57 1size
242425-222	Rear shock Spark FOX Float DPS 190*50 1size
242426-222	Rear shock FOX NUD3 DPS EVOL Kash 215 1size
242427-222	Rear shock FOX NUD3 DPS EVOL 215 1size
242428-222	Rear shock FOX Float DPS 215 1size
242429-222	Axle RWS Alu thru 148MM / Ø12MM 1size
242430-222	Axle RWS Alu thru 197MM / Ø12MM 1size
242431-222	Axle RWS Front Road Disc >16 / Ø12MM 1size
242432-222	Axle RWS Alu thru 150MM / Ø12MM 1size
242433-222	Cable fixing set Addict Disc '16 1size
242434-222	Cable fixing set Foil '16 1size
242435-222	Chainguide set Addict CX '16 1size
242436-222	BB Cable guide integ Aspect 900 1size
242437-222	Hub rep kit Syncros Formula CL811 1size
242438-222	Hub rep kit Syncros Formula CL14811 1size
242439-222	Hub rep kit Syncros Formula CL148S 1size
242440-222	Hub rep kit Syncros Formula CT150 1size
242441-222	Hub rep kit Syncros Formula CT197 1size
242442-222	Hub rep kit Syncros Formula Road Team 1size
242443-222	Hub rep kit Syncros Formula Road Comp 1size
242444-222	Hub rep kit Sync Form Road Team Disc QR 1size
242445-222	Hub rep kit Sync Form Road Team Disc Ø12 1size
242446-240	E-bike crankset Miranda Delta Boost 17T 170mm
242446-242	E-bike crankset Miranda Delta Boost 17T 175mm
242447-222	E-bike sprocket Miranda Delta Boost 17T 1size
242448-0001222	E-bike integ bat. socket Unisex 2016 black 1size
242449-0001222	E-bike integ bat. socket Sport Tour 2016 black 1size
242450-222	E-bike Bosch Motor Cover 2016 1size
242451-0001048	Tire Schwalbe Rocket Ron EVO 27.5*2.8" black 27.5" Plus
242452-0001045	Tire Schwalbe Jumbo Jim EVO 26*4.8" black 26"
242453-0001048	Tire Schwalbe Nobby Nic EVO 27.5*2.8" black 27.5" Plus
242454-048	Rim tape Scale/Genius/Genius LT + 27.5" Plus
242455-048	Tube Scale/Genius/Genius LT + 27.5" Plus

242456-045	Rim tape Big Ed 26*4.8"/80mm orange
242457-045	Rim tape Big Jon 26*4.8"/80mm green
242458-045	Tube 26 Big Ed 4.8" 26"
242459-0001047	Rim alex Syncros X-40 32H black 27.5"
242460-0001158	Rim Cross X12 32H black 700C
242461-0001158	Rim Cross X3 32H black 700C
242462-0001158	Rim Mach 1 640 black 700C
242463-0001158	Rim Syncros CX disc 28H black 700C
242464-047	Schwalbe Procore set 27.5"
242465-222	Chainsuck protector Foil MY16 1size
242466-222	Gates Belt CDN 122T 1size
242467-222	Gates Belt CDN 118T 1size
242468-222	Gates Sprocket CDN 26T 1size
242469-222	Gates Sprocket CDN 24T 1size
242470-222	Gates Chainring CDX 46T 5B 1size
242471-222	Gates Chainring CDX 50T 5B 1size
242472-240	Crankset RF RXC db 36*22 Big Jon 2016 170mm
242472-242	Crankset RF RXC db 36*22 Big Jon 2016 175mm
242473-222	Bb set Big Jon 2016 Race Face 1size
242474-222	Seatpost Remote Xfusion Hilo 1size
242475-132	Seatpost Xfusion Hilo strate 31.6 125
242476-222	Seatclamp Foil 2016 1size
242477-154	Seatpost Foil Premium 2016 5mm
242477-156	Seatpost Foil Premium 2016 20mm
242478-154	Seatpost Foil Team Issue 2016 5mm
242478-156	Seatpost Foil Team Issue 2016 20mm
242479-154	Seatpost Foil 10 2016 5mm
242479-156	Seatpost Foil 10 2016 20mm
242480-154	Seatpost Foil 20 2016 5mm
242480-156	Seatpost Foil 20 2016 20mm
242481-154	Seatpost Foil 30 2016 5mm
242481-156	Seatpost Foil 30 2016 20mm
242482-053	Seatpost Syncros M3.0 27.2 350mm
242482-057	Seatpost Syncros M3.0 27.2 400mm
242483-222	Fender set Sub speed 10 2016 1size
242484-222	Fender set Sub speed 20 2016 1size
242485-222	Fender set Sub Speed 30 2016 1size
242486-222	Headset Compression kit Plasma 5 1size
242487-222	Headset Spacers kit Foil 2016 1size
242488-222	Headset Compression kit 1" 1/8 1size
242489-222	Headset Compression kit 1" 1/4 1size
242490-222	Saddle Contessa JR 26 2016 1size
242491-222	Saddle Contessa JR 24 2016 1size
242492-222	Saddle Contessa JR 20 2016 1size
242493-222	Saddle Contessa JR 16 2016 1size
242494-222	Saddle Contessa JR 12 2016 1size
242495-222	Saddle Scale JR 26 2016 1size
242496-222	Saddle Scale JR 24/20 2016 1size
242497-222	Saddle Scale JR 24/20 rigid 2016 1size
242498-222	Saddle Scale JR 24 RC 2016 1size
242499-222	Saddle Speedster JR 24 2016 1size
242500-222	Saddle Voltage JR 26 2016 1size
242501-222	Saddle Voltage JR 24 2016 1size
242502-222	Saddle Voltage JR 24 Disc 2016 1size
242503-222	Saddle Voltage JR 20 2016 1size
242504-222	Saddle Voltage JR 16 2016 1size
242505-222	Saddle Voltage JR 12 2016 1size
242506-222	Saddle Voltage Walker 2016 1size
242507-222	Saddle Contessa Walker 2016 1size
242514-222	Hub rep kit Syncros Formula CL71 1size
242545-222	Axle Alu Thru 197MM / Ø12MM Big Jon 1size
242546-222	Dropout hanger Ø12MM Big Jon 1size
242573-222	Axle Alu Thru 150mm / Ø15MM Big Jon 1size

SPARE PARTS 2016

242602-0001222	Chainring+Guard E-SUB/MTB 14 Bosch 17T black 1size
242605-222	Rear shock FOX NUD3 DPS EVOL Kash 215*60 1size
242606-222	Rear shock FOX NUD3 DPS EVOL 215*60 1size
242607-222	Rear shock FOX Float DPS 215*60 1size
244750-020	Frameset Addict Gravel disc '16 War.only XS49
244750-021	Frameset Addict Gravel disc '16 War.only S52
244750-022	Frameset Addict Gravel disc '16 War.only M54
244750-023	Frameset Addict Gravel disc '16 War.only L56
244750-024	Frameset Addict Gravel disc '16 War.only XL58
244751-019	Frameset Addict SL HMX-SL 2016 War.only XXS47
244751-020	Frameset Addict SL HMX-SL 2016 War.only XS49
244751-021	Frameset Addict SL HMX-SL 2016 War.only S52
244751-022	Frameset Addict SL HMX-SL 2016 War.only M54
244751-023	Frameset Addict SL HMX-SL 2016 War.only L56
244751-024	Frameset Addict SL HMX-SL 2016 War.only XL58
244751-025	Frameset Addict SL HMX-SL 2016 War.only 2XL61
244752-019	Frameset Addict 10 HMF 2016 War.only XXS47
244752-020	Frameset Addict 10 HMF 2016 War.only XS49
244752-021	Frameset Addict 10 HMF 2016 War.only S52
244752-022	Frameset Addict 10 HMF 2016 War.only M54
244752-023	Frameset Addict 10 HMF 2016 War.only L56
244752-024	Frameset Addict 10 HMF 2016 War.only XL58
244752-025	Frameset Addict 10 HMF 2016 War.only 2XL61
244753-019	Frameset Solace Prem Di2 HMX 16 War.only XXS47
244753-020	Frameset Solace Prem Di2 HMX 16 War.only XS49
244753-021	Frameset Solace Prem Di2 HMX 16 War.only S52
244753-022	Frameset Solace Prem Di2 HMX 16 War.only M54
244753-023	Frameset Solace Prem Di2 HMX 16 War.only L56
244753-024	Frameset Solace Prem Di2 HMX 16 War.only XL58
244753-025	Frameset Solace Prem Di2 HMX 16 War.only 2XL61
244754-019	Frameset Foil 10 Mec/Di2 HMF 16 War.only XXS47
244754-020	Frameset Foil 10 Mec/Di2 HMF 16 War.only XS49
244754-021	Frameset Foil 10 Mec/Di2 HMF 16 War.only S52
244754-022	Frameset Foil 10 Mec/Di2 HMF 16 War.only M54
244754-023	Frameset Foil 10 Mec/Di2 HMF 16 War.only L56
244754-024	Frameset Foil 10 Mec/Di2 HMF 16 War.only XL58
244754-025	Frameset Foil 10 Mec/Di2 HMF 16 War.only 2XL61
244755-222	Dropout hanger Speedster Disc/CX '16 1size
244756-2658158	Rim Sync/DT RP1.5 18H Addict10 f 16 neon yellow 700C
244757-2658158	Rim Sync/DT RP1.5 24H Addict10 r 16 neon yellow 700C
244758-5327158	Rim Sync/DT RP2.0 18H Addict15 f 16 dodger blue 700C
244759-5327158	Rim Sync/DT RP2.0 24H Addict15 r 16 dodger blue 700C
244760-4858158	Rim Sync/DT RP2.0 D 24H Addict20 16 neon red 700C
244761-4858158	Rim Sync/DT RP2.0 18H Addict20 f 16 neon red 700C
244762-4858158	Rim Sync/DT RP2.0 24H Addict20 r 16 neon red 700C
244763-2658158	Rim Sync/DT RP1.0 D 24H Addict CX 16 neon yellow 700C
244764-0327158	Rim Sync/DT RP2.0 D 24H Add Grvl/CX20 16 neon orange 700C
244765-0327158	Rim Sync/DT RP1.0 D 24H Add/Sol Prem 16 neon orange 700C
244766-5328047	Rim Sync/DT TR 2.0 28H Cont Genius 16 ne pi sermon 27.5"
244767-4857047	Rim Sync/DT XR2.0 28H Cont Sc/Sp RC 16 neon blue 27.5"
244768-4857158	Rim Sync/DT RP2.0 18H Cont Solace15 f 16 neon blue 700C
244769-4857158	Rim Sync/DT RP2.0 24H Cont Solace15 r 16 neon blue 700C
244770-2658158	Rim Sync/DT RR2.0 20H Foil10 f 16 neon yellow 700C
244771-2658158	Rim Sync/DT RR2.0 24H Foil10 r 16 neon yellow 700C
244772-4858158	Rim Sync/DT RR2.0 20H Foil20 f 16 neon red 700C
244773-4858158	Rim Sync/DT RR2.0 24H Foil20 r 16 neon red 700C
244774-0327047	Rim Sync/DT FR570 32H Gambler 710 16 neon orange 27.5"
244775-2658047	Rim Sync/DT TR1.5 28H Genius700 Prem 16 neon yellow 27.5"
244776-0327047	Rim Sync/DT TR1.5 28H Genius LT/Tnd + 16 neon orange 27.5"
244777-5325047	Rim Sync/DT TR2.0 28H Genius710 16 neon lime 27.5"
244778-4858047	Rim Sync/DT TR2.5 28H Genius720 16 neon red 27.5"
244779-0327049	Rim Sync/DT TR1.0 28H Genius900 Tnd 16 neon orange 29"
244780-5325049	Rim Sync/DT TR2.0 28H Genius910 16 neon lime 29"
244781-4858049	Rim Sync/DT TR2.5 28H Genius920 16 neon red 29"
244782-4858047	Rim Sync/DT AM1.5 28H Genius LT Tnd 16 neon red 27.5"
244783-0327047	Rim Sync/DT XR1.0 28H Scale700 SL 16 neon orange 27.5"
244784-0327049	Rim Sync/DT XR1.0 28H Scale900 SL 16 neon orange 29"
244785-0327047	Rim Sync/DT XR1.5 28H Sc/Sp700 Prem 16 neon orange 27.5"
244786-2658047	Rim Sync/DT XR RC 28H Sc/Sp700 RC 16 neon yellow 27.5"
244787-5326047	Rim Sync/DT XR2.0 28H Sc/Sp710 whi/neon red 27.5"
244788-0350047	Rim Sync/DT XR2.5 28H Sc/Sp720 neon green 27.5"
244789-0327049	Rim Sync/DT XR1.5 28H Sc/Sp900 Prem 16 neon orange 29"
244790-2658049	Rim Sync/DT XR RC 28H Sc/Sp900 RC 16 neon yellow 29"
244791-5326049	Rim Sync/DT XR2.0 28H Sc/Sp910 whi/neon red 29"
244792-0350049	Rim Sync/DT XR2.5 28H Sc/Sp920 neon green 29"
244793-2658158	Rim Sync/DT RP2.0 D 24H Solace10 16 neon yellow 700C
244794-2658158	Rim Sync/DT RP2.0 18H Solace10 f 16 neon yellow 700C
244795-2658158	Rim Sync/DT RP2.0 24H Solace10 r 16 neon yellow 700C
244796-4858047	Rim Sync/DT XR1.0 28H Spark700 Ult 16 neon red 27.5"
244909-0001222	Complete Flip/Flop head+hose FP3.0 MY16
244910-222	Headset Kit Voltage FR10 only
245450-222	Fd mount clamp Big John 2016
245451-222	Chainsuck protector E-Genius/Plus 16
245452-222	Headset Bearing kit Foil 2016
246375-006	Frame Aspect 660 Disc 2016 Warr. only S
246375-007	Frame Aspect 660 Disc 2016 Warr. only M
246375-008	Frame Aspect 660 Disc 2016 Warr. only L
246375-009	Frame Aspect 660 Disc 2016 Warr. only XL
246376-0001047	Rim alex X-23 disc 32H BK 27.5
246376-0001049	Rim alex X-23 disc 32H BK 29
246378-222	CSP Pre shape E-Genius/E-Genius+ '16
246386-0001222	Brake Voltage-X30 rear warranty
246985-2978045	Fork Zoom 565 Aspect 660 '16 War.only black gloss 26"
246986-2978045	Fork Zoom 565 Aspect 670 '16 War.only black gloss 26"
246987-0135047	Fork Zoom 565 Aspect 760 '16 War.only black matt 27.5"
246988-0135047	Fork Zoom 565 Aspect 770 '16 War.only black matt 27.5"
246989-0135047	Fork Zoom 565 Aspect 765 '16 War.only black matt 27.5"
246990-0135049	Fork Zoom 565 Aspect 960 '16 War.only black matt 29"
246991-0135049	Fork Zoom 565 Aspect 970 '16 War.only black matt 29"
246992-0135045	Fork Zoom 565 Voltage Jr26 '16 War.only black matt 26"
246993-2979045	Fork Zoom 565 Contes. Jr26 '16 War.only white gloss 26"
246994-2978045	Fork Zoom 565 Contes. 650 '16 War.only black gloss 26"
246995-0135047	Fork Zoom 565 Contes. 730 '16 War.only black matt 27.5"
246996-0196047	Fork Zoom 565 Contes. 740 '16 War.only white matt 27.5"
250399-222	Light Front Spanninga Kendo Dynamo Warr
250400-222	Light Rear Spanninga Solo 16 Warranty one size
250401-222	Light Rear Spanninga Plateo 16 Warranty one size
250511-222	Light Front Spanninga Kendo E-bike Warr one size
251927-139	Seatpost Syncros FL1.0 25mm BLK recall

SPARE PARTS 2015

Article no.	Description
216325-0001	Rim Alex C-1000 32H 24" black
216325-0002	Rim Alex C-1000 32H 24" white
239062-006	Front triangle Spark 700 Ultimate 2015 S
239062-007	Front triangle Spark 700 Ultimate 2015 M
239062-008	Front triangle Spark 700 Ultimate 2015 L
239062-009	Front triangle Spark 700 Ultimate 2015 XL
239063-006	Front triangle Spark 700 SL 2015 S
239063-007	Front triangle Spark 700 SL 2015 M
239063-008	Front triangle Spark 700 SL 2015 L
239063-009	Front triangle Spark 700 SL 2015 XL
239064-006	Front triangle Spark 700 Premium 2015 S
239064-007	Front triangle Spark 700 Premium 2015 M
239064-008	Front triangle Spark 700 Premium 2015 L
239064-009	Front triangle Spark 700 Premium 2015 XL
239065-006	Front triangle Spark 700 RC 2015 S
239065-007	Front triangle Spark 700 RC 2015 M
239065-008	Front triangle Spark 700 RC 2015 L
239065-009	Front triangle Spark 700 RC 2015 XL
239066-006	Front triangle Spark 710 2015 S
239066-007	Front triangle Spark 710 2015 M
239066-008	Front triangle Spark 710 2015 L
239066-009	Front triangle Spark 710 2015 XL
239067-006	Front triangle Spark 720 2015 S
239067-007	Front triangle Spark 720 2015 M
239067-008	Front triangle Spark 720 2015 L
239067-009	Front triangle Spark 720 2015 XL
239068-006	Front triangle Spark 730 2015 S
239068-007	Front triangle Spark 730 2015 M
239068-008	Front triangle Spark 730 2015 L
239068-009	Front triangle Spark 730 2015 XL
239069-006	Front triangle Spark 900 SL 2015 S
239069-007	Front triangle Spark 900 SL 2015 M
239069-008	Front triangle Spark 900 SL 2015 L
239069-009	Front triangle Spark 900 SL 2015 XL
239070-006	Front triangle Spark 900 Premium 2015 S
239070-007	Front triangle Spark 900 Premium 2015 M
239070-008	Front triangle Spark 900 Premium 2015 L
239070-009	Front triangle Spark 900 Premium 2015 XL
239071-006	Front triangle Spark 900 RC 2015 S
239071-007	Front triangle Spark 900 RC 2015 M
239071-008	Front triangle Spark 900 RC 2015 L
239071-009	Front triangle Spark 900 RC 2015 XL
239072-006	Front triangle Spark 910 2015 S
239072-007	Front triangle Spark 910 2015 M
239072-008	Front triangle Spark 910 2015 L
239072-009	Front triangle Spark 910 2015 XL
239073-006	Front triangle Spark 920 2015 S
239073-007	Front triangle Spark 920 2015 M
239073-008	Front triangle Spark 920 2015 L
239073-009	Front triangle Spark 920 2015 XL
239074-006	Front triangle Spark 930 2015 S
239074-007	Front triangle Spark 930 2015 M
239074-008	Front triangle Spark 930 2015 L
239074-009	Front triangle Spark 930 2015 XL
239075-006	Front triangle Genius 700 tuned 2015 S
239075-007	Front triangle Genius 700 tuned 2015 M
239075-008	Front triangle Genius 700 tuned 2015 L
239075-009	Front triangle Genius 700 tuned 2015 XL
239076-006	Front triangle Genius 700 Premium 2015 S
239076-007	Front triangle Genius 700 Premium 2015 M
239076-008	Front triangle Genius 700 Premium 2015 L
239076-009	Front triangle Genius 700 Premium 2015 XL
239077-006	Front triangle Genius 710 2015 S
239077-007	Front triangle Genius 710 2015 M
239077-008	Front triangle Genius 710 2015 L
239077-009	Front triangle Genius 710 2015 XL
239078-006	Front triangle Genius 720 2015 S
239078-007	Front triangle Genius 720 2015 M
239078-008	Front triangle Genius 720 2015 L
239078-009	Front triangle Genius 720 2015 XL
239079-006	Front triangle Genius 730 2015 S
239079-007	Front triangle Genius 730 2015 M
239079-008	Front triangle Genius 730 2015 L
239079-009	Front triangle Genius 730 2015 XL
239080-006	Front triangle Genius 740 2015 S
239080-007	Front triangle Genius 740 2015 M
239080-008	Front triangle Genius 740 2015 L
239080-009	Front triangle Genius 740 2015 XL
239081-006	Front triangle Genius 900 tuned 2015 S
239081-007	Front triangle Genius 900 tuned 2015 M
239081-008	Front triangle Genius 900 tuned 2015 L
239081-009	Front triangle Genius 900 tuned 2015 XL
239082-006	Front triangle Genius 910 2015 S
239082-007	Front triangle Genius 910 2015 M
239082-008	Front triangle Genius 910 2015 L
239082-009	Front triangle Genius 910 2015 XL
239083-006	Front triangle Genius LT 700 tuned 2015 S
239083-007	Front triangle Genius LT 700 tuned 2015 M
239083-008	Front triangle Genius LT 700 tuned 2015 L
239084-006	Front triangle Genius LT 710 2015 S
239084-007	Front triangle Genius LT 710 2015 M
239084-008	Front triangle Genius LT 710 2015 L
239085-006	Front triangle Genius LT 720 2015 S
239085-007	Front triangle Genius LT 720 2015 M
239085-008	Front triangle Genius LT 720 2015 L
239086-006	Front triangle Gambler 710 2015 S
239086-007	Front triangle Gambler 710 2015 M
239086-008	Front triangle Gambler 710 2015 L
239087-006	Front triangle Gambler 720 2015 S
239087-007	Front triangle Gambler 720 2015 M
239087-008	Front triangle Gambler 720 2015 L
239088-006	Front triangle Gambler 730 2015 S
239088-007	Front triangle Gambler 730 2015 M
239088-008	Front triangle Gambler 730 2015 L
239089-006	Front triangle Voltage FR 710 2015 S
239089-007	Front triangle Voltage FR 710 2015 M
239089-008	Front triangle Voltage FR 710 2015 L
239090-006	Front triangle Voltage FR 720 2015 S
239090-007	Front triangle Voltage FR 720 2015 M
239090-008	Front triangle Voltage FR 720 2015 L
239091-006	Front triangle Voltage FR 730 2015 S
239091-007	Front triangle Voltage FR 730 2015 M
239091-008	Front triangle Voltage FR 730 2015 L
239092-006	Front triangle E-Spark 710 2015 S
239092-007	Front triangle E-Spark 710 2015 M
239092-008	Front triangle E-Spark 710 2015 L
239092-009	Front triangle E-Spark 710 2015 XL
239093-006	Front triangle E-Spark 720 2015 S
239093-007	Front triangle E-Spark 720 2015 M
239093-008	Front triangle E-Spark 720 2015 L
239093-009	Front triangle E-Spark 720 2015 XL
239094-006	Front triangle Contessa Spark 700 RC 15' S
239094-007	Front triangle Contessa Spark 700 RC 15' M
239094-008	Front triangle Contessa Spark 700 RC 15' L
239095-006	Front triangle Contessa Genuis 700 2015 S
239095-007	Front triangle Contessa Genuis 700 2015 M

SPARE PARTS 2015

Article no.	Description
239095-008	Front triangle Contessa Genuis 700 2015 L
239096-006	Front triangle Contessa Genius 710 2015 S
239096-007	Front triangle Contessa Genius 710 2015 M
239096-008	Front triangle Contessa Genius 710 2015 L
239097-006	Front triangle Contessa Spark 700 2015 S
239097-007	Front triangle Contessa Spark 700 2015 M
239097-008	Front triangle Contessa Spark 700 2015 L
239098-222	Chainstay Spark 700 Ultimate 2015 1size
239099-222	Chainstay Spark 700 SL 2015 1size
239100-222	Chainstay Spark 700 Premium 2015 1size
239101-222	Chainstay Spark 700 RC 2015 1size
239102-222	Chainstay Spark 710 2015 1size
239103-222	Chainstay Spark 720 2015 1size
239104-222	Chainstay Spark 730 2015 1size
239105-222	Chainstay Spark 900 Premium 2015 1size
239106-222	Chainstay Spark 900 RC 2015 1size
239107-222	Chainstay Spark 900 SL 2015 1size
239108-222	Chainstay Spark 910 2015 1size
239109-222	Chainstay Spark 920 2015 1size
239110-222	Chainstay Spark 930 2015 1size
239111-222	Chainstay Genius 700 Tuned/Prem 2015 1size
239112-222	Chainstay Genius 700 Premium 2015 1size
239113-222	Chainstay Genius 710/730 2015 1size
239114-222	Chainstay Genius 720 2015 1size
239115-222	Chainstay Genius 730 2015 1size
239116-222	Chainstay Genius 900 Tuned 2015 1size
239117-222	Chainstay Genius 910/930 2015 1size
239119-222	Chainstay Genius 740 2015 1size
239120-222	Chainstay Genius LT 700 Tuned 2015 1size
239121-222	Chainstay Genius LT 710 2015 1size
239122-222	Chainstay Genius LT 720 2015 1size
239123-222	Swingarm Gambler 710 2015 1size
239124-222	Swingarm Gambler 720 2015 1size
239125-222	Swingarm Gambler 730 2015 1size
239126-222	Chainstay Voltage FR 710 2015 1size
239127-222	Chainstay Voltage FR 720 2015 1size
239128-222	Chainstay Voltage FR 730 2015 1size
239129-222	Chainstay E-Spark 710 2015 1size
239130-222	Chainstay E-Spark 720 2015 1size
239131-222	Chainstay Contessa Spark 700 RC 2015 1size
239132-222	Chainstay Contessa Genius 710 2015 1size
239133-222	Chainstay Contessa Spark 700 2015 1size
239134-082	Seatstay Spark 700 Ultim/SL/RC 2015 S/M
239134-083	Seatstay Spark 700 Ultim/SL/RC 2015 L/XL
239135-082	Seatstay Spark 700 SL 2015 S/M
239135-083	Seatstay Spark 700 SL 2015 L/XL
239136-082	Seatstay Spark 700 Premium 2015 S/M
239136-083	Seatstay Spark 700 Premium 2015 L/XL
239137-082	Seatstay Spark 700 RC 2015 S/M
239137-083	Seatstay Spark 700 RC 2015 L/XL
239138-082	Seatstay Spark 710 2015 S/M
239138-083	Seatstay Spark 710 2015 L/XL
239139-082	Seatstay Spark 720 2015 S/M
239139-083	Seatstay Spark 720 2015 L/XL
239140-082	Seatstay Spark 730 2015 S/M
239140-083	Seatstay Spark 730 2015 L/XL
239141-006	Seatstay Spark 900 SL/RC 2015 S
239141-007	Seatstay Spark 900 SL/RC 2015 M
239141-008	Seatstay Spark 900 SL/RC 2015 L
239141-009	Seatstay Spark 900 SL/RC 2015 XL
239142-006	Seatstay Spark 900 Premium 2015 S
239142-007	Seatstay Spark 900 Premium 2015 M
239142-008	Seatstay Spark 900 Premium 2015 L

Article no.	Description
239142-009	Seatstay Spark 900 Premium 2015 XL
239144-006	Seatstay Spark 910 2015 S
239144-007	Seatstay Spark 910 2015 M
239144-008	Seatstay Spark 910 2015 L
239144-009	Seatstay Spark 910 2015 XL
239145-006	Seatstay Spark 920 2015 S
239145-007	Seatstay Spark 920 2015 M
239145-008	Seatstay Spark 920 2015 L
239145-009	Seatstay Spark 920 2015 XL
239146-006	Seatstay Spark 930 2015 S
239146-007	Seatstay Spark 930 2015 M
239146-008	Seatstay Spark 930 2015 L
239146-009	Seatstay Spark 930 2015 XL
239147-082	Seatstay Genius 700 Premium 2015 S/M
239147-083	Seatstay Genius 700 Premium 2015 L/XL
239148-082	Seatstay Genius 710 2015 S/M
239148-083	Seatstay Genius 710 2015 L/XL
239149-082	Seatstay Genius 720 2015 S/M
239149-083	Seatstay Genius 720 2015 L/XL
239150-082	Seatstay Genius 730 2015 S/M
239150-083	Seatstay Genius 730 2015 L/XL
239151-082	Seatstay Genius 740 2015 S/M
239151-083	Seatstay Genius 740 2015 L/XL
239152-082	Seatstay Genius 700 Tuned 2015 S/M
239152-083	Seatstay Genius 700 Tuned 2015 L/XL
239153-006	Seatstay Genius 900 Tuned 2015 S
239153-007	Seatstay Genius 900 Tuned 2015 M
239153-008	Seatstay Genius 900 Tuned 2015 L
239153-009	Seatstay Genius 900 Tuned 2015 XL
239154-006	Seatstay Genius 910 2015 S
239154-007	Seatstay Genius 910 2015 M
239154-008	Seatstay Genius 910 2015 L
239154-009	Seatstay Genius 910 2015 XL
239155-006	Seatstay Genius 930 2015 S
239155-007	Seatstay Genius 930 2015 M
239155-008	Seatstay Genius 930 2015 L
239155-009	Seatstay Genius 930 2015 XL
239156-222	Seatstay Genius LT 700 Tuned 2015 1size
239157-222	Seatstay Genius LT 710 2015 1size
239158-222	Seatstay Genius LT 720 2015 1size
239159-222	Seatstay Voltage FR 710 2015 1size
239160-222	Seatstay Voltage FR 720 2015 1size
239161-222	Seatstay Voltage FR 730 2015 1size
239162-222	Seatstay E-Spark 710 2015 1size
239163-222	Seatstay E-Spark 720 2015 1size
239164-008	Seatstay Contessa Spark 700 RC 2015 L
239164-082	Seatstay Contessa Spark 700 RC 2015 S/M
239165-008	Seatstay Contessa Genius 710 2015 L
239165-082	Seatstay Contessa Genius 710 2015 S/M
239166-008	Seatstay Contessa Spark 700 2015 L
239166-082	Seatstay Contessa Spark 700 2015 S/M
239167-0001222	Linkage bar set Voltage FR MY 2015 black 1size
239168-0001222	Shock mount set Voltage FR 2015 black 1size
239169-222	Rear shock FOX iNude190e2e Kash 1size
239170-222	Twinloc lever FOX iNude 1size
239171-222	Twinloc lever Nude 3 integ clamp 1size
239172-222	Rideloc lever integ clamp 1size
239173-222	Swingarm repair kit Voltage FR 2015 1size
239174-0001222	Axle 12mm 135mm rear Voltage `15 black 1size
239175-222	Dropout hanger DM Gambler`13/Volt FR '15 1size
239176-222	Dropout set nutted Axle (STD135x10) Volt 1size
239177-222	Dropout set Thru Axle Voltage FR 2015 1size
239178-222	Dropouthanger Plasma 4 + 5 1size

SPARE PARTS 2015

Article no.	Description
239179-222	BB cableguide Set Plasma 4 DI2 + Mechani 1size
239180-222	Cableguide Set Spark Ultimate DI2`15 1size
239181-222	BB cableguide Set Plasma 5 DI2 + Mechani 1size
239182-0001006	Brake Cover Plasma 5 front brake black S
239182-0001007	Brake Cover Plasma 5 front brake black M
239182-0001008	Brake Cover Plasma 5 front brake black L
239182-0001009	Brake Cover Plasma 5 front brake black XL
239183-0001222	Brake Cover Plasma 5 rear brake black 1size
239184-0001222	DI2 Spark Ultimate 15' Battery holder black 1size
239185-006	Frame Spark 740 2015 warranty only S
239185-007	Frame Spark 740 2015 warranty only M
239185-008	Frame Spark 740 2015 warranty only L
239185-009	Frame Spark 740 2015 warranty only XL
239186-006	Frame Spark 940 2015 warranty only S
239186-007	Frame Spark 940 2015 warranty only M
239186-008	Frame Spark 940 2015 warranty only L
239186-009	Frame Spark 940 2015 warranty only XL
239187-006	Frame Big ED 2015 S
239187-007	Frame Big ED 2015 M
239187-008	Frame Big ED 2015 L
239187-009	Frame Big ED 2015 XL
239188-222	Frame Voltage YZ 0.1 2015 1size
239189-222	Frame Voltage YZ 0.3 2015 1size
239190-005	Frame Voltage YZ 10 2015 XS
239190-006	Frame Voltage YZ 10 2015 S
239190-007	Frame Voltage YZ 10 2015 M
239190-008	Frame Voltage YZ 10 2015 L
239190-009	Frame Voltage YZ 10 2015 XL
239191-006	Frame Aspect 710 2015 S
239191-007	Frame Aspect 710 2015 M
239191-008	Frame Aspect 710 2015 L
239191-009	Frame Aspect 710 2015 XL
239192-006	Frame Aspect 910 2015 S
239192-007	Frame Aspect 910 2015 M
239192-008	Frame Aspect 910 2015 L
239192-009	Frame Aspect 910 2015 XL
239193-006	Frame Aspect 650 D+V-brake 2015 S
239193-007	Frame Aspect 650 D+V-brake 2015 M
239193-008	Frame Aspect 650 D+V-brake 2015 L
239193-009	Frame Aspect 650 D+V-brake 2015 XL
239194-007	Frame E-Aspect 920 2015 M
239194-008	Frame E-Aspect 920 2015 L
239194-009	Frame E-Aspect 920 2015 XL
239195-006	Frame E-Aspect 710 2015 S
239195-007	Frame E-Aspect 710 2015 M
239195-008	Frame E-Aspect 710 2015 L
239195-009	Frame E-Aspect 710 2015 XL
239196-006	Frame E-Contessa 720 2015 S
239196-007	Frame E-Contessa 720 2015 M
239196-008	Frame E-Contessa 720 2015 L
239197-006	Frame Contessa Scale 710 2015 S
239197-007	Frame Contessa Scale 710 2015 M
239197-008	Frame Contessa Scale 710 2015 L
239198-005	Frame Contessa 610 2015 XS
239198-006	Frame Contessa 610 2015 S
239198-007	Frame Contessa 610 2015 M
239198-008	Frame Contessa 610 2015 L
239199-005	Frame Contessa 640 V-brake 2015 XS
239199-006	Frame Contessa 640 V-brake 2015 S
239199-007	Frame Contessa 640 V-brake 2015 M
239199-008	Frame Contessa 640 V-brake 2015 L
239200-039	Frame Volt X 10 2015 20"
239201-045	Frame Scale JR 26 2015 26"

Article no.	Description
239202-043	Frame Scale RC JR 24 2015 24"
239203-006	Frame Sportster 10 2015 S
239203-007	Frame Sportster 10 2015 M
239203-008	Frame Sportster 10 2015 L
239203-009	Frame Sportster 10 2015 XL
239204-006	Frame Sportster 20 Men 2015 S
239204-007	Frame Sportster 20 Men 2015 M
239204-008	Frame Sportster 20 Men 2015 L
239204-009	Frame Sportster 20 Men 2015 XL
239205-006	Frame Sportster 30 Solution 2015 S
239205-007	Frame Sportster 30 Solution 2015 M
239205-008	Frame Sportster 30 Solution 2015 L
239206-006	Frame Sportster 40 Lady 2015 S
239206-007	Frame Sportster 40 Lady 2015 M
239206-008	Frame Sportster 40 Lady 2015 L
239207-006	Frame SUB EVO 10 2015 S
239207-007	Frame SUB EVO 10 2015 M
239207-008	Frame SUB EVO 10 2015 L
239207-009	Frame SUB EVO 10 2015 XL
239208-006	Frame SUB Sport 10 Men 2015 S
239208-007	Frame SUB Sport 10 Men 2015 M
239208-008	Frame SUB Sport 10 Men 2015 L
239208-009	Frame SUB Sport 10 Men 2015 XL
239209-006	Frame SUB Sport 10 Lady 2015 S
239209-007	Frame SUB Sport 10 Lady 2015 M
239209-008	Frame SUB Sport 10 Lady 2015 L
239210-006	Frame SUB Comfort 10 Men 2015 S
239210-007	Frame SUB Comfort 10 Men 2015 M
239210-008	Frame SUB Comfort 10 Men 2015 L
239210-009	Frame SUB Comfort 10 Men 2015 XL
239211-006	Frame SUB Comfort 10 Lady 2015 S
239211-007	Frame SUB Comfort 10 Lady 2015 M
239211-008	Frame SUB Comfort 10 Lady 2015 L
239212-006	Frame SUB Retro 10 Men 2015 S
239212-007	Frame SUB Retro 10 Men 2015 M
239212-008	Frame SUB Retro 10 Men 2015 L
239212-009	Frame SUB Retro 10 Men 2015 XL
239213-006	Frame SUB Retro 10 Lady 2015 S
239213-007	Frame SUB Retro 10 Lady 2015 M
239213-008	Frame SUB Retro 10 Lady 2015 L
239214-006	Frame OTG 10 2015 S
239214-007	Frame OTG 10 2015 M
239214-008	Frame OTG 10 2015 L
239215-019	Frameset CR1 10 2015 int. BB Warratny on XXS47
239215-020	Frameset CR1 10 2015 int. BB Warratny on XS49
239215-021	Frameset CR1 10 2015 int. BB Warratny on S52
239215-022	Frameset CR1 10 2015 int. BB Warratny on M54
239215-023	Frameset CR1 10 2015 int. BB Warratny on L56
239215-024	Frameset CR1 10 2015 int. BB Warratny on XL58
239215-025	Frameset CR1 10 2015 int. BB Warratny on 2XL61
239216-019	Frameset CR1 30 2015 std. BB Warratny on XXS47
239216-020	Frameset CR1 30 2015 std. BB Warratny on XS49
239216-021	Frameset CR1 30 2015 std. BB Warratny on S52
239216-022	Frameset CR1 30 2015 std. BB Warratny on M54
239216-023	Frameset CR1 30 2015 std. BB Warratny on L56
239216-024	Frameset CR1 30 2015 std. BB Warratny on XL58
239216-025	Frameset CR1 30 2015 std. BB Warratny on 2XL61
239217-019	Frameset Speedster 10 2015 XXS47
239217-020	Frameset Speedster 10 2015 XS49
239217-021	Frameset Speedster 10 2015 S52
239217-022	Frameset Speedster 10 2015 M54
239217-023	Frameset Speedster 10 2015 L56
239217-024	Frameset Speedster 10 2015 XL58

SPARE PARTS 2015

Article no.	Description
239217-025	Frameset Speedster 10 2015 2XL61
239218-019	Frameset Speedster 20 FB 2015 XXS47
239218-020	Frameset Speedster 20 FB 2015 XS49
239218-021	Frameset Speedster 20 FB 2015 S52
239218-022	Frameset Speedster 20 FB 2015 M54
239218-023	Frameset Speedster 20 FB 2015 L56
239218-024	Frameset Speedster 20 FB 2015 XL58
239218-025	Frameset Speedster 20 FB 2015 2XL61
239219-005	Frameset SUB Speed 10 EBB 2015 XS
239219-006	Frameset SUB Speed 10 EBB 2015 S
239219-007	Frameset SUB Speed 10 EBB 2015 M
239219-008	Frameset SUB Speed 10 EBB 2015 L
239219-009	Frameset SUB Speed 10 EBB 2015 XL
239220-005	Frameset SUB Speed 20 2015 XS
239220-006	Frameset SUB Speed 20 2015 S
239220-007	Frameset SUB Speed 20 2015 M
239220-008	Frameset SUB Speed 20 2015 L
239220-009	Frameset SUB Speed 20 2015 XL
239221-014	Frameset Contessa Solace 15 2015 XXS46
239221-015	Frameset Contessa Solace 15 2015 XS48
239221-016	Frameset Contessa Solace 15 2015 S51
239221-017	Frameset Contessa Solace 15 2015 M53
239221-018	Frameset Contessa Solace 15 2015 L55
239222-014	Frameset Contessa Speedster 15 2015 XXS46
239222-015	Frameset Contessa Speedster 15 2015 XS48
239222-016	Frameset Contessa Speedster 15 2015 S51
239222-017	Frameset Contessa Speedster 15 2015 M53
239222-018	Frameset Contessa Speedster 15 2015 L55
239222-019	Frameset Contessa Speedster 15 2015 XXS47
239222-020	Frameset Contessa Speedster 15 2015 XS49
239222-021	Frameset Contessa Speedster 15 2015 S52
239222-022	Frameset Contessa Speedster 15 2015 M54
239222-023	Frameset Contessa Speedster 15 2015 L56
239223-043	Frameset Speedster JR 24 2015 24"
239224-006	Frameset E-SUB Speed SH 2015 S
239224-007	Frameset E-SUB Speed SH 2015 M
239224-008	Frameset E-SUB Speed SH 2015 L
239224-009	Frameset E-SUB Speed SH 2015 XL
239225-006	Frame E-SUB Tour 10 Lady BO 2015 S
239225-007	Frame E-SUB Tour 10 Lady BO 2015 M
239225-008	Frame E-SUB Tour 10 Lady BO 2015 L
239225-009	Frame E-SUB Tour 10 Lady BO 2015 XL
239226-006	Frame E-SUB Sport Solution BO 2015 S
239226-007	Frame E-SUB Sport Solution BO 2015 M
239226-008	Frame E-SUB Sport Solution BO 2015 L
239227-006	Frame E-SUB Sport Men BO 2015 S
239227-007	Frame E-SUB Sport Men BO 2015 M
239227-008	Frame E-SUB Sport Men BO 2015 L
239228-006	Frame E-SUB Tour 10 Unisex BO 2015 S
239228-007	Frame E-SUB Tour 10 Unisex BO 2015 M
239228-008	Frame E-SUB Tour 10 Unisex BO 2015 L
239229-006	Frame E-SUB Tour 20 Lady SH 2015 S
239229-007	Frame E-SUB Tour 20 Lady SH 2015 M
239229-008	Frame E-SUB Tour 20 Lady SH 2015 L
239230-006	Frame E-SUB Tour 20 Men SH 2015 S
239230-007	Frame E-SUB Tour 20 Men SH 2015 M
239230-008	Frame E-SUB Tour 20 Men SH 2015 L
239230-009	Frame E-SUB Tour 20 Men SH 2015 XL
239231-006	Frame E-SUB Tour 20 Unisex SH 2015 S
239231-007	Frame E-SUB Tour 20 Unisex SH 2015 M
239231-008	Frame E-SUB Tour 20 Unisex SH 2015 L
239232-222	Fork Foil Premium 2015 1size
239233-222	Fork Foil Team Issue 2015 1size

Article no.	Description
239234-222	Fork Foil 10 2015 1size
239235-222	Fork Addict SL 2015 1size
239236-222	Fork Addict Team Issue 2015 Di2 1size
239237-222	Fork Addict 10 2015 1size
239238-222	Fork Addict 15 2015 1size
239239-222	Fork Addict 20 2015 1size
239240-222	Fork Addict 30 2015 1size
239241-222	Fork Solace 10 2015 1size
239242-222	Fork Solace 15 Disc 2015 1size
239243-222	Fork Solace 20 2015 1size
239244-222	Fork Solace 30 2015 1size
239245-222	Fork Solace 40 FB 2015 1size
239246-222	Fork CR1 10 2015 1size
239247-222	Fork CR1 20 2015 1size
239248-222	Fork CR1 30 2015 1size
239249-222	Fork Speedster 10 2015 1size
239250-222	Fork Speedster 20 2015 1size
239251-222	Fork Speedster 30 2015 1size
239252-222	Fork Speedster 40 2015 1size
239253-222	Fork Speedster 50 2015 1size
239254-222	Fork Speedster 60 2015 1size
239255-222	Fork Speedster 20 FB 2015 1size
239256-222	Fork Speedster 50 FB 2015 1size
239257-006	Fork Plasma Team Issue 2015 S
239257-007	Fork Plasma Team Issue 2015 M
239257-008	Fork Plasma Team Issue 2015 L
239257-009	Fork Plasma Team Issue 2015 XL
239258-006	Fork Plasma Premium 2015 S
239258-007	Fork Plasma Premium 2015 M
239258-008	Fork Plasma Premium 2015 L
239258-009	Fork Plasma Premium 2015 XL
239259-222	Fork Plasma 10 2015 1size
239260-222	Fork Plasma 20 2015 1size
239261-222	Fork E- SUB Speed 2015 1size
239262-222	Fork Sporster 20 Men 2015 1size
239263-222	Fork SUB Speed 10 2015 1size
239264-222	Fork SUB Speed 20 2015 1size
239265-222	Fork SUB Speed 30 2015 1size
239266-222	Fork SUB Speed 40 2015 1size
239267-222	Fork SUB EVO 10 2015 1size
239268-222	Fork SUB EVO 20 2015 1size
239269-222	Fork SUB EVO 30 2015 1size
239270-222	Fork SUB EVO 40 2015 1size
239271-222	Fork SUB Retro 10 Men 2015 1size
239272-222	Fork SUB Retro 10 Lady 2015 1size
239273-222	Fork OTG 10 2015 1size
239274-222	Fork Contessa Solace 35 2015 1size
239275-222	Fork Contessa Speedster 15 2015 1size
239276-222	Fork Contessa Speedster 25 2015 1size
239277-222	Fork Contessa Speedster 35 2015 1size
239278-222	Fork Contessa Speedster 45 2015 1size
239279-222	Fork Volt X 10 2015 1size
239280-222	Fork Volt X 20 2015 1size
239281-222	Fork Volt X 30 2015 1size
239283-222	Hub front Big Ed 150x15 CL 32H 1size
239284-222	Hub rear Big Ed 190 CL 32H 1size
239285-222	FD mount clamp Big Ed 2015 1size
239286-222	Axle 5mm QR rear Big Ed 2015
239287-0001222	Crankset Big Ed E13 36-22T black 1size
239288-222	BB Cartridge Big Ed E13 41x121mm PF 1size
239289-222	Fenderset Sub Speed 10 2015 1size
239290-222	Fenderset Sub Speed 20 2015 1size
239291-222	Fenderset Sub Speed 30 2015 1size
239292-222	Fenderset Sub Speed 40 2015 1size
239293-222	Saddle Scale RC Junior 2015 1size

SPARE PARTS 2015

Article no.	Description
239294-222	Saddle Scale JR 20 / 24 2015 1size
239295-222	Saddle Cont. Scale JR 20 / 24 2015 1size
239296-222	Saddle Voltage JR 24 2015 1size
239297-222	Saddle Voltage JR 24 Disc 2015 1size
239298-222	Saddle Voltage JR 20 2015 1size
239299-222	Saddle Voltage JR 16 2015 1size
239300-222	Saddle Voltage JR 12 2015 1size
239301-222	Saddle Voltage Walker 2015 1size
239302-222	Saddle Cont. JR 16 2015 1size
239303-222	Saddle Cont. JR 12 2015 1size
239304-222	Saddle Cont. Walker 2015 1size
239305-222	Saddle Speedster JR 24 2015 1size
239306-222	Tire Big Ed Kenda 26x 4.5" 1size
239307-222	Tube Big Ed SV 26x4.5" 1size
239308-222	Rim Tape Big Ed 26x4,5" 1size
239309-0001045	Rim Syncros FAT 26" 32H black 26"
239310-0001045	Rim Syncros MD25 Disc 26 32H black 26"
239311-0001047	Rim Syncros MD25 Disc 27.5 32H black 27.5"
239312-0001047	Rim Syncros SX 37 32H black 27.5"
239313-0001049	Rim Syncros SX 39 32H black 29"
239314-0001158	Rim Mach 1 560 Disc 32H 622 black 700C
239315-152	Seatpost Foil Premium 2015 0mm
239315-153	Seatpost Foil Premium 2015 25mm
239316-152	Seatpost Foil Team Issue 2015 0mm
239316-153	Seatpost Foil Team Issue 2015 25mm
239317-152	Seatpost Foil 10 2015 0mm
239317-153	Seatpost Foil 10 2015 25mm
239318-222	Seatpost Plasma 4 / 5 1size
239319-0001158	Fork Suntour NEX HLO w/ Lockout PM black 700C
239319-0002158	Fork Suntour NEX HLO w/ Lockout PM white 700C
239320-0001158	Fork Suntour NRX D-LO PM black 700C
239320-0002158	Fork Suntour NRX D-LO PM white 700C
239326-222	Hub rep set Big Ed 190 Kun Teng 1size
239402-006	Frame Scale 760 2015 warranty only S
239402-007	Frame Scale 760 2015 warranty only M
239402-008	Frame Scale 760 2015 warranty only L
239402-009	Frame Scale 760 2015 warranty only XL
239403-006	Frame Scale 960 2015 warranty only S
239403-007	Frame Scale 960 2015 warranty only M
239403-008	Frame Scale 960 2015 warranty only L
239403-009	Frame Scale 960 2015 warranty only XL
239526-0001222	Linkage Main Link Gambler 2015 black 1size
239527-0001222	Linkage Floating Link Gambler 2015 black 1size
239528-0001222	Axle 12mm rear Solace Disc '15 black 1size
239529-0001222	Axle 15mm front Solace Disc '15 black 1size
239530-222	Dropout hanger Solace Disc '15< 1size
239531-222	Cableguide set SolDisc'15 mec/Di2 1size
239532-222	Fork bumper Gambler '15 1size
239533-006	Frame Scale Prem. 700 2015 warranty only S
239533-007	Frame Scale Prem. 700 2015 warranty only M
239533-008	Frame Scale Prem. 700 2015 warranty only L
239533-009	Frame Scale Prem. 700 2015 warranty only XL
239534-006	Frame Scale Prem. 900 2015 warranty only S
239534-007	Frame Scale Prem. 900 2015 warranty only M
239534-008	Frame Scale Prem. 900 2015 warranty only L
239534-009	Frame Scale Prem. 900 2015 warranty only XL
239535-006	Frame Contessa Scale 700 RC 2015 warrant S
239535-007	Frame Contessa Scale 700 RC 2015 warrant M
239535-008	Frame Contessa Scale 700 RC 2015 warrant L
239536-019	Frameset Foil Prem Di2 2015 warran. only XXS47
239536-020	Frameset Foil Prem Di2 2015 warran. only XS49
239536-021	Frameset Foil Prem Di2 2015 warran. only S52
239536-022	Frameset Foil Prem Di2 2015 warran. only M54
239536-023	Frameset Foil Prem Di2 2015 warran. only L56
239536-024	Frameset Foil Prem Di2 2015 warran. only XL58

Article no.	Description
239536-025	Frameset Foil Prem Di2 2015 warran. only 2XL61
239537-019	Frameset Foil 10 HMF 2015 warranty only XXS47
239537-020	Frameset Foil 10 HMF 2015 warranty only XS49
239537-021	Frameset Foil 10 HMF 2015 warranty only S52
239537-022	Frameset Foil 10 HMF 2015 warranty only M54
239537-023	Frameset Foil 10 HMF 2015 warranty only L56
239537-024	Frameset Foil 10 HMF 2015 warranty only XL58
239537-025	Frameset Foil 10 HMF 2015 warranty only 2XL61
239538-019	Frameset Solace 15 Disc 2015 warra. only XXS47
239538-020	Frameset Solace 15 Disc 2015 warra. only XS49
239538-021	Frameset Solace 15 Disc 2015 warra. only S52
239538-022	Frameset Solace 15 Disc 2015 warra. only M54
239538-023	Frameset Solace 15 Disc 2015 warra. only L56
239538-024	Frameset Solace 15 Disc 2015 warra. only XL58
239538-025	Frameset Solace 15 Disc 2015 warra. only 2XL61
239539-222	Fork Addict Team Issue 2015 1size
239540-222	Fork Contessa Solace 15 2015 1size
239541-222	Fork Contessa Solace 25 2015 1size
239542-222	Hub rear Volt X Joy Tech 14mm 36H 1size
239543-0002039	Rim Alex C-1000 32H 20" white 20"
239544-222	Seatclamp Plasma 4+5 1size
239545-222	Brake front Plasma 5 2015 TKB136 1size
239546-222	Brake Mount rear PM SolDisc '15 1size
239547-222	CSP Pre Shape E-Spark '15 1size
239548-222	CSP Pre Shape E-Aspect '15 1size
239549-222	Gates belt CDX 122T 1size
239550-222	Gates chain ring CDX 50T 1size
239551-222	Gates sprocket CDX 26T 1size
239552-222	Chainguide DM Genius-LT-Spark '15 1size
239553-222	E-Bike E-sub batterie socket Shimano 1size
239554-222	Chainstay Contessa Genius 700 2015 1size
239555-008	Seatstay Contessa Genius 700 2015 L
239555-082	Seatstay Contessa Genius 700 2015 S/M
239556-006	Frame Scale 910 2015 warranty only S
239556-007	Frame Scale 910 2015 warranty only M
239556-008	Frame Scale 910 2015 warranty only L
239556-009	Frame Scale 910 2015 warranty only XL
239557-006	Frame Scale 710 2015 warranty only S
239557-007	Frame Scale 710 2015 warranty only M
239557-008	Frame Scale 710 2015 warranty only L
239557-009	Frame Scale 710 2015 warranty only XL
240133-0001158	Fork Suntour NCX R-LO PM disc only black 700C
240133-0002158	Fork Suntour NCX R-LO PM disc only white 700C
240134-0001158	Fork Suntour NCX R-LO PM disc+V br. black 700C
240134-0002158	Fork Suntour NCX R-LO PM disc+V br. white 700C
240157-0001047	Rim Syncros AM67 Disc 32H black 27.5"
240158-0001047	Rim Syncros TR67 Disc 32H black 27.5"
240159-0001049	Rim Syncros TR69 Disc 32H black 29"
240312-222	Chainsuck Protector Solace '14< 1size
240476-006	Frame Scale 900 RC 2015 warranty only S
240476-007	Frame Scale 900 RC 2015 warranty only M
240476-008	Frame Scale 900 RC 2015 warranty only L
240476-009	Frame Scale 900 RC 2015 warranty only XL
240477-006	Frame Scale 700 RC 2015 warranty only S
240477-007	Frame Scale 700 RC 2015 warranty only M
240477-008	Frame Scale 700 RC 2015 warranty only L
240477-009	Frame Scale 700 RC 2015 warranty only XL
240478-006	Frame Scale 900 SL 2015 warranty only S
240478-007	Frame Scale 900 SL 2015 warranty only M
240478-008	Frame Scale 900 SL 2015 warranty only L
240478-009	Frame Scale 900 SL 2015 warranty only XL
240479-006	Frame Scale 700 SL 2015 warranty only S
240479-007	Frame Scale 700 SL 2015 warranty only M
240479-008	Frame Scale 700 SL 2015 warranty only L
240479-009	Frame Scale 700 SL 2015 warranty only XL

SPARE PARTS 2015

Article no.	Description
240537-006	Front triangle Genius 930 2015 S
240537-007	Front triangle Genius 930 2015 M
240537-008	Front triangle Genius 930 2015 L
240537-009	Front triangle Genius 930 2015 XL
240538-005	Frameset SUB Speed 40 2015 XS
240538-006	Frameset SUB Speed 40 2015 S
240538-007	Frameset SUB Speed 40 2015 M
240538-008	Frameset SUB Speed 40 2015 L
240538-009	Frameset SUB Speed 40 2015 XL
240605-0001158	Rim Alex/Sync Solace Disc 28H black 700C
240843-0001222	Spoke DT New Aero 296 SP S PAK-20
240844-0001222	Spoke DT Aero Comp 298 SP S PAK-20
240845-0001158	Rim Sync/DT RL1.0 20H Addict SL f 15'
240846-0001158	Rim Sync/DT RL1.0 24H Addict SL r 15'
240847-0001158	Rim Sync/DT RL1.1 20H Addict TIssue f 15'
240848-0001158	Rim Sync/DT RL1.1 24H Addict TIssue r 15'
240849-0001158	Rim Sync/DT RL1.1 20H Add.TIssuDi2 f 15'
240850-0001158	Rim Sync/DT RL1.1 24H Add.TIssuDi2 r 15'
240851-0001158	Rim Sync/DT RP1.5 18H Addict 10 f 15'
240852-0001158	Rim Sync/DT RP1.5 24H Addict 10 r 15'
240853-0001158	Rim Sync/DT RP2.0 18H Add15Di2/20 f 15'
240854-0001158	Rim Sync/DT RP2.0 24H Add15Di2/20 r 15'
240855-0001158	Rim Sync/DT RP2.0 18H Solace 10 f 15'
240856-0001158	Rim Sync/DT RP2.0 24H Solace 10 r 15'
240857-0001158	Rim Sync/DT RP2.0 18H Solace 20 f 15'
240858-0001158	Rim Sync/DT RP2.0 24H Solace 20 r 15'
240859-0001158	Rim Sync/DT RP2.0 24H Solace 15D 15'
240860-0001158	Rim Sync/DT RP2.0 18H Solcont 15 f 15'
240861-0001158	Rim Sync/DT RP2.0 24H Solcont 15 r 15'
240862-0001158	Rim Sync/DT RR1.0 16H Foil prem f 15'
240863-0001158	Rim Sync/DT RR1.0 24H Foil prem r 15'
240864-0001158	Rim Sync/DT RR1.5 16H Foil T.Issue f 15'
240865-0001158	Rim Sync/DT RR1.5 20H Foil T.Issue r 15'
240866-0001158	Rim Sync/DT RR2.0 20H Foil 10 f 15'
240867-0001158	Rim Sync/DT RR2.0 24H Foil 10 r 15'
240868-0001047	Rim Sync/DT TR1.0 28H Genius 700Tu 15'
240869-0001049	Rim Sync/DT TR1.0 28H Genius 900Tu 15'
240870-0001047	Rim Sync/DT TR1.5 28H Genius 700 Pr 15'
240871-0001047	Rim Sync/DT TR2.0 28H Genius 710 15'
240872-0001049	Rim Sync/DT TR2.0 28H Genius 910 15'
240873-0001047	Rim Sync/DT TR2.0 28H Gen. 700Con 15'
240874-0001047	Rim Sync/DT XR1.0 28H Spark 700Ulti 15'
240875-0001049	Rim Sync/DT XR1.0 28H Spa/Scal900SL 15'
240876-0001047	Rim Sync/DT XR1.0 28H Spa/Scal700SL 15'
240877-0001047	Rim Sync/DT XR1.5 28H Spa/Scal700Pr 15'
240878-0001049	Rim Sync/DT XR1.5 28H Spa/Scal900Pr 15'
240879-0001047	Rim Sync/DT XR2.0 28H Spa/Scal 710 15'
240880-0001049	Rim Sync/DT XR2.0 28H Spa/Scal 910 15'
240881-0001049	Rim Sync/DT XR2.5 28H Spa/Scal 920 15'
240882-0001047	Rim Sync/DT XR2.5 28H Spa/Scal 720 15'
240883-0001047	Rim Sync/DT XR2.0 28H Spa/ScalConRC 15'
240884-0001047	Rim Sync/DT XR-RC 28H Spa/Scal700RC 15'
240885-0001049	Rim Sync/DT XR-RC 28H Spa/Scal900RC 15'
240886-0001047	Rim Sync/DT AM1.5 28H GeniusLT700Tu 15'
240887-0001047	Rim Sync/DT FR570 32H Gambler 710 15'
240936-0001047	Rim Sync/DT TR2.5 28H Genius 720 15'
240953-0004222	Geometry chip Gambler 2015 red
242120-222	Hub rep set Formula DC-25RQR
242166-222	Hub rep set Formula Team 11s 2015
242572-222	Seatpost Syncros 31.6 warranty
242616-222	Light front Sub Evo int. 2015
242617-222	Light rear Sub Evo int. short 2015
242618-222	Light rear Sub Evo int. long 2015
242619-222	E-bike light front E-Subspeed int. 2015
242620-222	E-bike light rear E-Subspeed int.long 15

Article no.	Description
244536-222	Fork Suntour XCT fix.bolts recall set
244910-222	Headset Kit Voltage FR10 only
246978-0001158	Rim Cross X3 622-21 36H 9x4 lacing
267589-9999222	SCO Fork Speedster 10 2015 (CN)

SPARE PARTS 2014

Article no.	Description
235159-006	Front Triangle Spark 900 SL 2014 S
235159-007	Front Triangle Spark 900 SL 2014 M
235159-008	Front Triangle Spark 900 SL 2014 L
235159-009	Front Triangle Spark 900 SL 2014 XL
235160-006	Front Triangle Spark 900 Premium 2014 S
235160-007	Front Triangle Spark 900 Premium 2014 M
235160-008	Front Triangle Spark 900 Premium 2014 L
235160-009	Front Triangle Spark 900 Premium 2014 XL
235161-006	Front Triangle Spark 900 RC 2014 S
235161-007	Front Triangle Spark 900 RC 2014 M
235161-008	Front Triangle Spark 900 RC 2014 L
235161-009	Front Triangle Spark 900 RC 2014 XL
235162-006	Front Triangle Spark 910 2014 S
235162-007	Front Triangle Spark 910 2014 M
235162-008	Front Triangle Spark 910 2014 L
235162-009	Front Triangle Spark 910 2014 XL
235163-006	Front Triangle Spark 920 2014 S
235163-007	Front Triangle Spark 920 2014 M
235163-008	Front Triangle Spark 920 2014 L
235163-009	Front Triangle Spark 920 2014 XL
235164-006	Front Triangle Spark 930 2014 S
235164-007	Front Triangle Spark 930 2014 M
235164-008	Front Triangle Spark 930 2014 L
235164-009	Front Triangle Spark 930 2014 XL
235165-006	Front Triangle Spark 700 SL 2014 S
235165-007	Front Triangle Spark 700 SL 2014 M
235165-008	Front Triangle Spark 700 SL 2014 L
235165-009	Front Triangle Spark 700 SL 2014 XL
235166-006	Front Triangle Spark 700 Premium 2014 S
235166-007	Front Triangle Spark 700 Premium 2014 M
235166-008	Front Triangle Spark 700 Premium 2014 L
235166-009	Front Triangle Spark 700 Premium 2014 XL
235167-006	Front Triangle Spark 700 RC 2014 S
235167-007	Front Triangle Spark 700 RC 2014 M
235167-008	Front Triangle Spark 700 RC 2014 L
235167-009	Front Triangle Spark 700 RC 2014 XL
235168-006	Front Triangle Spark 710 2014 S
235168-007	Front Triangle Spark 710 2014 M
235168-008	Front Triangle Spark 710 2014 L
235168-009	Front Triangle Spark 710 2014 XL
235169-006	Front Triangle Spark 720 2014 S
235169-007	Front Triangle Spark 720 2014 M
235169-008	Front Triangle Spark 720 2014 L
235169-009	Front Triangle Spark 720 2014 XL
235170-006	Front Triangle Spark 730 2014 S
235170-007	Front Triangle Spark 730 2014 M
235170-008	Front Triangle Spark 730 2014 L
235170-009	Front Triangle Spark 730 2014 XL
235171-006	Front Triangle Genius 700 Tuned 2014 S
235171-007	Front Triangle Genius 700 Tuned 2014 M
235171-008	Front Triangle Genius 700 Tuned 2014 L
235171-009	Front Triangle Genius 700 Tuned 2014 XL
235172-006	Front Triangle Genius 700 Premium 2014 S
235172-007	Front Triangle Genius 700 Premium 2014 M
235172-008	Front Triangle Genius 700 Premium 2014 L
235172-009	Front Triangle Genius 700 Premium 2014 XL
235173-006	Front Triangle Genius 710 2014 S
235173-007	Front Triangle Genius 710 2014 M
235173-008	Front Triangle Genius 710 2014 L
235173-009	Front Triangle Genius 710 2014 XL
235174-006	Front Triangle Genius 720 2014 S
235174-007	Front Triangle Genius 720 2014 M
235174-008	Front Triangle Genius 720 2014 L
235174-009	Front Triangle Genius 720 2014 XL
235175-006	Front Triangle Genius 740 2014 S
235175-007	Front Triangle Genius 740 2014 M
235175-008	Front Triangle Genius 740 2014 L
235175-009	Front Triangle Genius 740 2014 XL
235176-006	Front Triangle Genius 730 2014 S
235176-007	Front Triangle Genius 730 2014 M
235176-008	Front Triangle Genius 730 2014 L
235176-009	Front Triangle Genius 730 2014 XL
235177-006	Front Triangle Genius 900 Premium 2014 S
235177-007	Front Triangle Genius 900 Premium 2014 M
235177-008	Front Triangle Genius 900 Premium 2014 L
235177-009	Front Triangle Genius 900 Premium 2014 XL
235178-006	Front Triangle Genius 910 2014 S
235178-007	Front Triangle Genius 910 2014 M
235178-008	Front Triangle Genius 910 2014 L
235178-009	Front Triangle Genius 910 2014 XL
235179-006	Front Triangle Genius 920 2014 S
235179-007	Front Triangle Genius 920 2014 M
235179-008	Front Triangle Genius 920 2014 L
235179-009	Front Triangle Genius 920 2014 XL
235180-006	Front Triangle Genius 930 2014 S
235180-007	Front Triangle Genius 930 2014 M
235180-008	Front Triangle Genius 930 2014 L
235180-009	Front Triangle Genius 930 2014 XL
235181-006	Front Triangle Genius LT 700 Tuned 2014 S
235181-007	Front Triangle Genius LT 700 Tuned 2014 M
235181-008	Front Triangle Genius LT 700 Tuned 2014 L
235182-006	Front Triangle Genius LT 710 2014 S
235182-007	Front Triangle Genius LT 710 2014 M
235182-008	Front Triangle Genius LT 710 2014 L
235183-006	Front Triangle Genius LT 720 2014 S
235183-007	Front Triangle Genius LT 720 2014 M
235183-008	Front Triangle Genius LT 720 2014 L
235184-006	Front Triangle Genius 940 2014 S
235184-007	Front Triangle Genius 940 2014 M
235184-008	Front Triangle Genius 940 2014 L
235184-009	Front Triangle Genius 940 2014 XL
235185-006	Front Triangle Gambler 10 2014 S
235185-007	Front Triangle Gambler 10 2014 M
235185-008	Front Triangle Gambler 10 2014 L
235186-006	Front Triangle Gambler 20 2014 S
235186-007	Front Triangle Gambler 20 2014 M
235186-008	Front Triangle Gambler 20 2014 L
235187-006	Front Triangle Gambler 30 2014 S
235187-007	Front Triangle Gambler 30 2014 M
235187-008	Front Triangle Gambler 30 2014 L
235188-006	Front Triangle Voltage FR 10 2014 S
235188-008	Front Triangle Voltage FR 10 2014 L
235189-006	Front Triangle Voltage FR 20 2014 S
235189-008	Front Triangle Voltage FR 20 2014 L
235190-006	Front Triangle E-Spark 710 2014 S
235190-007	Front Triangle E-Spark 710 2014 M
235190-008	Front Triangle E-Spark 710 2014 L
235190-009	Front Triangle E-Spark 710 2014 XL
235191-006	Front Triangle E-Spark 720 2014 S
235191-007	Front Triangle E-Spark 720 2014 M
235191-008	Front Triangle E-Spark 720 2014 L
235191-009	Front Triangle E-Spark 720 2014 XL
235192-006	Front triangle Contessa Spark 700 RC '14 S
235192-007	Front triangle Contessa Spark 700 RC '14 M
235192-008	Front triangle Contessa Spark 700 RC '14 L
235193-006	Front triangle Contessa Spark 700 2014 S
235193-007	Front triangle Contessa Spark 700 2014 M
235193-008	Front triangle Contessa Spark 700 2014 L
235194-006	Front triangle Contessa Genius 700 2014 S
235194-007	Front triangle Contessa Genius 700 2014 M
235194-008	Front triangle Contessa Genius 700 2014 L
235195-006	Front triangle Contessa Genius 710 2014 S
235195-007	Front triangle Contessa Genius 710 2014 M
235195-008	Front triangle Contessa Genius 710 2014 L
235196-222	Chainstays Spark 700 SL 2014 1size
235197-222	Chainstays Spark 700 Premium 2014 1size
235198-222	Chainstays Spark 700 RC 2014 1size
235199-222	Chainstays Spark 710 2014 1size
235200-222	Chainstays Spark 720 2014 1size
235201-222	Chainstays Spark 730 2014 1size
235202-222	Chainstays Spark 900 SL 2014 1size
235203-222	Chainstays Spark 900 Premium 2014 1size
235204-222	Chainstays Spark 900 RC 2014 1size
235205-222	Chainstays Spark 910 2014 1size
235206-222	Chainstays Spark 920 2014 1size
235207-222	Chainstays Spark 930 2014 1size
235208-222	Chainstays Genius 700 Tuned 2014 1size
235209-222	Chainstays Genius 700 Premium 2014 1size
235210-222	Chainstays Genius 710 2014 1size
235211-222	Chainstays Genius 720 2014 1size

SPARE PARTS 2014

Article no.	Description
235212-222	Chainstays Genius 730 2014 1size
235213-222	Chainstays Genius 740 2014 1size
235214-222	Chainstays Genius 900 Premium 2014 1size
235215-222	Chainstays Genius 910 2014 1size
235216-222	Chainstays Genius 920 2014 1size
235217-222	Chainstays Genius 930 2014 1size
235218-222	Chainstays Genius 940 2014 1size
235219-222	Chainstays Genius LT 700 Tuned 2014 1size
235220-222	Chainstays Genius LT 710 2014 1size
235221-222	Chainstays Genius LT 720 2014 1size
235222-222	Swingarm Gambler 10 2014 1size
235223-222	Swingarm Gambler 20 2014 1size
235224-222	Swingarm Gambler 30 2014 1size
235225-222	Chainstays Voltage FR 10 2014 1size
235226-222	Chainstays Voltage FR 20 2014 1size
235227-222	Chainstays E-Spark 710 2014 1size
235228-222	Chainstays E-Spark 720 2014 1size
235229-222	Chainstays Contessa Spark 700 RC 2014 1size
235230-222	Chainstays Contessa Genius 700 2014 1size
235231-222	Chainstays Contessa Genius 710 2014 1size
235232-222	Chainstays Contessa Spark 700 2014 1size
235233-082	Seatstays Spark 700 SL 2014 S/M
235233-083	Seatstays Spark 700 SL 2014 L/XL
235234-082	Seatstays Spark 700 Premium 2014 S/M
235234-083	Seatstays Spark 700 Premium 2014 L/XL
235235-082	Seatstays Spark 700 RC 2014 S/M
235235-083	Seatstays Spark 700 RC 2014 L/XL
235236-082	Seatstays Spark 710 2014 S/M
235236-083	Seatstays Spark 710 2014 L/XL
235237-082	Seatstays Spark 720 2014 S/M
235237-083	Seatstays Spark 720 2014 L/XL
235238-082	Seatstays Spark 730 2014 S/M
235238-083	Seatstays Spark 730 2014 L/XL
235239-006	Seatstays Spark 900 SL 2014 S
235239-007	Seatstays Spark 900 SL 2014 M
235239-008	Seatstays Spark 900 SL 2014 L
235239-009	Seatstays Spark 900 SL 2014 XL
235240-006	Seatstays Spark 900 Premium 2014 S
235240-007	Seatstays Spark 900 Premium 2014 M
235240-008	Seatstays Spark 900 Premium 2014 L
235240-009	Seatstays Spark 900 Premium 2014 XL
235241-006	Seatstays Spark 900 RC 2014 S
235241-007	Seatstays Spark 900 RC 2014 M
235241-008	Seatstays Spark 900 RC 2014 L
235241-009	Seatstays Spark 900 RC 2014 XL
235242-006	Seatstays Spark 910 2014 S
235242-007	Seatstays Spark 910 2014 M
235242-008	Seatstays Spark 910 2014 L
235242-009	Seatstays Spark 910 2014 XL
235243-006	Seatstays Spark 920 2014 S
235243-007	Seatstays Spark 920 2014 M
235243-008	Seatstays Spark 920 2014 L
235243-009	Seatstays Spark 920 2014 XL
235244-006	Seatstays Spark 930 2014 S
235244-007	Seatstays Spark 930 2014 M
235244-008	Seatstays Spark 930 2014 L
235244-009	Seatstays Spark 930 2014 XL
235245-082	Seatstays Genius 700 Tuned 2014 S/M
235245-083	Seatstays Genius 700 Tuned 2014 L/XL
235246-082	Seatstays Genius 700 Premium 2014 S/M
235246-083	Seatstays Genius 700 Premium 2014 L/XL
235247-082	Seatstays Genius 710 2014 S/M
235247-083	Seatstays Genius 710 2014 L/XL
235248-082	Seatstays Genius 720 2014 S/M
235248-083	Seatstays Genius 720 2014 L/XL
235249-082	Seatstays Genius 730 2014 S/M
235249-083	Seatstays Genius 730 2014 L/XL
235250-082	Seatstays Genius 740 2014 S/M
235250-083	Seatstays Genius 740 2014 L/XL
235251-082	Seatstays Genius 900 Premium 2014 S/M
235251-083	Seatstays Genius 900 Premium 2014 L/XL
235252-082	Seatstays Genius 910 2014 S/M
235252-083	Seatstays Genius 910 2014 L/XL
235253-082	Seatstays Genius 920 2014 S/M
235253-083	Seatstays Genius 920 2014 L/XL

Article no.	Description
235254-082	Seatstays Genius 930 2014 S/M
235254-083	Seatstays Genius 930 2014 L/XL
235255-082	Seatstays Genius 940 2014 S/M
235255-083	Seatstays Genius 940 2014 L/XL
235256-222	Seatstays Genius LT 700 Tuned 2014 1size
235257-222	Seatstays Genius LT 710 2014 1size
235258-222	Seatstays Genius LT 720 2014 1size
235259-222	Seatstays Voltage FR 10 2014 1size
235260-222	Seatstays Voltage FR 20 2014 1size
235261-222	Seatstays E-Spark 710 2014 1size
235262-222	Seatstays E-Spark 720 2014 1size
235263-007	Seatstays Contessa Spark 700 RC 2014 M
235263-008	Seatstays Contessa Spark 700 RC 2014 L
235263-082	Seatstays Contessa Spark 700 RC 2014 S/M
235264-008	Seatstays Contessa Genius 700 2014 L
235264-082	Seatstays Contessa Genius 700 2014 S/M
235265-008	Seatstays Contessa Genius 710 2014 L
235265-082	Seatstays Contessa Genius 710 2014 S/M
235266-008	Seatstays Contessa Spark 700 2014 L
235266-082	Seatstays Contessa Spark 700 2014 S/M
235267-082	Linkage bar set Genius 900 2014 S/M
235267-083	Linkage bar set Genius 900 2014 L/XL
235268-008	Linkage bar set Spark 900 2014 L
235268-009	Linkage bar set Spark 900 2014 XL
235268-082	Linkage bar set Spark 900 2014 S/M
235269-008	Linkage bar set Spark 700 2014 L
235269-009	Linkage bar set Spark 700 2014 XL
235269-082	Linkage bar set Spark 700 2014 S/M
235270-082	Linkage bar set Genius 700 2014 S/M
235270-083	Linkage bar set Genius 700 2014 L/XL
235271-222	Linkage bar set Genius LT 2014 1size
235272-222	Geometry chip Spark Genius All 14 1size
235273-222	Geometry chip no Fox 14 1size
235276-222	FD-Mount plate Set Spark 700 2014 1size
235277-222	FD-Mount plate Set Genius LT 700 2014 1size
235278-222	FD-Mount plate Set Spark 900 2014 1size
235279-222	Chainguide Scale 700 2014 1size
235280-222	Cableguide Set Solace Mechanic 2014 1size
235281-222	Cableguide Set Solace Di2 2014 1size
235282-222	Cableguide Set Addict Mechanic MY14 1size
235283-222	Cableguide Set Addict DI2 MY14 1size
235284-222	Cableguide Set Genius LT 2014 1size
235285-222	Cableguide BB Scale Carbon 700 2014 1size
235286-222	Dropout hanger Addict Solace 2014 1size
235287-222	Dropout Set IDS 2 142/RWS 12 Dir.Mount 1size
235288-222	Dropout Hanger right IDS 2 142/RWS 12 DM 1size
235289-222	DI2 Int.Bat. hold.27.2 DIS-22 Sol/Add'14 1size
235290-222	DI2 Int.Bat.holder. 31.6 DIS-23 Foil 1size
235291-222	Chainguide Genius LT 2014 single Speed 1size
235292-222	Chainguide Genius LT 2014 double Speed 1size
235295-039	Frameset Volt X 10 2014 20"
235296-222	Frame Voltage YZ 0.1 2014 1size
235297-222	Frame Voltage YZ 0.3 2014 1size
235298-005	Frame Voltage YZ 10 2014 XS
235298-006	Frame Voltage YZ 10 2014 S
235298-007	Frame Voltage YZ 10 2014 M
235298-008	Frame Voltage YZ 10 2014 L
235298-009	Frame Voltage YZ 10 2014 XL
235299-006	Frame Aspect 910 2014 S
235299-007	Frame Aspect 910 2014 M
235299-008	Frame Aspect 910 2014 L
235299-009	Frame Aspect 910 2014 XL
235300-006	Frame Aspect 710 2014 S
235300-007	Frame Aspect 710 2014 M
235300-008	Frame Aspect 710 2014 L
235300-009	Frame Aspect 710 2014 XL
235301-006	Frame Aspect 640 2014 S
235301-007	Frame Aspect 640 2014 M
235301-008	Frame Aspect 640 2014 L
235301-009	Frame Aspect 640 2014 XL
235302-006	Frame Aspect 660 2014 S
235302-007	Frame Aspect 660 2014 M
235302-008	Frame Aspect 660 2014 L
235302-009	Frame Aspect 660 2014 XL
235303-005	Frame Scale 770 2014 XS

SPARE PARTS 2014

Article no.	Description
235303-006	Frame Scale 770 2014 S
235303-007	Frame Scale 770 2014 M
235303-008	Frame Scale 770 2014 L
235303-009	Frame Scale 770 2014 XL
235303-010	Frame Scale 770 2014 XXL
235304-006	Frame Scale 970 2014 S
235304-007	Frame Scale 970 2014 M
235304-008	Frame Scale 970 2014 L
235304-009	Frame Scale 970 2014 XL
235305-043	Frame Spark Junior 24 2014 24"
235306-043	Frame Scale RC JR 24 2014 24"
235307-043	Frame Speedster JR 24 2014 24"
235308-005	Frame Contessa 610 2014 XS
235308-006	Frame Contessa 610 2014 S
235308-007	Frame Contessa 610 2014 M
235308-008	Frame Contessa 610 2014 L
235310-006	Frame Spark 740 2014 S
235310-007	Frame Spark 740 2014 M
235310-008	Frame Spark 740 2014 L
235310-009	Frame Spark 740 2014 XL
235311-006	Frame Spark 940 2014 S
235311-007	Frame Spark 940 2014 M
235311-008	Frame Spark 940 2014 L
235311-009	Frame Spark 940 2014 XL
235312-006	Frame Contessa Scale 700 RC 2014 S
235312-007	Frame Contessa Scale 700 RC 2014 M
235312-008	Frame Contessa Scale 700 RC 2014 L
235313-004	Frameset CR1 10 2014 int BB Warranty Onl XXS
235313-005	Frameset CR1 10 2014 int BB Warranty Onl XS
235313-006	Frameset CR1 10 2014 int BB Warranty Onl S
235313-007	Frameset CR1 10 2014 int BB Warranty Onl M
235313-008	Frameset CR1 10 2014 int BB Warranty Onl L
235313-009	Frameset CR1 10 2014 int BB Warranty Onl XL
235313-010	Frameset CR1 10 2014 int BB Warranty Onl XXL
235313-019	Frameset CR1 10 2014 int BB Warranty Onl XXS47
235313-020	Frameset CR1 10 2014 int BB Warranty Onl XS49
235313-021	Frameset CR1 10 2014 int BB Warranty Onl S52
235313-022	Frameset CR1 10 2014 int BB Warranty Onl M54
235313-023	Frameset CR1 10 2014 int BB Warranty Onl L56
235313-024	Frameset CR1 10 2014 int BB Warranty Onl XL58
235313-025	Frameset CR1 10 2014 int BB Warranty Onl 2XL61
235314-004	Frameset CR1 10 2014 in std BB Warranty XXS
235314-005	Frameset CR1 10 2014 in std BB Warranty XS
235314-006	Frameset CR1 10 2014 in std BB Warranty S
235314-007	Frameset CR1 10 2014 in std BB Warranty M
235314-008	Frameset CR1 10 2014 in std BB Warranty L
235314-009	Frameset CR1 10 2014 in std BB Warranty XL
235314-010	Frameset CR1 10 2014 in std BB Warranty XXL
235314-019	Frameset CR1 10 2014 in std BB Warranty XXS47
235314-020	Frameset CR1 10 2014 in std BB Warranty XS49
235314-021	Frameset CR1 10 2014 in std BB Warranty S52
235314-022	Frameset CR1 10 2014 in std BB Warranty M54
235314-023	Frameset CR1 10 2014 in std BB Warranty L56
235314-024	Frameset CR1 10 2014 in std BB Warranty XL58
235314-025	Frameset CR1 10 2014 in std BB Warranty 2XL61
235315-004	Frameset Speedster 10 2014 XXS
235315-005	Frameset Speedster 10 2014 XS
235315-006	Frameset Speedster 10 2014 S
235315-007	Frameset Speedster 10 2014 M
235315-008	Frameset Speedster 10 2014 L
235315-009	Frameset Speedster 10 2014 XL
235315-010	Frameset Speedster 10 2014 XXL
235315-019	Frameset Speedster 10 2014 XXS47
235315-020	Frameset Speedster 10 2014 XS49
235315-021	Frameset Speedster 10 2014 S52
235315-022	Frameset Speedster 10 2014 M54
235315-023	Frameset Speedster 10 2014 L56
235315-024	Frameset Speedster 10 2014 XL58
235315-025	Frameset Speedster 10 2014 2XL61
235316-004	Frameset Speedster 50 FB 2014 XXS
235316-005	Frameset Speedster 50 FB 2014 XS
235316-006	Frameset Speedster 50 FB 2014 S
235316-007	Frameset Speedster 50 FB 2014 M
235316-008	Frameset Speedster 50 FB 2014 L
235316-009	Frameset Speedster 50 FB 2014 XL

Article no.	Description
235316-010	Frameset Speedster 50 FB 2014 XXL
235316-019	Frameset Speedster 50 FB 2014 XXS47
235316-020	Frameset Speedster 50 FB 2014 XS49
235316-021	Frameset Speedster 50 FB 2014 S52
235316-022	Frameset Speedster 50 FB 2014 M54
235316-023	Frameset Speedster 50 FB 2014 L56
235316-024	Frameset Speedster 50 FB 2014 XL58
235316-025	Frameset Speedster 50 FB 2014 2XL61
235317-005	Frameset Metrix 10 2014 XS
235317-006	Frameset Metrix 10 2014 S
235317-007	Frameset Metrix 10 2014 M
235317-008	Frameset Metrix 10 2014 L
235317-009	Frameset Metrix 10 2014 XL
235318-005	Frameset Metrix 20 Solution 2014 XS
235318-006	Frameset Metrix 20 Solution 2014 S
235318-007	Frameset Metrix 20 Solution 2014 M
235318-008	Frameset Metrix 20 Solution 2014 L
235319-005	Frameset SUB Speed 10 2014 XS
235319-006	Frameset SUB Speed 10 2014 S
235319-007	Frameset SUB Speed 10 2014 M
235319-008	Frameset SUB Speed 10 2014 L
235319-009	Frameset SUB Speed 10 2014 XL
235320-006	Frameset SUB Speed 40 Solution 2014 S
235320-007	Frameset SUB Speed 40 Solution 2014 M
235320-008	Frameset SUB Speed 40 Solution 2014 L
235321-006	Frame E-Aspect 920 2014 S
235321-007	Frame E-Aspect 920 2014 M
235321-008	Frame E-Aspect 920 2014 L
235321-009	Frame E-Aspect 920 2014 XL
235322-006	Frame E-Aspect 710 2014 S
235322-007	Frame E-Aspect 710 2014 M
235322-008	Frame E-Aspect 710 2014 L
235322-009	Frame E-Aspect 710 2014 XL
235323-006	Frame E-SUB Sport Men 2014 S
235323-007	Frame E-SUB Sport Men 2014 M
235323-008	Frame E-SUB Sport Men 2014 L
235323-009	Frame E-SUB Sport Men 2014 XL
235324-006	Frame E- SUB Sport Solution 2014 S
235324-007	Frame E- SUB Sport Solution 2014 M
235324-008	Frame E- SUB Sport Solution 2014 L
235325-006	Frame E-Sub Comfort Unisex 2014 S
235325-007	Frame E-Sub Comfort Unisex 2014 M
235325-008	Frame E-Sub Comfort Unisex 2014 L
235326-006	Frame E-Sub Comfort Solution 2014 S
235326-007	Frame E-Sub Comfort Solution 2014 M
235326-008	Frame E-Sub Comfort Solution 2014 L
235327-006	Frame E-Sub Tour Unisex 2014 S
235327-007	Frame E-Sub Tour Unisex 2014 M
235327-008	Frame E-Sub Tour Unisex 2014 L
235328-006	Frameset SUB EVO 10 Men 2014 S
235328-007	Frameset SUB EVO 10 Men 2014 M
235328-008	Frameset SUB EVO 10 Men 2014 L
235328-009	Frameset SUB EVO 10 Men 2014 XL
235329-006	Frameset SUB EVO 10 Lady 2014 S
235329-007	Frameset SUB EVO 10 Lady 2014 M
235329-008	Frameset SUB EVO 10 Lady 2014 L
235330-006	Frame SUB Comfort 10 Men 2014 S
235330-007	Frame SUB Comfort 10 Men 2014 M
235330-008	Frame SUB Comfort 10 Men 2014 L
235330-009	Frame SUB Comfort 10 Men 2014 XL
235331-006	Frame SUB Comfort 10 Unisex 2014 S
235331-007	Frame SUB Comfort 10 Unisex 2014 M
235331-008	Frame SUB Comfort 10 Unisex 2014 L
235332-006	Frame SUB Comfort 40 Unisex 2014 S
235332-007	Frame SUB Comfort 40 Unisex 2014 M
235332-008	Frame SUB Comfort 40 Unisex 2014 L
235333-006	Frame SUB Comfort 40 Men 2014 S
235333-007	Frame SUB Comfort 40 Men 2014 M
235333-008	Frame SUB Comfort 40 Men 2014 L
235333-009	Frame SUB Comfort 40 Men 2014 XL
235334-005	Frameset SUB Speed 20 2014 XS
235334-006	Frameset SUB Speed 20 2014 S
235334-007	Frameset SUB Speed 20 2014 M
235334-008	Frameset SUB Speed 20 2014 L
235334-009	Frameset SUB Speed 20 2014 XL

SPARE PARTS 2014

Article no.	Description
235335-006	Frame Sportster 10 2014 S
235335-007	Frame Sportster 10 2014 M
235335-008	Frame Sportster 10 2014 L
235335-009	Frame Sportster 10 2014 XL
235335-010	Frame Sportster 10 2014 XXL
235336-006	Frame Sportster 20 Solution 2014 S
235336-007	Frame Sportster 20 Solution 2014 M
235336-008	Frame Sportster 20 Solution 2014 L
235336-009	Frame Sportster 20 Solution 2014 XL
235337-006	Frame Sportster Comfort 10 Men 2014 S
235337-007	Frame Sportster Comfort 10 Men 2014 M
235337-008	Frame Sportster Comfort 10 Men 2014 L
235337-009	Frame Sportster Comfort 10 Men 2014 XL
235337-010	Frame Sportster Comfort 10 Men 2014 XXL
235338-006	Frame Sportster Comfort 10 Lady 2014 S
235338-007	Frame Sportster Comfort 10 Lady 2014 M
235338-008	Frame Sportster Comfort 10 Lady 2014 L
235338-009	Frame Sportster Comfort 10 Lady 2014 XL
235339-004	Frameset Plasma 20 2014 warranty XXS
235339-005	Frameset Plasma 20 2014 warranty XS
235339-006	Frameset Plasma 20 2014 warranty S
235339-007	Frameset Plasma 20 2014 warranty M
235339-008	Frameset Plasma 20 2014 warranty L
235339-019	Frameset Plasma 20 2014 warranty XXS47
235339-020	Frameset Plasma 20 2014 warranty XS49
235339-021	Frameset Plasma 20 2014 warranty S52
235339-022	Frameset Plasma 20 2014 warranty M54
235339-023	Frameset Plasma 20 2014 warranty L56
235340-006	Frame OTG 10 2014 S
235340-007	Frame OTG 10 2014 M
235340-008	Frame OTG 10 2014 L
235341-222	Saddle Contessa Walker 2014 1size
235342-222	Saddle Contessa JR 12 2014 1size
235343-222	Saddle Contessa JR 16 2014 1size
235344-222	Saddle Contessa JR 20 2014 1size
235345-222	Saddle Contessa JR 24 2014 1size
235346-222	Saddle Contessa Scale JR 20 2014 1size
235347-222	Saddle Contessa Scale JR 24 2014 1size
235348-222	Saddle Voltage Walker 2014 1size
235349-222	Saddle Voltage JR 12 2014 1size
235350-222	Saddle Voltage JR 16 2014 1size
235351-222	Saddle Voltage JR 20 2014 1size
235352-222	Saddle Voltage JR 24 2014 color Option 1 1size
235353-222	Saddle Voltage JR 24 2014 color Option 2 1size
235354-222	Saddle Voltage JR 24 Disc 2014 1size
235355-222	Saddle Scale JR 20 2014 1size
235356-222	Saddle Scale JR 24 2014 1size
235357-222	Saddle Scale RC JR 2014 1size
235358-222	Saddle Spark JR 20 / 24 2014 1size
235359-222	Rear shock FOX Nude 3 Kash 200e2e 1size
235360-222	Rear shock FOX Genius Nude 3 Kash 190e2e 1size
235361-222	Rear shock FOX Spark Nude 3 Kash 190e2e 1size
235362-222	Rear shock FOX Nude 3 Kash165e2e 1size
235363-222	Rear shock FOX Nude 3 Kash BV 215e2e 1size
235364-222	Rear shock FOX Nude 3 165e2e 1size
235365-222	Rear shock FOX Nude 3 200e2e 1size
235366-222	Rear shock FOX Genius Nude 3 190e2e 1size
235367-222	Rear shock FOX Spark Nude 3 190e2e 1size
235368-222	Rear shock FOX Nude 3 BV 215e2e 1size
235369-222	Rear shock FOX Float 165e2e 1size
235370-222	Rear shock FOX Float 200e2e 1size
235371-222	Rear shock FOX Genius Float 190e2e 1size
235372-222	Rear shock FOX Spark Float 190e2e 1size
235373-222	Rear shock FOX Float 215e2e 1size
235374-222	Rear shock X-Fusion O2 RL Air 190e2e 1size
235375-222	Rear shock X-Fusion O2 RL Air 165e2e 1size
235376-222	Fork Foil Premium 2014 1size
235377-222	Fork Foil Team Issue 2014 1size
235378-222	Fork Foil 15 2014 1size
235379-222	Fork Foil 10 2014 1size
235380-222	Fork Foil 20 2014 1size
235381-222	Fork Addict SL 2014 1size
235382-222	Fork Addict Team Issue 2014 1size
235383-222	Fork Addict 10 2014 1size
235384-222	Fork Solace Premium 2014 1size

Article no.	Description
235385-222	Fork Solace 10 2014 1size
235386-222	Fork Solace 20 2014 1size
235387-222	Fork Solace 30 2014 1size
235388-222	Fork CR1 10 2014 1size
235389-222	Fork CR1 20 2014 1size
235390-222	Fork CR1 30 2014 1size
235391-222	Fork Speedster 10 2014 1size
235392-222	Fork Speedster 20 2014 1size
235393-222	Fork Speedster 30 2014 1size
235394-222	Fork Speedster 40 2014 1size
235395-222	Fork Speedster 50 2014 1size
235396-222	Fork Speedster FB 50 2014 1size
235397-222	Fork Speedster 60 2014 1size
235398-222	Fork Metrix 10 2014 1size
235399-222	Fork Metrix 20 2014 1size
235400-222	Fork Metrix 30 2014 1size
235401-222	Fork Metrix 40 2014 1size
235402-222	Fork Metrix 40 Solution 2014 1size
235403-006	Fork Plasma Premium 2014 S
235403-007	Fork Plasma Premium 2014 M
235403-008	Fork Plasma Premium 2014 L
235404-006	Fork Plasma 10 2014 S
235404-007	Fork Plasma 10 2014 M
235404-008	Fork Plasma 10 2014 L
235405-222	Fork Plasma 20 2014 1size
235406-222	Fork Plasma 30 2014 1size
235407-222	Fork Sportster Comfort 20 Men 2014 1size
235408-222	Fork Sportster Comfort 20 Lady 2014 1size
235409-222	Fork SUB 10 2014 1size
235410-222	Fork SUB 20 2014 1size
235411-222	Fork SUB 30 2014 1size
235412-222	Fork SUB 40 Men 2014 1size
235413-222	Fork SUB 40 Solution 2014 1size
235414-222	Fork SUB Evo 10 Men 2014 1size
235415-222	Fork SUB Evo 10 Lady 2014 1size
235416-222	Fork OTG 10 2014 1size
235417-222	Fork Solace Contessa 15 2014 1size
235418-222	Fork Solace Contessa 25 2014 1size
235419-222	Fork Solace 35 Contessa 2014 1size
235420-222	Fork CR1 Contessa 2014 1size
235421-222	Fork Speedster 15 Contessa 2014 1size
235422-222	Fork Speedster 25 Contessa 2014 1size
235423-222	Fork Speedster 35 Contessa 2014 1size
235424-222	Fork Speedster 45 Contessa 2014 1size
235425-222	Fork Volt X 10 2014 1size
235426-222	Fork Volt X 20 2014 1size
235427-222	Fork Volt X 30 2014 1size
235428-222	Headset Rit. WCS Addict/Solace MY14 1size
235429-0001222	Seatclamp 30.2mm bolt Addict MY14 black 1size
235430-0001222	Seatclamp 31.2mm bolt Solace black 1size
235431-222	Antichainsuck Plate Addict MY14 1size
235432-0001047	Rim Syncros X 37 Eyelets 32H black 27.5"
235433-0001049	Rim Syncros X 39 Eyelets 32H black 29"
235434-0001047	Rim Syncros X 67 Eyelets 32H black 27.5"
235435-0001049	Rim Syncros X 69 Eyelets 32H black 29"
235436-0001047	Rim Syncros XC 67 Disc 32H black 27.5"
235437-0001045	Rim Syncros FR 32 Disc 32H black 26"
235438-0001158	Rim Syncros Race 27 20H black 700C
235439-0001158	Rim Syncros Race 27 24H black 700C
235440-0002158	Rim Syncros Race 27 20H white 700C
235441-0002158	Rim Syncros Race 27 24H white 700C
235442-0001047	Rim Syncros XC 55 Disc Eyelets 32H black 27.5"
235443-0001045	Rim Syncros FR 30 Disc 32H black 26"
235444-0001045	Rim Syncros X 36 Disc 32H black 26"
235445-0001043	Rim Alex DM 22 32H black 24"
235446-0001158	Rim Alex AT 490 CNC 32H black 700C
235447-0001158	Rim Alex ATD 490 Disc 32H black 700C
235448-0001158	Rim Cross X2 19 Eyelets 32H black 700C
235449-0001158	Rim Cross X2 21 Eyelets 36H black 700C
235450-152	Seatpost Foil Premium 2014 0mm
235450-153	Seatpost Foil Premium 2014 25mm
235451-152	Seatpost Foil Team Issue'14 0mm
235451-153	Seatpost Foil Team Issue'14 25mm
235452-152	Seatpost Foil 15 2014 0mm
235452-153	Seatpost Foil 15 2014 25mm

SPARE PARTS 2014

Article no.	Description
235453-152	Seatpost Foil 20 2014 0mm
235453-153	Seatpost Foil 20 2014 25mm
235454-0001049	Fork Suntour XCR LO R 100mm Disc black 29"
235455-0001047	Fork Suntour XCR RL R 100mm Disc black 27.5"
235455-0001049	Fork Suntour XCR RL R 100mm Disc black 29"
235455-0002047	Fork Suntour XCR RL R 100mm Disc white 27.5"
235456-0001045	Fork Suntour XCM HLO 100mm Disc black 26"
235457-0001045	Fork Suntour XCT MLO 100mm V Brake black 26"
235458-0001047	Fork Suntour XCR LO 100mm Disc black 27.5"
235458-0002047	Fork Suntour XCR LO 100mm Disc white 27.5"
235459-0001158	Fork Suntour NCX D RL 63mm Disc black 700C
235460-0001158	Fork Suntour NCX D LO 63mm Disc black 700C
235461-0001158	Fork Suntour SF7 CR 8R Roler Brake black 700C
235462-0002045	Fork Suntour XCT 100mm V Brake white 26"
235463-0001222	E-Spark Battery Socket black 1size
235466-005	Frame Contessa 640 2014 XS
235466-006	Frame Contessa 640 2014 S
235466-007	Frame Contessa 640 2014 M
235466-008	Frame Contessa 640 2014 L
235503-006	Frame E-Sub Tour Men 2014 S
235503-007	Frame E-Sub Tour Men 2014 M
235503-008	Frame E-Sub Tour Men 2014 L
235503-009	Frame E-Sub Tour Men 2014 XL
235504-005	Frame E-Sub Tour Lady 2014 XS
235504-006	Frame E-Sub Tour Lady 2014 S
235504-007	Frame E-Sub Tour Lady 2014 M
235504-008	Frame E-Sub Tour Lady 2014 L
235505-222	Fork Metrix 20 Solution 2014 1size
235571-006	Frame Contessa 710 2014 S
235571-007	Frame Contessa 710 2014 M
235571-008	Frame Contessa 710 2014 L
235572-006	Frame Scale Contessa 700 S
235572-007	Frame Scale Contessa 700 M
235572-008	Frame Scale Contessa 700 L
235573-222	Headset FSA TH 42 B Cup 1size
235596-008	Linkage bar set E-Spark 700 2014 L
235596-082	Linkage bar set E-Spark 700 2014 S/M
235710-222	Shock Mount/Bush.set Spark Genius/LT 14> 1size
235740-0001222	Chainguard Curana E-Bike Bosch 2014 black 1size
235942-014	Frameset Contessa Solace 15 2014 XXS46
235942-015	Frameset Contessa Solace 15 2014 XS48
235942-016	Frameset Contessa Solace 15 2014 S51
235942-017	Frameset Contessa Solace 15 2014 M53
235942-018	Frameset Contessa Solace 15 2014 L55
235943-019	Frameset Contessa CR1 2014 XXS47
235943-020	Frameset Contessa CR1 2014 XS49
235943-021	Frameset Contessa CR1 2014 S52
235943-022	Frameset Contessa CR1 2014 M54
235943-023	Frameset Contessa CR1 2014 L56
235944-019	Frameset Contessa Speedster 15 2014 XXS47
235944-020	Frameset Contessa Speedster 15 2014 XS49
235944-021	Frameset Contessa Speedster 15 2014 S52
235944-022	Frameset Contessa Speedster 15 2014 M54
235944-023	Frameset Contessa Speedster 15 2014 L56
236130-0002043	Fork Suntour XCR LO Air 65mm PM/Vbrake white 24"
236153-222	Axle RWS 10 Alu thru 142MM / Ø12MM 1size
236350-222	Headset Ritchey LoZero tapered F/11/8 1size
236892-0001043	Rim Alex/Sync Race Jr 28 20H black 24"
236893-0001043	Rim Alex/Sync Race Jr 28 24H black 24"
236950-006	Frame Scale 910 2014 warranty S
236950-007	Frame Scale 910 2014 warranty M
236950-008	Frame Scale 910 2014 warranty L
236950-009	Frame Scale 910 2014 warranty XL
237313-222	Rock guard Genius LT 2014' 1size
237314-152	Seatpost Foil 10 2014 0mm
237314-153	Seatpost Foil 10 2014 25mm
237435-222	Fork Addict 20 2014
237436-0001222	Crankset Voltage 0.1-2 / BMX 73/170 25T
237437-222	Bb set BMX mid BB-16M
237438-222	Bb set Voltage mid BB-18H 19mm axle
237510-0001222	Crankset E-SUB / MTB 2014 175
237511-000122	Crankset E-SUB / MTB 2014 170
237512-000122	Chainring/ Guard E-SUB/ MTB 14 Bosch 16T
237513-000122	Chainring/ Guard E-SUB/ MTB 14 Bosch 20T
237514-000122	Carrier E-SUB Lady 2014 warr. only

Article no.	Description
237515-000122	Carrier SUB 2014 warranty only
237519-0001222	Pedal Wellgo C-127-DU
237680-0001047	Rim Sync/DT AM1.5 28H GenLT700TunF 14
237681-0001047	Rim Sync/DT AM1.5 28H GenLT700TunR 14
237682-0001158	Rim Sync/DT RL1.0 20H Addict SL F 14
237683-0001158	Rim Sync/DT RL1.0 24H Addict SL R 14
237684-0001158	Rim Sync/DT RL1.1 20H Sol.prem. F 14
237685-0001158	Rim Sync/DT RL1.1 24H Sol.prem. R 14
237686-0001158	Rim Sync/DT RL1.1 20H Addict T.Issue F 14
237687-0001158	Rim Sync/DT RL1.1 24H Addict T.Issue R 14
237688-0001158	Rim Sync/DT RP1.5 18H Addict 10 F 14
237689-0001158	Rim Sync/DT RP1.5 24H Addict 10 R 14
237690-0001158	Rim Sync/DT RP2.0 18H Solace 10 F 14
237691-0001158	Rim Sync/DT RP2.0 18H Solace 20 F 14
237692-0001158	Rim Sync/DT RP2.0 18H Solace cont. F 14
237693-0001158	Rim Sync/DT RP2.0 24H Solace 10 R 14
237694-0001158	Rim Sync/DT RP2.0 24H Solace 20 R 14
237695-0001158	Rim Sync/DT RP2.0 24H Solace cont. R 14
237696-0001158	Rim Sync/DT RR1.0 16H Foil premium F 14
237697-0001158	Rim Sync/DT RR1.0 24H Foil premium R 14
237698-0001158	Rim Sync/DT RR1.5 16H Foil T.Issue F 14
237699-0001158	Rim Sync/DT RR1.5 20H Foil T.Issue R 14
237700-0001158	Rim Sync/DT RR2.0 20H Foil 10 F 14
237701-0001158	Rim Sync/DT RR2.0 20H Foil 15 F 14
237702-0001158	Rim Sync/DT RR2.0 24H Foil 10 R 14
237703-0001158	Rim Sync/DT RR2.0 24H Foil 15 R 14
237704-0001047	Rim Sync/DT TR1.0 28H Genius700TunF14
237705-0001047	Rim Sync/DT TR1.0 28H Genius700TunR14
237706-0001047	Rim Sync/DT TR1.5 28H Genius700Prem 14
237707-0001049	Rim Sync/DT TR1.5 28H Genius900Prem 14
237708-0001047	Rim Sync/DT TR2.0 28H Genius 710 14
237709-0001049	Rim Sync/DT TR2.0 28H Genius 910 14
237710-0001047	Rim Sync/DT TR2.0 28H Gen.Cont.700 14
237711-0001049	Rim Sync/DT XR1.0 28H Spa/Scal900SL 14
237712-0001047	Rim Sync/DT XR1.0 28H Spa/Scal700SL 14
237713-0001047	Rim Sync/DT XR1.5 28H Spa/Scal700Pr 14
237714-0001049	Rim Sync/DT XR1.5 28H Spa/Scal900Pr 14
237715-0001047	Rim Sync/DT XR2.0 28H Spa/Scal 710 14
237716-0001049	Rim Sync/DT XR2.0 28H Spa/Scal 910 14
237717-0001047	Rim Sync/DT XR2.0 28H Spa/ScalConRC 14
237718-0001047	Rim Sync/DT XR-RC 28H Spa/Scal700RC 14
237719-0001049	Rim Sync/DT XR-RC 28H Spa/Scal900RC 14
237720-0001222	Spoke DT Aero Comp 260 T-H S PAK-20
237721-0001222	Spoke DT Aero Comp 262 T-H S PAK-20
237722-0001222	Spoke DT Aero Comp 276 T-H S PAK-20
237723-0001222	Spoke DT Aero Comp 278 T-H S PAK-20
237724-0001222	Spoke DT Aero Comp 283 SP S PAK-20
237725-0001222	Spoke DT Aero Comp 284 SP S PAK-20
237726-0001222	Spoke DT Aero Comp 285 SP S PAK-20
237727-0001222	Spoke DT Aero Comp 286 SP S PAK-20
237728-0001222	Spoke DT Aero Comp 287 SP S PAK-20
237729-0001222	Spoke DT Aero Comp 303 SP S PAK-20
237730-0001222	Spoke DT Aero Comp 304 SP S PAK-20
237731-0001222	Spoke DT Aero Comp 305 SP S PAK-20
237732-0001222	Spoke DT Aero Comp 306 SP S PAK-20
237733-0001222	Spoke DT Aerolite 279 T-H S PAK-20
237734-0001222	Spoke DT Aerolite 283 T-H S PAK-20
237735-0001222	Spoke DT Aerolite 286 T-H S PAK-20
237736-0001222	Spoke DT Aerolite 288 T-H S PAK-20
237737-0001222	Spoke DT New Aero 256 T-H S PAK-20
237738-0001222	Spoke DT New Aero 272 T-H S PAK-20
237739-0001222	Spoke DT New Aero 276 T-H S PAK-20
237740-0001222	Spoke DT New Aero 282 T-H S PAK-20
237831-0001222	Crankset SRAM XX QF166 170 Spark S
237832-0001222	Crankset SRAM XX QF166 175 Spark M-L-XL
238113-0001222	Crankset SRAM XX QF156 170 Spark S
238114-0001222	Crankset SRAM XX QF156 175 Spark M-L-XL
238133-222	QR washer Set Suntour NEX Recall
238134-0001222	NCX Fork Lower Set 2014 Recall Black
238134-0002222	NCX Fork Lower Set 2014 Recall White
239048-019	Frameset Plasma 2 SE 2014 warranty only 47
239048-020	Frameset Plasma 2 SE 2014 warranty only 49
239048-021	Frameset Plasma 2 SE 2014 warranty only 52
239048-022	Frameset Plasma 2 SE 2014 warranty only 54
239048-023	Frameset Plasma 2 SE 2014 warranty only 56

SPARE PARTS 2014

Article no.	Description
239049-222	Fender Set Curana Sub Evo`14-> Warranty
239372-222	Fork Speedster 30/35 2014 Recall 1size
239373-222	Fork Speedster 40/45 2014 Recall 1size
239374-222	Fork Speedster 25 Contessa 2014 Recall 1size
239375-222	Fork Speedster 35 Contessa 2014 Recall 1size
239714-0001222	NCX Fork Lower Set 2014 30mm Recall black 1size
239714-0002222	NCX Fork Lower Set 2014 30mm Recall white 1size
240054-0001158	Tire for Speedster fork 23mm Recall black 700C
240136-222	NCX Fork bottom case parts kit Recall 1size
240312-222	Chainsuck Protector Solace '14<
267584-9999222	SCO Fork Speedster 40 2014 (CN)
267585-9999222	SCO Fork Speedster 50 2014 (CN)
267586-9999222	SCO Fork Speedster 30/35 2014 Recall(CN)
267587-9999222	SCO Fork Speedster 40/45 2014 Recall(CN)
267588-9999222	SCO Fork Speedster 25 Cont 14 Recall(CN)

SPARE PARTS 2013

Article no.	Description
229499-0001222	Fork SF13-NEX-HLO 700C black 1size
229499-0002222	Fork SF13-NEX-HLO 700C white 1size
229500-222	Fork Sportster V10 2013 1size
229501-222	Fork Speedster S10 2013 1size
229502-222	Fork Speedster S20 2013 1size
229503-222	Fork Speedster S30 2013 1size
229504-222	Fork Speedster S40 2013 1size
229505-222	Fork Speedster S50 2013 1size
229506-222	Fork Speedster S60 2013 1size
229507-222	Fork Metrix 10 2013 1size
229508-222	Fork Metrix 20 2013 1size
229509-222	Fork Metrix 30 2013 1size
229510-222	Fork Metrix 40 2013 1size
229511-222	Fork OTG 10 2013 1size
229512-222	Fork CR1 Premium 2013 1size
229513-222	Fork CR 1 Comp 2013 1size
229514-222	Fork CR 1 Team 2013 1size
229515-222	Fork CR 1 Elite 2013 1size
229516-222	Fork CR 1 Pro 2013 1size
229517-222	Fork Contessa Foil 2013 1size
229518-222	Fork Contessa CR1 Team 2013 1size
229519-222	Fork Contessa CR1 Comp 2013 1size
229520-222	Fork Contessa Speedster S15 2013 1size
229521-222	Fork Contessa Speedster S25 2013 1size
229522-222	Fork Contessa Speedster S35 2013 1size
229523-222	Fork Contessa Speedster S45 2013 1size
229524-222	Fork Foil Premium 2013 1size
229525-222	Fork Foil Team Issue 2013 1size
229526-222	Fork Foil 10 2013 1size
229527-222	Fork Foil 15 2013 1size
229528-222	Fork Foil 20 2013 1size
229529-222	Fork Foil 30 2013 1size
229530-222	Fork Foil 40 2013 1size
229531-006	Fork Plasma TT 2013 S
229531-007	Fork Plasma TT 2013 M
229531-008	Fork Plasma TT 2013 L
229532-006	Fork Plasma Premium 2013 S
229532-007	Fork Plasma Premium 2013 M
229532-008	Fork Plasma Premium 2013 L
229533-222	Fork Plasma 10 2013 1size
229534-222	Fork Plasma 20 2013 1size
229535-222	Fork Plasma 30 2013 1size
229536-222	Fork Addict CX 2013 1size
229537-222	Fork CX Team 2013 1size
229538-222	Fork CX Comp 2013 1size
229539-222	Fork Volt-X 10 2013 1size
229540-222	Fork Volt-X 20 2013 1size
229541-222	Fork Volt-X 30 2013 1size
229542-222	Fork SF13-NCX-D-RL-SCT 700C 1size
229543-222	Fork SR Suntour XCT-JR-MLO 24 / 50 mm 1size
229544-222	Fork SR Suntour XCT-JR-MLO 20 / 40 mm 1size
229545-222	Fork Sub 10 2013 1size
229546-222	Fork Sub 20 2013 1size
229547-222	Fork Sub 30 2013 1size
229548-222	Fork Sub 40 2013 1size
229549-222	Fork SUB 40 Solution 2013 1size
229550-006	Front Triangle Gambler 10 2013 S
229550-007	Front Triangle Gambler 10 2013 M
229550-008	Front Triangle Gambler 10 2013 L
229551-006	Front Triangle Gambler 20 2013 S
229551-007	Front Triangle Gambler 20 2013 M
229551-008	Front Triangle Gambler 20 2013 L
229552-006	Front Triangle Gambler 30 2013 S

SPARE PARTS 2013

Article no.	Description
229552-007	Front Triangle Gambler 30 2013 M
229552-008	Front Triangle Gambler 30 2013 L
229553-006	Front Triangle Genius LT 10 2013 S
229553-007	Front Triangle Genius LT 10 2013 M
229553-008	Front Triangle Genius LT 10 2013 L
229554-006	Front Triangle Genius LT 20 2013 S
229554-007	Front Triangle Genius LT 20 2013 M
229554-008	Front Triangle Genius LT 20 2013 L
229555-006	Front Triangle Genius LT 30 2013 S
229555-007	Front Triangle Genius LT 30 2013 M
229555-008	Front Triangle Genius LT 30 2013 L
229556-006	Front Triangle Genius 700 SL 2013 S
229556-007	Front Triangle Genius 700 SL 2013 M
229556-008	Front Triangle Genius 700 SL 2013 L
229556-009	Front Triangle Genius 700 SL 2013 XL
229557-006	Front Triangle Genius 710 2013 S
229557-007	Front Triangle Genius 710 2013 M
229557-008	Front Triangle Genius 710 2013 L
229557-009	Front Triangle Genius 710 2013 XL
229558-006	Front Triangle Genius 720 2013 S
229558-007	Front Triangle Genius 720 2013 M
229558-008	Front Triangle Genius 720 2013 L
229558-009	Front Triangle Genius 720 2013 XL
229559-006	Front Triangle Genius 730 2013 S
229559-007	Front Triangle Genius 730 2013 M
229559-008	Front Triangle Genius 730 2013 L
229559-009	Front Triangle Genius 730 2013 XL
229560-006	Front Triangle Genius 740 2013 S
229560-007	Front Triangle Genius 740 2013 M
229560-008	Front Triangle Genius 740 2013 L
229560-009	Front Triangle Genius 740 2013 XL
229561-006	Front Triangle Genius 900 SL 2013 S
229561-007	Front Triangle Genius 900 SL 2013 M
229561-008	Front Triangle Genius 900 SL 2013 L
229561-009	Front Triangle Genius 900 SL 2013 XL
229562-006	Front Triangle Genius 910 2013 S
229562-007	Front Triangle Genius 910 2013 M
229562-008	Front Triangle Genius 910 2013 L
229562-009	Front Triangle Genius 910 2013 XL
229563-006	Front Triangle Genius 920 2013 S
229563-007	Front Triangle Genius 920 2013 M
229563-008	Front Triangle Genius 920 2013 L
229563-009	Front Triangle Genius 920 2013 XL
229564-006	Front Triangle Genius 930 2013 S
229564-007	Front Triangle Genius 930 2013 M
229564-008	Front Triangle Genius 930 2013 L
229564-009	Front Triangle Genius 930 2013 XL
229565-006	Front Triangle Genius 940 2013 S
229565-007	Front Triangle Genius 940 2013 M
229565-008	Front Triangle Genius 940 2013 L
229565-009	Front Triangle Genius 940 2013 XL
229566-006	Front Triangle Spark Premium 2013 S
229566-007	Front Triangle Spark Premium 2013 M
229566-008	Front Triangle Spark Premium 2013 L
229566-009	Front Triangle Spark Premium 2013 XL
229567-006	Front Triangle Spark RC 2013 S
229567-007	Front Triangle Spark RC 2013 M
229567-008	Front Triangle Spark RC 2013 L
229567-009	Front Triangle Spark RC 2013 XL
229568-006	Front Triangle Spark 610 2013 S
229568-007	Front Triangle Spark 610 2013 M
229568-008	Front Triangle Spark 610 2013 L
229568-009	Front Triangle Spark 610 2013 XL

Article no.	Description
229569-006	Front Triangle Spark 620 2013 S
229569-007	Front Triangle Spark 620 2013 M
229569-008	Front Triangle Spark 620 2013 L
229569-009	Front Triangle Spark 620 2013 XL
229570-006	Front Triangle Spark 30 2013 S
229570-007	Front Triangle Spark 30 2013 M
229570-008	Front Triangle Spark 30 2013 L
229570-009	Front Triangle Spark 30 2013 XL
229571-006	Front Triangle Spark 900 SL 2013 S
229571-007	Front Triangle Spark 900 SL 2013 M
229571-008	Front Triangle Spark 900 SL 2013 L
229571-009	Front Triangle Spark 900 SL 2013 XL
229572-006	Front Triangle Spark 900 Premium 2013 S
229572-007	Front Triangle Spark 900 Premium 2013 M
229572-008	Front Triangle Spark 900 Premium 2013 L
229572-009	Front Triangle Spark 900 Premium 2013 XL
229573-006	Front Triangle Spark 910 2013 S
229573-007	Front Triangle Spark 910 2013 M
229573-008	Front Triangle Spark 910 2013 L
229573-009	Front Triangle Spark 910 2013 XL
229574-006	Front Triangle Spark 920 2013 S
229574-007	Front Triangle Spark 920 2013 M
229574-008	Front Triangle Spark 920 2013 L
229574-009	Front Triangle Spark 920 2013 XL
229575-006	Front Triangle Spark 930 2013 S
229575-007	Front Triangle Spark 930 2013 M
229575-008	Front Triangle Spark 930 2013 L
229575-009	Front Triangle Spark 930 2013 XL
229576-006	Front Triangle Contessa Spark 900 RC '13 S
229576-007	Front Triangle Contessa Spark 900 RC '13 M
229576-008	Front Triangle Contessa Spark 900 RC '13 L
229577-006	Front Triangle Contessa Genius 700 2013 S
229577-007	Front Triangle Contessa Genius 700 2013 M
229577-008	Front Triangle Contessa Genius 700 2013 L
229578-006	Front Triangle Contessa Spark 900 2013 S
229578-007	Front Triangle Contessa Spark 900 2013 M
229578-008	Front Triangle Contessa Spark 900 2013 L
229579-416	Front Triangle Voltage FR 10 2013 short
229579-417	Front Triangle Voltage FR 10 2013 long
229580-416	Front Triangle Voltage FR 20 2013 short
229580-417	Front Triangle Voltage FR 20 2013 long
229581-416	Front Triangle Voltage FR 30 2013 short
229581-417	Front Triangle Voltage FR 30 2013 long
229582-019	Frame + Fork Contessa Speedster 15 '13 XXS47
229582-020	Frame + Fork Contessa Speedster 15 '13 XS49
229582-021	Frame + Fork Contessa Speedster 15 '13 S52
229582-022	Frame + Fork Contessa Speedster 15 '13 M54
229582-023	Frame + Fork Contessa Speedster 15 '13 L56
229583-006	Frameset OTG 10 S 2013 S
229583-007	Frameset OTG 10 S 2013 M
229583-008	Frameset OTG 10 S 2013 L
229584-005	Frame Voltage YZ-10 2013 XS
229584-006	Frame Voltage YZ-10 2013 S
229584-007	Frame Voltage YZ-10 2013 M
229584-008	Frame Voltage YZ-10 2013 L
229584-009	Frame Voltage YZ-10 2013 XL
229585-222	Frame Voltage YZ 0.1 2013 1size
229586-005	Frame Aspect 610 2013 XS
229586-006	Frame Aspect 610 2013 S
229586-007	Frame Aspect 610 2013 M
229586-008	Frame Aspect 610 2013 L
229586-009	Frame Aspect 610 2013 XL
229586-010	Frame Aspect 610 2013 XXL

SPARE PARTS 2013

Article no.	Description
229587-007	Frame E-Aspect 910 2013 M
229587-008	Frame E-Aspect 910 2013 L
229587-009	Frame E-Aspect 910 2013 XL
229588-006	Frame Aspect 910 2013 S
229588-007	Frame Aspect 910 2013 M
229588-008	Frame Aspect 910 2013 L
229588-009	Frame Aspect 910 2013 XL
229589-005	Frame Aspect 640 2013 XS
229589-006	Frame Aspect 640 2013 S
229589-007	Frame Aspect 640 2013 M
229589-008	Frame Aspect 640 2013 L
229589-009	Frame Aspect 640 2013 XL
229590-005	Frame SUB 10 Men EBB split DO 2013 XS
229590-006	Frame SUB 10 Men EBB split DO 2013 S
229590-007	Frame SUB 10 Men EBB split DO 2013 M
229590-008	Frame SUB 10 Men EBB split DO 2013 L
229590-009	Frame SUB 10 Men EBB split DO 2013 XL
229591-005	Frame SUB 20 Men 2013 XS
229591-006	Frame SUB 20 Men 2013 S
229591-007	Frame SUB 20 Men 2013 M
229591-008	Frame SUB 20 Men 2013 L
229591-009	Frame SUB 20 Men 2013 XL
229592-005	Frame SUB 40 Men 2013 XS
229592-006	Frame SUB 40 Men 2013 S
229592-007	Frame SUB 40 Men 2013 M
229592-008	Frame SUB 40 Men 2013 L
229592-009	Frame SUB 40 Men 2013 XL
229593-006	Frame SUB 40 Solution 2013 S
229593-007	Frame SUB 40 Solution 2013 M
229593-008	Frame SUB 40 Solution 2013 L
229593-009	Frame SUB 40 Solution 2013 XL
229594-006	Frame Sportster X10 2013 S
229594-007	Frame Sportster X10 2013 M
229594-008	Frame Sportster X10 2013 L
229594-009	Frame Sportster X10 2013 XL
229594-010	Frame Sportster X10 2013 XXL
229595-006	Frame Sportster X20 Solution 2013 S
229595-007	Frame Sportster X20 Solution 2013 M
229595-008	Frame Sportster X20 Solution 2013 L
229595-009	Frame Sportster X20 Solution 2013 XL
229596-006	Frame Sportster X30 Solution 2013 S
229596-007	Frame Sportster X30 Solution 2013 M
229596-008	Frame Sportster X30 Solution 2013 L
229596-009	Frame Sportster X30 Solution 2013 XL
229597-006	Frame Sportster X40 Lady 2013 S
229597-007	Frame Sportster X40 Lady 2013 M
229597-008	Frame Sportster X40 Lady 2013 L
229597-009	Frame Sportster X40 Lady 2013 XL
229598-006	Frame E- Sportster 10 Men 2013 S
229598-007	Frame E- Sportster 10 Men 2013 M
229598-008	Frame E- Sportster 10 Men 2013 L
229598-009	Frame E- Sportster 10 Men 2013 XL
229599-006	Frame E-Sportster 10 Solution 2013 S
229599-007	Frame E-Sportster 10 Solution 2013 M
229599-008	Frame E-Sportster 10 Solution 2013 L
229600-006	Frame E-Sportster 10 Lady 2013 S
229600-007	Frame E-Sportster 10 Lady 2013 M
229600-008	Frame E-Sportster 10 Lady 2013 L
229601-005	Frameset Metrix 10 2013 XS
229601-006	Frameset Metrix 10 2013 S
229601-007	Frameset Metrix 10 2013 M
229601-008	Frameset Metrix 10 2013 L
229601-009	Frameset Metrix 10 2013 XL

Article no.	Description
229602-005	Frameset Metrix 20 Solution 2013 XS
229602-006	Frameset Metrix 20 Solution 2013 S
229602-007	Frameset Metrix 20 Solution 2013 M
229602-008	Frameset Metrix 20 Solution 2013 L
229602-009	Frameset Metrix 20 Solution 2013 XL
229603-006	Frame Contessa Scale 900 RC 2013 S
229603-007	Frame Contessa Scale 900 RC 2013 M
229603-008	Frame Contessa Scale 900 RC 2013 L
229604-005	Frame Contessa 610 2013 XS
229604-006	Frame Contessa 610 2013 S
229604-007	Frame Contessa 610 2013 M
229604-008	Frame Contessa 610 2013 L
229605-193	Frame JR Scale RC 24" 2013 24"
229606-193	Frame JR Tmo Voltage 24" 2013 24"
229607-193	Frameset JR Spark 24" 2013 24"
229608-193	Frameset Speedster JR 24 2013 24"
229609-192	Frameset Volt-X 10 2013 20"
229610-222	Chainstays Voltage FR 10 2013 1size
229611-222	Chainstays Voltage FR 20 2013 1size
229612-222	Chainstays Voltage FR 30 2013 1size
229613-222	Chainstays Genius LT 10 2013 1size
229614-222	Chainstays Genius LT 20 2013 1size
229615-222	Chainstays Genius LT 30 2013 1size
229616-222	Chainstays Genius 700 SL 2013 1size
229617-222	Chainstays Genius 710 2013 1size
229618-222	Chainstays Genius 720 2013 1size
229619-222	Chainstays Genius 730 2013 1size
229620-222	Chainstays Genius 740 2013 1size
229621-222	Chainstays Genius 750 2013 1size
229622-222	Chainstays Genius 900 SL 2013 1size
229623-222	Chainstays Genius 910 2013 1size
229624-222	Chainstays Genius 920 2013 1size
229625-222	Chainstays Genius 930 2013 1size
229626-222	Chainstays Genius 940 2013 1size
229627-222	Chainstays Genius 950 2013 1size
229628-222	Chainstays Spark 900 Premium 2013 1size
229629-222	Chainstays Spark 900 RC 2013 1size
229630-222	Chainstays Spark 610 2013 1size
229631-222	Chainstays Spark 620 2013 1size
229632-222	Chainstays Spark 30 2013 1size
229633-222	Chainstays Spark 900 SL 2013 1size
229634-222	Chainstays Spark 910 2013 1size
229635-222	Chainstays Spark 920 2013 1size
229636-222	Chainstays Spark 930 2013 1size
229637-222	Chainstays Contessa Spark 900 RC 2013 1size
229638-222	Chainstays Contessa Genius 700 2013 1size
229639-222	Chainstays Contessa Spark 900 2013 1size
229640-222	Seatstays Genius LT 10 2013 1size
229641-222	Seatstays Genius LT 20 2013 1size
229642-222	Seatstays Genius LT 30 2013 1size
229643-015	Seatstays Genius 700 SL 2013 S/M
229643-016	Seatstays Genius 700 SL 2013 L/XL
229644-015	Seatstays Genius 710 2013 S/M
229644-016	Seatstays Genius 710 2013 L/XL
229645-015	Seatstays Genius 720 2013 S/M
229645-016	Seatstays Genius 720 2013 L/XL
229646-015	Seatstays Genius 730 2013 S/M
229646-016	Seatstays Genius 730 2013 L/XL
229647-015	Seatstays Genius 740 2013 S/M
229647-016	Seatstays Genius 740 2013 L/XL
229648-015	Seatstays Genius 750 2013 S/M
229648-016	Seatstays Genius 750 2013 L/XL
229649-015	Seatstays Genius 900 SL 2013 S/M

SPARE PARTS 2013

Article no.	Description
229649-016	Seatstays Genius 900 SL 2013 L/XL
229650-015	Seatstays Genius 910 2013 S/M
229650-016	Seatstays Genius 910 2013 L/XL
229651-015	Seatstays Genius 920 2013 S/M
229651-016	Seatstays Genius 920 2013 L/XL
229652-015	Seatstays Genius 930 2013 S/M
229652-016	Seatstays Genius 930 2013 L/XL
229653-015	Seatstays Genius 940 2013 S/M
229653-016	Seatstays Genius 940 2013 L/XL
229654-015	Seatstays Genius 950 2013 S/M
229654-016	Seatstays Genius 950 2013 L/XL
229655-006	Seatstays Spark Premium 2013 S
229655-007	Seatstays Spark Premium 2013 M
229655-008	Seatstays Spark Premium 2013 L
229655-009	Seatstays Spark Premium 2013 XL
229656-006	Seatstays Spark 600 RC 2013 S
229656-007	Seatstays Spark 600 RC 2013 M
229656-008	Seatstays Spark 600 RC 2013 L
229656-009	Seatstays Spark 600 RC 2013 XL
229657-006	Seatstays Spark 610 2013 S
229657-007	Seatstays Spark 610 2013 M
229657-008	Seatstays Spark 610 2013 L
229657-009	Seatstays Spark 610 2013 XL
229658-006	Seatstays Spark 620 2013 S
229658-007	Seatstays Spark 620 2013 M
229658-008	Seatstays Spark 620 2013 L
229658-009	Seatstays Spark 620 2013 XL
229659-006	Seatstays Spark 630 2013 S
229659-007	Seatstays Spark 630 2013 M
229659-008	Seatstays Spark 630 2013 L
229659-009	Seatstays Spark 630 2013 XL
229660-006	Seatstays Spark 900 Premium 2013 S
229660-007	Seatstays Spark 900 Premium 2013 M
229660-008	Seatstays Spark 900 Premium 2013 L
229660-009	Seatstays Spark 900 Premium 2013 XL
229661-006	Seatstays Spark 900 SL 2013 S
229661-007	Seatstays Spark 900 SL 2013 M
229661-008	Seatstays Spark 900 SL 2013 L
229661-009	Seatstays Spark 900 SL 2013 XL
229662-006	Seatstays Spark 900 RC 2013 S
229662-007	Seatstays Spark 900 RC 2013 M
229662-008	Seatstays Spark 900 RC 2013 L
229662-009	Seatstays Spark 900 RC 2013 XL
229663-006	Seatstays Spark 910 2013 S
229663-007	Seatstays Spark 910 2013 M
229663-008	Seatstays Spark 910 2013 L
229663-009	Seatstays Spark 910 2013 XL
229664-006	Seatstays Spark 920 2013 S
229664-007	Seatstays Spark 920 2013 M
229664-008	Seatstays Spark 920 2013 L
229664-009	Seatstays Spark 920 2013 XL
229665-006	Seatstays Spark 930 2013 S
229665-007	Seatstays Spark 930 2013 M
229665-008	Seatstays Spark 930 2013 L
229665-009	Seatstays Spark 930 2013 XL
229666-006	Seatstays Contessa Spark 900 RC 2013 S
229666-007	Seatstays Contessa Spark 900 RC 2013 M
229666-008	Seatstays Contessa Spark 900 RC 2013 L
229667-015	Seatstays Contessa Genius 700 2013 S/M
229667-016	Seatstays Contessa Genius 700 2013 L/XL
229668-006	Seatstays Contessa Spark 900 2013 S
229668-007	Seatstays Contessa Spark 900 2013 M
229668-008	Seatstays Contessa Spark 900 2013 L

Article no.	Description
229669-0001714	Rim Syncros TR 2.5 650b 32H black 27.5"
229669-0001715	Rim Syncros TR 2.5 650b 32H black 29"
229670-0001714	Rim Syncros XC-55 650b Disc 32H black 27.5"
229671-0001715	Rim Syncros XC-49 29 Disc 32H / Eyelets black 29"
229672-0001194	Rim Syncros XC-44 Disc 26 32H black 26"
229673-714	Tire Nobby Nic EVO (650b) x 2.35 67 EP 27.5"
229674-714	Innertube 650B (27.5x 2.35) 27.5"
229675-1004	Saddle Spark JR 24 2013 black/blue
229676-1004	Saddle Spark JR 20 2013 black/blue
229677-1040	Saddle Scale RC JR 2013 black/yellow
229678-1043	Saddle Scale JR 24 2013 black/green
229679-1043	Saddle Scale JR 20 2013 black/green
229680-0001	Saddle Voltage JR 24 TMO 2013 black
229681-1043	Saddle Voltage JR 24 Disc 2013 black/green
229682-1042	Saddle Voltage JR 24 2013 black/red
229683-1004	Saddle Voltage JR 20 2013 black/blue
229684-1054	Saddle Voltage JR 16 2013 blue/yellow
229685-1042	Saddle Voltage JR 12 2013 black/red
229686-1413	Saddle Voltage Walker 2013 blue/green
229687-1050	Saddle Contessa Scale JR 2013 white/green
229688-2329	Saddle Contessa JR 24 2013 purple/white
229689-1050	Saddle Contessa JR 20 2013 white/green
229690-0026	Saddle Contessa JR 16 2013 pink
229691-1244	Saddle Contessa JR 12 2013 pink/white
229692-1087	Saddle Contessa Walker 2013 white/pink
229693-1043	Saddle Speedster JR 24 2013 black/green
229694-1007	Saddle Sportster Men EVO black/white
229694-1042	Saddle Sportster Men EVO black/red
229694-1043	Saddle Sportster Men EVO black/green
229695-1007	Saddle Sportster Solution EVO black/white
229695-2405	Saddle Sportster Solution EVO black/aqua
229696-0001	Saddle Sportster Lady black
229697-1002611	Seatpost Foil Premium MY13 black/anthr. 0mm
229697-1002612	Seatpost Foil Premium MY13 black/anthr. 25mm
229698-1043611	Seatpost Foil Team Issue MY13 black/green 0mm
229698-1043612	Seatpost Foil Team Issue MY13 black/green 25mm
229699-1000611	Seatpost Foil 10 MY13 black/silver 0mm
229699-1000612	Seatpost Foil 10 MY13 black/silver 25mm
229700-0001611	Seatpost Foil 15 MY13 black 0mm
229700-0001612	Seatpost Foil 15 MY13 black 25mm
229701-1042611	Seatpost Foil 20 MY13 black/red 0mm
229701-1042612	Seatpost Foil 20 MY13 black/red 25mm
229702-1040611	Seatpost Foil 30 MY13 black/yellow 0mm
229702-1040612	Seatpost Foil 30 MY13 black/yellow 25mm
229703-1043611	Seatpost Foil 40 MY13 black/green 0mm
229703-1043612	Seatpost Foil 40 MY13 black/green 25mm
229704-1043611	Seatpost Foil Contessa MY13 black/green 0mm
229705-222	Bearing Set Gambler 2013 1size
229706-222	Linkage Floating Link Gambler 2013 1size
229707-222	Linkage Main Link Gambler 2013 1size
229708-222	Geometrie Chip Gambler 2013 1size
229709-222	Swingarm Gambler 10 2013 1size
229710-222	Swingarm Gambler 20 2013 1size
229711-222	Swingarm Gambler 30 2013 1size
229712-0001015	Linkage Bars Genius 700 2013 black S/M
229712-0001016	Linkage Bars Genius 700 2013 black L/XL
229712-0002015	Linkage Bars Genius 700 2013 white S/M
229712-0002016	Linkage Bars Genius 700 2013 white L/XL
229713-0001015	Linkage Bars Genius 900 2013 black S/M
229713-0001016	Linkage Bars Genius 900 2013 black L/XL
229713-0002015	Linkage Bars Genius 900 2013 white S/M
229713-0002016	Linkage Bars Genius 900 2013 white L/XL
229714-222	Geometrie Chip Genius 2013 1size

SPARE PARTS 2013

Article no.	Description
229715-222	Fork Stopp Gambler 2013 1size
229716-222	Shock Mount Bolt Genius 2013 1size
229717-222	Shock Mount Bolt Gambler 2013 1size
229718-222	Rear Shock DT Nude2 f/Genius 900 2013 1size
229719-222	Rear Shock SCOTT DT M3 f. Genius 940 '13 1size
229720-222	Rear Shock DT Nude2 f/Genius 700 2013 1size
229721-222	Rear Shock SCOTT DT M3 f. Genius 740 '13 1size
229723-222	Cable clamping set Genius Carbon 1size
229724-222	Cable Clamping Set Genius alloy 2013 1size
229725-222	Rock Guard Gambler 2013 1size
229726-222	Cancelled 1size
229727-222	Chainblocker Genius 2013 1size
229728-222	FD Mount Genius 2013 700-650B 1size
229729-222	FD Mount Genius 2013 900-29 1size
229730-222	Chainguide ISCG adaptor set Genius 2013 1size
229733-222	Seatclamp Gambler 34.9 2013 1size
229735-222	Dropout set Gambler 2013 1size
230097-222	Twinloc XLremote lever for Nude 2 1size
230098-222	Twinloc XL remote lever for DT M3 1size
230099-222	Rideloc remote lever for Scale 1size
230100-222	Seatstays Voltage FR 10 2013 1size
230101-222	Seatstays Voltage FR 20 2013 1size
230102-222	Seatstays Voltage FR 30 2013 1size
230103-006	Frame Spark 640 2013 Warranty only S
230103-007	Frame Spark 640 2013 Warranty only M
230103-008	Frame Spark 640 2013 Warranty only L
230103-009	Frame Spark 640 2013 Warranty only XL
230104-006	Frame Spark 940 2013 Warranty only S
230104-007	Frame Spark 940 2013 Warranty only M
230104-008	Frame Spark 940 2013 Warranty only L
230104-009	Frame Spark 940 2013 Warranty only XL
230237-0001222	Axle 12mm 150mm Rear Gambler '13 black 1size
230660-006	Frame Scale 910 2013' warranty S
230660-007	Frame Scale 910 2013' warranty M
230660-008	Frame Scale 910 2013' warranty L
230660-009	Frame Scale 910 2013' warranty XL
230661-006	Frame Scale 900 RC 2013' warranty S
230661-007	Frame Scale 900 RC 2013' warranty M
230661-008	Frame Scale 900 RC 2013' warranty L
230661-009	Frame Scale 900 RC 2013' warranty XL
230662-007	Frame Scale 29 PRO 2011 warranty M
230662-009	Frame Scale 29 PRO 2011 warranty XL
230663-008	Frame Scale 29 PRO 2012 warranty L
230663-009	Frame Scale 29 PRO 2012 warranty XL
230664-007	Frame Scale 29 Expert 2012 warranty M
230664-009	Frame Scale 29 Expert 2012 warranty XL
230665-007	Frame Scale 900 Premium 2013' warranty M
231066-0001222	E-Bike Spanninga Pixeo XS rearlight black 1size
231137-0001194	Rim Alex/Sync FR32 disc 32H black 26"
231138-0001204	Rim Alex/Sync Race 32H black 28"
231139-0001204	Rim Alex/Sync Race 20H black 28"
231139-0002204	Rim Alex/Sync Race 20H white 28"
231140-0001204	Rim Alex/Sync Race 24H black 28"
231140-0002204	Rim Alex/Sync Race 24H white 28"
231141-0001194	Rim Alex/Syncros AM44 eyelets Disc 32H black 26"
231142-0001204	Rim Syncros RR2.0 front 20H black 28"
231143-0001204	Rim Syncros RR2.0 rear 24H black 28"
231144-0001204	Rim Syncros RP 1.5 front 18H black 28"
231145-0001204	Rim Syncros RP 1.5 rear assym. 24H black 28"
231146-0055716	Rim Syncros DT Swiss RR1.5 Front 16H carbon 700C
231147-0055716	Rim Syncros DT Swiss RR1.5 Rear 20H carbon 700C
231148-0055716	Rim Syncros DT Swiss RR1.0 Front 16H carbon 700C
231149-0055716	Rim Syncros DT Swiss RR1.0 Rear 20H carbon 700C

Article no.	Description
231150-0055716	Rim Syncros DT Swiss RL1.0 Front 20H carbon 700C
231151-0055716	Rim Syncros DT Swiss RL1.0 Rear 24H carbon 700C
231152-0004204	Rim Ryde DP 2000 Disc 32H red 28"
231153-0001204	Rim Ryde DP 2000 CNC 32H black 28"
231153-0077204	Rim Ryde DP 2000 CNC 32H turquoise 28"
231154-0055194	Rim Syncros DT Swiss XR1.0 Carbon 28H carbon 26"
231154-0055715	Rim Syncros DT Swiss XR1.0 Carbon 28H carbon 29"
231155-0001194	Rim Syncros DT Swiss XR1.5 28H black 26"
231155-0001715	Rim Syncros DT Swiss XR1.5 28H black 29"
231156-0001194	Rim Syncros DT Swiss XR 2.0 28H black 26"
231156-0001715	Rim Syncros DT Swiss XR 2.0 28H black 29"
231157-0001194	Rim Syncros DT Swiss XR 2.5 28H black 26"
231157-0001715	Rim Syncros DT Swiss XR 2.5 28H black 29"
231158-0055714	Rim Syncros TR1.0 Carbon 28H carbon 27.5"
231159-0055715	Rim Syncros DT Swiss TR1.0 Carbon 28H carbon 29"
231160-0001714	Rim Syncros DT Swiss TR 2.0 28H black 27.5"
231160-0001715	Rim Syncros DT Swiss TR 2.0 28H black 29"
231161-0001194	Rim Syncros DT Swiss AM10 black 26"
231162-0001194	Rim Syncros DT Swiss AM20 black 26"
231163-0001	Spoke DT AERO COMP 266 TH S PAK-10 black
231164-0001	Spoke DT AERO COMP 267 TH S PAK-10 black
231165-0001	Spoke DT AERO COMP 272 TH S PAK-10 black
231166-3964	Spoke DT AERO COMP 274 SP M PAK-10 sandblasted
231167-3964	Spoke DT AERO COMP 275 SP M PAK-10 sandblasted
231168-3964	Spoke DT AERO COMP 285 SP M PAK-10 sandblasted
231169-3964	Spoke DT AERO COMP 286 SP M PAK-10 sandblasted
231170-3964	Spoke DT AERO COMP 303 SP M PAK-10 sandblasted
231171-3964	Spoke DT AERO COMP 304 SP M PAK-10 sandblasted
231172-3964	Spoke DT AERO COMP 305 SP M PAK-10 sandblasted
231173-0001	Spoke DT AEROLITE 273 T-HEAD S PAK-10 black
231174-0001	Spoke DT AEROLITE 276 T-HEAD S PAK-10 black
231175-0001	Spoke DT AEROLITE 281 T-HEAD S PAK-10 black
231176-0001	Spoke DT AEROLITE 281 TH S PAK-10 black
231177-0001	Spoke DT AEROLITE 284 TH S PAK-10 black
231178-0001	Spoke DT AEROLITE 285 T-HEAD S PAK-10 black
231179-0001	Spoke DT NEW AERO 265 TH S PAK-10 black
231180-0001	Spoke DT NEW AERO 270 T-HEAD S PAK-10 black
231181-0001	Spoke DT NEW AERO 277 T-HEAD S PAK-10 black
231182-3964	Spoke DT SUPER COMP 274 SP M PAK-10 sandblasted
231183-3964	Spoke DT SUPER COMP 275 SP M PAK-10 sandblasted
231184-3964	Spoke DT SUPER COMP 306 SP M PAK-10 sandblasted
231185-3964	Spoke DT SUPER COMP 307 SP M PAK-10 sandblasted
231186-0001	Spoke DT SUPER COMP 273 SP S PAK-10 black
231187-0001	Spoke DT SUPER COMP 274 SP S PAK-10 black
231188-0001	Spoke DT SUPER COMP 303 SP S PAK-10 black
231189-0001	Spoke DT SUPER COMP 305 SP S PAK-10 black
231190-0001	Spoke DT SUPER COMP 286 SP S PAK-10 black
231191-0001	Spoke DT SUPER COMP 284 SP S PAK-10 black
231192-0001	Spoke DT SUPER COMP 304 SP S PAK-10 black
231193-0002	Spoke DT AERO COMP 274 SP W PAK-10 white
231194-0002	Spoke DT AERO COMP 275 SP W PAK-10 white
231195-0002	Spoke DT AERO COMP 300 SP W PAK-10 white
231196-0002	Spoke DT AERO COMP 301 SP W PAK-10 white
231197-0002	Spoke DT AERO COMP 305 SP W PAK-10 white
231198-0002	Spoke DT AERO COMP 307 SP W PAK-10 white
231367-0001222	E-Bike Kickstand Pletscher Comp Zoom black 1size
231956-222	Rear Shock SCOTT DT M3 Spark 650 2013
231957-222	Rear Shock SCOTT DT M3 Spark 950 2013
231958-222	Rear Shock Nude2 Mount RedSet Genius 13
231997-714	Tire Nobby Nic EVO (650b) x 2.25 67 EP 27.5"
232213-019	Frameset CR1 Pro SSP/SBB 2013 warranty XXS47
232213-020	Frameset CR1 Pro SSP/SBB 2013 warranty XS49
232213-021	Frameset CR1 Pro SSP/SBB 2013 warranty S52

SPARE PARTS 2013

Article no.	Description
232213-022	Frameset CR1 Pro SSP/SBB 2013 warranty M54
232213-023	Frameset CR1 Pro SSP/SBB 2013 warranty L56
232213-024	Frameset CR1 Pro SSP/SBB 2013 warranty XL58
232213-025	Frameset CR1 Pro SSP/SBB 2013 warranty 2XL61
232282-416	Frameset Gambler 10 2011' W/o shock Short
232282-417	Frameset Gambler 10 2011' W/o shock Long
232283-0001715	Rim Syncros/DT TR 2.5 32H 29" black 29"
232284-0001715	Rim Alex XC49 Disc 32H warranty black 29"
232285-0001204	Rim Araya DS700 Disc 32H black 28"
232354-006	Front triangle Spark 900 RC 2013 S
232354-007	Front triangle Spark 900 RC 2013 M
232354-008	Front triangle Spark 900 RC 2013 L
232354-009	Front triangle Spark 900 RC 2013 XL
232355-222	Chainstay Spark 600 RC 2013 1size
233930-222	Dropout Speedster 10-50 2013 1size
233961-222	Dropout Contessa 660 2013 1size
234242-0006194	Rim Alex XC 44 disc 26 32H Green
234242-0006194	Rim Alex XC 44 disc 26 32H Green
234243-0002194	Rim Alex ACE24 CNC 32H MY13 white 26"
234243-0002194	Rim Alex ACE24 CNC 32H MY13 white 26"
234243-0029194	Rim Alex ACE24 CNC 32H MY13 violet 26"
234243-0029194	Rim Alex ACE24 CNC 32H MY13 violet 26"
235510-006	Frame Scale 610 2013 warranty S
235510-007	Frame Scale 610 2013 warranty M
235510-008	Frame Scale 610 2013 warranty L
235510-009	Frame Scale 610 2013 warranty XL
235935-006	Frame Contessa Scale 900 13' Warranty S
235935-007	Frame Contessa Scale 900 13' Warranty M
235935-008	Frame Contessa Scale 900 13' Warranty L
235597-222	Fork Suntour XCT MLO JR 24 PM Disc 1size
235741-0001222	Chainguard Curana E-Bike Bosch 2011-13
236130-0002043	Fork Suntour XCR LO Air 65mm PM/Vbrake
236131-222	BB Cableguide Set Speedster 10 2013
237635-222	Hub Rep Kit Formula CL81 front
238939-222	Headset FSA 1.5ext. lower cup f. tapered 1size

SPARE PARTS 2012

Article no.	Description
223081-0001	Fork Suntour XCR H-LO 100mm black
223081-0002	Fork Suntour XCR H-LO 100mm white
223082-0001	Fork Suntour XCM H-LO 100mm black
223082-0002	Fork Suntour XCM H-LO 100mm white
223083-0001	Fork Suntour XCM V3 100mm black
223083-0002	Fork Suntour XCM V3 100mm white
223084-0002	Fork Suntour XCT V4 100mm white
223085-0001	Fork Suntour NEX 4610 V4 63mm black
223085-0002	Fork Suntour NEX 4610 V4 63mm white
223086-0001	Fork Suntour XCR 29 H-LO 100mm black
223087-0001	Fork Suntour XCM 29 H-LO 100mm black
223088-0002	Fork RST Capa 24 white
223089-0001	Fork RST Capa 20 black
223090-0001	Fork SUB 700C disc only 2012 black
223091-0001	Fork SUB 700C for V-brake 2012 black
223092-222	Fork E-Venture 10 Men 2012 1size
223093-222	Fork E-Venture 20 Men 2012 1size
223094-222	Fork E-Venture 20 Solution 2012 1size
223095-222	Fork E-Venture 30 Men 2012 1size
223096-222	Fork E-Venture 30 Solution 2012 1size
223097-222	Fork Speedster S10 2012 1size
223098-222	Fork Speedster S20 2012 1size
223099-222	Fork Speedster S30 2012 1size
223100-222	Fork Speedster S40 2012 1size
223101-222	Fork Speedster S50 2012 1size
223102-222	Fork Roam 10 2012 1size
223103-222	Fork Roam 20 2012 1size
223104-222	Fork Roam 30 2012 1size
223105-222	Fork Roam 40 2012 1size
223106-222	Fork Fixie 10 2012 1size
223107-222	Fork CR 1 Comp 2012 1size
223108-222	Fork CR 1 Team 2012 1size
223109-222	Fork CR 1 Elite 2012 1size
223110-222	Fork CR 1 Pro 2012 1size
223111-222	Fork CR 1 SL 2012 1size
223112-222	Fork Contessa Foil 2012 1size
223113-222	Fork Contessa CR1 Team 2012 1size
223114-222	Fork Contessa CR1 Comp 2012 1size
223115-222	Fork Contessa Speedster 15 2012 1size
223116-222	Fork Contessa Speedster 25 2012 1size
223117-222	Fork Contessa Speedster 35 2012 1size
223118-222	Fork Contessa Speedster 45 2012 1size
223119-222	Fork Foil 10 2012 1size
223120-222	Fork Foil 15 2012 1size
223121-222	Fork Foil 20 2012 1size
223122-222	Fork Foil 30 2012 1size
223123-222	Fork Foil 40 2012 1size
223124-006	Fork Plasma TT 2012 S
223124-007	Fork Plasma TT 2012 M
223124-008	Fork Plasma TT 2012 L
223125-006	Fork Plasma Premium 2012 S
223125-007	Fork Plasma Premium 2012 M
223125-008	Fork Plasma Premium 2012 L
223126-222	Fork Plasma 10 2012 1size
223127-222	Fork Plasma 20 2012 1size
223128-222	Fork Plasma 30 2012 1size
223129-222	Fork Addict CX 2012 1size
223130-222	Fork CX Team 2012 1size
223131-222	Fork CX Comp 2012 1size
223132-222	Fork Volt-X 10 1size
223133-222	Fork Volt-X 20 1size
223134-222	Fork Volt-X 30 1size
223135-222	Fork Volt-X 40 1size

SPARE PARTS 2012

Article no.	Description
223136-222	Fork Voltage JR 24 Tmo 2012 1size
223137-222	Fork Voltage YZ 0.2 2012 1size
223138-222	Frameset Volt-X 10 2012 1size
223139-222	Frameset Volt-X 30 2012 1size
223140-005	Frame Voltage YZ-10 2012 XS
223140-006	Frame Voltage YZ-10 2012 S
223140-007	Frame Voltage YZ-10 2012 M
223140-008	Frame Voltage YZ-10 2012 L
223140-009	Frame Voltage YZ-10 2012 XL
223141-222	Frame Voltage YZ 0.1 2012 1size
223142-005	Frame Aspect 10 2012 XS
223142-006	Frame Aspect 10 2012 S
223142-007	Frame Aspect 10 2012 M
223142-008	Frame Aspect 10 2012 L
223142-009	Frame Aspect 10 2012 XL
223142-010	Frame Aspect 10 2012 XXL
223143-006	Frame E-Aspect 29 2012 S
223143-007	Frame E-Aspect 29 2012 M
223143-008	Frame E-Aspect 29 2012 L
223143-009	Frame E-Aspect 29 2012 XL
223144-006	Frame Aspect 29 2012 S
223144-007	Frame Aspect 29 2012 M
223144-008	Frame Aspect 29 2012 L
223144-009	Frame Aspect 29 2012 XL
223145-005	Frame Aspect 50 2012 XS
223145-006	Frame Aspect 50 2012 S
223145-007	Frame Aspect 50 2012 M
223145-008	Frame Aspect 50 2012 L
223145-009	Frame Aspect 50 2012 XL
223146-005	Frame Contessa 10 2012 XS
223146-006	Frame Contessa 10 2012 S
223146-007	Frame Contessa 10 2012 M
223146-008	Frame Contessa 10 2012 L
223147-005	Frame Sub 10 EBB split DO 2012 XS
223147-006	Frame Sub 10 EBB split DO 2012 S
223147-007	Frame Sub 10 EBB split DO 2012 M
223147-008	Frame Sub 10 EBB split DO 2012 L
223147-009	Frame Sub 10 EBB split DO 2012 XL
223148-005	Frame Sub 20 2012 XS
223148-006	Frame Sub 20 2012 S
223148-007	Frame Sub 20 2012 M
223148-008	Frame Sub 20 2012 L
223148-009	Frame Sub 20 2012 XL
223149-005	Frame Sub 30 Solution 2012 XS
223149-006	Frame Sub 30 Solution 2012 S
223149-007	Frame Sub 30 Solution 2012 M
223149-008	Frame Sub 30 Solution 2012 L
223149-009	Frame Sub 30 Solution 2012 XL
223150-006	Frame Sportster 10 2012 S
223150-007	Frame Sportster 10 2012 M
223150-008	Frame Sportster 10 2012 L
223150-009	Frame Sportster 10 2012 XL
223150-010	Frame Sportster 10 2012 XXL
223151-006	Frame Sportster Solution 20 2012 S
223151-007	Frame Sportster Solution 20 2012 M
223151-008	Frame Sportster Solution 20 2012 L
223151-009	Frame Sportster Solution 20 2012 XL
223152-006	Frame Sportster 40 Lady 2012 S
223152-007	Frame Sportster 40 Lady 2012 M
223152-008	Frame Sportster 40 Lady 2012 L
223152-009	Frame Sportster 40 Lady 2012 XL
223153-006	Frame E-Venture 10 2012 S
223153-007	Frame E-Venture 10 2012 M
223153-008	Frame E-Venture 10 2012 L
223153-009	Frame E-Venture 10 2012 XL
223154-006	Frame E-Venture 20 Men 2012 S
223154-007	Frame E-Venture 20 Men 2012 M
223154-008	Frame E-Venture 20 Men 2012 L
223154-009	Frame E-Venture 20 Men 2012 XL
223155-006	Frame E-Venture 20 Solution 2012 S
223155-007	Frame E-Venture 20 Solution 2012 M
223155-008	Frame E-Venture 20 Solution 2012 L
223156-006	Frame E-Venture 30 Solution 2012 S
223156-007	Frame E-Venture 30 Solution 2012 M
223156-008	Frame E-Venture 30 Solution 2012 L
223157-005	Frameset Roam 10 2012 XS
223157-006	Frameset Roam 10 2012 S
223157-007	Frameset Roam 10 2012 M
223157-008	Frameset Roam 10 2012 L
223157-009	Frameset Roam 10 2012 XL
223158-005	Frameset Roam 20 2012 XS
223158-006	Frameset Roam 20 2012 S
223158-007	Frameset Roam 20 2012 M
223158-008	Frameset Roam 20 2012 L
223158-009	Frameset Roam 20 2012 XL
223159-006	Frameset Fixie 10 2012 S
223159-007	Frameset Fixie 10 2012 M
223159-008	Frameset Fixie 10 2012 L
223160-019	Frameset CR1 Pro 2012sp/sbb 2012 XXS47
223160-020	Frameset CR1 Pro 2012sp/sbb 2012 XS49
223160-021	Frameset CR1 Pro 2012sp/sbb 2012 S52
223160-022	Frameset CR1 Pro 2012sp/sbb 2012 M54
223160-023	Frameset CR1 Pro 2012sp/sbb 2012 L56
223160-024	Frameset CR1 Pro 2012sp/sbb 2012 XL58
223160-025	Frameset CR1 Pro 2012sp/sbb 2012 2XL61
223161-416	Front Triangle Gambler 10 2012 short
223161-417	Front Triangle Gambler 10 2012 long
223162-222	Seatstays Gambler 10 2012 1size
223163-222	Chainstays Gambler 10 2012 1size
223164-416	Front Triangle Gambler 20 2012 short
223164-417	Front Triangle Gambler 20 2012 long
223165-222	Seatstays Gambler 20 2012 1size
223166-222	Chainstays Gambler 20 2012 1size
223167-416	Front Triangle Voltage FR 10 2012 short
223167-417	Front Triangle Voltage FR 10 2012 long
223168-222	Seatstays Voltage FR 10 2012 1size
223169-222	Chainstays Voltage FR 10 2012 1size
223170-416	Front Triangle Voltage FR 20 2012 short
223170-417	Front Triangle Voltage FR 20 2012 long
223171-222	Seatstays Voltage FR 20 2012 1size
223172-222	Chainstays Voltage FR 20 2012 1size
223173-416	Front Triangle Voltage FR 30 2012 short
223173-417	Front Triangle Voltage FR 30 2012 long
223174-222	Seatstays Voltage FR 30 2012 1size
223175-222	Chainstays Voltage FR 30 2012 1size
223176-006	Front Triangle Genius LT 10 2012 S
223176-007	Front Triangle Genius LT 10 2012 M
223176-008	Front Triangle Genius LT 10 2012 L
223177-222	Seatstays Genius LT 10 2012 1size
223178-222	Chainstays Genius LT 10 2012 1size
223179-006	Front Triangle Genius LT 20 2012 S
223179-007	Front Triangle Genius LT 20 2012 M
223179-008	Front Triangle Genius LT 20 2012 L
223180-222	Seatstays Genius LT 20 2012 1size
223181-222	Chainstays Genius LT 20 2012 1size
223182-006	Front Triangle Genius LT 30 2012 S
223182-007	Front Triangle Genius LT 30 2012 M
223182-008	Front Triangle Genius LT 30 2012 L

SPARE PARTS 2012

Article no.	Description
223183-222	Seatstays Genius LT 30 2012 1size
223184-222	Chainstays Genius LT 30 2012 1size
223185-006	Front Triangle Genius LT 40 2012 S
223185-007	Front Triangle Genius LT 40 2012 M
223185-008	Front Triangle Genius LT 40 2012 L
223186-222	Seatstays Genius LT 40 2012 1size
223187-222	Chainstays Genius LT 40 2012 1size
223188-006	Front Triangle Genius 10 2012 S
223188-007	Front Triangle Genius 10 2012 M
223188-008	Front Triangle Genius 10 2012 L
223188-009	Front Triangle Genius 10 2012 XL
223189-222	Seatstays Genius 10 2012 1size
223190-222	Chainstays Genius 10 2012 1size
223191-006	Front Triangle Genius 20 2012 S
223191-007	Front Triangle Genius 20 2012 M
223191-008	Front Triangle Genius 20 2012 L
223191-009	Front Triangle Genius 20 2012 XL
223192-222	Seatstays Genius 20 2012 1size
223193-222	Chainstays Genius 20 2012 1size
223194-006	Front Triangle Genius 30 2012 S
223194-007	Front Triangle Genius 30 2012 M
223194-008	Front Triangle Genius 30 2012 L
223194-009	Front Triangle Genius 30 2012 XL
223195-222	Seatstays Genius 30 2012 1size
223196-222	Chainstays Genius 30 2012 1size
223197-006	Front Triangle Genius 40 2012 S
223197-007	Front Triangle Genius 40 2012 M
223197-008	Front Triangle Genius 40 2012 L
223197-009	Front Triangle Genius 40 2012 XL
223198-222	Seatstays Genius 40 2012 1size
223199-222	Chainstays Genius 40 2012 1size
223200-006	Front Triangle Genius 50 2012 S
223200-007	Front Triangle Genius 50 2012 M
223200-008	Front Triangle Genius 50 2012 L
223200-009	Front Triangle Genius 50 2012 XL
223201-222	Seatstays Genius 50 2012 1size
223202-222	Chainstays Genius 50 2012 1size
223206-006	Front Triangle Spark SL 2012 S
223206-007	Front Triangle Spark SL 2012 M
223206-008	Front Triangle Spark SL 2012 L
223206-009	Front Triangle Spark SL 2012 XL
223207-006	Seatstays Spark SL 2012 S
223207-007	Seatstays Spark SL 2012 M
223207-008	Seatstays Spark SL 2012 L
223207-009	Seatstays Spark SL 2012 XL
223208-222	Chainstays Spark SL 2012 1size
223209-006	Front Triangle Spark Premium 2012 S
223209-007	Front Triangle Spark Premium 2012 M
223209-008	Front Triangle Spark Premium 2012 L
223209-009	Front Triangle Spark Premium 2012 XL
223210-006	Seatstays Spark Premium 2012 S
223210-007	Seatstays Spark Premium 2012 M
223210-008	Seatstays Spark Premium 2012 L
223210-009	Seatstays Spark Premium 2012 XL
223211-222	Chainstays Spark Premium 2012 1size
223212-006	Front Triangle Spark RC 2012 S
223212-007	Front Triangle Spark RC 2012 M
223212-008	Front Triangle Spark RC 2012 L
223212-009	Front Triangle Spark RC 2012 XL
223213-006	Seatstays Spark RC 2012 S
223213-007	Seatstays Spark RC 2012 M
223213-008	Seatstays Spark RC 2012 L
223213-009	Seatstays Spark RC 2012 XL
223214-222	Chainstays Spark RC 2012 1size
223215-006	Front Triangle Spark 10 2012 S

Article no.	Description
223215-007	Front Triangle Spark 10 2012 M
223215-008	Front Triangle Spark 10 2012 L
223215-009	Front Triangle Spark 10 2012 XL
223216-006	Seatstays Spark 10 2012 S
223216-007	Seatstays Spark 10 2012 M
223216-008	Seatstays Spark 10 2012 L
223216-009	Seatstays Spark 10 2012 XL
223217-222	Chainstays Spark 10 2012 1size
223218-006	Front Triangle Spark 20 2012 S
223218-007	Front Triangle Spark 20 2012 M
223218-008	Front Triangle Spark 20 2012 L
223218-009	Front Triangle Spark 20 2012 XL
223219-006	Seatstays Spark 20 2012 S
223219-007	Seatstays Spark 20 2012 M
223219-008	Seatstays Spark 20 2012 L
223219-009	Seatstays Spark 20 2012 XL
223220-222	Chainstays Spark 20 2012 1size
223221-006	Front Triangle Spark 30 2012 S
223221-007	Front Triangle Spark 30 2012 M
223221-008	Front Triangle Spark 30 2012 L
223221-009	Front Triangle Spark 30 2012 XL
223222-006	Seatstays Spark 30 2012 S
223222-007	Seatstays Spark 30 2012 M
223222-008	Seatstays Spark 30 2012 L
223222-009	Seatstays Spark 30 2012 XL
223223-222	Chainstays Spark 30 2012 1size
223224-006	Front Triangle Spark 35 2012 S
223224-007	Front Triangle Spark 35 2012 M
223224-008	Front Triangle Spark 35 2012 L
223224-009	Front Triangle Spark 35 2012 XL
223225-006	Seatstays Spark 35 2012 S
223225-007	Seatstays Spark 35 2012 M
223225-008	Seatstays Spark 35 2012 L
223225-009	Seatstays Spark 35 2012 XL
223226-222	Chainstays Spark 35 2012 1size
223227-006	Frame Spark 40 2012 S
223227-007	Frame Spark 40 2012 M
223227-008	Frame Spark 40 2012 L
223227-009	Frame Spark 40 2012 XL
223228-006	Front Triangle Spark 29 RC 2012 S
223228-007	Front Triangle Spark 29 RC 2012 M
223228-008	Front Triangle Spark 29 RC 2012 L
223228-009	Front Triangle Spark 29 RC 2012 XL
223229-006	Seatstays Spark 29 RC 2012 S
223229-007	Seatstays Spark 29 RC 2012 M
223229-008	Seatstays Spark 29 RC 2012 L
223229-009	Seatstays Spark 29 RC 2012 XL
223230-222	Chainstays Spark 29 RC 2012 1size
223231-006	Front Triangle Spark 29 Pro 2012 S
223231-007	Front Triangle Spark 29 Pro 2012 M
223231-008	Front Triangle Spark 29 Pro 2012 L
223231-009	Front Triangle Spark 29 Pro 2012 XL
223232-006	Seatstays Spark 29 Pro 2012 S
223232-007	Seatstays Spark 29 Pro 2012 M
223232-008	Seatstays Spark 29 Pro 2012 L
223232-009	Seatstays Spark 29 Pro 2012 XL
223233-222	Chainstays Spark 29 Pro 2012 1size
223234-006	Front Triangle Spark 29 Expert 2012 S
223234-007	Front Triangle Spark 29 Expert 2012 M
223234-008	Front Triangle Spark 29 Expert 2012 L
223234-009	Front Triangle Spark 29 Expert 2012 XL
223235-006	Seatstays Spark 29 Expert 2012 S
223235-007	Seatstays Spark 29 Expert 2012 M
223235-008	Seatstays Spark 29 Expert 2012 L
223235-009	Seatstays Spark 29 Expert 2012 XL

SPARE PARTS 2012

Article no.	Description
223236-222	Chainstays Spark 29 Expert 2012 1size
223237-006	Frameset Spark 29 Elite 2012 S
223237-007	Frameset Spark 29 Elite 2012 M
223237-008	Frameset Spark 29 Elite 2012 L
223237-009	Frameset Spark 29 Elite 2012 XL
223238-0001006	Linkage Bars Spark 26 black S
223238-0001007	Linkage Bars Spark 26 black M
223238-0001008	Linkage Bars Spark 26 black L
223238-0001009	Linkage Bars Spark 26 black XL
223238-0002006	Linkage Bars Spark 26 white S
223238-0002007	Linkage Bars Spark 26 white M
223238-0002008	Linkage Bars Spark 26 white L
223238-0002009	Linkage Bars Spark 26 white XL
223239-0001006	Linkage Bars Spark 29 black S
223239-0001007	Linkage Bars Spark 29 black M
223239-0001008	Linkage Bars Spark 29 black L
223239-0001009	Linkage Bars Spark 29 black XL
223239-0002006	Linkage Bars Spark 29 white S
223239-0002007	Linkage Bars Spark 29 white M
223239-0002008	Linkage Bars Spark 29 white L
223239-0002009	Linkage Bars Spark 29 white XL
223240-006	Front Triangle Contessa Spark RC 2012 S
223240-007	Front Triangle Contessa Spark RC 2012 M
223240-008	Front Triangle Contessa Spark RC 2012 L
223241-006	Seatstays Contessa Spark RC 2012 S
223241-007	Seatstays Contessa Spark RC 2012 M
223241-008	Seatstays Contessa Spark RC 2012 L
223242-222	Chainstays Contessa Spark RC 2012 1size
223243-006	Frame Contessa Scale RC 2012 S
223243-007	Frame Contessa Scale RC 2012 M
223243-008	Frame Contessa Scale RC 2012 L
223244-005	Frame Contessa Scale 10 2012 XS
223244-006	Frame Contessa Scale 10 2012 S
223244-007	Frame Contessa Scale 10 2012 M
223244-008	Frame Contessa Scale 10 2012 L
223244-009	Frame Contessa Scale 10 2012 XL
223245-006	Front Triangle Contessa Genius 2012 S
223245-007	Front Triangle Contessa Genius 2012 M
223245-008	Front Triangle Contessa Genius 2012 L
223246-222	Seatstays Contessa Genius 2012 1size
223247-222	Chainstays Contessa Genius 2012 1size
223248-006	Front Triangle Contessa Spark 2012 S
223248-007	Front Triangle Contessa Spark 2012 M
223248-008	Front Triangle Contessa Spark 2012 L
223249-006	Seatstays Contessa Spark 2012 S
223249-007	Seatstays Contessa Spark 2012 M
223249-008	Seatstays Contessa Spark 2012 L
223250-222	Chainstays Contessa Spark 2012 1size
223251-019	Frameset Contessa Foil 2012 XXS47
223251-020	Frameset Contessa Foil 2012 XS49
223251-021	Frameset Contessa Foil 2012 S52
223251-022	Frameset Contessa Foil 2012 M54
223251-023	Frameset Contessa Foil 2012 L56
223252-019	Frameset Contessa CR 1 Team 2012 XXS47
223252-020	Frameset Contessa CR 1 Team 2012 XS49
223252-021	Frameset Contessa CR 1 Team 2012 S52
223252-022	Frameset Contessa CR 1 Team 2012 M54
223252-023	Frameset Contessa CR 1 Team 2012 L56
223253-019	Frameset Contessa Speedster 15 2012 XXS47
223253-020	Frameset Contessa Speedster 15 2012 XS49
223253-021	Frameset Contessa Speedster 15 2012 S52
223253-022	Frameset Contessa Speedster 15 2012 M54
223253-023	Frameset Contessa Speedster 15 2012 L56
223254-193	Frame JR Scale RC 24 2012 24"
223255-193	Frame JR Tmo Voltage 24 2012 24"


Article no.	Description
223256-193	Frameset JR Spark 24 2012 24"
223257-192	Frameset JR Spark 20 2012 20"
223258-193	Frameset Speedster JR 24 2012 24"
223259-0001	Rim Araya DS 600 disc 26 32H black
223260-0001	Rim Araya TX 633 disc 26 32H black
223261-0001	Rim Araya TX 633 CNC 26 32H black
223262-0001	Rim Araya DS 700 disc 29 32H black
223263-0001	Rim Araya TX 733 CNC 29 32H black
223264-0001	Rim Alex Speedster JR 24 black
223265-0001	Rim Alex Race 28 20H black
223266-0001	Rim Alex Race 28 24H black
223267-0001	Rim Alex Race 28 28H black
223269-0001	Tire Kenda Speedster JR 24 black
223270-0001	Tire Kenda K-832 XC Type 24x1.95 black
223271-0001	Tire Kenda K-832 XC Type 20 x 2.0 black
223272-0001	Tire Kenda K-841 Kontakt 12 x 2.25 black
223273-0167	Saddle Voltage JR 12 2012 multi color
223274-0167	Saddle Voltage JR 16 2012 multi color
223275-0167	Saddle Voltage JR 20 2012 multi color
223276-0167	Saddle Voltage JR 24 2012 multi color
223277-0167	Saddle Scale JR 20+24 2012 multi color
223278-0167	Saddle Contessa JR12 2012 multi color
223279-0167	Saddle Contessa JR16 2012 multi color
223280-0167	Saddle Contessa JR 20 2012 multi color
223281-0167	Saddle Contessa JR 24 2012 multi color
223282-0167	Saddle Voltage Pivotal Atmosfair direct multi color
223284-0001	Saddle Contessa MTB black
223284-0002	Saddle Contessa MTB white
223285-0001	Saddle Contessa Race black
223285-0002	Saddle Contessa Race white
223286-0001	Seatpost combo Volt-X 25.4x200 black
223287-0475	Seatpost Plasma-2 Carbon UB matt
223287-0476	Seatpost Plasma-2 Carbon UB gloss
223288-222	Seatpost KindShox i900 w/o remote 1size
223289-222	Tool set swingarm Spark 2012 1size
223290-223	Screw Set red Spark/Scale/Genius '12 Nsize
223291-223	Screw Set blk Spark/Scale/Genius '12 Nsize
223292-223	Rear Shock DT Swiss Nude 2 w/o lev.190 E Nsize
223293-223	Rear Shock DT Swiss Nude 2 w/o lev.165 E Nsize
223294-223	Rear Shock DT Swiss M210 w/o lev.190 E2E Nsize
223295-223	Rear Shock DT Swiss M210 w/o lev.165 E2E Nsize
223296-223	Rear Shock X-Fusion E1 RL w/o lev.165 E2 Nsize
223297-223	Rear Shock X-Fusion E1 RL w/o lev.190 E2 Nsize
223298-223	Twinloc Lever for Nude/2-RS DNA3 Spark 2 Nsize
223299-223	Rear Shock Nude 2 Mount Reducer Set Nsize
223300-223	Rear Shock Nude 2 Mount Bolt Set Nsize
223301-223	Swingarm Repair Kit Spark 2012 Nsize
223302-222	Igus Bushing Set Spark 2012 CST/SST w/ca 1size
223303-222	Ind. Bearing Set Spark 2012 CST/SST w/ax 1size
223304-223	FD-Mount Plate Set Spark 2012 Nsize
223305-223	BB Cableguide Spark 2012 carbon Nsize
223306-223	Geometry Chip Spark DT shox 2012 Nsize
223307-223	Geometry Chip Spark no DT shox 2012 Nsize
223308-223	Shockmount Set Gambler for 10.5 shock Nsize
223309-222	Seatclamp 34.9mm w/QR CrMo bolt 1size
223310-222	Seatclamp 34.9mm w/QR Titanium bolt 1size
223311-222	Seatclamp 37.8mm w/QR CrMo bolt 1size
223312-222	Seatclamp 37.8mm w/QR Titanium bolt 1size
223728-006	Frame E-Venture 20 Lady 2012 S
223728-007	Frame E-Venture 20 Lady 2012 M
223728-008	Frame E-Venture 20 Lady 2012 L
223908-020	Frame set Addict R1 US Warranty ssp/sbb XS49
223908-021	Frame set Addict R1 US Warranty ssp/sbb S52
223908-022	Frame set Addict R1 US Warranty ssp/sbb M54
223908-023	Frame set Addict R1 US Warranty ssp/sbb L56

SPARE PARTS 2012

Article no.	Description
223908-024	Frame set Addict R1 US Warranty ssp/sbb XL58
223908-025	Frame set Addict R1 US Warranty ssp/sbb 2XL61
223909-020	Frame set Addict R1 US Warranty ssp/ibb XS49
223909-021	Frame set Addict R1 US Warranty ssp/ibb S52
223909-022	Frame set Addict R1 US Warranty ssp/ibb M54
223909-023	Frame set Addict R1 US Warranty ssp/ibb L56
223909-024	Frame set Addict R1 US Warranty ssp/ibb XL58
223909-025	Frame set Addict R1 US Warranty ssp/ibb 2XL61
224002-222	Seatclamp 39.9mm Ti screw 1size
224014-222	E-Bike front light warranty only 1size
224018-223	Box assorted Ritchey bars close out 2011 Nsize
224095-006	Frame Scale 29 RC 2012 nur Garantie S
224095-007	Frame Scale 29 RC 2012 nur Garantie M
224095-008	Frame Scale 29 RC 2012 nur Garantie L
224095-009	Frame Scale 29 RC 2012 nur Garantie XL
224416-223	Gates sprocket 24T
224417-223	Gates belt 118T
224418-223	Gates chain ring 46T
224419-223	Cable clamping set Genius LT 2012 Nsize
224420-222	Seatclamp System Plasma 2 2012
224421-222	Cutting Tool Seattube Plasma 2 2012
224422-222	Seatpost spacer support Plasma 2 2012
224423-200	Seatpost spacers set 1,2,5mm Plasma 2 2012
224438-019	Frame set Foil 20 MY12 XXS47 warranty only
224438-020	Frame set Foil 20 MY12 XS49warranty only
224438-021	Frame set Foil 20 MY12 S52 warranty only
224438-022	Frame set Foil 20 MY12 M54 warranty only
224438-023	Frame set Foil 20 MY12 L56 warranty only
224438-024	Frame set Foil 20 MY12 XL58 warranty only
224438-025	Frame set Foil 20 MY12 XXL61 warranty only
224568-019	Frame set Foil Team Replica XXS47 (HMX) (Di2)
224568-020	Frame set Foil Team Replica XS49 (HMX) (Di2)
224568-021	Frame set Foil Team Replica S52 (HMX) (Di2)
224568-022	Frame set Foil Team Replica M54 (HMX) (Di2)
224568-023	Frame set Foil Team Replica L56 (HMX) (Di2)
224568-024	Frame set Foil Team Replica XL58 (HMX) (Di2)
224568-025	Frame set Foil Team Replica XXL61 (HMX) (Di2)
224569-019	Frame set Foil 15 XXS47 (HMF) (Di2)
224569-020	Frame set Foil 15 XS49 (HMF) (Di2)
224569-021	Frame set Foil 15 S52 (HMF) (Di2)
224569-022	Frame set Foil 15 M54 (HMF) (Di2)
224569-023	Frame set Foil 15 L56 (HMF) (Di2)
224569-024	Frame set Foil 15 XL58 (HMF) (Di2)
224569-025	Frame set Foil 15 XXL61 (HMF) (Di2)
224996-0004	Rim Alex FR 32, 26", 32H, disc only, red
224997-0004	Rim Alex Sub, 700C, 32H, disc only, red.
225316-222	Crankset Volt TMO'12 CrMo 28T 3pc.BK
225317-222	BB shell Euro extern.73mm Voltage
225377-222	Hub rep set Formula DC 22RQR 1size
226005-0002	Fork SUB 10 700C MY12 disc only Wh
226006-0001	Fork SUB 20 700C MY12 disc only Bk
226007-0002	Fork SUB 25 700C MY12 V-brake Wh
226013-222	Cable clamping set Spark Alloy 2012
229767-222	Linkage Bar Gambler MY 12 only
230119-222	Fork Metrix 20 Solution 2012 one size
232360-222	Chainstay Spark 40 2012 1size
232361-222	Chainstay Spark 50 2012 one size
232362-222	Chainstay Spark 60 2012 1size
232363-222	Chainstay Spark 70 2012 one size
232364-222	Chainstay Spark 29 Elite 2012 1size
232365-222	Chainstay Spark 29 Team 2012 one size
232366-222	Chainstay Spark 29 Comp 2012 1size
236753-222	Chainstay Gambler WC/DH/FR 08'-12' BK 1size

12 HELMETS

SPARE PARTS - VISORS

Item	Name	Colors	Color Code	Sizes	Image
230607	Shield Split SCOTT Optics (CE)	clear afc	3807	S-M-L	
233954	Shield Split SCOTT Optics (CPSC)				
233955	Shield Split SCOTT Optics (AS)				
230607	Shield Split SCOTT Optics (CE)	brown gold chrome	3808	S-M-L	
233954	Shield Split SCOTT Optics (CPSC)				
233955	Shield Split SCOTT Optics (AS)				
230607	Shield Split SCOTT Optics (CE)	yellow afc	3809	S-M-L	
233954	Shield Split SCOTT Optics (CPSC)				
233955	Shield Split SCOTT Optics (AS)				
210564	Visor SCOTT Spectre / Spartan	black	0001	one size	
		white	0002	one size	
215848	Visor SCOTT Groove II / Lin	black	0001	one size	
		white	0002	one size	
215849	Visor SCOTT Watu / Taal	black	0001	one size	
		white	0002	one size	
219974	Visor SCOTT Vanish / Vanish evo / Vanish 2	black	0001	S-M-L	

SPARE PARTS - VISORS CONTINUED

Item	Name	Colors	Color Code	Sizes	Image
230083	Visor SCOTT Mythic / Stego	black	0001	S-M-L	
		white	0002	S-M-L	
238540	Visor SCOTT Vivo	black	0001	S-M-L	
		white	0002	S-M-L	
242094	Visor SCOTT Supra	black	0001	one size	
		white	0002	one size	
219975	Visor SCOTT Spunto	black	0001	one size	
		white	0002	one size	
238541	Visor SCOTT Arx MTB	black	0001	S-M-L	
		white	0002	S-M-L	
223732	Visor SCOTT Wit	black	0001	S-M-L	Old design:  NEW design Running Change MY 2013: 
		white	0002	S-M-L	

Item	Name	Colors	Color Code	Sizes	Image

SPARE PARTS - VISORS CONTINUED

252800	Visor Fuga PLUS	black	0001	S-M-L	
		white	0002	S-M-L	
265997	Visor Nero PLUS	black	0001	one size	

PADDING




212871	Inner Pads Spare Kit Groove	grey	0011	one size	
230084	Inner Pads Spare Kit Lin	black	0001	one size	
215851	Inner Pads Spare Kit SCOTT Watu	grey	0011	one size	
230085	Inner Pads Spare Kit SCOTT Taal	black	0001	one size	

PADDING continued

Item	Name	Colors	Color Code	Sizes	Image
219977	Inner Pads Spare Kit SCOTT Spunto	grey	0011	one size	
230086	Inner Pads Spare Kit SCOTT Vanish evo / Vanish 2 **Note: Pad kit is also compatible with 1st Generation Vanish helmet**	black	0001	one size	
238542	Inner Pads Spare Kit SCOTT Mythic	grey	0011	S, M/L	
238543	Inner Pads Spare Kit SCOTT Stego	black	0001	S, M/L	
238544	Inner Pads Spare Kit SCOTT Vivo	grey	0011	S-M-L	
238545	Inner Pads Spare Kit SCOTT Vivo PLUS	black	0001	S-M-L	
242095	Inner Pads Spare Kit SCOTT Supra PLUS	black	0001	one size	
252801	Inner Pads Spare Kit Supra	black	0001	one size	
230608	Inner Pads Spare Kit SCOTT Jibe	black	0001	S-M-L	

Item	Name	Colors	Color Code	Sizes	Image

PADDING continued

223734	Inner Pads Spare Kit SCOTT Wit	grey	0011	one size	
230088	Inner Pads Spare Kit SCOTT Split	grey	0011	one size	
235704	Inner Pads Spare Kit Arx (CO)	grey	0011	S-M-L	
238546	Inner Pads Spare Kit Arx Plus (NEW)	black	0001	S-M-L	
235705	Inner Pads Spare Kit SCOTT Torus	black	0001	S-M-L	
246390	Inner Pads Spare Kit SCOTT Torus PLUS	black	0001	S-M-L	
240416	Inner Pads Spare Kit Chomp Thin	red	0004	one size	
252802	Inner Pads Spare Kit Fuga Plus	black	0001	S/M, L	

Item	Name	Colors	Color Code	Sizes	Image


PADDING continued

252803	Inner Pads Spare Kit Cadence Plus / Centric Plus	black	0001	S-M-L	
265998	Inner Pads Spare Kit Groove Plus	black	0001	S/M, M/L	
265999	Inner Pads Spare Kit Nero Plus	black	0001	XS-S-M-L-XL	

OTHER SPARE PARTS

223735	Goggle Retainer SCOTT Jibe	black	0001	one size	
252806	HALO 360 Spare Kit	black	0001	one size	
252805	HALO 270 Spare Kit	black	0001	one size	
252804	MRAS 17 Spare Kit	black	0001	one size	


OTHER SPARE PARTS continued

Item	Name	Colors	Color Code	Sizes	Image
238943	M-RAS II System Kit <15	black	0001	one size	
238942	M-RAS System Kit <15	black/white	1007	one size	
246391	M-RAS Solo	black	0001	one size	
242096	RAS Spare Kit <16	black	0001	one size	
234588	LW Fit System Kit	black	0001	one size	
242097	V-RAS Spare Kit <16	black	0001	one size	
252807	Cadence Aero Plugs	black	0001	S, M, L	


FIT SYSTEMS CHART

FIT SYSTEM NAME	252806 HALO 360	252805 HALO 270	252804 MRAS 17	238943 M-RAS II <15	238942 M-RAS <15	246391 MRAS SOLO	242096 RAS <16	234588 LW FIT SYSTEM	242097 V-RAS <16	228548 WMAS
SPLIT										✓
CADENCE PLUS	✓									
CENTRIC PLUS	✓									
ARX PLUS			✓	✓						
ARX			✓	✓						
FUGA PLUS		✓								
ARX MTB PLUS			✓	✓						
ARX MTB			✓	✓						
STEGO			✓	✓						
VIVO PLUS			✓	✓						
VIVO			✓	✓						
SUPRA PLUS						✓				
SUPRA						✓				
SPUNTO							✓			
CHOMP 2	NON REPLACEABLE									
VANISH					✓					
VANISH -R					✓					
VANISH EVO				✓						
VANISH 2				✓						
WIT					✓					
WIT-R					✓					
LIN									✓	
GROOVE 2									✓	
TAAL							✓			
WATU							✓			
TORUS PLUS								✓		
TORUS								✓		
KARMA							✓			
FUGA					✓					
GROOVE PLUS			✓							
NERO PLUS	NO FIT SYSTEM									

13 BIKE SHOES

Name	Item	Color	Image
BUCKLE REPLACEMENT KIT FOR SHOES FROM 2007			
Buckle kit	2104850001	Black	
	2104850012	Silver	
STUD REPLACEMENT PARTS			
Stud replacement kit	224574	Nylon	
	224574	Steel	
SHOE REPLACEMENT PARTS			
Heel Lug for Road Outsoles	225073	All colors	
Team Issue strap and EVA pad New Logo	224572	White/yellow	
Team Carbon strap and EVA pad New Logo	224573	Black/red	
Buckle	217224	All colors	
Innersole insert and wedge	220922		
Strap for Team shoes	217226	Black and white	

Name	Item	Color	Image
2007–2009			
Boa Reel and Lace replacement kits for shoes 2007–2009	220702	Black 1 size	
FROM 2010			
Boa reel & lace replacement kits for shoes from 2010	220703 220703	Black 1 size White 1 size	 
FROM 2014			
Boa Reel and Lace replacement kits for Road & MTB shoes from 2014	236210 236211	Black 1 size White 1 size	 
FROM 2015			
Boa Reel & Lace replacement kit IP1 Left and Right for Road & MTB shoes from 2015	240274 240275 240275 240275	Black 1 size Bright yellow 1 size Teal blue 1 size White 1 size	   
FROM 2017			
Boa Reel and Lace replacement kit L6 1576 E for Road & MTB Shoes 2017	263866	Black 1 size	

Name	Item	Color	Image
FROM 2018			
Boa Lace system l6 replacement parts kit for shoes from the season 2018	263866 268896	Black 1 size White 1 size	

BOA CARE AND MAINTENANCE

Dialed In For Life™ GUARANTEE

Boa provides replaceable parts to the customer at no charge for the lifetime of the PRODUCT (not the life of the customer).

Boa:
https://www.theboasystem.com/

The Boa Guarantee:
https://www.theboasystem.com/support

Repair:
https://www.theboasystem.com/repair



Boa provides replaceable parts to our customers at no charge for the life of the product with the integrated Boa system.


In order to support the continuing improvement of Boa products we require your contact information in order to provide your parts at no charge. This information will also be used as shipping information to send you the parts.

After filling out the required information on the website, click the 'continue' button which brings you to our shopping page where you can select the parts you need. Once the items are added to your shopping cart, an automatic coupon will be applied and your parts will be free of charge.


CARE AND MAINTENANCE OF THE BOA SYSTEM

L3/L4 Reel Instructions


Recommened tools




1 CLEAN THE SHOE




2 EJECT LACE FROM REEL



3 APPLY SILICONE AND CYCLE LACE - REPEAT 3 TIMES



4 REMOVE KNOB AND INSPECT




IP1 SPARE PARTS

Contact information:


Phone: 1.888.755.5126 Fax: 1.303.455.0675
Email: info@BoaTechnology.com
Questions: boatechnology.com

Boa Technology Inc. | BoaTechnology.com


CONTENTS




OR




1




2




3




4



5



6



14 SYNCROS

- WHEELS
- SEATPOST
- HANDLEBARS & STEMS
- ACCESSORIES

WHEELS

1. DT SWISS WHEELS MTB MY2018

1.1 DT Swiss XRC SCOTT 1200 29" Boost	SCALE / SPARK RC 900 SL / SPARK 900 ULTIMATE

	SAP Nr.	Description
Front Wheel		
Wheel	**WXRC120BEIXCO06397**	**XRC SCO 1200 SPL 29 CL 25 15/110**
Hub	H19PBCIXR28SO6674W	19P 110 CL BO TA15 FIFT R28 BM WHEELS WS
Spokes left	SACS20301S05000253	AEC 2.0/1.25/2.3 X 301 SP S
Spokes right	SATS20301S05000164	AEL 2.0/0.9/2.3 X 301 SP S
Nipples	NPAH20150N0001	ALUN 2.0 x 15 30-304 ST PH PL NEUTRAL
Rim	RDXR34CDPN28CO6743	XRC 1200 29X25 DB 28 CA XRC340 SCO WS
Rear Wheel		
Wheel	**WXRC120TEDRCO06398**	**XRC SCO 1200 SPL 29 CL 25 12/148ASR**
Hub	H19PTCDRR28SO6676W	19P 148 CL BO TA12 ASRAM R28 BM WHEEL WS
Spokes left	SACS20301S05000253	AEC 2.0/1.25/2.3 X 301 SP S
Spokes right	SACS20301S05000253	AEC 2.0/1.25/2.3 X 301 SP S
Nipples	NPAH20150N0001	ALUN 2.0 x 15 30-304 ST PH PL NEUTRAL
Rim	RDXR34CDPN28CO6743	XRC 1200 29X25 DB 28 CA XRC340 SCO WS



COMPLETE WHEELS ARE NOT AVAILABLE.
Wheel numbers are only for reference to find the relevant spare parts.

1.2 DT Swiss XMC SCOTT 1200 27.5" Boost	GENIUS 700 ULTIMATE

	SAP Nr.	Description
Front Wheel		
Wheel	**WXMC120BGIXCO06399**	**XMC SCO 1200 SPL 27.5 CL 30 15/110**
Hub	H19PBCIXR28SO6674W	19P 110 CL BO TA15 FIFT R28 BM WHEELS WS
Spokes left	SATS20276S05000164	AEL 2.0/0.9/2.3 X 276 SP S
Spokes right	SATS20277S05000164	AEL 2.0/0.9/2.3 X 277 SP S
Nipples	NPAH20150N0001	ALUN 2.0 x 15 30-304 ST PH PL NEUTRAL
Rim	RDXM41BDPN28CO6723	XMC 1200 27X30 DB 28 CA XMC410 SCO WS
Rear Wheel		
Wheel	**WXMC120TGDRCO06400**	**XMC SCO 1200 SPL 27.5 CL 30 12/148ASR**
Hub	H19PTCDRR28SO6676W	19P 148 CL BO TA12 ASRAM R28 BM WHEEL WS
Spokes left	SATS20277S05000164	AEL 2.0/0.9/2.3 X 277 SP S
Spokes right	SATS20276S05000164	AEL 2.0/0.9/2.3 X 276 SP S
Nipples	NPAH20150N0001	ALUN 2.0 x 15 30-304 ST PH PL NEUTRAL
Rim	RDXM41BDPN28CO6723	XMC 1200 27X30 DB 28 CA XMC410 SCO WS



COMPLETE WHEELS ARE NOT AVAILABLE.
Wheel numbers are only for reference to find the relevant spare parts.

1.3 DT Swiss X SCOTT 1825 29" Boost | SCOTT SPARK 900 PREMIUM

	SAP Nr.	Description
Front Wheel		
Wheel	**W0X1825BEIXBO06361**	**X SCO 1825 SPL 29 CL 25 15/110**
Hub	H37PBCIXR28SO0887W	37P/35P 110 DBCL BO TA15 R28 BM WHEEL
Spokes left	SCOS20307S0500	COM 2.0/1.8 X 307 SP S
Spokes right	SCOS20308S0500	COM 2.0/1.8 X 308 SP S
Nipples	NPAH20150N0001	ALUN 2.0 x 15 30-304 ST PH PL NEUTRAL
Washer	WSZXXXXX51297S	WASHER FOR ONE ONE Ø8.5/4.3X0.9
Rim	RDXR39CDPW28SO6737	X 1825 29X25 DB 28 BL XR391 SCO WS
Rear Wheel		
Wheel	**W0X1825TEDQSO06412**	**X SCO 1825 SPL 29 CL 25 12/148ASR**
Hub	H36PTCDQR28SO5132W	37P 148 DBCL BO TA12 ASSRAM R28 BM WHEEL
Spokes left	SCOS20308S0500	COM 2.0/1.8 X 308 SP S
Spokes right	SCOS20305S0500	COM 2.0/1.8 X 305 SP S
Nipples	NPAH20150N0001	ALUN 2.0 x 15 30-304 ST PH PL NEUTRAL
Washer	WSZXXXXX51297S	WASHER FOR ONE ONE Ø8.5/4.3X0.9
Rim	RDXR39CDPW28SO6737	X 1825 29X25 DB 28 BL XR391 SCO WS



COMPLETE WHEELS ARE NOT AVAILABLE.
Wheel numbers are only for reference to find the relevant spare parts.

1.4 DT Swiss X SCOTT 1825 29" Boost | SCALE / SPARK RC 900 WC

	SAP Nr.	Description
Front Wheel		
Wheel	**W0X1825BEIXSO06666**	**X SCO 1825 SPL 29 CL 25 15/110 RED**
Hub	H37PBCIXR28SO0887W	37P/35P 110 DBCL BO TA15 R28 BM WHEEL
Spokes left	SCOS20307S0500	COM 2.0/1.8 X 307 SP S
Spokes right	SCOS20308S0500	COM 2.0/1.8 X 308 SP S
Nipples	NPAH20150N0001	ALUN 2.0 x 15 30-304 ST PH PL NEUTRAL
Washer	WSZXXXXX51297S	WASHER FOR ONE ONE Ø8.5/4.3X0.9
Rim	RDXR39CDPW28SO6736	X 1825 29X25 DB 28 BL XR391 SCO WS RED
Rear Wheel		
Wheel	**W0X1825TEDTBO06413**	**X SCO 1825 SPL 29 CL 25 12/148ASS RED**
Hub	H36PTCDTR28SO0895W	37P 148 DBCL BO TA12 ASS R28 BM WHEEL
Spokes left	SCOS20308S0500	COM 2.0/1.8 X 308 SP S
Spokes right	SCOS20305S0500	COM 2.0/1.8 X 305 SP S
Nipples	NPAH20150N0001	ALUN 2.0 x 15 30-304 ST PH PL NEUTRAL
Washer	WSZXXXXX51297S	WASHER FOR ONE ONE Ø8.5/4.3X0.9
Rim	RDXR39CDPW28SO6736	X 1825 29X25 DB 28 BL XR391 SCO WS RED



COMPLETE WHEELS ARE NOT AVAILABLE.
Wheel numbers are only for reference to find the relevant spare parts.

1.5 DT Swiss M SCOTT 1825 29” Boost | GENIUS 900 TUNED

	SAP Nr.	Description
Front Wheel		
Wheel	**W0M1825BEIXSO06420**	**M SCO 1825 SPL 29 CL 30 15/110**
Hub	H37PBCIXR28SO0887W	37P/35P 110 DBCL BO TA15 R28 BM WHEEL
Spokes left	SCOS20304S0500	COM 2.0/1.8 x 304 SP S
Spokes right	SCOS20305S0500	COM 2.0/1.8 X 305 SP S
Nipples	NPAH20150N0001	ALUN 2.0 x 15 30-304 ST PH PL NEUTRAL
Washer	WSZXXXX51297S	WASHER FOR ONE ONE Ø8.5/4.3X0.9
Rim	RDXM48CDPW28SO6745	M 1825 29X30 DB 28 BL XM481 SCO WS
Rear Wheel		
Wheel	**W0M1825TEDRSO06421**	**M SCO 1825 SPL 29 CL 30 12/148ASSR**
Hub	H36PTCDQR28SO5132W	37P 148 DBCL BO TA12 ASSRAM R28 BM WHEEL
Spokes left	SCOS20305S0500	COM 2.0/1.8 X 305 SP S
Spokes right	SCOS20302S0500	COM 2.0/1.8 x 302 SP S
Nipples	NPAH20150N0001	ALUN 2.0 x 15 30-304 ST PH PL NEUTRAL
Washer	WSZXXXX51297S	WASHER FOR ONE ONE Ø8.5/4.3X0.9
Rim	RDXM48CDPW28SO6745	M 1825 29X30 DB 28 BL XM481 SCO WS



COMPLETE WHEELS ARE NOT AVAILABLE.
Wheel numbers are only for reference to find the relevant spare parts.

1.6 DT Swiss M SCOTT 1825 27.5”.Boost | GENIUS 700 TUNED

	SAP Nr.	Description
Front Wheel		
Wheel	**W0M1825BGIXBO06414**	**M SCO 1825 SPL 27.5 CL 30 15/110**
Hub	H37PBCIXR28SO0887W	37P/35P 110 DBCL BO TA15 R28 BM WHEEL
Spokes left	SCOS20285S0500	COM 2.0/1.8 x 285 SP S
Spokes right	SCOS20287S0500	COM 2.0/1.8 x 287 SP S
Nipples	NPAH20150N0001	ALUN 2.0 x 15 30-304 ST PH PL NEUTRAL
Washer	WSZXXXX51297S	WASHER FOR ONE ONE Ø8.5/4.3X0.9
Rim	RDXM48BDPW28SO6744	M 1825 27X30 DB 28 BL XM481 SCO WS
Rear Wheel		
Wheel	**W0M1825TGDRSO06415**	**M SCO 1825 SPL 27.5 CL 30 12/148ASSR**
Hub	H36PTCDQR28SO5132W	37P 148 DBCL BO TA12 ASSRAM R28 BM WHEEL
Spokes left	SCOS20287S0500	COM 2.0/1.8 x 287 SP S
Spokes right	SCOS20284S0500	COM 2.0/1.8 x 284 SP S
Nipples	NPAH20150N0001	ALUN 2.0 x 15 30-304 ST PH PL NEUTRAL
Washer	WSZXXXX51297S	WASHER FOR ONE ONE Ø8.5/4.3X0.9
Rim	RDXM48BDPW28SO6744	M 1825 27X30 DB 28 BL XM481 SCO WS



COMPLETE WHEELS ARE NOT AVAILABLE.
Wheel numbers are only for reference to find the relevant spare parts.

1.7 DT Swiss M SCOTT 1825 27.5” Boost | SPARK 700 ULTIMATE

	SAP Nr.	Description
Front Wheel		
Wheel	**W0M1825BGIXSO06670**	**M SCO 1825 SPL 27.5 CL 30 15/110 Gray**
Hub	H37PBCIXR28SO0887W	37P/35P 110 DBCL BO TA15 R28 BM WHEEL
Spokes left	SCOS20285S0500	COM 2.0/1.8 x 285 SP S
Spokes right	SCOS20287S0500	COM 2.0/1.8 x 287 SP S
Nipples	NPAH20150N0001	ALUN 2.0 x 15 30-304 ST PH PL NEUTRAL
Washer	WSZXXXXX51297S	WASHER FOR ONE ONE Ø8.5/4.3X0.9
Rim	RDXM48BDPW28SO6746	M 1825 27X30 DB 28 BL XM481 SCO WS GREY
Rear Wheel		
Wheel	**W0M1825TGDRSO06671**	**M SCO 1825 SPL 27.5 CL 30 12/148ASSRGray**
Hub	H36PTCDQR28SO5132W	37P 148 DBCL BO TA12 ASSRAM R28 BM WHEEL
Spokes left	SCOS20287S0500	COM 2.0/1.8 x 287 SP S
Spokes right	SCOS20284S0500	COM 2.0/1.8 x 284 SP S
Nipples	NPAH20150N0001	ALUN 2.0 x 15 30-304 ST PH PL NEUTRAL
Washer	WSZXXXXX51297S	WASHER FOR ONE ONE Ø8.5/4.3X0.9
Rim	RDXM48BDPW28SO6746	M 1825 27X30 DB 28 BL XM481 SCO WS GREY



COMPLETE WHEELS ARE NOT AVAILABLE.
Wheel numbers are only for reference to find the relevant spare parts.

1.8 DT Swiss FR 2020 27.5” | GAMBLER 710

	SAP Nr.	Description
Front Wheel		
Wheel	**WFR2020BHEXSO06860**	**FR SCO 2020 CLA 275 IS 275 20/110 ORA**
Hub	H350BDEXR32SO4797W	350 110 DBISDH SA20 R32 S WHEELS
Spokes left	SCO020270S0500	COM 2.0/1.8 x 270 S 6.2
Spokes right	SCO020271S0500	COM 2.0/1.8 x 271 S 6.2
Nipples	NPAH20150S0001	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Rim	RDFR57BDPS32SO6891	FR 2020 27X27.5 DB 32 BL FR570 SCO WS
Rear Wheel		
Wheel	**WFR2020LHDLSO06861**	**FR SCO 2020 CLA 275 IS 275 12/150 ASF OR**
Hub	H350LDDLR32SO0773W	350 150 DBIS TA12 ASF R32 B WHEELS
Spokes left	SCO020271S0500	COM 2.0/1.8 x 271 S 6.2
Spokes right	SCO020271S0500	COM 2.0/1.8 x 271 S 6.2
Nipples	NPAH20150S0001	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Rim	RDFR57BDPS32SO6891	FR 2020 27X27.5 DB 32 BL FR570 SCO WS



COMPLETE WHEELS ARE NOT AVAILABLE.
Wheel numbers are only for reference to find the relevant spare parts.

2. DT SWISS WHEELS ROAD MY2018

2.1 DT Swiss PRC SCOTT 1100 DICUT DB | ADDICT RC ULTIMATE DISC

	SAP Nr.	Description
Front Wheel		
Wheel	**WPRC110AIDXCO06380**	**PRC SCO 1100 DIC 700C DB 35 12/100**
Hub	H24DACDXR24SO9372W	24D 100 DBCL TA12 R24 BM WHEELS AERO
Spokes left	SATS20285S05000208	AEL 2.0/0.9/2.3 X 285 TH S
Spokes right	SATS20289S05000208	AEL 2.0/0.9/2.3 X 289 TH S
Nipples	NPAF20120N0001	ALUN 2.0x12 30-278 F PL
Rim	RDPR35CDPN24CO6720	PRC 1100 29X18 DB 24 CA PRC35 SCO WS 18
Rear Wheel		
Wheel	**WPRC110NIDJCO06382**	**PRC SCO 1100 DIC700C 35 12/142ASLS11**
Hub	H24DNCDJR24SO3752W	24D 142 DBCL TA12 ASLS11 R24 BM WH AERO
Spokes left	SACS20288S05000249	AEC 2.0/1.25/2.3 X 288 TH S
Spokes right	SACS20285S05000249	AEC 2.0/1.25/2.3 X 285 TH S
Nipples	NPAF20120N0001	ALUN 2.0x12 30-278 F PL
Rim	RDPR35CDPN24CO6720	PRC 1100 29X18 DB 24 CA PRC35 SCO WS 18



COMPLETE WHEELS ARE NOT AVAILABLE.
Wheel numbers are only for reference to find the relevant spare parts.

2.2 DT Swiss PRC SCOTT 1400 SPLINE DB | ADDICT RC PREMIUM DISC

	SAP Nr.	Description
Front Wheel		
Wheel	**WPRC140AIDXCO06374**	**PRC SCO 1400 SPL 700C CL 35 12/100**
Hub	H24PACDXR24SO1373W	24P 100 CL TA12 R24 BM/DG WH WS
Spokes left	SATS20293S05000164	AEL 2.0/0.9/2.3 X 293 SP S
Spokes right	SATS20295S05000164	AEL 2.0/0.9/2.3 X 295 SP S
Nipples	NPAF20120N0001	ALUN 2.0x12 30-278 F PL
Rim	RDPR35CDPN24CO6741	PRC 1400 29X18 DB 24 CA PRC35 SCO WS
Rear Wheel		
Wheel	**WPRC140NIDJCO06375**	**PRC SCO 1400 SPL700C CL35 12/142ASLS11**
Hub	H24PNCDJR24SO1401W	24P 142 RO CL TA12 ASLS11 24 BM/DG WH WS
Spokes left	SACS20295S05000253	AEC 2.0/1.25/2.3 X 295 SP S
Spokes right	SACS20291S05000253	AEC 2.0/1.25/2.3 X 291 SP S
Nipples	NPAF20120N0001	ALUN 2.0x12 30-278 F PL
Rim	RDPR35CDPN24CO6741	PRC 1400 29X18 DB 24 CA PRC35 SCO WS



COMPLETE WHEELS ARE NOT AVAILABLE.
Wheel numbers are only for reference to find the relevant spare parts.

2.3 DT Swiss PR SCOTT 1600 SPLINE | ADDICT RC 10

	SAP Nr.	Description
Front Wheel		
Wheel	**WPR1600AAQXSO06378**	**PR SCO 1600 SPL 700C RB 23 5/100**
Hub	H35PAAQXS20NO3815W	35P 100 NONDISC QR S20 GM WHEEL WS
Spokes left	SACS20288S05000290	AEC WIDE 2.0/1.0/2.8 X 288 TH S
Spokes right	SACS20288S05000290	AEC WIDE 2.0/1.0/2.8 X 288 TH S
Nipples	NPAH20150S0001	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Rim	RDR046CRPN20SO6739	PR 1600 29X18 RB 20 BL R460 SCO WS
Rear Wheel		
Wheel	**WPR1600HRQJSO06379**	**PR SCO 1600 SPL700C 23 5/130ASF11**
Hub	H35PHRQMS24NO3817W	35P 130 ROAD QR ASF11 S24 GM/B WHEEL WS
Spokes left	SACS20297S05000274	AEC WIDE 2.0/1.0/2.8 X 297 SP S
Spokes right	SNAS20295S05000254	NAE 2.0/1.2/3.0 x 295 SP S
Nipples	N0AH20150S0001	ALUN 2.0 X 15 30-303 ST PH BLACK
Rim	RDR046CRPN24SO6740	PR 1600 29X18 RB 24 BL R460 SCO WS



COMPLETE WHEELS ARE NOT AVAILABLE.
Wheel numbers are only for reference to find the relevant spare parts.

2.4 DT Swiss CRC SCOTT 1400 SPLINE DB | ADDICT GRAVEL 10

	SAP Nr.	Description
Front Wheel		
Wheel	**WCRC140AIDXSO06371**	**CRC SCO 1400 SPL 700C CL 20 12/100**
Hub	H24PACDXR24SO1373W	24P 100 CL TA12 R24 BM/DG WH WS
Spokes left	SATS20296S05000164	AEL 2.0/0.9/2.3 X 296 SP S
Spokes right	SATS20298S05000164	AEL 2.0/0.9/2.3 X 298 SP S
Nipples	NPAH20150N0001	ALUN 2.0 x 15 30-304 ST PH PL NEUTRAL
Rim	RDXR33CDPN24CO6738	CRC 1400 29X225 DB 24 CA XRC330 SCO WS
Rear Wheel		
Wheel	**WCRC140NIDJSO06373**	**CRC SCO 1400 SPL700C CL20 12/142ASLS11**
Hub	H24PNCDJR24SO1401W	24P 142 RO CL TA12 ASLS11 24 BM/DG WH WS
Spokes left	SACS20298S05000253	AEC 2.0/1.25/2.3 X 298 SP S
Spokes right	SACS20294S05000253	AEC 2.0/1.25/2.3 X 294 SP S
Nipples	NPAH20150N0001	ALUN 2.0 x 15 30-304 ST PH PL NEUTRAL
Rim	RDXR33CDPN24CO6738	CRC 1400 29X225 DB 24 CA XRC330 SCO WS



COMPLETE WHEELS ARE NOT AVAILABLE.
Wheel numbers are only for reference to find the relevant spare parts.

3. DT SWISS WHEELS E-BIKE MY2018

3.1 **DT Swiss H SCOTT 1825**	**E-SPARK / E-GENIUS 700 TUNED**

	SAP Nr.	Description
Front Wheel		
Wheel	**W0H1825BGIXSO06692**	**H SCO 1825 SPL 27.5 CL 30 15/110**
Hub	H37PBCIXR28SO5503W	37P/35P 110 CL BO TA15 R28 BM WHEEL HYB
Spokes left	SH1S23286S0250	HY1 2.34/2.0 X 286 SP S
Spokes right	SH1S23287S0250	HY1 2.34/2.0 X 287 SP S
Nipples	NPAH20150S0001	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Washer	WSZXXXXX51297S	WASHER FOR ONE ONE Ø8.5/4.3X0.9
Rim	RDHX53BDPW28SO6742	H 1825 27X30 DB 28 BL HX531 SCO WS
Rear Wheel		
Wheel	**W0H1825TGDSSO06693**	**H SCO 1825 SPL 27.5 CL 30 12/148 SS**
Hub	H36PTCDSR28SO5529W	36P 148 CL BO TA12 SS R28 BM WHEEL HYB
Spokes left	SH1S23287S0250	HY1 2.34/2.0 X 287 SP S
Spokes right	SH1S23284S0250	HY1 2.34/2.0 X 284 SP S
Nipples	NPAH20150S0001	ALUN 2.0 x 15 30-304 ST PH PL BLACK
Washer	WSZXXXXX51297S	WASHER FOR ONE ONE Ø8.5/4.3X0.9
Rim	RDHX53BDPW28SO6742	H 1825 27X30 DB 28 BL HX531 SCO WS



4. CONVERSION AND SPARE PART KITS FOR HUBS


Conversion Kits Rear, fitting 240s and 350 rear hubs				
Conversion to	**QR/100**	**QR/135**	**QR/135**	**QR/135**
Content	350/370	190/240/440 DISC	240 SRAM XD	240 11S ROAD DB
DT Swiss part number:	HWGXXX00S3801S	HWGXXX0001528S	HWGXXX00S3115S	HWGXXX0006383S


Spare Part Kits for rear hubs 240 and 370			
	Hub Rep Kit DT star ratchet hubs	**Hub Rep Kit DT 2-pawl hubs**	**Hub Rep Kit 3-Pawl Hubs**
Content	2 ratchets, 2 springs, 1 seal, 2 bearings, 1 rotor, 1 special grease DT Swiss	2 pawls, 1 spring, 1 needle bearing kit, 1 bearing 6000, 1 bearing 6900, 1 rotor, 1 multi purpose grease	2 bearings 6902, 1 rotor, 1 multi purpose grease
DT Swiss part number:	HWTSCO00NSK35C	HWTSCO00NSK37C	HWTSCO00NSK3PC

SCOTT


Syncros SPARK 900 Bike Spark 900
S15C01-00

XERO









FRONT WHEEL （SPOKE TENSION）

Disc side: 100 ~ 130kgf (980 ~ 1274 N)
No disc side: 70 ~ 150kgf (686 ~ 1470 N)

FRONT WHEEL Weight:796g

1	CNC-F-0595	1	HUB SHELL	
2	AXLE-0435	1	ALLOY AXLE	●
3	SB-18307	2	SEAL BEARING 30x18x7	●
4	DWG-0849	1	END CAP	
5	DWG-0850	1	END CAP	
6	SP-089	28	XERO FORZA 14/15Gx303m	●
7	NP-016	28	DT NIPPLE 14Gx12L	●
8	RIM-510	1	XD-725 29"xW25x28	

REAR WHEEL （SPOKE TENSION）

FH side: 110 ~ 145kgf (1078 ~ 1421 N)
Disc side: 80 ~ 165kgf (784 ~ 1618 N)

REAR WHEEL Weight:951g


1	CNC-R-0695	1	HUB SHELL	
2	DWG-0753	1	21T Gear Ring	
3	AXLE-0471	1	15 x 1 O型環	●
4	SB-6903	2	HOPE 6903 (30x17x7)	●
5	FH-532	1	Sram Steel Free Hub	●
6	DWG-1075	1	ALLOY AXLE	
7	O-ring (15x1)	1	END CAP	
8	DWG-0910	1	END CAP	
9	SP-089	14	XERO FORZA 14/15Gx303m	●
		14	XERO FORZA 14/15Gx302m	●
10	NP-016	28	DT NIPPLE 14Gx12L	
11	RIM-510	1	XD-725 29"xW25x28	


* all weights are approx.

SCOTT

Syncros Contessa SPARK RC 900
S15C01-01

XERO









FRONT WHEEL （SPOKE TENSION）

Disc side: 100 ~ 130kgf (980 ~ 1274 N)
No disc side: 70 ~ 150kgf (686 ~ 1470 N)

REAR WHEEL （SPOKE TENSION）

FH side: 110 ~ 145kgf (1078 ~ 1421 N)
Disc side: 80 ~ 165kgf (784 ~ 1618 N)

FRONT WHEEL Weight:796g

1	CNC-F-0595	1	HUB SHELL	
2	AXLE-0435	1	ALLOY AXLE	●
3	SB-18307	2	SEAL BEARING 30x18x7	●
4	DWG-0849	1	END CAP	
5	DWG-0850	1	END CAP	
6	SP-089	28	XERO FORZA 14/15Gx303m	●
7	NP-016	28	DT NIPPLE 14Gx12L	●
8	RIM-510	1	XD-725 29"xW25x28	

REAR WHEEL Weight:951g


1	CNC-R-0695	1	HUB SHELL	
2	DWG-0753	1	21T Gear Ring	
3	AXLE-0471	1	15 x 1 O型環	●
4	SB-6903	2	HOPE 6903 (30x17x7)	●
5	FH-532	1	Sram Steel Free Hub	●
6	DWG-1075	1	ALLOY AXLE	
7	O-ring (15x1)	1	END CAP	
8	DWG-0910	1	END CAP	
9	SP-089	14	XERO FORZA 14/15Gx303m	●
		14	XERO FORZA 14/15Gx302m	●
10	NP-016	28	DT NIPPLE 14Gx12L	
11	RIM-510	1	XD-725 29"xW25x28	


* all weights are approx.

SCOTT

Syncros SPARK 700 Bike Spark 700
Tuned
S15C02-00

XERO









FRONT WHEEL （SPOKE TENSION）

Disc side: 100 ~ 130kgf (980 ~ 1274 N)
No disc side: 70 ~ 150kgf (686 ~ 1470 N)

REAR WHEEL （SPOKE TENSION）

FH side: 110 ~ 145kgf (1078 ~ 1421 N)
Disc side: 80 ~ 165kgf (784 ~ 1618 N)

FRONT WHEEL Weight:768g

1	CNC-F-0595	1	HUB SHELL	
2	AXLE-0435	1	ALLOY AXLE	●
3	SB-18307	2	SEAL BEARING 30x18x7	●
4	DWG-0849	1	END CAP	
5	DWG-0850	1	END CAP	
6	SP-089	28	XERO FORZA 14/15Gx283m	●
7	NP-016	28	DT NIPPLE 14Gx12L	●
8	RIM-530	1	XD-730 27.5"xW30x28	

REAR WHEEL Weight:921g


1	CNC-R-0695	1	HUB SHELL	
2	DWG-0753	1	21T Gear Ring	
3	AXLE-0471	1	ALLOY AXLE	●
4	SB-6903	2	HOPE 6903 (30x17x7)	●
5	FH-532	1	Sram Steel Free Hub	●
6	DWG-1075	1	END CAP	
7	O-ring (15x1)	1	15 x 1 O型環	
8	DWG-0910	1	END CAP	
9	SP-089	14	XERO FORZA 14/15Gx282m	●
		14	XERO FORZA 14/15Gx283m	●
10	NP-016	28	DT NIPPLE 14Gx12L	●
11	RIM-530	1	XD-730 27.5"xW30x28	


* all weights are approx.

SCOTT

Syncros SCALE RC 900
Bike Scale RC 900 Pro
S20B02-00

XERO









FRONT WHEEL （SPOKE TENSION）

Disc side: 100 ~ 130kgf (980 ~ 1274 N)
No disc side: 70 ~ 150kgf (686 ~ 1470 N)

FRONT WHEEL Weight:798g

1	CNC-F-0527	1	HUB SHELL	
2	AXLE-0404	1	ALLOY AXLE	●
3	SB-18307	2	SEAL BEARING 30x18x7	●
4	DWG-0850	2	END CAP	
5	SP-089	28	XERO FORZA 14/15Gx303m	●
6	NP-016	28	DT NIPPLE 14Gx12L	●
7	RIM-610	1	XD-S25 29"xW25x28	

REAR WHEEL （SPOKE TENSION）

FH side: 110 ~ 145kgf (1078 ~ 1421 N)
Disc side: 80 ~ 165kgf (784 ~ 1618 N)

REAR WHEEL Weight:1024g


1	CNC-R-0599	1	HUB SHELL	
2	DWG-0753	1	21T Gear Ring	
3	SB-6903	2	HOPE 6903 (30x17x7)	●
4	AXLE-0459	1	15 x 1 O型環	●
5	FH-532	1	Sram Steel Free Hub	●
6	DWG-0131	1	Oil seal	
7	DWG-0910	1	END CAP	
8	DWG-1309	1	END CAP	
9	O-ring (17x2)	1	17 x 2 O型環	
10	SP-089	28	XERO FORZA 14/15Gx303m	●
11	NP-016	28	DT NIPPLE 14Gx12L	●
12	RIM-610	1	XD-S25 29"xW25x28	


* all weights are approx.

SCOTT

Syncros Contessa
SCALE RC 900 Bike
S20B02-01

XERO









FRONT WHEEL （SPOKE TENSION）

Disc side: 100 ~ 130kgf (980 ~ 1274 N)
No disc side: 70 ~ 150kgf (686 ~ 1470 N)

FRONT WHEEL Weight:798g

1	CNC-F-0527	1	HUB SHELL	
2	AXLE-0404	1	ALLOY AXLE	●
3	SB-18307	2	SEAL BEARING 30x18x7	●
4	DWG-0850	2	END CAP	
5	SP-089	28	XERO FORZA 14/15Gx303m	●
6	NP-016	28	DT NIPPLE 14Gx12L	●
7	RIM-610	1	XD-S25 29"xW25x28	

REAR WHEEL （SPOKE TENSION）

FH side: 110 ~ 145kgf (1078 ~ 1421 N)
Disc side: 80 ~ 165kgf (784 ~ 1618 N)

REAR WHEEL Weight:1024g

1	CNC-R-0599	1	HUB SHELL	
2	DWG-0753	1	21T Gear Ring	
3	SB-6903	2	HOPE 6903 (30x17x7)	●
4	AXLE-0459	1	15 x 1 O型環	●
5	FH-532	1	Sram Steel Free Hub	●
6	DWG-0131	1	Oil seal	
7	DWG-0910	1	END CAP	
8	DWG-1309	1	END CAP	
9	O-ring (17x2)	1	17 x 2 O型環	
10	SP-089	28	XERO FORZA 14/15Gx303m	●
11	NP-016	28	DT NIPPLE 14Gx12L	●
12	RIM-610	1	XD-S25 29"xW25x28	


* all weights are approx.


SCOTT

Syncros SCALE 900 Bike Scale 910


S20C02-00

XERO









FRONT WHEEL （SPOKE TENSION）

Disc side: 100 ~ 130kgf (980 ~ 1274 N)
No disc side: 70 ~ 150kgf (686 ~ 1470 N)

REAR WHEEL （SPOKE TENSION）

FH side: 110 ~ 145kgf (1078 ~ 1421 N)
Disc side: 80 ~ 165kgf (784 ~ 1618 N)

FRONT WHEEL Weight:793g

1	CNC-F-0501	1	HUB SHELL	
2	AXLE-0435	1	ALLOY AXLE	●
3	SB-18307	2	SEAL BEARING 30x18x7	●
4	DWG-0849	1	END CAP	
5	DWG-0850	1	END CAP	
6	SP-089	28	XERO FORZA 14/15Gx304m	●
7	NP-016	28	DT NIPPLE 14Gx12L	●
8	RIM-610	1	XD-S25 29"xW25x28	


REAR WHEEL Weight:1019g


1	O-ring (15x1)	1	15 x 1 O型環	
2	DWG-0753	1	21T Gear Ring	
3	CNC-R-0600	1	HUB SHELL	
4	SB-6903	2	HOPE 6903 (30x17x7)	●
5	FH-532	1	Sram Steel Free Hub	●
6	AXLE-0471	1	ALLOY AXLE	●
7	DWG-1075	1	END CAP	
8	DWG-0910	1	END CAP	
9	SP-089	28	XERO FORZA 14/15Gx304m	●
10	NP-016	28	DT NIPPLE 14Gx12L	●
11	RIM-610	1	XD-S25 29"xW25x28	

* all weights are approx.


Syncros Bike Spark 710

S20C03-00









FRONT WHEEL （SPOKE TENSION）

Disc side: 100 ~ 130kgf (980 ~ 1274 N)
No disc side: 70 ~ 150kgf (686 ~ 1470 N)

FRONT WHEEL Weight:783g

1	CNC-F-0501	1	HUB SHELL	
2	AXLE-0435	1	ALLOY AXLE	●
3	SB-18307	2	SEAL BEARING 30x18x7	●
4	DWG-0849	1	END CAP	
5	DWG-0850	1	END CAP	
6	SP-089	28	XERO FORZA 14/15Gx285m	●
7	NP-016	28	DT NIPPLE 14Gx12L	●
8	RIM-638	1	XD-S30 27.5"xW30x28	

REAR WHEEL （SPOKE TENSION）

FH side: 110 ~ 145kgf (1078 ~ 1421 N)
Disc side: 80 ~ 165kgf (784 ~ 1618 N)

REAR WHEEL Weight:925g

1	CNC-R-0600	1	HUB SHELL	
2	DWG-0753	1	21T Gear Ring	
3	O-ring (15x1)	1	15 x 1 O型環	
4	SB-6903	2	HOPE 6903 (30x17x7)	●
5	FH-524	1	SMN Steel Free Hub	●
6	AXLE-0471	1	ALLOY AXLE	●
7	DWG-1075	1	END CAP	
8	DWG-0910	1	END CAP	
9	SP-089	28	XERO FORZA 14/15Gx285m	●
10	NP-016	28	DT NIPPLE 14Gx12L	●
11	RIM-638	1	XD-S30 27.5"xW30x28	


* all weights are approx.


SCOTT

Syncros Bike Genius 710


S20C03-01

XERO









FRONT WHEEL （SPOKE TENSION）

Disc side: 100 ~ 130kgf (980 ~ 1274 N)
No disc side: 70 ~ 150kgf (686 ~ 1470 N)

FRONT WHEEL Weight:783g

1	CNC-F-0501	1	HUB SHELL	
2	AXLE-0435	1	ALLOY AXLE	●
3	SB-18307	2	SEAL BEARING 30x18x7	●
4	DWG-0849	1	END CAP	
5	DWG-0850	1	END CAP	
6	SP-089	28	XERO FORZA 14/15Gx285m	●
7	NP-016	28	DT NIPPLE 14Gx12L	●
8	RIM-638	1	XD-S30 27.5"xW30x28	

REAR WHEEL （SPOKE TENSION）

FH side: 110 ~ 145kgf (1078 ~ 1421 N)
Disc side: 80 ~ 165kgf (784 ~ 1618 N)

REAR WHEEL Weight:925g

1	O-ring (15x1)	1	15 x 1 O型環	
2	DWG-0753	1	21T Gear Ring	
3	CNC-R-0600	1	HUB SHELL	
4	SB-6903	2	HOPE 6903 (30x17x7)	●
5	FH-524	1	SMN Steel Free Hub	●
6	AXLE-0471	1	ALLOY AXLE	●
7	DWG-1075	1	END CAP	
8	DWG-0910	1	END CAP	
9	SP-089	28	XERO FORZA 14/15Gx285m	●
10	NP-016	28	DT NIPPLE 14Gx12L	●
11	RIM-638	1	XD-S30 27.5"xW30x28	


* all weights are approx.


SCOTT

Syncros Contessa Genius 710


S20C03-02

XERO









FRONT WHEEL （SPOKE TENSION）

Disc side: 100 ~ 130kgf (980 ~ 1274 N)
No disc side: 70 ~ 150kgf (686 ~ 1470 N)

FRONT WHEEL Weight:783g

1	CNC-F-0501	1	HUB SHELL	
2	AXLE-0435	1	ALLOY AXLE	●
3	SB-18307	2	SEAL BEARING 30x18x7	●
4	DWG-0849	1	END CAP	
5	DWG-0850	1	END CAP	
6	SP-089	28	XERO FORZA 14/15Gx285m	●
7	NP-016	28	DT NIPPLE 14Gx12L	●
8	RIM-638	1	XD-S30 27.5"xW30x28	

REAR WHEEL （SPOKE TENSION）

FH side: 110 ~ 145kgf (1078 ~ 1421 N)
Disc side: 80 ~ 165kgf (784 ~ 1618 N)

REAR WHEEL Weight:925g


1	O-ring (15x1)	1	15 x 1 O型環	
2	DWG-0753	1	21T Gear Ring	
3	CNC-R-0600	1	HUB SHELL	
4	SB-6903	2	HOPE 6903 (30x17x7)	●
5	FH-524	1	SMN Steel Free Hub	●
6	AXLE-0471	1	ALLOY AXLE	●
7	DWG-1075	1	END CAP	
8	DWG-0910	1	END CAP	
9	SP-089	28	XERO FORZA 14/15Gx285m	●
10	NP-016	28	DT NIPPLE 14Gx12L	●
11	RIM-638	1	XD-S30 27.5"xW30x28	


* all weights are approx.

SCOTT


Syncros SPARK 910
S20C05-00

XERO









FRONT WHEEL （SPOKE TENSION）

Disc side: 100 ~ 130kgf (980 ~ 1274 N)
No disc side: 70 ~ 150kgf (686 ~ 1470 N)

FRONT WHEEL Weight:872g

1	CNC-F-0501	1	HUB SHELL	
2	AXLE-0435	1	ALLOY AXLE	●
3	SB-18307	2	SEAL BEARING 30x18x7	●
4	DWG-0849	1	END CAP	
5	DWG-0850	1	END CAP	
6	SP-089	28	XERO FORZA 14/15Gx304m	●
7	NP-016	28	DT NIPPLE 14Gx12L	●
8	RIM-610	1	XD-S25 29"xW25x28	

REAR WHEEL （SPOKE TENSION）

FH side: 110 ~ 145kgf (1078 ~ 1421 N)
Disc side: 80 ~ 165kgf (784 ~ 1618 N)

REAR WHEEL Weight:982g


1	O-ring (15x1)	1	15 x 1 O型環	
2	DWG-0753	1	21T Gear Ring	
3	CNC-R-0600	1	HUB SHELL	
4	SB-6903	2	HOPE 6903 (30x17x7)	●
5	FH-524	1	SMN Steel Free Hub	●
6	AXLE-0471	1	ALLOY AXLE	●
7	DWG-1075	1	END CAP	
8	DWG-0910	1	END CAP	
9	SP-089	28	XERO FORZA 14/15Gx304m	●
10	NP-016	28	DT NIPPLE 14Gx12L	●
11	RIM-610	1	XD-S25 29"xW25x28	


* all weights are approx.

SCOTT


Syncros GENIUS 920
S20C06-00

XERO









FRONT WHEEL （SPOKE TENSION）

Disc side: 100 ~ 130kgf (980 ~ 1274 N)
No disc side: 70 ~ 150kgf (686 ~ 1470 N)

FRONT WHEEL Weight:818g

1	CNC-F-0501	1	HUB SHELL	
2	AXLE-0435	1	ALLOY AXLE	●
3	SB-18307	2	SEAL BEARING 30x18x7	●
4	DWG-0849	1	END CAP	
5	DWG-0850	1	END CAP	
6	SP-089	28	XERO FORZA 14/15Gx305m	●
7	NP-016	28	DT NIPPLE 14Gx12L	●
8	RIM-640	1	XD-S30 29"xW30x28	

REAR WHEEL （SPOKE TENSION）

FH side: 110 ~ 145kgf (1078 ~ 1421 N)
Disc side: 80 ~ 165kgf (784 ~ 1618 N)

REAR WHEEL Weight:964g


1	CNC-R-0600	1	HUB SHELL	
2	DWG-0753	1	21T Gear Ring	
3	O-ring (15x1)	1	15 x 1 O型環	
4	SB-6903	2	HOPE 6903 (30x17x7)	●
5	FH-524	1	SMN Steel Free Hub	●
6	AXLE-0471	1	ALLOY AXLE	●
7	DWG-1075	1	END CAP	
8	DWG-0910	1	END CAP	
9	SP-089	28	XERO FORZA 14/15Gx305m	●
10	NP-016	28	DT NIPPLE 14Gx12L	●
11	RIM-640	1	XD-S30 29"xW30x28	


* all weights are approx.

SCOTT

Syncros SPARK RC 900
Bike Spark RC 900 Team
S25B02-00

XERO









FRONT WHEEL （SPOKE TENSION）

Disc side: 100 ~ 130kgf (980 ~ 1274 N)
No disc side: 70 ~ 150kgf (686 ~ 1470 N)

FRONT WHEEL Weight:798g

1	CNC-F-0527	1	HUB SHELL	
2	AXLE-0404	1	ALLOY AXLE	●
3	SB-18307	2	SEAL BEARING 30x18x7	●
4	DWG-0850	1	END CAP	
5	SP-021	28	XERO FORZA 14Gx303mm	●
6	NP-019	28	NIPPLE 14Gx12L	●
7	RIM-610	1	XD-S25 29"xW25x28	

REAR WHEEL （SPOKE TENSION）


FH side: 110 ~ 145kgf (1078 ~ 1421 N)
Disc side: 80 ~ 165kgf (784 ~ 1618 N)


REAR WHEEL Weight:1055g

1	CNC-R-0599	1	HUB SHELL	
2	DWG-0753	1	21T Gear Ring	
3	SB-6903	2	HOPE 6903 (30x17x7)	●
4	AXLE-0459	1	15 x 1 O型環	●
5	FH-522	1	Sram Steel Free Hub	●
6	DWG-0131	1	Oil seal	
7	DWG-1000	1	END CAP	
8	DWG-1309	1	END CAP	
9	O-ring (17x2)	1	17 x 2 O型環	
10	SP-021	28	XERO FORZA 14Gx303mm	●
11	NP-019	28	NIPPLE 14Gx12L	●
12	RIM-610	1	XD-S25 29"xW25x28	

* all weights are approx.

Syncros Spark RC 900
Comp
S25B02-01









FRONT WHEEL （SPOKE TENSION）

Disc side: 100 ~ 130kgf (980 ~ 1274 N)
No disc side: 70 ~ 150kgf (686 ~ 1470 N)

FRONT WHEEL Weight:798g

1	CNC-F-0527	1	HUB SHELL	
2	AXLE-0404	1	ALLOY AXLE	●
3	SB-18307	2	SEAL BEARING 30x18x7	●
4	DWG-0850	1	END CAP	
5	SP-021	28	XERO FORZA 14Gx303mm	●
6	NP-019	28	NIPPLE 14Gx12L	●
7	RIM-610	1	XD-S25 29"xW25x28	

REAR WHEEL （SPOKE TENSION）

FH side: 110 ~ 145kgf (1078 ~ 1421 N)
Disc side: 80 ~ 165kgf (784 ~ 1618 N)

REAR WHEEL Weight:1055g

1	CNC-R-0599	1	HUB SHELL	
2	DWG-0753	1	21T Gear Ring	
3	SB-6903	2	HOPE 6903 (30x17x7)	●
4	AXLE-0459	1	15 x 1 O型環	●
5	FH-522	1	Sram Steel Free Hub	●
6	DWG-0131	1	Oil seal	
7	DWG-1000	1	END CAP	
8	DWG-1309	1	END CAP	
9	O-ring (17x2)	1	17 x 2 O型環	
10	SP-021	28	XERO FORZA 14Gx303mm	●
11	NP-019	28	NIPPLE 14Gx12L	●
12	RIM-610	1	XD-S25 29"xW25x28	


* all weights are approx.


SCOTT

Syncros Scale 915


S25C02-00

XERO









FRONT WHEEL （SPOKE TENSION）

Disc side: 100 ~ 130kgf (980 ~ 1274 N)
No disc side: 70 ~ 150kgf (686 ~ 1470 N)

FRONT WHEEL Weight:793g

1	CNC-F-0501	1	HUB SHELL	
2	AXLE-0435	1	ALLOY AXLE	●
3	SB-18307	2	SEAL BEARING 30x18x7	●
4	DWG-0849	1	END CAP	
5	DWG-0850	1	END CAP	
6	SP-021	28	XERO FORZA 14Gx304mm	●
7	NP-019	28	NIPPLE 14Gx12L	●
8	RIM-610	1	XD-S25 29"xW25x28	

REAR WHEEL （SPOKE TENSION）

FH side: 110 ~ 145kgf (1078 ~ 1421 N)
Disc side: 80 ~ 165kgf (784 ~ 1618 N)

REAR WHEEL Weight:1084g

1	CNC-R-0600	1	HUB SHELL	
2	DWG-0753	1	21T Gear Ring	
3	AXLE-0471	1	ALLOY AXLE	●
4	SB-6903	2	HOPE 6903 (30x17x7)	●
5	FH-501	1	SMN Steel Free Hub	●
6	DWG-1075	1	END CAP	
7	O-ring (15x1)	1	15 x 1 O型環	
8	DWG-0761	1	END CAP	
9	SP-021	28	XERO FORZA 14Gx304mm	●
10	NP-019	28	NIPPLE 14Gx12L	●
11	RIM-610	1	XD-S25 29"xW25x28	


* all weights are approx.


SCOTT

Syncros Spark 930


S25C02-01

XERO









FRONT WHEEL （SPOKE TENSION）

Disc side: 100 ~ 130kgf (980 ~ 1274 N)
No disc side: 70 ~ 150kgf (686 ~ 1470 N)

REAR WHEEL （SPOKE TENSION）

FH side: 110 ~ 145kgf (1078 ~ 1421 N)
Disc side: 80 ~ 165kgf (784 ~ 1618 N)

FRONT WHEEL Weight:793g

1	CNC-F-0501	1	HUB SHELL	
2	AXLE-0435	1	ALLOY AXLE	●
3	SB-18307	2	SEAL BEARING 30x18x7	●
4	DWG-0849	1	END CAP	
5	DWG-0850	1	END CAP	
6	SP-021	28	XERO FORZA 14Gx304mm	●
7	NP-019	28	NIPPLE 14Gx12L	●
8	RIM-610	1	XD-S25 29"xW25x28	

REAR WHEEL Weight:1084g

1	CNC-R-0600	1	HUB SHELL	
2	DWG-0753	1	21T Gear Ring	
3	AXLE-0471	1	ALLOY AXLE	●
4	SB-6903	2	HOPE 6903 (30x17x7)	●
5	FH-501	1	SMN Steel Free Hub	●
6	DWG-1075	1	END CAP	
7	O-ring (15x1)	1	15 x 1 O型環	
8	DWG-0761	1	END CAP	
9	SP-021	28	XERO FORZA 14Gx304mm	●
10	NP-019	28	NIPPLE 14Gx12L	●
11	RIM-610	1	XD-S25 29"xW25x28	


* all weights are approx.


SCOTT

Syncros Genius 720


S25C03-00

XERO









FRONT WHEEL （SPOKE TENSION）

Disc side: 100 ~ 130kgf (980 ~ 1274 N)
No disc side: 70 ~ 150kgf (686 ~ 1470 N)

FRONT WHEEL Weight:821g

1	CNC-F-0501	1	HUB SHELL	
2	AXLE-0435	1	ALLOY AXLE	●
3	SB-18307	2	SEAL BEARING 30x18x7	●
4	DWG-0849	1	END CAP	
5	DWG-0850	1	END CAP	
6	SP-021	28	XERO FORZA 14Gx285mm	●
7	NP-019	28	NIPPLE 14Gx12L	●
8	RIM-638	1	XD-S30 27.5"xW30x28	

REAR WHEEL （SPOKE TENSION）

FH side: 110 ~ 145kgf (1078 ~ 1421 N)
Disc side: 80 ~ 165kgf (784 ~ 1618 N)

REAR WHEEL Weight:990g

1	O-ring (15x1)	1	15 x 1 O型環	
2	DWG-0753	1	21T Gear Ring	
3	CNC-R-0600	1	HUB SHELL	
4	SB-6903	2	HOPE 6903 (30x17x7)	●
5	FH-522	1	Sram Steel Free Hub	●
6	AXLE-0471	1	ALLOY AXLE	●
7	DWG-1075	1	END CAP	
8	DWG-1000	1	END CAP	
9	SP-021	28	XERO FORZA 14Gx285mm	●
10	NP-019	28	NIPPLE 14Gx12L	●
11	RIM-638	1	XD-S30 27.5"xW30x28	


* all weights are approx.


SCOTT

Syncros Genius 720


S25C03-01

XERO









FRONT WHEEL （SPOKE TENSION）

Disc side: 100 ~ 130kgf (980 ~ 1274 N)
No disc side: 70 ~ 150kgf (686 ~ 1470 N)

FRONT WHEEL Weight:821g

1	CNC-F-0501	1	HUB SHELL	
2	AXLE-0435	1	ALLOY AXLE	●
3	SB-18307	2	SEAL BEARING 30x18x7	●
4	DWG-0849	1	END CAP	
5	DWG-0850	1	END CAP	
6	SP-021	28	XERO FORZA 14Gx285mm	●
7	NP-019	28	NIPPLE 14Gx12L	●
8	RIM-638	1	XD-S30 27.5"xW30x28	

REAR WHEEL （SPOKE TENSION）

FH side: 110 ~ 145kgf (1078 ~ 1421 N)
Disc side: 80 ~ 165kgf (784 ~ 1618 N)

REAR WHEEL Weight:990g

1	O-ring (15x1)	1	15 x 1 O型環	
2	DWG-0753	1	21T Gear Ring	
3	CNC-R-0600	1	HUB SHELL	
4	SB-6903	2	HOPE 6903 (30x17x7)	●
5	FH-522	1	Sram Steel Free Hub	●
6	AXLE-0471	1	ALLOY AXLE	●
7	DWG-1075	1	END CAP	
8	DWG-1000	1	END CAP	
9	SP-021	28	XERO FORZA 14Gx285mm	●
10	NP-019	28	NIPPLE 14Gx12L	●
11	RIM-638	1	XD-S30 27.5"xW30x28	


* all weights are approx.


SCOTT

Syncros Spark 920


S25C05-00

XERO









FRONT WHEEL （SPOKE TENSION）

Disc side: 100 ~ 130kgf (980 ~ 1274 N)
No disc side: 70 ~ 150kgf (686 ~ 1470 N)

REAR WHEEL （SPOKE TENSION）

FH side: 110 ~ 145kgf (1078 ~ 1421 N)
Disc side: 80 ~ 165kgf (784 ~ 1618 N)

FRONT WHEEL Weight:872g

1	CNC-F-0501	1	HUB SHELL	
2	AXLE-0435	1	ALLOY AXLE	●
3	SB-18307	2	SEAL BEARING 30x18x7	●
4	DWG-0849	1	END CAP	
5	DWG-0850	1	END CAP	
6	SP-021	28	XERO FORZA 14Gx304mm	●
7	NP-019	28	NIPPLE 14Gx12L	●
8	RIM-610	1	XD-S25 29"xW25x28	

REAR WHEEL Weight:1005g

1	O-ring (15x1)	1	15 x 1 O型環	
2	DWG-0753	1	21T Gear Ring	
3	CNC-R-0600	1	HUB SHELL	
4	SB-6903	2	HOPE 6903 (30x17x7)	●
5	FH-522	1	Sram Steel Free Hub	●
6	AXLE-0471	1	ALLOY AXLE	●
7	DWG-1075	1	END CAP	
8	DWG-1000	1	END CAP	
9	SP-021	28	XERO FORZA 14Gx304mm	●
10	NP-019	28	NIPPLE 14Gx12L	●
11	RIM-610	1	XD-S25 29"xW25x28	


* all weights are approx.


SCOTT

Syncros Contessa Spark 910


S25C05-02

XERO









FRONT WHEEL （SPOKE TENSION）

Disc side: 100 ~ 130kgf (980 ~ 1274 N)
No disc side: 70 ~ 150kgf (686 ~ 1470 N)

FRONT WHEEL Weight:872g

1	CNC-F-0501	1	HUB SHELL	
2	AXLE-0435	1	ALLOY AXLE	●
3	SB-18307	2	SEAL BEARING 30x18x7	●
4	DWG-0849	1	END CAP	
5	DWG-0850	1	END CAP	
6	SP-021	28	XERO FORZA 14Gx304mm	●
7	NP-019	28	NIPPLE 14Gx12L	●
8	RIM-610	1	XD-S25 29"xW25x28	

REAR WHEEL （SPOKE TENSION）

FH side: 110 ~ 145kgf (1078 ~ 1421 N)
Disc side: 80 ~ 165kgf (784 ~ 1618 N)

REAR WHEEL Weight:1005g


1	O-ring (15x1)	1	15 x 1 O型環	
2	DWG-0753	1	21T Gear Ring	
3	CNC-R-0600	1	HUB SHELL	
4	SB-6903	2	HOPE 6903 (30x17x7)	●
5	FH-522	1	Sram Steel Free Hub	●
6	AXLE-0471	1	ALLOY AXLE	●
7	DWG-1075	1	END CAP	
8	DWG-1000	1	END CAP	
9	SP-021	28	XERO FORZA 14Gx304mm	●
10	NP-019	28	NIPPLE 14Gx12L	●
11	RIM-610	1	XD-S25 29"xW25x28	


* all weights are approx.

SCOTT


Syncros GENIUS 700 Bike Genius 730
S25C06-00

XERO









FRONT WHEEL （SPOKE TENSION）

Disc side: 100 ~ 130kgf (980 ~ 1274 N)
No disc side: 70 ~ 150kgf (686 ~ 1470 N)

FRONT WHEEL Weight:821g

1	CNC-F-0501	1	HUB SHELL	
2	AXLE-0435	1	ALLOY AXLE	●
3	SB-18307	2	SEAL BEARING 30x18x7	●
4	DWG-0849	1	END CAP	
5	DWG-0850	1	END CAP	
6	SP-021	28	XERO FORZA 14Gx285mm	●
7	NP-019	28	NIPPLE 14Gx12L	●
8	RIM-638	1	XD-S30 27.5"xW30x28	

REAR WHEEL （SPOKE TENSION）

FH side: 110 ~ 145kgf (1078 ~ 1421 N)
Disc side: 80 ~ 165kgf (784 ~ 1618 N)

REAR WHEEL Weight:1024g


1	CNC-R-0600	1	HUB SHELL	
2	DWG-0753	1	21T Gear Ring	
3	AXLE-0471	1	ALLOY AXLE	●
4	SB-6903	2	HOPE 6903 (30x17x7)	●
5	FH-501	1	SMN Steel Free Hub	●
6	DWG-1075	1	END CAP	
7	O-ring (15x1)	1	15 x 1 O型環	
8	DWG-0761	1	END CAP	
9	SP-021	28	XERO FORZA 14Gx285mm	●
10	NP-019	28	NIPPLE 14Gx12L	●
11	RIM-638	1	XD-S30 27.5"xW30x28	


* all weights are approx.

SCOTT


Syncros Contessa Genius 720
S25C06-01

XERO









FRONT WHEEL （SPOKE TENSION）

Disc side: 100 ~ 130kgf (980 ~ 1274 N)
No disc side: 70 ~ 150kgf (686 ~ 1470 N)

FRONT WHEEL Weight:821g

1	CNC-F-0501	1	HUB SHELL	
2	AXLE-0435	1	ALLOY AXLE	●
3	SB-18307	2	SEAL BEARING 30x18x7	●
4	DWG-0849	1	END CAP	
5	DWG-0850	1	END CAP	
6	SP-021	28	XERO FORZA 14Gx285mm	●
7	NP-019	28	NIPPLE 14Gx12L	●
8	RIM-638	1	XD-S30 27.5"xW30x28	

REAR WHEEL （SPOKE TENSION）

FH side: 110 ~ 145kgf (1078 ~ 1421 N)
Disc side: 80 ~ 165kgf (784 ~ 1618 N)

REAR WHEEL Weight:1024g


1	CNC-R-0600	1	HUB SHELL	
2	DWG-0753	1	21T Gear Ring	
3	AXLE-0471	1	ALLOY AXLE	●
4	SB-6903	2	HOPE 6903 (30x17x7)	●
5	FH-501	1	SMN Steel Free Hub	●
6	DWG-1075	1	END CAP	
7	O-ring (15x1)	1	15 x 1 O型環	
8	DWG-0761	1	END CAP	
9	SP-021	28	XERO FORZA 14Gx285mm	●
10	NP-019	28	NIPPLE 14Gx12L	●
11	RIM-638	1	XD-S30 27.5"xW30x28	


* all weights are approx.

SCOTT


Syncros GENIUS 900 Bike Genius 930
S25C07-00

XERO









FRONT WHEEL （SPOKE TENSION）

Disc side: 100 ~ 130kgf (980 ~ 1274 N)
No disc side: 70 ~ 150kgf (686 ~ 1470 N)

FRONT WHEEL Weight:871g

1	CNC-F-0501	1	HUB SHELL	
2	AXLE-0435	1	ALLOY AXLE	●
3	SB-18307	2	SEAL BEARING 30x18x7	●
4	DWG-0849	1	END CAP	
5	DWG-0850	1	END CAP	
6	SP-021	28	XERO FORZA 14Gx305mm	●
7	NP-019	28	NIPPLE 14Gx12L	●
8	RIM-640	1	XD-S30 29"xW30x28	

REAR WHEEL （SPOKE TENSION）

FH side: 110 ~ 145kgf (1078 ~ 1421 N)
Disc side: 80 ~ 165kgf (784 ~ 1618 N)

REAR WHEEL Weight:1012g


1	CNC-R-0600	1	HUB SHELL	
2	DWG-0753	1	21T Gear Ring	
3	AXLE-0471	1	ALLOY AXLE	●
4	SB-6903	2	HOPE 6903 (30x17x7)	●
5	FH-501	1	SMN Steel Free Hub	●
6	DWG-1075	1	END CAP	
7	O-ring (15x1)	1	15 x 1 O型環	
8	DWG-0761	1	END CAP	
9	SP-021	28	XERO FORZA 14Gx305mm	●
10	NP-019	28	NIPPLE 14Gx12L	●
11	RIM-640	1	XD-S30 29"xW30x28	


* all weights are approx.

SCOTT


ADDICT CX RC DISC
S53C03-05

XERO









FRONT WHEEL （SPOKE TENSION）

Disc side: 100 ~ 125kgf (980 ~ 1225 N)
No disc side: 75 ~ 125kgf (735 ~ 1225 N)

REAR WHEEL （SPOKE TENSION）

FH side: 110 ~ 135kgf (1078 ~ 1323 N)
Disc side: 55 ~ 100kgf (539 ~ 980 N)

FRONT WHEEL Weight:795g

1	CNC-F-0510	1	HUB SHELL	
2	AXLE-0452	1	ALLOY AXLE	●
3	SB-18307	2	SEAL BEARING 30x18x7	●
4	O-ring (15x1)	2	15 x 1 O型環	
5	DWG-1085	1	END CAP	
6	DWG-1084	1	END CAP	
7	SP-089	28	XERO GRAND STRADA 14/15Gx300mm	●
8	NP-016	28	DT NIPPLE 14Gx12L	●
9	RIM-598	1	XRD-824 700CxW19x28	

REAR WHEEL Weight:929g


1	CNC-R-0520	1	HUB SHELL	
2	DWG-0753	1	21T Gear Ring	
3	O-ring (15x1)	1	15 x 1 O型環	
4	SB-6903	2	HOPE 6903 (30x17x7)	●
5	FH-536	1	SHIMANO 11S	●
6	AXLE-0447	1	ALLOY AXLE	●
7	DWG-1075	1	END CAP	
8	DWG-0910	1	END CAP	
9	SP-089	28	XERO GRAND STRADA 14/15Gx301mm	●
10	NP-016	28	DT NIPPLE 14Gx12L	●
11	RIM-598	1	XRD-824 700CxW19x28	●
12	ATN-137	1	8/9/10 WASH CP	●


* all weights are approx.


SCOTT


ADDICT RC 15 DISC
S53C03-06

XERO









FRONT WHEEL （SPOKE TENSION）

Disc side: 100 ~ 125kgf (980 ~ 1225 N)
No disc side: 75 ~ 125kgf (735 ~ 1225 N)

REAR WHEEL （SPOKE TENSION）

FH side: 110 ~ 135kgf (1078 ~ 1323 N)
Disc side: 55 ~ 100kgf (539 ~ 980 N)

FRONT WHEEL Weight:795g

1	CNC-F-0448	1	HUB SHELL	
2	AXLE-0452	1	ALLOY AXLE	●
3	SB-18307	2	SEAL BEARING 30x18x7	●
4	O-ring (15x1)	2	15 x 1 O型環	
5	DWG-1085	1	END CAP	
6	DWG-1084	1	END CAP	
7	SP-089	28	XERO GRAND STRADA 14/15Gx301mm	●
8	NP-016	28	DT NIPPLE 14Gx12L	●
9	RIM-598	1	XRD-824 700CxW19x28	

REAR WHEEL Weight:929g

1	CNC-R-0520	1	HUB SHELL	
2	DWG-0753	1	21T Gear Ring	
3	O-ring (15x1)	1	15 x 1 O型環	
4	SB-6903	2	HOPE 6903 (30x17x7)	●
5	FH-536	1	SHIMANO 11S	●
6	AXLE-0447	1	ALLOY AXLE	●
7	DWG-1075	1	END CAP	
8	DWG-0910	1	END CAP	
9	SP-089	28	XERO GRAND STRADA 14/15Gx301mm	●
10	NP-016	28	DT NIPPLE 14Gx12L	●
11	RIM-598	1	XRD-824 700CxW19x28	●
12	ATN-137	1	8/9/10 WASH CP	●


* all weights are approx.


SCOTT


ADDICT RC 20 DISC / ADDICT 20 DISC
S53C03-07

XERO









FRONT WHEEL （SPOKE TENSION）

Disc side: 100 ~ 125kgf (980 ~ 1225 N)
No disc side: 75 ~ 125kgf (735 ~ 1225 N)

FRONT WHEEL Weight:795g

1	CNC-F-0448	1	HUB SHELL	
2	AXLE-0452	1	ALLOY AXLE	●
3	SB-18307	2	SEAL BEARING 30x18x7	●
4	O-ring (15x1)	2	15 x 1 O型環	
5	DWG-1085	1	END CAP	
6	DWG-1084	1	END CAP	
7	SP-089	28	XERO GRAND STRADA 14/15Gx301mm	●
8	NP-016	28	DT NIPPLE 14Gx12L	●
9	RIM-598	1	XRD-824 700CxW19x28	

REAR WHEEL （SPOKE TENSION）

FH side: 110 ~ 135kgf (1078 ~ 1323 N)
Disc side: 55 ~ 100kgf (539 ~ 980 N)

REAR WHEEL Weight:929g


1	CNC-R-0520	1	HUB SHELL	
2	DWG-0753	1	21T Gear Ring	
3	O-ring (15x1)	1	15 x 1 O型環	
4	SB-6903	2	HOPE 6903 (30x17x7)	●
5	FH-536	1	SHIMANO 11S	●
6	AXLE-0447	1	ALLOY AXLE	●
7	DWG-1075	1	END CAP	
8	DWG-0910	1	END CAP	
9	SP-089	28	XERO GRAND STRADA 14/15Gx301mm	●
10	NP-016	28	DT NIPPLE 14Gx12L	●
11	RIM-598	1	XRD-824 700CxW19x28	●
12	ATN-137	1	8/9/10 WASH CP	●


* all weights are approx.


SCOTT


ADDICT GRAVEL 30 DISC
S53C03-09

XERO









FRONT WHEEL （SPOKE TENSION）

Disc side: 100 ~ 125kgf (980 ~ 1225 N)
No disc side: 75 ~ 125kgf (735 ~ 1225 N)

REAR WHEEL （SPOKE TENSION）

FH side: 110 ~ 135kgf (1078 ~ 1323 N)
Disc side: 55 ~ 100kgf (539 ~ 980 N)

FRONT WHEEL Weight:795g

1	CNC-F-0448	1	HUB SHELL	
2	AXLE-0452	1	ALLOY AXLE	●
3	SB-18307	2	SEAL BEARING 30x18x7	●
4	O-ring (15x1)	2	15 x 1 O型環	
5	DWG-1085	1	END CAP	
6	DWG-1084	1	END CAP	
7	SP-089	28	XERO GRAND STRADA 14/15Gx301mm	●
8	NP-016	28	DT NIPPLE 14Gx12L	●
9	RIM-598	1	XRD-824 700CxW19x28	

REAR WHEEL Weight:929g


1	CNC-R-0520	1	HUB SHELL	
2	DWG-0753	1	21T Gear Ring	
3	O-ring (15x1)	1	15 x 1 O型環	
4	SB-6903	2	HOPE 6903 (30x17x7)	●
5	FH-536	1	SHIMANO 11S	●
6	AXLE-0447	1	ALLOY AXLE	●
7	DWG-1075	1	END CAP	
8	DWG-0910	1	END CAP	
9	SP-089	28	XERO GRAND STRADA 14/15Gx301mm	●
10	NP-016	28	DT NIPPLE 14Gx12L	●
11	RIM-598	1	XRD-824 700CxW19x28	●
12	ATN-137	1	8/9/10 WASH CP	●


* all weights are approx.


SCOTT


ADDICT GRAVEL 20 DISC
S53C03-10

XERO









FRONT WHEEL （SPOKE TENSION）

Disc side: 100 ~ 125kgf (980 ~ 1225 N)
No disc side: 75 ~ 125kgf (735 ~ 1225 N)

REAR WHEEL （SPOKE TENSION）

FH side: 110 ~ 135kgf (1078 ~ 1323 N)
Disc side: 55 ~ 100kgf (539 ~ 980 N)

FRONT WHEEL Weight:795g

1	CNC-F-0448	1	HUB SHELL	
2	AXLE-0452	1	ALLOY AXLE	●
3	SB-18307	2	SEAL BEARING 30x18x7	●
4	O-ring (15x1)	2	15 x 1 O型環	
5	DWG-1085	1	END CAP	
6	DWG-1084	1	END CAP	
7	SP-089	28	XERO GRAND STRADA 14/15Gx301mm	●
8	NP-016	28	DT NIPPLE 14Gx12L	●
9	RIM-598	1	XRD-824 700CxW19x28	

REAR WHEEL Weight:929g


1	CNC-R-0520	1	HUB SHELL	
2	DWG-0753	1	21T Gear Ring	
3	O-ring (15x1)	1	15 x 1 O型環	
4	SB-6903	2	HOPE 6903 (30x17x7)	●
5	FH-536	1	SHIMANO 11S	●
6	AXLE-0447	1	ALLOY AXLE	●
7	DWG-1075	1	END CAP	
8	DWG-0910	1	END CAP	
9	SP-089	28	XERO GRAND STRADA 14/15Gx301mm	●
10	NP-016	28	DT NIPPLE 14Gx12L	●
11	RIM-598	1	XRD-824 700CxW19x28	●
12	ATN-137	1	8/9/10 WASH CP	●


* all weights are approx.


SCOTT


CONTESSA ADDICT 15 DISC
S53C03-11

XERO









FRONT WHEEL （SPOKE TENSION）

Disc side: 100 ~ 125kgf (980 ~ 1225 N)
No disc side: 75 ~ 125kgf (735 ~ 1225 N)

REAR WHEEL （SPOKE TENSION）

FH side: 110 ~ 135kgf (1078 ~ 1323 N)
Disc side: 55 ~ 100kgf (539 ~ 980 N)

FRONT WHEEL Weight:795g

1	CNC-F-0448	1	HUB SHELL	
2	AXLE-0452	1	ALLOY AXLE	●
3	SB-18307	2	SEAL BEARING 30x18x7	●
4	O-ring (15x1)	2	15 x 1 O型環	
5	DWG-1085	1	END CAP	
6	DWG-1084	1	END CAP	
7	SP-089	28	XERO GRAND STRADA 14/15Gx301mm	●
8	NP-016	28	DT NIPPLE 14Gx12L	●
9	RIM-598	1	XRD-824 700CxW19x28	

REAR WHEEL Weight:929g


1	CNC-R-0520	1	HUB SHELL	
2	DWG-0753	1	21T Gear Ring	
3	O-ring (15x1)	1	15 x 1 O型環	
4	SB-6903	2	HOPE 6903 (30x17x7)	●
5	FH-536	1	SHIMANO 11S	●
6	AXLE-0447	1	ALLOY AXLE	●
7	DWG-1075	1	END CAP	
8	DWG-0910	1	END CAP	
9	SP-089	28	XERO GRAND STRADA 14/15Gx301mm	●
10	NP-016	28	DT NIPPLE 14Gx12L	●
11	RIM-598	1	XRD-824 700CxW19x28	●
12	ATN-137	1	8/9/10 WASH CP	●


* all weights are approx.


SCOTT


CONTESSA ADDICT 25 DISC
S53C03-12

XERO









FRONT WHEEL （SPOKE TENSION）

Disc side: 100 ~ 125kgf (980 ~ 1225 N)
No disc side: 75 ~ 125kgf (735 ~ 1225 N)

REAR WHEEL （SPOKE TENSION）

FH side: 110 ~ 135kgf (1078 ~ 1323 N)
Disc side: 55 ~ 100kgf (539 ~ 980 N)

FRONT WHEEL Weight:795g

1	CNC-F-0448	1	HUB SHELL	
2	AXLE-0452	1	ALLOY AXLE	●
3	SB-18307	2	SEAL BEARING 30x18x7	●
4	O-ring (15x1)	2	15 x 1 O型環	
5	DWG-1085	1	END CAP	
6	DWG-1084	1	END CAP	
7	SP-089	28	XERO GRAND STRADA 14/15Gx301mm	●
8	NP-016	28	DT NIPPLE 14Gx12L	●
9	RIM-598	1	XRD-824 700CxW19x28	

REAR WHEEL Weight:929g


1	CNC-R-0520	1	HUB SHELL	
2	DWG-0753	1	21T Gear Ring	
3	O-ring (15x1)	1	15 x 1 O型環	
4	SB-6903	2	HOPE 6903 (30x17x7)	●
5	FH-536	1	SHIMANO 11S	●
6	AXLE-0447	1	ALLOY AXLE	●
7	DWG-1075	1	END CAP	
8	DWG-0910	1	END CAP	
9	SP-089	28	XERO GRAND STRADA 14/15Gx301mm	●
10	NP-016	28	DT NIPPLE 14Gx12L	●
11	RIM-598	1	XRD-824 700CxW19x28	●
12	ATN-137	1	8/9/10 WASH CP	●


* all weights are approx.


SCOTT


FOIL 10 DISC / FOIL 20 DISC
S50C02-00

XERO









FRONT WHEEL （SPOKE TENSION）

Disc side: 100 ~ 125kgf (980 ~ 1225 N)
No disc side: 75 ~ 125kgf (735 ~ 1225 N)

REAR WHEEL （SPOKE TENSION）

FH side: 110 ~ 135kgf (1078 ~ 1323 N)
Disc side: 55 ~ 100kgf (539 ~ 980 N)

FRONT WHEEL Weight:794g

1	CNC-F-0448	1	HUB SHELL	
2	AXLE-0452	1	ALLOY AXLE	●
3	SB-18307	2	SEAL BEARING 30x18x7	●
4	O-ring (15x1)	2	15 x 1 O型環	
5	DWG-1085	1	END CAP	
6	DWG-1084	1	END CAP	
7	SP-089	28	XERO GRAND STRADA 14/15Gx297mm	●
8	NP-016	28	DT NIPPLE 14Gx12L	●
9	RIM-651	1	XRD-827 700CxW19x28	

REAR WHEEL Weight:930g


1	CNC-R-0520	1	HUB SHELL	
2	DWG-0753	1	21T Gear Ring	
3	O-ring (15x1)	1	15 x 1 O型環	
4	SB-6903	2	HOPE 6903 (30x17x7)	●
5	FH-536	1	SHIMANO 11S	●
6	AXLE-0447	1	ALLOY AXLE	●
7	DWG-1075	1	END CAP	
8	DWG-0910	1	END CAP	
9	SP-089	28	XERO GRAND STRADA 14/15Gx297mm	●
10	NP-016	28	DT NIPPLE 14Gx12L	●
11	RIM-651	1	XRD-827 700CxW19x28	●
12	ATN-137	1	8/9/10 WASH CP	●


* all weights are approx.

SCOTT


ADDICT RC 20
S52C02-04

XERO









FRONT WHEEL（SPOKE TENSION）

Disc side: 100 ~ 125kgf (980 ~ 1225 N)
No disc side: 100 ~ 125kgf (980 ~ 1225 N)

FRONT WHEEL Weight:725g

1	SP-091	18	XERO GRAND STRADA 14/18Gx287mm	●

REAR WHEEL（SPOKE TENSION）

FH side: 110 ~ 135kgf (1078 ~ 1323 N)
Disc side: 40 ~ 75kgf (392 ~ 735 N)

REAR WHEEL Weight:918g


1	SP-091	12 12	XERO GRAND STRADA 14/18Gx287mm 14/18Gx297mm	●


* all weights are approx.


SCOTT


ADDICT 10
S52C02-05

XERO









FRONT WHEEL （SPOKE TENSION）

Disc side: 100 ~ 125kgf (980 ~ 1225 N)
No disc side: 100 ~ 125kgf (980 ~ 1225 N)

REAR WHEEL （SPOKE TENSION）

FH side: 110 ~ 135kgf (1078 ~ 1323 N)
Disc side: 40 ~ 75kgf (392 ~ 735 N)

FRONT WHEEL Weight:725g

1	CNC-F-0561	1	HUB SHELL	
2	AXLE-0261	1	ALLOY AXLE	●
3	SB-6000	2	TPI 26x10x8	●
4	DWG-0467	2	END CAP	
5	DWG-0230	2	Steel CP ring	
6	SP-091	18	XERO GRAND STRADA 14/18Gx287mm	●
7	NP-016	18	DT NIPPLE 14Gx12L	●
8	RIM-658	1	XR-201 Eyelet 700CxW19x18	
9	QR-55	1	No Logo M5x114 A01	

REAR WHEEL Weight:918g


1	AXLE-0334	1	ALLOY AXLE	●
2	FH-210	1	SHIMANO 11S	●
3	SB-6901	2	HOPE 24x12x6	●
4	DWG-0206A	1	ALLOY SPACER	●
5	DWG-0168	1	Special gasket	
6	DWG-0154	1	15T Gear Ring	
7	DWG-0164	1	SEAL	
8	DWG-0034A	1	SEAL	●
9	DWG-0221	1	END CAP	
10	DWG-0059	1	Steel CP ring	
11	DWG-0230	1	Steel CP ring	
12	DWG-0482	1	END CAP	
13	CNC-R-0641	1	HUB SHELL	
14	SP-091	12 12	XERO GRAND STRADA 14/18Gx287mm 14/18Gx297mm	●
15	NP-016	24	DT NIPPLE 14Gx12L	●
16	RIM-659	1	XR-201 Eyelet 700CxW19x24	
17	QR-55	1	No Logo M5x148 A01	
18	ATN-137	1	8/9/10 WASH CP	●


* all weights are approx.


SCOTT


FOIL 10 / FOIL 20 / FOIL 30
S60R01-01

XERO









FRONT WHEEL （SPOKE TENSION）

Disc side: 100 ~ 125kgf (980 ~ 1225 N)
No disc side: 100 ~ 125kgf (980 ~ 1225 N)

REAR WHEEL （SPOKE TENSION）

FH side: 110 ~ 135kgf (1078 ~ 1323 N)
Disc side: 40 ~ 75kgf (392 ~ 735 N)

FRONT WHEEL Weight:752g

1	CNC-F-0561	1	HUB SHELL	
2	AXLE-0261	1	ALLOY AXLE	●
3	SB-6000	2	TPI 26x10x8	●
4	DWG-0467	2	END CAP	
5	DWG-0230	2	Steel CP ring	
6	SP-091	18	XERO GRAND STRADA 14/18Gx280mm	●
7	NP-016	18	DT NIPPLE 14Gx12L	●
8	RIM-482	1	XR-272 700CxW19x18	
9	QR-55	1	No Logo M5x114 A01	

REAR WHEEL Weight:927g

1	AXLE-0334	1	ALLOY AXLE	●
2	FH-210	1	SHIMANO 11S	●
3	SB-6901	2	HOPE 24x12x6	●
4	DWG-0206A	1	ALLOY SPACER	●
5	DWG-0168	1	Special gasket	
6	DWG-0154	1	15T Gear Ring	
7	DWG-0164	1	SEAL	
8	DWG-0034A	1	SEAL	●
9	DWG-0221	1	END CAP	
10	DWG-0059	1	Steel CP ring	
11	DWG-0230	1	Steel CP ring	
12	DWG-0482	1	END CAP	
13	CNC-R-0641	1	HUB SHELL	
14	SP-091	12 12	XERO GRAND STRADA 14/18Gx280mm 14/18Gx290mm	●
15	NP-016	24	DT NIPPLE 14Gx12L	●
16	RIM-483	1	XR-272 700CxW19x24	
17	QR-55	1	No Logo M5x148 A01	
18	ATN-137	1	8/9/10 WASH CP	●

* all weights are approx.

SEATPOST

DROPPER POST MANUAL

INTRODUCTION

The Syncros Dropper Post – the adjustable seatpost ICR (Internal Cable Routing) Version – allows riders to freely and easily adjust the saddle height without tools. The remote lever and MICRO adjustment offer quick and safe seat positioning with reliable and robust technology – with virtually No Play! Unique, elegant and an easy to assemble head design. Please carefully read these instructions thoroughly before installing and operating the seatpost and keep this manual for future reference.

CONTENTS



1. Dropper seatpost
2. Cable housing
3. Cable
4. Clamp lever
5. Rotary ferrules
6. Nut and screw set
7. Protectioncap(optional)

INSTALLATION

- Ensure the post outer diameter conforms to the inner diameter of the seat tube of your frame.
- Please plan the cable routing on the bike first to ensure the correct length of cable and cable housing you need.
- You need a suitable frame with an 8mm hole to allow the inner cable to run through.
- Install your saddle on the clamp head with a 5mm hex wrench to tighten at a torque of 8-10Nm.
- Insert the post into the frame and ensure the post's minimum length is inserted into the bike frame, tighten the seatclamp according to the manufacturer's recommended torque with a maximum torque of 7Nm.



Cable assembly process (Standard lever):



1. Insert the cable through hole at the lever.



2. Pull until the end of the cable stops inside the lever.




3. Assemble the rotary ferrules with the cable.



4. Insert the cable into the cable housing.



5. Pull through the cable until the rotary ferrules connect to the clamp lever.



6. Assemble the nut and screw set with the cable; measure the length of the cable 18-19mm from the cable cap to the end of cable, leave about 1mm end of cable, then screw the nut with a 2mm allen key.

⚠ WARNING

If there is a protection cap included with the post, please skip step 6 and continue to step 7 without the nut and screw installed to the cable, and then refer to Protection cap installation.

7. The dropper post uses internal cable routing and is designed to be compatible with bicycle frames that provide for such cable routing.



⚠ WARNING


DO NOT DRILL OR MODIFY YOUR FRAME IN ANY WAY.

Doing so will void the warranty. Modification of your frame in any way may result in frame failure which could result in injury or death.





8. Run the cable through the hole in your frame.





9. Fix the nut and screw set to the pull rod, as shown above.





10. Pull the rod and insert the cable through the gap, fix the cable housing at the bottom recess part.





11. Insert the post into the seat tube and adjust to the appropriate height, tighten the frame/seat collar to the recommended torque.






12. Use a 3mm hex allen key to fit the clamp lever to the handlebar.


Adjusting the return speed:

Syncros Dropper Posts are all preset with the suitable air pressure for optimal return speed, however air pressure checks and adjustments may be required from time to time.

Please note that you will need a high pressure pump to perform the following operations to adjust the air pressure:



1. Disassemble all of the clamps from the top head of the post.



2. Use a compatible shock pump and adjust to your desired pressure.


⚠ WARNING

Recommended operating pressure is 230-250psi. **DO NOT exceed 250psi.**

Protection cap installation (only when included):



1. Run the cable through the protection cap.



2. Assemble the nut and screw set with the cable; measure the length of the cable 18-19mm from the cable cap to the end of cable, leave about 1mm end of cable, then screw the nut with a 2mm allen key.



3. Fix the nut and screw set to the pull rod.



4. Fix the protection cap to the bottom of the post, then follow steps 11–12 to finish the assembly.

OPERATION

To lower seat post: Press and hold the lever, un-weight seat, then push down or sit on the saddle to the desired height, then release the lever immediately.

To raise seat post: Remove weight from the saddle, press and hold the lever until the desired height is achieved, then release the lever.

Notes:
If the seat post is lifted while in the lowered position, the inner tube will extend from the outer tube. This is normal and it will return to the proper position once weight is applied to the saddle. Picking up the bike by the saddle can also cause a temporary "spongy" feel.

MAINTENANCE

Routine maintenance of the post will provide years of trouble-free performance. Before every ride, clean the exposed part of the post with a cloth.

⚠ WARNING

- Incorrect seat post size can result in post slippage or failure causing serious personal injury or death.
- Pressing the lever downward when the post is in the down position will cause it to rise up quickly.
- Do not operate until the saddle is installed on the seat post and the post is installed in the bike. Always ensure nothing obstructs the post as it goes from the DOWN to the UP position. This can cause serious injury.
- Do not adjust the height of the post while riding as it may result in loss of control.
- Clean any mud, dirt, or water as soon as possible. When storing for extended periods, keep post in the UP position.
- Do not disassemble or cut the seat post. This could cause severe personal injury and void the warranty.
- Do not loosen the main cap. Ensure the main cap is fully tightened at all times.
- Always use the lower torque recommended by the manufacturer when installing this seat post.
- If you are not an experienced bicycle mechanic or do not have the correct tools for this installation, please take the seat post and instructions to your local bike shop for a professional installation.


WARRANTY


This seatpost is warranted for a period of 2 years from the date of manufacture against defects in workmanship. The warranty is expressly limited to the repair or replacement of the defective part at Syncros's option and is the sole remedy of the warranty. The warranty applies only to the original owner and is not transferrable. Proof of purchase is required to validate warranty eligibility. The warranty does not cover normal wear and tear, routine maintenance, improper installation or improper use of the seat post. Modification of the post in any manner shall void the warranty. Syncros shall not be responsible for incidental or individual costs incurred that are not covered by this warranty. The user assumes the risk of any personal injury or property damage, including damage to the seatpost and any other losses, if the seatpost is modified or improperly used at any time. This warranty gives the consumer specific legal rights which vary from country to country.

SYNCROS 2.0 DROPPER SEATPOST SERVICE MANUAL

DISASSEMBLY PROCEDURE

Step 1





Tools:




Wrench


JD-YSP12 Cartridge replacement - Disassembly procedure

Step 2

Case 1



Case 2



Tools:




2mm Allen Key

JD-YSP12 Cartridge replacement - Disassembly procedure


Step 3






JD-YSP12 Cartridge replacement - Disassembly procedure


Step 4






JD-YSP12 Cartridge replacement - Disassembly procedure

Step 5






Tools:




5 mm Allen Key

JD-YSP12 Cartridge replacement - Disassembly procedure

Step 6



Clamp on cartridge





Tools:



Wrench



10mm Allen Key Socket




Plier




Cloth

JD-YSP12 Cartridge replacement - Disassembly procedure

Step 7






- Done -

JD-YSP12 Cartridge replacement - Disassembly procedure

ASSEMBLY PROCEDURE


Step 1





JD-YSP12 Cartridge replacement - Assembly procedure

Step 2



Warning! Screw the nut until the end of the thread, **BUT DO NOT** fix it at this step.



Warning! DO NOT use plier at this step, grab the shaft with hand and fix the nut with torque 4N.M/40kgf-cm

Tools:



Torque wrench



10mm Allen Key Socket




Plier



Cloth

JD-YSP12 Cartridge replacement - Assembly procedure


Step 3






JD-YSP12 Cartridge replacement - Assembly procedure

Step 4



JD-YSP12 Cartridge replacement - Assembly procedure

Step 5



1.5N.M/15kgf-cm


Tools:



2mm Allen Key

JD-YSP12 Cartridge replacement - Assembly procedure

Step 6






Tools:




5 mm Allen Key

JD-YSP12 Cartridge replacement - Assembly procedure

Step 7





8N.M/80kgf-cm



JD-YSP12 Cartridge replacement - Assembly procedure

Step 8






Tools:



5 mm Allen Key


JD-YSP12 Cartridge replacement - Assembly procedure

Step 9











Tools:




2 & 3 mm Allen Keys


Step 10





Step 11







- Done -

SYNCROS 2.5 DROPPER SEATPOST SERVICE MANUAL

DISASSEMBLY PROCEDURE

Step 1





Tools:




Wrench


JD-YSP15 Cartridge replacement - Disassembly procedure

Step 2

Case 1



Case 2



Tools:




2mm Allen Key

JD-YSP15 Cartridge replacement - Disassembly procedure


Step 3






JD-YSP15 Cartridge replacement - Disassembly procedure

Step 4



JD-YSP15 Cartridge replacement - Disassembly procedure

Step 5




Tools:



5 mm Allen Key

JD-YSP15 Cartridge replacement - Disassembly procedure

Step 6



Tools:



3 mm Allen Key

JD-YSP15 Cartridge replacement - Disassembly procedure

Step 7






- Done -

JD-YSP15 Cartridge replacement - Disassembly procedure

ASSEMBLY PROCEDURE


Step 1






JD-YSP15 Cartridge replacement - Assembly procedure

Step 2





Tools:




3 mm Allen Key



M5x10mm


JD-YSP15 Cartridge replacement - Assembly procedure

Step 3




JD-YSP15 Cartridge replacement - Assembly procedure

Step 4



JD-YSP15 Cartridge replacement - Assembly procedure

Step 5



1.5N.M/15kgf-cm


Tools:




2mm Allen Key

JD-YSP15 Cartridge replacement - Assembly procedure

Step 6





8N.M/80kgf-cm



JD-YSP15 Cartridge replacement - Assembly procedure

Step 7






Tools:



5 mm Allen Key

JD-YSP15 Cartridge replacement - Assembly procedure

Step 8








3mm Allen Key

2mm Allen Key
0.6N.M/6kgf-cm




Tools:



2 & 3 mm Allen Keys


JD-YSP15 Cartridge replacement - Assembly procedure

Step 9



JD-YSP15 Cartridge replacement - Assembly procedure

Step 10



- Done -

JD-YSP15 Cartridge replacement - Assembly procedure

HANDLEBARS & STEMS


STEM COMPATIBILITY

Bike	Headset	Spacers	Stem	Computer Mount	Additional
Foil MY17	241900	242487	250550 / 250551 / 250552 241888	250560 265566	250556
Addict Gravel / CX	241901	264026	250567 / 250568 250553 / 250554 / 250555	265567 / 250561 250560	250556
Addict RC / Addict / Addict Disc	234811	264026	250567 / 250568 250553 / 250554 / 250555	265567 / 250561 250560	250556
Genius MY18	265586	262082 / 262083	265558 / 250563 / 250564 / 250565 / 250567	250561 / 250562	
Scale 700 / Spark 700	250580	262082 / 262083	265558 / 250563 / 250564 / 250565 / 250567	250561 / 250562	
Scale RC 900 / Scale 900 / Spark RC 900 / Scale RC 900	250580	262082 / 262083	265558 / 250563 / 250564 / 250565 / 250567	250561 / 250562	

TRI EXTENSIONS 250556

Parts available from QM/CH stock:
2, 3, 4, 5, 6, 12, 13, 14, 15, 16, 17

Extensions and pad cups and pads profile design standard parts:
7, 8, 9, 10, 11, 18, 19



ACCESSORIES

TUBELESS READY KIT INSTALLATION INSTRUCTIONS

EN Follow the instructions exactly as described and shown. Most problems arise from improper installation. Please note this kit should be used only with tubeless ready wheels and tires.

1. **Tools needed (see pic. 1)**
   A. Floor pump, tubeless floor pump or air compressor.
   B. Plastic tire levers.
   C. Scissors.
   D. Cutting knife.
   E. Safety glasses.
2. **Covering the spoke hole of the rim with the rim tape (see pic. 2)**
   To apply the rim tape, clean the rim from oil, dust and old sealant residue. Apply the rim tape 15 cm before the valve hole and stretch it firmly over the rim, end applying the tape 15 cm after the valve hole. Using a soft rag, remove all air bubbles along the tape. After applying the tape, use a sharp knife to cut an X shape in the valve hole and install the valves. You can also use a very warm sharp round metal object to punch the hole.
3. **Mounting the tire (see pic. 3)**
   Mount one side of the tire. Use plastic levers if needed, do not use screwdrivers or sharp tools. Mount the other side of the tire.
4. **Inflating the tire (see pic. 4)**
   By using the valve core removal tool, remove the valve core. Inflate the tire using a compressor or tubeless pump. When inflating, press the tire straight down with your thumb into the valve (pic. 4). The tire should be hanging for successful inflation. Inflate to 30-40 Psi until you hear the tire bead "sitting" properly in the beadlock.
5. **Adding sealant (see pic. 5,6)**
   After making sure the tire is properly installed, make sure the valve core is removed. Shake the sealant bottle well and make sure the wheel is positioned while the valve is at 8 o'clock position. Use the squeeze bottle to insert the sealant through the valve stem. Mount the valve core and inflate the tire.
6. **Sealing the tire (see pic. 7)**
   Hold the wheel in front of you and shake the bottom of the wheel towards and away from you with quick short strokes, rotate the wheel 6 inches and repeat. Continue until you've worked your way all around the wheel two times.
7. **Checking for leaks (see pic. 8)**
   Fill a container with water and submerge the wheel. Carefully check the valve area. If it is leaking, tighten the valve's nut. In case certain spots on the sidewalls are leaking, lay the tire horizontally on each side for 15 min.

































DE Bitte befolgen Sie der nachfolgenden Montageanleitung exakt so wie beschrieben und dargestellt. Die meisten Probleme treten durch eine nicht der Anleitung entsprechenden Montage auf. Wichtiger Hinweis: Dieses Set darf nur mit Laufrädern und Reifen verwendet werden, die tubeless-ready sind.

1. **Benötigte Werkzeuge (siehe Abb. 1)**
   A. Standluftpumpe, spezielle tubeless-Standluftpumpe, Luftkompressor.
   B. Reifenheber aus Plastik.
   C. Schere.
   D. scharfes Messer.
   E. geeignete Schutzbrille.
2. **Abdichtung des Felgenbetts bei Felgen mit offenen Speichenbohrungen (siehe Abb. 2)**
   Vor der Montage des Dichtbands muss die Felge von Öl, Schmutz und Rückständen gereinigt werden. Beginnen Sie mit der Montage 15 cm vor der Ventilbohrung, ziehen es stramm über das Felgenbett und enden Sie 15 cm hinten der Ventilbohrung, so dass dieser Bereich doppelt abgedeckt ist. Mit einem weichen Lappen entfernen Sie ggf. im Dichtband eingeschlossene Luftblasen. Schneiden Sie mit einem scharfen Messer ein „X“ in das Dichtband über der Ventilbohrung und montieren das Ventil. Alternativ kann auch ein sehr heißer, geeigneter runder Metallstift genutzt werden, um ein passendes Loch in das Dichtband zu stoßen.
3. **Montage des Reifens (siehe Abb. 3)**
   Montieren Sie eine Seite des Reifens vollständig. Benutzen Sie, soweit nötig, ausschließlich Reifenheber aus Plastik und keine scharfen Werkzeuge oder Schraubendreher. Montieren Sie dann die andere Reifenseite.
4. **Aufpumpen des Reifens (siehe Abb. 4)**
   Entfernen Sie den Ventileinsatz mit dem Ventilwerkzeug. Pumpen Sie den Reifen mit einem Kompressor oder einer geeigneten Standpumpe auf. Während des Befüllens drücken Sie den Reifen auf die Ventilöffnung (siehe Abb. 4). Das bestes Ergebnis erhält man bei Befüllung eines hängenden Reifens. Pumpen Sie den Reifen auf ca. 2-3 bar auf bis der Reifen hörbar ins Felgenhorn „springt“ und rundherum sauber sitzt.
5. **Einfüllen des Dichtmittels (siehe Abb. 5,6)**
   Stellen Sie sicher, dass der Reifen richtig im Felgenhorn sitzt und der Ventileinsatz entfernt ist. Schütteln Sie das Dichtmittel in der Flasche kräftig durch und positionieren Sie das Laufrad so, dass sich das Ventil in der 8-Uhr-Position befindet. Zum Einfüllen des Dichtmittels durch den Ventilkörper nutzen Sie die Spitzflasche. Im Anschluss montieren Sie den Ventileinsatz und pumpen den Reifen auf.
6. **Abdichtung des Reifens (siehe Abb. 7)**
   Halten Sie das Laufrad vor sich und bewegen es in kurzen, schnellen Bewegungen zu sich hin und von sich weg. Nach ca. 10 Sekunden drehen Sie das Laufrad um 30 cm weiter und wiederholen den Vorgang, bis Sie das komplette Laufrad zweimal bearbeitet haben.
7. **Prüfung auf Undichtigkeit (siehe Abb. 8)**
   Befüllen Sie einen geeigneten Behälter mit Wasser

und tauchen Sie nacheinander alle Bereiche des Reifens und der Felge ein. Beginnen Sie mit dem Bereich des Ventils. Sollte hier Luft austreten, ziehen Sie die Ventilmutter fester. Tritt Luft an der Seitenwand des Reifens aus, so drehen Sie das Laufrad in die Waagerechte und lassen es so jeweils 15 Minute je Seite ruhen (nutzen Sie z.B. einen Eimer als Ablage).

FR Suivez les instructions exactement comme elles sont décrites et illustrées. La plupart des problèmes viennent d'un montage défectueux. S'il vous plait, ce Kit ne peut être monté qu'avec des jantes et des Pneus Tubeless Ready.

1. **Outillage nécessaire (Photo 1)**
   A. Pompe à pied, pompe à pied tubeless ou compresseur d'air
   B. Démontes Pneus plastiques
   C. Ciseaux
   D. Cutter ou couteau aiguisé
   E. Lunettes de sécurité
2. **Couvrir le trou des rayons avec le fond de jante (photo 2)**
   Pour appliquer le fond de jante, nettoyez la jante de tous résidus de graisse, de poussière et de résidus de produits anti-crevaison. Appliquez le fond de jante 15 cm avant le trou de valve et étendez-le fermement tout autour de la jante jusqu'à 15 cm après le trou de valve. Faites glisser un chiffon doux fermement sur le fond de jante pour en éliminer toutes les bulles d'air. Après l'application du fond de jante utilisez une lame aiguisée et pointue et découpez un X au niveau du trou de valve, ensuite installez la valve. Vous pouvez aussi utiliser un objet rond et affuté pour percer le trou de valve.
3. **Monter le Pneu (photo 3)**
   Montez un côté du Pneu. Utilisez un démonte pneus plastique si besoin, ne surtout pas utiliser de tournevis ou d'objet affuté. Montez l'autre côté du Pneu.
4. **Gonfler le Pneu (photo 4)**
   Dévissez et retirez l'obus de valve avec un outil approprié. Gonflez le pneu avec un compresseur ou une pompe Tubeless. Durant le gonflage, appuyez sur le pneu vers le bas avec votre pouce au niveau de la valve. Le Pneu et la valve doivent être maintenus fermement pour un gonflage réussit. Gonflez jusqu'à 30-40 Psi jusqu'à ce que vous entendiez que le bord du Pneu prend place sur les rebords de la jante.
5. **Ajouter du produit anti-crevaison (photo 5,6)**
   Après vous être assuré que le pneu est dans la bonne position, confirmez que l'obus de valve est retiré. Mélangez en secouant la bouteille de produit anti-crevaison et assurez-vous que la roue est en bonne position, la Valve à 8 heure. Insérez le produit anti-crevaison par le trou de valve. Remontez l'obus de valve et gonflez le pneu.
6. **Sceller le Pneu (photo 7)**
   Maintenez votre roue devant vous en la secouant des deux mains d'avant en arrière, ensuite faite un quart de tour et recommencez l'opération et ainsi de suite jusqu'à avoir fait deux tours complets.
7. **Contrôler les fuites (photo 8)**
   Remplissez un récipient d'eau et submerger votre roue. Vérifiez très attentivement à proximité de la valve. Si vous constatez une fuite, resserrez l'obus de valve. Dans le cas d'une fuite sur l'un des côté du pneu, couchez votre roue à l'horizontal sur chaque face pendant 15 minutes.

IT Seguite le istruzioni esattamente come qui descritte ed illustrate. Molti dei problemi sono dovuti ad un'istallazione impropria. N.B.: questo kit dovrebbe essere utilizzato solamente con ruote e coperture Tubeless Ready.

1. **Attrezzi necessari (vedi figura. 1)**
   A. Pompa a terra, pompa a terra per tubeless o compressore.
   B. Levagomme in plastica.
   C. Forbici.
   D. Taglierino.
   E. Occhiali protettivi.
2. **Coprire I fori del cerchio con il nastro (vedi figura. 2)**
   Prima di applicare il nastro pulire il cerchio da olio, polvere o residui di vecchio sigillante. Applicare il nastro 15cm prima del foro valvola e tirare con forza attorno al cerchio, finire l'applicazione 15cm oltre il foro valvola. Utilizzando uno straccio morbido premete per rimuovere tutte le bolle d'aria attorno al cerchio. Dopo aver applicato il nastro utilizzate un taglierino appuntito per fare due taglietti a formare una X nel foro valvola, ed installate la valvola. In alternativa potete anche utilizzare un' oggetto metallico arroventato per creare il foro.
3. **Installare il copertone (vedi figura. 3)**
   Installare un lato del copertone. Utilizzare un levagomme di plastica se necessario, non utilizzare cacciaviti o attrezzi affilati. Installare l'altro lato del copertone.
4. **Gonfiare il copertone (vedi figura. 4)**
   Rimuovere la testa della valvola utilizzando la chiave specifica. Gonfiare il copertone utilizzando un compressore o una pompa per tubeless. Mentre si sta gonfiando, tenere il copertone sopra alla valvola (figura. 4). La gomma deve essere sospesa per riuscire a gonfiarla. Gonfiare fino a 2-2,5 Bar fino a che non sentite la gomma tallonare sul fianco del cerchio.
5. **Aggiungere il sigillante (vedi figura. 5,6)**
   Dopo essersi assicurati che il copertone sia installato correttamente, assicuratevi di aver rimosso la testa della valvola. Agitare bene il sigillante e posizionate la ruota con la valvola alle ore 8. Utilizzare l'apposito dosatore per inserire il sigillante attraverso la valvola. Rimontare la testa della valvola e gonfiare il copertone.
6. **Sigillare il copertone (vedi figura. 7)**
   Tenete ferma la ruota di fronte a voi e agitate il fondo della ruota con colpi brevi e decisi, girare la ruota 15 cm e ripetere. Continuare fino a quando avete fatto il lavoro su tutta la ruota un paio di volte.
7. **Controllare per eventuali perdite (vedi figura. 8)**
   Riempire di acqua un contenitore ed immergervi la ruota. Controllare accuratamente la zona attorno alla valvola. Se perde, stringere il fissaggio della valvola. Nel caso in cui ci sia una perdita dal fianco lasciare in orizzontale la ruota almeno 15 minuti per lato.

















ES Siga las instrucciones con mucha atención. La mayoría de los problemas son debido a una mala instalación. Por favor, tenga en cuenta que este kit solo debe utilizarse con ruedas y cubiertas tubeless.

1. **Herramientas necesarias (ver foto 1)**
   A. Inflador de pie, inflador de pie tubeless o un compresor de aire.
   B. Desmontables de plastic.
   C. Tijeras
   D. Cuchilla
   E. Gafas de seguridad

2. **Cubrir los agujeros de los radios de la llanta con la cinta (ver foto 2)**
   Antes de colocar la cinta, elimine de la llanta todas las partículas del viejo sellante, polvo y demás residuos. Empiece a colocar la cinta 15 cm antes del agujero de la válvula y estírelo firmemente alrededor de la rueda y hasta sobrepasar 15 cm el agujero de la válvula. Sirviéndose de un paño blando, elimine todas las burbujas que pudieran haber quedado. Después de colocar la cinta, realice un corte en forma de X en el agujero de la válvula e instale la válvula. También puede utilizar un objeto punzante redondo para realizar el agujero.

3. **Montaje de la cubierta (ver foto 3)**
   Inserte un lado de la cubierta en la llanta. Si es necesario utilice desmontables de plástico, no use destornillador o herramientas punzantes. Luego inserte el otro lado de la cubierta.

4. **Inflado de la cubierta (ver foto 4)**
   Utilice la herramienta para desmontar el obús de la válvula. Infle la cubierta con un compresor o inflador tubeless. Durante el proceso de inflado, presione la cubierta con el pulgar en dirección a la válvula (foto 4). La cubierta debe estar en posición vertical para un inflado correcto. Inflarlo a 30-40 psi hasta que oiga que la cubierta se asienta correctamente en las paredes de la llanta.

5. **Añadir líquido sellante (ver foto 5,6)**
   Después de comprobar que la cubierta se ha instalado correctamente, asegúrese de que el obus se haya desmontado de la válvula. Agite el sellante bien y compruebe que la rueda este colocada de tal manera que la válvula se encuentre en la posición de las 8:00 horas. Introduzca el líquido sellante a través de la válvula. Monte el obús e infle la rueda.

6. **Sellado de la cubierta (ver foto 7)**
   Sujete la rueda y agítelo en ambas direcciones con movimientos cortos y rápidos. Gire la rueda 6 pulgadas y repita los mismos movimientos hasta que la rueda haya girado dos veces.

7. **Compruebe si hay fugas (ver foto 8)**
   Sumerja la rueda en un depósito de agua. Compruebe cuidadosamente la zona de la válvula, si tiene fuga, ate la tuerca de la válvula. En caso de que haya fugas en la pared lateral de la cubierta, tumbe la rueda horizontalmente durante 15 minutos por cada lado.

PT Siga as instruções exatamente com descritas e exibidas. A maioria dos problemas surge devido a lapsos na montagem. Atenção: este kit só deve ser utilizado em rodas e pneus tubeless ready.

1. **Ferramentas necessárias (ver imagem 1)**
   A. Bomba vertical ou compressor.
   B. Alavancas 'saca-pneu' de plástico.
   C. Tesouras.
   D. Faca.
   E. Óculos de proteção.

2. **Vedar os furos dos raios no interior com fita-de-aro (ver imagem 2)**
   Antes de aplicar a fita-de-aro, limpe os resíduos gordurosos, poeiras ou restos de selante do aro. Coloque a fita 15cm antes do furo da válvula e estique-a firmemente pelo aro até 15cm após o furo da válvula. Com um pano macio, remova todas as bolhas de ar entre a fita e o aro. Depois de aplicar a fita, utilize a ponta de uma faca afiada e faça um corte em 'X' sobre o furo de válvula do aro e aplique as válvulas. Também pode utilizar um objeto em metal aquecido para fazer o furo.

3. **Montar o pneu (ver imagem 3)**
   Encaixe um dos lados do pneu no aro. Se necessário, use as alavancas de plástico, não utilize chaves de fendas ou ferramentas metálicas. Monte o outro lado do pneu.

4. **Encher o pneu (ver imagem 4)**
   Retire o núcleo da válvula com a chave apropriada. Encha o pneu utilizando o compressor ou a bomba vertical. Quando estiver a encher, pressione firmemente a válvula com o dedo polegar (imagem 4). O pneu deve encaixar no aro para o conseguir encher com sucesso. Encha com 30-40 psi até ouvir os rebordos do pneu a encaixar corretamente no aro.

5. **Adicionar o selante (ver imagem 5,6)**
   Primeiro confirme que o pneu está encaixado corretamente e que retirou o núcleo de válvula. Agite bem o selante e certifique-se que a válvula está na posição '8 horas'. Comece a introduzir o selante pela válvula e aperte bem a garrafa para forçar a entrada do selante com alguma pressão para não entupir a válvula. Monte o núcleo da válvula e encha o pneu.

6. **Selar o pneu (ver imagem 7)**
   Segure na roda pelo eixo e rode-a 1/4 de volta para trás e para a frente. Repita o processo até completar uma volta para garantir que o selante sobre todo o interior do pneu. Repita com intensidade este processo no mínimo duas vezes.

7. **Verificação de fugas (ver imagem 8)**
   Encha uma bacia com água e coloque parcialmente a roda. Verifique cuidadosamente na zona da válvula. Se estiver a verter, aperte a porca da válvula. Se detetar fugas de ar pelas laterais do pneu, rode lentamente o pneu na horizontal, 15 minutos de cada lado.

NL Volg de instructies precies zo op als ze zijn beschreven en getoond worden. De meeste problemen ontstaan door een onjuiste installatie. Let op: deze kit mag alleen worden gebruikt met tubeless ready wielen en banden.

1. **Benodigde gereedschappen (zie afb. 1)**
   A. Vloerpomp, tubeless vloerpomp of luchtcompressor.
   B. Plastic bandenlichters.
   C. Schaar.
   D. Mes.
   E. Veiligheidsbril.

2. **Bedekken van het spaakgat van de velg met velgtape (zie afb. 2)**
   Voor het aanbrengen van de velgtape, moet de velg eerst gereinigd worden. Zorg ervoor dat er geen olie, stof of oud afdichtingsresidu meer op de velg zit. Breng de velgtape van 15 cm voor tot 15 cm na het ventielgat aan en trek het goed over de velg. Verwijder met een zachte doek alle luchtbellen in de tape. Nadat de tape is aangebracht, dient u met een scherp mes een X in het ventiel gat te snijden, voor het plaatsen van het ventiel. U kunt ook gebruik maken van een zeer warm scherp metalen voorwerp voor het perforeren van de tape.

3. **Plaatsen van de band (zie afb. 3)**
   Plaats een zijde van de band. Gebruik indien nodig de plastic bandenlichters. Geen schroevendraaiers of scherpe voorwerpen gebruiken. Plaats nu de andere zijde van de band.

4. **Oppompen van de band (zie afb. 4)**
   Gebruik de ventielsleutel voor het verwijderen van het binnenventiel. Pomp de band op met behulp van een compressor of tubeless pomp. Druk bij het oppompen met uw duim op de band tegen het ventiel (afb. 4). Om goed te kunnen oppompen moet de band worden opgehangen. Oppompen tot 30-40 Psi totdat u de draad van de band goed in de interne velgrandhoek hoort springen.

5. **Afdichtmiddel toevoegen (zie afb. 5,6)**
   Controleer of het binnen ventiel verwijderd is, nadat u ervan overtuigd bent dat de band correct geïnstalleerd is. De fles met het afdichtmiddel goed schudden en controleer dat het wiel zodanig is geplaatst, dat het ventiel in de 8 uur positie staat. Steek het uiteinde van de knijpfles in het ventiel en vul de band met het afdichtmiddel. Plaats het binnenventiel opnieuw en pomp de band op.

6. **Afdichten van de band (zie afb. 7)**
   Houd het wiel voor u en schud de onderkant naar u toe en van u af met korte snelle bewegingen. Draai het wiel 15 cm en herhaal deze beweging. Herhaal deze beweging tot u het wiel 2 keer rond hebt gedraaid.

7. **Controleren op lekkages (zie afb. 8)**
   Vul een bak met water en dompel het wiel daarin. Controleer het ventiel zorgvuldig. Als het lekt, draai de moer van het ventiel dan aan. Als bepaalde plekken op de zijwanden lekken, leg de band dan 15 minuten lang horizontaal op beide kanten.

HUB KITS

Item	Product Name	Image
242438	Hub rep kit Syncros Formula CL14811	
252403	Hub rep kit Form CT-1702 5x141mm	
252404	Hub rep kit Form CT-142 12x142mm	
252405	Hub rep kit Form CL-81115x110mm	

Item	Product Name	Image
262048	Hub rep kit Syncros Form CL-25CL2611	
262049	Hub rep kit Syncros RP 2.0 Form F+R	
262050	Hub rep kit Syncros RP 2.0 Disc Form F+R	
262051	Hub rep Kit syncros Formula RXC-142	

PUMP REPLACEMENT PARTS

Item	Name	Compatible with
SEALS		
231041	Syncros Pump T-Head Seals PACK-10	All Syncros Mini- and Floorpumps with T-Head
237616	Pump-Syncros Auto head seals	234816 Floorpump FP2.0 MY 15/16
238622	Seals Presta/Schraeder Dual Head	238842 Floor pump FP3.0 MY15 - 250593 Mini-pump Syncros HV1.5 MY17
250605	Seal Presta/Schrader MY17 HV mini pumps	250592 Mini-pump Syncros HV1.0 MY17 - 250593 Mini-pump Syncros HV1.5 MY17 - 250594 Mini-pump Syncros 2HV1.0 265587 SYN Mini Pump Boundary 2.0 HV
250606	Seal Presta for MY17 HP mini pumps	250595 Mini-pump Syncros HP1.0 MY17 - 250596 Mini-pump Syncros HP1.5 MY17
263882	New Seal for Auto Head FP2.0 MY17	250598 Floor pump Syncros FP2.0 MY17
COMPLETE HEADS		
231043	Complete Twin Head w/o Hose for FP3.0 MY14	234817 Floor pump FP2.5 MY14
238623	Dual Head with hose FP3.0/FP3.0HV MY15	238842 Floor pump FP3.0 MY15 - 238611 Floor pump FP3.0 HV MY15
244909	Complete Flip/Flop head+hose FP3.0 MY16	238842 Floor pump FP3.0 MY15/16 - 238611 Floor pump FP3.0 HV MY15/16
244412	New Flip/Flop head FP3.0 MY16	238842 Floor pump FP3.0 MY16 - 238611 Floor pump FP3.0 HV MY16 - 250597 Floor pump Syncros FP1.5 MY17
263881	New Complete Auto Head w/hose for FP2.0 2017	250598 Floor pump Syncros FP2.0 MY17

Please kindly note that these parts are intended for service and support but not regular sales.

For all other parts of the Syncros product range please refer to the regular dealer catalog or the webshop.

SPARE PARTS 2018

RIM

Article no.	Description
266589-9999222	SCO Spoke Sy/Form rep kit RP2.0 F 18 no color 1size
266590-9999222	SCO Spoke Sy/Form rep kit RP2.0 R 18 no color 1size
266591-9999222	SCO Spoke Sy/Form rep kit RP2.0 Disc 18 no color 1size
266592-9999222	SCO Spoke Sy/Form rep kit RR2.0 Disc 18 no color 1size
266593-9999222	SCO Spoke Sy/Form rep kit RR2.0 R 18 no color 1size
266594-9999222	SCO Spoke Sy/Form rep kit RR2.0 F 18 no color 1size
266608-0001714	SCO Rim SY/X-30s D 32H 18 black 27.5"
266608-0001715	SCO Rim SY/X-30s D 32H 18 black 29"
266609-0001714	SCO Rim SY/Alex MD30 32H 18 black 27.5"
266612-0001715	SCO Rim SY/ J26DB 32H black 29"
266613-0001715	SCO Rim SY/Form XR2.0 D 28H 18 black 29"
266614-0001715	SCO Rim SY/Form XR2.5 D 28H 18 black 29"
266615-0001714	SCO Rim SY/Form TR1.5 D 28H 18 black 27.5"
266616-0001714	SCO Rim SY/Form TR2.0 D 28H 18 black 27.5"
266616-0001715	SCO Rim SY/Form TR2.0 D 28H 18 black 29"
266617-0001195	SCO Rim SY/Form RP2.0 D 28H 18 black 700C
266618-0001195	SCO Rim SY/Form RP2.0 18H 18 black 700C
266619-0001195	SCO Rim SY/Form RP2.0 24H 18 black 700C
266620-0001715	SCO Rim SY/Form XR1.5 D 28H 18 black 29"
266808-9999715	SCO Spoke SY/Form rep kit XR2.5 18 no color 29"
266809-9999715	SCO Spoke SY/Form rep kit XR1.5 18 no color 29"
266810-9999715	SCO Spoke SY/Form rep kit XR2.0 18 no color 29"
266811-9999714	SCO Spoke SY/Form rep kit TR2.0 18 no color 27.5"
266812-9999714	SCO Spoke SY/Form rep kit TR1.5 18 no color 27.5"
266813-0001195	SCO Rim SY/Alex Race 24 D (28H) 18 black 700C
266814-0001195	SCO Rim SY/Form RR2.0 D 28H 18 black 700C
266815-0001195	SCO Rim SY/Form RR2.0 18H 18 black 700C
266816-0001195	SCO Rim SY/Form RR2.0 24H 18 black 700C

HUB

266784-9999222	SCO Hub rep kit SY/Form XR2.5-TR-all F18 no color 1size
266785-9999222	SCO Hub rep kit SY/Form XR/TR1.5 XD R 18 no color 1size
266786-9999222	SCO Hub rep kit SY/Form XR2.0 F 18 no color 1size
266787-9999222	SCO Hub rep kit SY/Form XR2.0 R XD 18 no color 1size
266788-9999222	SCO Hub rep kit SY/Form TR2.0 R SHIM 18 no color 1size
234742-0001	Syncros XX1 Rotorkit black
241879-0001222	Syncros Road Disc Adapterkit FW QR
241880-0001222	Syncros Road Disc Adapterkit RW 135mm/QR
262331-0001222	Syncros MTB Adapterkit RW 135mm/QR

PUMP

Article no.	Description
231040-0001	Syncros pump Reversible seals PACK-10
231041-0001	Syncros pump T-head seals PACK-10
231043-0001	Twin Head w/o hose for FP2.5 MY15
238620-0001222	Complete Auto Head w/hose for FP2.0 2014
238621-0001222	Seal for Auto Head FP2.0 MY14
238622-0001222	Seals P/S Dual Head FP3.0/FP3.0HV MY15
244412-0001222	Flip/Flop head MY16 1pc top cap and seal
244413-0001222	Needle set box for FP2.5 MY15
244909-0001222	Complete Flip/Flop head+hose FP3.0 MY16
250605-0001222	Seal Presta/Schrader MY17 HV mini pumps
250606-0001222	Seal Presta for MY17 HP mini pumps
263881-0001222	Complete Auto Head w/hose for FP2.0 2017
263882-0001222	Seal for Auto Head FP2.0 MY17

syncros

SPARE PARTS 2017

RIM

Article no.	Description
252415-0001047	Rim Alex X-35 27.5 plus 32H
252416-0001047	Rim Alex X-25 27.5 32H
252417-0001049	Rim Alex X-25 29 32H
252418-0001047	Rim Syncros J19S disc 27.5 32H
252419-0001049	Rim Syncros J19S disc 29 32H
262059-0001047	Rim Syncros Alex X20 32H black 27.5"
262059-0001049	Rim Syncros Alex X20 32H black 29"
262059-0001158	Rim Syncros Alex X20 32H black 700C
262061-0001158	Rim Syncros Alex Race 22 24H black 700C
262062-0001158	Rim Syncros Alex Race 22 disc 28H black 700C
262063-158	Rim Syncros RP 2.0 disc Form 28H XRD-824 700C
262064-158	Rim Syncros RP 2.0 Formula 18H XR-201 700C
262065-158	Rim Syncros RP 2.0 Formula 24H XR-201 700C
262624-047	Rim Syncros Alex MD27 disc 32H 27.5"
264050-0001158	Rim Syncros Alex Race 22 28H
263468-0036049	Rim Sync/DT XR1.0 28H 17 SC/SP RC 900 SL oran
263469-0003049	Rim Sync/DT XR1.5 28H 17 SC/SP RC 900 Ul blue
263470-0005049	Rim Sync/DT XR RC 28H 17 SC/SP RC 900 WC yell
263471-0002049	Rim Sync/DT XR2.0 28H 17 SC/SP RC 900 PR whit
263472-0036047	Rim Sync/DT XR1.0 28H 17 SC/SP RC 700 SL oran
263473-0003047	Rim Sync/DT XR1.5 28H 17 SC/SP RC 700 Ul blue
263474-0005047	Rim Sync/DT XR RC 28H 17 SC/SP RC 700 WC yell
263475-0002047	Rim Sync/DT XR2.0 28H 17 SC/SP RC 700 RP whit
263476-0003049	Rim Sync/DT XR1.0 28H '17 Spark 900 Ult blue
263477-0001049	Rim Sync/DT XR1.5 28H '17 Spark 900 Prem blac
263478-0003047	Rim Sync/DT XR1.0 28H '17 Spark 700 Ult blue
263479-0001047	Rim Sync/DT XR1.5 28H '17 Spark 700 Prem blac
263480-0006049	Rim Sync/DT XR2.0 28H '17 SC/SP 900 green 29"
263481-0036049	Rim Sync/DT XR2.0 28H '17 SC/SP 910 orange 29
263482-0002049	Rim Sync/DT XR2.5 28H '17 SC/SP 920 white 29"
263483-0006047	Rim Sync/DT XR2.0 28H '17 SC/SP 700 green 27.
263484-0036047	Rim Sync/DT XR2.0 28H '17 SC/SP 710 orange 27
263485-0002047	Rim Sync/DT XR2.5 28H '17 SC/SP 720 white 27.
263486-0036047	Rim Sync/DT TR1.5 Plus 28H '17 Spark 700 oran
263487-2278047	Rim Sync/DT TR2.0 Plus 28H '17 SP/GE 710 gree
263488-1049047	Rim Sync/DT TR1.5 28H '17 Genius 700 PR grey/
263489-1294047	Rim Sync/DT TR2.0 28H '17 Genius 710 grey/ora
263490-0006049	Rim Sync/DT TR2.5 28H '17 Genius 920 green 29
263491-0005047	Rim Sync/DT TR2.5 28H '17 Genius 720 yellow 2
263492-0036047	Rim Sync/DT TR1.5 Plus 28H '17 GE 700 orange
263493-0036047	Rim Sync/DT TR1.5 Plus 28H '17 GE LT 700 oran
263494-0036047	Rim Sync/DT DH 1.5 32H '17 Gambler 710 orange
263495-0005047	Rim Sync/DT E TR 1.5 28H '17 E-SC/SP 700 yell
263496-0036047	Rim Sync/DT E TR 1.5 28H 17 E-GE 700 TND oran
263497-0005158	Rim Sync/DT RR2.0 20H front '17 Foil 10 yello
263498-0005158	Rim Sync/DT RR2.0 24H rear '17 Foil 10 yellow
263499-0004158	Rim Sync/DT RR2.0 20H front '17 Foil 20 red 7
263500-0004158	Rim Sync/DT RR2.0 24H rear '17 Foil 20 red 70
263501-0001158	Rim Sync/DT RP1.0 24H f/r 17 Addict PR D blac
263502-0011158	Rim Sync/DT RP1.5 20H front 17 Addict 10 grey
263503-0011158	Rim Sync/DT RP1.5 24H rear '17 Addict 10 grey
263504-1043158	Rim Sync/DT RP1.0 CarbDisc 24H f/r So'17 blac
263505-1042158	Rim Sync/DT RT1.0 CarbDisc 24H f/r'17 black/r
263506-0005158	Rim Sync/DT RP1.0 CarbDisc 24H f/r Ad'17 yell
263507-0036158	Rim Sync/DT RP2.0 Disc 28H f/r '17 CX20 orang
263508-0003047	Rim Sync/DT XR RC 28H 17 Cnt SC/SP RC700 blue
263509-0011049	Rim Sync/DT XR2.0 28H '17 Cnt Scale 900 grey
263510-0011047	Rim Sync/DT XR2.0 28H '17 Cnt SC/SP 700 grey
263511-1100047	Rim Sync/DT XR2.5 28H '17 Spark 710 grey/blue
263512-2489047	Rim Sync/DT XR2.0 Plus 28H '17 SP 710 yellow/
263513-0005047	Rim Sync/DT TR2.0 28H '17 Genius 700 yellow 2

HUB

Article no.	Description
234742-0001	Syncros XX1 Rotorkit black
241879-0001222	Syncros Road Disc Adapterkit FW QR
241880-0001222	Syncros Road Disc Adapterkit RW 135mm/QR
242429-222	Axle RWS Alu thru 148MM / Ø12MM 1size
242430-222	Axle RWS Alu thru 197MM / Ø12MM 1size
242431-222	Axle RWS Front Road Disc >16 / Ø12MM 1size
242432-222	Axle RWS Alu thru 150MM / Ø12MM 1size
262045-222	Axle RWS10 Road disc 100/12mm F. plugin
262046-222	Axle RWS Rear+lever 148x12 boost plugin
262629-222	Axle RWS10 Road disc 142/12mm R. plugin
262331-0001222	Syncros MTB Adapterkit RW 135mm/QR

PUMP

Article no.	Description
231040-0001	Syncros pump Reversible seals PACK-10
231041-0001	Syncros pump T-head seals PACK-10
231043-0001	Twin Head w/o hose for FP2.5 MY15
238620-0001222	Complete Auto Head w/hose for FP2.0 2014
238621-0001222	Seal for Auto Head FP2.0 MY14
238622-0001222	Seals P/S Dual Head FP3.0/FP3.0HV MY15
244412-0001222	Flip/Flop head MY16 1pc top cap and seal
244413-0001222	Needle set box for FP2.5 MY15
244909-0001222	Complete Flip/Flop head+hose FP3.0 MY16
250605-0001222	Seal Presta/Schrader MY17 HV mini pumps
250606-0001222	Seal Presta for MY17 HP mini pumps
263881-0001222	Complete Auto Head w/hose for FP2.0 2017
263882-0001222	Seal for Auto Head FP2.0 MY17

SPOKES

265757-0001866	SCO Spoke Xero Gr. StradaW/NipplesPAK-20 black 287mm
265757-0001867	SCO Spoke Xero Gr. StradaW/NipplesPAK-20 black 297mm
265757-0001868	SCO Spoke Xero Gr. StradaW/NipplesPAK-20 black 302mm
265758-0001869	SCO Spoke Xero Forza W/Nipples PAK-20 black 385mm
265758-0001870	SCO Spoke Xero Forza W/Nipples PAK-20 black 286mm
265758-0001871	SCO Spoke Xero Forza W/Nipples PAK-20 black 305mm
265758-0001873	SCO Spoke Xero Forza W/Nipples PAK-20 black 303mm

SPARE PARTS 2016

RIM

Article no.	Description
242459-0001047	Rim Alex Syncros X-40 32H black 27.5"
242463-0001158	Rim Syncros CX disc 28H black 700C
244756-2658158	Rim Sync/DT RP1.5 18H Addict10 f 16 neon yellow 700C
244757-2658158	Rim Sync/DT RP1.5 24H Addict10 r 16 neon yellow 700C
244758-5327158	Rim Sync/DT RP2.0 18H Addict15 f 16 dodger blue 700C
244759-5327158	Rim Sync/DT RP2.0 24H Addict15 r 16 dodger blue 700C
244760-4858158	Rim Sync/DT RP2.0 D 24H Addict20 16 neon red 700C
244761-4858158	Rim Sync/DT RP2.0 18H Addict20 f 16 neon red 700C
244762-4858158	Rim Sync/DT RP2.0 24H Addict20 r 16 neon red 700C
244763-2658158	Rim Sync/DT RP1.0 D 24H Addict CX 16 neon yellow 700C
244764-0327158	Rim Sync/DT RP2.0 D 24H Add Grvl/CX20 16 neon orange 700C
244765-0327158	Rim Sync/DT RP1.0 D 24H Add/Sol Prem 16 neon orange 700C
244766-5328047	Rim Sync/DT TR 2.0 28H Cont Genius 16 ne pi sermon 27.5"
244767-4857047	Rim Sync/DT XR2.0 28H Cont Sc/Sp RC 16 neon blue 27.5"
244768-4857158	Rim Sync/DT RP2.0 18H Cont Solace15 f 16 neon blue 700C
244769-4857158	Rim Sync/DT RP2.0 24H Cont Solace15 r 16 neon blue 700C
244770-2658158	Rim Sync/DT RR2.0 20H Foil10 f 16 neon yellow 700C
244771-2658158	Rim Sync/DT RR2.0 24H Foil10 r 16 neon yellow 700C
244772-4858158	Rim Sync/DT RR2.0 20H Foil20 f 16 neon red 700C
244773-4858158	Rim Sync/DT RR2.0 24H Foil20 r 16 neon red 700C
244774-0327047	Rim Sync/DT FR570 32H Gambler 710 16 neon orange 27.5"
244775-2658047	Rim Sync/DT TR1.5 28H Genius700 Prem 16 neon yellow 27.5"
244776-0327047	Rim Sync/DT TR1.5 28H Genius LT/Tnd + 16 neon orange 27.5"
244777-5325047	Rim Sync/DT TR2.0 28H Genius710 16 neon lime 27.5"
244778-4858047	Rim Sync/DT TR2.5 28H Genius720 16 neon red 27.5"
244779-0327049	Rim Sync/DT TR1.0 28H Genius900 Tnd 16 neon orange 29"
244780-5325049	Rim Sync/DT TR2.0 28H Genius910 16 neon lime 29"
244781-4858049	Rim Sync/DT TR2.5 28H Genius920 16 neon red 29"
244782-4858047	Rim Sync/DT AM1.5 28H Genius LT Tnd 16 neon red 27.5"
244783-0327047	Rim Sync/DT XR1.0 28H Scale700 SL 16 neon orange 27.5"
244784-0327049	Rim Sync/DT XR1.0 28H Scale900 SL 16 neon orange 29"
244785-0327047	Rim Sync/DT XR1.5 28H Sc/Sp700 Prem 16 neon orange 27.5"
244786-2658047	Rim Sync/DT XR RC 28H Sc/Sp700 RC 16 neon yellow 27.5"
244787-5326047	Rim Sync/DT XR2.0 28H Sc/Sp710 whi/neon red 27.5"
244788-0350047	Rim Sync/DT XR2.5 28H Sc/Sp720 neon green 27.5"
244789-0327049	Rim Sync/DT XR1.5 28H Sc/Sp900 Prem 16 neon orange 29"
244790-2658049	Rim Sync/DT XR RC 28H Sc/Sp900 RC 16 neon yellow 29"
244791-5326049	Rim Sync/DT XR2.0 28H Sc/Sp910 whi/neon red 29"
244792-0350049	Rim Sync/DT XR2.5 28H Sc/Sp920 neon green 29"
244793-2658158	Rim Sync/DT RP2.0 D 24H Solace10 16 neon yellow 700C
244794-2658158	Rim Sync/DT RP2.0 18H Solace10 f 16 neon yellow 700C
244795-2658158	Rim Sync/DT RP2.0 24H Solace10 r 16 neon yellow 700C
244796-4858047	Rim Sync/DT XR1.0 28H Spark700 Ult 16 neon red 27.5"

HUB

230699-0001	Syncros Adapterkit FW QR black
230700-0001	Syncros Adapterkit RW 135mm/QR black
234742-0001	Syncros XX1 Rotorkit black
241879-0001222	Syncros Road Disc Adapterkit FW QR
241880-0001222	Syncros Road Disc Adapterkit RW 135mm/QR
242429-222	Axle RWS Alu thru 148MM / Ø12MM 1size
242430-222	Axle RWS Alu thru 197MM / Ø12MM 1size
242431-222	Axle RWS Front Road Disc >16 / Ø12MM 1size
242432-222	Axle RWS Alu thru 150MM / Ø12MM 1size

PUMP

244412-0001222	Flip/Flop head MY16 1pc top cap and seal
244909-0001222	Complete Flip/Flop head+hose FP3.0 MY16

SPARE PARTS 2015

RIM

Article no.	Description
239309-0001045	Rim Syncros FAT 26" 32H
239310-0001045	Rim Syncros MD25 Disc 26 32H
239311-0001047	Rim Syncros MD25 Disc 27.5 32H
239312-0001047	Rim Syncros SX 37 32H
239313-0001049	Rim Syncros SX 39 32H
240605-0001158	Rim Alex/Sync Solace Disc 28H black 700C
240157-0001047	Rim Syncros AM67 Disc 32H black 27.5"
240158-0001047	Rim Syncros TR67 Disc 32H
240159-0001049	Rim Syncros TR69 Disc 32H
239309-0001045	Rim Syncros FAT 26" 32H black 26"
239310-0001045	Rim Syncros MD25 Disc 26 32H black 26"
239311-0001047	Rim Syncros MD25 Disc 27.5 32H black 27.5"
239312-0001047	Rim Syncros SX 37 32H black 27.5"
239313-0001049	Rim Syncros SX 39 32H black 29"
240158-0001047	Rim Syncros TR67 Disc 32H black 27.5"
240159-0001049	Rim Syncros TR69 Disc 32H black 29"
240845-0001158	Rim Sync/DT RL1.0 20H Addict SL f 15'
240846-0001158	Rim Sync/DT RL1.0 24H Addict SL r 15'
240847-0001158	Rim Sync/DT RL1.1 20H Addict TIssue f 15'
240848-0001158	Rim Sync/DT RL1.1 24H Addict TIssue r 15'
240849-0001158	Rim Sync/DT RL1.1 20H Add.TIssuDi2 f 15'
240850-0001158	Rim Sync/DT RL1.1 24H Add.TIssuDi2 r 15'
240851-0001158	Rim Sync/DT RP1.5 18H Addict 10 f 15'
240852-0001158	Rim Sync/DT RP1.5 24H Addict 10 r 15'
240853-0001158	Rim Sync/DT RP2.0 18H Add15Di2/20 f 15'
240854-0001158	Rim Sync/DT RP2.0 24H Add15Di2/20 r 15'
240855-0001158	Rim Sync/DT RP2.0 18H Solace 10 f 15'
240856-0001158	Rim Sync/DT RP2.0 24H Solace 10 r 15'
240857-0001158	Rim Sync/DT RP2.0 18H Solace 20 f 15'
240858-0001158	Rim Sync/DT RP2.0 24H Solace 20 r 15'
240859-0001158	Rim Sync/DT RP2.0 24H Solace 15D 15'
240860-0001158	Rim Sync/DT RP2.0 18H Solcont 15 f 15'
240861-0001158	Rim Sync/DT RP2.0 24H Solcont 15 r 15'
240862-0001158	Rim Sync/DT RR1.0 16H Foil prem f 15'
240863-0001158	Rim Sync/DT RR1.0 24H Foil prem r 15'
240864-0001158	Rim Sync/DT RR1.5 16H Foil T.Issue f 15'
240865-0001158	Rim Sync/DT RR1.5 20H Foil T.Issue r 15'
240866-0001158	Rim Sync/DT RR2.0 20H Foil 10 f 15'
240867-0001158	Rim Sync/DT RR2.0 24H Foil 10 r 15'
240868-0001047	Rim Sync/DT TR1.0 28H Genius 700Tu 15'
240869-0001049	Rim Sync/DT TR1.0 28H Genius 900Tu 15'
240870-0001047	Rim Sync/DT TR1.5 28H Genius 700 Pr 15'
240871-0001047	Rim Sync/DT TR2.0 28H Genius 710 15'
240872-0001049	Rim Sync/DT TR2.0 28H Genius 910 15'
240873-0001047	Rim Sync/DT TR2.0 28H Gen. 700Con 15'
240874-0001047	Rim Sync/DT XR1.0 28H Spark 700Ulti 15'
240875-0001049	Rim Sync/DT XR1.0 28H Spa/Scal900SL 15'
240876-0001047	Rim Sync/DT XR1.0 28H Spa/Scal700SL 15'
240877-0001047	Rim Sync/DT XR1.5 28H Spa/Scal700Pr 15'
240878-0001049	Rim Sync/DT XR1.5 28H Spa/Scal900Pr 15'
240879-0001047	Rim Sync/DT XR2.0 28H Spa/Scal 710 15'
240880-0001049	Rim Sync/DT XR2.0 28H Spa/Scal 910 15'
240881-0001049	Rim Sync/DT XR2.5 28H Spa/Scal 920 15'
240882-0001047	Rim Sync/DT XR2.5 28H Spa/Scal 720 15'
240883-0001047	Rim Sync/DT XR2.0 28H Spa/ScalConRC 15'
240884-0001047	Rim Sync/DT XR-RC 28H Spa/Scal700RC 15'
240885-0001049	Rim Sync/DT XR-RC 28H Spa/Scal900RC 15'
240886-0001047	Rim Sync/DT AM1.5 28H GeniusLT700Tu 15'
240887-0001047	Rim Sync/DT FR570 32H Gambler 710 15'
240936-0001047	Rim Sync/DT TR2.5 28H Genius 720 15'

SPOKE

Article no.	Description
240843-0001222	Spoke DT Aero Comp 298 SP S PAK-20 black
240844-0001222	Spoke DT New Aero 296 SP S PAK-20 black

HUB

Article no.	Description
230699-0001	Syncros Adapterkit FW QR black
230700-0001	Syncros Adapterkit RW 135mm/QR black
234742-0001	Syncros XX1 Rotorkit black
236153-222	Axe RWS 10 Alu thru 142MM / Ø12MM

PUMP

Article no.	Description
231043-0001	Twin Head w/o hose for FP2.5 MY15
238622-0001222	Seals P/S Dual Head FP3.0/FP3.0HV MY15
238223-0001222	Dual Head with hose FP3.0/FP3.0HV MY15
244413-0001222	Needle set box for FP2.5 MY15

SPARE PARTS 2014

RIM

Article no.	Description
236892-0001043	Rim Alex/Sync Race Jr 28 20H black 24"
236893-0001043	Rim Alex/Sync Race Jr 28 24H black 24"
237680-0001047	Rim sync/DT AM1.5 28H GenLT700TunF 14 black 27.5"
237681-0001047	Rim Sync/DT AM1.5 28H GenLT700TunR 14 black 27.5"
237682-0001158	Rim Sync/DT RL1.0 20H Addict SL F 14 black 700C
237683-0001158	Rim Sync/DT RL1.0 24H Addict SL R 14 black 700C
237684-0001158	Rim Sync/DT RL1.1 20H Sol.prem. F 14 black 700C
237685-0001158	Rim Sync/DT RL1.1 24H Sol.prem. R 14 black 700C
237686-0001158	Rim Sync/DT RL1.1 20H Addict T.Issue F 1 black 700C
237687-0001158	Rim Sync/DT RL1.1 24H Addict T.Issue R 1 black 700C
237688-0001158	Rim Sync/DT RP1.5 18H Addict 10 F 14 black 700C
237689-0001158	Rim Sync/DT RP1.5 24H Addict 10 R 14 black 700C
237690-0001158	Rim Sync/DT RP2.0 18H Solace 10 F 14 black 700C
237691-0001158	Rim Sync/DT RP2.0 18H Solace 20 F 14 black 700C
237692-0001158	Rim Sync/DT RP2.0 18H Solace cont. F 14 black 700C
237693-0001158	Rim Sync/DT RP2.0 24H Solace 10 R 14 black 700C
237694-0001158	Rim Sync/DT RP2.0 24H Solace 20 R 14 black 700C
237695-0001158	Rim Sync/DT RP2.0 24H Solace cont. R 14 black 700C
237696-0001158	Rim Sync/DT RR1.0 16H Foil premium F 14 black 700C
237697-0001158	Rim Sync/DT RR1.0 24H Foil premium R 14 black 700C
237698-0001158	Rim Sync/DT RR1.5 16H Foil T.Issue F 14 black 700C
237699-0001158	Rim Sync/DT RR1.5 20H Foil T.Issue R 14 black 700C
237700-0001158	Rim Sync/DT RR2.0 20H Foil 10 F 14 black 700C
237701-0001158	Rim Sync/DT RR2.0 20H Foil 15 F 14 black 700C
237702-0001158	Rim Sync/DT RR2.0 24H Foil 10 R 14 black 700C
237703-0001158	Rim Sync/DT RR2.0 24H Foil 15 R 14 black 700C
237704-0001047	Rim Sync/DT TR1.0 28H Genius700TunF14 black 27.5"
237705-0001047	Rim Sync/DT TR1.0 28H Genius700TunR14 black 27.5"
237706-0001047	Rim Sync/DT TR1.5 28H Genius700Prem 14 black 27.5"
237707-0001049	Rim Sync/DT TR1.5 28H Genius900Prem 14 black 29"
237708-0001047	Rim Sync/DT TR2.0 28H Genius 710 14 black 27.5"
237709-0001049	Rim Sync/DT TR2.0 28H Genius 910 14 black 29"
237710-0001047	Rim Sync/DT TR2.0 28H Gen.Cont.700 14 black 27.5"
237711-0001049	Rim Sync/DT XR1.0 28H Spa/Scal900SL 14 black 29"
237712-0001047	Rim Sync/DT XR1.0 28H Spa/Scal700SL 14 black 27.5"
237713-0001047	Rim Sync/DT XR1.5 28H Spa/Scal700Pr 14 black 27.5"
237714-0001049	Rim Sync/DT XR1.5 28H Spa/Scal900Pr 14 black 29"
237715-0001047	Rim Sync/DT XR2.0 28H Spa/Scal 710 14 black 27.5"
237716-0001049	Rim Sync/DT XR2.0 28H Spa/Scal 910 14 black 29"
237717-0001047	Rim Sync/DT XR2.0 28H Spa/ScalConRC 14 black 27.5"
237718-0001047	Rim Sync/DT XR-RC 28H Spa/Scal700RC 14 black 27.5"
237719-0001049	Rim Sync/DT XR-RC 28H Spa/Scal900RC 14 black 29"

SPOKE

Article no.	Description
237720-0001222	Spoke DT Aero Comp 260 T-H S PAK-20 black 1size
237721-0001222	Spoke DT Aero Comp 262 T-H S PAK-20 black 1size
237722-0001222	Spoke DT Aero Comp 276 T-H S PAK-20 black 1size
237723-0001222	Spoke DT Aero Comp 278 T-H S PAK-20 black 1size
237724-0001222	Spoke DT Aero Comp 283 SP S PAK-20 black 1size
237725-0001222	Spoke DT Aero Comp 284 SP S PAK-20 black 1size
237726-0001222	Spoke DT Aero Comp 285 SP S PAK-20 black 1size
237727-0001222	Spoke DT Aero Comp 286 SP S PAK-20 black 1size
237728-0001222	Spoke DT Aero Comp 287 SP S PAK-20 black 1size
237729-0001222	Spoke DT Aero Comp 303 SP S PAK-20 black 1size
237730-0001222	Spoke DT Aero Comp 304 SP S PAK-20 black 1size
237731-0001222	Spoke DT Aero Comp 305 SP S PAK-20 black 1size
237732-0001222	Spoke DT Aero Comp 306 SP S PAK-20 black 1size
237733-0001222	Spoke DT Aerolite 279 T-H S PAK-20 black 1size
237734-0001222	Spoke DT Aerolite 283 T-H S PAK-20 black 1size
237735-0001222	Spoke DT Aerolite 286 T-H S PAK-20 black 1size
237736-0001222	Spoke DT Aerolite 288 T-H S PAK-20 black 1size
237737-0001222	Spoke DT New Aero 256 T-H S PAK-20 black 1size
237738-0001222	Spoke DT New Aero 272 T-H S PAK-20 black 1size
237739-0001222	Spoke DT New Aero 276 T-H S PAK-20 black 1size
237740-0001222	Spoke DT New Aero 282 T-H S PAK-20 black 1size

PUMP

Article no.	Description
238620-0001222	Complete Auto Head w/hose for FP2.0 2014
238621-0001222	Seal for Auto Head FP2.0 MY14

SPARE PARTS 2013

RIM

Article no.	Description
231137-0001194	Rim Alex/Sync FR32 disc 32H black 26"
231139-0001204	Rim Alex/Sync Race 20H black 28"
231139-0002204	Rim Alex/Sync Race 20H white 28"
231140-0001204	Rim Alex/Sync Race 24H black 28"
231140-0002204	Rim Alex/Sync Race 24H white 28"
231138-0001204	Rim Alex/Sync Race 32H black 28"
231141-0001194	Rim Alex/Syncros AM44 eyelets Disc 32H black 26"
231142-0001204	Rim Syncros DT Swiss RR2.0 front 20H black/28"
231143-0001204	Rim Syncros DT Swiss RR2.0 rear 24H black/28"
231144-0001204	Rim Syncros DT Swiss RP 1.5 front 18H black/28"
231145-0001204	Rim Syncros DT Swiss RP 1.5 rear assym. 24H black/28"
231146-0055716	Rim Syncros DT Swiss RR1.5 Front 16H Team Issue '13
231147-0055716	Rim Syncros DT Swiss RR1.5 Rear 20H Team Issue '13
231148-0055716	Rim Syncros DT Swiss RR1.0 Front 16H carbon/700C
231149-0055716	Rim Syncros DT Swiss RR1.0 Rear 20H carbon/700C
231150-0055716	Rim Syncros DT Swiss RL1.0 Front 20H carbon/700C
231151-0055716	Rim Syncros DT Swiss RL1.0 Rear 24H carbon/700C
231154-0055194	Rim Syncros DT Swiss XR1.0 Carbon 28H carbon/26"
231154-0055715	Rim Syncros DT Swiss XR1.0 Carbon 28H OEM decals 29"
231155-0001194	Rim Syncros DT Swiss XR1.5 28H black/26"
231155-0001715	Rim Syncros DT Swiss XR1.5 28H black/29"
231156-0001194	Rim Syncros DT Swiss XR 2.0 28H black/26"
231156-0001715	Rim Syncros DT Swiss XR 2.0 28H black/29"
231157-0001194	Rim Syncros DT Swiss XR 2.5 28H black/26"
231157-0001715	Rim Syncros DT Swiss XR 2.5 28H black/29"
231159-0055715	Rim Syncros DT Swiss TR1.0 Carbon 28H carbon/29"
231160-0001714	Rim Syncros DT Swiss TR 2.0 28H black/27.5"
231160-0001715	Rim Syncros DT Swiss TR 2.0 28H black/29"
231161-0001194	Rim Syncros DT Swiss AM10 black/26"
231162-0001194	Rim Syncros DT Swiss AM20 black/26"

SPOKE


Article no.	Description
231163-0001	Spoke DT AERO COMP 266 T-HEAD S PAK-20 black
231164-0001	Spoke DT AERO COMP 267 T-HEAD S PAK-20 black
231165-0001	Spoke DT AERO COMP 272 T-HEAD S PAK-20 black
231166-3964	Spoke DT AERO COMP 274 SP M PAK-20 sandblasted
231167-3964	Spoke DT AERO COMP 275 SP M PAK-20 sandblasted
231168-3964	Spoke DT AERO COMP 285 SP M PAK-20 sandblasted
231169-3964	Spoke DT AERO COMP 286 SP M PAK-20 sandblasted
231170-3964	Spoke DT AERO COMP 303 SP M PAK-20 sandblasted
231171-3964	Spoke DT AERO COMP 304 SP M PAK-20 sandblasted
231172-3964	Spoke DT AERO COMP 305 SP M PAK-20 sandblasted
231173-0001	Spoke DT AEROLITE 273 T-HEAD S PAK-20 black
231174-0001	Spoke DT AEROLITE 276 T-HEAD S PAK-20 black
231176-0001	Spoke DT AEROLITE 281 T-HEAD S PAK-20 black
231177-0001	Spoke DT AEROLITE 284 T-HEAD S PAK-20 black
231178-0001	Spoke DT AEROLITE 285 T-HEAD S PAK-20 black
231179-0001	Spoke DT NEW AERO 265 T-HEAD S PAK-20 black
231180-0001	Spoke DT NEW AERO 270 T-HEAD S PAK-20 black
231181-0001	Spoke DT NEW AERO 277 T-HEAD S PAK-20 black
231182-3964	Spoke DT SUPER COMP 274 SP M PAK-20 sandblasted
231183-3964	Spoke DT SUPER COMP 275 SP M PAK-20 sandblasted
231184-3964	Spoke DT SUPER COMP 306 SP M PAK-20 sandblasted
231185-3964	Spoke DT SUPER COMP 307 SP M PAK-20 sandblasted
231186-0001	Spoke DT SUPER COMP 273 SP S PAK-20 black
231187-0001	Spoke DT SUPER COMP 274 SP S PAK-20 black
231188-0001	Spoke DT SUPER COMP 303 SP S PAK-20 black
231189-0001	Spoke DT SUPER COMP 305 SP S PAK-20 black
231190-0001	Spoke DT SUPER COMP 286 SP S PAK-20 black
231191-0001	Spoke DT SUPER COMP 284 SP S PAK-20 black
231192-0001	Spoke DT SUPER COMP 304 SP S PAK-20 black
231193-0002	Spoke DT AERO COMP 274 SP W PAK-20 white
231194-0002	Spoke DT AERO COMP 275 SP W PAK-20 white
231195-0002	Spoke DT AERO COMP 300 SP W PAK-20 white
231196-0002	Spoke DT AERO COMP 301 SP W PAK-20 white
231197-0002	Spoke DT AERO COMP 305 SP W PAK-20 white
231198-0002	Spoke DT AERO COMP 307 SP W PAK-20 white

PUMP

Article no.	Description
231040-0001	Syncros pump Reversible seals PACK-10
231041-0001	Syncros pump T-head seals PACK-10
231042-0001	Complete T-head w/hose f/FP1.0/2.0 MY13

15 ONLINE WARRANTY PROGRAM

FOR BIKE FRAMES, HELMETS, SHOES & PROTECTION



ONLINE WARRANTY PROGRAM

THE ONLINE B2B WARRANTY SYSTEM ENSURES A FAST AND EFFICIENT CLAIMS PROCESS BY PROVIDING REAL-TIME 24/7 ACCESS TO DATA, PICTURES, AND PROGRESS OF CLAIMS.

⚠ IMPORTANT

We will **ONLY** accept warranty claims submitted through our B2B warranty system for:

- **Bike Frames, chainstays, seatstays, rigid forks (always use the bike frame number for all claims).**
- **Bike Shoes**
- **Helmets**
- **Body Protection**

We will **NOT** accept fax, mail or other versions of warranty claims.

DISTRIBUTORS:

For Syncros, Accessories, and small Bike Parts please use the excel forms. Please contact the QM Team for these forms if you do not have the CD which comes with this techbook.

Please make sure to forward bi-weekly or monthly excel forms.

For all claims and general questions please use only EU.QM@scott-sports.com


SCOTT SUBSIDIARIES:

- Please use ZKL1


INSTRUCTIONS FOR CLAIMS ON B2B:

1 Go to:
https://shopb2b.scott-sports.com/SCOTTb2b/


Enter your SCOTT customer number and password to login to our B2B system.




2 Click on the Warranty 'Click Here' button.




3 Select the Brand (SCOTT) and Product Group (Bike).



4 Enter the frame serial number and check the bike model and size are correct.
Tick to confirm.



5 If the frame number is not recognized, you can manually enter the model details.



6

Upload the required images.


An image size of **at least 1MB** is needed for clear assessment. Ensure all images are **in focus**.

We only accept these file formats: **jpg**, **pdf** or **doc**.

Picture 1: Clearly shows the damage
Picture 2: Shows the product's serial number
Picture 3: Shows the entire product
Picture 4: Shows the proof of purchase

IMPORTANT

It is NOT possible to send a claim without pictures!
The system will reject your claim.



7


Check the details are correct.

Add any customer information.

Click yes or no to Bodily Injury.

ONLY CLICK YES IF A REAL BODILY INJURY WAS CAUSED BY A MATERIAL DEFECT.

Tick that you understand the terms & conditions.



Making a claim for bodily injury is extremely serious.

Only click 'Yes' if a REAL bodily injury was CAUSED BY A MATERIAL DEFECT!

8

The System will create a unique claim number, **please keep this for future correspondence**.

To see warranty orders in your B2B please follow these steps:
Go to "My Account"
Go to Order History
Select "Orders"
Select date range
Select Order Type "warranty orders"
Search



IMAGE QUALITY

1. When uploading images to B2B or in direct emails please **ensure the images are in focus and legible**.

2. **We cannot help** with the assessment of an issue or problem **if the evidence presented is not of a required standard**.

3. **Always include the frame number of the bike** in all direct email enquiries, as this information helps us easily track the problem.

*Examples of **poor quality** images that you should **NOT** send:*



All of the important information is **not in focus**.



Frame Number is **obscured or blurry**.


*Examples of **good quality** images that we **REQUIRE** including excellent claim information:*











BOTTOM BRACKET/DROPOUT

If you have issues with Bottom Bracket Dimensions or Dropout Alignment please **measure the following along with the overall alignment of the frame**. If this data is collected first the assessment of the problem will be a lot faster.

These tools can be used on aluminium and carbon frames. A full list of recommended tools with be covered in a separate chapter.









HELMETS

When uploading claims for Helmets, please **also attach an image of the serial number** if possible as we can add this number into the claim when we process it.



16 SUPPLIER AGREEMENT:

DIRECT WARRANTY SUPPORT TO DEALERS & NATIONAL SCOTT DISTRIBUTORS

PLEASE NOTE THAT WE HAVE AN AGREEMENT WITH THE BELOW COMPANIES/BRANDS FOR WORLDWIDE WARRANTY SUPPORT OF OE PARTS SPEC'D BY SCOTT:

- Shimano
- SRAM
- DT-Swiss
- Ritchey
- Continental
- Schwalbe Tires
- SR SunTour
- Rock Shox (SRAM)
- Fox Racing
- Zipp
- Profile
- Bosch
- Brose
- Kenda
- FSA
- Raceface
- Maxxis
- X-Fusion
- Alex Rims
- Formula
- Marzocchi

SUPPLIER AGREEMENT

The national distributor of the defective product will help you or your dealer with warranty support in your country.

If any parts are to be sent back please make sure they are clean and you include the customers receipt to speed up the claim.

If you have any difficulties with warranty support from a distributor please don't hesitate to contact SCOTT for further assistance.

To help SCOTT follow up on your claim with the distributor please provide us with as much information as possible:

- **Detailed information about the part**
- **Digital clear picture of the problem and item**
- **Name of the contact person at the distributor with whom you are having difficulties.**

ALEX RIMS

You can find your local Alex agent at:
www.alexrims.com/distributors/

If you have any difficulty contacting Alex rims you can contact directly Mr HENDRIK TAFEL with your enquiries on Syncros/Alex Rims.

HENDRIK TAFEL
Alexrims European Office
TEL: +49 151 23433124
hendrik.tafel@alexrims.com.tw

TEKTRO

For a list of TEKTRO service centres and service agents please visit: http://www.tektro.com/
If you cannot find a service agent in your area please contact Tina@tektro.com.tw

NUVINCI

Europe and Rest of World

The Netherlands (Zwolle)
Phone: +31387200711
eu-service@nuvincicycling.com

Germany / Austria

Hermann Hartje KG
Phone: +49 2289 2939 079
de-service@nuvincicycling.com

Switzerland / Liechtenstein

OFELEC AG
Phone: +41 43 508 55 97
ch-service@nuvincicycling.com

17 WORKSHOP TOOLS

Workshop cleanliness and order in the workplace are prerequisites for QUALITY!

SCOTT is a brand that develops and offers products with high end and lightweight standards.

This high standard begins with development and production and continues through to the service.

To offer high quality and professional service to our customers it is necessary to have a clean and well equipped workshop. As a branch or an importer, YOU reflect the quality and standards of SCOTT products in the service you provide.

EXAMPLES OF HOW TO SET UP YOUR WORKSHOP

SCOTT Italia





SCOTT Germany





EXAMPLES OF WHAT **NOT** TO DO





Listed below are some important special tools we recommend you have in your workshop to check and repair bikes in a professional and uncomplicated way.

PARK TOOLS

Tool	Notes	Image
HTR-1.B Headset Reamer	For all bikes (alloy only)	
FFG-2 Alignment Gauge Set	For all frames to check the drop out alignment	
FAG-2 Frame Alignment Gauge	For all frames to check the alignment	
WAG-5 Wheel Alignment Gauge	For all wheels	
RT-1 Head Cup Remover	To remove headset cups 1 1/8	
RT-2 Head Cup Remover	To remove Headset Cups 1.5	
DAG-2.2	To check the RD alignment	
PRS-33	E-Bike Workstand	
BTS-1	Bottom Bracket Tapping / Reaming	
BBP-1	Bottom Braket Press	
BBT-90.3	Bottom Braket Remover	
HHP-2	Headset Press	
HBP-1	Hub Bearing Press	
CRS-1	Fork Crown Race Setter	
CRS-15	Fork Crown Race Setter	

PARK TOOLS continued

Tool	Notes	Image
CRC-1	Crown Race Reamer 1 1/8"	
CRC-15	Crown Race Reamer 1 1/2"	
CRP-2	Crown Race Remover	
TS-4	Universal Wheel Truing Stand	
DT-5.2	Brake Allignement	
BDT-2	Belt Drive Bikes	
CSB-1	Carbon Saw Blade	
IR-1.2	Frame Specific	

WÜRTH TOOLS

09171	Rivet plier to fix bottle cage rivets	
091714	Adapter for M4 screw for rivet plier	
0917240	M4 Rivet for e.g. bottle cage	
063901	Hand Tap Set, to rework or clean threat	
06571	Tap wrench for hand tap set	
Pipe Cutter	Cutting Steerer	

TOPEAK®
PREPARE TO RIDE

SCOTT, in partnership with TOPEAK, also recommend the following items available through the TOPEAK distribution network.

Renovate and upgrade your workshop with the following Topeak premium tools and workstands:



D-TOURQ WRENCH DX

Protect your investment with the feature packed torque wrench. D-Torq DX features a reversible ratcheting head, standard 3/8" square drive, a box wrench for tool bits and can measure torque in 4 units including Nm, in-lb,ft-lb, or kg-cm. The digital readout provides a visible display while there are also separate programmable audible warnings for your target torque value and another for over torque. Never strip threads again!

TOOLS
Reversible ratchet wrench 3/8" square drive

ALLEN BITS
3/4/5/6/8/10 mm

TORX® BIT
T25/T30/T40

SCREW DRIVERS
#2 Phillips

SOCKETS
8 /9 / 10 / 11 / 12 / 13 / 14 / 15 mm

ADAPTER
3/8" square drive adapter for use sith bits

UNIT
4 unit
(Nm / in-lb / ft-lb / kg-cm)

BATTERY
AAA x 2 (included)

BATTERY LIFE
(APPROX)
48 hrs

MATERIAL
Hardened steel/ Engineering grade plastic

ADDED FEATURES
Pre-set torque valve
Warning sound for over pre-set torquevalve
LCD display
Auto off
Hard shell storage case

SIZE L x W x H
33.4 x 3.2 x 2.8 cm / 13.1" x 1.2" x 1.1"

WEIGHT
430 g / 15.13 oz

ART NO.
TT2531

18 TOOLS





D-TOURQ WRENCH

Protect your investment with the feature packed torque wrench. D-Torq features a reversible ratcheting head, a box wrench for tool bits and can measure torque in 4 units including Nm, in-b, ft-lb, or kg-cm. The digital readout provides a visible display while there are also separate programmable audible warnings for your target torque value and another for over torque. Never strip threads again!

TOOLS
Reversible ratchet wrench for use with bits

ALLEN BITS
2/2.5/3/4/5/6 mm

TORX® BIT
T25

SCREW DRIVERS
#2 Phillips

UNIT
4 unit
(Nm / in-lb / ft-lb / kg-cm)

BATTERY
AAA x 1 (included)

BATTERY LIFE
(APPROX)
20 hrs

MATERIAL
Hardened steel / Engineering grade plastic

ADDED FEATURES
Pre-set torque valve
Warning sound for over pre-set torque valve
LCD display
Auto off
Hard shell storage case

SIZE L x W x H
20.4 x 2.1 x 2.1 cm / 8" x 0.8" x 0.8"

WEIGHT
153 g / 5.39 oz

ART NO.
TT2530

8 TOOLS













PREPSTATION PRO

Easy moving trolley tool station with 5" wheels and seven tool compartments containing 43 sets of professional shop quality bike tools. Wheel base can be easily pulled out to extend working base for better stability. Push button Lift Handle opens tool trays for quick and easy repairs.

COMPARTMENTS
7 total, includes
5 tool trays and 2 component trays

MATERIAL
Engineering grade plastic

TOOLS
43 sets professional tools

TOOL MATERIAL
Chrome vanadium steel / Hardened steel

ADDED FEATURES
5" ball bearing wheels
foldable handle
Optional case cover

SIZE L x W x H
38 x 36.2 x 72.1 cm / 15" x 14.2" x 28.4" (Folded)
38 x 36.2 x 96.5 cm / 15" x 14.2" x 38" (Open)

ART NO.
TPS-05

43 SETS

TOPEAK®
PREPARE TO RIDE

PREPSTAND™ PRO

A pro level workstand with a built-in digital weight scale. Stable tripod design folds down small for travel or use at the races.

CLAMP HEAD
Non-marring rubber jaws
360 degree rotation digital weight scale

CLAMP HEIGHT
122 cm To 183 cm (48.0"~72")

CLAMP OPENING
1.9 cm To 4.5 cm (0.75"~1.8")

FOLDING
Two QR clamps

BASE
HD folding 6061 T6 tubes

MATERIAL
6061 T6 tubes

MAX. WEIGHT CAPACITY
25 kgs / 55 lbs

ADDED FEATURES
Carry bag
Rubber base feet

SIZE L x W x H
17.8 x 117 cm / 7.0" x 46.0" (Folded)
135 cm / 53.1" (Base diameter)

WEIGHT
6.2 kgs / 13.67 lbs

ART NO.
TW001

* Not available for European market



Digital scale weighs up to 25kgs (55lbs)



Clamp rotates 360 degree



Foldable supporting legs



Carry bag included





UPGRADE KIT

Small tray for weighing small parts plus a hook for weighing wheels and other odd shaped items. For use with PrepStand™ Pro.

MATERIAL
Engineering grade plastic

SIZE L x W x H
12 x 12 x 26.5 cm / 4.7" x 4.7" x 10.4"

WEIGHT
125 g / 4.40 oz

ART NO.
TW001-SP01





TOOL TRAY

A handy holder for tools, lubes and small parts. For use with PrepStand™ Pro, Elite and Race.

MATERIAL
Engineering grade plastic

SIZE L x W x H
125.9 x 30.5 x 6.6 cm / 10.2" x 12.0" x 2.6"

WEIGHT
700 g / 1.54 lbs

ART NO.
TW001-SP02





HANDLEBAR STABILIZER

Holds handlebar, forks and front wheel secure while working on bike. Adjustable length to fit most bikes.

MATERIAL
Engineering grade plastic

SIZE L x W x H
12 x 12 x 26.5 cm / 4.7" x 4.7" x 10.4"

WEIGHT
125 g / 4.40 oz

ART NO.
TW001-SP03







Attachable carry bag for additional tools



Die cut foam inserts insure tool placement and security



Integrated pad and mesh covers to prevent tools from dislodging when PrepBox is opened

PREPBOX

18 sets of professional shop quality bike tools fit neatly into a pro-level carrying case. Attachable carry bag for additional tools. Great for shop work, events or at-home bike maintenance.

TOOLS
18 sets professional tools

MATERIAL
Engineering grade plastic

TOOL MATERIAL
Chrome vanadium steel / Hardened steel

ADDED FEATURE
Attachable carry bag

SIZE L x W x H
40.5 x 32 x 11.5 cm / 15.9" x 12.6" x 4.5"

WEIGHT
4.63 kgs / 10.21 lbs (Case w/ tools)
320 g / 11.26 oz (Carry bag)

ART NO.
TPX-01

18 SETS



Please send your order information to workshop@topeak.com.tw and we will inform Topeak local distributor to contact with you for a special offer. Your order should include the following information:

- Your company name.
- Your country.
- Contact person.
- E-mail address of the contact person.
- Telephone number.
- Topeak Part # and description.
- Order q'ty.

WÜRTH WORKSHOP TOOLS PACKAGES

As an additional service to set up an even higher level of technical service to our customers, we have worked with Würth Tools to propose 3 levels of workshop tool packages available to order for all SCOTT Subsidiaries and distributors.

- Basic package
- Expert package
- Pro package
- Chemical package

Please find below each package detailed with pictures and part numbers directly.

If you wish to order a package please let the QM Team now and we will help to organize on your behalf.

BASIC PACKAGE

Article no.	Tool	Image
061312108	T-HANDLE SOCKET WRENCH **SCRDR-HNDL-T-EXHEX-8X200**	
06139156	SCREWDRIVER SET FOR HEX SOCKET SCREWS, BALL HEAD **SCRDR-SET-INHEX/BALLHD**	
06134893	PRECISION SCREWDRIVER SET **SCRDR-PREC-SET-HEX-7PCS**	
06139147	T-HANDLE, TX SOCKET SET, 7 PCS. **SCRDR-HNDL-T-SET-INTX-7PCS**	
071330142	COMBINATION WRENCH ASSORTMENT, SHORT TYPE **COMBIWRNCH-SORT-28PCS-WS(5,5-34)**	
061312110	T-HANDLE SOCKET WRENCH **SCRDR-HNDL-T-EXHEX-10X230**	
06139348	SCREWDRIVER SET TX **SCRDR-SET-TX-8PCS**	
06139136	T-HANDLE HEXAGON SOCKET BALL HEAD SET **SCRDR-HNDL-T-SET-INHEX-6PCS**	
061393225	SCREWDRIVER SET **SCRDR-SET-PH/SL-5PCS**	
071402 85	WATER PUMP PLIERS, SELF-ADJUSTING **WTRPMPPLRS-SLFADJ-250MM**	


Article no.	Tool	Image
071403 16	ELECTRICIAN'S SCISSORS **PHNSHRS-L140MM**	
071425108	RATCHET COMBINATION WRENCH, METRIC, STRAIGHT **RTCHCOMBIWRNCH-WS8**	
071464 02	METAL BOW SAW **METSAW-BOW**	
071425113	RATCHET COMBINATION WRENCH, METRIC, STRAIGHT **RTCHCOMBIWRNCH-WS13**	
071501 569	SNIPE NOSE PLIERS **FLRDPLRS-40DGR-BLACK/RED-L200MM**	
071534 96	TELESCOPIC MAGNET **TELEMAGN-(L155-670MM)**	
071540100	ALLEN KEY SET, HEXAGON SOCKET **ALLENKEY-SET-BALLHD(1,5-10)-9PCS**	
071572 54	RECOIL-FREE HAMMER **SFTFCEHAM-RECOILLESS-D40MM**	
071403 17	WORK SCISSORS **WRKSHRS-L250MM**	
071425113	RATCHET COMBINATION WRENCH, METRIC, STRAIGHT **RTCHCOMBIWRNCH-WS13**	

BASIC PACKAGE continued

Article no.	Tool	Image
071461 90	FLAT HAND ENGINEER'S FILE SET **WRKSHPFILE-SET-VEHICLE-L200MM-5PCS**	
071471 20	1/4-INCH TORQUE WRENCH **TRQWRNCH-RTCH-1/4IN-(4-20NM)**	
071506 01	COMPACT BOLT CUTTERS **BLTCTR-COMPACT-L200MM**	
071537 100	ALLEN KEY SET, TX **ALLENKEY-SET-BALLHD(TX9-40)-8PCS**	

Article no.	Tool	Image
071554 00	SCREWDRIVER AND EXTRACTOR **VLVETL-TRE-EXTRACTOR/SCREWINTL-VALPLTE**	
071573 50	MACHINISTS' HAMMER WITH PROTECTIVE HANDLE SHEATH **MECHHAM-COVER-500GR**	
096509059	1/4 INCH AND 1/2 INCH SOCKET WRENCH ASSORTMENT **SKTWRNCH-SET-1/4-1/2IN-59PCS**	

EXPERT PACKAGE


Article no.	Tool	Image
5964050200	CABLE TIE, BLACK ASSORTMENT **CBLTIE-SORT-PLALATCH-BLACK-250PCS-SYSKO SYSTEMKOFFER**	
061323091	AWL **AWL-6X100**	
071401 551	POWER SIDE CUTTERS DIN ISO 5749 **HDSDCTR-L140MM**	
071471 19	1/4 INCH TORQUE WRENCH, HEXAGONAL **TRQWRNCH-RTCH-1/4IN-(1-5NM)**	
071471 23	1/2-INCH TORQUE WRENCH **TRQWRNCH-REVRTCH-1/2IN-(40-200NM)**	
0713118401	1/4" CONNECTOR **ADAPT-(1/4-3/8IN)**	

Article no.	Tool	Image
071463 41	PIN PUNCH SET **PINPNCH-SET-6PCS**	
071471 20	1/4-INCH TORQUE WRENCH **TRQWRNCH-RTCH-1/4IN-(4-20NM)**	
071491 21	INTERNAL AND EXTERNAL DEBURRER **DEBURTL-PIP-IN/EXCUTTER-INOX**	
0715671001	TURNTABLE **AY-ROTARYTABLE-PV-F.HEUER-100MM**	
071567100	PARALLEL VICE HEUER **PARAVCE-HEUER-100MM**	
096513 110	1/2 INCH SOCKET WRENCH ASSORTMENT **SKTWRNCH-SET-1/2IN-INHEX-11PCS**	

WÜRTH

PRO PACKAGE

Article no.	Tool	Image
070116107	HIGH-PRESSURE CLEANER HDR 160 COMPACT **CLNAPP-HPC-160-COMPACT MASTER**	
0702202007	ELECTRONIC HOT AIR BLOWER HLG 2000 **HOTAIRBLW-EL-CH-HLG2000**	
071492 14	EXTENSION NOZZLE FOR BLOW-OUT GUN **AY-EXTNOZZLE-BLWOUTGUN-OFFSET-L100MM**	
071593 07	MAGNETIC RAIL WITH BRACKET **MAGNRAIL-TOOL-COMPL**	
0891503001	PUMP SPRAY BOTTLE **PMPSPRBTL-PLA-EMPTY-1000ML**	
0701229007	COMPRESSOR K 290-2 **COMP-EL-K290-2-ISO100-(CH-PLUG) MASTER**	
071492 131	BLOW-OUT GUN **BLWOUTGUN-PN-GROMMET**	
0714938218	SCREWDRIVER HOLDER **SCRDRRCK-EMPTY-BLACK-310X100X185MM**	
0899800606	CLEANING PAPER STAND **ROLLSTAND-CLNPAP-BOTTOM-MOBILE**	

Article no.	Tool	Image
0899800900	CLEANING CLOTH SOFTEX/SOFTEX-LIGHT **CLNCLTH-SOFTEX-ROLL-40X38CM-500SHT**	
0957311620	WORKBENCH PRO WUS 2 **WRKBNCH-STAT-PRO-WUS2/T6-2000-RAL3020**	
0957366420	PLASTIC BOX **AY-PLABOX-DRWRCAB-B-150X75X36**	
0960050013	BASE PLATE FOR SQUARE-PERFORATED PANEL SYSTEM **FLRTRY-RAL9011-GRAPHITEBLACK-457X1486MM**	
0960050142	U-HOLDER HOLD-U-40X75MM	
071593 04	MONTAGESTUHL FAHRBAR **ARBSTUHL-WRKST-FAHRBAR**	
0957366410	PLASTIC BOX **AY-PLABOX-DRWRCAB-A-75X75X36**	
0960050012	BASE PLATE FOR SQUARE-PERFORATED PANEL SYSTEM **FLRTRY-RAL9011-GRAPHITEBLACK-457X991MM**	
0960050101	RETAINING PIN **HOK-BEVELED-L50MM**	

CHEMICAL PACKAGE

Article no.	Tool	Image
0890108715	BRAKE CLEANER **BRKCLNR-5LTR**	
0890600606	HAND CLEANER SUPER **HNDCLNR-(SUPER)-200ML SKIN**	
08931063	HHS ® ADHESIVE LUBRICANT 5000 **ADHGRSE-HHS5000-500ML**	
089322105	SILICONE SPRAY **SILSPR-5LTR**	
0890600109	SKIN PROTECTION LOTION COMBINATION **SKINPROTCREM-(COMBI)-100ML SKIN**	
089305540	MAINTENANCE OIL MULTI **MAINTOIL-MULTI-400ML**	

Article no.	Tool	Image
089314005	CLEANER INDUSTRY CLEAN **LBLREM-(INDUSTRY-CLEANER)-CANISTER-5LTR**	
0899511905	EYE RINSING STATION **EYEWASH-WALLSTATION-500ML**	
089190051	WALL RAIL **DSPSYS-WALLRAIL**	
08919005	DISPENSER SYSTEM, SKIN LINE **DSPSYS-SKIN**	
0893270025	HIGH-STRENGTH SCREW RETAINER **CHEMSCRRTNR-DOS-HIGHSTRENGTH-25G**	
0893243050	MEDIUM-STRENGTH SCREW RETAINER **CHEMSCRRTNR-DOS-MEDIUMSTRENGTH-50G**	

18 CARBON REPAIRS

CARBON FIBER REPAIRS

If a customer needs a new drop-out on a CR1 MY 04-09, or a new BB insert on a Scale, CR1 MY 04-09, Spark, or Addict due to their own fault but they do not want to buy a new frame then we have contact details of companies that can repair carbon frames with this kind of damage on their own account.

⚠ IMPORTANT

Please note that SCOTT cannot take any direct liability on repair works done by these companies.

⚠ IMPORTANT

It is recommended that frames should no longer be used or tried to be repaired if they suffered from impacts caused by crashes or traffic accidents. This is because fibres can be damaged without there being any visible signs of damage, such as cracks in the tube or frame.

Please note that some of the companies have special requests regarding shipments and preparation of the frames.

When in doubt, please contact them before you ship the goods to have an efficient and economic handling of the repair.

We will work on offering you more information and details of more companies that will be able to help you in your country directly.

Please feel free to provide us with details of any other suitable companies that offer these types of services in your country.

In the case of a **crash or accident**, it may be helpful to have an **expert** examine your carbon frame and get a detailed report to see whether the frame is **still safe to use**.

In Germany, the company Dipl. Ing. Dirk Zedler is offering this kind of service and expertise:

Ingenieur-und Sachverständigenbüro Zedler
Teinacher Str. 51
71634 Ludwigsburg
Germany

Phone: +49-7141-3164 7

info@zedler.de

www.zedler.de

Companies that offer carbon frame repair services using original SCOTT parts:

AUSTRALIA

Hillbrick Racing Frames
Unit 7, 25-31 Airds Rd
Minto, NSW, 2566
Australia

Phone: +61 2 9820 4011
Moblie: +61 4 12 842 730
paul@hillbrick.com.au
www.hillbrick.com.au

BELGIUM

Jean-François Stelet
Rue Payefa
B-4790 Ferrieres
Belgium

Phone: +32(0)497/189 880
jf.stelet@skynet.be

FRANCE

Véga Réalisations Composites
Laurent Pascual
113, route des Argos
74940 Annecy-le-Vieux
France

Phone: +33 04 50 09 80 50
Fax: +33 04 50 66 15 57
Mobile: +33 06 08 25 90 11
vega.rc@wanadoo.fr
www.vega-realisations-composites.fr

GERMANY

Koehn/Reset - Germany/Austria
Göttinger Chaussee 12-14
D-30453 Hannover
Germany

Phone: +49 511 473204 40
Fax: +49 511 473204 49
info@reset-racing.de
www.reset-racing.de

THM-Carbones
THM Faserverbund-Technologie GmbH
Am Sportplatz 3
D-24791 Alt Duvenstedt
Germany

Phone: +49 4338 9993 0
Fax: +49 4338 9993 11
info@thm-carbones.com
www.thm-carbon.de

POLAND

Carbonbike
Mlawska 8
03-113 Warszawa
Poland

Phone/Fax: +22 670 34 93
info@carbonbike.pl
www.carbonbike.pl

SPAIN

Biciletas Carreras
Aureli Maria Escarre
Mollet Del Valles
Barcelona 08100
Spain

Phone: 93 593 21 63
www.bicicletascarreras.com

SWEDEN

Innolite Design
Bäverstigen 34
150 23 Enhörna
Sweden

Phone: +46 708 857832
info@innolite.se

SWITZERLAND

MAW Mariotto Art Works
Hof 9
CH- 4917 Busswil
Switzerland

Phone: +41 76 365 65 40
info@maworks.ch
www.maworks.ch

UAE

Wolfi's Bike Shop
Sheikh Zayed Road
PO Box 72327
Dubai - U.A.E.

Phone: +971 4 3394453
Fax: +971 4 3394452
robert@wbs.ae
www.wbs.ae

UK

HQ fibre products
Vale farm
Blofield Road, Norwich
Norfolk NR13 4AJ
UK

Phone: +44 1603 71 39 72

USA

Calfee Design
681 Beach Drive
La Selva Beach, CA 95076
United States of America

Phone: +1 831 728 1859
repairs@calfeedesign.com
www.calfeedesign.com/repair/

Ruckus Components
305 SE Madison St. Suite 6
Portland, OR 97214
United States of America

Phone: +1 503 515 5218
shawn@ruckuscomponents.com
www.ruckuscomponents.com

19 BATTERY STORAGE, SAFETY & TRANSPORTATION

PLEASE MAKE SURE YOU EDUCATE YOURSELF AND THE CUSTOMER ON SAFE BATTERY PRACTICE.

THIS WILL BE DIFFERENT FOR END CONSUMERS AND COMMERCIAL DEALERS.

The end consumer must be made aware of:

- How to look after and recognise any issue with his or her battery
- The correct way to store the battery
- What to do if any damage occurs to the battery
- How to transport the battery

BATTERY STORAGE, SAFETY AND TRANSPORTATION

MAIN SAFETY POINTS TO REMEMBER:

- Never leave the battery in direct sunlight at high temperatures for long period of time; this includes shop windows and leaving in the car.
- Extremes of temperature, hot or cold will have an effect on the life of the battery, protect against these parameters.
- Do not transport the battery on the bike if on a vehicle bike rack, this goes for the complete e-bike system. Water pressure from rain circulating behind a car whilst the e-bike is on a rack can easily exceed any pressure washer. (**do not pressure wash an e-bike system**) If you need to transport this way make sure the drive system is protected/covered completely.
- If you notice any damage to the battery, assess and inform your e-bike battery supplier. **Do not try to fix the problem, remove the casing or cover with protective tape**.
- Always remove the battery from the e-bike before doing any work on it.
- Store the battery in a well ventilated cool area away from any flammable items, acids and flammable liquids
- **Double check your insurance covers you for the storage of Lithium-ion batteries**.
- Install smoke alarms.
- Protect the battery from accidental impact, water and excessive humidity.
- Find a good storage solution (information on a storage solution is later in this chapter)

If you think your battery is damaged or the battery becomes hot, starts to emit smoke or odors you must not try to transport the battery in any way. Immerse in water completely, continue to add water, contact the Fire Service.

Alternative for all commercial businesses you should make sure you have a sand box big enough to easily cover the battery in sand (below) to remove the oxygen supply from the battery. Inform the Fire Service.



The following ADR information will help to educate you on how to transport separate batteries for Commercial Businesses. (Some tunnels in Europe even have restrictions on the number of batteries allowed for commercial business).

Batteries transported connected/installed in the bike are not classed as dangerous goods, but having precautions in place for a large number of bikes is prudent and good practice.

Private transport of batteries is different from Commercial transport, no ADR requirements needed for Private Transport. Commercial transport includes events and inter-company transport in a business vehicle or similar.

TRANSPORT OF HAZARDOUS MATERIALS ACCORDING TO ADR

Those participating in the transport according to ADR

- Packager
- Loader
- Carrier
- Driver
- Unloader
- Recipient


- All persons involved in the transport must be trained in accordance with Chapter 1.3 ADR in relationship to their work and area of responsibility.
- Training must be provided before relevant duties are assumed; otherwise supervision by already trained personnel is required.
- Written records of the training must be maintained and submitted to the authorities in charge upon their request.
- Compliance is strictly enforced by commercial regulatory authorities. Severe fines are imposed for violations.

ADR transport document

- Document must be handed over to the carrier or the driver.
- No formal requirement, but clear rules for obligatory content:
  - Complete address of the sender and recipient
  - Complete and correct description of the content in the exact order specified

⚠ IMPORTANT

A copy of the transport document must always be saved on file for 3 months!


Attachment to Way Bill
(please attach firmly)

ADR
declaration of dangerous goods

Date: 31.07.2016

1

On Yer Bike Cycles
Martin
Queens Lancashire Way
BB11 1AT Burnley, Lancashire
GB

Robert Bosch GmbH
Bosch eBike Systems
AE-EB/OMM
RT 053/E

Gerhard-Kindler-Strasse 3
72770 Reutlingen

2

Quantity	Packaging	UN-Code, Description, Label, Packaging Class	Weight/Vol. Net (kg/l)	Gross Weight (kg)
1	Carton	UN 3480 Lithium-Ion-Battery, 9, II, (II)		2,7

☐ The limit according to subsection 1.1.3.6 is exceeded.

☒ The transport stays within the limit according to 1.1.3.6 (<= 1000 points)

Quantity per Category

Transp. Cat.	Quantity	Factor	Points
1	1	3	3,1
2			
3			
4			
		Total:	6

Please attach the following documents:

☐ For Air Freight: IATA-DGR Shipper's Declaration for Dangerous Goods
☐ For Sea Freight: IMO Declaration / Declaration of the Sender Responsible Maritime

Herewith I confirm the regularity and completeness of the specifications given above.

3

Name in Capital Letters

Signature of Sender

Effective 01.01.2011

Obligations on the loader according to Chapter 7.5 ADR

- Handover of the transport document to the vehicle driver (must be carried throughout the entire transport)
- Inspection of the transport vehicle before loading:
  - Vehicle appears to be in good condition and clean
  - Sufficient load securing equipment (no movement of the goods being shipped possible)
  - Minimum of 2-kg ABC fire extinguishers available which are sealed with current test date and easily accessible
- Loading not permitted if there are deficiencies!

⚠ IMPORTANT

No smoking during loading!

Packaging of lithium-ion batteries as dangerous goods

- Classification: Lithium ion batteries with more than 100 Wh
- Class 9: Miscellaneous dangerous substances and objects
- Dangerous goods description: Lithium ion batteries
- UN number 3480 (internationally valid)
- Mandatory hazard label for shipment as shown in the following example



1 – Packaging code
2 – Hazard label
3 – UN number

Obligatory guidelines for packaging

- Shipping only in type-approved packaging with correct labelling
  - Undamaged used packaging can be used again.
- Protect against damage
- No room to move, if required, surrounded by cushioning material that is non-combustible and non-conductive
- Observe the max. gross weight per package (2.8 kg for packaging)
- Recessed battery terminals and protected against short circuiting

Shipping of multiple batteries if batteries are to be shipped with other goods (e.g. drive unit)

- One dangerous goods box per battery.
- Prevent the batteries from damaging each other (content must remain intact when dropped from a height of 1.2 m).
- Outer packaging must be sufficiently stable and undamaged.
- Outer packaging must be marked with the letters “outer box” and labelled with hazard label and UN number.

⚠ IMPORTANT

The correct outer packaging informs persons involved in the transport and enables them to take immediate and proper action in case of an emergency.

⚠ IMPORTANT

Not all package couriers will transport hazardous materials! Please check beforehand with your courier.

Free-of-charge and legal downloads of laws and regulations regarding transport of eBike batteries.

- European convention on the international transport of dangerous goods by road (ADR): www.bmvi.de
  Transport and Mobility ➔ Transport Policy ➔ Freight Transport and Logistics ➔ Dangerous Goods ➔ Dangerous Goods - Laws/Regulations ➔ Road
- ADR – English Version: www.unece.org
  Our work ➔ Transport ➔ Areas of Work ➔ Dangerous Goods

BATTERY STORAGE


For battery storage solutions we can provide the following items:

- **266002** Sand Bin for damaged and dangerous Batteries
- **266003** Storage Locker



The following listed connection items we recommend for completing the installation of a fully functioning storage locker, and the electrical circuit needed to join all the power points inside the locker.

Manufacturer	Product name	Product description	Amount
Hager	**VE103U**	Vector II Enclosures	1
Hager	**ADM416C**	Universal current RCCB 4P 6kA B-16A 30mA	1
Hager	**ERC316**	Relay 16A, 3S, 230V	1
Hager	**EG203**	Weekly digital time switch 2 channels	1
Schneider Electric	**VCFN20GE**	TeSys Mini-VARIO - enclosed emergency stop switch disconnector - 16 A	1
-	**-**	Socket 16A (country specific)	9





⚠ IMPORTANT


The connection/cabling of the locker must be performed by a qualified electrician, the following parts are only a guide and you must make sure that all parts used comply with your local regulations/laws.


All components must be installed on the outside of the locker, except the sockets themselves.


Dimension of the locker below:













20 LEGAL INFORMATION


PROCEDURE IN PRODUCT LIABILITY CASES

PRODUCT LIABILITY

Definition:

- Product defect (a product is defective in this meaning if it is not as safe as it can be generally expected at the moment of the first placing on the market, e.g. a fault in construction, a fault in production, etc.);
- Bodily injury of the consumer caused by the product defect; and/or
- Property damage of things other than the defective product.

Procedure:



SCOTT Headquarters SOLELY handles product liability cases.

Therefore, please follow this checklist.

If you do not follow this checklist, SCOTT may be sued and may not be able to adequately defend its position. This may result in unjustified prejudices that may have detrimental consequences both for SCOTT's trademark image and your business relationship with SCOTT.

SEND ALL INFORMATION TO:

Barbara Moigno / Lena Huse
Phone: +41 26 460 1 – 680 / - 706
Fax: +41 26 460 16 00
Email: EU.legal@scott-sports.com

Holger Klinter
Phone: +41 26 460 17 39
Fax: +41 26 460 16 00
Email: Holger.Klinter@scott-sports.com

Patrick Bochud
Phone: +41 26 460 16 89
Fax: +41 26 460 16 00
Email: Patrick.Bochud@scott-sports.com

CHECKLIST

All written information should be provided in its **original language**. If the information is in a language other than English, German or French, please also **translate** it into one of these three languages for faster processing.

ONLY with the explicit prior permission of SCOTT should you send the evidence back to the claimant. **Please NEVER THROW IT AWAY!**

Please provide:

1. The claimant's **address and phone number**.
2. The **proof of purchase** / sales slip.
3. A **memo** with the following information:
   - **What** happened and **who** was involved?
   - **When**, **where** and **why** did the incident happen?
   - What is the general **appearance** of the product?
   - **Detailed product information**, e.g. frame number, model, etc.
4. Confirmation of the product's periodical **maintenance and service history**.
5. A short **summary of how the product has been used** since it was purchased.
6. The **complete written correspondence** of the claimant, particularly medical certificates, technical expertise, etc.
7. **SHARP, GOOD QUALITY photos** of the defective product from all sides showing the defects as clearly as possible;

   OR

   If the claimant does NOT provide the defective product for examination, then provide the name and address of the location where the product may be examined by us.
8. Careful **storage of ALL pieces of evidence**, particularly the defective piece.

ALWAYS REMEMBER:

1. **NEVER make comments or statements** concerning the **reason** for the **product failure** to the claimant or the dealer!
2. **ALWAYS behave in a customer-friendly manner** with the claimant!
   (active listening, sympathy and concern, etc.)
3. **ONLY SCOTT Headquarters will handle communication** with consumers / lawyers / insurance companies!

CUSTOMER COMMUNICATION ON SOCIAL MEDIA

BASIC PRINCIPLES

1. Always stay positive

- Deal with all customer complaints offline = email, phone, face to face
- Avoid customer service online by all means
- Don't post any opinions
- Don't engage in negative discussions at all
- Keep answers clear and short

2. Always pause and think before posting

- Always think twice before hitting 'send'; consider what could happen when you publish information. When in doubt, do not post!
- Double check content, tone, and grammar

GOLDEN RULES

1. Use Common Sense

- Talk to your readers like you would talk to real people in professional situations.
- Be respectful but casual.
- Don't engage in a customer service discussion online.
- Let negative or aggressive posts stand and monitor.


2. Protect SCOTT Sports and yourself.

- Anything said can be picked up by fans, competitors, stakeholders, analysts, hackers, and the media. There are people looking for such information 24/7.
- Respect confidentiality, never post internal or classified information.
- Never post anyone's personal details without consent (not even a name).

3. Take Responsibility

- Be responsible for what you write. Posting on the page means that you represent the SCOTT company.
- Everything you say as an employee is accessible and searchable – even if you delete it afterwards.
- Tell the truth. If you make an error, be up front and honest about your mistake.
- Your honesty or dishonesty will be noticed quickly.

HOW TO REPLY



2018 BIKE TECHBOOK

All rights reserved © 2017 SCOTT Sports SA
Specifications subject to change without notice

Products shown may not be available in all regions,
please check with your local SCOTT retailer for availability.

SCOTT SPORTS SA | CH-1762 GIVISIEZ
Phone: +41 26 460 16 16

SCOTT-SPORTS.COM