




# ADDICT GRAVEL

## MY22 TECH MANUAL



# Geometry & Technical Data:



Seatpost:	Addict Aero
Seatpost Clamp:	Addict Aero
Fork Steerer:	1 1/4 - 1 1/2
Headset:	IS52 /31,8 - IS 52/40
Rear Axle:	142mm
Front Axle:	100mm
BB Housing:	41x86.5mm
Max/Min Front Rotor:	180/160mm
Max/Min Rear Rotor:	160/140mm
Tyre Width Max:	45mm



Tyre sizes often vary from brand to brand. Always ensure the frame, & fork tyre clearance is adequate when replacing the tyres.

## MY22 ADDICT GRAVEL


	XSmall	Small	Medium	Large	X/Large
A head tube angle	70°	70°	71°	71°	71°
B head tube length	95 mm	122 mm	140 mm	166 mm	187 mm
C top tube horizontal	518 mm	534.5 mm	554.5 mm	578.5 mm	592.5 mm
D standover height	759 mm	786 mm	807 mm	828 mm	847 mm
E BB offset	-71 mm	-71 mm	-71 mm	-71 mm	-71 mm
F BB height	283 mm	283 mm	283 mm	283 mm	283 mm
G wheel base	1009.4 mm	1022.9 mm	1029.2 mm	1048.7 mm	1063.5 mm
H BB center to toptube center	447 mm	477 mm	498 mm	516 mm	536 mm
I BB center to top of seattube	477 mm	507 mm	528 mm	546 mm	566 mm
J seat angle	74.5°	74°	73.5°	73°	73°
K chainstay	425 mm	425 mm	425 mm	425 mm	425 mm
L reach	374.1 mm	378.4 mm	387.1 mm	398.2 mm	406.1 mm
stack	519 mm	544.4 mm	565.3 mm	589.9 mm	609.7 mm
Trail	75.6 mm	75.6 mm	69 mm	69 mm	69 mm
Fork Rake	50 mm	50 mm	50 mm	50 mm	50 mm

## Axles & Dropouts:

The new Addict Gravel will have same dropout as the Addict RC and the rest of the Addict family. The Hanger comes in standard and DM options and includes dropout, threaded axle cap, and fixation bolt.

**277544 SCO Dropout Addict RC 20**

**277545 SCO Dropout Addict RC direct mount 20**



Front and rear axles are available in two variations;

Standard version:

**283340 SCO Axle Foil/Addict/Speedster D R 21**

**283341 SCO Axle Foil/Addict/Speedster D F 21**

Tapered version:


**277029 SCO Axle rear Addict RC/Plasma 6 TP 20**

**277030 SCO Axle rear Addict RC/Plasma 6 20**

## Seatclamp:

The Addict Gravel will share the D-shaped Syncros Duncan Aero SL seatposts and seatclamp from the Addict RC.

**277543 SCO Seatclamp Addict RC 20**





## Cockpit:

The new Addict Gravel will have fully integrated cable routing through the stem and headset, with a gravel specific handlebar from Syncros with 16-degree flare and shorter reach.

The Addict Gravel will have two different stem/handlebar options depending on the bike model.

### **288087, 288088, 288089, 288090, and Creston iC SL X 288123 SYN Stem RR 2.0**

The Addict Gravel will use the same headset kit for both Creston iC SL X combo and the RR2.0/RR2.5 stem.


### **288249 SYN Headset IS52/31.8 - IS52/42**



There will be two headset spacer kits, one kit for the Creston iC SL X combo and one kit for RR2.0/RR2.5 stem.



### **277547 SCO Stem spacer kit SY Crest iC**



### **290055 SCO Headset spacer kit Add-Speed- Grav 22**



### **294283 SCO Stem cable cover Speed/Addict 22**

The Stem Cable Cover is size specific to the RR2.0/2.5 stem.



XXS: 83 mm  
XS: 93 mm  
Small: 103 mm  
Medium/Large: 113 mm  
XL/XXL: 123mm

### **277550 SCO Stem steerer cap SY Crest iC**

Creston iC SL X will use the same Stem cap as Addict RC Creston Handlebars, not size specific.



### **275472 SCO Stem hardware kit Fras iC, Crest iC**

You will be able fit the Addict RC IC CRESTON and RR1.5 Stems and Handlebars to the MY22 Addict Gravel if the correct spacer kit is fitted.



## **FD / Chainguide:**

### **290023 SCO FD kit Addict Gravel 22**

Includes chainguide, FD mount and FD cable guide blanks




## **Cable Guides & Protection Kits:**

The new Addict Gravel has several mounts for fitting of bags, fenders, and extra bottle cages.

The following kit contains the cable guides and blanks for the different frame and fender mounts.

### **290022 SCO Cableguide / blank set Addict GR 22**




Dedicated fenderset for the Addict Gravel:


### **288344 SYN Road gravel fender set for AL/CB**



### **290019 SCO C-Stay protection kit Addict gra 22**



## **Cable Routing:**






# ADDICT

# CONTESSA ADDICT

## TECH MANUAL



# Geometry & Technical Data:



Seatpost:	27.2mm
Seatpost Clamp:	31.2mm
Fork Steerer:	1 1/4 - 1 1/2
Headset:	IS52 /31,8 - IS 52/40
Rear Axle:	142mm
Front Axle:	100mm
BB Housing:	41x86.5mm
Max/Min Front Rotor:	180/160mm
Max/Min Rear Rotor:	160/140mm
Tyre Width Max:	35mm



Tyre sizes often vary from brand to brand. Always ensure the frame, & fork tyre clearance is adequate when replacing the tyres.

## MY22 ADDICT


	XXS	XS	Small	Med	Large	XL	XXL	Units
A head tube angle	70.5	71	72	72.5	73	73.3	73.3	°
B head tube length	95	105	125	145	165	185	205	mm
C top tube horizontal	515	525	540	555	570	585	600	mm
D standover height	732	747	775	790	812	835	848	mm
E BB offset	-70	-70	-70	-70	-70	-70	-70	mm
F BB height	275.3	275.3	275.3	275.3	275.3	275.3	275.3	mm
G wheel base	996.7	1003	1005	1010.6	1015.4	1022.8	1036.5	mm
H BB center to toptube center	415	435	465	485	505	525	540	mm
I BB center to top of seattube	455	475	505	525	545	565	580	mm
J seat angle	75	75	74.5	74	73.5	73.1	73	°
K chainstay	420	420	420	420	420	420	420	mm
L reach	376.3	383.2	387	390.9	394.3	389.6	406.6	mm
stack	517.8	529.1	551.6	572.4	593.3	613.6	632.7	mm
Trail	72.3	69.1	62.8	59.7	56.6	54.7	54.7	mm
Fork Rake	45	45	45	45	45	45	45	mm

## Axles & Dropouts:

The new Addict will have same dropout as the Addict RC and the rest of the addict family. The Hanger comes in standard and DM options and includes dropout, threaded axle cap, and fixation bolt.

**277544 SCO Dropout Addict RC 20**

**277545 SCO Dropout Addict RC direct mount 20**



Front and rear axles are available in two variations;

Standard version:

**283340 SCO Axle Foil/Addict/Speedster D R 21**

**283341 SCO Axle Foil/Addict/Speedster D F 21**

Tapered version:

**277029 SCO Axle rear Addict RC/Plasma 6 TP 20**

**277030 SCO Axle rear Addict RC/Plasma 6 20**

## Seatclamp:

The Addict will have a standard seatpost 27,2mm and seatpost clamp.

**235430 Seatclamp 31.2mm bolt Solace**



## Cockpit:

There will be a new handlebar and stem for the new Addict. RR.2.0 and RR2.5, with integrated cable routing under the stem. This means you can fit a standard handlebar to the stem and still have full cable integration.

### **288123 SYN Stem RR 2.0**

### **294283 SCO Stem cable cover Speed/Addict 22**

The Stem Cable Cover is size specific to the stem. And available as a spare part.



XXS: 83 mm  
XS: 93 mm  
Small: 103 mm  
Medium/Large: 113 mm  
XL/XXL: 123mm

### **290055 SCO Headset spacer kit Add-Speed-Grav 22**



### **288249 SYN Headset IS52/31.8 - IS52/42**



You will be able fit the Addict RC IC CRESTON and RR1.5 Stems and Handlebars to the MY22 Addict if the correct spacer kit is fitted.

The new Addict is fender compatible with the new fenderset from Syncros.

### **288343 SYN Road endurance fender set for AL/CB**




## **Cable Guide Kit:**

The following kit contains the cable guides and blanks for the different frame and fender mounts.

### **290022 SCO Cableguide / blank set Addict GR 22**

## **Cable Routing:**





# **SPEEDSTER**


# **CONTESSA SPEEDSTER**

## **TECH MANUAL**





# Geometry & Technical Data:



Seatpost:	27.2mm
Seatpost Clamp:	31.8mm
Fork Steerer:	1 1/4 - 1 1/2
Headset:	IS52 /31,8 - IS 52/40
FD Clamp:	31.8mm
Rear Axle:	142mm
Front Axle:	100mm
BB A-Frame:	41x86.5mm
BB B-Frame:	68mm BSA
Max/Min Front Rotor:	180/160mm
Max/Min Rear Rotor:	160/140mm
Tyre Width Max:	35mm



Tyre sizes often vary from brand to brand. Always ensure the frame, & fork tyre clearance is adequate when replacing the tyres.

## MY22 SPEEDSTER

	XXS	XS	Small	Med	Large	XL	XXL	Units
A head tube angle	70.5	71	72	72.5	73	73.3	73.3	°
B head tube length	93	103	123	143	163	183	203	mm
C top tube horizontal	515	525	540	554	569	583	596	mm
D standover height	735	754	780	800	820	840	864	mm
E BB offset	-70	-70	-70	-70	-70	-70	-70	mm
F BB height	275.3	275.3	275.3	275.3	275.3	275.3	275.3	mm
G wheel base	1001.5	1007.9	1010	1015.8	1023.3	1030.3	1043	mm
H BB center to toptube center	430	450	480	500	520	540	570	mm
I BB center to top of seattube	470	490	520	540	560	580	610	mm
J seat angle	75°	75°	74.5°	74°	73.5°	73°	73°	°
K chainstay	425	425	425	425	427	427	427	mm
L reach	376	383	387	391	385	399	406	mm
stack	517.8	529.1	551.6	572.4	593.3	613.6	632.7	mm
Trail	74.5	71.3	64.9	61.7	58.5	56.6	56.6	mm
Fork Rake	45	45	45	45	45	45	45	mm

## Axles & Dropouts:

The Hanger will come in standard and DM options. It will include the threaded axle caps and fixation bolts.

**239530 Dropout Hanger Solace Disc '15<**  
**264483 SCO Dropout 142x12 DM Addict/Foil D'17**

Front and rear axles are available in two variations;

Standard version:

**283340 SCO Axle Foil/Addict/Speedster D R 21**  
**283341 SCO Axle Foil/Addict/Speedster D F 21**

Tapered version:

**277029 SCO Axle rear Addict RC/Plasma 6 TP 20**  
**277030 SCO Axle rear Addict RC/Plasma 6 20**

## Seatclamp:

The Speedster will have a standard seatpost 27,2mm and seatpost clamp.

**228949 Seatclamp 31.8mm bolt Kalloy SC202**

## Cockpit:

The Speedster will share the handlebar and stem with the new Addict. RR.2.0 and RR2.5, with integrated cable routing under the stem. This means you can fit a standard handlebar to the stem and still have full cable integration.

**288123 SYN Stem RR 2.0**

**294283 SCO Stem cable cover Speed/Addict 22**

The Stem Cable Cover is size specific to the stem. And available as a spare part.

The headset is as well shared with the Addict/Speedster family:

**290055 SCO Headset spacer kit Add-Speed-Grav 22**

This is the new headset for the Addict/Speedster family:

**288250 SYN Headset ZS56/31.8 - ZS56/42**

You will be able fit the Addict RC IC CRESTON and RR1.5 Stems and Handlebars to the MY22 Speedster if the correct spacer kit is fitted.

The new Speedster is fender compatible with the new fenderset from Syncros.


### **288343 SYN Road endurance fender set for AL/CB**

## **Cable Guide Kit:**

The following kit contains the cable guides and blanks for the different frame and fender mounts.

### **290022 SCO Cableguide / blank set Addict GR 22**

## **Cable Routing:**






# **SPEEDSTER GRAVEL**

## **CONTESSA SPEEDSTER GRAVEL**

### **TECH MANUAL**



# Geometry & Technical Data:



Seatpost:	27.2mm
Seatpost Clamp:	31.8mm
Fork Steerer:	1 1/4 - 1 1/2
Headset:	IS52 /31,8 - IS 52/40
FD Clamp:	31.8mm
Rear Axle:	142mm
Front Axle:	100mm
BB A-Frame:	41x86.5mm
BB B-Frame:	68mm BSA
Max/Min Front Rotor:	180/160mm
Max/Min Rear Rotor:	160/140mm
Tyre Width Max:	45mm



Tyre sizes often vary from brand to brand. Always ensure the frame, & fork tyre clearance is adequate when replacing the tyres.

## MY22 SPEEDSTER GRAVEL

	XXS	XS	Small	Med	Large	XL	XXL	Units
A head tube angle	70	70	70	71	71	71	71	°
B head tube length	93	103	123	143	163	183	203	mm
C top tube horizontal	512.3	523	536.5	556.5	571.2	581.2	594.2	mm
D standover height	747	762	786	806	825	844	869	mm
E BB offset	-71	-71	-71	-71	-71	-71	-71	mm
F BB height	283	283	283	283	283	283	283	mm
G wheel base	1019.5	1026.9	1037.7	1044.9	1056.4	1067	1071.3	mm
H BB center to toptube center	430	450	480	500	520	540	570	mm
I BB center to top of seat tube	470	490	520	540	560	580	610	mm
J seat angle	75	74.5	74	73	72.5	72.5	72.5	°
K chainstay	435	435	435	439	439	439	439	mm
L reach	374	378	382	387	392	396	403	mm
stack	519	528.4	547.2	570	588.9	607.8	626.8	mm
Trail	75.6	75.6	75.6	69	69	69	69	mm
Fork Rake	50	50	50	50	50	50	50	mm

## Axles & Dropouts:

The Hanger will come in standard and DM options. It will include the threaded axle caps and fixation bolts. .

**239530 Dropout Hanger Solace Disc '15<**  
**264483 SCO Dropout 142x12 DM Addict/Foil D'17**

Front and rear axles are available in two variations;

Standard version:

**283340 SCO Axle Foil/Addict/Speedster D R 21**  
**283341 SCO Axle Foil/Addict/Speedster D F 21**

Tapered version:

**277029 SCO Axle rear Addict RC/Plasma 6 TP 20**  
**277030 SCO Axle rear Addict RC/Plasma 6 20**

## Seatclamp:

The Speedster will have a standard seatpost 27,2mm and seatpost clamp.

**228949 Seatclamp 31.8mm bolt Kalloy SC202**

## Cockpit:

The Speedster will share the handlebar and stem with the new Addict. RR.2.0 and RR2.5, with integrated cable routing under the stem. This means you can fit a standard handlebar to the stem and still have full cable integration.

**288123 SYN Stem RR 2.0**

**294283 SCO Stem cable cover Speed/Addict 22**

The Stem Cable Cover is size specific to the stem. And available as a spare part.

The headset is as well shared with the Addict/Speedster family:

**290055 SCO Headset spacer kit Add-Speed-Grav 22**

This is the new headset for the Addict/Speedster family:

**288250 SYN Headset ZS56/31.8 - ZS56/42**

You will be able fit the Addict RC IC CRESTON and RR1.5 Stems and Handlebars to the MY22 Speedster Gravel if the correct spacer kit is fitted.



The new Speedster Gravel is fender compatible with the new fenderset from Syncros.


### **288344 SYN Road gravel fender set for AL/CB**

## **Cable Guide Kit:**

The following kit contains the cable guides and blanks for the different frame and fender mounts.

### **290022 SCO Cableguide / blank set Addict GR 22**

## **Cable Routing:**





All rights reserved ©2021 SCOTT Sports SA

---

#### ILLUSTRATIONS

Background Designed by starline / Freepik/Vecteezy.com

---

The information contained in this techbook is in various languages but only the English version will be relevant in case of conflict.  
Although SCOTT Sports SA has published all information contained in this techbook after careful examination, SCOTT Sports SA assumes no liability for being up-to-date, correct, reliable or complete. SCOTT Sports SA reserves the right to change the content of this techbook, particularly colors, materials and specifications, at any time without prior notice. Any liability shall be exempted.  
Products shown may not be available in all regions, please check with your local SCOTT retailer for availability.

---

#### EDITOR

SCOTT SPORTS SA  
Route du Crochet 11  
1762 Givisiez  
Switzerland

Authorized Representative: Beat Zaugg, Pascal Ducrot

Tel: +41 (0)26 460 16 16  
Fax: +41 (0)26 460 16 00  
[webmaster.marketing@scott-sports.com](mailto:webmaster.marketing@scott-sports.com)  
**[www.scott-sports.com](http://www.scott-sports.com)**

Commercial register: Fribourg  
Register number: CH-217-0135214-3  
VAT-ID: CH466324

